

GIS REGISTRY INFORMATION

SITE NAME:	Triangle Kwik Stop			FID #	
BRRTS #:	03-53-002779			(if appropriate):	
COMMERCE # (if appropriate):	53581-2828-45				
CLOSURE DATE:	November 7, 2005 Final Closure (2)				
STREET ADDRESS:	845 Sextonville Road				
CITY:	Richland Center				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	488926	Y =	317394	
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input type="checkbox"/>	Both <input checked="" type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
• IF YES, STREET ADDRESS:	920 Sextonville Road				
• GPS COORDINATES (meters in WTM91 projection):	X =	488894	Y =	317378	
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
CONTAMINATION IN RIGHT OF WAY:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued or denial letter issued.					<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties					<input checked="" type="checkbox"/>
County Parcel ID number, if used for county, for all affected properties					<input checked="" type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input checked="" type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)					<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate.					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input checked="" type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)					<input checked="" type="checkbox"/>
Copy of (soil or land use) deed restriction (s) or deed notice if any required as a condition of closure na – means not applicable					<input type="checkbox"/>
Copy of any maintenance plan referenced in the deed restriction					<input type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
<http://www.commerce.state.wi.us>
<http://www.wisconsin.gov>
Scott McCallum, Governor
Phillip Edw. Albert, Secretary

April 26, 2002

Mr. Roger Weber
Jax Enterprises II
845 Sextonville Road
Richland Center, WI 53581

RE: **Final Closure**

Commerce # 53581-2828-45 **WDNR BRRTS # 03-53-002779**
Triangle Kwik Stop, 845 Sextonville Road, Richland Center

Dear Mr. Weber:

This letter acknowledges receipt of the information requested in the Wisconsin Department of Commerce's (Commerce) PECFA Site Review Section April 9, 2001 conditional closure letter. On July 17, 2001, Commerce received the monitoring well abandonment forms for MW-1, MW-2, MW-3R, MW-4R, and RMW-3. On July 17, 2001, Commerce received a copy of the recorded soil deed affidavit and groundwater use restriction for the source property. On March 27, 2002 Commerce received the GIS Registry information. Please note that Commerce is making no determination as to the accuracy of the legal description information.

This site is now listed as "closed" on the Commerce database and has been included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual groundwater contamination above NR 140 Wisconsin Administrative Code enforcement standards. It is in your best interest to keep all documentation related to the investigation and remediation of your site.

If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. If contamination is encountered, appropriate measures must be implemented to assure any residual contamination is managed following all applicable State of Wisconsin regulations and standards.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-6543.

Sincerely,

Ralph N. Smith
Hydrogeologist
Site Review Section

cc: Daniel Pelczar - KEY ENGINEERING GROUP LTD
Case File

194805

VOL 203 PAGE 302

This Deed, made between Gordon A. Rego
a/k/a Gordon Rego

Dennie Jo Jax Grantor,

and

Witnesseth That the said Grantor for a valuable consideration
of one dollar and other valuable consideration

conveys to Grantee the following described real estate in Richland
County, State of Wisconsin:

RECORDED

AT 8:30 O'CLOCK A.M.

DEC 05 1988

VOL 203 of Records PAGE 302

BY *Sy Miller*

RETURN TO
Melvin A. Anderson, S.C.
702 N. Alcockhawk Ave
Madison, WI 53713

Tax Parcel No:

All that part of vacated Lincoln Street and that part of Lots 1, 4
and 5 of Block 76, Ira S. Haseltine's Addition to the City of
Richland Center of July 24, 1885, being in part of the Northeast
One-quarter of the Southwest One-quarter of Section 21, Township
10 North, Range 1 East, City of Richland Center, Richland County,
Wisconsin, bounded and described as follows:

Commencing at the Northeast Corner of Block 76; thence North,
along the West Line of Park Street, 33.00 feet to a point on the
centerline of vacated Lincoln Street and the place of beginning of
the parcel hereinafter described; thence South, along the West
Line of Park Street, 212.00 feet to a point on the Northeast Line
of Sextonville Road; thence North 26 degrees 52 minutes 45 seconds
West, along said Northeast Line, 238.45 feet to a point on the
centerline of vacated Lincoln Street; thence South 89 degrees 44
minutes 14 seconds East, along said centerline, 107.71 feet to the
place of beginning, containing 11,417 square feet or 0.262 acres
of land.

This is not homestead property.
(is) (is not)

TRANSFER
\$ 390.00
EFF

Together with all and singular the hereditaments and appurtenances thereto belonging;
And Grantor

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except
municipal and zoning ordinances, recorded easements for public utilities
recorded building and use restrictions and covenants, general taxes levied
in 1988, encroachments of canopy and sign onto public right of way, and
and will warrant and defend the same. city drainage easement

Dated this 1st day of December, 1988

(SEAL) *Gordon A. Rego* (SEAL)

Gordon A. Rego

(SEAL) (SEAL)

AUTHENTICATION

Signature(s) of Gordon A. Rego

authenticated this 1st day of December, 1988

Edward E. Leineweber

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 700.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Edward E. Leineweber

Attorney at Law

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

County. ss.

Personally came before me this day of 19 the above named

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Notary Public County, Wis.

My Commission is permanent. (If not, state expiration date: 19...)

*Names of persons signing in any capacity should be typed or printed below their signatures.

Document Number

243478

NOTICE OF CONTAMINATION TO PROPERTY

VOL 337 PAGE 616

Legal Description of the Property: In Re: All that part of vacated Lincoln Street and that part of Lots 1, 4 and 5 of Block 76, Ira S. Haseltine's Addition to the City of Richland Center of July 24, 1885, being in part of the Northeast One-quarter of the Southwest One-quarter of Section 21, Township 10 North, Range 1 East, City of Richland Center, Richland County, Wisconsin, bounded and described as follows:

Commencing at the Northeast Corner of Block 76; thence North, along the West Line of Park Street, 33.00 feet to a point on the centerline of vacated Lincoln Street and the place of beginning of the parcel hereinafter described; thence South, along the West Line of Park Street, 212.00 feet to a point on the Northeast Line of Sextonville Road; thence North 26 degrees 52 minutes 45 seconds West, along said Northeast Line, 238.45 feet to a point on the centerline of vacated Lincoln Street; thence South 89 degrees 44 minutes 14 seconds East, along said centerline, 107.71 feet to the place of beginning, containing 11,417 square feet or 0.262 acres of land.

RECORDED

AT 2:45 O'CLOCK P.M.

APR 25 2001

VOL 337 OF RECORDS PAGE 616-619

REGISTER OF DEEDS

RICHLAND COUNTY, WISCONSIN

BY [Signature]

Name and Return Address

Triangle Kwik Stop (d.b.a. Jax II Enterprises) 845 Sextonville Road Richland Center, Wisconsin 53581

STATE OF WISCONSIN)) ss) COUNTY OF RICHLAND)

52276-210-7610 Parcel Identification Number (PIN)

Section 1. Mr. Dennie Jo Jax is the owner of the above-described property.

Section 2. One or more petroleum discharges have occurred at this property. Benzene, toluene, ethylbenzene, methyl tert-butyl ether (MTBE), total trimethylbenzenes (TMB), 1,2-dichloroethane (DCA), and naphthalene contaminated groundwater above NR 140 enforcement standards (ES). Soils above the NR 720 residual contaminant levels (RCLs) of the Wisconsin Administrative Code exist(s) on this property in the sides and bottom of the remedial excavation 8-14 feet below grade.

Section 3. The owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitations and/or restrictions:

- Benzene exists at a concentration in monitoring well MW-3R of 11,300 parts per billion (ppb) as sampled on January 16, 2001. MTBE exists at a concentration in monitoring well MW-3R of 1,290 ppb as sampled on January 16, 2001. These levels exceed ES for these petroleum compounds established for groundwater in NR 140 (see Figure 1 for locations). Monitoring well MW-3 (see Figure 1 for location) has not been properly abandoned. If monitoring well MW-3 is accessible in the future, it shall be properly abandoned in accordance with all applicable rules and regulations. Anyone who proposes to construct or reconstruct a well on this property described above is required to contact the Department of Natural Resources' Bureau of Drinking

Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

- Residual petroleum contaminated soil remains on this site and extends into the road right-of-way. Natural attenuation is the approved remedial alternative for this site. If contaminated soil is excavated in the future, it may be considered a solid waste and will need to be disposed in accordance with all applicable laws.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction, are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 24 day of April, 2001.

By signing this document, [he/she] acknowledges that [he/she] is duly authorized to sign this document on behalf of JAX Enterprises # D.B.A. Tri-State Kwik Stop.

Signature: Dennis J Jax

Printed Name: Dennis J Jax

Title: owner

Subscribed and sworn to before me this 24th day of April, 2001.

Margie E. Bieser
Notary Public, State of Wisconsin
My commission 09-05-04


This Instrument Drafted By:
Ralph Smith
Department of Commerce

BENCHMARK SURVEYS, INC.
 P.O. BOX 486 608-583-2333
 RICHLAND CENTER, WISCONSIN. 53581



PLAT OF SURVEY
 FOR
TKS

SCALE 1" = 30'



RECEIVED AT THE
 SURVEYOR'S OFFICE
 RECEIVED FOR FILING
 DEC 12 1988
 COUNTY SURVEYOR

Part of vacated Lincoln Street and part of Lots 1, 4 and 5 of Block 76, 1ra S. Haseltine's Addition to the City of Richland Center, being in part of the Northeast One-quarter of the Southwest One-quarter of Section 21, Township 10 North, Range 1 East, City of Richland Center, Richland County, Wisconsin.

" I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY, AND THE ABOVE MAP IS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL STRUCTURES THEREON, FENCES, ROADWAYS, APPARENT EASEMENTS AND ENCROACHMENTS, IF ANY.

THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF THE PRESENT OWNERS OF THE PROPERTY, AND ALSO THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THEREOF, WITHIN ONE (1) YEAR FROM DATE HEREOF; AND AS TO THEM, I HEREBY CERTIFY THAT SAID SURVEY AND THE ABOVE MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND THAT THE INFORMATION CONTAINED HEREIN IS, TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, A TRUE AND ACCURATE REPRESENTATION THEREOF.

DATED NOVEMBER 22, 19 88




DRAFTED BY: MJJ

SHEET 1 OF 2

JOB NO. 552

Benchmark Surveys, Inc.
P.O. Box 486 (608) 583-2333
Richland Center, WI 53581





Matthew J. Janiak ■ Registered Land Surveyor ■ Richland County Surveyor


November 22, 1988

DESCRIPTION FOR: TRIANGLE KWIK STOP

All that part of vacated Lincoln Street and that part of Lots 1, 4 and 5 of Block 76, Ira S. Haseltine's Addition to the City of Richland Center of July 24, 1885, being in part of the Northeast One-quarter of the Southwest One-quarter of Section 21, Township 10 North, Range 1 East, City of Richland Center, Richland County, Wisconsin, bounded and described as follows:


Commencing at the Northeast Corner of Block 76; thence North, along the West Line of Park Street, 33.00 feet to a point on the centerline of vacated Lincoln Street and the place of beginning of the parcel hereinafter described; thence South, along the West Line of Park Street, 212.00 feet to a point on the Northeast Line of Sextonville Road; thence North $26^{\circ} 52' 45''$ West, along said Northeast Line, 238.45 feet to a point on the centerline of vacated Lincoln Street; thence South $89^{\circ} 44' 14''$ East, along said centerline, 107.71 feet to the place of beginning, containing 11.417 square feet or 0.262 acres of land.





SOURCE: USGS Richland Center, Wisconsin Quadrangle
Topographic Map 1983

© 1999 Key Engineering Group Ltd.



**FIGURE 1
SITE LOCATION MAP**

REMEDIAL ACTION REPORT
TRIANGLE KWIK STOP
845 SEXTONVILLE ROAD
RICHLAND CENTER, WISCONSIN


DRN. BY:	S.L.G.	DATE:	01/18/99
DSN BY:	J.T.T.	FILE NO.:	0703009
CHK. BY:	C.E.H.	DWG. NO.:	07030091
REV. BY:	G.L.J.	SHEET NO.:	1



© 2001 Key Engineering Group, Ltd.
FIGURE 2
GROUNDWATER ELEVATION
CONTOUR MAP
 (DECEMBER 27, 2001)
 TRIANGLE KWIK STOP
 845 SEXTONVILLE ROAD
 RICHLAND CENTER, WISCONSIN




DRN. BY:	J.J.J.	DATE:	02/28/01
DSN. BY:	D.K.P.	FILE NO.:	0703009
CHK. BY:	D.K.P.	DWG. NO.:	7392
REV. BY:	G.L.J.	SHEET NO.:	2



LEGEND

- ◆ MONITORING WELL LOCATION
- RW-3 MONITORING WELL INSTALLED BY RAMAKER & ASSOCIATES FOR ELM GROVE DAIRY SITE INVESTIGATION
- 720.07 GROUNDWATER ELEVATION (12/27/01)
- ← GROUNDWATER FLOW DIRECTION

CONTOUR INTERVAL = 0.20 FEET
 AVERAGE HYDRAULIC GRADIENT 0.046 FEET/FOOT




GROUNDWATER ELEVATIONS
MEASURED 8/27/1995

ORIGINAL BUILDING

AREA OF 1986 EXPANSION

REPLACEMENT WELL
EXPANSION
2004



<p>RAMAKER & ASSOCIATES, INC. Consulting Engineers 120 Dekan Street South City, Richmond 23224 Phone 804-643-6600 Fax 804-643-1925</p>	SITE PLAN	
	DEAN FOODS RICHLAND CENTER, WI	
	FILE NAME 2380DRH025.DGN	JOB NO. 2380
	DRAFTER BRC	DATE 08/26/03
	SCALE 1" = 60'	

Modified by METCO 12/29/04 ED

... \2300\2380-95\2380drr\080603.dgn . 02/06/2004 08:05:30 AM

**Groundwater Analytical Results Summary
Triangle Kwik Stop LUST Site**

Monitoring Well PZ-2

PVC Elevation = 730.18

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
1/4/2005	717.34	12.84	<0.29	<0.56	<0.2	<0.6	<0.57	<1.17	<1.74
2/3/2005	717.13	13.05	<0.15	<0.21	<0.14	<0.97	<0.14	<1.23	<0.6

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled

Monitoring Well PZ-3

PVC Elevation = 731.29

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
1/4/2005	717.21	14.08	<0.29	<0.56	<0.2	<0.6	<0.57	<1.17	<1.74
2/3/2005	717.05	14.24	<0.15	<0.21	<0.14	<0.97	<0.14	<1.23	<0.6

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled

METCO

Environmental Consulting, Fuel System Design, Installation and Service
2956 Airport Road – La Crosse, WI 54603 608-781-8879




FIGURE 2
SUMMARY OF GROUNDWATER
SAMPLE ANALYTICAL RESULTS
AND GROUNDWATER ELEVATION

TRIANGLE KWK STOP
 845 SEXTONVILLE ROAD
 RICHLAND CENTER, WISCONSIN



© 2002 Key Engineering Group Ltd.

DRN. BY:	J.J.J.	DATE:	03/25/02
DSN. BY:	D.K.P.	FILE NO.:	0703009
CHK. BY:	D.K.P.	DWG. NO.:	070300970
REV. BY:	G.L.J.	SHEET NO.:	1



CURRENT UST TANK I.D. (GALLONS)	CONTENTS
A	KEROSENE
B	DIESEL
C	PREMIUM GASOLINE
D	UNLEADED GASOLINE

FORMER UST TANK I.D. (GALLONS)	CONTENTS (STATUS)
#1	DIESEL (REMOVED 11/30/98)
#2	GASOLINE (REMOVED 11/30/98)
#3	GASOLINE (REMOVED 11/30/98)
#4	DIESEL (REMOVED 11/30/98)
#5	GASOLINE (REMOVED 11/30/98)
#6	GASOLINE (REMOVED 11/30/98)
#7	KEROSENE (REMOVED 11/30/98)
#8	FUEL OIL (REMOVED 11/30/98)
#9	UNKNOWN (REMOVED 12/1/98)

DATE	12/27/00	1/18/01
GRV	37.600	---
Pb	0.460	---
Pt	---	---
AN	---	---
AS	---	---
AV	---	---
AW	---	---
AX	---	---
AY	---	---
AZ	---	---
BA	---	---
BB	---	---
BC	---	---
BD	---	---
BE	---	---
BF	---	---
BG	---	---
BH	---	---
BI	---	---
BJ	---	---
BK	---	---
BL	---	---
BM	---	---
BN	---	---
BO	---	---
BP	---	---
BQ	---	---
BR	---	---
BS	---	---
BT	---	---
BU	---	---
BV	---	---
BW	---	---
BX	---	---
BY	---	---
BZ	---	---
CA	---	---
CB	---	---
CC	---	---
CD	---	---
CE	---	---
CF	---	---
CG	---	---
CH	---	---
CI	---	---
CJ	---	---
CK	---	---
CL	---	---
CM	---	---
CN	---	---
CO	---	---
CP	---	---
CQ	---	---
CR	---	---
CS	---	---
CT	---	---
CU	---	---
CV	---	---
CV	---	---
CW	---	---
CX	---	---
CY	---	---
CZ	---	---
DA	---	---
DB	---	---
DC	---	---
DD	---	---
DE	---	---
DF	---	---
DF	---	---
DG	---	---
DH	---	---
DI	---	---
DI	---	---
DJ	---	---
DK	---	---
DL	---	---
DM	---	---
DN	---	---
DO	---	---
DP	---	---
DP	---	---
DQ	---	---
DR	---	---
DS	---	---
DT	---	---
DT	---	---
DU	---	---
DV	---	---
DV	---	---
DW	---	---
DX	---	---
DX	---	---
DY	---	---
DY	---	---
DZ	---	---
DZ	---	---
EA	---	---
EA	---	---
EB	---	---
EB	---	---
EC	---	---
EC	---	---
ED	---	---
ED	---	---
EE	---	---
EE	---	---
EF	---	---
EF	---	---
EG	---	---
EG	---	---
EH	---	---
EH	---	---
EI	---	---
EI	---	---
EJ	---	---
EJ	---	---
EK	---	---
EK	---	---
EL	---	---
EL	---	---
EM	---	---
EM	---	---
EN	---	---
EN	---	---
EO	---	---
EO	---	---
EP	---	---
EP	---	---
EQ	---	---
EQ	---	---
ER	---	---
ER	---	---
ES	---	---
ES	---	---
ET	---	---
ET	---	---
EU	---	---
EU	---	---
EV	---	---
EV	---	---
EW	---	---
EW	---	---
EX	---	---
EX	---	---
EY	---	---
EY	---	---
EZ	---	---
EZ	---	---
FA	---	---
FA	---	---
FB	---	---
FB	---	---
FC	---	---
FC	---	---
FD	---	---
FD	---	---
FE	---	---
FE	---	---
FF	---	---
FF	---	---
FG	---	---
FG	---	---
FH	---	---
FH	---	---
FI	---	---
FI	---	---
FJ	---	---
FJ	---	---
FK	---	---
FK	---	---
FL	---	---
FL	---	---
FM	---	---
FM	---	---
FN	---	---
FN	---	---
FO	---	---
FO	---	---
FP	---	---
FP	---	---
FQ	---	---
FQ	---	---
FR	---	---
FR	---	---
FS	---	---
FS	---	---
FT	---	---
FT	---	---
FU	---	---
FU	---	---
FV	---	---
FV	---	---
FW	---	---
FW	---	---
FX	---	---
FX	---	---
FY	---	---
FY	---	---
FZ	---	---
FZ	---	---
GA	---	---
GA	---	---
GB	---	---
GB	---	---
GC	---	---
GC	---	---
GD	---	---
GD	---	---
GE	---	---
GE	---	---
GF	---	---
GF	---	---
GG	---	---
GG	---	---
GH	---	---
GH	---	---
GI	---	---
GI	---	---
GJ	---	---
GJ	---	---
GK	---	---
GK	---	---
GL	---	---
GL	---	---
GM	---	---
GM	---	---
GN	---	---
GN	---	---
GO	---	---
GO	---	---
GP	---	---
GP	---	---
GQ	---	---
GQ	---	---
GR	---	---
GR	---	---
GS	---	---
GS	---	---
GT	---	---
GT	---	---
GU	---	---
GU	---	---
GV	---	---
GV	---	---
GW	---	---
GW	---	---
GX	---	---
GX	---	---
GY	---	---
GY	---	---
GZ	---	---
GZ	---	---
HA	---	---
HA	---	---
HB	---	---
HB	---	---
HC	---	---
HC	---	---
HD	---	---
HD	---	---
HE	---	---
HE	---	---
HF	---	---
HF	---	---
HG	---	---
HG	---	---
HH	---	---
HH	---	---
HI	---	---
HI	---	---
HJ	---	---
HJ	---	---
HK	---	---
HK	---	---
HL	---	---
HL	---	---
HM	---	---
HM	---	---
HN	---	---
HN	---	---
HO	---	---
HO	---	---
HP	---	---
HP	---	---
HQ	---	---
HQ	---	---
HR	---	---
HR	---	---
HS	---	---
HS	---	---
HT	---	---
HT	---	---
HU	---	---
HU	---	---
HV	---	---
HV	---	---
HW	---	---
HW	---	---
HX	---	---
HX	---	---
HY	---	---
HY	---	---
HZ	---	---
HZ	---	---
IA	---	---
IA	---	---
IB	---	---
IB	---	---
IC	---	---
IC	---	---
ID	---	---
ID	---	---
IE	---	---
IE	---	---
IF	---	---
IF	---	---
IG	---	---
IG	---	---
IH	---	---
IH	---	---
II	---	---
II	---	---
IJ	---	---
IJ	---	---
IK	---	---
IK	---	---
IL	---	---
IL	---	---
IM	---	---
IM	---	---
IN	---	---
IN	---	---
IO	---	---
IO	---	---
IP	---	---
IP	---	---
IQ	---	---
IQ	---	---
IR	---	---
IR	---	---
IS	---	---
IS	---	---
IT	---	---
IT	---	---
IU	---	---
IU	---	---
IV	---	---
IV	---	---
IW	---	---
IW	---	---
IX	---	---
IX	---	---
IY	---	---
IY	---	---
IZ	---	---
IZ	---	---
JA	---	---
JA	---	---
JB	---	---
JB	---	---
JC	---	---
JC	---	---
JD	---	---
JD	---	---
JE	---	---
JE	---	---
JF	---	---
JF	---	---
JG	---	---
JG	---	---
JH	---	---
JH	---	---
JI	---	---
JI	---	---
IJ	---	---
IJ	---	---
JK	---	---
JK	---	---
IL	---	---
IL	---	---
IM	---	---
IM	---	---
IN	---	---
IN	---	---
IO	---	---
IO	---	---
IP	---	---
IP	---	---
IQ	---	---
IQ	---	---
IR	---	---
IR	---	---
IS	---	---
IS	---	---
IT	---	---
IT	---	---
IU	---	---
IU	---	---
IV	---	---
IV	---	---
IW	---	---
IW	---	---
IX	---	---
IX	---	---
IY		

TABLE 1

SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

TRIANGLE KWIK STOP
845 Sextonville Road
Richland Center, Wisconsin

PARAMETER	SAMPLE IDENTIFICATION										NR 140	
	MW-1 07/20/00	MW-2 12/27/00	MW-3 10/16/97	MW-3R 12/27/00 (3)	01/16/01	MW-4 10/16/97	MW-4R 12/27/00	RMW-3 (2) 12/27/00	ES	PAL		
Sample Date	07/20/00	12/27/00	10/16/97	12/27/00 (3)	01/16/01	10/16/97	12/27/00	12/27/00	NA	NA		
GRO (µg/l)	<50	<50	32,900	37,400	---	93	<50	71.1	(1)	(1)		
DRO (µg/l)	<100	157	3,670	8,920	---	895	270	<100	(1)	(1)		
Dissolved Lead (µg/l)	---	---	<5.7	---	---	---	---	---	15	1.5		
VOCs (µg/l)	---	---	---	---	---	---	---	---	---	---		
Benzene	<0.50	<0.50	9,350	---	11,300	1.3	<0.50	<0.50	5	0.5		
Toluene	<0.50	<0.50	272 Q	---	4,110	<0.5	<0.50	<0.50	1,000	200		
Ethylbenzene	<0.50	<0.50	1,570	---	1,490	<0.4	<0.50	<0.50	700	140		
Xylene	<0.50	0.637	6,640	---	6,430	<1.4	<0.50	0.815	10,000	1,000		
Methyl-tert-butyl ether	<0.20	31.6	3,510	---	1,290	1.2	<0.20	182	60	12		
Trimethylbenzenes	<2.00	<2.0	1,420	---	1,364	<0.9	<2.0	<2.0	480	96		
Isopropylbenzene	---	---	<88	---	43.2	<0.4	---	---	(1)	(1)		
n-Propylbenzene	---	---	146 Q	---	143	<0.3	---	---	(1)	(1)		
p-Isopropyltoluene	---	---	<68	---	4.94	1.4	---	---	(1)	(1)		
n-Butylbenzene	---	---	<76	---	29.9	<0.4	---	---	(1)	(1)		
sec-Butylbenzene	---	---	<78	---	11.5	2.6	---	---	(1)	(1)		
tert-Butylbenzene	---	---	<68	---	1.59	<0.3	---	---	(1)	(1)		
Di-isopropyl ether	---	---	<128	---	83.6	<0.6	---	---	(1)	(1)		
Naphthalene	---	---	396	---	420	0.5 Q	---	---	40	8		
Tetrachloroethene	---	---	<86	---	<0.50	<0.4	---	---	5	0.5		
1,2-Dichloroethane	---	---	<58	---	11.9	<0.3	---	---	5	0.5		
PAHs (µg/l)	---	---	---	---	---	---	---	---	---	---		
1-methyl Naphthalene	---	---	222	47.9	---	3.7 Q	---	---	(1)	(1)		
2-methyl Naphthalene	---	---	90	70.3	---	4 Q	---	---	(1)	(1)		
Acenaphthene	---	---	42	<5.00	---	<1.7	---	---	(1)	(1)		
Acenaphthylene	---	---	112	<4.00	---	<1.8	---	---	(1)	(1)		
Anthracene	---	---	0.8	<0.20	---	<0.2	---	---	3,000	600		
Fluoranthene	---	---	<0.5	<1.0	---	0.5 Q	---	---	400	80		
Fluorene	---	---	7.5	<1.0	---	0.7 Q	---	---	400	80		
Naphthalene	---	---	179	303	---	<1.8	---	---	40	8		
Phenanthrene	---	---	3.0	0.635	---	0.5 Q	---	---	(1)	(1)		
Pyrene	---	---	<0.3	<1.00	---	0.5 Q	---	---	250	50		

Notes:

bold values exceed NR 140 PAL

Boxed values exceed NR 140 ES

--- = not analyzed

* - sample was detected in the quality control blank for that sampling event

(1) - NR 140 standards are not established

(2) - RMW-3 - installed by Ramaker & Associates, Inc. for Elm Grove Dairy

(3) - VOCs resampled on 1/16/01 due to a laboratory error on the 12/27/00 sample

DRO - diesel range organics

ES - NR 140 Enforcement Standard

GRO - gasoline range organics

PAH - polycyclic aromatic hydrocarbon


PAL - NR 140 Protective Action Limit

Q - quantified result between the limit of detection and limit of quantification

µg/l - micrograms per liter or parts per billion

VOCs - volatile organic compounds

SCHMATIC CROSS-SECTION A-A'



A' EAST

A WEST

MEAN SEA LEVEL (FEET)

MEAN SEA LEVEL (FEET)

GENERATOR NOTES

1. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

2. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

3. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

4. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

5. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

6. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

7. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

8. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

9. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

10. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

11. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

12. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

13. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

14. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

15. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

16. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

17. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

18. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

19. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

20. ALL MONITORING POINTS (M.P.) ARE TO BE INSTALLED AT THE LOCATION SHOWN ON THE ATTACHED MAP.

SOIL NOTES

1. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

2. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

3. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

4. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

5. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

6. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

7. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

8. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

9. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

10. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

11. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

12. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

13. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

14. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

15. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

16. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

17. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

18. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

19. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

20. ALL SOIL SAMPLES WERE TAKEN AT THE LOCATION SHOWN ON THE ATTACHED MAP.

NO.	DATE	TIME	DEPTH	SOIL TYPE	WATER CONTENT (%)	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	UNSATURATED SWELLING (%)	SHRINKAGE (%)	SHRINKAGE INDEX (%)	SHRINKAGE RATIO (%)	SHRINKAGE CURVE
1	12/27/00	10:00	1.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
2	12/27/00	10:00	1.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
3	12/27/00	10:00	2.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
4	12/27/00	10:00	2.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
5	12/27/00	10:00	3.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
6	12/27/00	10:00	3.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
7	12/27/00	10:00	4.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
8	12/27/00	10:00	4.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
9	12/27/00	10:00	5.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
10	12/27/00	10:00	5.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
11	12/27/00	10:00	6.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
12	12/27/00	10:00	6.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
13	12/27/00	10:00	7.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
14	12/27/00	10:00	7.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
15	12/27/00	10:00	8.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
16	12/27/00	10:00	8.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
17	12/27/00	10:00	9.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
18	12/27/00	10:00	9.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
19	12/27/00	10:00	10.0	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0
20	12/27/00	10:00	10.5	CL	45.0	75.0	30.0	1.0	1.0	1.0	1.0	1.0

LEGEND

GROUNDWATER ELEVATION (12/27/00)

SOIL SAMPLE INTERVAL


GROUNDWATER MONITORING WELL SCREENED INTERVAL

CONCENTRATION GREATER THAN:

MR 720 GENERIC RESIDUAL CONTAMINANT (GROUNDWATER)

MR 140 ENFORCEMENT STANDARD (GROUNDWATER)

CONCENTRATION GREATER THAN MR 140 PREVENTIVE ACTION LIMIT



KEY ENGINEERING GROUP, Inc.

FIGURE 3A SCHEMATIC CROSS-SECTION A-A'

2002 Key Engineering Group, Inc.

TRIANGLE KEEK STOP
845 SEKTONVILLE ROAD
RICHLAND CENTER, WISCONSIN

DATE: 03/25/02
FILE NO.: 0703009
D.M.C. NO.: 070300938
SHEET NO.: 3A

STATEMENT

In accordance with NR 726.05(3)(a)(4)(f) of the Wisconsin Administrative Code "A statement signed by the responsible party that certifies that the legal descriptions that are attached to the statement are complete and accurate for all of the properties within or partially within the contaminated site's boundaries that have groundwater contamination that exceeds ch. NR 140 enforcement standards at the time that closure is requested."

Triangle Kwik Stop

Signature

Printed Name

Date

Roger Weber

Roger Weber

1-31-02



ENVIRONMENTAL • CIVIL/GEOTECH • COMPLIANCE

W66 N215 Commerce Court
Cedarburg, Wisconsin 53012
(262) 375-4750
(800) 645-7365
Fax (262) 375-9680

April 30, 2001

Mr. Bill McCorkle
City of Richland Center
Public Works Department
182 North Central Avenue
Richland Center, Wisconsin 53581

Reference: *Notification of Residual
Petroleum Contamination
Within the City Right-of-way
Triangle Kwik Stop
845 Sextonville Road
Richland Center, Wisconsin 53581
WDNR BRRTS #: 03-53-002779
WDNR FID #: 153028150
PECFA Claim #: 53581-2828-45*

KEY ENGINEERING GROUP, LTD.
File No. 0703009

Dear Mr. McCorkle:

Key Engineering Group, Ltd. (KEY) has completed a site investigation and soil remediation activities for the above referenced property associated with a release from former petroleum underground storage tanks utilized on the property. Conditional case closure was approved by the Wisconsin Department of Commerce (WDCOM) on April 9, 2001 (letter attached). As part of WDCOM's conditional case closure requirements KEY on behalf of Triangle Kwik Stop is providing the City of Richland Center notification of residual petroleum contamination within the City Right-of-Way.

Previous documents submitted to the City of Richland Center regarding this site included the following:

- *Permission for Access to City Right-of-Way (KEY, May, 9, 1997).*
This document pertained to requesting City approval to perform off-site investigation activities (groundwater monitoring well installation) within the City Right-of-Way.
- *Permission for Access to City Right-of-Way (KEY, October 15, 1998).*
This document pertained to requesting City approval to perform soil remedial action activities within the City Right-of-Way.

RECEIVED
MAR 27 2002
ERS DIVISION

March 25, 2002

Mr. Jeff Kraget
Plant Manager
Dean Foods
920 Sextonville Road
Richland Center, Wisconsin 53581

Reference: *Groundwater Contamination Notification*
Triangle Kwik Stop
845 Sextonville Road
Richland Center, Wisconsin 53581
WDNR BRRTS #: 03-53-002779
WDNR FID #: 153028150
WDCOM PECFA Claim #: 53581-2828-45

Dear Mr. Kraget:

This letter has been prepared in accordance with Chapter NR 726.05 (3)(a)4.g. of the Wisconsin Administrative Code by Triangle Kwik Stop.

Groundwater contamination that appears to have originated on the property located at 845 Sextonville Road has migrated onto your property at 920 Sextonville Road. The levels of methyl-tert-butyl-ether (MTBE) contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultant who has investigated this contamination has informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726 and COMM 46, Wisconsin Administrative Code, and I will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call (800) 367-6076 for calls originating in Wisconsin, or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, *Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination*.

The Department of Commerce will not review Triangle Kwik Stop closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information you may have that indicated that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to this closure request, you should mail that information to: Mr. Ralph N. Smith, 201 West Washington Avenue, P.O. Box 8044, Madison, Wisconsin 53707-8044.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of

Mr. Jeff Kraget
March 25, 2002
Page 2

properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline ((800) 242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on the closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need further assistance, you may contact me at (608) 647-8067, or you may contact Mr. Ralph Smith at the Department of Commerce at (608) 261-6543. Triangle Kwik Stop appreciates your time in this matter.

Sincerely,



Triangle Kwik Stop

Roger Weber
Owner

Attachments: Attachment 1 Legal Description of Off-Site Property
Attachment 2 Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination
Publication #RR-589, March 1998) Wisconsin Department of Natural Resources

cc: Mr. Ralph Smith, Wisconsin Department of Commerce

EXHIBIT A
LEGAL DESCRIPTION OF PROPERTY

Parcel 1 (tax parcel no. 52276 2100-7630):

Lots 6 and 7, and part of Lots 3, 4, 5 and 8 of Block 76, Haseltine's 4th Addition to the City of Richland Center; part of Outlot 53 of the Assessor's Plat of the City of Richland Center and that part of vacated Church Street, located in part of the Northeast One-quarter of the Southwest One-quarter of Section 21, Township 10 North, Range 1 East, City of Richland Center, Richland County, Wisconsin, bounded and described as follows:

Commencing at the centerline intersection of vacated Church and Lincoln Streets, being 33 feet Northerly and 33 feet Westerly of the Northwest Corner of Block 76, Haseltine's 4th Addition; thence South 03 degrees 01 minutes and 07 seconds West, along the centerline of vacated Church Street, 130.50 feet to the point of beginning of the parcel hereinafter described; thence North 87 degrees 24 minutes and 58 seconds West, 179.87 feet (previously described as 179.75 feet); thence South 03 degrees 12 minutes and 13 seconds West, 328.25 feet to a point on the Easterly right-of-way limits of United States Highway 14; thence South 32 degrees 39 minutes and 08 seconds East, along said right-of-way limits, 96.40 feet (previously described as bearing South 34 degrees 38 minutes 36 seconds East); thence South 01 degrees 38 minutes and 38 seconds East, along said right-of-way limits, 126.25 feet (previously described as South 03 degrees 38 minutes 06 seconds East, 126.25 feet); thence South 15 degrees 35 minutes 25 seconds East, along said right-of-way limits, 68.08 feet (previously described as bearing South 17 degrees 34 minutes 53 seconds East); thence South 88 degrees 07 minutes 00 seconds East, 570.23 feet to a point on the westerly right-of-way limits of Sextonville Road; thence North 23 degrees 50 minutes 00 seconds West, along said right-of-way limits, 659.45 feet; thence North 87 degrees 24 minutes 58 seconds West, 179.54 feet to the point of beginning.

EXCEPTING THEREFROM: Land deeded to the State of Wisconsin as set forth in a deed from Richland Valley Products, Inc., dated June 5, 1992 and recorded December 21, 1992 in Volume 233 of Records on pages 7-8 as Document No. 208076.

Parcel 2 (tax parcel no. 52276-2151-1000):


Lot One (1) of Richland County Certified Survey Map No. 264 as recorded in the Richland County Registry in Volume 2 of Certified Survey Maps on page 253-254 as Document No. 229458, being located in part of the Northeast Quarter (NE1/4) of the Southwest Quarter (SW1/4) and part of the Northwest Quarter (NW1/4) of the Southwest Quarter (SW1/4) of Section Twenty-one (21), Township Ten (10) North, Range One (1) East, City of Richland Center, Wisconsin.

ALSO being a part of Lots Fifty-one (51) and Fifty-two (52) of the Assessment Map of the City of Richland Center, Wisconsin.

Richland Center, Wisconsin

JEWELL & ASSOC., INC.

ENGINEERS-SURVEYORS-ARCHITECTS
 133 North Central Avenue Richland Center WI 53581
 PHONE: 608-647-8533 FAX: 608-647-6568



RICHLAND COUNTY CERTIFIED SURVEY MAP CONT'D.

SURVEYOR'S CERTIFICATE

I, Sean M. Walsh, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped all that part of the Northeast One-quarter of the Southwest One-quarter and part of the Northwest One-quarter of the Southwest One-quarter of Section 21, Township 10 North, Range 1 East, City of Richland Center, Wisconsin, also being part of Lots 51 and 52 of the Assessment Map of the City of Richland Center, bounded and described as follows:

Commencing at the Southwest corner of Block 65 of the Original Plat of the City of Richland Center; Thence South 03° 16' 28" West, 66.12 feet to the point of beginning of the lands hereinafter described; Thence South 02° 21' 32" East, 121.29 feet to a point on the arc of a curve concave to the East; Thence Southerly, 314.17 feet along the arc of said curve having a radius of 2647.78 feet, a central angle of 06° 47' 54" and a chord bearing South 03° 18' 12" East, 313.99 feet; Thence North 89° 30' 34" East, 93.38 feet; Thence South 00° 09' 34" West, 328.13 feet to a point on the Easterly right-of-way limits of United States Trunk Highway 14; Thence North 35° 44' 27" West, along said right-of-way line, 95.45 feet; Thence North 45° 01' 28" West, along said right-of-way line, 136.72 feet to a point on the arc of a curve concave to the Northeast; Thence Northwesterly, 212.51 feet along said right-of-way and the arc of said curve having a radius of 991.74 feet, a central angle of 12° 16' 39" and a chord bearing North 31° 39' 51" West, 212.11 feet; Thence North 26° 40' 56" West, along said right-of-way, 365.09 feet; Thence North 01° 59' 07" West, along said right-of-way, 80.19 feet to a point on the Southerly right-of-way line of Gage Street; Thence North 89° 49' 11" East, along said South line, 315.00 feet to the point of beginning, containing a total area of 151,754 square feet or 3.48 acres of land.

Together with and subject to that part of a 30 foot wide utility easement located within the above described parcel, the centerline of which is described as follows:

Commencing at the Southwest corner of Block 65 of the Original Plat of the City of Richland Center; Thence South 03° 16' 28" West, 66.12 feet; Thence South 89° 49' 11" West, 29.22 feet to the point of beginning of the centerline hereinafter described; Thence South, along said centerline, 253.63 feet; Thence South 20° 21' 27" East, along said centerline, 421.58 feet to the point of termination of said easement.

That I have made this survey, land division and map at the direction of Mr. Drew Heiden, agent for the owners of said land.

That such map is a correct representation of all exterior boundaries of the land surveyed and the division thereof made.

That I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Wisconsin Administrative Code and the Ordinances of the City of Richland Center in surveying, dividing and mapping the same.

Dated this 8 day of July, 1998

Sean M. Walsh, RLS
Jewell & Assoc., Inc.



Watertable Elevation Data

**Triangle Gas Station
Project #: 7943**

**RAMAKER & ASSOC., INC.
Civil & Environmental Engineers**

Well No.	Measurement Date	Top of PVC Elevation (MSL)	Well Depth ft.	Depth to Groundwater ft.	GW Elevation (MSL)
MW-1	8/27/1995	733.37		15.57	717.80
	10/31/1995	733.37		15.86	717.51
	5/13/2003	733.09		14.14	718.95
	6/26/2003	733.09		15.07	718.02
	12/4/2003	733.09		15.88	717.21
MW-2	8/27/1995	736.42		18.57	717.85
	10/31/1995	736.42		19.07	717.35
	5/13/2003	736.42		18.02	718.40
	6/26/2003	736.42		18.63	717.79
	12/4/2003	736.42		19.28	717.14
MW-3	8/27/1995	733.52		14.26	719.26
	10/31/1995	733.52		14.60	718.92
	5/5/2004	PVC altered		14.23	NA
MW-4	8/27/1995	728.58		9.25	719.33
	10/31/1995	728.58		10.27	718.31
	6/23/2003	728.58		9.69	718.89
MW-5	10/31/1995	**		13.76	**
MW-6	10/31/1995	730.94		13.31	717.63
	6/23/2003	730.94		12.87	718.07
MW-7	10/31/1995	**		12.11	**
	6/23/2003	**		11.87	**
MW-8	10/31/1995	**		14.32	**
MW-9	10/31/1995	**		12.33	**
MW-10	10/31/1995	**		17.02	**
P-1	10/31/1995	729.92		12.53	717.39
	5/13/2003	729.92		10.92	719.00
	12/4/2003	729.92		12.61	717.31
	1/12/2003	729.92		12.82	717.10
	5/5/2004	729.92		16.87	713.05
RW-10	6/23/2003	732.80		14.83	717.97
	12/4/2003	732.80		15.60	717.2



AERIAL PHOTOGRAPH

Job Name : Dean Foods

Job Number : 2380B

Site Address : 920 Sextonville Rd.

Richland Center, WI 53581

R **RAMAKER**
& ASSOCIATES, INC.
Consulting Engineers

1120 Dallas Street, Sauk City, WI 53583

Telephone : 608/643-4100

Facsimile : 608/643-7999

Table F - Groundwater Analytical Summary
Morningstar Foods LLC,

Well Number and Date	Benzene	Toluene	Ethylbenzene	m & p Xylene	o-Xylene	MTBE	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	1,2-Dichloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	Methylene chloride	Tetrachloroethene
ES	5	1000	700	10000 Total	60	480			5	6	3	70	5	5
PAL	0.5	200	140	1000 Total	12	96			0.5	0.6	0.3	7	0.5	0.5
09/04/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	150	<1.0	<1.0
11/08/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	79	<1.0	<1.0
11/25/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	120	<1.0	<1.0
09/22/97	<0.5	6.72	<1	1.04	<1	<1	10.3	2.91	<1	40.5	<2	52.4	11.3	<1
11/25/97	<0.75	28	<0.50	<0.75	<1.2	**	<0.75	5.8	<0.50	2.5	<2.2	45	28	<1.5
04/10/98	<2.50	53.3	5.25	<5.00	<5.00	<5.00	<5.00	111	<5.00	<5.00	<10.0	35.5	23.8	<2.50
MW-8														
10/06/95	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<3.0	<1.0
11/25/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-9														
10/06/95	<1.0	<1.0	<1.0	<2.0	<1.0	1.7	<1.0	<1.0	<1.0	<1.0	2.7	<1.0	<3.0	<1.0
11/25/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
MW-10														
10/06/95	<1.0	20	1.5	5.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.6	80	<3.0	<1.0
02/16/96	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	170	<3.0	<1.0
4/13/96	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	92	<3.0	<1.0
07/10/96	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	40	<1.0	<1.0
09/04/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	96	<1.0	<1.0
11/08/96	<0.6	<1.0	<1.0	<1.0	<1.0	2.5	<1.0	<1.0	<1.0	<1.0	<1.0	45	<1.0	<1.0
11/25/96	<0.6	<1.0	<1.0	<1.0	<1.0	2.5	<1.0	<1.0	<1.0	<1.0	<1.0	43	<1.0	<1.0
09/22/97	<0.5	<1	<1	<1	<1	2.42	<1	<1	<1	<1.0	<2	44.5	<2	<1
11/25/97	<0.30	<0.20	<0.20	<0.30	<0.50	**	<0.60	<0.30	<0.20	0.8	<0.90	54	<0.50	<0.60
04/10/98	<0.50	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	50.5	<2.00	<1.00
09/17/98	<0.50	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	<1.00
02/14/00	<0.15	<0.4	<0.5	<0.4	<0.15	<0.3	<0.4	<0.15	<0.15	<0.14	<0.15	<0.15	<0.39	<0.15
P-1														
10/31/95	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<3.0	<1.0
11/25/96	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
02/14/00	<15.0	<40.0	<50.0	<40.0	<15.0	<30.0	<40.0	<15.0	<15.0	<14.0	<15.0	<15.0	<39.0	<15.0
05/13/03	<29	<34	<26	<62	<27	<31	<31	<39	<34	<30	<24	<40	<43	<31
09/04/03	<2.3	11	<2.1	<3.7	<1.8	4.4	<2.4	<2.7	<2.0	<2.1	<1.8	<2.2	<2.4	<1.8
12/04/03	250	<3.4	<2.6	<6.2	[3.2]	120	<3.1	<3.9	<3.4	<3.0	<2.4	<4.0	<4.3	<3.1
01/12/04	99	[2.5]	<1.4	[5.5]	<1.3	180	6.1	<1.7	<1.8	<2.0	<2.3	<2.7	<1.4	<2.2
05/05/04	640	<10	<8.3	<18	<8.8	670	400	55	**	**	**	**	**	**
RW-10														
06/26/03	1.2	<0.23	<0.21	2.0	1.7	<0.11	1.9	1.3	<0.20	<0.21	<0.18	<0.22	<0.24	<0.18
09/04/03	<0.23	<0.23	<0.21	<0.37	<0.18	<0.37	<0.24	<2.7	<0.2	<0.21	<0.18	6.9	<0.24	<0.18
12/04/03	<0.29	<0.34	<0.26	<0.62	<0.27	<0.31	<0.31	<0.39	<0.34	<0.30	[0.37]	6.2	<0.43	<0.31