





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Lloyd L. Eagan, Regional Director

Janesville Service Center  
2514 Morse Street  
Janesville, Wisconsin 53545  
Telephone 608-743-4841  
FAX 608-743-4801  
TTY Access via relay - 711

August 16, 2006

Mr. Mike Scalise  
Aramark Uniform & Career Apparel, Inc.  
2300 Warrenville Road  
Downers Grove, IL 60515-1765

**SUBJECT:** Final Case Closure Aramark/Former Robinson Cleaners Facility,  
310 West Centerway Avenue, Janesville, WI  
**WDNR BRRTS Activity #: 02-54-000974**

Dear Mr. Scalise:

On October 24, 2005, the Department of Natural Resources' (DNR's) South Central Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Structural impediments existing at the time of cleanup, specifically the building foundation, made complete investigation and remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of chlorinated solvent contamination. If contamination is found at that time, the Wisconsin DNR shall be immediately notified and the contamination shall be properly investigated and remediated in accordance with applicable statutes and rules. If soil in the specific locations shown on Exhibit B is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard

and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Pursuant to s. 292.12(2)(a), Wis. Stats., the building foundation that currently exists in the location shown on the attached map (labeled Exhibit C) shall be maintained in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil beneath the building foundation is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The following activities are prohibited on any portion of the property where the building foundation is located as shown on the attached map, unless prior written approval has been obtained from the Wisconsin DNR: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure. In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

In addition, on June 13, 2006, your consultant BT<sup>2</sup>, Inc. notified DNR that groundwater monitoring well MW-11B, previously placed on an adjoining property at 222 N. Academy Street, Janesville, could not be located and therefore could not be properly abandoned. The approximate location of MW-11B is shown on the attached map labeled "Exhibit B". You or subsequent owners of the "Aramark Property" (310 West Centerway Avenue) may be liable for any future problems associated with lost well MW-11B if it creates a conduit for contaminants to enter groundwater. Furthermore, the owner of the property located at 222 N. Academy Street has been notified that monitoring well MW-11B could not be found and was not properly abandoned. And, if MW-11B becomes accessible they must contact the owners of the "Aramark Property" so the well can be properly abandoned.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Jim Kralick at 608-743-4841 or [James.Kralick@dnr.state.wi.us](mailto:James.Kralick@dnr.state.wi.us).

Sincerely,

 FOR

Patrick McCutcheon  
SCR Remediation & Redevelopment Team Supervisor

cc: Janesville ERP case file  
Phillip Krejci, Aramark, Inc., 2300 Warrentville Road, Downers Grove, IL 60515-1765  
Larry Beutzer, City of Janesville Engineering Dept., 18 N. Jackson Street,  
PO Box 5005, Janesville, WI 53547-5005  
John Tweddale, BT2, Inc., 2830 Dairy Drive, Madison, WI 53718-6751



WELL MW11-B LOCATED AT 222 N. ACADEMY STREET  
 COULD NOT BE FOUND AND HAS NOT BEEN PROPERLY



**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ruthe E. Badger, Regional Director

Janesville Service Center  
2514 Morse Street  
Janesville, Wisconsin 53545  
Telephone 608-743-4841  
FAX 608-743-4801

October 25, 2005

Mr. Robert Robbins  
Aramark Uniform Services  
154 South Main Street  
Lodi, WI 53555

**Subject: Conditional Closure Decision with Requirements to Achieve Final Closure  
For the Aramark/Former Robinson Cleaners Property, 310 West  
Centerway Avenue, Janesville, Wisconsin  
WDNR BRRTS Activity # 02-54-000974**

Dear Mr. Robbins:

On October 24, 2005, the Department of Natural Resources' (DNR's) South Central Region Closure Committee reviewed your request for closure of the case described above. The Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the chlorinated solvent contamination at your site appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to DNR standards in accordance with s. NR 728.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

**MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gwl](http://www.dnr.state.wi.us/org/water/dwg/gwl) or provided by the DNR.

**PURGE WATER, WASTE AND SOIL PILE REMOVAL**

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with DNR rules. Please submit a statement indicating that any remaining purge water, waste and/or soil piles have been removed once that work is completed.


When the above conditions have been satisfied, please notify me that the applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 608-743-4841, or the e-mail address below.

Sincerely,

A handwritten signature in black ink that reads "James Kralick". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

James Kralick, P.G.  
Hydrogeologist, SCR Remediation & Redevelopment  
James.Kralick@dnr.state.wi.us

cc: Janesville Case File  
Mr. Phillip Krejci, Aramark, Inc., 2300 Warrenville Road, Downers Grove, IL 60515-1765  
John Tweddale, BT2, Inc., 2830 dairy Drive, Madison, WI 53718-6751



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Ruthe E. Badger, Regional Director

Janesville Service Center  
2514 Morse Street  
Janesville, Wisconsin 53545  
Telephone 608-743-4841  
FAX 608-743-4801

January 12, 2005

Mr. Robert Robbins  
Aramark Uniform Services  
154 South Main Street  
Lodi, WI 53555

Subject: Denial of Case Closure By Committee, Aramark/Former Robinson Cleaners Property, 310 West Centerway Avenue, Janesville, Rock County, WI  
WDNR BRRTS #: 02-54-000974

Dear Mr. Robbins:

On January 11, 2005, your site was reviewed for closure by the Department of Natural Resources' (DNR's) South Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state statutes and rules to maintain consistency in the closure of these cases. After careful review of your closure request, the closure committee has decided that additional investigative activities and documentation are necessary for the above-described property, in order to meet the requirements for site closure.

Your site was denied closure and the following additional activities were requested:

-Two additional rounds of quarterly groundwater monitoring must be completed on wells MW-5A and MW-6A in order to demonstrate a stable or decreasing trend for residual groundwater contamination at these well locations.

-Have your consultant complete a *draft* Deed Restriction for residual soil contamination left in place beneath your property. The draft Deed Restriction should be submitted to my attention, at the address on the letterhead, for DNR review and approval. Once approved by DNR, the documents will need to be submitted to the Rock County Register of Deeds.

-Notification of contamination in right-of-ways must be completed, with proof of notification being sent to my attention.

-Determine if the small City of Janesville parcel located directly south of well MW-7B is a right-of-way or real property owned by the City, and notify the owner of residual contamination accordingly.


Once the additional activities outlined above have been completed, your revised request for closure will be considered.

If there is additional relevant information that was not previously provided to the Department, which you believe might change the Department's closure decision you may submit that information for our re-evaluation of your closure request.



If you have any questions regarding this letter, please contact me at 608-743-4841, or at the e-mail address below.

Sincerely,

A handwritten signature in black ink that reads "James Kralick". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

James Kralick, P.G.  
Hydrogeologist, SCR Remediation & Redevelopment Program  
James.Kralick@dnr.state.wi.us

cc: RR case file – Janesville  
Mr. Phillip Krjci, Aramark, Inc., 2300 Warrenville Road, Downers Grove, IL 60515-1765  
John Tweddale, BT2, Inc., 2830 Dairy Drive, Madison, WI 53718-6751

643

DOCUMENT NO

WARRANTY DEED  
STA. & BAR OF WISCONSIN FORM 3 - 1928

THIS SPACE INTENDED FOR RECORDED DATA

RECORDED  
CARD # 146  
IMAGE # 643-644  
AUG 25 1 54 PM '83  
ESTHER A. GABE  
REGISTER OF DEEDS  
ROCK CR. WIS. 53545

973887a

13

1500

Raymond H. Gehrig  
conveys and warrants to  
Means Services, Inc., a  
Delaware Corporation  
the following described real estate in Rock County,  
State of Wisconsin:

RETURN TO  
John Cape  
P.O. Box 576  
Luis

Tax Parcel No: 3684 and 3884.1

Legal Description is Attached.

644

This is not homestead property.  
(is) (is not)

Exception to warranties: easements and restrictions of record.

Dated this 24th day of August, 1983.

(SEAL) *Raymond H. Gehrig* (SEAL)  
Raymond H. Gehrig  
(SEAL) (SEAL)

AUTRENTICATION

Signature(s) of Raymond H. Gehrig  
authenticated this 24 day of AUGUST, 1983  
*James R. Cripe*  
James R. Cripe  
TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not authorized by § 706.06, Wis. Stats.)

ACKNOWLEDGMENT

STATE OF WISCONSIN  
County, \_\_\_\_\_  
Personally came before me this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_ the above named \_\_\_\_\_  
to me known to be the person \_\_\_\_\_ who executed the foregoing instrument and acknowledge the same.

THIS INSTRUMENT WAS DRAFTED BY

NOWLAN & MOUAT, James R. Cripe  
P.O. Box 546, Janesville, WI 53547  
(Signatures may be authenticated or acknowledged. Both are not necessary.)

Notary Public \_\_\_\_\_ County, Wis.  
My Commission is permanent (if not, state expiration date) \_\_\_\_\_, 19\_\_\_\_

LEGAL DESCRIPTION1,500<sup>00</sup>  
FEEPARCEL I:

All those parts of Lots 83, 84, 85, 86 and 89 of Smith and Bailey's Addition and parts of Lots 87 and 150, Smith, Bailey & Stone's Addition of the City of Janesville, described as follows: A piece of land bounded by North Jackson Street, Centerway, North High Street, and a line drawn parallel with and distant 23 feet south-easterly (measured at right angles) from the centerline of the main track of the Chicago and Northwestern Railway Company, except Lot 149 of Smith, Bailey & Stone's Addition; including all easements, rights of access and other appurtenances and subject to all restrictions of record. Also conveying all that portion of vacated High Street abutting said premises.


PARCEL II:

That part of Lot 179 in Smith Bailey and Stones Addition to Janesville, according to the recorded plat thereof, bounded and described as follows: Beginning at the intersection of the Southwesterly line of High Street and the Northwesterly line of Laurel (formerly Bluff Street) Avenue; thence Northwesterly along said Southwesterly line of High Street, to a point distant 35 feet Southeasterly, measured at right angles, from the center line of the main track of the Chicago and North Western Railway Company as said main track is now located; thence Southwesterly along a line parallel with said main track center line to a point on the Northwesterly line of said Laurel Avenue; thence Northeasterly along said Northwesterly line of Laurel Avenue to the point of beginning. Together with those portions of vacated Laurel Street and High Street lying adjacent to said parcel.

PARCEL III:

Lot 149 of Smith, Bailey and Stone's Addition to the City of Janesville, Rock County, Wisconsin; Also the N 1/2 of that part of vacated Laurel Street directly South of Lot 149. Also that portion of vacated High Street lying adjacent to said parcel.

EXCEPTING from said Lot 149, that portion conveyed to State of Wisconsin by deed dated June 28, 1957 and recorded August 1, 1957 in Volume 512 of Deeds, Page 334 and described as follows, to-wit: Commencing at the Southeast corner of said Lot 149; thence Westerly along the Southerly line of the lot, 28 feet; thence Northeasterly (erroneously said to be Southeasterly) to a point on the Easterly line of said Lot, 39 feet Northerly from the Southeast corner thereof; thence Southerly along the Easterly lot line, 39 feet to the point of beginning, such excepted parcel containing 546 square feet more or less.



**NITH & BAILEY**  
 ADDITION TO  
**JONESVILLE**

By addition to the Town of Jonesville is laid  
 out No. one & Lot No. two in Section No 36, Township No.  
 1, Range No. Twelve East, the map is on a scale of  
 1 inch Var. of the needle 8° E. the length, width &  
 the streets are given on the map, which I certify to  
 be taken from the notes of the survey of said additions,  
 July 11<sup>th</sup> 1845. John J. L. Pease Surveyors  
 A. Howard Smith }  
 W. H. H. Bailey } Proprietors

On this 15<sup>th</sup> day of July A.D. 1845 came before  
 Smith and William H. H. Bailey personally known to  
 and acknowledged that the above is a true and correct plat

Done at Jonesville July 25<sup>th</sup> 1845






## ATTACHMENT I

### Required GIS Registry Information

- I-1. Copy(s) of Most Recent Deed
- I-2. Copy of Certified Survey Map(s)
- I-3. Parcel Identification Number  
# 0136100400
  
- Geographic Position  
E 599552 N 246082
  
- I-4. Site Location Map (Figure 1)
- I-5. Map of Contaminated Properties Within the Site Boundary
- I-6. Table of Most Recent Analytical Results
- I-7. Groundwater Isoconcentration Map or Map of Horizontal Extent of Contamination
- I-8. Groundwater Elevation Summary (RMT Table 1)
- I-9. Groundwater Flow Direction Map (RMT Figure 1)
- I-10. Map Showing Location of All Soil Samples
- I-11. Geologic Cross Section (N/A)
- I-12. Responsible Party Statement
- I-13. Copy of Letters Sent by the RP to All Owners of Properties With Groundwater Exceeding ESSs
- I-14. Copy of Written Notifications
- I-15. List of Addresses for All Off-Source Properties



**SITE LOCATION**

**200' RADIUS**

**JANESVILLE**

JANESVILLE WEST QUADRANGLE  
 WISCONSIN-ROCK CO.  
 7.5 MINUTE SERIES (TOPOGRAPHIC)  
 NE/4 JANESVILLE 15' QUADRANGLE  
 1978  
 SCALE: 1" = 2,000'



PROJECT NO 2718
DRAWN BY: KP
CHECKED BY: CW
APPROVED BY:
DRAWN: 09/29/04
REVISED: 10/13/04

**FIGURE 1**  
**SITE LOCATION MAP**  
**ROBINSON CLEANERS**  
**310 WEST CENTERWAY AVENUE**  
**JANESVILLE, WISCONSIN**





Table 2  
 ARAMARK Uniform Services Site  
 Janesville, Wisconsin  
 Water Table Well Laboratory VOC Results

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-1A	4/22/1988	1.8	1.3	ND	NA	1.8
	7/26/1988	ND	2.1	ND	NA	ND
	5/3/1989	2.8	1.3	ND	NA	ND
	4/19/1990	2	1.1	ND	NA	ND
	7/3/1991	2.8	ND	ND	NA	NA
	6/10/1992	10	ND	ND	1.2	ND
	9/16/1992	3.6	ND	ND	ND	ND
	12/14/1992	2.8	ND	ND	ND	ND
	3/24/1993	2.5	ND	ND	1.3	ND
	6/9/1993	ND	ND	ND	1.0	ND
	9/30/1993	ND	ND	ND	ND	ND
	12/16/1993	ND	ND	ND	ND	ND
	3/25/1994	ND	ND	ND	1.4	ND
	6/13/1994	ND	ND	ND	1.1	ND
	12/15/1994	ND	1.0	ND	ND	ND
	3/30/1995	ND	1.2	ND	1.1	ND
	6/1/1995	ND	1.2	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	3/19/1996	ND	ND	ND	ND	6.5
	9/19/1996	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0
	3/18/1997	< 1.4	1.3	< 2.3	< 1.6	< 1.0
	9/4/1997	< 0.44	0.98Q	< 1.0	< 0.50	< 0.32
	3/19/1998	< 0.44	0.99Q	< 1.0	< 0.50	< 0.32
	09/24/98	< 0.41	0.61Q	< 0.90	< 0.44	< 0.40
	3/23/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	9/22/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/15/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
9/18/2000	0.51Q	< 0.49	< 1.1	< 0.44	< 0.40	
3/20/2001	0.76Q	< 0.49	< 1.1	< 0.44	< 0.40	
9/10/2001	0.61Q	< 0.49	< 1.1	< 0.44	< 0.40	
3/14/2002	0.58	< 0.49	< 1.1	< 0.44	< 0.40	
9/30/2002	1.2Q	< 0.39	< 1.61	< 0.87	< 0.84	
3/13/2003	1.3Q	< 0.39	< 1.61	< 0.87	< 0.84	
MW-2A	4/22/1988	270	6.6	270	NA	12
	7/26/1988	54	5.7	51	NA	ND
	5/3/1989	480	17	110	NA	ND
	4/19/1990	830	34	160	NA	ND
	7/3/1991	44	8.7	1,100	NA	NA
MW-2AR	12/16/1993	160	< 10	< 10	< 5.0	< 5.0
	3/25/1994	97	< 2.0	< 20	< 10	< 10
	6/13/1994	75	< 10	< 10	< 5.0	< 5.0
	12/15/1994	NA	NA	NA	NA	NA
	3/30/1995	46	< 5.0	< 10	< 5.0	< 5.0
	6/1/1995	30	2.7	5.0	ND	ND
	9/19/1995	21	7.0	21	ND	ND
3/19/1996	26	2.4	19	ND	ND	

**Table 2**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Water Table Well Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-2AR (continued)	3/18/1997	24	4.2	6.0	< 1.6	< 1.0
	9/4/1997	15	11	74	< 0.50	< 0.32
	3/19/1998	16	3.9	43	< 1.0	< 0.64
	3/22/1999	74	14	2.1	< 0.44	< 0.40
	5/5/1999	35	10	39	< 0.44	< 0.40
	3/15/2000	55	8.1	< 2.0	< 1.0	< 1.0
	9/18/2000	34	6.8	0.47Q	< 0.44	< 0.40
	3/21/2001	62	14	1.8	< 0.44	< 0.40
	9/10/2001	29	4.8*	0.66Q	< 0.44	< 0.40
	3/15/2002	32	10	0.97Q	< 0.44	< 0.40
	9/30/2002	22	6.8	7.6	< 0.87	< 0.84
	5/1/2003	21	8.3	2.5Q	< 0.61	< 0.67
	11/25/2003	12	13	4.6	< 0.61	< 0.67
	5/5/2004	26	14	3.5	< 0.61	< 0.67
MW-3A	4/22/1988	37	4.2	29	NA	1.2
	7/26/1988	23	1.0	ND	NA	ND
	5/3/1989	17	ND	ND	NA	ND
	4/19/1990	21	2.6	60	NA	ND
	7/3/1991	130	19	88	NA	NA
	6/10/1992	130	ND	56	ND	ND
	9/16/1992	240	12	ND	ND	ND
	12/14/1992	260	34	120	ND	ND
	3/24/1993	260	41	66	< 10	< 10
	6/9/1993	200	23	43	< 10	< 10
	9/30/1993	170	< 20	28	< 10	< 10
	12/16/1993	110	< 20	< 20	< 10	< 10
	3/25/1994	110	< 20	< 20	< 10	< 10
	6/13/1994	80	< 20	< 20	< 10	< 10
	12/15/1994	75	12	8.3	1.7	ND
	3/30/1995	66	< 5.0	< 10	< 5.0	< 5.0
	6/1/1995	39	< 5.0	< 10	< 5.0	< 5.0
	9/18/1995	47	22	< 10	< 5.0	< 5.0
	3/19/1996	30	19	ND	ND	1.0
	9/19/1996	35	20	< 2.0	< 1.0	< 1.0
	3/18/1997	18	7.0	< 2.3	< 1.6	< 1.0
	9/4/1997	20	33	31	< 0.50	< 0.32
	3/19/1998	17	20	120	< 1.0	< 0.64
	09/24/98	6.4	4.0	1.4Q	< 0.44	< 0.40
	3/22/1999	3.5	2.6	< 1.1	< 0.44	< 0.40
	9/22/1999	2.0	2.0	< 1.1	< 0.44	< 0.40
	3/15/2000	2.2	2.3	< 2.0	< 1.0	< 1.0
	9/18/2000	2.7	1.5Q	< 1.1	< 0.44	< 0.40
	3/21/2001	3.2	1.8	< 1.1	< 0.44	< 0.40
	9/10/2001	4.1	1.4Q*	< 1.1	< 0.44	< 0.40
3/15/2002	3.2	1.7	< 1.1	< 0.44	< 0.40	
9/30/2002	3.5	1.3	< 1.61	< 0.87	< 0.84	
3/13/2003	3.6	1.3	< 1.61	< 0.87	< 0.84	

Table 2  
 ARAMARK Uniform Services Site  
 Janesville, Wisconsin  
 Water Table Well Laboratory VOC Results

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(H)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(H)</sup>	12	68.6
MW-4A	4/22/1988	54	4.3	ND	NA	1.2
	7/26/1988	15	3.9	ND	NA	ND
	5/3/1989	33	4.0	ND	NA	ND
	4/19/1990	38	2.8	1.1	NA	ND
	7/3/1991	32	2.8	ND	NA	NA
	6/10/1992	210	ND	ND	ND	ND
	9/16/1992	77	4.9	ND	ND	ND
	12/14/1992	270	ND	ND	ND	ND
	3/24/1993	4.2	7.8	ND	4.9	ND
	6/9/1993	44	< 10	< 10	< 5.0	< 5.0
	9/30/1993	19	< 10	< 10	< 5.0	< 5.0
	12/16/1993	13	< 10	< 10	< 5.0	< 5.0
	3/25/1994	ND	6.2	ND	3.0	ND
	6/13/1994	16	< 10	< 10	13	< 5.0
	12/15/1994	5.0	2.9	ND	ND	ND
	3/30/1995	2.6	1.8	ND	ND	ND
	6/1/1995	2.6	1.1	ND	ND	ND
	9/18/1995	5.1	ND	ND	ND	ND
	3/19/1996	2.5	1.8	ND	ND	ND
	9/19/1996	7.5	2.6	< 2.0	< 1.0	< 1.0
	3/18/1997	< 1.4	3.7	< 2.3	< 1.6	< 1.0
	9/4/1997	1.0Q	3.4	< 1.0	1.1Q	< 0.32
	3/19/1998	1.1	1.9	< 1.0	0.54Q	< 0.32
	09/24/98	1.0Q	1.9	< 0.90	< 0.44	< 0.40
	3/22/1999	1.1Q	2.3	< 1.1	0.53Q	< 0.40
	9/22/1999	1.5	0.98Q	< 1.1	< 0.44	< 0.40
	3/15/2000	< 1.0	1.6	< 2.0	< 1.0	< 1.0
9/18/2000	0.89Q	1.6	< 1.1	< 0.44	< 0.40	
3/21/2001	0.57Q	1.4Q	< 1.1	< 0.44	< 0.40	
9/10/2001	0.71Q	1.4Q*	< 1.1	< 0.44	< 0.40	
3/14/2002	< 0.41	1.2Q	< 1.1	< 0.44	< 0.40	
9/30/2002	1.1Q	0.77Q	< 1.61	< 0.87	< 0.84	
3/14/2003	0.96Q	0.57Q	< 1.61	< 0.87	< 0.84	
MW-5A	4/22/1988	160	69	400	NA	2.0
	7/26/1988	140	21	150	NA	ND
	5/3/1989	120	20	220	NA	ND
	4/19/1990	110	7.9	68	NA	ND
	7/3/1991	210	5.9	35	NA	NA
	6/10/1992	200	ND	55	ND	ND
	9/16/1992	630	33	ND	ND	ND
	12/14/1992	500	22	54	ND	ND
	3/24/1993	660	110	450	< 50	< 50
	6/9/1993	230	< 100	< 100	< 50	< 50
	9/30/1993	270	< 20	130	< 10	< 10
	12/16/1993	97	28	180	< 10	< 10
	3/25/1994	70	< 20	58	< 10	< 10

**Table 2**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Water Table Well Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140.FAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-5A (continued)	6/13/1994	92	< 20	< 20	< 10	< 10
	12/15/1994	41	26	24	ND	ND
	3/30/1995	46	3.5	10	ND	ND
	6/1/1995	32	1.1	9.5	ND	ND
	9/18/1995	25	8.6	39	ND	ND
	3/19/1996	25	3.4	11	ND	1.2
	9/19/1996	34	7.6	18	< 1.0	< 1.0
	3/18/1997	55	8.7	190	< 1.6	< 1.0
	9/4/1997	37	4.0	54	< 0.50	< 0.32
	3/19/1998	29	1.1Q	7.0	< 1.0	< 0.64
	09/24/98	7.8	0.62Q	< 0.90	< 0.44	< 0.40
	3/23/1999	14	1.5Q	24	< 0.44	< 0.40
	9/22/1999	10	0.85Q	< 1.1	< 0.44	< 0.40
	3/15/2000	30	2.5	2.5	< 1.0	< 1.0
	9/18/2000	110	2.0	0.86Q	< 0.44	< 0.40
	3/21/2001	200	3.3	2.3	0.44	< 0.40
	9/10/2001	190	2.4*	< 1.1	< 0.44	< 0.40
	3/15/2002	120	3.0	0.49Q	< 0.44	< 0.40
	9/30/2002	81	1.8	< 1.61	< 0.87	< 0.84
	3/13/2003	75	2.3	< 1.61	< 0.87	< 0.84
11/25/2003	130	2.7	< 1.72	< 0.61	< 0.67	
5/5/2004	200	3.9	< 3.5	< 1.2	< 1.3	
4/11/2005	205	3.92	< 10.00	< 0.290	< 5.00	
7/12/2005	110	3.2	0.52J	< 0.50	< 0.20	
MW-6A	4/22/1988	23	7	ND	NA	ND
	7/26/1988	37	3.6	5.2	NA	ND
	5/3/1989	29	5.1	1.1	NA	ND
	4/19/1990	13	8.1	ND	NA	ND
	7/3/1991	29	3.5	ND	NA	NA
	6/10/1992	65	ND	ND	ND	ND
	9/16/1992	220	ND	ND	ND	ND
	12/14/1992	46	ND	ND	ND	ND
	3/24/1993	24	< 20	< 20	< 10	< 10
	6/9/1993	20	6.8	ND	ND	ND
	9/30/1993	11	4.4	ND	ND	ND
	12/16/1993	17	4.6	ND	1.2	ND
	3/25/1994	8	9.9	ND	ND	ND
	6/13/1994	19	7.7	ND	1.6	ND
	12/15/1994	NA	NA	NA	NA	ND
	3/30/1995	15	10	ND	1.4	ND
	6/1/1995	37	5.0	ND	1.2	ND
	9/18/1995	34	4.7	ND	1.3	ND
	3/19/1996	12	11	ND	2.4	ND
	9/19/1996	38	7.5	< 2.0	< 1.0	< 1.0
3/18/1997	6.7	9.4	< 2.3	7.2	< 1.0	
9/4/1997	8.1	5.2	< 1.0	2.2		
3/19/1998	11	2.5	< 1.0	0.61Q	< 0.32	

**Table 2**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Water Table Well Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-6A (continued)	09/24/98	11	1.5Q	1.4Q	< 0.44	< 0.40
	3/23/1999	39	14	142	< 0.44	< 0.40
	5/5/1999	13	7.0	67	0.48Q	< 0.40
	9/22/1999	68	36	171	< 0.44	< 0.40
	3/15/2000	71	14	35	< 1.0	< 1.0
	9/18/2000	50	5.6	4.1	< 0.44	< 0.40
	3/20/2001	70	8.4	15	< 0.44	< 0.40
	9/10/2001	70	13*	43	< 0.44	< 0.40
	3/15/2002	130	18	60	< 0.44	< 0.40
	9/30/2002	210	14	34	< 2.2	< 2.1
	3/14/2003	180	9.9	29	< 1.7	< 1.7
	11/25/2003	160	32	151Q	< 0.61	< 0.67
	5/5/2004	130	12	25	< 0.61	< 0.67
	4/11/2005	38.0	1.04	<10.00	<0.290	<5.00
	7/11/2005	59	4.2	16	<0.50	<0.20
07/11/05 Dup	67	5.0	17	<0.50	0.22J	
MW-8A	4/19/1990	ND	ND	ND	NA	ND
	7/3/1991	ND	ND	ND	NA	NA
	6/10/1992	ND	ND	ND	ND	1.3
	9/16/1992	ND	ND	ND	ND	ND
	12/14/1992	ND	ND	ND	ND	ND
	3/24/1993	ND	ND	ND	ND	ND
	12/16/1993	ND	ND	ND	ND	ND
	6/13/1994	ND	ND	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	9/19/1996	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0
	3/18/1997	< 1.4	< 1.2	< 2.3	< 1.6	< 1.0
	9/4/1997	< 0.44	< 0.38	< 1.0	< 0.50	< 0.32
	3/19/1998	< 0.44	< 0.38	< 1.0	< 0.50	< 0.32
	09/24/98	< 0.41	< 0.49	< 0.90	< 0.44	< 0.40
	3/22/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	9/22/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/16/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
	9/18/2000	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/20/2001	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
9/10/2001	1.2Q	< 0.49*	< 1.1	< 0.44	< 0.40	
3/14/2002	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40	
9/30/2002	< 0.63	< 0.39	< 1.61	< 0.87	< 0.84	
3/13/2003	< 0.63	< 0.39	< 1.61	< 0.87	< 0.84	
MW-9A	4/19/1990	4	1.7	ND	NA	ND
	7/3/1991	ND	2.9	ND	NA	NA
	6/10/1992	2.2	ND	ND	ND	ND
	9/16/1992	2.1	2.3	ND	ND	ND
	12/14/1992	2.4	3.9	ND	ND	ND
	3/24/1993	ND	< 2.8	ND	ND	ND
	12/16/1993	ND	2.4	ND	ND	ND
	6/13/1994	6.3	ND	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	9/19/1996	7.8	1.7	< 2.0	< 1.0	< 1.0

**Table 2**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Water Table Well Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-9A (continued)	3/18/1997	2.7	< 1.2	< 2.3	< 1.6	< 1.0
	9/4/1997	0.96Q	1.4	< 1.0	< 0.50	< 0.32
	3/19/1998	1.1Q	1.1Q	< 1.0	< 0.50	< 0.32
	09/24/98	0.67Q	1.1Q	< 0.90	< 0.44	< 0.40
	3/22/1999	0.89Q	0.55Q	< 1.1	< 0.44	< 0.40
	9/22/1999	0.71Q	< 0.49	< 1.1	< 0.44	< 0.40
	3/15/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
	9/18/2000	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/20/2001	0.87Q	< 0.49	< 1.1	< 0.44	< 0.40
	9/10/2001	1.2Q	< 0.49*	< 1.1	< 0.44	< 0.40
	3/14/2002	0.65Q	< 0.49	< 1.1	< 0.44	< 0.40
	9/30/2002	0.68Q	< 0.39	< 1.61	< 0.87	< 0.84
	3/14/2003	0.68Q	< 0.39	< 1.61	< 0.87	< 0.84
MW-10A	4/19/1990	ND	1.9	ND	NA	ND
	7/3/1991	ND	3.9	ND	NA	NA
	6/10/1992	ND	2.9	ND	ND	1.5
	9/16/1992	ND	9.8	ND	ND	ND
	12/14/1992	ND	4.2	ND	ND	ND
	3/24/1993	ND	6.7	ND	ND	ND
	12/16/1993	ND	7.5	ND	ND	1.5
	6/13/1994	ND	ND	ND	ND	ND
	9/18/1995	ND	2.3	ND	ND	ND
	9/19/1996	< 2.0	3.6	< 2.0	< 1.0	< 1.0
	3/18/1997	< 1.4	< 1.2	< 2.3	< 1.6	< 1.0
	9/4/1997	< 0.44	0.66Q	< 1.0	< 0.50	< 0.32
	3/19/1998	< 0.44	0.56Q	< 1.0	< 0.50	< 0.32
	09/24/98	< 0.41	0.60Q	< 0.90	< 0.44	< 0.40
	3/22/1999	< 0.41	0.59Q	< 1.1	< 0.44	< 0.40
	9/22/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/16/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
	9/18/2000	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/20/2001	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	9/10/2001	0.42Q	< 0.49*	< 1.1	< 0.44	< 0.40
3/14/2002	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40	
9/30/2002	< 0.63	< 0.39	< 1.61	< 0.87	< 0.84	
5/1/2003	< 0.45	< 0.48	< 1.7	< 0.61	< 0.67	
Field Rinse	7/11/2005	< 0.50	< 0.20	< 1.0	< 0.50	< 0.20
Trip Blank	7/11/2005	< 0.50	< 0.20	< 1.0	< 0.50	< 0.20
	7/12/2005	< 0.50	< 0.20	< 1.0	< 0.50	< 0.20

I:\2718\Tables-General\[GWVOCsrev.xls]Table 1

**Table 2**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Water Table Well Laboratory VOC Results**

**Notes:**

- Halogenated VOCs only; does not include ethylbenzene or xylene detects from June 10, 1992, sampling.
- 4/19/90 - Field blank 4 contained 1.2 µg/L of PCE and 1.2 µg/L of TCE.
- 9/16/92 - 8.7 mg/L of TCE were detected in the trip blank; 390 µg/L chloroform were detected in MW-5A; and 120 µg/L chloroform were detected in MW-3A.
- 3/24/93 - 3.6 mg/L of TCE were detected in the field blank.
- 3/19/96 - Toluene was detected in trip blank at 1.6 µg/L.
- 3/18/97 - TCE was detected in field blank at 2.6 µg/L.
- 3/19/98 - 1,2-Dichloroethane was detected at 42 µg/L in MW-2AR and 130 µg/L in MW-3A.
- 3/20/98 - 0.71Q µg/L of PCE were detected in the field blank and 3.0 µg/L of TCE were detected in the trip blank.
- 3/23/99 - 0.75Q µg/L of Chloromethene was detected in MW-5A.
- 3/22/99 - 0.66Q µg/L of Chloromethene was detected in MW-8A.
- 3/22/99 - Field blank contained 1.5Q µg/L of TCE.
- 3/22/99 - Trip blank contained 0.52Q µg/L of methylene chloride.
- 3/15/00 - 0.46 µg/L of Methylene Chloride was detected in MW-4A, and 0.39 µg/L of methylene chloride was detected in MW-5A.
- 3/20/01 - 2.0 µg/L of trichloroethane was detected in MW-6A.
- 9/30/02 - Field Blank contained 0.51Q µg/L of chloroform, 1.1Q µg/L of methylene chloride, and 6.0 µg/L of toluene.
- 5/1/03 - Trip Blank contained 0.64Q µg/L of Methylene Chloride and 0.71Q µg/L of Toluene
- 4/11/05, 7/11/05, and 7/12/05 - Samples were collected by BT<sup>2</sup>.
- 4/11/05 - The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
- 07/11/05 - The following parameters were detected in MW6a-Dup:
- 2.0 µg/L of 1,2-dibromo-3-chloropropane
  - 2.9 µg/L of ethylbenzene
  - 0.38 µg/L of isopropylbenzene with a data qualifier of J
  - 0.31 µg/L of p-isopropyltoluene with a data qualifier of J
  - 4.0 µg/L of naphthalene
  - 0.66 µg/L of n-propylbenzene with a data qualifier of J
  - 5.4 µg/L of 1,2,4-trimethylbenzene
  - 4.0 µg/L of 1,3,5-trimethylbenzene
  - 11 µg/L of xylenes
- PCE           Tetrachloroethene
- MTBE        Methyl-tert-butyl-ether
- TCE          Trichloroethene
- 1,2-DCE     1,2-dichloroethene, total of (cis)1,2-dichloroethene and (trans)1,2-dichloroethene
- Dup         Duplicate sample
- J            **Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.**
- NA          Not analyzed
- ND          No detection
- Q            Analyte has been detected between the Limit of Detection and Limit of Quantitation.
- ES          NR 140 Enforcement Standard
- PAL         NR 140 Preventive Action Limit
- Bold**       Exceeds NR 140 Enforcement Standard
- <sup>(1)</sup>          (cis)1,2-DCE: ES = 70 µg/L; PAL = 7 µg/L
- (trans)1,2-DCE: ES = 100 µg/L; PAL = 20 µg/L
- \*            Duplicate analyses not within control limits (see EnChem sample narrative)

Table 3 (Continued)  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Piezometer Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 FS		5	5	170 <sup>(b)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(b)</sup>	12	68.6
MW-2B	6/28/1989	3.1	28	ND	NA	ND
	4/19/1990	1.6	21	ND	NA	ND
	7/3/1991	ND	17	ND	NA	NA
	6/10/1992	ND	9.0	ND	ND	ND
	9/16/1992	ND	23	ND	ND	ND
	12/14/1992	150	18	ND	ND	ND
	3/24/1993	ND	19	ND	ND	ND
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/20/1993	ND	12	ND	ND	ND
	6/13/1994	ND	12	ND	2.7	ND
	9/19/1995	ND	7.5	ND	8.9	ND
	3/18/1997	< 1.4	11	< 2.3	12	< 1.0
	3/20/1998	0.92Q	9.4	< 1.0	6.8	< 0.32
	3/22/1999	1.1Q	14	< 1.1	7.7	< 0.40
	3/15/2000	< 1.0	13	< 2.0	5.7	< 1.0
	3/21/2001	0.59Q	8.6	< 1.1	3.4	< 0.40
3/15/2002	1.2Q	8.4	< 1.1	2.6	< 0.40	
3/14/2003	< 0.63	6.4	< 1.61	1.1Q	< 0.84	
11/25/2003	0.90Q	6.0	< 1.72	0.79Q	< 0.67	
5/5/2004	< 0.45	4.8	< 1.72	0.69Q	< 0.67	
MW-3B	6/28/1989	1.3	60	ND	NA	ND
	4/19/1990	2.1	140	1.3	NA	ND
	7/3/1991	ND	150	ND	NA	NA
	6/10/1992	ND	180	ND	ND	ND
	9/16/1992	2.9	190	ND	ND	ND
	12/14/1992	ND	55	ND	ND	ND
	3/24/1993	< 20	170	< 20	< 10	< 10
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/20/1993	< 20	100	< 20	< 10	< 10
	6/13/1994	< 20	110	< 20	< 10	< 10
	9/19/1995	ND	91	ND	ND	ND
	3/18/1997	1.5	170	< 2.3	14	< 1.0
	3/20/1998	1.4	73	< 1.0	5.8	< 0.32
	3/22/1999	1.2Q	64	< 1.1	6.2	< 0.40
	3/15/2000	< 1.0	36	< 2.0	1.9	< 1.0
	3/21/2001	0.70Q	29	< 1.1	1.5	< 0.40
3/15/2002	0.54Q	20	< 1.1	0.79Q	< 0.40	
3/13/2003	< 0.63	13	< 1.61	0.91Q	< 0.84	
11/25/2003	0.54Q	8.6	< 1.72	< 0.61	< 0.67	
5/5/2004	0.60Q	11	< 1.72	0.97Q	< 0.67	
MW-4B	6/28/1989	2.4	20	ND	NA	ND
	4/19/1990	1.3	12	ND	NA	ND
	7/3/1991	120	2.8	2.1	NA	NA
	6/10/1992	ND	12	ND	ND	ND
	9/16/1992	ND	8.6	ND	ND	ND
	12/14/1992	110	ND	ND	ND	ND
	3/24/1993	3.1	13	ND	9.1	ND
	6/9/1993	NA	NA	NA	NA	NA

**Table 3 (Continued)**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Piezometer Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MIBE	TOLUENE
NR 140-ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-4B (continued)	9/30/1993	NA	NA	NA	NA	NA
	12/20/1993	ND	3.6	ND	24	ND
	6/13/1994	ND	2.4	ND	37	ND
	9/18/1995	ND	3.8	ND	8.7	ND
	3/18/1997	< 1.4	5.3	< 2.3	4.0	< 1.0
	3/20/1998	1.1Q	4.7	< 1.0	1.4	0.32Q
	3/22/1999	0.57Q	4.6	< 1.1	1.2Q	< 0.40
	3/15/2000	< 1.0	5.5	< 2.0	1.2	< 1.0
	3/21/2001	< 0.41	6.6	0.46Q	1.0Q	< 0.40
	3/14/2002	< 0.41	2.6	< 1.1	< 0.44	< 0.40
	5/1/2003	0.85Q	1.6	< 1.7	< 0.61	< 0.67
11/25/2003	< 0.45	1.7	< 1.72	< 0.61	< 0.67	
5/5/2004	0.57Q	2.7	< 1.72	< 0.61	< 0.67Q	
MW-5AB	7/3/1991	ND	ND	ND	NA	NA
	6/10/1992	2.4	3.5	ND	7.4	ND
	9/16/1992	ND	1.5	ND	ND	ND
	12/14/1992	ND	6.0	ND	4.0	ND
	3/24/1993	ND	2.3	ND	2.7	ND
	6/9/1993	ND	ND	ND	2.2	ND
	9/30/1993	ND	ND	ND	ND	ND
	12/16/1993	ND	ND	ND	2.7	ND
	3/25/1994	ND	ND	ND	ND	ND
	6/13/1994	ND	ND	ND	2.0	ND
	12/15/1994	ND	1.0	ND	ND	ND
	3/30/1995	ND	1.2	ND	1.0	ND
	6/1/1995	ND	ND	ND	ND	ND
	9/19/1995	ND	ND	ND	ND	ND
	3/19/1996	ND	ND	ND	ND	1.1
	9/19/1996	< 2.0	1.3	< 2.0	< 1.0	< 1.0
	3/18/1997	< 1.4	3.7	< 2.3	1.9	< 1.0
	9/4/1997	0.48 Q	2.0	< 1.0	1.1 Q	< 0.32
	3/20/1998	0.62Q	3.2	< 1.0	1.4Q	< 0.32
	3/23/1999	1.0Q	3.2	< 1.1	1.2Q	< 0.40
3/15/2000	1.3	3.0	< 2.0	< 1.0	< 1.0	
3/21/2001	2.5	2.3	< 1.1	0.61Q	< 0.40	
3/15/2002	1.8	1.9	< 1.1	< 0.44	< 0.40	
3/13/2003	2.3	3.0	< 1.61	< 0.87	< 0.84	
MW-7B	6/28/1989	3.6	210	ND	NA	ND
	4/19/1990	2.1	120	2.0	NA	ND
	7/3/1991	ND	77	ND	NA	NA
	6/10/1992	ND	67	ND	ND	ND
	9/16/1992	2.3	87	ND	ND	ND
	12/14/1992	ND	16	ND	ND	ND
	3/24/1993	< 10	51	< 10	< 5.0	< 5.0
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/20/1993	< 10	23	< 10	< 5.0	< 5.0

**Table 3 (Continued)**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Piezometer Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-7B (continued)	6/13/1994	< 1.0	33	< 1.0	< 5.0	< 5.0
	9/19/1995	ND	30	ND	4.5	ND
	3/18/1997	< 1.4	25	< 2.3	8.8	< 1.0
	3/20/1998	1.3Q	21	0.58Q	7.0	< 0.32
	3/23/1999	0.91Q	20	0.60Q	6.2	< 0.40
	3/15/2000	< 1.0	16	< 2.0	9.5	< 1.0
	4/18/2001	0.71Q	14	< 1.1	9.7	< 0.40
	3/15/2002	0.84Q	9.7	< 1.1	11*	< 0.40
	3/14/2003	0.86Q	7.4	< 1.61	7.0	< 0.84
	11/25/2003	0.69Q	7.5	< 1.72	6.4	< 0.67
MW-8B	4/19/1990	1.1	1.7	1.1	NA	ND
	7/3/1991	ND	ND	ND	NA	NA
	6/10/1992	ND	ND	ND	ND	ND
	9/16/1992	ND	ND	ND	ND	ND
	12/14/1992	13	5.4	5.5	ND	ND
	3/24/1993	ND	ND	ND	ND	ND
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/20/1993	ND	ND	ND	ND	ND
	6/13/1994	ND	ND	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	3/18/1997	< 1.4	< 1.2	< 2.3	< 1.6	< 1.0
	3/19/1998	< 0.44	< 0.38	< 1.0	< 0.50	< 0.32
	3/22/1999	< 0.41	1.2Q	< 1.1	< 0.44	< 0.40
	3/16/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
	3/20/2001	< 0.41	0.69Q	< 1.1	< 0.44	< 0.40
	3/14/2002	< 0.41	0.68Q	< 1.1	< 0.44	< 0.40
3/13/2003	< 0.63	0.83Q	< 1.61	< 0.87	< 0.84	
MW-9B	4/19/1990	ND	2.1	ND	NA	ND
	7/3/1991	ND	ND	ND	NA	NA
	6/10/1992	ND	ND	ND	ND	1.0
	9/16/1992	ND	1.0	ND	ND	ND
	12/14/1992	ND	2.7	ND	ND	ND
	3/24/1993	ND	ND	ND	ND	ND
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/16/1993	ND	ND	ND	ND	ND
	6/13/1994	ND	ND	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	3/18/1997	< 1.4	< 1.2	< 2.3	< 1.6	< 1.0
	3/19/1998	< 0.44	0.71Q	< 1.0	< 0.50	< 0.32
	3/22/1999	< 0.41	1.6	< 1.1	< 0.44	< 0.40
	3/15/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
3/20/2001	< 0.41	0.78Q	< 1.1	< 0.44	< 0.40	
3/14/2002	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40	
3/14/2003	< 0.63	1.1Q	< 1.61	< 0.87	< 0.84	
MW-10B	4/19/1990	ND	1.4	ND	NA	ND
	7/3/1991	ND	ND	ND	NA	NA
	6/10/1992	ND	ND	ND	7.5	1.2
	9/16/1992	ND	ND	ND	ND	ND

Table 3 (Continued)  
 ARAMARK Uniform Services Site  
 Janesville, Wisconsin  
 Piezometer Laboratory VOC Results

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6
MW-10B (continued)	12/14/1992	ND	ND	ND	1.6	ND
	3/24/1993	ND	ND	ND	4.2	ND
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/16/1993	ND	ND	ND	1.1	ND
	6/13/1994	ND	ND	ND	ND	ND
	9/18/1995	ND	ND	ND	ND	ND
	3/18/1997	< 1.4	< 1.2	< 2.3	< 1.6	< 1.0
	3/20/1998	0.49Q	< 0.38	< 1.0	< 0.50	< 0.32
	3/22/1999	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/16/2000	< 1.0	< 1.0	< 2.0	< 1.0	< 1.0
	3/20/2001	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	3/14/2002	< 0.41	< 0.49	< 1.1	< 0.44	< 0.40
	5/1/2003	< 0.45	< 0.48	1.7	< 0.61	< 0.67
MW-11B	7/3/1991	ND	2.9	ND	NA	NA
	6/10/1992	ND	3.3	ND	6.4	ND
	9/16/1992	ND	ND	ND	ND	ND
	12/14/1992	ND	3.2	ND	2.9	ND
	3/24/1993	ND	3.9	ND	13	ND
	6/9/1993	NA	NA	NA	NA	NA
	9/30/1993	NA	NA	NA	NA	NA
	12/16/1993	ND	ND	ND	9.8	ND
	6/13/1994	ND	ND	ND	8.7	ND
	9/19/1995	ND	ND	ND	3.1	ND
	3/18/1997	< 1.4	1.5	< 2.3	2.2	< 1.0
	3/20/1998	0.48Q	1.7	< 1.0	1.3Q	< 0.32
	3/23/1999	< 0.41	1.8	< 1.1	0.89Q	< 0.40
	3/16/2000	< 1.0	1.4	< 2.0	< 1.0	< 1.0
	3/20/2001	< 0.41	1.4Q	< 1.1	< 0.44	< 0.40
	3/14/2002	< 0.41	1.2Q	< 1.1	< 0.44	< 0.40

Notes:

- PCE           Tetrachloroethene
  - MTBE        Methyl-tert-butyl-ether
  - TCE          Trichloroethene
  - 1,2-DCE     1,2-dichloroethene, total of (cis)1,2-dichloroethene and (trans)1,2-dichloroethene
  - NA           Not analyzed
  - ND           No detect
- 4/19/90 - Field Blank 4 contained 1.2 µg/L of PCE and 1.2 µg/L of TCE.  
 6/10/92 - MW-8B contained 4.0 µg/L xylenes.  
 9/16/92 - Trip blank contained 8.7 µg/L of TCE.  
 3/24/93 - Field blank contained 3.6 µg/L of TCE.  
 3/25/94 - MW-SAB contained 1.3 µg/L of benzene.  
 6/13/94 - MW-8B contained 3.8 µg/L of benzene.  
 9/19/95 - MW-3B contained 1.3 µg/L of 1,1,1-trichloroethane.  
 3/18/97 - TCE was detected in field blank at 2.6 µg/L.  
 3/22/99 - Field blank contained 1.5Q µg/L of TCE.  
 3/22/99 - Trip blank contained 0.52Q µg/L of methylene chloride.  
 3/23/99 - MW-11B contained 0.63Q µg/L of methylene chloride.  
 3/16/00 - Trip blank contained 1.4 µg/L of methylene chloride.  
 5/1/03 - Trip Blank contained 0.64Q µg/L of methylene chloride and 0.71Q µg/L of toluene.
- ES            NR 140 Enforcement Standard

**Table 3 (Continued)**  
**ARAMARK Uniform Services Site**  
**Janesville, Wisconsin**  
**Piezometer Laboratory VOC Results**

WELL ID	SAMPLE DATE	VOCs DETECTED (in µg/L)				
		PCE	TCE	1,2-DCE	MTBE	TOLUENE
NR 140 ES		5	5	170 <sup>(1)</sup>	60	343
NR 140 PAL		0.5	0.5	27 <sup>(1)</sup>	12	68.6

PAL NR 140 Preventive Action Limit  
<sup>(1)</sup> (cis)1,2-DCE: ES = 70 µg/L; PAL = 7 µg/L  
(trans)1,2-DCE: ES = 100 µg/L; PAL = 20 µg/L  
\* Duplicate analyses not within control limits (see EnChem sample narrative)  
Q Analyte has been detected between the Limit of Detection and Limit of Quantitation.  
**Bold** Exceeds NR 140 Enforcement Standard

**Table 1**  
**Soil Analytical Results Summary**  
**Robinson Cleaners / BT<sup>2</sup> Project #2718**  
(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Lab Notes	1,1,1-Trichloroethane	Trichloroethene	Tetrachloroethene	Other VOCs
<i>Farlow Environmental Engineers, Inc. - Site Assessment</i>								
W-01	8/13/1987	0.5-1.5	--	--	<10	<10	13,000	Mineral Spirits 570,000
W-04	8/14/1987	0.5-1.5	--	--	<10	398	33	Toluene 799 Fuel Oil #2 11,000 Mineral Spirits 4,800
W-08	8/14/1987	0.5-1.5	--	--	<10	<10	12,000	ND
W-09	8/14/1987	0.5-1.5	--	--	<10	<10	<10	ND
W-10	8/14/1987	0.5-1.5	--	--	<10	<10	4,900	Mineral Spirits 25,000
W-11	8/14/1987	0.5-1.5	--	--	<10	<10	21,000	Fuel Oil #2 39,000 Mineral Spirits 411,000
W-13	8/14/1987	0.5-1.5	--	--	<10	<10	1,300,000	ND
W-14	8/14/1987	0.5-1.5	--	--	<1	<1	37	ND
W-15	8/14/1987	0.5-1.5	--	--	<10	<10	60,000	Fuel Oil #2 7,116,000
<i>RMT Site Investigation</i>								
MW-1A	4/19/1988	33.5-35	<0.1	--	<0.50	<1.0	<1.0	Ethylbenzene 1.7 Toluene 2.1 Xylenes 10
MW-2A	4/19/1988	11-12.5	48	--	<0.50	2.4	300	Trans-1,2-dichloroethylene 11 Ethylbenzene 1.7 Toluene 1.5 Xylenes 8.1
MW-3A	4/22/1988	33.5-35	0.6	--	<0.50	<1.0	<1.0	ND
MW-4A	4/22/1988	28.5-30	1.7	--	<0.50	<1.0	<1.0	Ethylbenzene 1.5 Toluene 2.4 Xylenes 12
MW-5A	4/22/1988	33.5-35	0.9	--	<0.50	<1.0	<1.0	Ethylbenzene 1.6 Toluene 1.9 Xylenes 14

**Table 1**  
**Soil Analytical Results Summary**  
**Robinson Cleaners / BT<sup>2</sup> Project #2718**  
(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Lab Notes	1,1,1-Trichloroethane	Trichloroethene	Tetrachloroethene	Other VOCs
MW-6A	4/22/1988	23.5-25	1.2-4.2	--	<0.50	<1.0	1.6	Benzene 1.2 Ethylbenzene 1.5 Toluene 2.2 Xylenes 14
X1	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	6.2	ND
X2	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	5.1	ND
X4	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	130	Fluorotrichloromethane 1.2 Toluene 5.3
X5	5/30/1989	1-1.5	--	(1)	1.3	<1.0	12	Fluorotrichloromethane 2.3 Toluene 6.1
X8	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	4.6	Toluene 8.4
X9	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	<1.0	Toluene 1.5
X10	5/30/1989	1-1.5	--	(1)	<0.50	<1.0	5.3	Toluene 18**
VW-1	6/11/1991	8.5-10	--	(2) (3)	<2.3	<2.3	5.3	1,2-Dichloroethylene 1.3
		18.5-20	--	(2) (3)	<2.1	<2.1	5.4	ND
		28.5-30	--	(2) (3)	<2.0	<2.0	16	1,2-Dichloroethylene 1.9
VW-2	6/11/1991	8.5-10	--	(3)	<2.2	<2.2	<2.2	ND
		18.5-20	--	(2) (3)	<2.0	<2.0	19	ND
		28.5-30	--	(2) (3)	<2.0	<2.0	23	ND
VW-3	6/11/1991	8.5-10	--	(2) (3)	<2.4	<2.4	210	ND
		18.5-20	--	(2) (3)	<2.2	<2.2	43	ND
		28.5-30	--	(2) (3)	<2.0	<2.0	37	ND
VW-4	6/11/1991	8.5-10	--	(3)	<2.2	<2.2	<2.2	ND
		18.5-20	--	(3)	<2.0	<2.0	<2.0	ND
		28.5-30	--	(3)	<2.3	<2.3	<2.3	ND

**Table 1**  
**Soil Analytical Results Summary**  
**Robinson Cleaners / BT<sup>2</sup> Project #2718**  
(Results are in µg/kg, except where noted otherwise)

Sample	Date	Depth (feet)	PID	Notes	1,1,1-Trichloroethane	Trichloroethene	Tetrachloroethene	Other VOCs
VW-5	6/11/1991	8.5-10	--	(3)	<2.2	<2.2	<2.2	ND
		18.5-20	--	(3)	<2.0	<2.0	<2.0	ND
		28.5-30 <sup>1</sup>	--	(3) (4)	<100	<100	<100	ND
MW11B	6/18/1991	60-61	--	--	<2.3	<2.3	<2.3	ND
	6/18/1991	89-90	--	--	<2.1	<2.1	<2.1	ND
	6/18/1991	115-116	--	--	<2.4	<2.4	<2.4	ND
<i>RMT-Robinson Cleaners Investigation</i>								
B-1 (Boring #1)	12/15/1992	0.5-1	75	--	<45,000	<45,000	890,000	ND
B-2 (Boring #2)	12/15/1992	0.5-1	82	--	<1,100	<1,100	3,600	1,2-Dichloroethylene 1,400
B-3 (Boring Drain)	12/15/1992	1.5-2	90	--	<520,000	<520,000	8,900,000	ND
B-4 (Bor. Side Room)	12/15/1992	1.5-2	40	--	<580	<580	1,500	ND
B-5-5	1/8/1993	9-11	68	--	<2.0	<2.0	57	1,2-Dichloroethylene 3.8
B-5-9	1/8/1993	18.5-20.5	3	--	<2.2	<2.2	33	ND
B-5-15	1/8/1993	33.5-35	1	--	<2.0	<2.0	<2.0	ND
NR 720 Residual Contaminant Level (RCL)					NE	NE	NE	Benzene 5.5 Toluene 1,500 Ethylbenzene 2,900 Xylenes 4,100 1,2-Dichloroethane 4.9
NR 746 Table 1					NE	NE	NE	Benzene 8,500 Toluene 38,000 Ethylbenzene 4,600 Xylenes 42,000 1,2-Dichloroethane 600
NR 746 Table 2					NE	NE	NE	Benzene 1,100 1,2-Dichloroethane 540

**Table 1**  
**Soil Analytical Results Summary**  
**Robinson Cleaners / BT<sup>2</sup> Project #2718**

**ABBREVIATIONS:**

µg/kg = micrograms per kilogram or parts per billion (ppb)

NA = Not Analyzed

-- = Not Applicable

mg/kg - milligrams per kilogram or parts per million (ppm)

ND = Not Detected

PID = Photo-Ionization Detector

NE = Not Established

**NOTES:**

**Bold** values exceed NR 720 RCLs.

NR 720 RCL - Wisconsin Administrative Code (WAC), Chapter NR 720 Residual Contaminant Level.

NR 746 Table 1 - WAC, Chapter NR 746.06(2)(b) Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - WAC, Chapter NR 746.06(2)(b) Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

<sup>1</sup> Sample could not be run at a lower dilution because of high levels of unrequested compounds.

**LABORATORY NOTES:**

**\*\*Spiked samples demonstrated poor reproducibility due to non-homogenous sample.**

(1) Methylene chloride has a raised detection limit because of high background.

(2) 1,1,2,2-Tetrachloroethane analysis - Detection limit raised due to co-elution.

(3) The analyses for 2-chloroethylvinylether was performed on an FID detector which has a calibration range of 5-100 ppm. The detection limit for this compound was therefore raised to 5,000 ppb.


(4) Sample could not be run at a lower dilution because of high levels of unrequested compound(s). Sample was initially analyzed at 5.0 grams. No Hall compounds were detected at this level, but the surrogate recoveries were low, requiring re-analysis. However, since the PID detector showed very high levels of unrequested compounds, the re-analysis was performed at a 1:50 dilution to prevent system contamination. The detection limits have been raised accordingly.

Created by: lmh 9/30/04

Checked by: cmw 9/30/04

I:\2718\Tables-General\{Soil\_Chlorinated\_Solvents.xls}Soil VOCs

\\27181\gis\gen\ext\EXTENT.dwg, Model, 12/22/2004 9:16:04 AM



**LEGEND**

- PROPERTY LINE
- - - FENCE
- ||||| RAILROAD TRACKS
- ⊕ MONITORING WELL
- ⊙ SOIL BORING
- ✕ SOIL SAMPLES X-1 TO X-10
- ⊠ GROUNDWATER RECOVERY WELL
- ▲ VACUUM EXTRACTION WELL
- VENT WELL
- APPROXIMATE RANGE OF GROUNDWATER FLOW DIRECTION

**NOTES:**

- SEE RMT TABLE 2 AND TABLE 3 FOR GROUNDWATER ANALYTICAL RESULTS.

- ABANDONED UNDERGROUND STORAGE TANKS**
- #1 - 500-GALLON FUEL OIL
  - #2 - 1,000-GALLON STODDARD SOLVENT/MINERAL SPIRITS
  - #3 - 500-GALLON TETRACHLOROETHYLENE WASTE
  - #4 - 10,000-GALLON NO. 2 FUEL OIL

60 0 60  
SCALE: 1" = 60'



**FIGURE I-7**  
**GROUNDWATER ISOCONCENTRATION MAP**  
**ROBINSON CLEANERS**  
**310 WEST CENTERWAY AVENUE**  
**JANESVILLE, WISCONSIN**

PROJECT NO. 2718
DRAWN BY: KP
CHECKED BY: CW
APPROVED BY:
DRAWN: 10/01/04
REVISED: 11/02/04

APPROXIMATE EXTENT OF GROUNDWATER EXCEEDING NR 140 ENFORCEMENT STANDARDS


NATH COMPANIES (BURGER KING)

**Table 1**  
**Groundwater Elevation Summary**  
**ARAMARK, Janesville**  
**Janesville, Wisconsin**

WELL DESIGNATION	TOP of SCREEN ELEVATION	BOTTOM of SCREEN ELEVATION	REFERENCE ELEVATION	DATE AND GROUNDWATER ELEVATION FEET (M.S.L.)																
				3/19/1996	9/19/1996	3/18/1997	9/4/1997	3/19/1998	9/24/1998	3/22/1999	9/22/1999	3/16/2000	9/18/2000	3/21/2001	9/10/2001	3/14/2002	9/30/2002	3/13/2003	11/25/2003	5/5/2004
MW-1A	770.26	760.06	805.26	762.86	761.82	763.98	762.40	762.72	761.62	762.30	761.69	763.01	762.43	763.65	762.43	763.72	761.59	761.34	761.38	762.61
MW-2AR	768.58	758.38	802.58	762.78	NA	763.89	762.40	762.67	NA	762.26	NA	762.94	762.40	763.68	762.36	763.71	761.55	NA	761.33	762.56
MW-2B	687.52	680.72	803.02	762.84	762.33	763.97	NA	762.72	NA	762.31	NA	762.97	762.45	763.72	762.41	763.76	761.59	761.36	761.37	762.60
MW-3A	770.48	760.28	806.28	762.75	761.29	763.85	762.39	762.65	761.64	762.27	761.69	762.94	762.42	763.64	762.33	763.67	761.60	761.36	761.38	762.65
MW-3B	688.35	683.35	806.35	762.75	761.26	763.85	NA	762.58	NA	762.25	NA	762.93	762.41	763.63	762.32	763.65	761.55	761.31	761.37	762.58
MW-4A	765.23	755.03	800.73	762.93	761.36	764.00	762.49	761.80	761.69	762.36	761.76	763.06	762.51	763.40	762.48	763.78	761.64	761.38	761.45	762.68
MW-4B	682.87	677.87	800.87	762.91	761.33	763.99	NA	762.77	NA	762.34	NA	763.05	762.48	763.81	762.46	763.77	761.62	NA	761.43	762.63
MW-5A	769.78	759.58	805.58	762.54	761.22	763.84	762.22	762.61	761.57	762.21	761.63	762.90	762.36	763.63	762.30	763.65	761.51	761.28	761.31	762.54
MW-5AB	729.73	724.23	805.73	762.65	761.25	763.88	762.48	762.70	NA	762.24	NA	762.93	762.39	763.65	762.32	763.67	761.55	761.30	761.36	762.56
MW-6A	766.48	756.28	802.28	762.83	761.31	763.92	762.42	762.69	761.63	762.29	761.68	762.98	762.45	763.69	762.38	763.73	761.57	761.35	761.39	762.62
MW-7B	680.76	675.76	801.76	762.91	761.31	763.92	NA	762.69	NA	762.28	NA	762.96	NA	NA	NA	763.74	NA	760.69	761.38	NA
MW-8A	764.14	754.6	797.14	762.89	761.33	763.92	762.41	762.73	761.63	762.29	761.69	762.98	762.43	763.67	762.40	763.74	761.59	761.35	761.43	762.60
MW-8B	676.58	672.6	797.32	762.90	761.30	763.92	NA	762.72	NA	762.30	NA	762.99	762.43	763.65	762.42	763.74	NA	761.34	761.42	762.60
MW-9A	763.81	754.2	799.01	762.80	761.22	763.78	762.36	762.60	761.55	762.21	761.62	762.91	762.36	763.55	762.29	763.63	761.54	761.30	761.34	762.54
MW-9B	672.08	667.7	799.22	762.72	761.17	763.72	NA	762.54	NA	762.14	NA	762.83	762.53	763.45	763.00	763.56	761.47	761.24	761.28	762.47
MW-10A	764.89	755.1	808.29	762.72	761.28	763.72	762.61	762.54	761.63	762.23	761.67	762.83	762.38	763.67	762.24	763.39	761.55	NA	761.30	762.55
MW-10B	700.16	696	808.10	762.72	NA	763.69	NA	762.55	NA	762.23	NA	762.84	762.37	763.38	762.25	763.40	761.52	NA	761.30	762.55

NOTE: MW-11B data not available

Top and bottom of screen elevations added by BT<sup>2</sup>. MW-2AR data based on MW-2A log.




**LEGEND**

- MW-1A EXISTING WATER TABLE OBSERVATION WELL
- MW-1B EXISTING PIEZOMETER
- RW-1 GROUNDWATER RECOVERY WELL
- FENCE LINE
- - - APPROXIMATE SITE OF UST & FILL LINE
- (761.34) WATER TABLE ELEVATION (FT. MSL)
- (NS) NOT SAMPLED
- 762.60 WATER TABLE CONTOUR (DASHED WHERE INFERRED) (FT. MSL)
- ➔ GROUNDWATER FLOW DIRECTION
- - - ARAMARK PROPERTY LINE


**NOTES**

1. WATER ELEVATIONS IN MW-3A AND MW-6A WERE NOT USED IN PREPARATION OF THIS FIGURE.



PROJECT:			
ARAMARK UNIFORM SERVICES, INC. JANESVILLE, WISCONSIN			
SHEET TITLE: WATER TABLE MAP MAY 5, 2004			
DRAWN BY: HOOKSB	SCALE: 1" = 100'	PROJ. NO. 12006.36	
CHECKED BY: JAB		FILE NO. 120063801.DWG	
APPROVED BY: KDK	DATE PRINTED: JUL 15 2004	FIGURE 1	
DATE: JULY 2004			
<b>RMT.</b>		744 Heartland Trail Madison, WI 53717-1934 P.O. Box 8923 53708-8923 Phone: 608-831-4444 Fax: 608-831-3334	

sctm 1:17000000000  
 Retention = 90.000000  
 Plot Date = Thu Jul 15 13:46:03 2004  
 Attached Xref's: x  
 C:\TMP\000\120063801.prp  
 k:\cadnet\bn\ocoddel.tbl  
 eocd11x17  
 Pen Table  
 Plotter



- LEGEND
- - - - - PROPERTY LINE
  - - - - - FENCE
  - - - - - RAILROAD TRACKS
  - ⊕ MONITORING WELL
  - ⊙ SOIL BORING
  - ✱ SOIL SAMPLES X-1 TO X-10
  - ⊠ GROUNDWATER RECOVERY WELL
  - ▲ VACUUM EXTRACTION WELL
  - VENT WELL
  - - - - - ESTIMATED AREA OF INFLUENCE FOR THE SOIL VENTING SYSTEM (FEB. 1992-NOV. 1997)
  - - - - - APPROXIMATE PRE-REMEDIATION EXTENT OF SOIL CONTAMINATION

- ABANDONED UNDERGROUND STORAGE TANKS
- #1 - 500-GALLON FUEL OIL
  - #2 - 1,000-GALLON STODDARD SOLVENT/MINERAL SPIRITS
  - #3 - 500-GALLON TETRACHLOROETHYLENE WASTE
  - #4 - 10,000-GALLON NO. 2 FUEL OIL




FIGURE I-10  
 SOIL REMEDIATION ANALYTICAL RESULTS SUMMARY MAP  
 ROBINSON CLEANERS  
 310 WEST CENTERWAY AVENUE  
 JANESVILLE, WISCONSIN

PROJECT NO. 2718
DRAWN BY: KP
CHECKED BY: CW
APPROVED BY:
DRAWN: 10/01/04
REVISED: 11/02/04



I:\2718\Quinn\general\RSLS\T.S. Map, Model, 12/22/2004 8:17, 14 AM



August 29, 2005

To: Wisconsin Department of Natural Resources

Subject: Statement that all Legal Descriptions for Properties within the  
Contaminated Site Boundaries have been Included  
Robinson Cleaners  
Environmental Repair Program Site  
310 West Centerway Ave., Janesville, WI 53545  
BRRTS # 02-54-000974

To Whom it May Concern:

To the best of my knowledge, I believe that with the submittal of the attached property information the legal description for each property within, or partially within the contaminated site boundary has been included with the closure request.

The attached property information includes:


- Deed for property located at 310 W. Centerway Ave., Janesville, WI 53545.
- Two City of Janesville plat maps for the same property.
- Plat Map showing outline of the same property.

If you need additional information, please contact me at 630-271-2958.

Sincerely,

A handwritten signature in black ink, appearing to read "Phillip Krejci".

Phillip Krejci  
ARAMARK Uniform and Career Apparel, Inc.



September 13, 2005

Mr. Robert Boldt  
Director of Public Services  
18 North Jackson Street  
P.O. Box 5005  
Janesville, Wisconsin 53547-5005

**SUBJECT: Notification of Residual Groundwater Impacts in Right-of-Way  
310 W. Centerway Ave., Janesville, Wisconsin  
WDNR #02-54-000974  
BT² Project #2718**


Dear Mr. Boldt:


On behalf of ARAMARK Uniform and Career Apparel, Inc. (AUCA), BT², Inc., is providing you with notification of residual chlorinated solvent impacts to groundwater in the North High Street right-of-way as required for site closure per chapter NR 726.05(2)(b)(4), Wisconsin Administrative Code (WAC). AUCA is requesting that the Wisconsin Department of Natural Resources (WDNR) close this site by accepting natural attenuation as a final remedy for the remediation of solvent-impacted groundwater at the site. The AUCA property will be added to the WDNR geographical information system (GIS) Registry of Closed Remediation Sites per chapter NR 726(2)(b), WAC.

Groundwater contamination detected at the former Robinson Cleaners site located at 310 West Centerway Avenue in Janesville, Wisconsin (Figure 1) likely extends under the North High Street right-of-way. The concentrations of trichloroethene in groundwater samples from a monitoring well near the North High Street right-of-way (MW-7B, see Figure 2) are greater than the state groundwater enforcement standard (ES) found in chapter NR 140, WAC. However, based on groundwater monitoring data, it appears that the groundwater contaminant plume is stable and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, WAC. Municipal water is used to supply the area, so the residual groundwater contamination does not pose any risk to human health, including any occupants on your property. The depth to groundwater is approximately 40 feet. The MW-7B groundwater monitoring analytical results are summarized on the enclosed table.

If you need more information, please contact us at (608) 224-2830.

Sincerely,

  
Corinna Wells  
Project Hydrogeologist

  
John B. Tweddale, P.G.  
Principal, Hydrogeologist

Enclosures: Figure I-5 – Site Map  
Figure 1 – Site Location Map  
MW-7B – Groundwater Analytical Results Summary

cc: Phillip Krejci, AUCA  
Larry Buetzer, City of Janesville

I:\2718\Correspondence - Other\FTNALJanesville\_ROW\Notif\_ltr\_050913.doc

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Robert Boldt  
 Director of Public Services  
 18 N. Jackson St.  
 Janesville, WI 53547

2. Article Number  
(Transfer from service label)

7002 0510 0000 1685 9745

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-0835

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X Ed Bandi

 Agent Addressee

B. Received by (Printed Name)

ED BANDI

C. Date of Delivery

9-15-05

D. Is delivery address different from item 1?  YesIf YES, enter delivery address below:  No

SEP 15 2005

3. Service Type

 Certified Mail  Express Mail Registered  Return Receipt for Merchandise Insured Mail  C.O.D.4. Restricted Delivery? (Extra Fee)  Yes**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Rick Eades  
 Union Pacific Railroad  
 1400 Douglas St. STOP 1080  
 Omaha, NB 68179

2. Article Number  
(Transfer from service label)

7002 0510 0000 1685 9752

PS Form 3811, August 2001

Domestic Return Receipt

102595-02-M-0835

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

P. J. SULLIVAN

 Agent Addressee

B. Received by (Printed Name)

SEP 16 2005

C. Date of Delivery

D. Is delivery address different from item 1?  YesIf YES, enter delivery address below:  No

P. J. Sullivan

3. Service Type

 Certified Mail  Express Mail Registered  Return Receipt for Merchandise Insured Mail  C.O.D.4. Restricted Delivery? (Extra Fee)  Yes



September 13, 2005

Mr. Rick Eades  
Union Pacific Railroad  
1400 Douglas Street  
Stop 1080  
Omaha, NE 68179

**SUBJECT: Notification of Residual Groundwater Impacts in Railroad Right-of-Way  
310 W. Centerway Ave., Janesville, Wisconsin  
WDNR #02-54-000974  
BT² Project #2718**

Dear Mr. Eades:

On behalf of ARAMARK Uniform and Career Apparel, Inc. (AUCA), BT², Inc., is providing you with notification of residual chlorinated solvent impacts to groundwater in the railroad right-of-way, as required for site closure per chapter NR 726.05(2)(b)(4), Wisconsin Administrative Code (WAC). AUCA is requesting that the Wisconsin Department of Natural Resources (WDNR) close this site by accepting natural attenuation as a final remedy for the remediation of solvent-impacted groundwater at the site. The AUCA property will be added to the WDNR geographical information system (GIS) Registry of Closed Remediation Sites per chapter NR 726(2)(b), WAC.

Groundwater contamination detected at the former Robinson Cleaners site located at 310 West Centerway Avenue in Janesville, Wisconsin (Figure 1) likely extends under the railroad right-of-way. The concentrations of tetrachloroethene and trichloroethene in groundwater samples from monitoring wells near the railroad right-of-way (Figure I-5) are greater than the state groundwater enforcement standards (ESs) found in chapter NR 140, WAC. However, based on groundwater monitoring data, it appears that the groundwater contaminant plume is stable and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, WAC. Municipal water is used to supply the area, so the residual groundwater contamination does not pose any risk to human health, including any occupants on your property. The depth to groundwater is approximately 40 feet. The groundwater monitoring analytical results and groundwater elevations are summarized on the enclosed tables.

If you need more information, you may contact us at (608) 224-2830.

Sincerely,

Corinna Wells  
Project Hydrogeologist

John B. Tweddale, P.G.  
Principal, Hydrogeologist

Enclosures: Figure I-5 – Site Map  
Figure 1 – Site Location Map  
Table 1 – Groundwater Elevation Summary  
Tables 2 and 3 – Groundwater Analytical Results Summary

cc: Phillip Krejci, AUCA

I:\2718\Correspondence - Other\FINAL\_UP\_ROWNotif\_Ltr\_050913.doc

BT², Inc., 2830 Dairy Drive, Madison, WI 53718-6751, Ph. (608) 224-2830, FAX (608) 224-2839

1722127

Document Number

DEED RESTRICTION

RECORDED

24

2005 SEP 9 PM 12 17

RANDAL LEYES  
REGISTER OF DEEDS  
ROCK CO WI 53545

Recording Area

Name and Return Address

ARAMARK Uniform & Career  
Apparel, Inc.  
115 North First Street  
Burbank, CA 91502

23.00  
150

0136100400

Parcel Identification Number

S205

Declaration of Restrictions

In Re: Property with the following legal description:

PARCEL I:

All those parts of Lots 83, 84, 85, 86 and 88 of Smith and Bailey's Addition and parts of Lots 87 and 150, Smith, Bailey & Stone's Addition of the City of Janesville, described as follows: A piece of land bounded by North Jackson Street, Centerway, North High Street, and a line drawn parallel with and distant 23 feet south-easterly (measured at right angles) from the centerline of the main track of the Chicago and Northwestern Railway Company, except Lot 149 of Smith, Bailey & Stone's Addition; including all easements, rights of access and other appurtenances and subject to all restrictions of record. Also conveying all that portion of vacated High Street abutting said premises.

PARCEL II:

That part of Lot 179 in Smith Bailey and Stones Addition to Janesville, according to the recorded plat thereof, bounded and described as follows: Beginning at the intersection of the Southwesterly line of High Street and the Northwesterly line of Laurel (formerly Bluff Street) Avenue; thence Northwesterly along said Southwesterly line of High Street, to a point distant 35 feet Southeastery, measured at right angles, from the center line of the main track of the Chicago and North Western Railway Company as said main track is now located; thence Southwesterly along a line parallel with said main track center line to a point on the Northwesterly line of said Laurel Avenue; thence Northeasterly along said Northwesterly line of Laurel Avenue to the point of beginning. Together with those portions of vacated Laurel Street and High Street lying adjacent to said parcel.

PARCEL III:

Lot 149 of Smith, Bailey and Stone's Addition to the City of Janesville, Rock County, Wisconsin; Also the N 1/2 of that part of vacated Laurel Street directly South of Lot 149. Also that portion of vacated High Street lying adjacent to said parcel.

EXCEPTING from said Lot 149, that portion conveyed to State of Wisconsin by deed dated June 28, 1957 and recorded August 1, 1957 in Volume 512 of Deeds, Page 334 and described as follows, to-wit: Commencing at the Southeast corner of said Lot 149; thence Westery along the Southerly line of the lot, 28 feet; thence Northeasterly (erroneously said to be Southeastery) to a point on the Easterly line of said Lot, 39 feet Northerly from the Southeast corner thereof; thence Southerly along the Easterly lot line, 39 feet to the point of beginning, such excepted parcel containing 546 square feet more or less.

STATE OF CALIFORNIA            )  
  ) SS  
COUNTY OF LOS ANGELES    )

WHEREAS, ARAMARK Uniform & Career Apparel, Inc. (as successor by merger to Means Services, Inc.), is the owner of the above-described property ("Property").

WHEREAS, one or more chlorinated solvent discharges have occurred on this Property, as summarized on the table included as Exhibit A, at the locations shown on the figure included as Exhibit B.

WHEREAS, chlorinated solvent-contaminated soil may remain on this Property beneath the former Robinson Cleaners building, or other areas under the building foundation not previously investigated.

WHEREAS, it is the desire and intention of the property owner to impose on the Property restrictions which will make it unnecessary to conduct further soil and/or groundwater remediation activities on the Property at the present time.

NOW THEREFORE, the owner hereby declares that all of the above-described Property as shown on Exhibit C is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Structural impediments existing at the time of clean up, specifically the building foundation, made complete investigation and remediation of the soil contamination on this Property impracticable. If the structural impediments on this Property are removed, then the Property owner shall conduct an investigation of the degree and extent of chlorinated solvent contamination. To the extent that contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified, and the contamination shall be properly remediated in accordance with applicable statutes and rules. If currently inaccessible soil near or beneath the structural impediments on the Property is excavated in the future, the soil must be sampled and analyzed, may be considered solid or hazardous waste if residual contamination remains, and must be stored, treated and disposed in compliance with applicable statutes and rules.

The building foundation that existed on the Property, as shown on Exhibit C, on the date that this restriction was signed forms a barrier that must be maintained in order to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health and to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis Admin. Code. The building foundation shall be maintained on the Property in the locations shown on Exhibit C unless another structure or barrier approved by the Wisconsin Department of Natural Resources

(the "Department") is installed and maintained in its place. If soil that remains on the property in the location or locations described above is excavated in the future, it will have to be sampled and analyzed, may be considered solid or hazardous waste if residual contamination remains, and must be stored, treated and disposed in compliance with applicable statutes and rules.


In addition, the following activities are prohibited on any portion of the above-described property where the building foundation or footprint is required as shown on Exhibit C, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources or its successor or assign: (1) Replacement with another barrier; (2) Excavating, filling, or grading of the land surface; (3) Plowing for agricultural cultivation; and (4) Construction or placement of a building or other structure in an area where the building foundation is required.

This restriction is hereby declared to be a covenant running with the Property and shall be fully binding upon all persons acquiring the Property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the Property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded by the then current Property owner or other interested party to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.


By signing this document, David Michaelson asserts that he is duly authorized to sign this document on behalf of ARAMARK Uniform & Career Apparel, Inc.

IN WITNESS WHEREOF, the owner of the Property has executed this Declaration of Restrictions, this 7th day of September, 2005.

Signature:   
Printed Name: David Michaelson

Subscribed and sworn to before me  
this 7th day of September, 2005.

William Thomas Chiaro  
Notary Public, State of California  
My commission October 22, 2006



This document was drafted by BT<sup>2</sup>, Inc., on behalf of ARAMARK Uniform & Career Apparel, Inc.


**Exhibit A**  
**Summary of Detected Chlorinated Solvents VOCs in Soil**  
**Former Robinson Cleaners / BT<sup>2</sup> Project #2718**


Sample Location	Depth (feet)	Collection Date	Concentration in mg/kg			
			1,1,1-TCA	TCE	PCE	1,2-DCE
W-01	0.5-1.5	08/13/87	ND	ND	13	ND
W-04	0.5-1.5	08/14/87	ND	0.398	0.033	ND
W-08	0.5-1.5	08/14/87	ND	ND	12	ND
W-10	0.5-1.5	08/14/87	ND	ND	4.9	ND
W-11	0.5-1.5	08/14/87	ND	ND	21	ND
W-13	0.5-1.5	08/14/87	ND	ND	1,300	ND
W-14	0.5-1.5	08/14/87	ND	ND	0.037	ND
W-15	0.5-1.5	08/14/87	ND	ND	60	ND
MW-2A	11-12.5	04/19/88	ND	0.0024	0.300	0.011
MW-6A	23.5-25	04/22/88	ND	ND	0.0016	ND
X1	1-1.5	05/30/89	ND	ND	0.0062	ND
X2	1-1.5	05/30/89	ND	ND	0.0051	ND
X4	1-1.5	05/30/89	ND	ND	0.130	ND
X5	1-1.5	05/30/89	0.0013	ND	0.012	ND
X8	1-1.5	05/30/89	ND	ND	0.0046	ND
X10	1-1.5	05/30/89	ND	ND	0.0053	ND
VW-1	8.5-10	06/11/91	ND	ND	0.0053	0.0013
VW-1	18.5-20	06/11/91	ND	ND	0.0054	ND
VW-1	28.5-30	06/11/91	ND	ND	0.016	0.0019
VW-2	18.5-20	06/11/91	ND	ND	0.019	ND
VW-2	28.5-30	06/11/91	ND	ND	0.023	ND
VW-3	8.5-10	06/11/91	ND	ND	0.210	ND
VW-3	18.5-20	06/11/91	ND	ND	0.043	ND
VW-3	28.5-30	06/11/91	ND	ND	0.037	ND
B-1	0.5-1	12/15/92	ND	ND	890	ND
B-2	0.5-1	12/15/92	ND	ND	3.6	1.4
B-3	1.5-2	12/15/92	ND	ND	8,900	ND
B-4	1.5-2	12/15/92	ND	ND	1.5	ND
B-5-5	9-11	01/08/93	ND	ND	0.057	0.0038
B-5-9	18.5-20.5	01/08/93	ND	ND	0.033	ND

**ABBREVIATIONS:**

DCE = dichloroethene (total or trans)  
mg/kg = milligram per kilogram, or parts per million  
ND = not detected  
PCE = tetrachloroethene  
TCA = trichloroethane  
TCE = trichloroethene  
VOCs = volatile organic compounds

I:\2718\Reports\Appendices\ExhibitA.xls\Exhibit A





11/12/04 10:00 AM 11/12/04 10:00 AM 11/12/04 10:00 AM 11/12/04 10:00 AM 11/12/04 10:00 AM