

GIS REGISTRY INFORMATION

SITE NAME: Union Camp, Assn. Transville,
 BRRTS #: 02-54-547247 FID # (if appropriate): _____
 COMMERCE # (if appropriate): _____
 CLOSURE DATE: Dec 5, 2006
 STREET ADDRESS: 6631 County Rd M
 CITY: Transville
 SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):
 X= 579165 Y= 255379

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties NA
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. X
- GW: Table of water level elevations, with sampling dates, and free product noted if present X
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) NA
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable) X
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) NA
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure X
- Copy of any maintenance plan referenced in the deed restriction. X



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection
Rod Nilsestuen, Secretary

December 5, 2006

Jim Shelton, General Manager
Landmark Agronomy Services
W 2931 Walnut Street. POB 26
Juda, WI 53550

Re: Final Case Closure – “Union Coop Assn. – Evansville” Site
DATCP Case No. 97403102701 and DNR BRRTs No. 02-54-547247

Dear Mr. Shelton:

On November 1, 2006, our closure committee reviewed the above referenced case. Based on the correspondence and data provided by BT², it appears that your case has been remediated in accordance with s. NR 726.05, Wisconsin Administrative Code. My receipt of the well abandonment documentation satisfied the last condition for closure of the case. The DATCP considers this case closed, as of December 5, 2006, and no further investigation or remediation is required at this time.

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department of Natural Resources (DNR) may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property, or the DATCP may reopen this case pursuant to s. NR 726.09, Wis. Adm. Code.

Structural impediments existing at the time of cleanup, including the fertilizer building and anhydrous ammonia tank, made complete investigation and remediation of the soil contamination on this property impracticable. If the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of fertilizer and pesticide contamination. If contamination is found at that time, the DATCP shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

This site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that BT² submitted with your closure request application will be

Agriculture generates \$51.5 billion for Wisconsin

2811 Agriculture Drive • PO Box 8911 • Madison, WI 53708-8911 • 608-224-5012 • Wisconsin.gov


Mr. Jim Shelton, page 2
December 5, 2006

included on the DNR's GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Because your property is listed on the GIS Registry due, in part, to remaining groundwater contamination, you or any future property owner intending to construct or reconstruct a well will need prior DNR approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

My thanks to you and BT² for your efforts in bringing this cleanup case to closure.

Sincerely,



Jeff Ackerman
Hydrogeologist
(608) 224-4516

Copy: Tom Culp, BT²
Wendy Weihemuller, DNR

GIS Registry Fees

The GIS Registry fees are included.

Property Deeds

Copies of the most recent deeds for all properties within the contaminated site's boundaries are included in **Attachment B**.

A Copy of Certified Survey Map or the Relevant Section of a Recorded Plat Map

This requirement is not applicable to this site

Parcel Identification Numbers (PIN)

The PINs for affected properties are given below:

Landmark Services Cooperative facility	6-20-305C
WDNR property	6-20-305A

Site Maps, Figures, and Tables

The site figures required for GIS Registry are included in **Attachment B** in hard copy as well as scanned .pdf format (enclosed CD-ROM).

The tables required for GIS Registry are included in **Attachment B** in hard copy as well as scanned .pdf format (enclosed CD-ROM).

Legal Description Statement

A letter from the responsible party verifying that legal descriptions for all properties within the contaminated site boundaries have been submitted is included in **Attachment B**.

Landowner Notification Letter

A copy of a letter from the responsible party to the Wisconsin Department of Natural Resources notifying the WDNR of groundwater contamination exceeding NR 140 enforcement standards is attached.

Right-of-Way Notification

This requirement not applicable to this site.

Site Geographic Position

The coordinates were obtained at a scale of 1:4,910 using the WDNR RR GIS Registry on-screen digitizing Web site. Coordinates were obtained for each affected property from the property corners and the approximate property center. Coordinates are in WTM (meters).

Landmark Property:	578960, 255580
	579350, 255425
	579350, 255254
	578960, 255254
	579165, 255379 (approximate property center)

WDNR Property:	578960, 255580
	578960, 255254
	578564, 255254
	578564, 255439
	578759, 255439
	578759, 255580
	578866, 255346 (approximate property center)

DOCUMENT NO.

0 259

STATE BAR OF WISCONSIN - FORM 2
WARRANTY DEED
THIS SPACE RESERVED FOR RECORDING DATA

ARNOLD F. RUPNOW and MARY RUPNOW, husband and wife as
tenants in common
conveys and warrants to UNION COOPERATIVE ASSOCIATION

REGISTERED
NOV 15 10 03 AM '95

RECORDED
CARD # 811
IMAGE # 259
1278094

RETURN TO John W. Roethe

P.O. Box 151
Edgemoor, Wis. 53534
Fees 10.00

the following described real estate in Rock County,
State of Wisconsin:

Tax Key No. 10.00

Part of the West 1/2 of the NE 1/4 of Section 35, T.4N., R. 10E. of
the 4th P.M., Union Township, Rock County, Wisconsin. Described as
follows: Commencing at a cut stone monument found at the North
Quarter corner of said Section 35; thence S.0° 01'40"W. (assumed)
along the North and South centerline of said Section, 922.71 feet
to an iron pin monument set on the Southerly R.O.W. (Right-of-Way)
line of the Chicago and Northwestern Railroad Company property,
also being at the place of beginning for the land to be herein
described; thence S.68°29'E. along said Southerly R.O.W. line,
1384.23 feet to a PK nail set on the centerline of C.T.H. "M" as
paved; thence S.0°57'W. along said centerline of C.T.H. "M", 559.82
feet to a PK nail set on the South line of the North 1/2 of the SW.
1/4 of the NE.1/4 of said Section; thence S.89°53'40"W. along said
South line, 1279.01 feet to an iron pin monument set on said North
and South centerline of said Section; thence N.0°01'40"E. along
said North and South centerline, 1069.80 feet to the place of
beginning. Containing 24.034 acres.

This deed is given in satisfaction of a land contract dated May 12, 1982, recorded
May 13, 1982 in the Office of the Register of
Deeds for Rock County on Card #104, Image 711-
712 as Document No. 952911

This is not homestead property.
(is not)

Exception to warranties: Municipal zoning regulations, easements and restrictions of
record

Dated this 13th day of November, 1995

CODE W-7 EXCLUSION
TRANSFER 5238.20 FEE

Arnold F. Rupnow (SEAL)
Mary Rupnow (SEAL)
Mary Rupnow

AUTHENTICATION

Signatures authenticated this 13th day of November, 1995

John W. Roethe
John W. Roethe

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

(Signatures may be authenticated or acknowledged. Both
are not necessary.)

ACKNOWLEDGEMENT

STATE OF WISCONSIN

County, ss.

Personally came before me, this day of
the above named

to me known to be the person who executed the
foregoing instrument and acknowledge the same.

Notary Public County, Wis.
My Commission is permanent. (If not, state expiration
date: , 19)

* Names of persons signing in any capacity should be typed or printed below their signatures.

Furnished by:

DONGARRA TITLE COMPANY, INC.
107 WEST MILWAUKEE STREET JANESVILLE, WISCONSIN 53545
Area code 608 752-2417 or 752-3434

I hereby certify that I have on this 16 day of November, 1995, micro-
photographed the foregoing and above described document in accordance
with standards established by Sec. 228.03(1) of the Statutes and with
established procedures. Nancy Fink Camera Operator.

DOCUMENT NO.

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2 - 1982

596

THIS SPACE RESERVED FOR RECORDING DATA

1230549

Rock County, A Political Subdivision of the State of Wisconsin, by its Agent, the Rock County Park & Conservation Commission

RECORDED

CARD # 704
IMAGE # 596
APR 14 12 35 PM '94

conveys and warrants to State of Wisconsin (Department of Natural Resources)

for a valuable consideration Ten Thousand One Hundred Twenty-five and no/100 (\$10,125.00) Dollars

DONNA L. BERKLEY
REGISTER OF DEEDS
ROCK CO WI 53545

the following described real estate in Rock County, State of Wisconsin:

RETURN TO: W: Dept. Natural Resources
* 101 So. Webster St.
Madison, WI 53707

Tax Parcel No: 6-20-305A 10-01

67

Township 4 North, Range 10 East

Section 35: Parcel No. 1 which is the N 1/2 of the SE 1/4 of the NW 1/4 and also Parcel No. 2, a part of the E 1/2 of the NE 1/4 of the NW 1/4 beginning at the Southeast corner of the NE 1/4 of the NW 1/4, thence North 28 rods; thence West 40 rods; thence South 28 rods; thence East 40 rods to the point of beginning.

In addition to the above-described land a permanent easement is hereby granted on a two rod strip of land lying South and running parallel to the Railroad Company right-of-way from the Northeast corner of the above said Parcel No. 2 extending Southeasterly to County Trunk Highway "M" for purposes of ingress and egress to and from said lands, (and is hereby conveyed for use only by Arnold F. Rupnow, or the Wisconsin Department of Natural Resources or owners of above described lands).

CODE
W-7
EXEMPT

FEE
#2
EXEMPT

This is not homestead property.
(is) (is not)

Exception to warranties:

Dated this 23rd day of March, 1994

(SEAL)

(SEAL)

Donald E. Upson

(SEAL)

(SEAL)

Kay S. O'Connell

Kay S. O'Connell

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) Donald E. Upson and Kay S. O'Connell

STATE OF WISCONSIN

authenticated this 23 day of March, 1994.

County. ss.

Robert D. Heidel

Personally came before me this day of 19, the above named

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by § 706.06, Wis. Stats.)

to me known to be the person who executed the foregoing instrument and acknowledge the same.


THIS INSTRUMENT WAS DRAFTED BY Department of Natural Resources

(Signatures may be authenticated or acknowledged. Both are not necessary.)

Notary Public County, Wis. My Commission is permanent. (If not, state expiration date: 19.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

I hereby certify that I have on this 18 day of April, 1994, microphotographed the foregoing and above described document in accordance with standards established by Sec. 228.03(1) of the Statutes and with established procedures.
Mona Fish Camera Operator.



EVANSVILLE QUADRANGLE
 WISCONSIN
 7.5 MINUTE SERIES (TOPOGRAPHIC)
 SE/4 EVANSVILLE 15' QUADRANGLE
 1981
 SCALE: 1" = 2,000'



PROJECT NO. 1209
DRAWN BY: KP
CHECKED BY: SMS
APPROVED BY:
DRAWN: 06/02/98
REVISED: 02/06/06

FIGURE 1
 SITE LOCATION MAP
 LANDMARK—EVANSVILLE
 6631 COUNTY HIGHWAY M
 EVANSVILLE, WISCONSIN



DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
09/06/02	14	1.69	<0.056	0.46	0.21	3.2	3.7
12/10/02	11	2.29	<0.056	1.2	0.41	6.3	3.9
04/11/03	13	3.88	0.055	4.7	0.46	13	3.9
06/20/03	21	2.42	<0.028	6.8	0.37	24	4.1
12/19/03	16	7.75	<0.029	0.99	0.49	8.1	5.6
07/02/04	12	2.18	<0.038	5.3	0.16	17	6.4
02/11/05	10	3.42	<0.024	2.8	0.22	14	12
09/30/05	18	1.21	<0.042	2.9	<0.075	9.2	17
04/04/06	25	0.83	0.34	0.89	0.088	3.3	9.1

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
02/24/99	31	NA	NA	NA	NA	NA	NA
06/04/99	26	NA	NA	NA	NA	NA	NA
09/17/99	30	1.54	0.8	<0.12	<0.025	<0.12	1.8
01/27/00	35	0.94	<0.053	<0.055	0.031	NA	0.49
05/16/00	28	NA	NA	NA	NA	NA	NA
08/17/00	45	NA	NA	NA	NA	NA	NA
11/13/00	38	NA	NA	NA	NA	NA	NA
12/28/00	NA	1.15	0.23	<0.052	<0.016	<0.052	0.83
05/22/01	29	0.9	0.14	<0.030	0.032	0.26	0.64
11/21/01	40	0.97	0.23	<0.030	<0.0076	0.62	0.91
04/25/02	30	0.88	<0.025	<0.028	<0.020	0.73	0.31
12/10/02	35	0.63	<0.056	0.22	0.018	0.48	0.16
06/20/03	31	0.523	<0.028	0.14	<0.047	0.25	0.085
12/19/03	49	0.86	<0.028	0.15	<0.047	0.80	0.15
07/02/04	62	0.85	0.11	0.16	<0.068	0.51	0.40
02/11/05	20	0.50	<0.024	0.14	<0.0048	0.89	0.27
09/30/05	25	0.528	0.16	<0.059	<0.071	0.30	0.21
04/04/06	37	0.355	<0.037	<0.028	<0.039	0.43	0.12

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
07/30/98	22	ND	<0.057	<0.071	<0.017	NA	<0.13
06/04/99	25	0.19	<0.12	0.36	0.24	1.1	0.79
12/10/02	18	0.547	<0.056	<0.033	0.015	<0.033	0.095
02/11/05	19	0.55	<0.024	<0.023	<0.047	<0.022	<0.024
04/04/06	19	0.458	<0.035	<0.028	<0.037	<0.015	0.053

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
09/06/02	28	0.97	1.3	8.1	0.87	30	28
12/10/02	24	0.80	1.0	6.1	0.56	26	20
04/11/03	24	1.01	1.1	6.3	0.56	30	23
06/20/03	28	0.72	0.69	4.2	0.35	25	17
12/19/03	20	0.70	0.33	2.6	<0.048	16	15
07/02/04	21	0.49	0.68	4.9	0.46	23	28
02/11/05	28	0.56	0.49	1.1	0.43	14	17
09/30/05	19	0.45	0.61	2.4	0.26	14	15
04/04/06	40	0.49	0.72	1.6	0.13	19	13

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
09/06/02	21	0.9	<0.056	1.6	0.71	22	5.5
12/10/02	20	0.74	<0.056	1.0	0.44	14	4.4
04/11/03	19	0.92	0.055	5.8	0.38	9.2	2.7
06/20/03	23	1.18	<0.028	6.9	0.34	14	3.7
12/19/03	18	1.28	<0.029	3.8	0.35	7.0	4.1
07/02/04	23	1.17	<0.038	2.3	0.33	4.9	4.7
02/11/05	19	0.59	<0.024	0.42	0.055	1.8	4.1
09/30/05	19	<1.0	0.74	<0.039	0.85	<0.070	1.1
04/04/06	7.7	0.88	<0.038	1.3	<0.040	3.8	8.5

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
02/24/99	30	3.48	<0.046	<0.047	0.19	NA	0.36
06/04/99	43	2.47	1.8	6.5	0.98	27	23
09/17/99	20	0.64	<0.12	0.14	0.077	<0.12	0.25
01/27/00	20	0.458	<0.053	<0.055	<0.017	NA	<0.093
05/16/00	24	0.56	<0.049	0.82	0.026	0.36	0.17
08/17/00	21	0.61	<0.049	4.2	0.074	1.9	0.94
11/13/00	18	1.02	<0.049	5.1	<0.016	<0.051	0.58
06/25/01	19	0.852	<0.033	0.19	0.19	0.23	<0.018
11/21/01	17	0.4	<0.034	0.030	<0.0076	<0.022	<0.019
04/25/02	17	0.563	<0.027	<0.030	<0.022	<0.036	<0.016
12/10/02	17	0.434	<0.056	<0.034	<0.0044	<0.034	<0.058
06/20/03	18	0.497	<0.028	<0.025	<0.047	<0.012	<0.019
12/19/03	19	0.74	<0.028	<0.025	<0.047	0.081	0.076
07/02/04	18	0.57	<0.038	<0.057	<0.068	<0.021	0.077
02/11/05	19	0.529	<0.024	<0.023	<0.0048	0.15	<0.024
09/30/05	21	0.69	<0.039	<0.059	<0.070	<0.021	<0.028
04/04/06	19	0.6	<0.038	<0.028	<0.040	<0.016	<0.0084

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
10/26/98	100	2.35	2.8	130	3.0	NA	500
02/24/99	42	2.29	<0.039	80	0.77	NA	220
06/04/99	110	38.6	<0.12	630	12	1,100	680
09/17/99	120	2.5	<0.12	160	17	1,000	400
01/27/00	28	1.06	0.73	10	0.44	NA	16
05/16/00	31	0.76	0.36	3.5	0.12	13	7.4
08/17/00	38	0.33	<0.049	49	0.41	320	200
12/28/00	30	1.41	<0.049	23	0.66	160	100
05/22/01	28	0.5	<0.034	13	0.27	120	81
11/21/01	21	1.06	<0.034	22	0.50	160	160
04/25/02	14	0.51	0.31	4.8	<0.20	27	22
12/10/02	15	0.49	<0.056	4.1	0.034	35	18
06/20/03	23	0.37	0.18	1.3	0.11	12	7.7
12/19/03	26	0.78	0.34	4.3	<0.048	35	18
07/02/04	43	1.06	0.96	22	<0.068	120	98
02/11/05	18	0.503	<0.024	1.2	<0.0048	30	23
09/30/05	24	0.449	<0.041	2.4	<0.073	28	20
04/04/06	22	0.423	0.48	1.3	<0.040	14	11

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
10/26/98	17	1.1	<0.057	<0.071	<0.017	NA	<0.13
02/24/99	17	1.05	<0.047	<0.048	<0.017	NA	<0.04
06/04/99	15	0.91	<0.12	<0.12	<0.025	<0.12	0.20
09/17/99	17	0.798	<0.12	<0.12	<0.025	<0.12	<0.12
01/27/00	20	0.75	<0.053	<0.055	<0.017	NA	0.24
05/16/00	19	0.625	<0.049	<0.051	<0.016	<0.051	0.20
08/17/00	18	0.82	<0.050	<0.051	<0.016	0.24	0.20
12/28/00	13	0.55	<0.049	<0.051	<0.051	<0.086	<0.086
05/22/01	18	0.601	<0.034	<0.030	<0.0076	<0.022	0.12
11/21/01	13	0.397	<0.034	0.11	<0.0076	0.2	<0.019
04/25/02	16	0.502	<0.025	0.36	<0.020	0.15	0.044
12/10/02	14	0.416	<0.056	0.14	<0.0044	<0.033	<0.057
06/20/03	14	ND	<0.028	<0.025	<0.047	<0.012	0.10
12/19/03	16	0.351	<0.028	0.71	<0.047	0.26	0.11
07/02/04	28	0.41	<0.038	0.59	<0.068	<0.021	0.13
02/11/05	11	0.302	<0.024	<0.023	<0.0048	<0.022	<0.024
09/30/05	16	0.326	<0.041	<0.061	<0.073	<0.022	<0.029
04/04/06	15	0.3	<0.036	<0.027	<0.038	<0.016	0.056

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
10/26/98	32	1.18	<0.057	<0.071	<0.017	NA	<0.13
02/24/99	24	1.09	<0.047	<0.046	0.026	NA	0.46
06/04/99	31	0.77	<0.12	<0.12	<0.025	<0.12	<0.12
09/17/99	7.9	0.197	<0.12	<0.12	<0.025	<0.12	<0.12
01/27/00	24	0.65	<0.053	<0.055	<0.017	NA	<0.093
05/16/00	28	0.65	<0.049	<0.051	<0.051	<0.051	<0.086
08/17/00	22	ND	<0.049	<0.051	<0.016	<0.051	<0.086
12/28/00	11	0.568	<0.049	<0.051	<0.016	<0.051	<0.086
05/22/01	18	0.136	<0.034	<0.030	<0.0076	<0.022	<0.019
11/21/01	2.0	0.335	<0.034	<0.030	<0.0076	<0.022	<0.019
04/25/02	5.1	0.132	<0.024	<0.027	<0.0020	<0.033	0.043
12/10/02	10	0.191	<0.028	<0.025	<0.046	<0.012	0.20
06/20/03	8.8	ND	<0.028	<0.025	<0.046	<0.012	0.20
12/19/03	9.8	0.259	<0.028	<0.025	<0.047	0.057	0.058
07/02/04	7.4	0.21	<0.038	<0.057	<0.068	<0.021	<0.027
02/11/05	17	0.16	<0.024	<0.023	<0.0048	<0.022	<0.024
09/30/05	25	ND	<0.041	<0.060	<0.072	<0.022	<0.029
04/04/06	15	0.155	<0.036	<0.028	<0.038	<0.016	<0.0082

DATE	N	ATRA	ALAC	ACET	CYAN	DIME	METO
09/06/02	9.7	0.252	<0.056	0.26	0.049	0.46	0.31
12/10/02	9.4	0.206	<0.056	0.26	0.049	0.46	0.31
04/11/03	6.8	0.224	0.039	<0.026	<0.048	0.032	0.063
06/20/03	12	0.164	<0.028	0.11	<0.046	<0.012	0.078
12/19/03	11	0.671	<0.028	1.1	0.61	0.26	0.78
07/02/04	12	0.60	<0.038	0.58	0.11	0.81	1.6
02/11/05	10	0.242	<0.024	<0.023	<0.0048	0.56	0.67
09/30/05	19	0.22	<0.041	<0.061	<0.073	<0.022	<0.029
04/04/06	15	0.43	<0.038	<0.029	<0.040	0.052	0.19

- NOTES:
- FACILITY PROPERTY FEATURES, ADJACENT ROADWAYS AND RAILROAD TRACKS, PROPERTY BOUNDARIES, AND HORIZONTAL AND VERTICAL LOCATIONS OF MW1-MW5, MW4P WERE SURVEYED BY BIRRENKOTT SURVEYING, INC., JULY 2002.
 - UTILITIES ARE NOT TO SCALE.
 - BASED ON FIELD OBSERVATIONS AND DISCUSSIONS WITH FACILITY STAFF, MW6 AND MW7 ARE LOCATED ON COOPERATIVE PROPERTY.
 - BOLD VALUES EXCEED NR 140 ENFORCEMENT STANDARDS.

LEGEND

- PROPERTY LINE
- ⊕ MONITORING

1/12/09\Figures-General\Survey\site-dwg.dwg, 9/12/2006 10:42:59 AM





FIGURE 2
 GROUNDWATER EXTENT MAP
 LANDMARK - EVANSVILLE
 6631 COUNTY HIGHWAY M
 EVANSVILLE, WISCONSIN

PROJECT NO. 1209
DRAWN BY: KP
CHECKED BY: SMS
APPROVED BY:
DRAWN: 07/14/04
REVISED: 09/12/06



N



LEGEND

- PROPERTY LINE
- MONITORING WELL
- BURIED ELECTRIC
- BUILDING
- APPROXIMATE EXTENT OF SOIL CONTAMINATION REMAINING AT CONCENTRATIONS EXCEEDING SITE CLEANUP GOALS OF 1 mg/kg TOTAL PESTICIDE AND 200 mg/kg TOTAL NITROGEN
- SOIL SAMPLE
- TN TOTAL NITROGEN (mg/kg)
- TP TOTAL PESTICIDES (mg/kg)

- NOTES:
- FACILITY PROPERTY FEATURES, ADJACENT ROADWAYS AND RAILROAD TRACKS, PROPERTY BOUNDARIES, AND HORIZONTAL AND VERTICAL LOCATIONS OF MW1-MW5, MW4P WERE SURVEYED BY BIRRENKOTT SURVEYING, INC., JULY 2002.
 - UTILITIES ARE NOT TO SCALE.
 - BOLD VALUES EXCEED THE TARGET CONCENTRATION OF 1 mg/kg TOTAL TESTICIDE AND 200 mg/kg) TOTAL NITROGEN.




FIGURE 4
SOIL CONTAMINATION EXTENT MAP
LANDMARK-EVANVILLE
6631 COUNTY HIGHWAY M
EVANVILLE, WISCONSIN

PROJECT NO. 1209
DRAWN BY: KP
CHECKED BY: SMS
DRAWN: 09/12/06
REVISED: 09/12/06

I:\2006\General\Survey\CONTAMINATION\EXTENTS.dwg, 10/13/2006 11:27:57 AM

Table 1. Soil Investigation Analytical Results Summary
Remaining Soil Contamination
Landmark Services Cooperative - Evansville, WI / BT² Project #1209
(Concentrations in mg/kg)

Sample	Depth (feet)	Date	NH3-N	NO3+NO2-N	Total Nitrogen	Total Pesticides	Aceto	Alac	Atra	DEA	DIA	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Meto	Metribuzin	Pend	Prometon	Propazine	Simazine	Trifluralin
A1-5	4	8/2/1999	<20	<20	ND	3.13	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.53	<0.1	2.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-28	2	8/3/1999	<20	210	210	ND	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-55	2	8/5/1999	<20	<20	ND	2.75	0.18	0.26	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.38	<0.1	1.6	<0.1	0.33	<0.1	<0.1	<0.1	<0.1
A1-61	1	8/4/1999	270	170	440	0.66	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.66	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-63	3	8/4/1999	150	40	190	5.62	1.5	0.1	0.12	<0.1	<0.1	<0.1	<0.1	<0.1	2.4	<0.1	1.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-67	2	8/5/1999	560	78	638	12.36	1.4	0.16	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	9.2	<0.1	1.6	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-68	4	8/5/1999	140	68	208	1.23	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.58	<0.1	0.65	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-69	6	8/5/1999	<20	26	26	1.43	0.28	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.29	<0.1	0.86	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-70	6	8/5/1999	42	<20	42	1.22	0.25	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.45	<0.1	0.52	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-71	2	8/5/1999	26	48	74	2.18	0.36	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	1.1	<0.1	0.62	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-72	4	8/5/1999	100	<20	100	2.50	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	1.2	<0.1	1.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A1-74	3	8/6/1999	130	45	175	2.75	0.45	<0.1	0.29	<0.1	<0.1	<0.1	<0.1	<0.1	1.8	<0.1	0.21	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
A4-17	3	8/4/1999	810	95	905	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
EX2 S3	3.5	8/10/2004	2,100	610	2,710	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
EX2 S12	6.5	8/11/2004	<10	690	690	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ABBREVIATIONS:

DEA = Desethylatrazine
Aceto = Acetochlor

DIA = Desisopropylatrazine
NH3-N = Ammonia as Nitrogen

Pend = Pendimethalin
NO3+NO2-N = Nitrate+Nitrite as Nitrogen

Meto = Metolachlor
ND = Not Detected

Atra = Atrazine
NA = Not Analyzed

Alac = Alachlor

NOTES:

Total nitrogen is the sum of NH3-N and NO3+NO2-N.

Bold values meet or exceed the target concentration of 1 mg/kg total pesticide and 200 mg/kg total nitrogen.

Completed by: SMS 9/13/06

I:\1209\Reports\Closure Request\[remaining_soil_samples.xls]Soil Investigation Results

Table 2
Groundwater Analytical Results Summary
Union Co-op, Evansville, WI / BT² Project #1209
(Results are in µg/l unless otherwise noted)

Sample	Date	Nitrate+Nitrite-N (mg/l)	Ammonia-N (mg/l)	Atrazine(s) (l)	Alachlor	Acetochlor	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Dicamba	2,4-D	Bentazon	
MW1	10/26/98	32	NA	1.18	<0.057	<0.071	NA	<0.018	<0.017	NA	NA	0.73	NA	<0.034	NA	NA	<0.026	NA	<0.12	<0.14	NA	
	2/24/99	24	<0.25	1.09	<0.047	<0.046	NA	<0.010	0.026	NA	NA	0.46	NA	<0.033	NA	NA	<0.023	NA	NA	NA	NA	
	6/4/99	31	<0.50	0.77	<0.12	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	0.31 J	<0.062	<0.062	0.37	<0.025	<0.025	<0.12	NA	NA	NA	
	9/17/99	7.9	<1.0	0.197 J	<0.12	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	<0.12	<0.062	<0.062	<0.062	<0.025	<0.025	<0.12	NA	NA	NA	
	1/27/00	24	NA	0.65	<0.053	<0.055	<0.043	NA	<0.017	NA	<0.038	<0.093	<0.045	<0.032	0.15	<0.013	<0.019	<0.042	NA	NA	NA	
	5/16/00	28	<1.0	0.274 J	<0.049	<0.051	<0.029	<0.0093	<0.016	<0.051	<0.028	<0.086	<0.042	<0.022	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	8/17/00	22	<1.0	ND	<0.049	<0.051	<0.029	<0.0093	<0.016	<0.051	<0.028	<0.086	<0.042	<0.022	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	12/28/2000	11	0.7	0.568 J	<0.049	<0.051	<0.029	<0.0093	<0.016	<0.051	<0.028	<0.086	<0.042	<0.022	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	5/22/01	18	<1.0	0.136	<0.034	<0.030	<0.022	<0.0041	<0.0076	<0.022	<0.011	<0.019	<0.018	<0.012	<0.019	<0.0067	<0.0060	<0.024	NA	NA	NA	
	11/21/2001	2.0	<1.0	0.335	<0.034	<0.030	<0.022	<0.0041	<0.0076	<0.022	<0.011	<0.019	<0.018	<0.012	<0.019	<0.0067	<0.0060	<0.024	NA	NA	NA	
	4/25/2002	5.1	<1.0	0.132	<0.024	<0.027	<0.068	<0.040	<0.020	<0.033	<0.064	0.043 J	<0.029	<0.017	<0.12	<0.12	<0.036	<0.057	NA	NA	NA	
	9/6/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/10/2002	10	<1.0	0.191	<0.056	<0.033	<0.020	<0.011	<0.0044	<0.033	<0.013	<0.013	0.10 J	<0.012	<0.019	0.077	<0.0054	<0.0088	<0.027	NA	NA	NA
	6/20/2003	8.8	<1.0	ND	<0.028	<0.025	<0.038	<0.040	<0.046	<0.012	<0.053	0.20	<0.020	<0.0093	0.069 (J)	<0.031	<0.019	<0.029	NA	NA	NA	
	12/19/2003	9.8	<1.0	0.259 J	<0.028	<0.025	<0.039	<0.041	<0.047	0.057	<0.054	0.058 J,B	<0.021	<0.0094	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
	7/2/2004	7.4	<1.0	0.21 J	<0.038	<0.057	<0.068	<0.062	<0.068	<0.021	<0.059	<0.027	<0.027	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA	
	2/11/2005	17	<1.0	0.16	<0.024	<0.023	<0.011	<0.0047	<0.0048	<0.022	<0.012	<0.024	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA	
	9/30/2005	25	<1.0	ND	<0.041	<0.060	<0.072	<0.066	<0.072	<0.022	<0.063	<0.029	<0.029	<0.034	<0.045	<0.029	<0.057	<0.046	NA	NA	NA	
	4/4/2006	15	<1.0	0.155 J	<0.036	<0.028	<0.033	<0.023	<0.023	<0.038	<0.016	<0.036	<0.0082	<0.032 LC	<0.012	0.069 J	<0.036	<0.039	<0.016	NA	NA	NA
	MW2	10/26/98	17	NA	1.1	<0.057	<0.071	NA	<0.018	<0.017	NA	NA	<0.13	NA	<0.034	NA	NA	<0.026	NA	<0.12	<0.14	NA
2/24/99		17	<0.25	1.05	<0.047	<0.048	NA	<0.010	<0.017	NA	NA	<0.04	NA	<0.033	NA	NA	<0.020	NA	NA	NA	NA	
6/4/99		18	<0.50	0.91	<0.12	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	0.20 J	<0.062	<0.062	0.089 (J)	<0.025	<0.025	<0.12	NA	NA	NA	
9/17/99		17	<2.0	0.798	<0.12	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	<0.12	<0.062	<0.062	<0.062	<0.025	<0.025	<0.12	NA	NA	NA	
1/27/00		19	NA	0.75	<0.053	<0.055	<0.043	NA	<0.017	NA	<0.032	0.24	<0.045	<0.032	<0.075	<0.013	<0.019	<0.042	NA	NA	NA	
5/16/00		20	<1.0	0.625	<0.049	<0.051	<0.029	<0.0093	<0.016	<0.051	<0.028	0.2 J	<0.042	<0.022	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
8/17/00		16	<1.0	0.82	<0.050	<0.051	<0.029	<0.0093	<0.016	0.24	<0.028	0.20 J	<0.042	<0.022	0.11 (J)	<0.012	0.022 (J)	<0.039	NA	NA	NA	
12/28/2000		13	0.91	0.55	<0.049	<0.051	<0.029	<0.0093	<0.016	<0.051	<0.028	<0.086	<0.042	<0.022	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
5/22/01		16	<1.0	0.601	<0.034	<0.030	<0.022	<0.0040	<0.0076	<0.022	<0.011	0.12	<0.018	<0.012	<0.019	<0.0066	<0.0060	<0.024	NA	NA	NA	
11/21/2001		13	<1.0	0.397	<0.034	0.11	<0.022	<0.0041	<0.0076	0.2	<0.011	<0.019	<0.018	<0.012	<0.019	<0.0067	<0.0060	<0.024	NA	NA	NA	
4/25/2002		16	<1.0	0.502	<0.025	0.36	<0.070	<0.041	<0.020	0.15	<0.066	0.044 J	<0.030	<0.017	<0.013	<0.013	<0.038	<0.059 *	NA	NA	NA	
9/6/2002		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
12/10/2002		14	1.1	0.416	<0.056	0.14	<0.020	<0.011	<0.0044	<0.033	<0.013	<0.057	<0.012	<0.019	<0.011	<0.0054	<0.0088	<0.027	NA	NA	NA	
6/20/2003		14	<1.0	ND	<0.028	<0.025	<0.038	<0.040	<0.047	<0.012	<0.053	0.10	<0.021	<0.0093	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
12/19/2003		16	<1.0	0.351	<0.028	0.71	<0.038	<0.040	<0.047	0.26	<0.053	0.11 B	<0.021	<0.0093	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
7/2/2004		26	<1.0	0.41	<0.038	0.59	<0.068	<0.062	<0.068	<0.021	<0.059	0.13	<0.027	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA	
2/11/2005		11	<1.0	0.302	<0.024	<0.023	<0.011	<0.0047	<0.0048	<0.022	<0.012	<0.024	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA	
9/30/2005		15	<1.0	0.326 J	<0.041	<0.061	<0.073	<0.066	<0.073	<0.022	<0.063	<0.029	<0.029	<0.035	<0.045	<0.029	<0.058	<0.046	NA	NA	NA	
4/4/2006		15	<1.0	0.3	<0.036	<0.027	<0.033	<0.023	<0.038	<0.016	<0.036	0.056	<0.031 LC	<0.012	<0.046	<0.036	<0.039	<0.016	NA	NA	NA	
MW3		10/26/98	100	NA	2.35	2.6	130	NA	<0.018	3	NA	NA	500	NA	<0.034	NA	NA	<0.026	NA	1.5	<0.14	NA
	(Dup) 10/26/98	100	NA	2.55	2.5	130	NA	<0.018	3.4	NA	NA	490	NA	<0.034	NA	NA	<0.026	NA	1.5	<0.14	NA	
	2/24/99	42	<0.25	2.29	<0.039	80	NA	<0.010	0.77	NA	NA	220	NA	<0.033	NA	NA	0.16	NA	<0.12	<0.14	NA	
	6/4/99	110	<0.50	38.5	<0.12	630	<0.062	<0.025	12	1,100	1.2	560	<0.062	<0.062	1.6	1.4	2.5	<0.12	20	<0.11	<0.52	
	9/17/99	120	<10	2.8	<0.12	160	<0.062	<0.025	1.7	1,000	0.26	400	0.48	<0.062	<0.062	0.41	0.3	<0.12	NA	NA	NA	
	1/27/00	28	NA	1.06	0.73	10	<0.043	NA	0.44	NA	<0.032	16	<0.045	<0.032	0.087	0.053	<0.019	<0.042	NA	NA	NA	
	(Dup) 1/27/00	28	NA	1.8	0.76	11	<0.043	NA	0.47	NA	<0.032	17	<0.045	<0.032	0.091	0.055	<0.019	<0.042	NA	NA	NA	
	5/16/00	31	<1.0	0.76	0.36	3.5	<0.029	<0.0093	0.12	13	<0.028	7.4	<0.042	<0.022	<0.069	0.038 J	<0.010	<0.039	NA	NA	NA	
	8/17/00	38	<4.0	0.33	<0.049	49	<0.029	<0.0093	0.41	320	0.16	200	<0.042	0.073 J	<0.069	0.16	<0.010	<0.039	NA	NA	NA	
	12/28/2000	30	<1.0	1.41	<0.049	23	<0.029	<0.0093	0.66	160	<0.028	100	<0.042	<0.022	<0.022	0.25	0.21	<0.010	<0.039	NA	NA	NA
	5/22/01	26	<4.0	0.5	<0.034	13	<0.022	<0.0041	0.27	120	<0.011	61	0.052 J	<0.012	<0.019	0.078	<0.0060	<0.024	NA	NA	NA	
	11/21/2001	21	<5.0	1.06	<0.034	22	<0.022	<0.0041	0.50	160	0.061	160	<0.018	<0.012	<0.019	0.13	<0.0060	<0.024	NA	NA	NA	
	4/25/2002	14	<1.0	0.51	0.31	4.8	<0.070	<0.041	<0.020	27	<0.066	22	<0.030	<0.017	<0.13	<0.13	<0.038	<0.059 *	NA	NA	NA	
	(Dup) 4/25/2002	15	<1.0	0.45	0.31	4.2	<0.072	<0.042	<0.021	24	<0.068	21	<0.030	<0.018	<0.13	<0.13	<0.038	<0.060 *	NA	NA	NA	
	9/6/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Table 2
Groundwater Analytical Results Summary
Union Co-op, Evansville, WI / BT² Project #1209
(Results are in µg/l unless otherwise noted)

Sample	Date	Nitrate+Nitrite-N (mg/l)	Ammonia-N (mg/l)	Atrazine(s) (1)	Alachlor	Acetochlor	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Dicamba	2,4-D	Bentazon	
MW3 (cont.) (Dup)	12/10/2002	15	<1.0	0.49	<0.056	4.1	<0.021	<0.011	0.034 B	35	<0.013	18	<0.012	<0.020	<0.011	0.018	<0.0089	<0.027	NA	NA	NA	
	6/20/2003	23	<1.0	0.37	0.18	1.3	<0.038	<0.040	0.11	12	<0.053	7.7	<0.020	<0.0093	0.046 (J)	<0.031	<0.019	<0.029	NA	NA	NA	
	6/20/2003	23	<1.0	0.42	0.19	1.2	<0.038	<0.040	0.13 J	11	<0.053	7.4	<0.020	<0.0093	<0.031	<0.031	<0.019	<0.029	NA	NA	NA	
	12/19/2003	26	<1.0	0.78	0.34	4.3	<0.039	<0.041	<0.048	35	<0.055	18 B	<0.021	<0.0096	<0.033	<0.033	<0.020	<0.030	NA	NA	NA	
	7/2/2004	43	<1.0	1.06	0.96	22	<0.068	<0.062	<0.068	120	0.075 J	98	<0.027	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA	
	2/11/2005	18	<1.0	0.503	<0.024	1.2	<0.011	<0.0047	<0.0048	30	<0.012	23	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA	
	9/30/2005	24	<1.0	0.449 J	<0.041	2.4	<0.073	<0.066	<0.073	28	<0.063	20	<0.029	<0.035	<0.045	<0.029	<0.058	<0.046	NA	NA	NA	
	4/4/2006	22	<1.0	0.423 J	0.48	1.3	<0.035	<0.024	<0.040	14	<0.038	11	<0.033 LC	<0.012	0.087 J	<0.038	<0.041	<0.017	NA	NA	NA	
MW4 (Dup)	2/24/99	60	0.26	3.46	<0.046	19	NA	<0.010	1.6	NA	NA	49	NA	<0.033	NA	NA	0.22	NA	0.19	<0.14	NA	
	2/24/99	61	0.18	3.86	<0.047	19	NA	<0.010	1.8	NA	NA	57	NA	<0.033	NA	NA	0.21	NA	0.18	<0.14	NA	
	6/4/99	43	<0.50	2.47	1.8	6.5	<0.062	<0.025	0.98	27	0.35	23	0.17 J	<0.062	0.37	0.09	0.15	<0.12	<0.035	<0.11	11	
	9/17/99	65	<5.0	1.74	<0.12	4.7	<0.062	<0.025	0.38	24	0.22	20	<0.062	<0.062	<0.062	0.062 J	<0.025	<0.12	NA	NA	NA	
	9/17/99	66	<5.0	1.86	1.8	3.7	0.17 J	<0.025	0.39	25	0.23	21	0.11 J	<0.062	<0.062	<0.025	0.19	<0.12	NA	NA	NA	
	1/27/00	56	NA	2.4	3.8	22	<0.043	NA	9.3	NA	0.70	58	0.23	<0.032	0.27	0.24	0.66	<0.042	NA	NA	NA	
	5/16/00	57	<1.0	2.3	2.1	42	<0.029	<0.0093	9.3	110	<0.028	95	0.23	<0.022	<0.069	0.71	0.34	<0.039	NA	NA	NA	
	5/16/00	57	<1.0	2.85	2.1	43	<0.029	<0.0093	9	100	<0.028	87	0.25	<0.022	<0.069	0.7	0.39	<0.039	NA	NA	NA	
	8/17/00	46	<4.0	0.75	<0.049	6.2	<0.029	<0.0093	1.5	55	0.18	20	<0.042	<0.022	<0.069	0.22	<0.010	<0.039	NA	NA	NA	
	8/17/00	44	<4.0	0.78	<0.049	8.4	<0.029	<0.0093	1.5	73	0.18	18	<0.042	<0.022	<0.069	0.16	<0.010	<0.039	NA	NA	NA	
	11/13/2000	49	<4	1.84	2.2	7	0.15	<0.0093	2.8	100	0.16	40	0.14 J	<0.022	0.28	0.17	0.31	<0.039	NA	NA	NA	
	6/25/2001	28	<4	1.17	0.59	2.4	<0.021	<0.0040	0.82	39	<0.011	13	<0.018	<0.012	0.15	0.038	<0.0059	<0.024	NA	NA	NA	
	11/21/2001	35	<5.0	0.85	0.64	1.4	<0.022	<0.0041	0.41	24	<0.011	13	0.049 J	<0.012	<0.019	0.039	<0.0060	<0.024	NA	NA	NA	
	11/21/2001	33	<5.0	0.85	0.62	1.4	0.065	<0.0041	0.44	26	<0.011	13	0.052 J	<0.012	<0.019	0.04	<0.0060	<0.024	NA	NA	NA	
	4/25/2002	22	<2.0	0.8	0.53	1.8	<0.068	<0.040	0.32	27	0.10 J	14	0.068 J	<0.017	0.13 J	<0.12	<0.036	<0.056 *	NA	NA	NA	
	9/6/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/10/2002	24	<1.0	0.37	0.54	1.6	<0.020	<0.011	0.17	15	0.10	13	0.024 J,B	<0.019	<0.011	<0.0054	<0.0088	<0.027	NA	NA	NA	
	6/20/2003	35	<1.0	0.32	0.55	7.1	<0.038	<0.040	0.61	23	0.074 J	11	<0.020	<0.0093	0.063 J	<0.031	<0.019	<0.029	NA	NA	NA	
	12/19/2003	50	<1.0	1.00	1.1	17	<0.039	<0.041	0.75	55	<0.054	27 B	<0.021	<0.0094	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
	7/2/2004	45	<1.0	0.43	0.44	5.1	<0.070	<0.064	<0.070	25	<0.061	13	0.15	<0.033	<0.043	<0.028	<0.056	<0.044	NA	NA	NA	
9/30/2005	37	<1.0	0.66 J	1.0	10	<0.075	<0.068	<0.075	45	0.081 J	36	4.9	<0.036	<0.046	<0.030	<0.059	<0.048	NA	NA	NA		
4/4/2006	37	<1.0	0.6	1.0	13	<0.036	<0.024	0.11 J	83 HC	0.11 J	29 HC	2.3 LC	<0.013	0.088 J	<0.039	<0.042	0.071	NA	NA	NA		
MW4P	2/24/99	22	<0.25	0.66	<0.046	<0.047	NA	<0.010	0.19	NA	NA	0.36	NA	<0.033	NA	NA	<0.023	NA	<0.12	<0.14	NA	
	6/4/99	25	<0.50	0.37	<0.12	0.14 J	<0.062	<0.025	0.077 J	<0.12	<0.062	0.25 J	<0.062	<0.062	<0.062	<0.025	<0.025	<0.12	NA	NA	NA	
	9/17/99	21	<2.0	0.64	<0.12	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	<0.12	<0.062	<0.062	<0.025	<0.025	<0.12	NA	NA	NA		
	1/27/00	20	NA	0.456	<0.053	<0.055	<0.043	NA	<0.017	NA	<0.032	<0.093	<0.045	<0.032	<0.075	<0.013	<0.019	<0.042	NA	NA	NA	
	5/16/00	24	<1.0	0.56	<0.049	0.82	<0.029	0.031	0.026 J	0.36	<0.028	0.17 J	<0.042	0.047 J	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	8/17/00	21	<1.0	0.61	<0.049	4.2	<0.029	<0.0093	0.074	1.9	<0.028	0.94	<0.042	0.32	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	11/13/2000	18	<1	1.02	<0.049	5.1	<0.029	<0.0093	<0.016	<0.051	<0.028	0.58	<0.042	1.3	<0.069	<0.012	<0.010	<0.039	NA	NA	NA	
	6/25/2001	19	<1	0.652	<0.033	0.19	<0.021	0.045	0.19	0.23	<0.011	<0.018	<0.018	0.4	<0.018	<0.0066	<0.0059	<0.024	NA	NA	NA	
	11/21/2001	17	<2.0	0.4	<0.034	<0.030	<0.022	<0.0041	<0.0076	<0.022	<0.011	<0.019	<0.018	<0.012	<0.019	<0.0067	<0.0060	<0.024	NA	NA	NA	
	4/25/2002	17	<1.0	0.563	<0.027	<0.030	<0.076	<0.045	<0.022	<0.036	<0.072	<0.016	<0.032	<0.019	<0.14	<0.14	<0.041	<0.064 *	NA	NA	NA	
	9/6/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	12/10/2002	17	<1.0	0.434	<0.056	<0.034	<0.021	<0.011	<0.0044	<0.034	<0.013	<0.058	<0.012	<0.020	<0.011	<0.0054	<0.0089	<0.027	NA	NA	NA	
	6/20/2003	18	<1.0	0.497	<0.028	<0.025	<0.038	<0.040	<0.047	<0.012	<0.053	<0.019	<0.021	<0.0093	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
	12/19/2003	19	<1.0	0.74	<0.028	<0.025	<0.039	<0.041	<0.047	0.081	<0.054	0.076 B	<0.021	<0.0094	<0.032	<0.032	<0.020	<0.029	NA	NA	NA	
	7/2/2004	18	<1.0	0.57	<0.038	<0.057	<0.068	<0.062	<0.068	<0.021	<0.059	0.077 J	<0.027	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA	
	2/11/2005	19	<1.0	0.529	<0.024	<0.023	<0.011	<0.0047	<0.0048	0.15	<0.012	<0.024	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA	
	9/30/2005	21	<1.0	0.69 J	<0.039	<0.059	<0.070	<0.064	<0.070	<0.021	<0.061	<0.028	<0.028	<0.033	<0.043	<0.028	<0.056	<0.044	NA	NA	NA	
4/4/2006	19	<1.0	0.6	<0.038	<0.028	<0.035 LC	<0.023	<0.040	<0.016	<0.038 LC	<0.0084	<0.032	<0.012	<0.048	<0.038	<0.041	<0.016	NA	NA	NA		
MW5	2/24/99	31	<0.25	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/4/99	86	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/17/99	60	<5.0	1.54	0.8	<0.12	<0.062	<0.025	<0.025	<0.12	<0.062	1.8	<0.062	<0.062	<0.062	0.026 J	<0.025	<0.12	NA	NA	NA	
	1/27/00	35	NA	0.94	<0.053	<0.055	<0.043	NA	0.031	NA	<0.032	0.49	<0.045	<0.032	0.14	<0.013	<0.019	<0.042	NA	NA	NA	
	5/16/00	26	<																			

Table 2
Groundwater Analytical Results Summary
Union Co-op, Evansville, WI / BT² Project #1209
(Results are in µg/l unless otherwise noted)

Sample	Date	Nitrate+Nitrite-N (mg/l)	Ammonia- N (mg/l)	Atrazine(s) (I)	Alachlor	Acetochlor	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Dicamba	2,4-D	Bentazon
MW5 (cont.)	11/13/2000	38	<4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/28/2000	NA	NA	1.15	0.23	<0.052	<0.029	<0.0094	<0.016	<0.052	<0.028	0.83	<0.042	<0.023	0.13 (J)	<0.012	0.033 (J)	<0.040	NA	NA	NA
	5/22/01	29	<4.0	0.9	0.14	<0.030	<0.021	<0.0040	0.032	0.26	<0.011	0.64	<0.018	<0.012	<0.018	<0.0066	0.027	<0.024	NA	NA	NA
	11/21/2001	40	<5.0	0.97	0.23	<0.030	<0.022	<0.0041	<0.0076	0.62	<0.011	0.91	<0.018	<0.012	<0.019	<0.0067	0.032	<0.024	NA	NA	NA
	4/25/2002	30 (E)	<1.0	0.88	<0.025	<0.028	<0.070	<0.041	<0.020	0.73	<0.066	0.31	<0.030	<0.017	<0.13	<0.13	<0.038	<0.059 *	NA	NA	NA
	9/6/2002	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/10/2002	35	<1.0	0.63	<0.056	0.22	<0.020	<0.011	0.018 B	0.48	<0.013	0.16 J	<0.012	<0.019	<0.011	<0.0054	0.022 J	<0.027	NA	NA	NA
	6/20/2003	31	<1.0	0.523	<0.028	0.14	<0.038	<0.40	<0.047	0.25	<0.053	0.085	<0.021	<0.0093	<0.032	<0.032	<0.020	<0.029	NA	NA	NA
	12/19/2003	49	<1.0	0.66	<0.028	0.15	<0.039	<0.041	<0.047	0.80	<0.054	0.15 B	<0.021	<0.0094	<0.032	<0.032	<0.020	<0.029	NA	NA	NA
	7/2/2004	52	<1.0	0.85	0.11 J	0.16 J	<0.068	<0.062	<0.068	0.51	<0.059	0.40	<0.027	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA
	2/11/2005	20	<1.0	0.50	<0.024	0.14	<0.011	<0.0047	<0.0048	0.89	<0.012	0.27	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA
	9/30/2005	25	<1.0	0.528 J	0.16	<0.059	<0.071	<0.065	<0.071	0.30	<0.062	0.21	<0.029	<0.034	<0.044	<0.029	<0.056	<0.045	NA	NA	NA
	4/4/2006	37	<1.0	0.355 J	<0.037	<0.028	<0.034 LC	<0.023	<0.039	0.43	<0.037 LC	0.12	<0.032	<0.012	0.069 J	<0.037	<0.040	<0.016	NA	NA	NA
MW6 (Dup)	9/6/2002	26	<1.0	0.97	1.3	8.1	0.27	<0.011	0.87	30	0.56	26	<0.012	<0.019	0.11	0.04	0.028 J	<0.027	NA	NA	NA
	12/10/2002	26	<1.0	0.80	1.0	6.1	0.19	<0.011	0.56 B	26	0.52	20	0.069 B	<0.019	<0.011	0.019	0.027 J	<0.027	NA	NA	NA
	12/10/2002	26	<1.0	0.79	1.1	6.5	0.20	<0.011	0.59 B	28	0.53	22	0.081 B	<0.019	<0.011	0.025	<0.0088	<0.027	NA	NA	NA
	4/11/2003	24	<1.0	1.01	1.1	6.3	0.16	<0.043	0.56	30	0.33	23	<0.022	<0.010	0.11	<0.034	0.040 J	<0.031	NA	NA	NA
	6/20/2003	28	<1.0	0.72	0.69	4.2	0.17	<0.040	0.35	25	0.31	17	<0.020	<0.0093	0.062 J	<0.031	<0.019	<0.029	NA	NA	NA
	12/19/2003	20	<1.0	0.70	0.33	2.6	<0.039	<0.041	<0.048	16	<0.054	15 B	<0.021	<0.0095	<0.032	<0.032	<0.020	<0.030	NA	NA	NA
	7/2/2004	21	<1.0	0.49	0.68	4.9	0.14 J	<0.064	0.46	23	0.14 J	26	<0.029	<0.034	<0.044	<0.029	<0.056	<0.045	NA	NA	NA
	2/11/2005	28	<1.0	0.56	0.49	1.1	<0.011	<0.0047	0.43	14	0.11	17	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA
	9/30/2005	29	<1.0	0.45 J	0.61	2.4	<0.071	<0.065	0.26	14	0.10 J	15	<0.029	<0.034	<0.044	0.080 J	<0.057	<0.045	NA	NA	NA
	4/4/2006	40	<1.0	0.49	0.72	1.6	<0.035 LC	<0.024	0.13	19 HC	<0.038 LC	13	0.21	<0.012	0.052 J	<0.038	<0.041	<0.016	NA	NA	NA
MW7 (Dup)	9/6/2002	14	19	1.69	<0.056	0.46	0.14	<0.011	0.21	3.2	0.88	3.7	<0.012	<0.019	<0.011	0.086	0.5	<0.027	NA	NA	NA
	12/10/2002	11	46	2.29	<0.056	1.2	0.12	<0.011	0.41 B	6.3	1.3	3.9	<0.012	<0.019	<0.011	0.046	0.58	<0.027	NA	NA	NA
	4/11/2003	13	13	3.88	0.055 J	4.7	<0.042	<0.044	0.46	13	0.28	3.9	<0.022	<0.010	0.12	0.23	0.068 J	<0.032	NA	NA	NA
	6/20/2003	21	10	2.42	<0.028	6.8	<0.038	<0.040	0.37	24	0.48	4.1	<0.020	<0.0093	<0.031	<0.031	<0.019	<0.029	NA	NA	NA
	12/19/2003	16	33	7.75	<0.029	0.99	<0.039	<0.041	0.49	8.1	0.85	5.6 B	<0.021	<0.0095	<0.032	<0.032	<0.020	<0.030	NA	NA	NA
	12/19/2003	15	33	5.97	<0.029	0.70 M	<0.040	<0.042	0.45 M	6.9 M	0.91	5.3 M,B	<0.021	<0.0097	<0.033	<0.033	<0.020	<0.030	NA	NA	NA
	7/2/2004	12	8.0	2.18	<0.038	5.3	<0.068	<0.062	0.16 J	17	0.24	6.4	<0.027	<0.032	<0.042	0.10	<0.054	<0.043	NA	NA	NA
	2/11/2005	10	60	3.42	<0.024	2.8	<0.011	0.068	0.22	14	4.8	12	<0.013	<0.011	<0.012	0.063	1.6	<0.022	NA	NA	NA
	9/30/2005	18	12	1.21 J	<0.042	2.9	<0.075	<0.068	<0.075	9.2	0.68	17	<0.030	<0.036	<0.046	0.063 J	<0.059	<0.048	NA	NA	NA
	4/4/2006	25	21	9.83	0.34	0.89	0.067 LC,J	<0.024	0.088 J	3.3	0.39 LC	9.1	<0.033	<0.012	0.075 J	0.098 J	<0.041	<0.016	NA	NA	NA
MW8 (Dup)	9/6/2002	21	<1.0	0.9	<0.056	16	<0.020	<0.011	0.71	22	<0.013	5.5	<0.012	<0.019	0.082	<0.0054	<0.0088	<0.027	NA	NA	NA
	12/10/2002	20	<1.0	0.74	<0.056	10	<0.020	<0.011	0.44	14	<0.013	4.4	0.021 J,B	<0.019	<0.011	<0.0054	<0.0088	<0.027	NA	NA	NA
	4/11/2003	19	<1.0	0.92	0.055 J	5.8	<0.042	<0.044	0.38	9.2	<0.058	2.7	0.13	<0.010	0.12	<0.035	<0.021	<0.032	NA	NA	NA
	4/11/2003	20	<1.0	0.85	0.039 J	5.6	<0.040	<0.042	0.39	9.4	<0.056	2.7	0.13	<0.0098	0.11	<0.033	<0.021	<0.030	NA	NA	NA
	6/20/2003	23	<1.0	1.18	<0.028	6.9	<0.038	<0.040	0.34	14	<0.053	3.7	0.18	<0.0093	0.093 (J)	<0.031	<0.019	<0.029	NA	NA	NA
	12/19/2003	18	<1.0	1.28	<0.029	3.8	<0.039	<0.041	0.35	7.0	<0.055	4.1 B	<0.021	<0.0096	<0.033	<0.033	<0.020	<0.030	NA	NA	NA
	7/2/2004	23	<1.0	1.17	<0.038	2.3	<0.068	<0.062	0.33	4.9	<0.059	4.7	0.21	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA
	2/11/2005	13	<1.0	0.59	<0.024	0.42	<0.011	<0.0047	0.055	1.8	<0.012	4.1	0.31	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA
	9/30/2005	<1.0	<1.0	0.74 J	<0.039	0.85	<0.070	<0.064	<0.070	1.1	<0.061	3.7	0.10	<0.033	0.11 J	<0.028	<0.056	<0.044	NA	NA	NA
	4/4/2006	7.7	<1.0	0.88	<0.038	1.3	<0.035 LC	<0.024	<0.040	3.8	<0.038 LC	8.5	0.079 J	<0.012	0.088 J	<0.038	<0.041	<0.016	NA	NA	NA
MW9	9/6/2002	9.7	<1.0	0.252	<0.056	0.41	<0.020	<0.011	0.056	0.68	<0.013	0.64	<0.012	<0.019	0.067	<0.0054	<0.0088	<0.027	NA	NA	NA
	12/10/2002	9.4	<1.0	0.206	<0.056	0.26	<0.020	<0.011	0.049 B	0.46	<0.013	0.31	<0.012	<0.019	<0.011	<0.0054	<0.0088	<0.027	NA	NA	NA
	4/11/2003	6.8	<1.0	0.224	0.039 J	<0.026	<0.039	<0.041	<0.048	0.032 J	<0.054	0.063 J	<0.021	<0.0095	0.070 J	<0.032	<0.020	<0.030	NA	NA	NA
	6/20/2003	12	<1.0	0.164	<0.028	0.11	<0.038	<0.040	<0.046	<0.012	<0.053	0.078	<0.020	<0.0093	<0.031	<0.031	<0.019	<0.029	NA	NA	NA
	12/19/2003	11	<1.0	0.671	<0.028	1.1	<0.038	<0.040	0.61	0.26	<0.053	0.78 B	<0.020	<0.0093	<0.031	<0.031	<0.019	<0.029	NA	NA	NA
	7/2/2004	12	<1.0	0.60	<0.038	0.58	<0.068	<0.062	0.11 J	0.81	<0.059	1.6	0.10	<0.032	<0.042	<0.027	<0.054	<0.043	NA	NA	NA
	2/11/2005	10	<1.0	0.242	<0.024	<0.023	<0.011	<0.0047	<0.0048	0.56	<0.012	0.67	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA
	9/30/2005	19	<1.0	0.22 J	<0.041	<0.061	<0.073	<0.066	<0.073	<0.022	<0.063	<0.029	<0.029	<0.035	<0.045	<0.0					

Table 2
Groundwater Analytical Results Summary
Union Co-op, Evansville, WI / BT² Project #1209
(Results are in µg/l unless otherwise noted)

Sample	Date	Nitrate+Nitrite-N (mg/l)	Ammonia- N (mg/l)	Atrazine(s) (1)	Alachlor	Acetochlor	Butylate	Chlorpyrifos	Cyanazine	Dimethenamid	EPTC	Metolachlor	Metribuzin	Pendimethalin	Prometon	Propazine	Simazine	Trifluralin	Dicamba	2,4-D	Bentazon
MP1	7/2/2004	<1.0	<1.0	ND	<0.038	<0.056	<0.067	<0.061	<0.067	<0.020	<0.058	<0.027	<0.027	<0.032	<0.042	<0.027	<0.053	<0.043	NA	NA	NA
MP2	7/30/2004	<1.0	<1.0	ND	<0.039	<0.058	<0.069	<0.063	<0.069	<0.021	<0.060	<0.028	<0.028	<0.033	<0.043	<0.028	<0.055	<0.044	NA	NA	NA
	2/11/2005	<1.0	<1.0	ND	<0.024	<0.023	<0.011	<0.0047	<0.0048	<0.022	<0.012	<0.024	<0.013	<0.011	<0.012	<0.0044	<0.0046	<0.022	NA	NA	NA
Supply Well	7/30/98	22	<0.17	ND	<0.057	<0.071	NA	<0.018	<0.017	NA	NA	<0.13	NA	<0.034	NA	NA	<0.026	NA	<0.12	<0.14	NA
	6/4/99	25	<0.50	0.19	<0.12	0.36 (J)	<0.062	<0.025	0.24	1.1	<0.062	0.79	<0.062	<0.062	<0.062	<0.025	<0.025	<0.12	<0.035	<11	<0.52
	12/10/2002	18	<1.0	0.547	<0.056	<0.033	<0.020	<0.011	0.015 B	<0.033	<0.013	0.095 J	<0.012	<0.019	<0.011	<0.0054	<0.0088	<0.027	NA	NA	NA
	2/11/2005	18	<1.0	0.55	<0.024	<0.023	<0.011	<0.0046	<0.0047	<0.022	<0.012	<0.024	<0.013	<0.011	<0.012	<0.0044	<0.0045	<0.022	NA	NA	NA
	4/4/2006	19	<1.0	0.458	<0.035	<0.026	<0.032 LC	<0.022	<0.037	<0.015	<0.035 LC	0.053	<0.030	<0.011	<0.044	<0.035	<0.038	<0.015	NA	NA	NA
GPW1	7/17/1998	250	0.77	123.6	3.2	NA	NA	<0.019	170	NA	14	800	NA	<0.036	NA	NA	56	NA	NA	NA	NA
GPW2	7/17/1998	300	0.19	7.2	45	NA	NA	<0.019	7.4	NA	1.5	990	NA	<0.036	NA	NA	2.2	NA	NA	NA	NA
GPW3	4/25/2002	23	<1.0	0.84	0.27	1.2	<0.069	<0.041	<0.020	35	<0.065	28	<0.029	<0.017	<0.12	<0.12	<0.037	<0.058	NA	NA	NA
GPW4	4/25/2002	28	<1.0	0.84	0.68	34	<0.070	<0.041	0.15	44	0.068 J	32	<0.030	<0.017	<0.13	<0.13	<0.038	<0.059	NA	NA	NA
GPW5	4/25/2002	44	<7.0	1.26	1.8	23	<0.073	<0.043	1	87	0.17 J	53	0.12	<0.018	<0.13	<0.13	<0.039	<0.061	NA	NA	NA
GPW6	4/25/2002	20	<1.0	1.59	0.12	0.74	<0.072	<0.043	0.71	1.8	<0.068	18	<0.031	<0.018	<0.13	<0.13	<0.039	<0.060	NA	NA	NA
NR 140 ES		10	NE	3.0(2)	2	NE	67	NE	1	NE	250	15	250	NE	90	NE	4	7.5	300	70	300
NR 140 PAL		2	NE	0.3(2)	0.2	NE	6.7	NE	0.1	NE	50	1.5	50	NE	18	NE	0.4	0.75	70	7	60

ABBREVIATIONS:

NA = Not Analyzed
NE = No Standard Established
PAL = Preventive Action Limit
ES = Enforcement Standard
ES = Enforcement Standard
NS = No Sample Collected
E = Estimated, exceeds calibration range.

NOTES:

(1) Includes sum of atrazine, desisopropylatrazine, and desethylatrazine
(2) NR 140 groundwater standard for atrazine reflects the total limit for atrazine plus atrazine metabolites, including desisopropylatrazine and desethylatrazine.
Bold values exceed NR 140 Enforcement Standards.
The 12/28/00 sampling event was done to make up the missed sampling of wells MW1, MW2, MW3, and MW5 during the 11/13/00 sampling event.
* = Results maybe biased low due to continuing calibration verification (CCV) not within control limits.
MW1-MW5, MW4P not sampled on 9/6/02

LABORATORY NOTES:

B = Analyte detected in associated method blank at 0.019, and 0.011 µg/L for Metribuzin and Cyanazine, respectively.
J = Estimated.
LC = Results may be biased low due to continuing calibration verification (CCV) not within control limits.
M = Matrix spike and/or Matrix Spike Duplicate recovery outside acceptable limits.

Completed by: JP 7/23/01

Checked by: JS 07/23/01; JS 1/3/02; JS 5/30/02; 10/05/02; 1/02/03; JS 5/8/03; JS 7/31/03; SMS 1/22/04; SMS 8/17/04; SMS 3/3/05; SMS 10/28/05; 5/2/06

Table 3
Water Level Summary
Landmark - Evansville / BT² Project #1209
Evansville, Wisconsin

Raw Data	NOTES	Depth to Water in feet below top of well casing									
		MW1	MW2	MW3	MW4	MW4P	MW5	MW6	MW7	MW8	MW9
Measurement Date											
October 26, 1998		15.02	16.87	17.10	--	--	--	--	--	--	--
February 24, 1999		15.35	17.21	17.43	13.09	13.08	14.78	--	--	--	--
June 4, 1999		14.05	16.95	16.21	11.89	11.88	13.62	--	--	--	--
September 17, 1999		15.04	16.92	17.12	12.86	12.85	14.46	--	--	--	--
January 27, 2000		16.50	18.31	18.53	14.21	14.18	15.81	--	--	--	--
May 16, 2000		16.11	17.94	18.15	13.80	13.77	15.47	--	--	--	--
August 17, 2000		14.48	16.39	16.62	12.29	12.25	14.04	--	--	--	--
November 13, 2000		15.29	17.39	17.71	13.38	13.36	15.07	--	--	--	--
December 28, 2000		16.19	18.02	18.25	NM	NM	15.60	--	--	--	--
May 22, 2001	3	14.78	16.65	16.86	NM	NM	14.22	--	--	--	--
June 25, 2001		13.69	15.98	16.07	11.80	11.75	13.56	--	--	--	--
November 21, 2001		14.85	16.74	16.97	12.68	12.64	14.36	--	--	--	--
April 25, 2002		14.94	16.82	17.06	12.76	12.71	14.44	--	--	--	--
September 6, 2002	4	NM	NM	NM	NM	NM	NM	5.08	5.63	16.10	15.58
December 10, 2002		16.66	18.5	18.72	14.41	14.36	16.04	5.47	6.01	16.57	16.21
April 11, 2003		17.28	19.05	19.27	14.94	14.88	16.54	5.71	6.23	16.89	16.78
June 20, 2003		16.67	18.59	18.84	14.42	14.37	16.13	5.51	6.06	16.59	16.21
December 19, 2003		17.08	18.85	19.70	14.75	14.68	16.34	5.55	6.10	16.68	16.60
July 2, 2004		14.23	16.16	16.42	12.14	12.08	13.83	3.53	4.14	14.45	13.83
February 11, 2005		16.18	18.00	18.23	NM	13.87	15.55	4.95	5.46	16.03	15.72
September 30, 2005		17.05	18.87	19.09	14.80	14.72	16.39	5.73	6.23	16.85	16.58
April 4, 2006		16.23	18.04	18.24	13.94	13.87	15.53	4.74	5.29	15.84	15.76

Well Number		Groundwater Elevation in Feet Relative to On-site Benchmark (osb) or Above Mean Sea Level (amsl)									
		MW1	MW2	MW3	MW4	MW4P	MW5	MW6	MW7	MW8	MW9
Top of Casing Elevation (osb)	1	102.38	103.98	103.98	99.38	99.36	100.95	88.53	89.26	100.14	101.67
Top of Casing Elevation (amsl)	2	908.41	909.98	909.88	905.42	905.37	906.95	894.57	895.3	906.18	907.67
Measurement Date											
October 26, 1998		87.36	87.11	86.88	--	--	--	--	--	--	--
February 24, 1999		87.03	86.77	86.55	86.29	86.28	86.17	--	--	--	--
June 4, 1999		88.33	87.03	87.77	87.49	87.48	87.33	--	--	--	--
September 17, 1999		87.34	87.06	86.86	86.52	86.51	86.49	--	--	--	--
January 27, 2000		85.88	85.67	85.45	85.17	85.18	85.14	--	--	--	--
May 16, 2000		86.27	86.04	85.83	85.58	85.59	85.48	--	--	--	--
August 17, 2000		87.90	87.59	87.36	87.09	87.11	86.91	--	--	--	--
November 13, 2000		87.09	86.59	86.27	86.00	86.00	85.88	--	--	--	--
December 28, 2000		86.19	85.96	85.73	NM	NM	85.35	--	--	--	--
May 22, 2001	3	87.60	87.33	87.12	NM	NM	86.73	--	--	--	--
June 25, 2001		88.69	88.00	87.91	87.58	87.61	87.39	--	--	--	--
November 21, 2001		87.53	87.24	87.01	86.70	86.72	86.59	--	--	--	--
April 25, 2002		87.44	87.16	86.92	86.62	86.65	86.51	--	--	--	--
September 6, 2002	4	NM	NM	NM	NM	NM	NM	889.49	889.67	890.08	892.09
December 10, 2002		891.75	891.48	891.16	891.01	891.01	890.91	889.10	889.29	889.61	891.46
April 11, 2003		891.13	890.93	890.61	890.48	890.49	890.41	888.86	889.07	889.29	890.89
June 20, 2003		891.74	891.39	891.04	891.00	891.00	890.82	889.06	889.24	889.59	891.46
December 19, 2003		891.33	891.13	890.18	890.67	890.69	890.61	889.02	889.20	889.50	891.07
July 2, 2004		894.18	893.82	893.46	893.28	893.29	893.12	891.04	891.16	891.73	893.84
February 11, 2005		892.23	891.98	891.65	NM	891.50	891.40	889.62	889.84	890.15	891.95
September 30, 2005		891.36	891.11	890.79	890.62	890.65	890.56	888.84	889.07	889.33	891.09
April 4, 2006		892.18	891.94	891.64	891.48	891.50	891.42	889.83	890.01	890.34	891.91

NOTES:
1 Top of casing elevation relative to an on-site benchmark was used to determine groundwater elevation beginning with October 26, 1998 through April 25, 2002.
2 Top of casing elevation relative to mean sea level was used to determine groundwater elevation beginning with September 6, 2002 and forward. The amsl survey data was generated by Birronkott Surveying, Inc., who completed a survey of the property in August 2002.
3 DTW was not collected in MW4 and MW4P on 05/22/01 because surface water covered the flush mount cover for each well so the wells were not opened.
4 Water levels in MW6 through MW9 measured on September 6, 2002 were collected just prior to well development.

ABBREVIATIONS:
--= Monitoring well not yet installed



203 W. COTTAGE GROVE ROAD
P.O. BOX 277
COTTAGE GROVE, WI 53527

(800) 236-3276 x4241
FAX (775) 330-1237

MELDER@LANDMARK.COOP

September 7, 2006

To: Wisconsin Department of Natural Resources

Subject: Statement that all Legal Descriptions for Properties within the Contaminated Site Boundaries have been Included
Landmark Services Cooperative – Evansville Facility
6631 County Highway M, Evansville, Wisconsin
WDATCP # 97403102701

To Whom it May Concern:

To the best of my knowledge, I believe that with the submittal of the attached property information, the legal descriptions for all of the properties within, or partially within the contaminated site's boundaries have been submitted with the case closure request.

The attached property information includes:

- Deed for Parcel # 6-20-305C, Landmark Services Cooperative (formerly Union Cooperative) property
- Deed for Parcel # 6-20-305A, Wisconsin Department of Natural Resources property

Each of these deeds includes a legal description for a property within or partially within the contaminated site's boundaries.

Sincerely,

Mr. Mike Elder
Landmark Services Cooperative



203 W. COTTAGE GROVE ROAD
P.O. BOX 277
COTTAGE GROVE, WI 53527

(800) 236-3276 x4241
FAX (775) 330-1237

MELDER@LANDMARK.COOP

September 7, 2006

Certified Mail
Return Receipt Requested

Wisconsin Department of Natural Resources
2514 Morse Street
Janesville, WI 53545

Subject: Landowner Notification of Groundwater Contamination
Landmark Services Cooperative – Evansville Facility
6631 County Highway M, Evansville, Wisconsin
WDATCP #97403102701

To Whom It May Concern:

Groundwater contamination that appears to have originated on the property located at 6631 County Highway M, Evansville, Wisconsin (Landmark Services Cooperative), has migrated onto your property located immediately west of the Landmark facility. The levels of pesticide (atrazine) and nitrate plus nitrite as nitrogen contamination in the groundwater on your property are above the state groundwater enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code (WAC). However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time (see the enclosed Natural Attenuation Fact Sheet). I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in Chapter NR 726, WAC, and I will be requesting that the Wisconsin Department of Agriculture, Trade and Consumer Protection (WDATCP) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDATCP will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. Current groundwater conditions are summarized on the attached **Figure 1**.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (Stats.), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Stats., you may call 1-800-367-6076 to obtain a copy of the WDNR publication #RR-589, Fact Sheet 10: "Guidance for Dealing with Properties Affected by Off-Site Contamination."

The WDATCP will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDATCP to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDATCP that is relevant to this closure request, you should mail that information to:

Mr. Jeff Ackerman
Wisconsin Department of Agriculture, Trade and Consumer Protection
P.O. Box 8911
Madison, WI 53708-8911

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds NR 140 ESs will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140 ESs was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the WDATCP makes a decision on our closure request, it will be documented in a letter. If the WDATCP grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the Internet at: <http://maps.dnr.state.wi.us/brrts>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, our consultant is BT², Inc., and you may reach Tom Culp, Project Manager, at (608) 216-7340, or write to BT² at 2830 Dairy Drive, Madison, WI 53718-6751.

Sincerely,



Mike Elder
Landmark Services Cooperative

Enclosures: Natural Attenuation Fact Sheet
Figure 1 – Groundwater Analytical Results Summary
Deed with Legal Description