

GIS REGISTRY
Cover Sheet

March, 2010
(RR 5367)

Source Property Information

CLOSURE DATE: Jan 25, 2011

BRRTS #: 03-57-150650
ACTIVITY NAME: McCarville Distributing Co.
PROPERTY ADDRESS: 456 Rainbow Road
MUNICIPALITY: Spring Green
PARCEL ID #: 182-0435-00000

FID #:
DATCP #:
COMM #: 53588970456A

***WTM COORDINATES:**

WTM COORDINATES REPRESENT:

X: 514916 Y: 300715

Approximate Center Of Contaminant Source

** Coordinates are in
WTM83, NAD83 (1991)*

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Contamination in ROW

Off-Source Contamination

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Cover or Barrier (222)

Soil: maintain industrial zoning (220)

*(note: maintenance plan for
groundwater or direct contact)*

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Vapor Mitigation (226)

Structural Impediment (224)

Maintain Liability Exemption (230)

Site Specific Condition (228)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:
ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Certified Survey Map**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Site Layout Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Soil Contamination Map (February 18, 2010)**

BRRTS #: 03-57-150650

ACTIVITY NAME: McCarville Distributing

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title: Cross Section Location**

Figure #: **Title: Cross Section A-A', B-B', and C-C'**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: **Title: Groundwater Contamination Map (February 18, 2010)**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **Title: Groundwater Contour Map (February 18, 2010)**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: **Title: Soil Field and Analytical Results**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title: Groundwater Analytical Results Summary**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title: Watertable Elevations Table**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-57-150650

ACTIVITY NAME: McCarville Distributing

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters: Two

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: Zero

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg WI 53711-5397

Scott Walker, Governor
Cathy Stepp, Secretary
Lloyd L. Eagan, Regional Director
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711



January 25, 2010

Mr. Michael McCormick
P.O. Box 1205
Erie, PA 16512

Subject: Final Case Closure for McCarville Distributing Co. Case, 456 E. Rainbow Road, Spring Green, WI; Sauk County; WDNR BRRTS Activity #03-57-150650

Dear Mr. McCormick:

On December 29, 2010, the South Central Region Closure Committee reviewed the above-referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On December 9, 2010, you were notified that the Closure Committee had granted conditional closure to this case. On January 20, 2011, the Department received documentation indicating that you have complied with the requirement for final closure, which was groundwater monitoring well abandonment.

The Department reviewed the case closure request regarding the petroleum contamination in soil and groundwater at this site. Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time. However, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

The conditions of case closure included in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Groundwater contamination is present above Chapter NR 140 enforcement standards.

All site information is also on file at the Department's South Central Region office at 3911 Fish Hatchery Road, Fitchburg, Wisconsin. This letter and information that was submitted with your closure request application will be included on the GIS Registry in a PDF attachment. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because the property is listed on the GIS Registry for remaining groundwater contamination, if you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4) (w), Wis. Adm. Code. To obtain approval, Form 3300-254 must be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Residual Soil Contamination

Residual soil contamination appears to remain at and slightly above the watertable as shown on the attached "Soil Contamination Map, February 18, 2010". If soil in the specific locations described above is excavated in the

future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation will have to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property must be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and, as a result, special precautions may have to be taken to prevent a direct contact health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on and adjacent to this contaminated property, as shown on the attached map (note the areas of Department enforcement standards (ES) and preventive action limits (PAL) exceedances). Off-source property owners have also been notified of the presence of groundwater contamination.

PECFA Reimbursement

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at the address included above or as indicated below.

Sincerely,



Hank Kuehling, P.G.
Remediation & Redevelopment Program Hydrogeologist
(608) 275-3286
harlan.kuehling@wisconsin.gov

Attachments

cc: Jason Powell – METCO (via e-mail)
Alan Hopfensperger – PECFA Site Review Section (via e-mail)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Lloyd L. Eagan, Regional Director

South Central Region Headquarters
3911 Fish Hatchery Road
Fitchburg, Wisconsin 53711-5397
Telephone 608-275-3266
FAX 608-275-3338
TTY Access via relay - 711

December 9, 2010

Mr. Michael McCormick
P.O. Box 1205
Erie, PA 16512

Subject: Conditional Closure Decision With Requirements to Achieve Final Closure of the McCarville Distributing Company Property Case, 456 E. Rainbow Road, Spring Green, Wisconsin; Sauk Co.; WDNR BRRTS Activity Number 03-57-150650

Dear Mr. McCormick:

On December 7, 2010, the South Central Region closure committee again reviewed your request for closure of the case described above after having denied closure for this case on October 5, 2010. This committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request and additional information in the case file, the committee has determined that the petroleum contamination on the site from the former underground storage tanks (USTs) appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following condition is satisfied.

Monitoring Well Abandonment

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to the Department on Form 3300-005, which can be found at <http://dnr.wi.gov/org/water/dwg/gw/> or can be provided by the Department upon request. When this condition has been satisfied, including submittal of the well abandonment forms, this case will be closed.


Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites for remaining soil and groundwater contamination. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare, or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter,

please contact me at the address included above or as indicated below.

Sincerely,



Hank Kuehling, P.G.

Remediation & Redevelopment Program Hydrogeologist

(608) 275-3286

harlan.kuehling@wisconsin.gov

cc: Jason Powell – METCO (via e-mail)

Allan Hopfensperger – Dept. of Commerce – Bureau of PECFA (via e-mail)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis Adm. Code, including cases closed under ch. NR 746 and under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Departments intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 – 19.39, Wis. Stats.].

BRRTS #: 03-57-150650

ACTIVITY NAME: McCarville Distributing

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
A	201 N. Winsted Street, Spring Green, WI 53588	182-0430-00000	514903	300596
B	506 E. Rainbow Road, Spring Green, WI 53588	182-0435-10000	514936	300718
C				
D				
E				
F				
G				
H				
I				

WARRANTY DEED

This Deed, made between **KEN MCCARVILLE DISTRIBUTING CO., INC.**

Grantor and **VILLAGE OF SPRING GREEN** Grantee,

Witnesseth, That the said Grantor, for a valuable consideration of one Dollar (\$1.00) and other good and valuable consideration conveys to

Grantee the following described real estate in SAUK County, State of Wisconsin:

RETURN TO: *Village of Spring Green*
P.O. Box 158
Spring Green, WI 53588

Tax Parcel No. *182-0435*
182-0430-10000

Legal Description attached hereto as Exhibit A and by this reference incorporated herein.

Together with all and singular the hereditaments and appurtenances thereunto belonging; and **KEN MCCARVILLE DISTRIBUTING CO., INC.** warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except recorded restrictions, covenants, easements of record and all applicable zoning ordinances, and will warrant and defend the same.

This **IS NOT** homestead property.

Dated **JUNE 27, 2003**

KEN MCCARVILLE
DISTRIBUTING CO.,
INC.

Kevin M. Carroll Pres.

AUTHENTICATION

Signature(s)

authenticated this **JUNE 27, 2002**

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § (4,6) 706.06, Wis. Stats)

THIS INSTRUMENT WAS DRAFTED BY
Attorney Marvin P. Ripp

(Signatures may be authenticated or acknowledged. Both are not necessary.)


ACKNOWLEDGEMENT

State of **Wisconsin**

SS:

June
SAUK County

Personally came before me this **JUNE 27, 2003** the above named to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.



Kristine A. Durkin

Notary Public County, **Wisconsin**

My Commission is permanent.

If not, state expiration date: *06/03/07*

Lot One (1), Certified Survey Map No. 4839 recorded in the Office of the Register of Deeds for Sauk County, Wisconsin on June 4, 2003, in Volume 26 of Certified Survey Maps, Page 4839, as Document No. 810038, located in the Village of Spring Green, Sauk County, Wisconsin.

JEWELL

& associates, inc.

SAUK COUNTY

CERTIFIED SURVEY MAP # _____


A parcel of land located in the NW1/4 of the SW1/4 of the SE1/4 of Section 7, including Lot 1 C.S.M. #3664, T. 8 N., R. 4 E., Village of Spring Green, Sauk County, Wisconsin.

Date: May 12, 2003

Surveyed for: Village of Spring Green
154 N. Lexington St.
Spring Green, WI 53588

Surveyed by: Theodore J. Greenheck, RLS
Jewell & Associates, Inc.
156 W. Jefferson St.
P.O. Box 995
Spring Green, WI 53588

Owner: McCarville Distributing
406 Rainbow Road
Spring Green, WI 53588





LEGEND

- - SET 3/4" x 24" LONG REBAR
WT. = 1.502 LB./FT.
- - FD. 3/4" REBAR
- - FD. 1 1/4" I.P.
- ⊕ - FD. SECTION CORNER MONUMENT
(SEE COUNTY RECORDS)
- *-* - EXISTING FENCE LINE
- x - SET 3 1/2" LONG BY 1/2"φ,
COTTON GIN SPIKE

NORTH

BEARING REFERENCED TO THE
WEST LINE OF THE SE 1/4
SECTION 7, T8N, R4E, J4E
ASSUMED AS N00°34'56"E



Certified Survey Map No. _____

DATE: MAY 12, 2003

SURVEY FOR: VILLAGE OF SPRING GREEN
154 N. LEXINGTON ST.
SPRING GREEN, WI 53588

SURVEY BY: JEWELL AND ASSOCIATES, INC.
P.O. BOX 995
156 W. JEFFERSON ST.
SPRING GREEN, WI 53588

SURVEYOR'S CERTIFICATE

I, THEODORE J. GREENHECK, REGISTERED WISCONSIN LAND SURVEYOR, DO HEREBY CERTIFY: THAT IN FULL COMPLIANCE WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF THE VILLAGE OF SPRING GREEN, AND UNDER THE DIRECTION OF MR. PIERRE MCCORMICK, OWNER OF SAID LAND, I HAVE SURVEYED, DIVIDED AND MAPPED THIS CERTIFIED SURVEY MAP; THAT SUCH PLAT CORRECTLY REPRESENTS ALL EXTERIOR BOUNDARIES AND THE SUBDIVISION OF THE LAND SURVEYED TO THE BEST OF MY KNOWLEDGE AND BELIEF; AND THAT THIS LAND IS PART OF THE NW1/4 OF THE SW1/4 OF THE SE1/4 OF SECTION 7, INCLUDING LOT 1 C.S.M. #3664, T. 8 N., R. 4 E., VILLAGE OF SPRING GREEN, SAUK COUNTY, WISCONSIN, AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH 1/4 CORNER OF SECTION 7; THENCE N00°34'56"E, 1480.49'; THENCE N89°27'50"E, 518.82' TO THE POINT OF BEGINNING; THENCE S00°29'56"E, 356.31'; THENCE S89°20'46"W, 360.00'; THENCE N00°04'13"W, 225.06'; THENCE N89°27'02"E, 98.01'; THENCE N00°03'33"W, 3.00'; THENCE N89°27'02"E, 30.00'; THENCE N00°03'33"W, 128.97'; THENCE N89°27'50"E, 229.29' TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINS 2.55 ACRES (111,120 SQUARE FEET), MORE OR LESS, AND IS SUBJECT TO ANY AND ALL EASEMENTS AND RIGHTS-OF-WAY OF RECORD AND/OR USAGE.


DATED: MAY 12, 2003


THEODORE J. GREENHECK
REGISTERED LAND SURVEYOR, S-2431



OWNER'S CERTIFICATE

AS OWNER, I HEREBY CERTIFY THAT I HAVE CAUSED THE LAND HEREON DESCRIBED TO BE SURVEYED, DIVIDED, MAPPED AND MONUMENTED AS REPRESENTED ON THIS CERTIFIED SURVEY MAP.


MR. PIERRE MCCORMICK, OWNER
WDF LP. PRESIDENT
McKAVILLE DIST. CO.

5/16/03
DATE

VILLAGE OF SPRING GREEN APPROVAL

RESOLVED, THAT THIS CERTIFIED SURVEY IN THE VILLAGE OF SPRING GREEN, BE AND HEREBY IS APPROVED IN COMPLIANCE WITH THE SUBDIVISION REGULATIONS OF THE VILLAGE OF SPRING GREEN.

VILLAGE ADMINISTRATOR

DATE

WDNR BRRTS Case #: 03-57-150650

WDNR Site Name: McCarville Distributing

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.


To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:


Michael A. McCormick Director
(print name/title)

Michael A. McCormick 7-14-10
(signature) (date)

TOPO! map printed on 06/21/10 from "wisconsin.tpo" and "Untitled.tpg"
90°04.000' W WGS84 90°03.000' W



SITE LOCATION MAP – CONTOUR INTERVAL 20 FEET
MCCARVILLE DISTRIBUTING – SPRING GREEN, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM




- Soil Probe
- ⊙ Monitoring Well
- ⊕ Free Product Recovery Well

McCorville Distributing Company, Inc. - Spring Green, WI

Site Layout Map

SCALE: 1" = 60'	DATE: May 30, 2003
Environmental Compliance Consultants, Inc.	BY: A. Wien

Modified by METCO 1-9-06 KP




Area of soil contamination (including smear zone) that exceeds the NR720 and/or NR746 Table 1 values.

- Soil Probe
- ⊙ Monitoring Well
- ⊕ Free Product Recovery Well


McCarrville Distributing Company, Inc. - Spring Green, WI	
Soil Contamination Map	
February 18, 2010	
SCALE: 1" = 60'	DATE: May 30, 2003
Environmental Compliance Consultants, Inc.	BY: A. Wien

Modified by METCO 1-9-06 KP



A

A



Legend

- Screened Interval
- Topsoil / Fill Material
- Red-Brown Fine to Medium Grained Sand (SC)
- Former UST Basin
- G-## GRO Concentration (ppm)
- D-## DRO Concentration (ppm)
- B-## Benzene Concentration (ppb)
- E-## Ethylbenzene Concentration (ppb)
- T-## Toluene Concentration (ppb)
- X-## Xylene Concentration (ppb)
- Groundwater Elevation (8/18/2000)

Vertical Scale
1 inch = 8 feet

Horizontal Scale
1 inch = 80 feet


McCarville Distributing Company, Inc. - Spring Green, WI

Figure ##
Cross Section A - A'

Date: February 2003	By: PAS
Environmental Compliance Consultants, Inc.	

B

B



Legend


- Screened Interval
- Topsoil / Fill Material
- Red-Brown Fine to Medium Grained Sand (SC)
- Former UST Basin
- G-## GRO Concentration (ppm)
- D-## DRO Concentration (ppm)
- B-## Benzene Concentration (ppb)
- E-## Ethylbenzene Concentration (ppb)
- T-## Toluene Cocentration (ppb)
- X-## Xylene Cocentration (ppb)
- Groundwater Elevation (8/18/2000)

Vertical Scale
1 inch = 4 feet

Horizontal Scale
1 inch = 40 feet

McCarville Distributing Company, Inc. - Spring Green, WI	
Figure ## Cross Section B - B'	
Date: February 2003	By: PAS
Environmental Compliance Consultants, Inc.	

Feet Above Mean Sea Level



C

C'

MW-3

SP-5
SP-9 SP-6

SP-3

G
D
B
E
T
X
-6.6

G
D
B
E
T
X
-5.9
-5.9
-2.9
-2.9
-2.9
-88


Legend

- Screened Interval
- Topsoil / Fill Material
- Red-Brown Fine to Medium Grained Sand (SC)
- Groundwater Elevation (8/18/2000)
- G-## GRO Concentration (ppm)
- D-## DRO Concentration (ppm)
- B-## Benzene Concentration (ppb)
- E-## Ethylbenzene Concentration (ppb)
- T-## Toluene Cocentration (ppb)
- X-## Xylene Cocentration (ppb)

Vertical Scale
1 inch = 5 feet

Horizontal Scale
1 inch = 40 feet

McCarville Distributing Company, Inc. - Spring Green, WI	
Figure ## Cross Section C - C'	
Date: February 2003	By: PAS
Environmental Compliance Consultants, Inc.	



Estimated area of free product.


Estimated extent of petroleum contamination in-groundwater exceeding the NR140 ES and PAL.

Note: NR140 exceedances in the areas of MW-10 and MW-11 are in the piezometers only, thus the contaminant plume appears to be diving.

Groundwater Contamination
February 18, 2010

McCarville Distributing Company, Inc. - Spring Green, WI	
FIGURE 3	
Soil Boring and Monitoring Well Locations	
SCALE: 1" = 60'	DATE: May 30, 2003
Environmental Compliance Consultants, Inc.	BY: A. Wren

Modified by METCO 1-9-06 KP



Groundwater Contour
February 18, 2010

McCorville Distributing Company, Inc. - Spring Green, WI	
FIGURE 3	
Soil Boring and Monitoring Well Locations	
SCALE: 1" = 60'	DATE: May 30, 2005
Environmental Compliance Consultants, Inc.	BY: A. Wien

Modified by METCO 1-9-06 KP
4-1-10 BW

**TABLE 1
SOIL FIELD AND ANALYTICAL RESULTS**

McCarville Distributing Company, Inc.

SAMPLE IDENTIFICATION	NR-720 Standard	GP-1 21-May-97	GP-2 21-May-97	GP-3 21-May-97	GP-3 21-May-97	S-1 01-Jun-98	S-2 01-Jun-98	S-3 01-Jun-98	S-4 01-Jun-98	S-5 01-Jun-98	MW-1 25-Jun-98	MW-2 25-Jun-98	TB-3 25-Jun-98
Sample Depth (ft)		13-14	13-14	9-10	13-14	13.5	13.5	7.5	7	7	12-14	12-14	12-14
FIELD SCREENING													
PID Results		NM	NM	NM	NM	>1000	>1000	<10	<10	<10	>1,000	541	>1,000
FUEL RELATED PARAMETERS													
DRO (ppm)	100	1,270	9,200	<5.5	<5.7	2,070	25,300	NA	<5.2	<5.6	2,040	<5.8	944
GRO (ppm)	100	1,380	8,980	NA	NA	643	33,400	NA	NA	NA	3,730	<5.8	729
VOLATILE ORGANIC COMPOUNDS													
Benzene	5.5	NA	NA	NA	NA	<621	<415,000	NA	NA	NA	49,300	84	9,560
Ethylbenzene	2,900	NA	NA	NA	NA	4,250	604,000	NA	NA	NA	72,100	163	23,900
MTBE	NE	NA	NA	NA	NA	<270	<44,900	NA	NA	NA	<4,210	<29	<896
Naphthalene	110	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Toluene	1,500	NA	NA	NA	NA	7,730	1,920,000	NA	NA	NA	239,000	2,330	51,400
1,2,4-Trimethylbenzene	NE	NA	NA	NA	NA	27,200	1,200,000	NA	NA	NA	157,000	397	51,400
1,3,5-Trimethylbenzene	NE	NA	NA	NA	NA	8,500	351,000	NA	NA	NA	48,100	110	14,300
Total Xylene	4,100	NA	NA	NA	NA	40,300	2,870,000	NA	NA	NA	359,000	1,630	100,000
TOTAL VOCs	NE	0	0	0	0	87,980	6,945,000	0	0	0	924,500	4,714	250,560
METALS													
Lead (ppm)	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	<4.8	<4.7	<4.8

SAMPLE IDENTIFICATION	NR-720 Standard	MW-4 25-Jun-98	MW-4 25-Jun-98	MW-5 25-Jun-98	TB-6 07-Dec-98	MW-7 07-Dec-98	MW-8 07-Dec-98	MW-9 07-Dec-98	MW-3 31-Mar-99	MW-6 31-Mar-99
Sample Depth (ft)		8-10	12-14	12-14	12-14	12-14	12-14	12-14	10-12	10-12
FIELD SCREENING										
PID Results		NM	>1,000	0	>1,000	<10	<10	<10	<10	<10
FUEL RELATED PARAMETERS										
DRO (ppm)	100	<5.4	<6.1	18	38	<5.9	<6.0	<5.9	<5.9	<6.1
GRO (ppm)	100	<5.4	<6.1	<6.0	77	<5.9	<6.0	<7.1	<5.9	<6.1
VOLATILE ORGANIC COMPOUNDS										
Benzene	5.5	<27	522	<30	296	<29	<30	<35	<29	<31
Ethylbenzene	2,900	<27	49	<30	329	<29	<30	<35	<29	<31
MTBE	NE	<82	<30	<30	<27	<29	<30	<35	<29	<31
Naphthalene	110	NA	55	55	NA	NA	NA	NA	NA	NA
Toluene	1,500	<27	98	<30	1,420	<29	<30	<35	<29	<31
1,2,4-Trimethylbenzene	NE	<27	84	<30	4,380	<29	<30	<35	<29	<31
1,3,5-Trimethylbenzene	NE	<27	<30	<30	1,200	<29	<30	<35	<29	<31
Total Xylene	4,100	<27	279	<89	6,570	<88	<91	<110	<88	<92
TOTAL VOCs	NE	0	1,087	55	14,195	0	0	0	0	0
METALS										
Lead	50	<4.3	<4.9	<4.8	NA	NA	NA	NA	NA	NA

NA = Not Analyzed; NE = Not Established; Italic = Parameter detected at or above maximum measureable concentration.

< = Less than method detection limit

Bolded areas = exceedance of NR 720 GRCLs.

All results in parts per billion (ppb), unless otherwise indicated.

TABLE 1
SOIL FIELD AND ANALYTICAL RESULTS
 McCarville Distributing Company, Inc.

SAMPLE IDENTIFICATION	NR-720 Standard	MW-10A 20-Jul-00	MW-10A 20-Jul-00	MW-10B 20-Jul-00	MW-10B 20-Jul-00	MW-11A 20-Jul-00	MW-11A 20-Jul-00	MW-11B 20-Jul-00	MW-11B 20-Jul-00
Sample Depth (ft)		4	10	4	10	4	10	4	10
FIELD SCREENING									
PID Results		NM	NM	NM	NM	>1000	>1000	<10	<10
FUEL RELATED PARAMETERS									
GRO (ppm)	100	<3.0	<2.8	<2.7	<2.9	<2.9	<2.7	<3.1	<2.8
DRO (ppm)	100	<4.8	<4.4	<4.6	<4.7	<4	<4.8	<4.6	<5
VOLATILE ORGANIC COMPOUNDS									
Benzene	5.5	<25	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	2,900	<25	<25	<25	<25	<25	<25	<25	<25
MTBE	NE	<25	<25	<25	<25	<25	<25	<25	<25
Naphthalene	110	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	1,500	<25	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trimethylbenzene	NE	<25	<25	<25	<25	<25	<25	<25	<25
1,3,5-Trimethylbenzene	NE	<25	<25	<25	<25	<25	<25	<25	<25
Total Xylene	4,100	<75	<75	<75	<75	<75	<25	<75	<75
TOTAL VOCs	NE	0							
METALS									
Lead (ppm)	50	1.6	1.1	0.94	0.38	5.4	0.39	9.1	0.32

Samples collected by ECCI personnel on July 20, 2000.
 All results are in parts per billion (ppb)

SOIL BORING DATA TABLE FOR MCCARVILLE DISTRIBUTING LUST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON AUGUST 18, 2005

SOIL SAMPLES

Sample Location Number	FPRW-1-1	FPRW-1-2	FPRW-1-3	FPRW-1-4	FPRW-1-5	FPRW-1-6	FPRW-1-7	FPRW-2-1	FPRW-2-2	FPRW-2-3	FPRW-2-4	FPRW-2-5	FPRW-2-6	FPRW-2-7	MEOH BLANK
Sample Depth in Feet	0-2	2-4	4-6	6-8	8-10	10-12	12-14	0-2	2-4	4-6	6-8	8-10	10-12	12-14	==
Soil Type	SAND	SAND	SAND	SAND	SAND	SAND	SAND	SAND	SAND	SAND W/CLAY	SAND	SAND	SAND	SAND	==
Petroleum Odors	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	==
Moisture	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	WET	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	==
HNU	0	0	0	100	105	105	110	0	0	0	9	25	80	100	==
Solids Percent	ns	ns	ns	ns	94.1	94.9	95.6	ns	ns	ns	ns	90.6	95.7	96.8	ns
Benzene/ppb	ns	ns	ns	ns	313	45	1910	ns	ns	ns	ns	53	< 25	29	< 25
Ethylbenzene/ppb	ns	ns	ns	ns	3230	2090	34400	ns	ns	ns	ns	< 25	< 25	379	< 25
Methyl tert-butyl ether/ppb	ns	ns	ns	ns	< 250	< 25	< 1250	ns	ns	ns	ns	< 25	< 25	< 25	< 25
Naphthalene/ppb	ns	ns	ns	ns	7050	3980	19400	ns	ns	ns	ns	34 "J"	124	1350	< 25
Toluene/ppb	ns	ns	ns	ns	5550	2280	71300	ns	ns	ns	ns	91	55	421	< 25
1,2,4-Trimethylbenzene/ppb	ns	ns	ns	ns	29800	16000	115000	ns	ns	ns	ns	< 25	156	4470	< 25
1,3,5-Trimethylbenzene/ppb	ns	ns	ns	ns	8980	5170	34800	ns	ns	ns	ns	< 25	43	1250	< 25
m & p-Xylene/ppb	ns	ns	ns	ns	18500	10600	147000	ns	ns	ns	ns	51 "J"	110	1550	< 50
o-Xylene/ppb	ns	ns	ns	ns	6870	4630	55900	ns	ns	ns	ns	27 "J"	47 "J"	756	< 25

NOTE: ns = not sampled Bold = detects

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - Soil Probe Water
 McCarville Distributing Company, Inc.

Parameters	ES	PAL	SP-1	SP-2	SP-3	SP-4	SP-5	SP-6-14'	SP-6-30'	SP-7	SP-8	SP-9
ON-SITE ANALYSIS (ppb)												
Benzene	5	0.5	<1.0	<1.0	<1.0	<1.0	120	<5.0	11	<1.0	<1.0	390
FUEL RELATED VOC's (ppb)												
Benzene	5	0.5	<0.26	<0.26	<0.26	<0.26	150	<0.26	13	NA	NA	500
Ethylbenzene	700	140	<0.24	<0.24	<0.24	<0.24	31	<0.24	1.1	NA	NA	<1.2
Methyl-tert-Butyl-Ether	60	12	<0.22	<0.22	<0.22	<0.22	1.1	<0.22	<0.22	NA	NA	<1.1
Naphthalene	40	8	1.8*	2.9	2.1*	<0.89	<u>25</u>	<0.89	1.5*	NA	NA	5.1*
Toluene	343	68.6	0.87	0.88	0.66*	<0.21	<u>120</u>	0.48*	4	NA	NA	3.2*
Total Trimethylbenzene	480	96	<1.4	<1.4	<1.4	<1.4	10.1	<1.4	<1.4	NA	NA	<7.0
Total Xylene	620	124	<1.34	<1.34	<1.34	<1.34	33.6	<1.34	2.2*	NA	NA	26
Total PVOcs			0.87	3.78	0.00	0.00	370.80	0.00	18.10	NA	NA	526.00

ES = Enforcement Standard (NR-140) PAL = Preventive Action Limit (NR-140)

NA=Not Analyzed; NE=Not Established; NM=Not Measured; NI=Not Installed; ppm=parts per million; ppb=parts per billion

Samples collected on February 29, 2000 by ECCL personnel.

Bolded = exceedance of NR-140 ES

<Underlined> : LOD above PAL/ES

Underlined = exceedance of NR-140 PAL

All results are in parts per billion (ppb)

Italics = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Environmental Compliance Consultants, Inc.

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-1

PVC Elevation = 723.23 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/31/1998	711.84	11.39	63000	12000	2000	<50	660	22000	2120	11000
12/14/1998	710.43	12.80	45000	9500	1400	<21	560	16000	1870	8100
6/22/1999	712.19	11.04	30000	5100	680	<22	270	9700	950	5100
9/14/1999	710.73	12.50	38000	4900	860	<28	300*	10000	1420	5900
1/13/2000	NM	NM	NS	7700	2500	390	NS	21000	3700	14000
4/25/2000	708.62	14.61	NS	2800	830	<11	350	6700	1430	5000
8/18/2000	711.51	11.72	NS	19000	2900	<72	870	35000	3560	17500
6/28/2001	711.41	11.82	NS	9300	1200	<86	480*	20000	1940*	9400
9/21/2001	710.76	12.47	NS	NS	NS	NS	NS	NS	NS	NS
12/27/2001	710.22	13.01	NS	8200	1300	65*	560	17000	2080	9100
3/26/2002	709.48	13.75	NS	11000	2500	<54	740	25000	3250	14500
6/27/2002	712.19	11.04	NS	15000	2600	<86	1200	31000	4800	17200
8/29/2005	FREE PRODUCT									
11/29/2005	WELL COVERED									
2/27/2006	FREE PRODUCT									
5/30/2006	FREE PRODUCT									
3/21/2007	709.06	14.17	NS	950	2940	<265	1340	7800	6760	18700
6/21/2007	709.49	13.74	NS	5300	2700	<53	980	25700	3730	16600
9/20/2007	712.03	11.2	NS	3200	1620	<104	370	19800	2380	12100
12/18/2007	711.00	12.23	NS	4600	2460	<53	760	27600	2900	15100
3/20/2008	711.35	11.88	NS	3140	1810	<62	640	19300	3060	13500
6/23/2008	716.79	6.44	NS	2770	1430	<62	380	17400	2250	10600
9/23/2008	712.36	10.87	NS	2780	2230	<62	580	21600	3290	14000
12/17/2008	710.55	12.68	NS	2680	2400	<70	660	22200	2860	14500
5/21/2009	711.68	11.55	NS	2920	2770	<100	880	28800	4180	18700
8/20/2009	710.54	12.69	NS	1570	2000	<42	740	17500	3050	12400
11/18/2009	709.72	13.51	NS	1360	1550	<100	780	15500	3760	14000
2/18/2010	709.81	13.42	NS	1620	1570	<42	830	16600	3530	16100

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-2

PVC Elevation = 723.24 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/31/1998	711.82	11.42	22000	380	440	<12	500	5500	1460	7700
12/14/1998	710.43	12.81	16000	320	440	<8.0	410	4500	1420	5000
6/22/1999	712.17	11.07	14000	170	340	7.2	360	3800	940	4100
9/14/1999	710.74	12.50	NS	NS	NS	NS	NS	NS	NS	NS
4/25/2000	709.23	14.01	NS	46	330	<5.5	400	4100	1150	4600
8/18/2000	711.69	11.55	NS	280	1400	<36	610	11000	2110	10600
3/9/2001	710.05	13.19	NS	77	260	<7.6	280	2500	670	2450
6/28/2001	711.39	11.85	NS	47	190	<11	280	3600	860	3600
9/21/2001	710.67	12.57	NS	19	120	<2.1	190	970	312	900
12/27/2001	710.20	13.04	NS	21	200	19	490	1900	1230	2990
3/26/2002	710.02	13.22	NS	3.2*	41	3.8*	130	600	268	1070
6/27/2002	712.19	11.05	NS	<9.0	190	<8.6	170	1800	452	1800
8/29/2005	708.60	14.64	NS	120	490	<1.1	400	4800	1170	4700
11/29/2005	708.05	15.19	NS	18	21	<0.11	206	212	332	791
2/27/2006	708.09	15.15	NS	31.1	13.7	<0.11	85	76	78.2	229
5/30/2006	708.81	14.43	NS	105	132	<5.2	127	730	266	1373
3/21/2007	708.76	14.48	NS	37	112	<5.3	215	224	351	749
6/21/2007	709.46	13.78	NS	53	144	<5.3	216	460	367	1067
9/20/2007	711.89	11.35	NS	22.2	109	<5.2	96	350	245	766
12/18/2007	710.86	12.38	NS	207	817	<5.3	510	5000	1230	4440
3/20/2008	711.13	12.11	NS	181	730	<6.2	440	3500	1380	4740
6/23/2008	716.68	6.56	NS	80	273	<6.2	164	1410	355	1800
9/23/2008	712.21	11.03	NS	257	890	<6.2	570	5200	1580	6360
12/17/2008	710.40	12.84	NS	244	1550	<35	680	7400	2360	10420
5/21/2009	711.52	11.72	NS	86	340	<50	238	2700	858	3800
8/20/2009	710.53	12.71	NS	194	780	<21	490	4400	1380	5150
11/18/2009	709.77	13.47	NS	<20.5	57	<25	92	185	163-238	392
2/18/2010	709.82	13.42	NS	17.1	128	<0.42	156	340	257	1026

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-3

PVC Elevation = 721.43 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/22/1999	711.80	9.63	<50	<0.27	<0.32	<0.32	<0.35	6.4	<0.49	<0.67
9/14/1999	710.39	11.04	NS	NS	NS	NS	NS	NS	NS	NS
4/25/2000	708.89	12.54	NS	<0.26	<0.24	<0.22	NS	<0.21	<1.4	<1.34
8/18/2000	711.35	10.08	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	711.07	10.36	NS	NS	NS	NS	NS	NS	NS	NS
9/21/2001	710.35	11.08	NS	<0.45	<0.82	<0.43	NS	<0.68	<1.86	<2.47
12/27/2001	709.83	11.60	NS	NS	NS	NS	NS	NS	NS	NS
3/26/2002	709.66	11.77	NS	NS	NS	NS	NS	NS	NS	NS
6/27/2002	711.83	9.60	NS	NS	NS	NS	NS	NS	NS	NS
8/29/2005	708.29	13.14	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	707.74	13.69	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	707.85	13.58	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	708.60	12.83	NS	<0.17	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	708.57	12.86	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
6/21/2007	709.25	12.18	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	711.62	9.81	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	710.56	10.87	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	710.95	10.48	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.24	5.19	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	711.86	9.57	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.10	11.33	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.26	10.17	NOT SAMPLED							
8/20/2009	710.08	11.35	NOT SAMPLED							
11/18/2009	709.33	12.10	NOT SAMPLED							
2/18/2010	709.49	11.94	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-4

PVC Elevation = 722.57 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/31/1998	711.67	10.90	93000	31	0.7	0.41	0.96	11	1.74	11
12/14/1998	710.28	12.29	26000	5900	820	<13	540	7900	1390	5700
3/1/1999	709.99	12.58	15000	2700	400	<9	200	4200	548	2800
6/22/1999	712.12	10.45	640	100	19	1.4	8.6	170.0	25.7	112
9/14/1999	710.62	11.95	16000	2700	430	22*	140	3700	490	2410
1/13/2000	NM	NM	NS	6100	960	98	NS	10000	1270	7100
4/25/2000	709.11	13.46	NS	3000	510	12*	270	3500	680	2700
8/18/2000	711.56	11.01	NS	<0.35	<0.37	<0.36	<0.44	<0.38	<0.74	<1.14
3/9/2001	709.92	12.65	NS	3100	700	<18	320	3800	1230	3690
6/28/2001	711.29	11.28	NS	45	8.8	<0.43	3	35	10.8*	38.4
9/21/2001	710.60	11.97	NS	1900	400	<8.6	120	3000	395	1950
12/27/2001	710.07	12.50	NS	3200	760	20*	270	5300	910	3700
3/26/2002	709.92	12.65	NS	1200	320	14	190	1600	550	1300
6/27/2002	712.05	10.52	NS	33	7.5	<0.43	2.4*	71	6.2*	37
8/29/2005	708.53	14.04	NS	2800	990	<5.5	330	6200	1160	4900
11/29/2005	708.00	14.57	NS	2010	730	<5.5	225	5200	951	3640
2/27/2006	708.09	14.48	NS	1230	590	<5.5	281	3030	868	3090
5/30/2006	708.81	13.76	NS	126	124	<26	69	65	168-223	259
3/21/2007	708.78	13.79	NS	191	118	<5.3	94	48	164.5	329
6/21/2007	709.47	13.1	NS	70	67	<0.53	48	62	83.9	205
9/20/2007	711.88	10.69	NS	56	48	<0.52	22.7	14.1	51.8	183
12/18/2007	710.82	11.75	NS	760	400	<53	115	1710	338	1370
3/20/2008	711.23	11.34	NOT SAMPLED							
6/23/2008	716.62	5.95	NS	11.5	5.2	<0.62	1.86	20.4	2.87	27.9
9/23/2008	712.15	10.42	NS	860	293	<0.62	124	730	145	1280
12/17/2008	710.37	12.2	NS	1340	330	<7	116	1390	334	1650
5/21/2009	711.51	11.06	NS	1.77	<0.87	<0.5	<1.7	3.5	<2.6	3.2
8/20/2009	710.33	12.24	NS	620	233	<0.42	102	860	251	1075
11/18/2009	709.60	12.97	NS	1840	1010	<5	350	3140	1230	4980
2/18/2010	709.73	12.84	NS	330	209	<4.2	157	420	235	911

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-5
PVC Elevation =

722.54 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/31/1998	712.01	10.53	88	<0.1	<0.25	<0.25	<0.25	<0.1	<0.2	<0.25
12/14/1998	710.63	11.91	<50	<0.13	<0.22	<0.16	NS	<0.2	<0.59	<0.23
3/1/1999	710.28	12.26	NS	NS	NS	NS	NS	NS	NS	NS
6/22/1999	712.34	10.20	NS	NS	NS	NS	NS	NS	NS	NS
9/14/1999	710.89	11.65	NS	NS	NS	NS	NS	NS	NS	NS
1/13/2000	NM	NM	NS	<0.5	<0.5	<0.2	NS	<0.5	<2	<0.5
4/25/2000	709.39	13.15	NS	<0.26	<0.24	<0.22	NS	<0.21	<1.4	<1.34
8/18/2000	711.86	10.68	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	711.54	11.00	NS	NS	NS	NS	NS	NS	NS	NS
9/21/2001	710.89	11.65	NS	<0.45	<0.82	<0.43	NS	<0.68	<1.86	<2.47
12/27/2001	710.35	12.19	NS	NS	NS	NS	NS	NS	NS	NS
3/26/2002	710.18	12.36	NS	NS	NS	NS	NS	NS	NS	NS
6/27/2002	712.31	10.23	NS	NS	NS	NS	NS	NS	NS	NS
8/29/2005	708.73	13.81	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	708.21	14.33	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	708.28	14.26	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	708.97	13.57	NS	<0.17	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	708.98	13.56	NS	<0.22	<0.44	<0.53	<0.53	0.27	<0.67	<1.21
6/21/2007	709.66	12.88	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	712.10	10.44	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	711.07	11.47	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	711.43	11.11	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.94	5.6	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	712.46	10.08	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.67	11.87	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.74	10.80	NOT SAMPLED							
8/20/2009	710.59	11.95	NOT SAMPLED							
11/18/2009	709.81	12.73	NOT SAMPLED							
2/18/2010	709.92	12.62	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-6
PVC Elevation =

722.50 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
6/22/1999	711.77	10.73	<50	<0.27	<0.32	<0.32	<0.35	7.5	<0.49	<0.67
9/14/1999	710.39	12.11	0.79	160	21	1.1	NS	130	28.2	118
1/13/2000	NM	NM	NS	2100	180	32	NS	2600	211	1600
4/25/2000	708.90	13.60	NS	820	210	<1.1	NS	830	198	560
8/18/2000	710.46	12.04	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	711.06	11.44	NS	31	5.5	<0.43	1.2*	24	3.77*	16
9/21/2001	710.35	12.15	NS	180	57	<0.43	20	140	43	146
12/27/2001	709.83	12.67	NS	360	140	2.6	45	300	128	370
3/26/2002	709.67	12.83	NS	1100	370	<4.3	110	1200	347	1160
6/27/2002	711.84	10.66	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
8/29/2005	708.29	14.21	NS	230	27	<0.11	17	5.7	13.0	21
11/29/2005	707.77	14.73	NS	1020	201	<1.1	59	39	162	249
2/27/2006	707.89	14.61	NS	1130	189	<1.1	76	48	189	441
5/30/2006	708.60	13.90	NS	370	50	<5.2	17.1	9.3	26-37	44.2
3/21/2007	708.60	13.90	NS	133	<4.4	<5.3	7	<0.26	<0.67	<1.21
6/21/2007	709.27	13.23	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	711.65	10.85	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	710.57	11.93	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	710.96	11.54	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.25	6.25	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	711.85	10.65	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.09	12.41	NS	0.45	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.25	11.25	NS	12.4	8.5	<0.5	2.22	1.79	6.6-8.1	26.3
8/20/2009	710.08	12.42	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	709.34	13.16	NS	120	52	<0.5	23.3	34	73.1	189
2/18/2010	709.50	13.00	NS	10.3	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
 McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-7
 PVC Elevation =

723.06 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/14/1998	710.35	12.71	<50	<0.1	<0.25	<0.25	<0.1	<0.1	0.22	0.3
6/22/1999	712.08	10.98	NS	NS	NS	NS	NS	NS	NS	NS
9/14/1999	710.67	12.39	NS	NS	NS	NS	NS	NS	NS	NS
4/25/2000	709.17	13.89	NS	<0.26	<0.24	<0.22	NS	<0.21	<1.4	<1.34
8/18/2000	711.59	11.47	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
3/9/2001	709.99	13.07	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	711.32	11.74	NS	NS	NS	NS	NS	NS	NS	NS
9/21/2001	710.64	12.42	NS	<0.45	<0.82	<0.43	NS	<0.68	<1.86	<2.47
12/27/2001	710.12	12.94	NS	NS	NS	NS	NS	NS	NS	NS
3/26/2002	709.96	13.10	NS	NS	NS	NS	NS	NS	NS	NS
6/27/2002	712.11	10.95	NS	NS	NS	NS	NS	NS	NS	NS
8/29/2005	707.55	15.51	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	708.05	15.01	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	708.13	14.93	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	708.85	14.21	NS	<0.17	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	708.85	14.21	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
6/21/2007	709.53	13.53	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	711.93	11.13	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	710.87	12.19	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	711.24	11.82	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.67	6.39	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	712.19	10.87	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.43	12.63	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.57	11.49	NOT SAMPLED							
8/20/2009	710.39	12.67	NOT SAMPLED							
11/18/2009	709.65	13.41	NOT SAMPLED							
2/18/2010	709.78	13.28	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
 McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-8

PVC Elevation = 722.03 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/14/1998	710.17	11.86	9800	2100	260	<12	150	2800	392	1900
3/1/1999	709.89	12.14	6500	1200	170	<5.5	89	1700	261	1100
6/22/1999	711.90	10.13	1100	310	16	5.9	32	170	34.8	112
9/14/1999	710.52	11.51	1200	3000	240	27	140	2200	301	1440
1/13/2000	NM	NM	NS	2300	310	78	NS	2900	480	2000
4/25/2000	709.02	13.01	NS	2400	360	22	170	2900	490	2160
8/18/2000	711.44	10.59	NS	1900	150	14*	100	530	168	690
3/9/2001	709.85	12.18	NS	1400	90	<3.6	43	230	65	368
6/28/2001	711.19	10.84	NS	1100	98	<11	65*	110	135*	295*
9/21/2001	710.49	11.54	NS	900	54	<4.3	61	190	84*	270
12/27/2001	709.97	12.06	NS	1100	170	6.1*	74	690	182	700
3/26/2002	709.80	12.23	NS	1500	170	6.6*	100	490	187	550
6/27/2002	711.96	10.07	NS	810	89	6.4*	48	55	64	126
8/29/2005	708.37	13.66	NS	810	22	<0.11	85	14	30	44
11/29/2005	707.86	14.17	NS	199	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	707.97	14.06	NS	216	<0.5	<1.1	<1.2	14.4	<1.11	17-33.9
5/30/2006	708.67	13.36	NS	890	29.2	<5.2	66	<7.8	26	26-34.4
3/21/2007	WELL COVERED BY WATER PUDDLE									
6/21/2007	709.30	12.73	NS	90	24.3	<5.3	15.1	2.64	21-23.2	39-44.3
9/20/2007	711.73	10.30	NS	10.7	<0.38	<0.52	2.48	<0.46	<1.57	<0.99
12/18/2007	COULD NOT LOCATE									
3/20/2008	711.02	11.01	NS	1250	159	<31	56	57	<71	167
6/23/2008	716.38	5.65	NS	490	79	<31	93	76	37-71	237
9/23/2008	711.95	10.08	NS	450	111	<6.2	55	150	81.6	237
12/17/2008	710.16	11.87	NS	860	96	<7	53	23.2	15.7-18	80
5/21/2009	711.32	10.71	NS	200	63	<5	<17	16.5	29.2-44.2	153
8/20/2009	710.12	11.91	NS	1720	730	<4.2	285	410	813	2740
11/18/2009	709.38	12.65	NS	590	132	<10	141	24	63-93	77.6
2/18/2010	709.52	12.51	NS	400	34	<4.2	53	16.5	32	89

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
 McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-9
 PVC Elevation =

723.25 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/14/1998	710.48	12.77	3700	<0.4	<1	<1	<0.4	<0.4	180	<1
3/1/1999	710.16	13.09	950	NS	NS	NS	NS	NS	NS	NS
6/22/1999	712.22	11.03	340	<0.26	<0.24	0.88	<0.89	9.8	6.3	<1.34
9/14/1999	710.78	12.47	330	<0.26	<0.24	2.9	NS	<0.21	12	<1.34
4/25/2000	709.28	13.97	NS	<0.26	0.3*	<0.22	NS	<0.21	16.1	<1.34
8/18/2000	711.74	11.51	NS	<0.35	<0.37	<0.36	NS	<0.38	3.5	<1.14
3/9/2001	710.08	13.17	NS	<0.35	0.95*	<0.36	NS	<0.38	5.6	<1.14
6/28/2001	711.41	11.84	NS	NS	NS	NS	NS	NS	NS	NS
9/21/2001	710.75	12.50	NS	<0.45	<0.82	1.8	NS	<0.68	<1.86	<2.47
12/27/2001	710.21	13.04	NS	NS	NS	NS	NS	NS	NS	NS
3/26/2002	710.05	13.20	NS	NS	NS	NS	NS	NS	NS	NS
6/27/2002	712.20	11.05	NS	NS	NS	NS	NS	NS	NS	NS
8/29/2005	708.65	14.60	NS	1.6	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	708.11	15.14	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	708.16	15.09	NS	<0.12	<0.5	<0.11	<1.2	<0.13	1.57	<2.0
5/30/2006	708.90	14.35	NS	9	8.7	<0.52	2.29	19.4	28.8	57.5
3/21/2007	708.94	14.31	NS	1.47	0.74	<0.53	2.23	6.9	11.58	32.8
6/21/2007	709.60	13.65	NS	3.9	<0.44	<0.53	1.53	1.26	7.7	12.6
9/20/2007	712.04	11.21	NS	3.13	6.3	<0.52	<1.8	7.9	41.2	82.5
12/18/2007	710.99	12.26	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	711.35	11.9	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.82	6.43	NOT SAMPLED							
9/23/2008	712.37	10.88	NS	<0.49	1.2	<0.62	<0.88	0.50	<1.42	0.49-1.62
12/17/2008	710.57	12.68	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.70	11.55	NOT SAMPLED							
8/20/2009	710.53	12.72	NOT SAMPLED							
11/18/2009	709.77	13.48	NOT SAMPLED							
2/18/2010	709.93	13.32	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-10A

PVC Elevation = 725.58 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/18/2000	711.19	14.39	NS	<0.35	<0.37	<0.36	<0.44	<0.38	<0.74	<1.14
3/9/2001	709.63	15.95	NS	0.48*	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	710.96	14.62	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
9/21/2001	710.24	15.34	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
12/27/2001	709.72	15.86	NS	83	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
3/26/2002	709.58	16.00	NS	56	<0.82	<0.43	4.5	<0.68	<1.86	<2.47
6/27/2002	711.72	13.86	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
8/29/2005	708.19	17.39	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	707.68	17.90	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	707.82	17.76	NS	4.6	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	708.52	17.06	NS	1870	17.3	<5.2	130	17.1	66	117.9
3/21/2007	708.53	17.05	NS	7.1	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
6/21/2007	709.16	16.42	NS	1370	5.6	<5.3	65	16.1	29.8	81
9/20/2007	711.52	14.06	NS	4.7	<0.38	<0.52	<1.8	7.9	41.2	82.5
12/18/2007	710.41	15.17	NS	<i>2.01</i>	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	710.80	14.78	NS	500	<0.68	<0.62	26.2	3.4	<1.42	5.3-6.73
6/23/2008	716.09	9.49	NS	830	19.3	<6.2	56	42	19.6-26.4	145
9/23/2008	711.66	13.92	NS	24.9	<0.68	<0.62	<0.88	<0.46	<1.42	0.97-2.40
12/17/2008	709.93	15.65	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.10	14.48	NS	0.48	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
8/20/2009	709.93	15.65	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	709.19	16.39	NS	<i>0.66</i>	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
2/18/2010	709.36	16.22	NS	132	1.26	<0.42	87	9	13.1	43.7

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

* = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
 McCarville Distributing LUST Site BRRS# 03-57-150650

Well MW-10B
 PVC Elevation =

725.15 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/18/2000	711.22	13.93	NS	<0.35	<0.37	<0.36	<0.44	<0.38	<0.74	<1.14
3/9/2001	710.10	15.05	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	710.98	14.17	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
9/21/2001	710.28	14.87	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
12/27/2001	709.75	15.40	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
3/26/2002	709.61	15.54	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
6/27/2002	711.77	13.38	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
8/29/2005	708.51	16.64	NS	<0.12	<0.5	<0.11	<1.2	<0.13	3.41	2.3
11/29/2005	DRY									
2/27/2006	DRY									
5/30/2006	708.55	16.60	NS	<0.17	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	708.55	16.60	NS	<0.22	<0.44	<0.53	<0.53	0.41	1.48	0.89-1.42
6/21/2007	709.17	15.98	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	711.56	13.59	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	710.48	14.67	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	710.88	14.27	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.20	8.95	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	711.77	13.38	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.00	15.15	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.17	13.98	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
8/20/2009	710.00	15.15	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	709.27	15.88	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
2/18/2010	709.44	15.71	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58

Well MW-11A
 PVC Elevation =

722.51 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/18/2000	711.00	11.51	NS	9.4	<0.37	<0.36	0.94*	<0.38	<0.74	0.44*
3/9/2001	709.46	13.05	NS	<0.35	<0.37	<0.36	<0.44	<0.38	<0.74	<1.14
6/28/2001	710.79	11.72	NS	71	1.6*	<0.43	1*	1.8*	<1.86	1.4*
9/21/2001	710.06	12.45	NS	90	<0.82	<0.43	4.6	1.2*	<1.86	9.3*
12/27/2001	709.53	12.98	NS	28.0	4.7	2.5	3.2	1.3*	<1.86	7.0
3/26/2002	709.40	13.11	NS	57.0	2.9	3.3	3.0	1.3*	<1.86	0.97*
6/27/2002	711.56	10.95	NS	17.0	3.1	1.7	5.5	3.8	<1.86	2.4*
8/29/2005	708.02	14.49	NS	320	68	<0.11	10	16	12.0	74
11/29/2005	707.50	15.01	NS	223	78	<0.11	29	16	11	78.3
2/27/2006	707.66	14.85	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	708.37	14.14	NS	0.22	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	708.36	14.15	NS	37	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
6/21/2007	708.99	13.52	NS	34	<0.44	<0.53	<0.53	0.53	<0.67	1.58-2.26
9/20/2007	711.33	11.18	NS	39	<0.38	<0.52	<1.8	<0.46	<1.57	1.21
12/18/2007	710.24	12.27	NS	24.3	3.8	<0.53	<0.53	0.72	<0.67	4.18
3/20/2008	710.67	11.84	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	1.93-3.36
6/23/2008	715.86	6.65	NS	4.5	0.87	<0.62	<0.88	0.87	<1.42	1.51-2.94
9/23/2008	711.47	11.04	NS	1.68	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	709.75	12.76	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	710.94	11.57	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
8/20/2009	709.76	12.75	NS	5.1	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	CAR PARKED OVER WELL									
2/18/2010	709.22	13.29	NS	1.92	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
 McCarville Distributing LUST Site BRRTS# 03-57-150650

Well MW-11B
 PVC Elevation =

722.85 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
8/18/2000	711.02	11.83	NS	<0.35	<0.37	<0.36	<0.44	<0.38	<0.74	<1.14
3/9/2001	709.47	13.38	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	710.80	12.05	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
9/21/2001	710.07	12.78	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
12/27/2001	709.55	13.30	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
3/26/2002	709.40	13.45	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
6/27/2002	711.57	11.28	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
8/29/2005	708.49	14.36	NS	<0.12	0.67	<0.11	<1.2	<0.13	5.5	4.0
11/29/2005	DRY									
2/27/2006	DRY									
5/30/2006	DRY									
3/21/2007	708.46	14.39	NS	<0.22	<0.44	<0.53	0.6	0.57	1.87	2.54
6/21/2007	709.27	13.58	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	711.34	11.51	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	710.24	12.61	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	710.68	12.17	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	715.88	6.97	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	711.49	11.36	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	709.76	13.09	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	710.94	11.91	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
8/20/2009	709.78	13.07	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	709.07	13.78	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
2/18/2010	709.24	13.61	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58

Well PZ-1

PVC Elevation =

722.54 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
12/14/1998	710.59	11.95	<50	<0.1	<0.25	<0.25	<0.1	<0.1	<0.2	<0.25
3/1/1999	710.30	12.24	NS	NS	NS	NS	NS	NS	NS	NS
6/22/1999	712.31	10.23	NS	NS	NS	NS	NS	NS	NS	NS
9/14/1999	710.91	11.63	NS	NS	NS	NS	NS	NS	NS	NS
4/25/2000	709.43	13.11	NS	<0.26	<0.24	<0.22	NS	0.21*	<1.4	<1.34
8/18/2000	711.83	10.71	NS	<0.35	<0.37	<0.36	NS	<0.38	1.94*	<1.14
3/9/2001	710.24	12.30	NS	<0.35	<0.37	<0.36	NS	<0.38	<0.74	<1.14
6/28/2001	711.57	10.97	NS	NS	NS	NS	NS	NS	NS	NS
9/21/2001	710.89	11.65	NS	<0.45	<0.82	<0.43	NS	<0.68	<1.86	<2.47
12/27/2001	710.36	12.18	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
3/26/2002	710.21	12.33	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
6/27/2002	712.35	10.19	NS	<0.45	<0.82	<0.43	<0.89	<0.68	<1.86	<2.47
8/29/2005	708.81	13.73	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<1.9
11/29/2005	708.30	14.24	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
2/27/2006	708.40	14.14	NS	<0.12	<0.5	<0.11	<1.2	<0.13	<1.11	<2.0
5/30/2006	709.11	13.43	NS	<0.17	<1	<0.52	<0.73	<0.78	<1.95	<2.84
3/21/2007	707.70	14.84	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
6/21/2007	709.75	12.79	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
9/20/2007	712.16	10.38	NS	<0.47	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/18/2007	711.11	11.43	NS	<0.22	<0.44	<0.53	<0.53	<0.26	<0.67	<1.21
3/20/2008	711.47	11.07	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
6/23/2008	716.88	5.66	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
9/23/2008	712.43	10.11	NS	<0.49	<0.68	<0.62	<0.88	<0.46	<1.42	<1.85
12/17/2008	710.66	11.88	NS	<0.24	<0.35	<0.7	<1.8	<0.39	<0.74	<1.67
5/21/2009	711.79	10.75	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
8/20/2009	710.63	11.91	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58
11/18/2009	709.88	12.66	NS	<0.41	<0.87	<0.5	<1.7	<0.51	<2.6	<2.13
2/18/2010	710.02	12.52	NS	<0.45	<0.76	<0.42	<1.4	<0.53	<1.13	<1.58

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 * = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Groundwater Analytical Results Summary
McCarville Distributing LUST Site BRRTS# 03-57-150650

Well FPRW-1

PVC Elevation = 723.58 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/18/2005	708.75	14.83	NOT SAMPLED							
6/21/2007	709.37	14.21	NOT SAMPLED							

Well FPRW-2

PVC Elevation = 723.04 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/18/2005	708.52	14.52	NOT SAMPLED							
6/21/2007	709.40	13.64	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

* = concentration above the limit of detection (LOD) but below the limit of quantitation (LOQ)

Free Product Recovery Table
McCarville Distributing

DATE		MW-1	FPRW-1	FPRW-2	GALS REC./PERIOD	TOTAL GALS RECOVERED
04/25/00	Feet of FP	1.37	NI	NI	Unknown **	Unknown **
08/18/00	Feet of FP	0.25	NI	NI	Unknown **	Unknown **
06/28/01	Feet of FP	0	NI	NI	Unknown **	Unknown **
09/21/01	Feet of FP	0.02	NI	NI	Unknown **	Unknown **
12/27/01	Feet of FP	0	NI	NI	Unknown **	Unknown **
03/26/02	Feet of FP	0.77	NI	NI	Unknown **	Unknown **
06/27/02	Feet of FP	0	NI	NI	Unknown **	Unknown **
08/29/05	Inches of FP	9	7	15	5.23	5.23
	Gals Recovered w/ Absorbent Sock	no sock	no sock	no sock		
	Gals Recovered w/Bailer	0.23	2*	3*		
09/12/05	Inches of FP	12	6	16	2.06	7.29
	Gals Recovered w/ Absorbent Sock	0.01	no sock	no sock		
	Gals Recovered w/Bailer	0.42	0.03	1.6		
09/27/05	Inches of FP	14	10	12	5.00	12.29
	Gals Recovered w/ Absorbent Sock	0.13	0.09	0.07		
	Gals Recovered w/Bailer	0.6	2.2	1.91		
10/10/05	Inches of FP	23	15	14	5.54	17.83
	Gals Recovered w/ Absorbent Sock	0.02	0.1	0.08		
	Gals Recovered w/Bailer	1.06	2.21	2.07		
10/24/05	Inches of FP	14	14.5	13	6.60	24.43
	Gals Recovered w/ Absorbent Sock	0.07	0	0		
	Gals Recovered w/Bailer	0.53	3*	3*		
11/15/05	Inches of FP	17	12	13	3.51	27.94
	Gals Recovered w/ Absorbent Sock	0.03	0.1	0.08		
	Gals Recovered w/Bailer	0.5	1.6	1.2		
11/29/05	Inches of FP		9	6	2.32	30.26
	Gals Recovered w/ Absorbent Sock	Well covered	0.04	0.87		
	Gals Recovered w/Bailer		1.4	0.01		
12/13/05	Inches of FP	12	10	6	2.29	32.55
	Gals Recovered w/ Absorbent Sock	0	0.04	0.08		
	Gals Recovered w/Bailer	0.4	1.1	0.67		
12/27/05	Inches of FP	13	11.75	10	4.56	37.11
	Gals Recovered w/ Absorbent Sock	0.06	0	0		
	Gals Recovered w/Bailer	0.5	2*	2*		
01/10/06	Inches of FP	11	6	5	2.57	39.68
	Gals Recovered w/ Absorbent Sock	0.03	0.1	0.09		
	Gals Recovered w/Bailer	0.45	1.12	0.78		
01/31/06	Inches of FP	10	9	6	2.29	41.97
	Gals Recovered w/ Absorbent Sock	0.08	0.06	0.15		
	Gals Recovered w/Bailer	0.3	1.2	0.5		
01/15/06	Inches of FP	9	9	6	1.83	43.80
	Gals Recovered w/ Absorbent Sock	0.06	0.09	0.08		
	Gals Recovered w/Bailer	0.2	0.9	0.5		
02/27/06	Inches of FP	9	6	6	4.66	48.46
	Gals Recovered w/ Absorbent Sock	0.08	0.09	0.16		
	Gals Recovered w/Bailer	0.33	2*	2*		
03/13/06	Inches of FP	8	6	6	5.88	54.34
	Gals Recovered w/ Absorbent Sock	0.06	0.13	0.1		
	Gals Recovered w/Bailer	0.22	0.79	0.58		
03/28/06	Inches of FP	1.5	8	5	3.95	58.29
	Gals Recovered w/ Absorbent Sock	0.13	0.15	0.16		
	Gals Recovered w/Bailer	0.38	1.99	1.14		
04/11/06	Inches of FP	8	4	4	2.75	61.04
	Gals Recovered w/ Absorbent Sock	0.11	0.24	0.19		
	Gals Recovered w/Bailer	0.01	1.2	1		
04/24/06	Inches of FP	7	7	4	3.43	64.47
	Gals Recovered w/ Absorbent Sock	0.06	0.14	0.11		
	Gals Recovered w/Bailer	0.12	2*	1*		
05/30/06	Inches of FP	2	2	0.5	0.76	65.23
	Gals Recovered w/ Absorbent Sock	0.1	0.12	0.13		
	Gals Recovered w/Bailer	0.1	0.21	0.1		
06/12/06	Inches of FP	1	0.5	0.25	0.34	65.57
	Gals Recovered w/ Absorbent Sock	0.08	0.1	0.08		
	Gals Recovered w/Bailer	0.03	0.05	0		
06/29/06	Inches of FP	0.25	0.25	0.25	1.36	66.93
	Gals Recovered w/ Absorbent Sock	0.11	0.17	0.08		
	Gals Recovered w/Bailer	0	0.5*	0.5*		

Free Product Recovery Table
 McCarville Distributing

DATE		MW-1	FPRW-1	FPRW-2	GALS REC./PERIOD	TOTAL GALS RECOVERED
03/21/07	Inches of FP	2	4	1	1.64	68.57
	Gals Recovered w/ Absorbent Sock	0.04	0.03	0.01		
	Gals Recovered w/Bailer	0.06	1*	0.5*		
04/17/07	Inches of FP	0	0.13	0	0.31	68.88
	Gals Recovered w/ Absorbent Sock	0	0.17	0.14		
	Gals Recovered w/Bailer	0	0	0		
05/22/07	Inches of FP	0.5	0.25	0	0.33	69.21
	Gals Recovered w/ Absorbent Sock	0.11	0.17	0.04		
	Gals Recovered w/Bailer	0.01	0.002*	0		
06/21/07	Inches of FP	0.5	0.5	0.5	0.05	69.26
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0.02	0.02	0.02		
07/25/07	Inches of FP	6	6	8	0.63	70.52
	Gals Recovered w/ Absorbent Sock	14	36	20		
	Gals Recovered w/Bailer	0.4	0.04*	0.06*		
08/21/07	Inches of FP	0	0	0	0.61	71.13
	Gals Recovered w/ Absorbent Sock	16	36	36		
	Gals Recovered w/Bailer	0	0	0		
09/20/07	Inches of FP	0	0	0	0	71.13
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
10/17/07	Inches of FP	0	0	0	0	71.13
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
11/20/07	Inches of FP	0	0	0	0.03	71.16
	Gals Recovered w/ Absorbent Sock	0	0	0.03		
	Gals Recovered w/Bailer	0	0	0		
12/18/07	Inches of FP	0	Couldn't Locate (Snowbank)	0	0	71.16
	Gals Recovered w/ Absorbent Sock	0		0		
	Gals Recovered w/Bailer	0		0		
01/21/08	Inches of FP	0	0	0	0.02	71.18
	Gals Recovered w/ Absorbent Sock	0.02	0	0		
	Gals Recovered w/Bailer	0	0	0		
02/26/08	Inches of FP	0	0	0	0	71.18
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
03/20/08	Inches of FP	0	0	0	0.17	71.35
	Gals Recovered w/ Absorbent Sock	0	0	0.17		
	Gals Recovered w/Bailer	0	0	0		
04/30/08	Inches of FP	0	0	0	0	71.35
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
06/23/08	Inches of FP	0	0	0	0	71.35
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
09/23/08	Inches of FP	0	0	0	0.13	71.48
	Gals Recovered w/ Absorbent Sock	0	0	0.13		
	Gals Recovered w/Bailer	0	0	0		
12/17/08	Inches of FP	0	0	0	0.17	71.65
	Gals Recovered w/ Absorbent Sock	0	0	0.17		
	Gals Recovered w/Bailer	0	0	0		
05/21/09	Inches of FP	0	0	0	0.13	71.78
	Gals Recovered w/ Absorbent Sock	0	0	0.13		
	Gals Recovered w/Bailer	0	0	0		
08/20/09	Inches of FP	0	0	0	0	71.78
	Gals Recovered w/ Absorbent Sock	0	0	0		
	Gals Recovered w/Bailer	0	0	0		
11/18/09	Inches of FP	0	0.5	0	0.33	72.11
	Gals Recovered w/ Absorbent Sock	0.11	0	0.21		
	Gals Recovered w/Bailer	0	0.01	0		
02/18/10	Inches of FP	0	0	0	0.38	72.49
	Gals Recovered w/ Absorbent Sock	0.17	0.11	0.10		
	Gals Recovered w/Bailer	0	0	0		

NI = Not Installed

* Estimated amount of free product removed during the pumping event

** Measured by ECCI personnel

Watertable Elevation Table
McCarville Distributing BRRTS# 03-57-150650
Spring Green, Wisconsin

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10A	MW-10B	MW-11A	MW-11B	FPRW-1	FPRW-2	PZ-1
<i>pvcc top (ft)</i>	723.23	723.24	721.43	722.57	722.54	722.50	723.06	722.03	723.25	725.58	725.15	722.51	722.85	723.58	723.04	722.54
<i>screen top</i>	718.23	718.25	716.40	717.57	717.54	717.50	718.06	717.03	718.25	695.58	720.15	692.51	717.85	NM	NM	692.54

Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10A	MW-10B	MW-11A	MW-11B	FPRW-1	FPRW-2	PZ-1
8/31/1998	711.84	711.82	NI	711.67	712.01	NI										
12/14/1998	710.43	710.43	NI	710.28	710.63	NI	710.35	710.17	710.48	NI	NI	NI	NI	NI	NI	710.59
3/1/1999	NM	NM	NI	709.99	710.28	NI	NM	709.89	710.16	NI	NI	NI	NI	NI	NI	710.30
6/22/1999	712.19	712.17	711.80	712.12	712.34	711.77	712.08	711.90	712.22	NI	NI	NI	NI	NI	NI	712.31
9/14/1999	710.73	710.74	710.39	710.62	710.89	710.39	710.67	710.52	710.78	NI	NI	NI	NI	NI	NI	710.91
1/13/2000	NM	NM	NM	NM	NM	NM	NM	NM	NM	NI	NI	NI	NI	NI	NI	NM
4/25/2000	708.62	709.23	708.89	709.11	709.39	708.90	709.17	709.02	709.28	NI	NI	NI	NI	NI	NI	709.43
8/18/2000	711.51	711.69	711.35	711.56	711.86	710.46	711.59	711.44	711.74	711.19	711.22	711.00	711.02	NI	NI	711.83
3/9/2001	NM	710.05	NM	709.92	NM	NM	709.99	709.85	710.08	709.63	710.10	709.46	709.47	NI	NI	710.24
6/28/2001	711.41	711.39	711.07	711.29	711.54	711.06	711.32	711.19	711.41	710.96	710.98	710.79	710.80	NI	NI	711.57
9/21/2001	710.76	710.67	710.35	710.60	710.89	710.35	710.64	710.49	710.75	710.24	710.28	710.06	710.07	NI	NI	710.89
12/27/2001	710.22	710.20	709.83	710.07	710.35	709.83	710.12	709.97	710.21	709.72	709.75	709.53	709.55	NI	NI	710.36
3/26/2002	709.48	710.02	709.66	709.92	710.18	709.67	709.96	709.80	710.05	709.58	709.61	709.40	709.40	NI	NI	710.21
6/27/2002	712.19	712.19	711.83	712.05	712.31	711.84	712.11	711.96	712.20	711.72	711.77	711.56	711.57	NI	NI	712.35
8/29/2005	FP	708.60	708.29	708.53	708.73	708.29	707.55	708.37	708.65	708.19	708.51	708.02	708.49	NI	NI	708.81
9/18/2005	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	708.75	708.52	NM
11/29/2005	WELL COVERED	708.05	707.74	708.00	708.21	707.77	708.05	707.86	708.11	707.68	DRY	707.50	DRY	NM	NM	708.30
2/27/2006	FP	708.09	707.85	708.09	708.28	707.89	708.13	707.97	708.16	707.82	DRY	707.66	DRY	NM	NM	708.40
5/30/2006	FP	708.81	708.60	708.81	708.97	708.60	708.85	708.67	708.90	708.52	708.55	708.37	DRY	NM	NM	709.11
3/21/2007	709.06	708.76	708.57	708.78	708.98	708.60	708.85	CVRD	708.94	708.53	708.55	708.36	708.46	NM	NM	707.70
6/21/2007	709.49	709.46	709.25	709.47	709.66	709.27	709.53	709.30	709.60	709.16	709.17	708.99	709.27	709.37	709.40	709.75
9/20/2007	712.03	711.89	711.62	711.88	712.10	711.65	711.93	711.73	712.04	711.52	711.56	711.33	711.34	NM	NM	712.16
12/18/2007	711.00	710.86	710.56	710.82	711.07	710.57	710.87	CNL	710.99	710.41	710.48	710.24	710.24	NM	NM	711.11
3/20/2008	711.35	711.13	710.95	711.23	711.43	710.96	711.24	711.02	711.35	710.80	710.88	710.67	710.68	NM	NM	711.47
6/23/2008	716.79	716.68	716.24	716.62	716.94	716.25	716.67	716.38	716.82	716.09	716.20	715.86	715.88	NM	NM	716.88
9/23/2008	712.36	712.21	711.86	712.15	712.46	711.85	712.19	711.95	712.37	711.66	711.77	711.47	711.49	NM	NM	712.43
12/17/2008	710.55	710.40	710.10	710.37	710.67	710.09	710.43	710.16	710.57	709.93	710.00	709.75	709.76	NM	NM	710.66
5/21/2009	711.68	711.52	711.26	711.51	711.74	711.25	711.57	711.32	711.70	711.10	711.17	710.94	710.94	NM	NM	711.79
8/20/2009	710.54	710.53	710.08	710.33	710.59	710.08	710.39	710.12	710.53	709.93	710.00	709.76	709.78	NM	NM	710.63
11/18/2009	709.72	709.77	709.33	709.60	709.81	709.34	709.65	709.38	709.77	709.19	709.27	CAR	709.07	NM	NM	709.88
2/18/2010	709.81	709.82	709.49	709.73	709.92	709.50	709.78	709.52	709.93	709.36	709.44	709.22	709.24	NM	NM	710.02

Note: Elevations are presented in feet mean sea level (msl).
 NM = Not Measured
 CVRD = Well covered with water puddle
 CNL = Could Not Locate
 CAR = Car parked over well

June 29, 2010

COPY

Village of Spring Green
P.O. Box 158
Spring Green, WI 53588

To Whom It May Concern,

Groundwater contamination exists on the McCarville Distributing property located at 456 E. Rainbow Rd, Spring Green, Wisconsin. The source of this groundwater contamination appears to have originated from the former petroleum underground storage tank system that existed on the property.

The levels of Benzene, Ethylbenzene, Naphthalene, Toluene, and Trimethylbenzene, and Xylene contamination in the groundwater on your property is above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process of receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources ("WDNR") accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

The Wisconsin Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Hank Kuehling, Wisconsin Department of Natural Resources, 3911 Fish Hatchery Road, Fitchburg, WI.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site.

Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of Spring Green has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the Wisconsin Department of Natural Resources makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at P.O. Box 1205, Erie, PA 16512, or Hank Kuehling at either the WDNR address noted above or (608) 275-3286.

Sincerely,


Michael McCormick

Enclosures: legal description, table of analytical results, groundwater contamination map

LEGAL DESCRIPTION (456 E. Rainbow Rd, Spring Green, Wisconsin)

Lot One (1), Certified Survey Map No. 4839 recorded in the Office of the Register of Deeds for Sauk County, Wisconsin on June 4, 2003, in Volume 26 of Certified Survey Maps, Page 4839, as Document No. 810038, located in the Village of Spring Green, Sauk County, Wisconsin.

SOURCE
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

je of Spring Green
Box 158
ig Green, WI 53588

2. Article Number
(Transfer from service label)

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Jenny Pappas

- Agent
 Addressee

B. Received by (Printed Name)

JENNY PAPPAS

C. Date of Delivery

7-26-10

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

7010 0780 0001 8345 9065

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis Adm. Code, including cases closed under ch. NR 746 and under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Departments intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 – 19.39, Wis. Stats.].

BRRTS #: 03-57-150650

ACTIVITY NAME: McCarville Distributing

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
A	201 N. Winsted Street, Spring Green, WI 53588	182-0430-00000	514903	300596
B	506 E. Rainbow Road, Spring Green, WI 53588	182-0435-10000	514936	300718
C				
D				
E				
F				
G				
H				
I				

June 29, 2010

COPY

Judine Hutter
107 N. Winsted Street
Spring Green, WI 53588

Dear Judine,

Groundwater contamination that appears to have originated on the McCarville Distributing property located at 456 E. Rainbow Rd, Spring Green, Wisconsin has migrated onto your property at 201 N. Winsted St. The level of Benzene and contamination in the groundwater on your property is above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources ("WDNR") accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on *your* property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Hank Kuehling, Wisconsin Department of Natural Resources, 3911 Fish Hatchery Road, Fitchburg, WI 53711.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where

groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of Spring Green has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If closure is granted, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at P.O. Box 1205, Erie, PA 16512, or Hank Kuehling at either the WDNR address noted above or (608) 275-3286.

Sincerely,



Michael McCormick

Enclosures: legal description, WDNR Publication # RR-589, table of analytical results, and groundwater contamination map

OFF-SOURCE
A
PROPERTY

659612

STATE BAR OF WISCONSIN FORM 3 - 1982
QUIT CLAIM DEED

000144

DOCUMENT NO.

William F. Hutter and Judine M. Hutter a/k/a
Judine Hutter, husband and wife

quit-claims to Judine M. Hutter

the following described real estate in Sauk County,
State of Wisconsin:

See attached legal description.

REGISTRAR'S OFFICE
SAUK COUNTY WI
RECEIVED FOR RECORD

AT 2:10 O'CLOCK P.M.

ON Aug. 18 1997

James E. Grodzki
REGISTRAR

14.00 ch

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS

QHERP (BFG)

182-0430, 182-0425,
PARCEL IDENTIFICATION NUMBER

032-0946, 032-0944,
032-0965, 032-0970,
032-0978, 032-0997,
032-0436, 032-0434,
032-0968, 032-1071

FEE
\$17.25 (8m)
EXEMPT

This is homestead property.
(is) (is not)

Dated this 1st day of January, 1997

(SEAL)

William F. Hutter (SEAL)

William F. Hutter

(SEAL)

Judine M. Hutter (SEAL)
Judine M. Hutter

AUTHENTICATION

Signature(s) of William F. Hutter and
Judine M. Hutter

authenticated this 1st day of January, 1997

Brian F. Glynn

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Brian F. Glynn

Sauk City, Wisconsin

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

State of Wisconsin,

County.

ss.

Personally came before me this _____ day of _____, 19____, the above named

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

Notary Public, _____ County, Wis.

My commission is permanent. (If not, state expiration date: _____, 19____.)

* Names of persons signing in any capacity should be typed or printed below their signatures

000145

That part of the Southwest Quarter of the Southeast Quarter (SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Seven (7), Township Eight (8) North of Range Four (4) East, described as follows: Beginning at the Northeast corner of the SW $\frac{1}{4}$ SE $\frac{1}{4}$, thence West to a point 140 feet East of the East line of Winsted Street, Village of Spring Green, thence South 308.5 feet, thence West to the East line of Winsted Street, thence South to a point 225 feet North of the extended Southeast corner of Block 8, Original Plat of Village of Spring Green, thence East 140 feet, thence South 225 feet, thence West 140 feet, thence South to the South line of Jefferson Street, thence East 140 feet, thence South to the former railway right of way, thence Easterly along said former railway right of way to the East line of said SW $\frac{1}{4}$ SE $\frac{1}{4}$, thence North to the point of beginning; EXCEPTING therefrom commencing at a point 421.25 feet North of the intersection of the North line of Jefferson Street and the East line of Winsted Street, thence East 62 feet, thence South 44 feet, thence West 62 feet, thence North 44 feet to the point of beginning; ALSO EXCEPTING therefrom commencing at a point 140 feet East of the East line of Winsted Street, Village of Spring Green, on the South line of Rainbow Road, thence South 132 feet to the Point of Beginning of this excepted parcel, thence continuing South 200 feet, thence East 175 feet, thence North 200 feet to the Southeast corner of lands formerly owned by John McCarville and wife, thence West along the South line of McCarville lands to the point of beginning.

The South one-eighth of the Northwest Quarter of the Southeast Quarter (S $\frac{1}{8}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Seven (7), Township Eight (8) North of Range Four (4) East, EXCEPT the West 140 feet thereof; and EXCEPT commencing at a point on the South line of Rainbow Road 140 feet Easterly from the East line of Winsted Street (Rainbow Road being 66 feet wide), thence South 132 feet, thence East 441 feet, thence North 132 feet, thence West 441 feet to point of beginning; ALSO EXCEPT commencing at a point 140 feet East of the East line of Winsted Street, Village of Spring Green, on the South line of Rainbow Road, thence South 132 feet to the Point of Beginning of this excepted parcel, thence continuing South 200 feet, thence East 175 feet, thence North 200 feet to the Southeast corner of lands formerly owned by John McCarville and wife, thence West along the South line of McCarville lands to the point of beginning.

That part of the Southeast Quarter of the Southeast Quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Seven (7), Township Eight (8) North of Range Four (4) East lying North of former railway right of way; and the South one-eighth of the Northeast Quarter of the Southeast Quarter (S $\frac{1}{8}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Seven (7), Township Eight (8) North of Range Four (4) East EXCEPTING a parcel commencing at a point on the South line of a town road (being Rainbow Road) and the East line of the NE $\frac{1}{4}$ SE $\frac{1}{4}$, thence South 89°32' West along the said South line of the town road 208 feet, thence South 22°28' West 100 feet to the highway right of way, thence South 44°42' East along the highway right of way to the East line of the SE $\frac{1}{4}$ SE $\frac{1}{4}$, thence North 381 feet to the point of beginning.

The West 36.3 rods of the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$ SW $\frac{1}{4}$) of Section Eight (8), Township Eight (8) North of Range Four (4) East lying North of the former railway right of way, EXCEPT lands sold to the Wisconsin Power and Light Company described in Volume 221 of Deeds page 587; and EXCEPT commencing at a point 152 feet North of the Northwest corner of the said SW $\frac{1}{4}$ SW $\frac{1}{4}$, thence East 250 feet, thence South 624 feet, more or less, to the highway right of way line, thence Northwesterly along the highway right of way line 355 feet to the West line of the SW $\frac{1}{4}$ SW $\frac{1}{4}$, thence North 381.3 feet to the point of beginning.

Fraction One (1), being the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section Eight (8), Township Eight (8) North of Range Four (4) East.

The South 10 rods of the West 36.3 rods of the Northwest Quarter of the Southwest Quarter (NW $\frac{1}{4}$ SW $\frac{1}{4}$) of Section Eight (8), Township Eight (8) North of Range Four (4) East, EXCEPT the West 250 feet of the South 152 feet thereof.

Includes Lot One (1), Certified Survey No. 3664 as recorded in Volume 18 of Certified Surveys on Page 3664 in the Office of the Register of Deeds for Sauk County, Wisconsin. (Located in NW $\frac{1}{4}$ SE $\frac{1}{4}$ & SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7-8-4, Village of Spring Green.

EXCEPT lands conveyed to Sauk County, Wisconsin for highway purposes in Volume 192 Page 282.

SUBJECT to easements of record.

Commencing at a point 421.25 feet North of the intersection of the North line of Jefferson Street and the East line of Winsted Street, thence East 62 feet, thence South 44 feet, thence West 62 feet, thence North 44 feet to the point of beginning, being part of the Southwest Quarter of the Southeast Quarter (SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section Seven (7), Township Eight (8) North, of Range Four (4) East, in the Village of Spring Green.

SUBJECT to easements of record.

Commencing at a point 66 feet East of the Southeast corner of Block Eight (8), Village of Spring Green, thence East 140 feet, thence North 75 feet, thence West 140 feet, thence South 75 feet to the place of beginning.

(Being part of SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7-8-4.)

Commencing on the South line of Highway 14 on the West line of the East 43.7 rods of the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$ SW $\frac{1}{4}$), Section Eight (8), Township Eight (8) North, Range Four (4) East, thence South to former railroad right of way, thence Easterly along former railroad to said Highway 14, thence Northwesterly along highway to beginning; being a part of the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$ SW $\frac{1}{4}$), Section Eight (8) and the Northwest Quarter of the Northwest Quarter (NW $\frac{1}{4}$ NW $\frac{1}{4}$) Section Seventeen (17), all in Township Eight (8) North, Range Four (4) East.

SUBJECT to easements of record.

The North Half of the East Half of the Northeast Quarter of the Northwest Quarter (N $\frac{1}{2}$ E $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$) of Section Nineteen (19), Township Eight (8) North, Range Four (4) East.

OFF-SOURCE
A
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Jane Hutter
7 N. Winsted Street
Green, WI 53588

COMPLETE THIS SECTION ON DELIVERY

- A. Signature Agent
 Addressee
J Hutter
- B. Received by (*Printed Name*) Agent
J Hutter Addressee
- C. Date of Delivery
5/24/10
- D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (*Extra Fee*) Yes

2. Article Number
(*Transfer from service label*)

7010 0780 0001 8345 9089

June 29, 2010

COPY

Spring Green Veterinary
506 E. Rainbow Rd
Spring Green, WI 53588

To Whom It May Concern,

Groundwater contamination that appears to have originated on the McCarville Distributing property located at 456 E. Rainbow Rd, Spring Green, Wisconsin has migrated onto your property at 506 E. Rainbow Rd. The level of Benzene and Naphthalene contamination in the groundwater on your property is above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources ("WDNR") accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on *your* property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Hank Kuehling, Wisconsin Department of Natural Resources, 3911 Fish Hatchery Road, Fitchburg, WI 53711.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS

Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of Spring Green has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If closure is granted, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at P.O. Box 1205, Erie, PA 16512, or Hank Kuehling at either the WDNR address noted above or (608) 275-3286.

Sincerely,



Michael McCormick

Enclosures: legal description, WDNR Publication # RR-589, table of analytical results, and groundwater contamination map

LEGAL DESCRIPTION (property at 506 E. Rainbow Rd, Spring Green, Wisconsin)

Lot Two (2) of Certified Survey Map No. 4839, recorded in Volume 26 of Certified Surveys for Sauk County, Page 4839, as Document No. 810038. (Located in the Northwest $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ and the Southwest $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ of Section 7, Town 8 North, Range 4 East, Village of Spring Green, Sauk County, Wisconsin.)

OFF-SOURCE
B
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

COMPLETE THIS SECTION ON DELIVERY

A. Signature
x Tiffany Bingham Agent Addressee

B. Received by (*Printed Name*) Tiffany Bingham C. Date of Delivery 7/24/10

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

ing Green Veterinary
E. Rainbow Rd
ng Green, WI 53588

i. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (*Extra Fee*) Yes

2. Article Number
(*Transfer from service label*) 7010 0780 0001 8345 9072