

GIS REGISTRY INFORMATION

SITE NAME:	Speedway Station #2040									
BRRTS #:	03-30-003096			FID # (if appropriate):						
COMMERCE #:	53144-2665-05-A									
CLOSURE DATE:	December 13, 2006									
STREET ADDRESS:	3705 52nd St									
CITY:	Kenosha									
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):				X =	696106			Y =	237307	
CONTAMINATED MEDIA:		Groundwater		<input type="checkbox"/>	Soil		<input type="checkbox"/>	Both		<input checked="" type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:				Yes		<input checked="" type="checkbox"/>		No		<input type="checkbox"/>
• IF YES, STREET ADDRESS:		5212 37 th Avenue								
• GPS COORDINATES (meters in WTM91 projection):		X =			696108			Y =		237281
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):				Yes		<input type="checkbox"/>		No		<input checked="" type="checkbox"/>
• IF YES, STREET ADDRESS 1:										
• GPS COORDINATES (meters in WTM91 projection):		X =						Y =		
CONTAMINATION IN RIGHT OF WAY:				Yes		<input checked="" type="checkbox"/>		No		<input type="checkbox"/>
<u>DOCUMENTS NEEDED</u>										
Closure Letter, and any conditional closure letter issued or denial letter issued										<input checked="" type="checkbox"/>
Copy of any maintenance plan referenced in the final closure letter										<input type="checkbox"/>
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>										<input type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties										<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties										<input checked="" type="checkbox"/>
County Parcel ID number, <i>if used for county</i> , for all affected properties										<input checked="" type="checkbox"/>
Location Map that outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily. If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.										<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.										<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)										<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)										<input checked="" type="checkbox"/>
Isoconcentration map(s), <i>if required for site investigation (SI)</i> . The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.										<input checked="" type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present										<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)										<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour										<input checked="" type="checkbox"/>
Geologic cross-sections, <i>if required for SI</i>										<input type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate										<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)										<input checked="" type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)										<input checked="" type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963
TDD #: (608) 264-8777
Fax #: (414) 220-5374
Jim Doyle, Governor
Mary P. Burke, Secretary

December 13, 2006

Mr. Rohit Sharma
Rakhra Wisconsin E-Z Go Stations Three, Inc.
9653 North Granville Road
Mequon, WI 53092

RE: **Final Closure**

Commerce # 53144-2665-05-A DNR BRRTS # 03-30-003096
Speedway Station #2040, 3705 52nd Street, Kenosha

Dear Mr. Sharma:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5376.

Sincerely,

A handwritten signature in black ink, appearing to read "L.M." followed by a stylized flourish.

Linda M. Michalets
Senior Hydrogeologist
Site Review Section

cc: Mr. Christopher Hatfield, Northern Environmental Technologies, Inc.



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963
TDD #: (608) 264-8777
Fax #: (414) 220-5374
Jim Doyle, Governor
Mary P. Burke, Secretary

November 6, 2006

Mr. Rohit Sharma
Rakhra Wisconsin E-Z Go Stations Three, Inc.
9653 North Granville Road
Mequon, WI 53092

RE: **Conditional Case Closure**

Commerce # 53144-2665-05 DNR BRRTS # 03-30-003096
Speedway Station #2040 (Former), 3705 52nd Street, Kenosha

Dear Mr. Sharma:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Northern Environmental Technologies, Inc., for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

The 12 monitoring wells must be properly abandoned and the appropriate documentation forwarded to me at the letterhead address.

The GIS Registry packet included information for the properties to the west and south of the source property. Commerce has determined that the groundwater contaminant trend does not warrant addition of the commercial property to the west (3717 52nd Street) to the groundwater GIS Registry.

This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5376.

Sincerely,

A handwritten signature in black ink, appearing to read "L.M. Michalets", with a stylized flourish at the end.

Linda M. Michalets
Senior Hydrogeologist
Site Review Section

cc: Mr. Christopher Hatfield, Northern Environmental Technologies, Inc.

Limited Warranty Deed

Document Number

Document Title

LIMITED WARRANTY DEED

16-

TRANSFER FEE

\$ 90-

DOCUMENT NUMBER
1082335

WARRANTY DEED
R E C O R D E D
at Kenosha County, Kenosha, WI 53140
Louise I Principe, Register
on 1/12/1998 at 2:39 PM
980001372 \$106.00
SLES REEDED3

Recording Area

Name and Return Address

Thomas P. Shannon, Esq.
Fox, O'Neill & Shannon
622 N. Water Street, 5th Floor
Milw., WI 53202


09-222-36-329-013

Parcel Identification Number (PIN)

This information must be complete by submitter: document title, name & return address, and PIN (if required). Other information such as the granting clauses, legal description, etc. may be placed on this first page of the documents or may be placed on additional pages of the documents. Note: Use of this cover page adds one page to your documents and \$2.00 to the recording fee. Wisconsin Statutes, 59.517.

LIMITED WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS, that EMRO MARKETING COMPANY (successor by merger with Consolidated Stations, Incorporated, f/k/a D&M, Inc.), a Delaware corporation, whose address is c/o Property Tax Department, 539 South Main Street, Findlay, Ohio 45840, GRANTOR, for the consideration of Ten and No/100 Dollars (\$10.00), received to its full satisfaction of RAKHRA WISCONSIN E-Z GO STATIONS THREE, INC., a Wisconsin corporation, whose TAX MAILING ADDRESS will be 9653 North Granville Road, Mequon, Wisconsin 53092, GRANTEE, does give, grant, bargain, sell and convey unto said GRANTEE, the following described real estate in its existing "as is" condition inside the City of Kenosha, County of Kenosha, and State of Wisconsin:



Lot twenty-five (25) Mary E. Morin's addition to Homewood, except the north seventeen (17) feet for street purposes, being a part of the southwest quarter (SW¼) of section thirty-six (36) town two (2) north, range twenty-two (22) east, of the fourth principal meridian, and lying and being in the City of Kenosha, County of Kenosha and State of Wisconsin.

Being the same property as described in a survey recently obtained by the Grantee and shown on Exhibit A attached hereto and incorporated herein by reference. Should any discrepancies occur, the attached survey shall prevail.

PRIOR DEED REF: Document No. 482654, Volume 722, Page 101

PARCEL NO: 09-222-36-329-013

Exceptions to warranties; title is subject to:

1. (a) taxes and assessments (both general and special) not now due and payable; (b) zoning ordinances, subdivision and planning laws and regulations and building code restrictions and all laws, rules and regulations relating to land and structures and their use, including but not limited to governmental regulations relating to buildings, building construction, building line and use and occupancy restrictions, and violations of any of the foregoing; (c) easements, conditions, reservations, agreements, and restrictions of record; (d) such a state of facts as an accurate survey might show; and (e) all legal roads and highways.

EMC 2040
3705 52nd St.
Kenosha, Wisconsin

AND THE GRANTOR does for itself, its successors and assigns covenant with the said GRANTEE, its successors and assigns, the GRANTOR has not made, done, executed, or suffered any act or thing whereby the above-described premises or any part thereof now are or at any time hereafter shall or may be imperiled, charged, or encumbered in any manner whatsoever; and the title to the above-granted premises against all persons lawfully claiming the same by, through or under the GRANTOR, said GRANTOR will forever warrant and defend. IN WITNESS WHEREOF, said corporation sets its hand this 2nd day of December, 1997.

Signed and acknowledged
in the presence of:

Donna Reynolds
Printed: Donna Reynolds

EMRO MARKETING COMPANY

By: [Signature]
Name: G. E. Buroker
Title: Sr. Vice President - Operations



Donna Simson
Printed: Donna Simson

STATE OF OHIO)
) SS.
COUNTY OF CLARK)

Personally came before me this 2nd day of December, 1997, G. E. Buroker, its Sr. Vice President - Operations, of the above named Corporation, to me known to be the person who executed the foregoing instrument and to me known to be such Sr. Vice President - Operations of said Corporation, and acknowledged that he executed the foregoing instrument as such officer as the deed of said Corporation, by its authority.

Donna Simson
Notary Public

My Commission Expires:

DONNA SIMSON
Notary Public, State of Ohio
My Commission Expires March 9, 1998

This Instrument Prepared by:

Q. H. Wood
Attorney-at-Law
539 South Main Street
Findlay, Ohio 45840

STATE BAR OF WISCONSIN FORM 4 - 1982
GUARDIAN'S DEED

DOCUMENT NO.

DOCUMENT NUMBER
1012105
GUARDIAN'S DEED
RECORDED
at Kenosha County, Wisconsin,
Lorraine J. Prineas, Registrar of Deeds
US 1/16/1996 at 3:41 PM \$250.00
SLES REEFEEB3

-- RICHARD M. SHILTS -----, as Guardian of
-- THE ESTATE OF WANDA M. SHILTS,
INCOMPETENT, A WIDOW -----

for a valuable consideration conveys, without warranty, to
-- RICHARD P. PESH and JULIE R. PESH,
his wife -----

-----, Grantee,
the following described real estate in Kenosha County,
State of Wisconsin:

TRANSFER FEE
\$ 210¹⁰

NAME AND RETURN ADDRESS

Mantel
5212-37 ave.
K. W. 53142.

09-4-222-36-329-012

(Parcel Identification Number)

The North Half of Lot 26 of Mary E. Morin Addition to Homewood,
of part of the Southwest Quarter of Section 36, Town 2 North,
Range 22 East of the Fourth Principal Meridian; lying and being
in the City of Kenosha, Kenosha County, Wisconsin.

Authority of Guardian:

This IS NOT homestead property.
(is) (is not)

Dated this 12th day of Jan., 19 96

(SEAL)

Richard M. Shilts (SEAL)

Richard M. Shilts
Guardian

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19 _____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Eugene J. Brookhouse

Attorney at Law

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

Kenosha County, ss.

Personally came before me this 12th day of Jan., 19 96 the above named
Richard M. Shilts, Guardian of
the Estate of Wanda M. Shilts,
Incompetent, a widow,

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

Terry Daniels Ebner
TERRY DANIELS EBNER
Notary Public Kenosha County, Wis.
My commission is permanent. (If not, state expiration date:
1-26, 19 97)

*Names of persons signing in any capacity should be typed or printed below their signatures.

STATE OF WISCONSIN)
: SS.
COUNTY OF KENOSHA)

SURVIVORSHIP AFFIDAVIT

Richard L. Shilts, being first duly sworn, on oath, deposes and says:


1. That Forest A. Shilts died on November 9, 1995, a resident of Kenosha County, Wisconsin, as evidenced by the death certificate on file with the Kenosha County Register of Deeds office;
2. That on the date of death of Forest A. Shilts, Wanda Shilts and the decedent owned in joint tenancy the following described real estate in Kenosha County, Wisconsin:

The north half of lot twenty-six (26) of MARY E. MORIN ADDITION TO HOMEWOOD, of part of the southwest quarter of section thirty-six (36), township two (2) north, range twenty-two (22) east of the fourth principal meridian, as per plat and survey of said subdivision on file and of record in the office of the register of deeds in and for the County of Kenosha, and State of Wisconsin, and lying and being in the City of Kenosha, in the County of Kenosha and State of Wisconsin.

Parcel No. 09-222-36-329-012


Address: 5212 - 37th Avenue, Kenosha, Wisconsin.

3. That it was not necessary to file a Wisconsin Inheritance Tax Return with the Wisconsin Department of Revenue and obtain a Release of Inheritance Tax Lien as a result of the death of said decedent.
4. That affiant makes this Affidavit to indicate the termination of the above joint tenancy of Wanda Shilts and the decedent in the above real estate and that Wanda Shilts is the sole owner thereof.



Richard L. Shilts, Guardian for
Wanda Shilts, Incompetent, Surviving
Joint Tenant

Subscribed and sworn to before me
this 27th day of November, 1995.



Jean M. Miller, Notary Public
Kenosha County, Wisconsin
My commission: 5/16/99

This instrument drafted by:
Eugene J. Brookhouse,
Attorney at Law


shiltsurvive.aff

DOCUMENT NUMBER

1008312

AFFIDAVIT OF SURVIVORSHIP
RECORDED
at Kenosha County, Kenosha, WI 53140
Louise I Principe, Register of Deeds
on 11/28/1995 at 4:32 PM
93007791 \$10.00
MAG1 REGDEED2

ret.



Home : Mayor/Administration : City Council : City Departments : Events : FAQ : Directory

CITY DEPARTMENTS: ASSESSOR : PROPERTY DATABASE SEARCH:

Database Information:

Last Updated: 06/01/05
 Screen Created: 06/16/05 11:45

Parcel Information:

Parcel Number: 09-222-36-329-013
 Address: 3705 52 ST
 Owner Name: RAKHRA WISCONSIN EZ GO STATION
 Mailing Address: RAKHRA WISCONSIN EZ GO STATION
 9653 N GRANVILLE RD
 MEQUON, WI 53092
 Property Class: COMMERCIAL
 Property Use: GAS STATION
 Neighborhood Code: 120.00
 Lot Frontage: 126.00
 Lot Depth: 80.00
 Zone: B-2 COMMUNITY BUSINESS DISTRICT

Building Information:

Building Type:
 Exterior Walls:
 Living Units:
 Stories:
 Year Built:
 Bedrooms:
 Full Bathrooms:
 Half Bathrooms:
 Total Living Area:
 First Floor Area:
 Second Floor Area:
 Basement Area:
 Other Area:
 Central Air:
 Fire Place:
 Garage Type:
 Garage Size:
 Overall Condition:

Assessment Information:

Assessment Year: 2005
 Land Value: \$42,800
 Imprv. Value: \$108,200
 Total Assessment: \$151,000
 Prev. Land Value: \$42,800
 Prev. Imprv. Value: \$108,200
 Prev. Assessed Value: \$151,000

Sales Information:

Sales Docket #:
 Sales Volume:
 Sales Page:
 Sale Date:
 Sale Price:

WTM : 696106, 237307


Tax Record :

Tax Year: 2004
 Special Assessment: \$259.77
 Lottery Credit:

	Due Date	Amount
First Installment:	01/31/05	\$1,424.96
Second Installment:	04/30/05	\$1,165.20
Third Installment:	07/31/05	\$1,165.20
Full Payment:	01/31/05	\$3,755.36
Total Payment Received:		\$2,590.16
Balance Due:		\$1,165.20*

Special Assessment Information
Sales Data for this Neighborhood
New Search

*Does not include penalty if taxes are delinquent. Delinquent taxes are subject to interest of one percent (1%)



Home : Mayor/Administration : City Council : City Departments : Events : FAQ : Directory

CITY DEPARTMENTS: ASSESSOR : PROPERTY DATABASE SEARCH:

Database Information:

Last Updated: 06/01/05
 Screen Created: 06/16/05 11:49

Parcel Information:

Parcel Number: 09-222-36-329-012
 Address: 5212 37 AV
 Owner Name: PESH, RICHARD P
 Mailing Address: RICHARD P & JULIE R PESH
 5212 37TH AVE
 KENOSHA, WI 53144-2632
 Property Class: RESIDENTIAL
 Property Use: SINGLE FAMILY RESIDENTIAL
 Neighborhood Code: 44.00
 Lot Frontage: 50.00
 Lot Depth: 126.00
 Zone: RG-1 GENERAL RESIDENTIAL
 DISTRICT

Assessment Information:

Assessment Year: 2005
 Land Value: \$24,500
 Imprv. Value: \$98,700
 Total Assessment: \$123,200
 Prev. Land Value: \$24,500
 Prev. Imprv. Value: \$98,700
 Prev. Assessed Value: \$123,200

Sales Information:

Sales Docket #:
 Sales Volume:
 Sales Page:
 Sale Date: 01/12/96
 Sale Price: \$70,000

WTM : 696108, 237281

Building Information:

Building Type: RANCH
 Exterior Walls: BRICK
 Living Units: 1
 Stories: 1.0
 Year Built: 1955
 Bedrooms: 3
 Full Bathrooms: 1
 Half Bathrooms:
 Total Living Area: 1,088
 First Floor Area: 1,088
 Second Floor Area:
 Basement Area: 1,088
 Other Area:
 Central Air: YES
 Fire Place: 1
 Garage Type: DETACHED
 Garage Size: 336
 Overall Condition: AVERAGE

Tax Record :


Tax Year: 2004

Special Assessment:

Lottery Credit: \$86.97


	Due Date	Amount
First Installment:	01/31/05	\$863.70
Second Installment:	04/30/05	\$950.68
Third Installment:	07/31/05	\$950.68
Full Payment:	01/31/05	\$2,765.06
Total Payment Received:		\$2,765.06
Balance Due:		\$0.00

Special Assessment Information
Sales Data for this Neighborhood
[New Search](#)



LEGEND

- B11/MN11 MONITORING WELL/ BORING LOCATION AND IDENTIFICATION
- MN11 ABANDONED MONITORING WELL LOCATION AND IDENTIFICATION
- STORM SEWER INLET
- HYDRANT
- MANHOLE
- UNDERGROUND STORAGE TANK (UST)
- APPROXIMATE LOCATION OF FORMER UNDERGROUND STORAGE TANK (UST)
- GRASS
- BRICK PATIO
- PROPERTY BOUNDARY LINE
- GASOLINE DISPENSERS
- BURIED TELEPHONE LINE
- SANITARY SEWER LINE
- WATER LINE
- FENCE
- NATURAL GAS LINE
- EXTENT OF SOIL WITH CONCENTRATIONS EXCEEDING NR120 GENERIC RCLs



<p>▲ Northern Environmental Hydrologists • Engineers • Surveyors • Scientists 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092 Phone: 800-776-7140 Fax: 262-241-8222</p> <p>WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA</p> <p><small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREIN IS THE PROPERTY OF NORTHERN ENVIRONMENTAL, INCORPORATED AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IS IT EXPRESSLY FURNISHED.</small></p>	<p>SITE LAYOUT</p> <p>MARATHON STATION 3705 52nd STREET KENOSHA, WISCONSIN</p>
DATE: 06/17/05 DRAWN BY: KAA TASK NUMBER: 250 PROJECT NUMBER: BPI 01-2200-2355 FIGURE 2	

Table 2 Groundwater Quality Laboratory Analytical Results, Kenosha Marathon Station, Kenosha, Wisconsin

Sample Point	Date Collected	Lead (milligrams per liter)	GRO (milligrams per liter)	Detected Volatile Organic Compounds (micrograms per liter)																	
				Benzene	n-Butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	Ethylbenzene	Chlorobenzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propylbenzene	Toluene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	Trimethylbenzenes	Xylenes	
MW1	07/13/93	-	3.5	690	-	-	-	-	-	270	4	-	-	-	490	43	38	19	-	620	
	11/05/98	-	5.9	3000	-	-	-	-	-	230	-	1200	-	-	22	-	-	-	224	440	
MW2	07/13/93	-	<0.1	<1	-	-	-	-	-	<1	<1	-	-	-	<1	<1	<1	<1	-	<1	
	11/21/94	0.001	<0.1	18	-	-	-	-	-	3	-	15	-	-	3	-	-	-	3	23	
	08/12/98	-	0.11	4.2	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	37	<0.10	<0.25	1.4	<0.25	<0.25	<0.25	1.34	6.9	
	12/04/01	-	-	1200	-	-	-	-	-	<20	-	220	<65	-	<20	-	-	-	<45	<70	
	04/15/02	-	-	1000	-	-	-	-	-	2.6	-	190	11	-	8.5	-	-	-	6.9	40.2	
	02/28/03	-	-	180	-	-	-	-	-	1.4	-	75	11	-	2.6	-	-	-	1.7	11	
	07/15/03	-	-	270	-	-	-	-	-	<1.2	-	94	1.4	-	4.7	-	-	-	2.1	14	
	11/03/03	-	-	26	-	-	-	-	-	<0.6	-	90	1.2	-	2.9	-	-	-	1.77	13.1	
	02/06/04	-	-	27	-	-	-	-	-	<0.6	-	69	1.9	-	2.6	-	-	-	1.0	7.04	
	02/10/05	-	-	40	<0.20	<0.25	0.68	<0.20	<1.0	1.3	<0.20	97	2.2	0.92	3.3	<0.20	<0.20	<0.20	3.9	21	
	05/26/05	-	-	6.7	-	-	-	-	-	<0.5	-	55	-	-	2.6	-	-	-	9.75 "J"	9.2	
	MW3	07/13/93	-	6	2200	-	-	-	-	-	280	<10	-	-	-	320	34	43	<10	-	2800
		11/21/94	0.001	6.7	3500	-	-	-	-	-	180	-	520	-	-	69	-	-	-	336	3400
08/12/98		-	15	1800	32	12	70	6.0	24	2000	<5.0	1500	500	220	170	<5.0	<5.0	<5.0	1960	5600	
12/04/01		-	-	2200	-	-	-	-	-	1400	-	410	440	-	140	-	-	-	1310	4070	
12/04/01		-	-	2300	-	-	-	-	-	1400	-	470	450	-	130	-	-	-	1300	3900	
04/15/02		-	-	4300	-	-	-	-	-	3500	-	430	930	-	260	-	-	-	3330	10,380	
04/15/02		-	-	4300	-	-	-	-	-	3400	-	420	910	-	260	-	-	-	3200	10,150	
02/28/03		-	-	2800	-	-	-	-	-	520	-	520	-	-	23	-	-	-	474	560	
07/15/03		-	-	2300	-	-	-	-	-	2100	-	80	710	-	230	-	-	-	1890	5570	
07/15/03		-	-	2000	-	-	-	-	-	1900	-	67	670	-	220	-	-	-	1770	5270	
11/03/03		-	-	4300	-	-	-	-	-	430	-	480	330	-	23	-	-	-	449	660	
11/03/03		-	-	3800	-	-	-	-	-	450	-	420	330	-	25	-	-	-	453	767	
02/06/04		-	-	3300	-	-	-	-	-	500	-	380	270	-	39	-	-	-	411	988	
02/06/04		-	-	3500	-	-	-	-	-	520	-	370	240	-	33	-	-	-	450	1040	
02/10/05		-	-	1400	62	15	120	7.4	<1.0	2700	<0.20	23	670	300	320	<0.20	<0.20	<0.20	2410	6700	
05/26/05		-	-	1100	-	-	-	-	-	2600	-	<5.5	-	-	250	-	-	-	2280	6200	
MW10		02/28/03	-	-	<0.45	-	-	-	-	-	<0.82	-	2.2	-	-	<0.68	-	-	-	<1.86	<2.47
	07/15/03	-	-	37	-	-	-	-	-	<0.60	-	15	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	11/03/03	-	-	4.53	-	-	-	-	-	<0.60	-	2.3	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	02/06/04	-	-	<0.30	-	-	-	-	-	<0.60	-	4.0	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
MW11	02/28/03	-	-	<0.45	-	-	-	-	-	<0.82	-	<0.43	-	-	<0.68	-	-	-	1.2	<2.47	
	07/15/03	-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	11/03/03	-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	02/06/04	-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
MW12	02/28/03	-	-	1200	-	-	-	-	-	370	-	650	-	-	230	-	-	-	27	2830	
	07/15/03	-	-	640	-	-	-	-	-	290	-	560	-	-	95	-	-	-	310	1130	
	11/03/03	-	-	1000	-	-	-	-	-	300	-	940	81	-	150	-	-	-	316	1150	
	02/18/04	-	-	1200	-	-	-	-	-	210	-	700	130	-	430	-	-	-	456	1210	
	02/10/05	-	-	430	6.6	<0.25	22	1.4	<1.0	320	<0.20	130	72	53	27	<0.5	<0.5	<0.5	363	610	
	05/26/05	-	-	720	-	-	-	-	-	300	-	180	-	-	36	-	-	-	263	410	
MW13	02/28/03	-	-	170	-	-	-	-	-	<0.82	-	340	-	-	<0.68	-	-	-	<1.86	<2.47	
	02/28/03	-	-	150	-	-	-	-	-	<0.82	-	310	-	-	<0.68	-	-	-	<1.86	<2.47	
	07/15/03	-	-	840	-	-	-	-	-	<3.0	-	260	-	-	<2.9	-	-	-	<5.9	<9.2	
	11/03/03	-	-	980	-	-	-	-	-	<6.0	-	400	<5.8	-	<5.8	-	-	-	<1.18	<18.4	
	02/06/04	-	-	780	-	-	-	-	-	<3.0	-	300	<2.9	-	<2.9	-	-	-	<5.9	<9.2	
	02/10/05	-	-	580	<0.2	<0.25	0.66	<0.2	<1.0	<5.0	<0.2	230	2.6	0.89	<2.0	<0.2	<0.2	<0.2	<4.0	<5.0	
	05/26/05	-	-	770	-	-	-	-	-	<12.5	-	150	-	-	<3.25	-	-	-	<27.75	<47.5	
MW15	02/10/05	-	-	<0.20	<0.20	<0.25	<0.20	<0.20	<1.0	<0.50	<0.2	<0.5	<0.25	<0.5	<0.2	<0.2	<0.2	<0.2	<0.4	<0.5	
	05/26/05	-	-	<0.12	-	-	-	-	-	<0.5	-	<0.11	-	-	<0.13	-	-	-	<1.11	<1.9	
MW16	02/10/05	-	-	<0.20	<0.20	<0.25	<0.20	<0.20	<1.0	<0.50	<0.2	34	<0.25	<0.5	<0.2	<0.2	<0.2	<0.2	<0.4	<0.5	
	05/26/05	-	-	<0.12	-	-	-	-	-	<0.5	-	7.5	-	-	<0.13	-	-	-	<1.11	<1.9	
MW17	02/10/05	-	-	<0.20	<0.20	<0.25	<0.20	<0.20	<1.0	<0.50	<0.2	18	<0.25	<0.5	<0.2	<0.2	<0.2	<0.2	<0.4	<0.5	
	05/26/05	-	-	<0.12	-	-	-	-	-	<0.5	-	5.9	-	-	<0.58	-	-	-	<1.11	<1.9	

Table 2 Groundwater Quality Laboratory Analytical Results, Kenosha Marathon Station, Kenosha, Wisconsin

Sample Point	Date Collected	Lead (milligrams per liter)	GRO (micrograms per liter)	Detected Volatile Organic Compounds (micrograms per liter)																	
				Benzene	n-Butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	Ethylbenzene	Chlorobenzene	Methyl-tertiary-butyl-ether	Naphthalene	n-Propylbenzene	Toluene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	Trimethylbenzenes	Xylenes	
MW20	11/05/98	<0.73	<20	0.23	<0.11	<0.17	<0.11	<0.14	<1	<0.077	<0.083	<0.28	<0.49	<0.1	<0.18	<0.11	<0.24	<0.15	<0.25	<0.331	
	12/04/01	-	-	<0.40	-	-	-	-	-	<0.40	-	3.5	<1.3	-	<0.40	-	-	-	<0.90	<1.40	
	04/15/02	-	-	<0.40	-	-	-	-	-	<0.40	-	1.8	<1.3	-	<0.4	-	-	-	<0.90	<1.4	
	07/15/03	-	-	<0.30	-	-	-	-	-	<0.60	-	4.8	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	11/03/03	-	-	<0.30	-	-	-	-	-	<0.60	-	8.9	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	02/06/04	-	-	0.58	-	-	-	-	-	<0.60	-	6.7	<0.58	-	<0.58	-	-	-	<1.18	1.2	
	02/10/05	-	-	<0.20	<0.20	<0.25	<0.20	<0.20	<1.0	<0.50	<0.2	3.4	<0.25	<0.2	<0.2	<0.2	<0.2	<0.2	<0.4	<0.5	
	05/26/05	-	-	<0.12	-	-	-	-	-	<0.5	-	1.5	-	-	<0.13	-	-	-	<1.11	<1.9	
	MW21	11/05/98	<0.073	0.026	<0.063	<0.11	<0.17	<0.11	<0.14	<1	<0.077	<0.084	<0.28	<0.49	<0.1	<0.18	<0.11	<0.24	<0.15	<0.25	<0.331
		12/04/01	-	-	<0.40	-	-	-	-	-	<0.40	-	<0.40	<1.3	-	<0.40	-	-	-	<0.90	<1.40
04/15/02		-	-	<0.40	-	-	-	-	-	<0.40	-	<0.40	<1.3	-	<0.40	-	-	-	<0.90	<1.4	
02/28/03		-	-	<0.45	-	-	-	-	-	<0.92	-	<0.43	-	-	<0.68	-	-	-	<1.86	<2.47	
07/15/03		-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
11/03/03		-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
02/06/04		-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
02/06/04		-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
Trip Blank	07/13/93	-	<0.1	<1	-	-	-	-	-	<1	<1	-	-	-	<1	<1	<1	<1	-	<1	
	11/21/94	-	-	<1	-	-	-	-	-	<1	-	<1	-	-	<1	-	-	-	<2	2	
	08/12/98	-	<50	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.25	0.4	<0.25	<0.25	<0.25	<0.20	<0.25	
	11/09/98	-	<50	<0.13	-	-	-	-	-	<0.22	-	<0.16	-	-	0.26	-	-	-	<0.51	0.26	
	12/04/01	-	-	<0.40	-	-	-	-	-	<0.40	-	<0.40	<1.3	-	<0.40	-	-	-	<0.90	<1.40	
	04/15/02	-	-	<0.40	-	-	-	-	-	<0.40	-	<0.40	<1.3	-	<0.40	-	-	-	<0.90	<1.4	
	07/15/03	-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	02/06/04	-	-	<0.30	-	-	-	-	-	<0.60	-	<0.58	<0.58	-	<0.58	-	-	-	<1.18	<1.84	
	02/10/05	-	-	<0.20	<0.20	<0.25	<0.20	<0.20	1.9 L	<0.50	<0.2	<0.5	<0.25	<0.5	<0.2	<0.2	<0.2	<0.2	<0.4	<0.5	
	05/26/05	-	-	<0.12	-	-	-	-	-	<0.5	-	<0.11	-	-	<0.13	-	-	-	<1.11	<1.9	
NR 140, Wis. Adm. Code PAL		1.5	NE	0.5	NE	NE	NE	NE	0.5	140	NE	12	8	NE	200	125	15	60	96	1000	
NR 140, Wis. Adm. Code ES		15	NE	5	NE	NE	NE	NE	5	700	NE	60	40	NE	1000	1250	75	600	480	10,000	

Note:
 <x = compound not detected to a detection limit of x
 - = not analyzed
 L = common laboratory solvent
 NE = not established
 J = analyte detected between LOD and LOQ
 XXXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) preventive action limit (PAL)
 XXXX = exceeds NR 140, Wis. Adm. Code Enforcement Standard (ES)

Table 4 Groundwater Bioattenuation Indicator Parameter Data, Kenosha Marathon Station, Kenosha, Wisconsin

Well Number	Date Analyzed	Dissolved Oxygen (milligrams per liter)	Specific Conductance (microMHOs)	ORP (millivolts)	Temperature (°Celcius)	pH (Standard Units)
MW2	07/15/03	0.66	2.0	14	12.6	6.9
	11/03/03	1.28	1.6	-11	15.2	7.1
	02/06/04	4.64	4.3	6	10.3	7.3
MW3	07/15/03	0.73	5.2	-1	12.6	6.6
	11/03/03	0.84	3.0	-6	15.6	6.9
	02/06/04	3.32	3.1	-44	9.8	7.3
MW10	07/15/03	1.11	1.8	271	13.1	7.0
	11/03/03	4.14	0.7	180	15.9	7.7
	02/06/04	4.13	12.0	167	11.5	7.6
MW11	07/15/03	1.20	1.0	305	11.2	7.3
	11/03/03	2.94	0.9	182	13.4	7.6
	02/06/04	1.77	0.8	160	9.5	7.6
MW12	07/15/03	0.90	1.9	-11	11.3	6.8
	11/03/03	1.36	2.0	11	13.1	6.9
	02/06/04	1.08	2.0	-50	9.9	7.1
MW13	07/15/03	0.69	2.0	173	12.5	7.1
	11/03/03	1.38	2.2	51	14.8	7.2
	02/06/04	1.58	2.1	33	10.9	7.4
MW20	07/15/03	3.16	1.2	301	11.2	7.1
	11/03/03	2.90	1.2	169	12.7	7.4
	02/06/04	1.98	1.1	148	10.1	7.4
MW21	07/15/03	2.26	2.7	230	15.0	7.2
	11/03/03	2.02	2.5	133	15.2	7.3
	02/06/04	3.35	2.8	169	8.7	7.6

Note:
 ORP = oxidation reduction potential

Table 3 Supplemental Soil Sample Field Screening and Analytical Results, Kenosha Marathon Station, Kenosha, Wisconsin


Borehole Number	Sample Number	Date Sampled	Depth	Photolization Detector (PID) Results			Laboratory Analysis										Odor	Sample Description	
				Time Collected	Time Analyzed	Response (nl)	GRO (mg/kg)	Lead (mg/kg)	Detected Volatile Organic Compounds (micrograms per kilogram)							Total Xylenes			
									Benzene	Methyl-tertiary-butyl-ether	n-Butyl-benzene	Naphthalene	n-Propyl-benzene	1,2,4-Trimethyl-benzene	1,3,5-Trimethyl-benzene				
SB20	S1	11/02/98	1-3	-	-	0	-	-	-	-	-	-	-	-	-	-	-	None	Silt moist Silty with sand and gravel moist Gravel with silt Silty clay, wet Silt with clay, saturated Silt with clay Silty clay
	S2	11/02/98	3-5	-	-	0	<6.0	11	<2.6	<6.6	<9.6	<7.4	<8.4	<5.0	<6.2	<14.8	None		
	S3	11/02/98	5-7	-	-	0	<5.6	11	<2.6	<6.6	<9.6	<7.4	<8.4	<5.0	<6.2	<14.8	None		
	S4	11/02/98	7-9	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S5	11/02/98	9-11	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S6	11/02/98	11-13	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S7	11/02/98	13-15	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
SB21	S1	11/02/98	1-3	-	-	0	-	-	-	-	-	-	-	-	-	-	-	None	Sandy gravel, fill Silty clay Gravel with silt Sand with gravel, fill Sand with gravel, fill Silty clay No recovery Silt clay with sand, saturated
	S2	11/02/98	3-5	-	-	3.2	<5.7	8.5	<2.6	<6.6	95	140	36	310	140	<14.8	None		
	S3	11/02/98	5-7	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S4	11/02/98	7-9	-	-	0	<5.6	14	<2.6	<6.6	<9.6	<7.4	<8.4	<5.0	<6.2	<14.8	None		
	S5	11/02/98	9-11	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S6	11/02/98	11-13	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
	S7	11/02/98	13-15	-	-	0	-	-	-	-	-	-	-	-	-	-	None		
B10	S1001	02/18/03	2.5-4.5	1005	1046	4	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay Silty clay Silty clay Silty clay Silty clay
	S1002	02/18/03	5-7	1023	1046	3	-	-	<25	110	-	-	-	<25	<25	<50	None		
	S1003	02/18/03	7.5-9.5	1029	1050	3	-	-	-	-	-	-	-	-	-	-	None		
	S1004	02/18/03	10-12	1032	1050	2	-	-	-	-	-	-	-	-	-	-	None		
	S1005	02/18/03	12.5-14.5	1039	1055	2	-	-	-	-	-	-	-	-	-	-	None		
B11	S1101	02/18/03	2.5-4.5	1126	1220	2	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay Silty sand Silty clay Silt Fine sand
	S1102	02/18/03	5-7	1132	1220	2	-	-	<25	<25	-	-	-	<25	<25	<50	None		
	S1103	02/18/03	7.5-9.5	1138	1221	1	-	-	-	-	-	-	-	-	-	-	None		
	S1104	02/18/03	10-12	1143	1221	1	-	-	-	-	-	-	-	-	-	-	None		
	S1105	02/18/03	12.5-14.5	1047	1222	1	-	-	-	-	-	-	-	-	-	-	None		
B12	S1201	02/18/03	2.5-4.5	1246	1330	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay Silty clay Silty clay Silty clay Silty clay
	S1202	02/18/03	5-7	1250	1331	2	-	-	-	-	-	-	-	-	-	-	None		
	S1203	02/18/03	7.5-9.5	1255	1331	6	-	-	<25	<25	-	-	-	<25	<25	<50	None		
	S1204	02/18/03	10-12	1303	1332	6	-	-	-	-	-	-	-	-	-	-	None		
	S1205	02/18/03	12.5-14.5	1308	1332	4	-	-	-	-	-	-	-	-	-	-	None		
B13	S1301	02/18/03	2.5-4.5	1352	1450	44	-	-	-	-	-	-	-	-	-	-	-	Slight petroleum	Silty clay Silty clay Silty clay Silty clay Silt
	S1302	02/18/03	5-7	1405	1450	49	-	-	36	120	-	-	-	<25	<25	179	Slight petroleum		
	S1303	02/18/03	7.5-9.5	1416	1451	24	-	-	-	-	-	-	-	-	-	-	Slight petroleum		
	S1304	02/18/03	10-12	1421	1451	90	-	-	-	-	-	-	-	-	-	-	Slight petroleum		
	S1305	02/18/03	12.5-14.5	1428	1452	18	-	-	-	-	-	-	-	-	-	-	None		
B14	S1401	02/01/05	0-2.5	0956	1040	2	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till Silty clay till Silty clay till Silty clay till Silty clay till Silty clay till
	S1402	02/01/05	2.5-5	0957	1040	2	-	-	-	-	-	-	-	-	-	-	None		
	S1403	02/01/05	5-7.5	1004	1041	3	-	-	-	-	-	-	-	-	-	-	None		
	S1404	02/01/05	7.5-10	1004	1041	3	-	-	-	-	-	-	-	-	-	-	None		
	S1405	02/01/05	10-12.5	1030	1042	2	-	-	-	-	-	-	-	-	-	-	None		
	S1406	02/01/05	12.5-15	1030	1042	2	-	-	-	-	-	-	-	-	-	-	None		
B15	S1501	02/01/05	0-2.5	1049	1131	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till Silty clay till Silty clay till Silty clay till Silty clay till Silty clay till
	S1502	02/01/05	2.5-5	1050	1131	2	-	-	-	-	-	-	-	-	-	-	None		
	S1503	02/01/05	5-7.5	1057	1132	3	-	-	-	-	-	-	-	-	-	-	None		
	S1504	02/01/05	7.5-10	1057	1132	2	-	-	-	-	-	-	-	-	-	-	None		
	S1505	02/01/05	10-12.5	1110	1132	2	-	-	-	-	-	-	-	-	-	-	None		
	S1506	02/01/05	12.5-15	1110	1132	3	-	-	-	-	-	-	-	-	-	-	None		

Table 3 Supplemental Soil Sample Field Screening and Analytical Results, Kenosha Marathon Station, Kenosha, Wisconsin

Borehole Number	Sample Number	Date Sampled	Depth	Photoionization Detector (PID) Results			Laboratory Analysis										Odor	Sample Description	
				Time Collected	Time Analyzed	Response (Iu)	GRO (mg/kg)	Lead (mg/kg)	Detected Volatile Organic Compounds (micrograms per kilogram)							Total Xylenes			
									Benzene	Methyl-tertiary-butyl-ether	n-Butyl-benzene	Naphthalene	n-Propyl-benzene	1,2,4-Trimethyl-benzene	1,3,5-Trimethyl-benzene				
B16	S1601	02/01/05	0-2.5	1158	1240	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
	S1602	02/01/05	2.5-5	1158	1240	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
	S1603	02/01/05	5-7.5	1208	1241	2	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
	S1604	02/01/05	7.5-10	1208	1241	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
	S1605	02/01/05	10-12.5	1221	1242	3	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
	S1606	02/01/05	12.5-15	1221	1242	1	-	-	-	-	-	-	-	-	-	-	-	None	Silty clay till
B17	S1701	02/01/05	0-2.5	1445	1515	3	-	-	<28	<28	-	<28	-	<28	<28	<40	None	Silty clay till	
	S1702	02/01/05	2.5-5	1445	1515	3	-	-	-	-	-	-	-	-	-	-	None	Silty clay till	
	S1703	02/01/05	5-7.5	1452	1517	2	-	-	-	-	-	-	-	-	-	-	None	Silty clay till	
	S1704	02/01/05	7.5-10	1452	1517	3	-	-	<30	<30	-	<30	-	<30	<42	None	Silty clay till		
	S1705	02/01/05	10-12.5	1500	1518	3	-	-	-	-	-	-	-	-	-	-	None	Silty clay till	
	S1706	02/01/05	12.5-15	1500	1518	3	-	-	-	-	-	-	-	-	-	-	None	Silty clay till	
NR 720, Wis. Adm. Code Generic Residual Contaminant Levels							100	50	5.5	NE	NE	NE	NE	NE	NE	4100			
s. NR 746.06, Wis. Adm. Code Risk from Direct Contact (Table 2)							NE	NE	1100	NE	NE	NE	NE	NE	NE	NE			
s. NR 746.06, Wis. Adm. Code Indicators of Residual Petroleum Product in Soil Pores (Table 1)							NE	NE	8500	NE	NE	2700	NE	83,000	11,000	42,000			

Note:
 GRO = gasoline range organics
 DRO = diesel range organics
 mg/kg = milligrams per kilogram
 - = not laboratory analyzed
 <x = compound not detected to a detection limit of x
 NE = standard not established

XXX = exceeds Chapter NR 720, Wisconsin Administrative Code (NR 720, Wis. Adm. Code) Generic Residual Contaminant Levels
 XXX = exceeds Section NR 746.06, Wisconsin Administrative Code (s. NR 746.06, Wis. Adm. Code) Risk from Direct Contact
 XXX = exceeds s. NR 746.06, Wis. Adm. Code Indicators of Residual Petroleum Product in Soil Pores



LEGEND

- B1/MW11 90.27 MONITORING WELL/ BORING LOCATION AND IDENTIFICATION WITH GROUNDWATER ELEVATION IN FEET
- MW1 ABANDONED MONITORING WELL LOCATION AND IDENTIFICATION
- STORM SEWER INLET
- HYDRANT
- MANHOLE
- UNDERGROUND STORAGE TANK (UST)
- APPROXIMATE LOCATION OF FORMER UNDERGROUND STORAGE TANK (UST)
- GRASS
- BRICK PATIO
- PROPERTY BOUNDARY LINE
- GASOLINE DISPENSERS
- BURIED TELEPHONE LINE
- SANITARY SEWER LINE
- WATER LINE
- FENCE
- NATURAL GAS LINE
- EXTENT OF GROUNDWATER WITH PVOc CONCENTRATIONS EXCEEDING NRI40 ES
- $\text{---}00\text{---}$ GROUNDWATER CONTOUR (IN FEET)



<p>▲ Northern Environmental Hydrologists • Engineers • Surveyors • Scientists 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092 Phone: 800-776-7140 Fax: 262-241-8222</p>	<p>GROUNDWATER ELEVATION MAY 25, 2005</p>				
	<p>MARATHON STATION 3705 52nd STREET KENOSHA, WISCONSIN</p>				
<p>WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA</p> <p><small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.</small></p>	<p>DATE: 06/17/05</p>	<p>DRAWN BY: KAA</p>	<p>TASK NUMBER: 250</p>	<p>PROJECT NUMBER: BPT 01-2200-2555</p>	<p>FIGURE 5</p>

Table 1 Groundwater Elevation Data, Kenosha Marathon Station, Kenosha, Wisconsin

Monitoring Well	Date	Ground Surface Elevation (feet)	Reference Point Elevation* (feet)	Depth to Bottom of Well Below Reference Point* (feet)	Depth to Water Below Reference Point* (feet)	Water Table Elevation (feet)
MW1	11/03/98	-	-	-	-	-
	11/05/98	-	-	-	6.86	-
	12/04/01			Well abandoned		
MW2	11/03/98	99.60	99.26	15.20	6.74	92.52
	11/05/98				6.74	92.52
	12/04/01				7.09	92.17
	04/15/02				6.67	92.59
	02/28/03				9.98	89.28
	07/15/03				6.00	93.26
	11/03/03				7.90	91.36
	02/06/04				9.10	90.16
	02/18/04				9.21	90.05
	02/10/05				6.94	92.32
	05/25/05				5.96	93.30
MW3	11/03/98	98.52	98.08	15.30	5.74	92.34
	11/05/98				5.74	92.34
	12/04/01				5.67	92.41
	04/15/02				4.78	93.30
	02/28/03				6.44	91.64
	07/15/03				5.22	92.86
	11/03/03				6.28	91.80
	02/06/04				7.84	90.24
	02/18/04				8.12	89.96
	02/10/05				5.09	92.99
	05/25/05				5.12	92.96
MW20	11/03/98	99.06	98.75	15.35	7.18	91.57
	11/05/98				7.24	91.51
	12/04/01				6.89	91.86
	04/15/02				5.73	93.02
	02/28/03				10.22	88.53
	07/15/03				7.83	90.92
	11/03/03				9.17	89.58
	02/06/04				9.43	89.32
	02/18/04				9.98	88.77
	02/10/05				6.02	92.73
	05/25/05				6.85	91.90
MW21	11/03/98	98.67	98.14	15.45	12.03	86.11
	11/05/98				-	98.14
	12/04/01				13.26	84.88
	04/15/02				13.02	85.12
	02/28/03				13.80	84.34
	07/15/03				12.65	85.49
	11/03/03				12.53	85.61
	02/06/04				13.48	84.66
	02/18/04					
	02/10/05				12.84	85.30
	05/25/05					

Table 1 Groundwater Elevation Data, Kenosha Marathon Station, Kenosha, Wisconsin

Monitoring Well	Date	Ground Surface Elevation (feet)	Reference Point Elevation* (feet)	Depth to Bottom of Well Below Reference Point* (feet)	Depth to Water Below Reference Point* (feet)	Water Table Elevation (feet)
MW10	02/28/03	99.73	99.25	14.90	10.03	89.22
	07/15/03				8.02	91.23
	11/03/03				12.19	87.06
	02/06/04				8.95	90.30
	02/18/04				9.56	89.69
	02/10/05				7.79	91.46
	05/25/05				7.36	91.89
MW11	02/28/03	98.05	97.63	14.90	11.13	86.50
	07/15/03				8.34	89.29
	11/03/03				9.24	88.39
	02/06/04				10.63	87.00
	02/18/04				10.84	86.79
	02/10/05				7.34	90.29
	05/25/05				7.36	90.27
MW12	02/28/03	100.32	99.85	14.88	10.00	89.85
	07/15/03				7.94	91.91
	11/03/03				9.20	90.65
	02/18/04				9.65	90.20
	02/10/05				6.79	93.06
	05/25/05				6.78	93.07
MW13	02/28/03	98.69	98.31	14.80	9.78	88.53
	07/15/03				8.02	90.29
	11/03/03				8.59	89.72
	02/06/04				9.00	89.31
	02/18/04				9.15	89.16
	02/10/05				7.25	91.06
	05/25/05				7.10	91.21
MW14	02/10/05	104.91	104.91	13.00	11.49	93.42
	05/25/05				Dry	-
MW15	02/10/05	106.19	106.15	15.00	7.28	98.87
	05/25/05				7.90	98.25
MW16	02/10/05	101.44	101.39	15.00	7.93	93.46
	05/25/05				8.50	92.89
MW17	02/10/05	97.48	97.34	15.00	14.96	82.38
	05/25/05				13.47	83.87

Note:

Elevations are referenced to local datum

* = reference point is the top of the monitoring well casing

8x11.dwg

LEGEND

MW20
SB20  MONITORING WELL AND SOIL BOREHOLE LOCATION AND IDENTIFICATION

MW1  ABANDONED MONITORING WELL LOCATION AND IDENTIFICATION

B2  BOREHOLE LOCATION AND IDENTIFICATION

 LIGHT

 SIGN

 PAY PHONE

 KENOSHA UNIFIED SCHOOL DISTRICT PARKING LOT

MW21 SB21 

CONCRETE SIDEWALK

52nd STREET

CONCRETE SIDEWALK

MW2 

MW3 

BUILDING

CANOPY

CONCRETE SIDEWALK

37th AVENUE

CONCRETE SIDEWALK

SCHUBERT MEDIA BILLBOARD ADVERTISING


 PROPOSED EXTENT OF REMEDIAL EXCAVATION

 GRASS

 UNDERGROUND STORAGE TANK (UST)

 APPROXIMATE LOCATION OF FORMER UNDERGROUND STORAGE TANK (UST)

 PROPERTY BOUNDARY LINE



DRAWN BY: VLG PROJECT: 01-2200-2353 DATE: 12/21/01

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

 **Northern Environmental** SM
Hydrologists • Engineers • Geologists


MARATHON STATION
3705 52nd STREET
KENOSHA, WISCONSIN


**PROPOSED EXTENT OF
REMEDIAL EXCAVATION**

FIGURE: 6

K:\NET\DWG\BPI-2353\050902_6

PRINTED: 5/23/02





August 17, 2006

Mr. Christopher C. Hatfield
Northern Environmental Technologies, Incorporated
12075 North Corporate Parkway
Mequon, Wisconsin 53092

RE: Signed Statement, Speedway Station #2040 3705 52nd Street, Kenosha, Wisconsin

Dear Mr. Hatfield:

The parcel ID # for the above-referenced site from the Kenosha County Register of Deeds is 09-222-36-329-013. The most recent deed is enclosed. The legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,



Rohit Sharma

Enclosures

August 17, 2006

Mr. Richard Pesh
5212 37th Avenue
Kenosha, Wisconsin 53144

RE: GIS Registry Closure Requirements

Dear Mr. Pesh:

Petroleum-contaminated groundwater originating from the Speedway Station #2040 property located at 3705 52nd Street, Kenosha, Wisconsin (WDNR BRRTS #03-30-003096) has migrated onto your property at 5212 37th Avenue, Kenosha, Wisconsin. The levels of petroleum contamination in the groundwater on your property are above the state groundwater enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, the released petroleum has been investigated and remediated, and the residual groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in NR 726, Wis. Adm. Code, and I will be requesting that the Wisconsin Department of Commerce (COMM) accept natural attenuation as the final remedy and grant case closure. Closure means that the COMM will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the petroleum-related soil and groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (s.292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats., you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Wisconsin Department of Natural Resource's (WDNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination."

The COMM will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the COMM to provide any technical information that you may have that indicates that closure should not be granted to this site. If you would like to submit information to the COMM that is relevant to this closure request, you should mail that information to:

Ms. Linda Michalets
Wisconsin Department of Commerce
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the NR 140, Wis. Adm. Code groundwater ES and soil contamination exceeds the RCLs will be listed on the

WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140, Wis. Adm. Code ES and soil exceeding the RCLs was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site. Please review the enclosed legal description and parcel ID # of your property and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a water supply well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a water supply well on your property in the future will first need to call the Diggers Hotline ([800] 242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the COMM makes a decision on my closure request, it will be documented in a letter. If the COMM grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information you may contact Mr. Robert Sanborn (Northern Environmental) at (262) 241-3133 or you may contact Ms. Linda Michalets (WDCOMM) at (414) 220-5376.

Sincerely



Rohit Sharma

c: Christopher Hatfield, Northern Environmental
Linda Michalets, WDCOMM

August 17, 2006

City Clerk
City of Kenosha
625 52nd Street
Kenosha, Wisconsin 53144

RE: GIS Registry Closure Requirements

Dear City Clerk:

Petroleum-contaminated groundwater originating from the Speedway Station #2040 property located at 3705 52nd Street, Kenosha, Wisconsin has migrated onto the city of Kenosha (the City) right-of-way property (WDNR BRRTS #03-30-003096). The levels of petroleum contamination in the groundwater on the City right-of-way are above the state groundwater enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, the released petroleum has been investigated and remediated, and the residual groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in NR 726, Wis. Adm. Code, and I will be requesting that the Wisconsin Department of Commerce (COMM) accept natural attenuation as the final remedy and grant case closure. Closure means that the COMM will not require any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the petroleum-related soil and groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of Section 292.13, Wisconsin Statutes (s.292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats., you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Wisconsin Department of Natural Resources (WDNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination."

The COMM will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the COMM to provide any technical information that you may have that indicates that closure should not be granted to this site. If you would like to submit information to the COMM that is relevant to this closure request, you should mail that information to:

Ms. Linda Michalets
Wisconsin Department of Commerce
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the NR 140, Wis. Adm. Code groundwater ES and soil contamination exceeds the RCLs will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the

GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above NR 140, Wis. Adm. Code ES and soil exceeding the RCLs was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site. Please review the enclosed legal description and parcel ID # of your property (if applicable) and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a water supply well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a water supply well on your property in the future will first need to call the Diggers Hotline ([800] 242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the COMM makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information you may contact Mr. Robert Sanborn (Northern Environmental) at (262) 241-3133 or you may contact Ms. Linda Michalets (COMM) at (414) 220-5376.

Sincerely



Rohit Sharma

c: Christopher Hatfield, Northern Environmental
Linda Michalets, COMM