

### Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

**\*WTM COORDINATES:**

X:  Y:

*\* Coordinates are in  
WTM83, NAD83 (1991)*

**WTM COORDINATES REPRESENT:**

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

### Contaminated Media:

- Groundwater Contamination > ES (236)
- Contamination in ROW
- Off-Source Contamination  
*(note: for list of off-source properties see "Impacted Off-Source Property")*
- Soil Contamination > \*RCL or \*\*SSRCL (232)
- Contamination in ROW
- Off-Source Contamination  
*(note: for list of off-source properties see "Impacted Off-Source Property")*

### Land Use Controls:

- Soil: maintain industrial zoning (220)  
*(note: soil contamination concentrations between residential and industrial levels)*
- Structural Impediment (224)
- Site Specific Condition (228)
- Cover or Barrier (222)  
*(note: maintenance plan for groundwater or direct contact)*
- Vapor Mitigation (226)
- Maintain Liability Exemption (230)  
*(note: local government or economic development corporation)*

### Monitoring wells properly abandoned? (234)

- Yes
- No
- N/A

\* Residual Contaminant Level  
\*\* Site Specific Residual Contaminant Level

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 02-41-553743

PARCEL ID #: 161-9992-001

ACTIVITY NAME: Louise B Mirochnick Trust

WTM COORDINATES: X: 688284 Y: 297162

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

**SOURCE LEGAL DOCUMENTS**

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*  
**Figure #: 1**                      **Title: Site Location Map and Local Topography**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 2**                      **Title: Site Layout Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 4**                      **Title: Lead Concentrations in Soil**

BRRTS #: 02-41-553743

ACTIVITY NAME: Louise B Mirochnick Trust

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

**Figure #: 3 Title: Geologic Cross Section**

**Figure #: Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

**Note:** This is intended to show the total area of contaminated groundwater.

**Figure #: Title:**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

**Figure #: Title:**

**Figure #: Title:**

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

**Table #: 1 & 2 Title: Soil Sample Screening - Metals, PAHs, VOCs**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

**Table #: 3 & 4 Title: VOC, Metals, & PAHs Laboratory Analytical Results in Groundwater**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

**Table #: Title:**

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.  
**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

**Figure #: Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-41-553743

ACTIVITY NAME: Louise B Mirochnick Trust

**NOTIFICATIONS**

**Source Property**

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

**Off-Source Property**

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.  
*Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*  
**Number of "Off-Source" Letters:**
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).  
**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-3128  
FAX 414-263-8606  
Telephone 414-263-8500  
TTY Access via relay - 711

September 2, 2009

Louise B. Mirochnick Trust  
c/co Jay Dolgin, Dolgin & Fischer, LLC  
30 North LaSalle Street  
Chicago, IL 60602

Subject: Final Case Closure and NR 140 Exemption for the Louise Mirochnick Trust Property  
1633 West Bender Road, Glendale, WI

FID: 241662190  
BRRTS: 02-41-553743

Dear Mr. Dolgin:

On August 21, 2009, the Wisconsin Department of Natural Resources ("the Department") reviewed your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On August 25, 2009, you were notified that the Closure Committee had granted conditional closure to this case.

On September 2, 2009, the Department received information or documentation indicating that you have complied with the requirements for final closure by the submittal of the revised Barrier Maintenance Plan and groundwater well abandonment forms.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

### GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at:

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

### Residual Soil Contamination

Residual soil contamination remains at locations B100, B200, B300, B400, B500, B600, B700, B800, B900, B1000, B1100, and B1200 as indicated on the attached map (Figure 1, barrier attached maintenance plan) in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

### Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the paved surfaces, building, and soil cover that currently exists in the location shown on the attached map (Figure 1) shall be maintained in compliance with **the attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site. Please submit the inspection log to the Department only upon request.

### Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, engineered cap or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; 6) construction or placement of a building or other structure.

## Chapter NR 140, Wis. Adm. Code Exemption

Recent groundwater monitoring data at this site indicates that for benzene, tetrachloroethene, trichloroethene, metals, and PAHs at monitoring points TW1, TW2, TW3, TW4, TW5, and TW6 exceeding the NR 140 preventative action limit (PAL) but are below the enforcement standard (ES). The Department may grant an exemption to a PAL for a substance of public health concern, other than nitrate, pursuant to s. NR 140.28(2)(b), Wis. Adm. Code, if all of the following criteria are met:

1. The measured or anticipated increase in the concentration of the substance will be minimized to the extent technically and economically feasible.
2. Compliance with the PAL is either not technically or economically feasible.
3. The enforcement standard for the substance will not be attained or exceeded at the point of standards application. [Note: at this site the point of standards application is all points where groundwater is monitored.]
4. Any existing or projected increase in the concentration of the substance above the background concentration does not present a threat to public health or welfare.

Based on the information you provided, the Department believes that these criteria have been or will be met because of the soil remediation and groundwater monitoring. Therefore, pursuant to s. NR 140.28, Wis. Adm. Code, an exemption to the PAL is granted for benzene, tetrachloroethene, trichloroethene, metals, and PAHs at monitoring points TW1, TW2, TW3, TW4, TW5, and TW6. Please keep this letter, because it serves as your exemption.

## Post-Closure Notification Requirements

In accordance with ss. 292.12 and 292.13, Wis. Stats., you must notify the Department before making changes that affect or relate to the conditions of closure in this letter. For this case, examples of changed conditions requiring prior notification include, but are not limited to:

- Any activity or construction that results in the removal or modification of a structural impediment that obstructed a complete site investigation or cleanup
- Development, construction or other changes, including zoning changes, that change the land use from industrial to non-industrial
- Disturbance, construction on, change or removal in whole or part of pavement, an engineered cover or a soil barrier that must be maintained over contaminated soil
- Discontinuing operation and maintenance or changes to the soil vapor mitigation system

Please send written notifications in accordance with the above requirements to:

WDNR  
Attn: John J. Hnat  
2300 Dr M L King Dr  
Milwaukee, WI 53211

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact John J. Hnat at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter

in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,

A handwritten signature in black ink that reads "James A. Schmidt". The signature is written in a cursive style with a large initial "J" and "S".

James A. Schmidt  
Team Supervisor  
Southeast Region Remediation and Redevelopment

Enclosure: Barrier Maintenance Plan dated August 31, 2009

C: Chris Hatfield, Bonestroo  
WDNR SER Files

## BARRIER MAINTENANCE PLAN

August 31, 2009

1633 West Bender Road, Glendale, Wisconsin 53209  
Parcel ID #1619992-000

WDNR BRRTS #~~03-41-113134~~ *0 2-41-553743* *JK*

### **INTRODUCTION**

This document is a Maintenance Plan for existing paved surfaces, building, and soil cover at the above-referenced property (the Property) according to the requirements of section NR 724.13(2), Wisconsin Administrative Code (s. NR 724.13[2], Wis. Adm. Code). The maintenance activities relate to paved surfaces, building, and soil cover occupying the area over contaminated soil on the Property. The contaminated soil is affected by lead, arsenic, and polycyclic aromatic hydrocarbons. The location of the paved surfaces, building, and soil cover to be maintained as part of the Maintenance Plan, as well as the impacted soil, are defined in the attached map (Exhibit A) and encompass the entire property. The paved surfaces, building, and soil cover will serve as an institutional control as required for case closure under s. NR 726.05 Wis. Adm. Code.

### **COVER AND BARRIER PURPOSE**

The existing paved surfaces, building, and soil cover over contaminated soil serve as a barrier to prevent direct human contact that might otherwise pose a threat to human health. The existing paved surfaces, building, and soil cover also act as a partial infiltration barrier to minimize future soil to groundwater contamination migration. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

### **ANNUAL INSPECTION**

The existing paved surfaces, building, and soil cover overlying contaminated soil as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice are gone. The paved surfaces will be inspected for deterioration, cracks, and other potential problems that can cause additional infiltration into or facilitate exposure to underlying soils. The soil cover will be inspected for cracks or disturbances that would expose contaminated soil. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age, and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair or any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log. The Barrier Maintenance Plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Wisconsin Department of Natural Resources upon request.

### **MAINTENANCE ACTIVITIES**

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations, or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct-exposure hazard and provide them with appropriate personal protection equipment (PPE). The owner must also sample any soil that is excavated

from the site before disposal to ascertain if contamination remains. The soil must be treated, stored, and disposed of by the owner according to applicable local, state, and federal law.

In the event the paved surfaces and/or the building overlying the soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surfaces and/or the building, will maintain a copy of this Maintenance Plan on site and make it available to all interested parties (i.e., on-site employees, contractors, future property owners, etc.) for viewing.

### **AMENDMENT OR WITHDRAWAL OF MAINTENANCE PLAN**

This Maintenance Plan can be amended or withdrawn by the property owner or its successors with the written approval of the WDNR.

### **CONTACT INFORMATION**

Site Owner and Operator:

Louise B Mirochnick Declaration of Trust  
c/o Jay Dolgin  
Dolgin & Fischer, LLC  
30 North LaSalle Street  
Chicago, Illinois 60602  
(312)705-2000

Consultant:

Mr. Christopher C. Hatfield  
Bonestroo  
12075 North Corporate Parkway  
Mequon, Wisconsin 53092  
(262) 643-9171

WDNR:

Mr. John Hnat  
Southeast Region Headquarters  
2300 North Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212  
(414) 263-8688

Exhibit A



LEGEND

0 - 4' LEAD CONCENTRATIONS IN PPM

>8' LEAD CONCENTRATIONS IN PPM



EXTENT OF SOIL WITHIN 4' OF GROUND SURFACE CONTAINING LEAD CONCENTRATIONS ABOVE THE NR720.11 RCL AND CAP MAINTENANCE AREA

--- PROPERTY BOUNDARY

B500 99.3 791 BOREHOLE LOCATION WITH IDENTIFICATION AND LEAD CONCENTRATIONS

B100/TW1 99.3 791 TEMPORARY MONITORING WELL AND GAS PROBE LOCATION WITH IDENTIFICATION AND LEAD CONCENTRATIONS

**Northern Environmental**

Hydrologists • Engineers • Surveyors • Scientists

12075 Corporate Parkway Suite H, Mequon, Wisconsin  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MINNESOTA ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

CAP MAINTENANCE AREA

MIROCHNICK TRUST PROPERTY  
1633 WEST BENDER ROAD  
GLENDALE, WISCONSIN





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-3128  
FAX 414-263-8606  
Telephone 414-263-8500  
TTY Access via relay - 711

August 25, 2009

Louise B. Mirochnick Trust  
c/o Jay Dolgin, Dolgin & Fischer, LLC  
30 North LaSalle Street  
Chicago, IL 60602

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure for the Louise Mirochnick Trust Property, 1633 West Bender Road, Glendale, WI

FID: 241662190  
BRRTS: 02-41-553743

Dear Mr. Dolgin:

On August 21, 2009, the Wisconsin Department of Natural Resources ("the Department") re-reviewed your request for closure of the case described above based on the sampling of TW6 for lead. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the metal, PAH, and chlorinated solvent soil and groundwater contamination from the fill material appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed when the following conditions are satisfied:

- The groundwater monitoring wells and any other remediation systems at the site must be properly abandoned in compliance with ch. NR 141, Wis. Admin. Code. Documentation of well abandonment must be submitted to this office on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dgw/gw](http://www.dnr.state.wi.us/org/water/dgw/gw) within 60-days on receipt of this letter as required in s. NR 726.05(8)(a)1 and s. NR 141.25 Wis. Admin. Code. The Department requires the abandonment of these wells before issuing a final closure letter.
- Revise Page 1, of the Barrier Maintenance Plan and submit the revision as follows:

Under the Annual Inspection paragraph, remove the last sentence, "A copy of the inspection log.....case closure letter." And replace it with the following:

"The Barrier Maintenance Plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Department upon request".

When the above conditions have been satisfied, please submit the appropriate documentation to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the

site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

### **PAL Exemption**

A PAL exemption will be granted for benzene, tetrachloroethene, and trichloroethene found in the temporary groundwater wells when the final closure letter is issued for the site.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact me at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



John J. Hnat, P.G., C.P.G.  
Project Manager/Senior Hydrogeologist  
Southeast Region  
Remediation and Redevelopment

C: Christopher Hatfield, Bonestroo  
WDNR SER Files

DOC # 77  
8651277

REGISTER'S OFFICE | SS  
Milwaukee County, WI

RECORDED AT 8:47 AM

10-13-2003

JOHN LA FAVE  
REGISTER OF DEEDS

AMOUNT 15.00

REEL 5687

IMAGE 2471

This Instrument Prepared By and

Upon Recordation Return To:

Jay L. Dolgin, Esq.  
Hochman Dolgin Delott & Prohov, P.C.  
30 North LaSalle Street  
Suite 4300  
Chicago, Illinois 60602

Send Subsequent Tax Bills To:

Jay L. Dolgin, Trustee  
Hochman Dolgin Delott & Prohov, P.C.  
30 North LaSalle Street  
Suite 4300  
Chicago, Illinois 60602

Above Box For Recorders Office Only

TRUSTEE'S DEED

THIS INDENTURE, made this 9<sup>th</sup> day of September, 2003, between Jay L. Dolgin, not individually, but as Successor Trustee of the Louise B. Mirochnick Declaration of Trust dated July 13, 1989, as amended, Grantor, and Jay L. Dolgin, not individually, but as Trustee of the Mirochnick Non-Exempt Trust created under the Louise B. Mirochnick Declaration of Trust dated July 13, 1989, as amended, Grantee, of Chicago, Illinois.

WITNESSETH: The Grantor for and in consideration of the sum of TEN (\$10.00) DOLLARS, and other good and valuable consideration in hand paid, receipt of which is hereby acknowledged, and in pursuance of the power and authority vested in the grantor as said Trustee and of every other power and authority the Grantor hereunto enabling, does hereby convey and quitclaim unto the Grantee, in fee simple, as to an undivided Twenty Seven Percent (27.00%) of the following described real estate situated in the County of Milwaukee, in the State of Wisconsin, to wit:

SEE ATTACHED LEGAL DESCRIPTION


together with the tenements, hereditaments and appurtenances thereunto belonging or in any way appertaining.

Tax Key No. 161-9992

FEE  
# 77.25 (9)  
EXEMPT

Address of Property: 1633 W. Bender Road, Glendale, Wisconsin 53209

IN WITNESS WHEREOF, the GRANTOR as Trustee as aforesaid, hereunto set his hand and seal the day and year first above written.

  
Jay L. Dolgin, Trustee aforesaid, Grantor


3

STATE OF ILLINOIS )  
                          )     SS  
COUNTY OF COOK    )

I, the undersigned, a Notary Public in and for said County in the State aforesaid, do hereby certify that Jay L. Dolgin, as aforesaid Successor Trustee, personally known to me to be the same person whose name is subscribed to the foregoing instrument, appeared before me in person and acknowledged that he signed, sealed and delivered said instrument as his free and voluntary act, for the uses and purposes therein set forth.

Given under my hand and official seal, this 9<sup>th</sup> day of September 2003.

Raymond W. David  
Notary Public



100953v1

REEL

5687

IMAGE

2472

That part of the Northeast 1/4 of Section 30, Town 8 North, Range 22 East, City of Glendale, County of Milwaukee, State of Wisconsin, bounded and described as follows: Commencing at the Southeast corner of said 1/4 Section; thence West along the South line of said 1/4 Section, 1058.15 feet to a point; thence North 00° 45' 56" West, 1325.98 feet to the point of beginning of the land to be described; said point being in the center line of W. Bender Road; thence North 89° 48' 28" West along the center line of W. Bender Road, 415.51 feet to a point; said point being 313.11 feet South 89° 48' 28" East from the intersection of the center line of W. Bender Road and the center line of N. Green Bay Road; thence South 17° 51' 08" West and parallel to the center line of N. Green Bay Road, 502.73 feet to a point; thence South 00° 45' 56" East, 378.00 feet to a point; thence due East 576.00 feet to a point; thence North 00° 45' 56" West 855.17 feet to the point of beginning, excepting therefrom the North 45 feet.

Tax Key No. 161-9992-000

ADDRESS: 1633 W. Bender Road, Glendale, WI 53209

REEL 5687

IMAGE 2473

DOC # 0651278

REGISTER'S OFFICE, 1 SS  
Milwaukee County, WI

RECORDED AT 8:47 AM  
10-13-2003

JOHN LA FAVE  
REGISTER OF DEEDS

AMOUNT 15.00

REEL 5687

IMAGE

2474

**This Instrument Prepared By and**

**Upon Recordation Return To:**

Jay L. Dolgin, Esq.  
Hochman Dolgin Delott & Prohov, P.C.  
30 North LaSalle Street  
Suite 4300  
Chicago, Illinois 60602

**Send Subsequent Tax Bills To:**

Jay L. Dolgin, Trustee  
Hochman Dolgin Delott & Prohov, P.C.  
30 North LaSalle Street  
Suite 4300  
Chicago, Illinois 60602

Above Box For Recorder's Office Only

**TRUSTEE'S DEED**

THIS INDENTURE, made this 9<sup>th</sup> day of September, 2003, between Jay L. Dolgin, not individually, but as Successor Trustee of the Louise B. Mirochnick Declaration of Trust dated July 13, 1989, as amended, Grantor, and Jay L. Dolgin, not individually, but as Trustee of the Mirochnick Exempt Trust created under the Louise B. Mirochnick Declaration of Trust dated July 13, 1989, as amended, Grantee, of Chicago, Illinois.

WITNESSETH: The Grantor for and in consideration of the sum of TEN (\$10.00) DOLLARS, and other good and valuable consideration in hand paid, receipt of which is hereby acknowledged, and in pursuance of the power and authority vested in the grantor as said Trustee and of every other power and authority the Grantor hereunto enabling, does hereby convey and quitclaim unto the Grantee, in fee simple, as to an undivided Forty Percent (40.00%) of the following described real estate situated in the County of Milwaukee, in the State of Wisconsin, to wit:

SEE ATTACHED LEGAL DESCRIPTION


together with the tenements, hereditaments and appurtenances thereunto belonging or in any way appertaining.

Tax Key No. 161-9992

FEE  
# 7.25 (9)  
EXEMPT

Address of Property: 1633 W. Bender Road, Glendale, Wisconsin 53209

IN WITNESS WHEREOF, the GRANTOR as Trustee as aforesaid, hereunto set his hand and seal the day and year first above written.

  
\_\_\_\_\_  
Jay L. Dolgin, Trustee aforesaid, Grantor


3

STATE OF ILLINOIS )  
 ) SS  
COUNTY OF COOK )

I, the undersigned, a Notary Public in and for said County in the State aforesaid, do hereby certify that Jay L. Dolgin, as aforesaid Successor Trustee, personally known to me to be the same person whose name is subscribed to the foregoing instrument, appeared before me in person and acknowledged that he signed, sealed and delivered said instrument as his free and voluntary act, for the uses and purposes therein set forth.

Given under my hand and official seal, this 9<sup>th</sup> day of September 2003.

*Raymond W. David*  
Notary Public



100903v1

REEL 5687  
IMAGE 2475

That part of the Northeast 1/4 of Section 30, Town 8 North, Range 22 East, City of Glendale, County of Milwaukee, State of Wisconsin, bounded and described as follows: Commencing at the Southeast corner of said 1/4 Section; thence West along the South line of said 1/4 Section, 1058.15 feet to a point; thence North 00° 45' 56" West, 1325.98 feet to the point of beginning of the land to be described; said point being in the center line of W. Bender Road; thence North 89° 48' 28" West along the center line of W. Bender Road, 415.51 feet to a point; said point being 313.11 feet South 89° 48' 28" East from the intersection of the center line of W. Bender Road and the center line of N. Green Bay Road; thence South 17° 51' 09" West and parallel to the center line of N. Green Bay Road, 502.73 feet to a point; thence South 00° 45' 56" East, 378.00 feet to a point; thence due East 576.00 feet to a point; thence North 00° 45' 56" West 855.17 feet to the point of beginning, excepting therefrom the North 45 feet.

Tax Key No. 161-9992-000

ADDRESS: 1633 W. Bender Road, Glendale, WI 53209

REEL  
5687

IMAGE  
2476



FEE  
 # 77.25(16)  
 EXEMPT

WARRANTY  
 DEED IN TRUST

THIS INDENTURE WITNESSETH, THAT THE GRANTOR, Louise B. Mirochnick, Divorced and not since remarried, of 1000 Lake Shore Plaza, Chicago, Illinois 60611, for and in consideration of the sum of TEN (\$10.00) DOLLARS, and other good and valuable consideration in hand paid, receipt of which is hereby acknowledged, Conveys and Warrants unto Louise B. Mirochnick, 1000 Lake Shore Plaza, Chicago, Illinois 60611, not individually, but as trustee under the provisions of a declaration of trust known as the Louise B. Mirochnick Declaration of Trust, dated July 13, 1989 all interest in the following described real estate situated in the County of Milwaukee in the State of Wisconsin, to wit:

SEE EXHIBIT A ATTACHED HERETO AND MADE A PART HEREOF.

TO HAVE AND HOLD said premises with the appurtenances, upon the trusts and for the uses and purposes herein and in said trust agreement set forth.

In addition to all of the powers and authority granted to the trustee by the terms of said declaration of trust, full power and authority is hereby granted to the trustee to improve, manage, protect and subdivide said real estate or any part thereof, to dedicate parks, streets, highways or alleys and to vacate any subdivision or part thereof, and to resubdivide said property as often as desired, to contract to sell, to grant options to purchase, to sell on any terms, to convey, either with or without consideration, to convey said real estate or any part thereof to a successor or successors in trust and to grant to such successor or successors in trust all of the title, estate, powers, and authorities vested in the trustee; to donate, to dedicate, to mortgage, pledge or otherwise encumber said property, or any part thereof, to lease said real estate or any part thereof, from time to time, in possession or reversion, by leases to commence at the present or in the future, and upon any terms and for any period or periods of time, not exceeding in the case of any single demise the term of 99 years, and to renew or extend leases upon any terms and for any period or periods of time and to amend, change or modify leases and the terms and provisions thereof at any time or times hereafter; to contract to make leases and to grant options to lease and options to renew leases and options to purchase the whole or any part of the reversion and to contract respecting the manner of fixing the amount of present or future rentals, to partition or to exchange said property, or any part thereof, for other real or personal property, to grant easements or charges of any kind, to release convey or assign any right or title or interest in or about or easement appurtenant to said real estate or any part thereof, and to deal with said property and every part thereof in all other ways and for such other considerations as it would be lawful for any person owning the same to deal with the same, whether similar to or different from the ways above specified, at any time or times hereafter.

In no case shall any party dealing with the trustee in relation to said real estate, or to whom said real estate or any part thereof shall be conveyed, contracted to be sold, leased or mortgaged by the trustee be obliged to see to the application of any purchase money, rent, or money borrowed or advanced on said real estate, or be obliged to see that the terms of this trust have been complied with, or be obliged to inquire into the necessity or expediency of any act of the trustee, or be obliged or privileged to inquire into any of the terms of said declaration of trust and every deed, trust deed, mortgage, lease or other instrument executed by the trustee in relation to said real estate shall be conclusive evidence in favor of every person relying upon or claiming under any such conveyance, lease or other instrument, (a) that at the time of the delivery thereof the trust created by this Indenture and by said declaration of trust was in full force and effect, (b) that such conveyance or other instrument was executed in accordance with the trusts, conditions and limitations contained in this Indenture and in said declaration of trust or in some amendment thereof and binding upon all beneficiaries thereunder, (c) that the trustee was duly authorized and empowered to execute and deliver every such deed, trust deed, lease, mortgage or other instrument, and (d) if the conveyance is made to a successor or successors in trust, that such successor or successors in trust have been properly appointed and are fully vested with all the title, estate, rights, powers, authorities, duties and obligations of their predecessors in trust.

The interest of each and every beneficiary hereunder and of all persons claiming under them or any of them shall be only in the earnings, avails and proceeds arising from the sale or other disposition of said real estate, and such interest is hereby declared to be personal property, and no beneficiary hereunder shall have any title or interest, legal or equitable, in or to said real estate as such, but only an interest in the earnings, avails and proceeds thereof as aforesaid.

If the title to any of the above real estate is now or hereafter registered, the Registrar of Titles is hereby directed not to register or note in the certificate of title or duplicate thereof, or memorial, the words "in trust" or "with limitations," or words of similar import, in accordance with the statute in such cases made and provided.

And said GRANTOR hereby expressly waives and releases any and all right or benefit under and by virtue of any and all statutes of the State of Wisconsin providing for the exemption of homesteads from sale on execution or otherwise.

IN WITNESS WHEREOF, the GRANTOR aforesaid, Louise B. Mirochnick has executed this Warranty Deed in Trust on this 1<sup>st</sup> day of August, 1989.

*Louise B. Mirochnick*  
Louise B. Mirochnick

*Raymond W. David*  
Witness


*Pauline M. Mirochnick*  
Witness

STATE OF ILLINOIS )  
COUNTY OF COOK ) SS

On this 1<sup>st</sup> day of August, A.D., 1989, I, *Jay L. Dolgin*, a Notary Public in and for said County in the State aforesaid, do hereby certify that Louise B. Mirochnick, personally known to me to be the same person whose name is subscribed to the foregoing instrument, appeared before me in person and acknowledged that she signed, sealed and delivered said instrument as her free and voluntary act, for the uses and purposes therein set forth.

*Jay L. Dolgin*  
Notary Public

My Commission Expires:



RECORD 6420090 # 12.00

Jay L. Dolgin  
LEVIN & FUNKHOUSER, LTD.  
55 West Monroe Street  
Suite 2410  
Chicago, Illinois 60603

6420090

PM

REGISTRAR'S OFFICE  
ILLINOIS COUNTY, ILL.  
RECORDED IN 205 P.M.  
SEP 24 1990  
REEL 2493 PAGE 452 TO 454  
INCL

Upon Recordation Return To:  
Jay L. Dolgin  
LEVIN & FUNKHOUSER, LTD.  
55 West Monroe Street  
Suite 2410  
Chicago, Illinois 60603

EXHIBIT A

That part of the Northeast 1/4 of Section 30, Town 8 North, Range 22 East, City of Glendale, County of Milwaukee, State of Wisconsin, bounded and described as follows:

Commencing at the Southeast corner of said 1/4 Section; thence West along the South line of said 1/4 Section, 1058.15 feet to a point; thence North  $00^{\circ} 45' 36''$  West, 1325.98 feet to the point of beginning of the land to be described; said point being in the center line of W. Bender Road; thence North  $89^{\circ} 48' 28''$  West along the center line of W. Bender Road, 415.51 feet to a point; said point being 313.11 feet South  $89^{\circ} 48' 28''$  East from the intersection of the center line of W. Bender Road and the center line of N. Green Bay Road; thence South  $17^{\circ} 51' 08''$  West and parallel to the center line of N. Green Bay Road, 502.73 feet to a point; thence South  $00^{\circ} 45' 36''$  East, 378.00 feet to a point; thence due East 576.00 feet to a point; thence North  $00^{\circ} 45' 36''$  West 855.17 feet to the point of beginning, excepting therefrom the North 45 feet.

Tax Key No. 161-9992

ADDRESS: 1633 W. Bender Road

**DOLGIN & FISCHER, LLC**  
*Attorneys at Law*

**Jay L. Dolgin**  
Licensed in Illinois and Florida  
E-Mail: [jld@dnf-law.com](mailto:jld@dnf-law.com)

May 15, 2009

Mr. Chris Hatfield  
Bonestroo  
12075 North Corporate Parkway  
Mequon, WI 53092

**RE: Signed Statement; 1633 West Bender Road, Glendale, Wisconsin**

Dear Mr. Hatfield:

The parcel ID number for the above-referenced site from the Milwaukee County Register of Deeds is 161-9992-001. The most recent deeds are enclosed. I, Jay L. Dolgin, am providing a signed statement that the legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,

**The Louise B. Mirochnick Declaration of Trust  
Dated July 13, 1989, The Mirochnick Non-Exempt  
Trust U/A Dated July 13, 1989 and the Mirochnick  
Exempt Trust U/A Dated July 13, 1989**

By: \_\_\_\_\_

Jay L. Dolgin, Successor Trustee as aforesaid

Enclosures  
JLD/mrw 118043

Chicago Office


Suite 2610  
30 North LaSalle Street  
Chicago, Illinois 60602-2516  
Telephone 312-705-2000  
Facsimile 312-705-2001

DuPage Office

1801 North Mill Street  
Naperville, Illinois 60563-1274

Of Counsel

John L. Wahlers  
Joan M. Lebow  
Melinda S. Malecki  
David A. Charous



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

**Northern Environmental** SM

Hydrologists • Engineers • Surveyors • Scientists

12075 Corporate Parkway Suite 210, Mequon, Wisconsin  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MINNESOTA ▲ ILLINOIS ▲ IOWA

## SITE LOCATION & LOCAL TOPOGRAPHY

MIROCHNICK TRUST PROPERTY  
1633 WEST BENDER ROAD  
GLENDALE, WISCONSIN

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 04/30/09

DATE: 05/08/09

DRAWN BY: MSM

PROJECT NUMBER: 004645-09001-0

FIGURE 1



**LEGEND**

- - - PROPERTY BOUNDARY
- A — A' — GEOLOGIC CROSS-SECTION LINE
- ⊕ B500 BOREHOLE LOCATION WITH IDENTIFICATION
- ⊕ B100/TW1 TEMPORARY MONITORING WELL AND GAS PROBE LOCATION WITH IDENTIFICATION

**Northern Environmental** <sup>SM</sup>

Hydrologists • Engineers • Surveyors • Scientists  
 12075 Corporate Parkway Suite H, Mequon, Wisconsin  
 Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MINNESOTA ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

**SITE LAYOUT**


**MIROCHNICK TRUST PROPERTY**  
 1633 WEST BENDER ROAD  
 GLENDALE, WISCONSIN



**LEGEND**

0 - 4' LEAD CONCENTRATIONS IN PPM

>8' LEAD CONCENTRATIONS IN PPM



EXTENT OF SOIL WITHIN 4' OF GROUND SURFACE CONTAINING LEAD CONCENTRATIONS ABOVE THE NR720.11 RCL



PROPERTY BOUNDARY

B500  
99.3  
791



BOREHOLE LOCATION WITH IDENTIFICATION AND LEAD CONCENTRATIONS

B100/TW1  
99.3  
791



TEMPORARY MONITORING WELL AND GAS PROBE LOCATION WITH IDENTIFICATION AND LEAD CONCENTRATIONS

**Northern Environmental**  
Hydrologists • Engineers • Surveyors • Scientists

12075 Corporate Parkway Suite H, Mequon, Wisconsin  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN MINNESOTA ILLINOIS IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

**LEAD CONCENTRATIONS  
IN SOIL**

MIROCHNICK TRUST PROPERTY  
1633 WEST BENDER ROAD  
GLENDALE, WISCONSIN


DATE: 05/09/09

REVISED: 05/21/09

DRAWN BY: MSM


PROJECT NUMBER: 004645-09001-0

FIGURE 4



**LEGEND**

- DEPTH TO WATER BELOW GROUND SURFACE
- TOPSOIL
- SILTY CLAY FILL
- SILTY SAND FILL CONTAINING GLASS, METAL, WOOD, BRICK, RUBBER, COAL, DEBRIS
- SILTY SAND FLUVIAL
- SILTY CLAY TILL



|  |               |   |                                |
|--|---------------|---|--------------------------------|
| <p><b>Northern Environmental</b><br/> <i>Hydrologists • Engineers • Surveyors • Scientists</i><br/>             85 Revere Drive, Suite H, Northbrook, Illinois 60062<br/>             Phone: 888-680-8101 Fax: 847-562-8552</p> <p>WISCONSIN ▲ MINNESOTA ▲ ILLINOIS ▲ IOWA</p> <p><small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.</small></p> |               | <p><b>GEOLOGIC<br/>             CROSS-SECTION A - A'</b></p> <p>MIROCHNICK TRUST PROPERTY<br/>             1633 WEST BENDER ROAD<br/>             GLENDALE, WISCONSIN</p> |                                |
| DATE: 05/08/09   | DRAWN BY: MSM | REVISED: 05/21/09   | PROJECT NUMBER: 004645-09001-0 |
|  |               |   | FIGURE 3                       |

**Table 1 Soil Sample Field Screening and Metals and Polynuclear Aromatic Hydrocarbon Laboratory Results, Louise B. Mirochnick Trust Property, Glendale, Wisconsin**

| Borehole Number  | Sample |          |                          |                    |   | Metals<br>(milligram per kilogram) |            | Polynuclear Aromatic Hydrocarbon Laboratory Result (microgram per kilogram) |                |                |            |                    |                |                      |                    |                      |          |                       |              |          |                        |                      |                      |             |              |          |    |    |
|--|--------|----------|--------------------------|--------------------|---|------------------------------------|------------|---|----------------|----------------|------------|--------------------|----------------|----------------------|--------------------|----------------------|----------|-----------------------|--------------|----------|------------------------|----------------------|----------------------|-------------|--------------|----------|----|----|
|  | Number | Date     | Depth (feet below grade) | PID Response (IUI) | Description                                   | Total Arsenic                      | Total Lead | Total Mercury   | Acenaphthalene | Acenaphthylene | Anthracene | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(g,h,i)pyrene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | Fluoranthene | Fluorene | Indene(1,2,3-cd)pyrene | 1-Methyl naphthalene | 2-Methyl naphthalene | Naphthalene | Phenanthrene | Pyrene   |    |    |
| Calculated Site-Specific Soil Screening Level for Groundwater Protection (non-Industrial)                    |        |          |                          |                    |   | 0.58                               | NC         | 0.21  | NA             | NC             | NA         | NC                 | NA             | NC                   | NC                 | NC                   | NC       | NC                    | NC           | NA       | NA                     | NC                   | NC                   | NC          | NA           | NC       | NA |    |
| Calculated Site-Specific Soil Screening Level for Ingestion Risk (non-Industrial)                            |        |          |                          |                    |   | NA                                 | NC         | NR  | NA             | NC             | NA         | NC                 | NA             | NC                   | NC                 | NC                   | NC       | NC                    | NC           | NC       | NA                     | NA                   | NC                   | NC          | NC           | NA       | NC | NA |
| Calculated Site-Specific Soil Screening Level for Inhalation Risk (non-Industrial)                           |        |          |                          |                    |   | NR                                 | NC         | NR  | NR             | NC             | NR         | NC                 | NR             | NC                   | NC                 | NC                   | NC       | NC                    | NC           | NC       | NR                     | NR                   | NC                   | NC          | NC           | 68,000   | NC | NR |
| Section NR 720.11, Wis. Adm. Code RCL for Protection from Direct-Contact Risk                                |        |          |                          |                    |   | 0.039                              | 50         | NE  | NE             | NE             | NE         | NE                 | NE             | NE                   | NE                 | NE                   | NE       | NE                    | NE           | NE       | NE                     | NE                   | NE                   | NE          | NE           | NE       | NE |    |
| Section NR 746.06, Wis. Adm. Code Table 1 Concentration Indicating Residual Petroleum Product in Soil Pores  |        |          |                          |                    |   | NE                                 | NE         | NE  | NE             | NE             | NE         | NE                 | NE             | NE                   | NE                 | NE                   | NE       | NE                    | NE           | NE       | NE                     | NE                   | NE                   | NE          | 2700         | NE       | NE |    |
| WDNR-Suggested Polynuclear Aromatic Hydrocarbon RCLs for Groundwater Protection                              |        |          |                          |                    |   | NE                                 | NE         | NE  | 38,000         | 700            | 3.0E+06    | 17,000             | 48,000         | 360,000              | 6.8E+06            | 870,000              | 37,000   | 38,000                | 500,000      | 100,000  | 680,000                | 23,000               | 20,000               | 400         | 1800         | 8.7E+06  |    |    |
| WDNR-Suggested Polynuclear Aromatic Hydrocarbon RCL for Protection from Direct-Contact Risk (non-Industrial) |        |          |                          |                    |   | NE                                 | NE         | NE  | 9.0E+05        | 18,000         | 5.0E+06    | 0.088              | 88             | 88                   | 1800               | 880                  | 8800     | 8.8                   | 6.0E+05      | 6.0E+05  | 88                     | 1.1E+06              | 6.0E+05              | 20,000      | 18,000       | 5.0E+05  |    |    |
| B100   | B101   | 04/16/09 | 0-2                      | 0                  | Topsoil, silty sand, then silty clay          | 1.67 "J"                           | 174        | 0.172   | 52 "J"         | 134            | 252        | 1300               | 1290           | 2280                 | 1310               | 610                  | 1200     | 301                   | 2490         | 55       | 1060                   | <15                  | 19.2 "J"             | 20 "J"      | 900          | 1920     |    |    |
|  | B106   | 04/16/09 | 10-12                    | 1                  | Silty sand, debris, fill                      | 3.73                               | 51.3       | 1.93  | <19            | <11            | <19        | 32 "J"             | <25            | 35 "J"               | <19                | <16                  | 25.1 "J" | <22                   | 27.8 "J"     | <8.3     | 15.8 "J"               | 19.2 "J"             | 27.4 "J"             | 16.9 "J"    | 28.1 "J"     | 22.2 "J" |    |    |
| B200   | B202   | 04/16/09 | 2-4                      | 2                  | Topsoil, silty clay, fill                     | 2.08 "J"                           | 54.6       | 0.116   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B205   | 04/16/09 | 8-10                     | 1                  | Sandy, brown fill                             | 4.77                               | 1500       | 0.363   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B300   | B302   | 04/16/09 | 2-4                      | 2                  | Topsoil, silty sand, debris, fill             | 3.93                               | 13.4       | 0.0312  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B305   | 04/16/09 | 8-10                     | 1                  | Silty sand, debris, fill                      | 25.8                               | 4280       | 0.187   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B400   | B402   | 04/16/09 | 2-4                      | 1                  | Topsoil, silty sand, debris, fill             | 1.48 "J"                           | 25.1       | 0.0452  | <19            | <11            | 42 "J"     | 237                | 216            | 400                  | 171                | 118                  | 238      | 41 "J"                | 530          | 12.2 "J" | 147                    | 16.4 "J"             | 20.2 "J"             | 13 "J"      | 216          | 430      |    |    |
|  | B405   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 15.1                               | 1120       | 0.147   | 9000           | 2030           | 46,000     | 132,000            | 92,000         | 152,000              | 62,000             | 40,000               | 93,000   | 17,300                | 274,000      | 16,200   | 55,000                 | 1150 "J"             | <850                 | 1320 "J"    | 163,000      | 203,000  |    |    |
| B500   | B502   | 04/16/09 | 2-4                      | 2                  | Silty clay, debris, fill                      | 13.9                               | 1880       | 0.0263  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B504   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 16                                 | 390        | 0.136   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B600   | B602   | 04/16/09 | 2-4                      | 2                  | Silty sand, gravel, debris, fill              | 16.1                               | 99.3       | 0.157   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B605   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 11.8                               | 791        | 0.79  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B700   | B701   | 04/16/09 | 0-2                      | 2                  | Topsoil, silty sand, debris, fill             | 1.06 "J"                           | 48.1       | 0.145   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B705   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 11.4                               | 649        | 0.726   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B800   | B802   | 04/16/09 | 2-4                      | 2                  | Topsoil, silty clay, silty sand, gravel, fill | 1.84 "J"                           | 1140       | 0.0121  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B805   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 18.6                               | 941        | 1.62  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B900   | B902   | 04/16/09 | 2-4                      | 2                  | Topsoil, silty clay, sand, fill               | 5.1                                | 2.76       | 0.666   | 34 "J"         | 32 "J"         | 95         | 370                | 390            | 640                  | 308                | 174                  | 400      | 75                    | 810          | 33       | 1300                   | <15                  | 17.7 "J"             | 22.8 "J"    | 410          | 650      |    |    |
|  | B905   | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill                      | 14.5                               | 880        | 0.601   | 181            | 99             | 1040       | 3800               | 3200           | 5600                 | 2230               | 1510                 | 3140     | 620                   | 7300         | 320      | 2030                   | 54                   | 66                   | 103         | 3600         | 5500     |    |    |
| B1000  | B1002  | 04/17/09 | 2-4                      | 0                  | Silty sand, gravel, debris, fill              | 15.5                               | 323        | 0.0626  | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B1005  | 04/17/09 | 8-10                     | 2                  | Silty sand, fill                              | 23.1                               | 1340       | 0.668   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
| B1100  | B1102  | 04/17/09 | 2-4                      | 1                  | Silty sand, debris, fill                      | 20.1                               | 857        | 1.04  | <19            | 16.1 "J"       | <19        | 82                 | 73 "J"         | 137                  | 58 "J"             | 44 "J"               | 77       | <22                   | 151          | <8.3     | 54                     | <15                  | <17                  | <13         | 59           | 122      |    |    |
|  | B1106  | 04/17/09 | 10-12                    | 1                  | Silty sand, debris, fill                      | 18.5                               | 579        | 0.130   | <19            | <11            | <19        | 77                 | 69 "J"         | 123                  | 57 "J"             | 38 "J"               | 74       | <22                   | 119          | <8.3     | 49                     | <15                  | <17                  | <13         | 67           | 118      |    |    |
| B1200  | B1202  | 04/17/09 | 2-4                      | 0                  | Topsoil, silty sand, gravel, fill             | 3.11                               | 53.4       | 0.137   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |
|  | B1203  | 04/17/09 | 4-6                      | 0                  | Topsoil, silty sand, gravel, fill             | 8.11                               | 222        | 0.117   | -              | -              | -          | -                  | -              | -                    | -                  | -                    | -        | -                     | -            | -        | -                      | -                    | -                    | -           | -            |          |    |    |

Note: Calculated soil screening levels were calculated using the U.S. Environmental Protection Agency website (<http://rais.ornl.gov/cqj-bin/epa/ss12.cgi>) and input parameters provided in the Wisconsin Department of Natural Resources (WDNR) guidance document PUB-RR-682, January 11, 2002. WDNR suggested residual contaminant levels (RCLs) for polynuclear aromatic hydrocarbons obtained from WDNR Publication RR-519-97, April 1997 (corrected). Ingestion and direct-contact risk concentrations are exceeded only in samples taken from soil at less than 4 feet below grade.

- PID = photolization detector
- IUI = instrument units as isobutylene
- NE = not established by Wisconsin Administrative Code (Wis. Adm. Code)
- NC = not calculated since compound not included in USEPA list of parameters
- NR = Inhalation risk factor not assigned by USEPA
- NA = not applicable
- ND = not detected
- <x = compound not detected to a detection limit of x
- = not laboratory analyzed
- J = analyte detected between the limit of detection and the limit of quantitation
- XXX = exceeds calculated site-specific soil screening level or WDNR-suggested PAH RCLs for groundwater protection
- XXX = exceeds calculated site-specific soil screening level for Ingestion risk, NR 720.11 RCLs, or WDNR-suggested PAH RCLs for protection from direct contact
- XXX = exceeds calculated site-specific soil screening level for Inhalation risk (volatiles)

**Table 2 Soil Sample Field Screening and Volatile Organic Compound Laboratory Results, Louise B. Mirochnick Trust Property, Glendale, Wisconsin**

| Borehole Number   | Sample Number | Date     | Depth (feet below grade) | PID Response (iui) | Description                          | Detected Volatile Organic Compound Laboratory Result (microgram per kilogram) |                     |                    |              |                    |                 |                   |          |                        |                        |               |
|---|---------------|----------|--------------------------|--------------------|--------------------------------------|---|---------------------|--------------------|--------------|--------------------|-----------------|-------------------|----------|------------------------|------------------------|---------------|
|   |               |          |                          |                    |                                      | Chloroform  | 1,4-Dichlorobenzene | 1,2-Dichloroethane | Ethylbenzene | p-Isopropyltoluene | n-Propylbenzene | Tetrachloroethene | Toluene  | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Total Xylenes |
| Calculated Site-Specific Soil Screening Level for Groundwater Protection (non-industrial)                   |               |          |                          |                    |                                      | 39  | 110                 | NA                 | NA           | NC                 | NC              | 4.1               | NA       | 28,000                 | 13,000                 | NA            |
| Calculated Site-Specific Soil Screening Level for Ingestion Risk (non-industrial)                           |               |          |                          |                    |                                      | 10,500  | 2660                | NA                 | 1.56E+06     | NC                 | NC              | 1230              | 1.25E+06 | 7.82E+05               | 7.82E+05               | 3.13E+06      |
| Calculated Site-Specific Soil Screening Level for Inhalation Risk (non-industrial)                          |               |          |                          |                    |                                      | 57  | 4.2E+06             | NA                 | 2.20E+06     | NC                 | NC              | 2100              | 8.20E+06 | 50,000                 | 29,000                 | 280,000       |
| Section NR 720.09, Wis. Adm. Code RCL for Groundwater Protection  |               |          |                          |                    |                                      | NE  | NE                  | 4.9                | 2900         | NE                 | NE              | NE                | 1500     | NE                     | NE                     | 4100          |
| Section NR 746.06, Wis. Adm. Code Table 1 Concentration Indicating Residual Petroleum Product in Soil Pores |               |          |                          |                    |                                      | NE  | NE                  | 600                | 4600         | NE                 | NE              | NE                | 38,000   | 83,000                 | 11,000                 | 42,000        |
| Section NR 746.06, Wis. Adm. Code Table 2 for Protection from Direct-Contact Risk                           |               |          |                          |                    |                                      | NE  | NE                  | 540                | NE           | NE                 | NE              | NE                | NE       | NE                     | NE                     | NE            |
| B100  | B101          | 04/16/09 | 0-2                      | 0                  | Topsoil, silty sand, then silty clay | <50   | <42                 | <24                | <16          | <30                | <29             | <18               | <23      | <20                    | <24                    | <48           |
|   | B106          | 04/16/09 | 10-12                    | 1                  | Silty sand, debris, fill             | 77 "J"  | <42                 | <24                | 54           | <30                | 46 "J"          | 33 "J"            | 520      | 173                    | 51 "J"                 | 257 "J"       |
| B400  | B402          | 04/16/09 | 2-4                      | 1                  | Topsoil, silty sand, debris, fill    | <50   | <42                 | <24                | <16          | <30                | <29             | <18               | <23      | <20                    | <24                    | <48           |
|   | B405          | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill             | <50   | 47 "J"              | 238                | <16          | 810                | <29             | 22 "J"            | <23      | 56 "J"                 | <24                    | 71.8 "J"      |
| B900  | B902          | 04/16/09 | 2-4                      | 2                  | Topsoil, silty clay, sand, fill      | <50   | <42                 | <24                | <16          | <30                | <29             | <18               | <23      | <20                    | <24                    | <48           |
|   | B905          | 04/16/09 | 8-10                     | 2                  | Silty sand, debris, fill             | <50   | <42                 | <24                | 52 "J"       | 41 "J"             | <29             | <18               | <23      | 65                     | <24                    | 133.6 "J"     |
| B1100   | B1102         | 04/17/09 | 2-4                      | 1                  | Silty sand, debris, fill             | <50   | <42                 | <24                | <16          | <30                | <29             | <18               | <23      | <20                    | <24                    | <48           |
|   | B1106         | 04/17/09 | 10-12                    | 1                  | Silty sand, debris, fill             | <50   | <42                 | <24                | <16          | <30                | <29             | <18               | <23      | <20                    | <24                    | <48           |

Note: Calculated soil screening levels were calculated using the U.S. Environmental Protection Agency website (<http://rais.ornl.gov/cqi-bin/epa/ss12.cgi>) and input parameters provided in the Wisconsin Department of Natural Resources (WDNR) guidance document PUB-RR-682, January 11, 2002.  
Ingestion and direct-contact risk concentrations are exceeded only in samples taken at less than 4 feet below grade.

- PID = photoionization detector
  - iui = instrument units as isobutylene
  - NE = not established by Wisconsin Administrative Code (Wis. Adm. Code) or not suggested by WDNR
  - NC = not calculated since compound not included in USEPA list of parameters
  - NR = inhalation risk factor not assigned by USEPA
  - <x = compound not detected to a detection limit of x
  - = not laboratory analyzed
  - J = analyte detected between the limit of detection and the limit of quantitation
- XXXX = exceeds calculated site-specific soil screening level for groundwater protection (non-industrial)
  - XXX = exceeds calculated site-specific soil screening level for inhalation risk (volatiles)
  - XXX = exceeds Section NR 720.09, Wis. Adm. Code RCL for groundwater protection

**Table 3 Volatile Organic Compounds Laboratory Analytical Results in Groundwater, Louise B. Mirochnick Trust Property, Glendale, Wisconsin**

| Sample Number              | Date Collected | Detected Volatile Organic Compounds Analytes (micrograms per liter) |                    |                     |                   |          |                       |
|----------------------------|----------------|---|--------------------|---------------------|-------------------|----------|-----------------------|
|                            |                | Benzene   | 1,2-Dichloroethane | p-Isppropyl-toluene | Tetrachloroethene | Toluene  | Trichloroethene (TCE) |
| NR 140, Wis. Adm. Code PAL |                | 0.5   | 85                 | NE                  | 0.5               | 200      | 0.5                   |
| NR 140, Wis. Adm. Code ES  |                | 5   | 850                | NE                  | 5                 | 1000     | 5                     |
| TW1                        | 04/21/09       | <b>0.85 "J"</b>   | <0.43              | <0.57               | <0.42             | 1.36 "J" | <0.39                 |
| TW2                        | 04/21/09       | <0.41   | <0.43              | <0.57               | <0.42             | <0.51    | <0.39                 |
| TW3                        | 04/21/09       | <0.41   | <0.43              | <0.57               | <b>3.2</b>        | <0.51    | <b>0.56 "J"</b>       |
| TW4                        | 04/21/09       | <0.41   | 0.46 "J"           | 1.87                | <0.42             | <0.51    | <0.39                 |
| TW5                        | 04/21/09       | <0.41   | <0.43              | <0.57               | <0.42             | <0.51    | <0.39                 |
| TW6                        | 04/21/09       | 0.43 "J"  | <0.43              | <0.57               | <0.42             | <0.51    | <0.39                 |

Note:

NE = not established

<x = compound not detected to a detection limit of x

**XXX** = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) preventive action limit (PAL)

**XXX** = exceeds NR 140, Wis. Adm. Code enforcement standard (ES)

**Table 4 Metals and Polynuclear Aromatic Hydrocarbon Laboratory Analytical Results in Groundwater, Mirochnick Trust Property, Glendale, Wisconsin**

| Well ID                    | Date Sampled | Laboratory Analytical Results (micrograms per liter) |         |         |   |                |            |                    |                |                      |                    |                      |           |                        |              |          |                        |                     |                     |             |              |           |  |
|----------------------------|--------------|--|---------|---------|---|----------------|------------|--------------------|----------------|----------------------|--------------------|----------------------|-----------|------------------------|--------------|----------|------------------------|---------------------|---------------------|-------------|--------------|-----------|--|
|                            |              | Detected Metals                                      |         |         | Polynuclear Aromatic Hydrocarbon Laboratory Result (microgram per kilogram) |                |            |                    |                |                      |                    |                      |           |                        |              |          |                        |                     |                     |             |              |           |  |
|                            |              | Arsenic  | Lead    | Mercury | Acenaphthalene  | Acenaphthylene | Anthracene | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(g,h,i)pyrene | Benzo(k)fluoranthene | Chrysene  | Dibenzo(a,h)anthracene | Fluoranthene | Fluorene | Indeno(1,2,3-cd)pyrene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | Phenanthrene | Pyrene    |  |
| NR 140, Wis. Adm. Code PAL |              | 1  | 1.5     | 0.2     | NE  | NE             | 600        | NE                 | 0.02           | 0.02                 | NE                 | NE                   | 0.02      | NE                     | 80           | 80       | NE                     | NE                  | NE                  | 10          | NE           | 50        |  |
| NR 140, Wis. Adm. Code ES  |              | 10   | 15      | 2       | NE  | NE             | 300        | NE                 | 0.2            | 0.2                  | NE                 | NE                   | 0.2       | NE                     | 400          | 400      | NE                     | NE                  | NE                  | 100         | NE           | 250       |  |
| TW1                        | 04/21/09     | 1.8 "J"  | 0.8 "J" | <0.04   | 0.07  | <0.011         | 0.036      | 0.066              | 0.038 "J"      | 0.073                | 0.041 "J"          | <0.029               | 0.059     | <0.019                 | 0.38         | 0.057    | 0.029 "J"              | 0.023 "J"           | 0.026 "J"           | 0.06 "J"    | 0.214        | 0.253     |  |
| TW2                        | 04/21/09     | 1.0 "J"  | 1.9 "J" | <0.04   | <0.009  | <0.011         | <0.01      | <0.017             | <0.014         | <0.018               | <0.018             | <0.029               | <0.01     | <0.019                 | <0.013       | <0.013   | <0.019                 | <0.013              | <0.019              | <0.024      | <0.015       | <0.012    |  |
| TW3                        | 04/21/09     | <0.6   | 1.3 "J" | <0.04   | 0.013 "J"   | <0.011         | <0.01      | 0.019 "J"          | <0.014         | <0.018               | <0.018             | <0.029               | <0.01     | <0.019                 | 0.029 "J"    | <0.013   | <0.019                 | <0.013              | <0.019              | <0.024      | <0.015       | 0.023 "J" |  |
| TW4                        | 04/21/09     | 1.2 "J"  | 5       | <0.04   | 0.297   | 0.016 "J"      | 0.21       | 0.194              | 0.132          | 0.238                | 0.133              | 0.081 "J"            | 0.194     | 0.019 "J"              | 1.66         | 0.33     | 0.102                  | 0.193               | 0.302               | 0.33        | 0.97         | 0.99      |  |
| TW5                        | 04/21/09     | 5.6  | 12.7    | <0.04   | 0.59  | 0.011 "J"      | 0.04       | 0.105              | 0.039 "J"      | 0.10                 | 0.04 "J"           | 0.030 "J"            | 0.098     | <0.019                 | 0.62         | 0.121    | 0.033 "J"              | 0.244               | 0.33                | 0.60        | 0.088        | 0.55      |  |
| TW6                        | 04/21/09     | 8.9  | 97.4    | <0.04   | 0.028 "J"   | <0.011         | <0.01      | 0.020 "J"          | <0.014         | <0.018               | <0.018             | <0.029               | 0.012 "J" | <0.019                 | 0.022 "J"    | <0.013   | <0.019                 | <0.013              | <0.019              | <0.024      | <0.015       | 0.022 "J" |  |
|                            | 08/14/09     | -  | 0.8 "J" | -       | -   | -              | -          | -                  | -              | -                    | -                  | -                    | -         | -                      | -            | -        | -                      | -                   | -                   | -           | -            | -         |  |

Key:  
 NE = not established  
 <x = not detected above laboratory Limit of Detection of X  
 - = not analyzed

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code preventive action limit (PAL))

XXX = exceeds NR 140, Wis. Adm. Code enforcement standard (ES)