

**GIS REGISTRY INFORMATION**

**SITE NAME:** Former Amoco Service Station No. 18764  
**BRRTS #:** 03-41-000370 FID # (if appropriate): 241105480  
**COMMERCE # (if appropriate):** 53130-2101-35  
**CLOSURE DATE:** 8-21-06  
**STREET ADDRESS:** 9035 W Forest Home Ave.  
**CITY:** Hales Corners

**SOURCE PROPERTY GPS COORDINATES** (meters in WTM91 projection):  
 X= 680219 Y= 276915

**CONTAMINATED MEDIA:** Groundwater  Soil  Both

**OFF-SOURCE GW CONTAMINATION >ES:**  Yes  No

**IF YES, STREET ADDRESS 1:** \_\_\_\_\_

**GPS COORDINATES** (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

**OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):**  Yes  No

**IF YES, STREET ADDRESS 1:** \_\_\_\_\_

**GPS COORDINATES** (meters in WTM91 projection): X= \_\_\_\_\_ Y= \_\_\_\_\_

**CONTAMINATION IN RIGHT OF WAY:**  Yes  No

**DOCUMENTS NEEDED:**

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure
- Copy of any maintenance plan referenced in the deed restriction.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
198



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-0436  
Telephone 414-263-8500  
FAX 414-263-8606  
TTY 711

August 21, 2006

Mr. John Grams  
Delta Environmental Consultants  
5910 Rice Creek Parkway, Suite 100  
Shoreview, MN 55126

FID# 241105480  
BRRTS# 03-41-000370  
&02-41-001093

Subject: Final Case Closure for Former Amoco Station #18764, 9835 W. Forest Home Ave.,  
Hales Corners

Dear Mr. Stoelting:

On February 20, 2006, the Wisconsin Department of Natural Resources (Department) notified you that conditional closure was granted for the case described above. These conditions were the abandonment of monitoring wells, piezometers and vapor extraction wells and the disposal of any investigative waste. On July 24, 2006, the Department received correspondence indicating that you have complied with the conditions of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm> If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (414) 263-8366.

Sincerely,

Brenda H. Boyce, PG  
Hydrogeologist  
Bureau for Remediation & Redevelopment

c: James Kasdorf – Delta Environmental Consultants, Inc.



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-0436  
Telephone 414-263-8500  
FAX 414-263-8606  
TTY 711

February 20, 2006

Mr. Ray Stoelting  
Atlantic Richfield Company  
P.O. Box 642  
Chanhassen, MN 55317-9998

FID# 241105480  
BRRTS# 03-41-000370  
&02-41-001093

Subject: Conditional Closure for Former Amoco Station #18764, 9835 W. Forest Home Ave.,  
Hales Corners

Dear Mr. Stoelting:

On January 9, 2006, the Wisconsin Department of Natural Resources (Department) received your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the petroleum contamination on the site from the former underground storage tank systems and the hydraulic oil release appear to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

1. The monitoring wells, piezometers and vapor extraction wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Ms. Victoria Stovall on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources.
2. Any remaining waste (soil piles, drilling spoil, and/or purge water) generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining waste has been removed once that work is completed.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Former Amoco Station #18764

February 20, 2006

Page 2 of 2

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (414) 263-8366 or (262) 574-2140.

Sincerely,

A handwritten signature in cursive script that reads "Brenda H. Boyce". The signature is written in black ink and has a long, sweeping horizontal line extending to the right.

Brenda H. Boyce, PG

Hydrogeologist

Bureau for Remediation & Redevelopment

c: Adam McIlheran – Delta Environmental Consultants, Inc.

DOC: #  
08815367

REGISTER'S OFFICE | SS  
Milwaukee County, WI

RECORDED AT 09:42AM  
07/06/2004

JOHN LA FAVE  
REGISTER OF DEEDS

AMOUNT: 25.00

SPECIAL  
WARRANTY  
DEED

Document Number

Document Title

Recording Area

Name and Return Address

PAUL J. GALGANSKI  
GALANIS, POLLACK + JACOBS  
TWO PLAZA EAST, STE 560  
330 E KILBOURN AVE.  
MILWAUKEE, WI 53202

TRANSFER  
\$1740.00  
FEE

660-9970

Parcel Identification Number (PIN)

THIS PAGE IS PART OF THIS LEGAL DOCUMENT-DO NOT REMOVE

This information must be completed by submitter: document title, name & return address, and PIN (if required). Other information such as the granting clauses, legal description, etc. may be placed on this first page of the document or may be placed on additional pages of the document. Note: Use of this cover page adds one page to your document and \$2.00 to the recording fee. Wisconsin Statutes, 59.517. WRDA 2/96

recbox r6/99

**SPECIAL WARRANTY DEED**

KNOW ALL MEN BY THESE PRESENTS:

That, **TRIVISION MARKETING GROUP, LLC**, a Wisconsin limited liability company, whose mailing address is 1020 James Drive, Suite A, Hartland, Wisconsin 53029, Attn: Ronald W. Lyons ("Grantor"), and pursuant to that certain Agreement of Purchase and Sale dated April 27, 2004, as amended, ("Agreement") among Grantor, and **BATOG, LLC**, a Wisconsin limited liability company ("Grantee"), does hereby grant, bargain, sell and convey unto Grantee that certain real property located at **9835 W. Forest Home Road, Hales Corners, in the County of Milwaukee and State of Wisconsin**, as more fully described in **Exhibit A** hereto and made a part hereof (the "Property").

TO HAVE AND TO HOLD the above granted and bargained Property with the easements and rights appurtenant thereunto belonging, unto Grantee, SUBJECT, however, to all legal highways and roadways, and to the terms, conditions and restrictions herein contained, and to all liens, encumbrances and claims of every kind and nature caused, created or suffered to exist or be attached upon, against or to the Property by anyone other than the Grantor, and subject to: (a) real estate taxes and assessments, both general and special, not then due and payable; (b) laws, regulations, ordinances and restrictions (including, without limitation, zoning regulations and building restrictions) now existing or hereinafter enacted, and any violations thereof; (c) any and all leases, easements, rights-of-way, encumbrances, conditions, covenants, restrictions, reservations and exceptions; (d) any state of facts that an accurate survey or independent inspection of the Property by the Grantee would disclose; (e) any lease, commission marketer and/or supply agreement with a dealer or commission marketer for the Property; (f) the restrictions and covenants herein contained; and (g) liens, exceptions or restrictions or other matters caused or created by the Grantee. Grantor warrants and will defend its title to the Property against all lawful claims and demands made against said title by all persons claiming by, from, through or under Grantor, and none other, except as above noted. Unless otherwise defined herein, all terms in the Agreement shall have the same meaning herein.

The Property is conveyed by Grantor and accepted by Grantee subject to a restriction and covenant prohibiting, for a period of fifteen (15) years from the Effective Date, as defined below, the use of the Property in whole or in part, directly or indirectly, for automobile service station, convenience store, quick service or take-out restaurant, car wash or automobile repair purposes, or for the sale, offering for sale, storage or distribution of any gasoline, motor vehicle fuels, lubricants, tires, batteries, automotive parts or accessories, other petroleum products or convenience store items. Convenience store shall mean any retail business with its primary emphasis placed on providing the public a convenient location to quickly purchase from a wide array of consumable products (predominantly food or food and gasoline) and services. Such restriction and covenant shall run with the Property for the benefit and protection of any property used and operated by Grantor, its parents, affiliates or subsidiaries or their respective representatives for such purposes within a distance of five (5) miles from the Property, whether owned or leased by Grantor, its parents, affiliates or subsidiaries or their respective representatives during said fifteen (15) year period. Such restriction and covenant shall not,

however, prohibit the storage of motor fuels, lubricants, other petroleum products or convenience store items on the Property solely for the use or consumption by Grantee or other occupants of the Property.

Grantor hereby reserves, for itself, its employees, contractors, agents, representatives and licensees, access to the Property for the purpose of testing, assessing, and if necessary, remediating the Property ("Access"), in accordance with the terms of the Agreement. During Grantor's Access, Grantee shall not use or develop (or permit or suffer to be used or developed) the Property in such a manner that prevents or hinders the performance of or increases the cost or scope of the remediation work to be undertaken by Grantor or its predecessors in title as set forth in the Agreement, or violates or is inconsistent with the Exposure Restriction (as hereinafter defined). In addition, Grantor's Access shall not be interrupted by any transfer, assignment, conveyance, mortgage, lease, hypothecation or pledge by Grantee of the Property or any of Grantee's interests therein, although Grantor shall not have any obligations to such transferee unless and until certain conditions specified in the Agreement are met.

Except to the extent Grantor has indemnified Grantee as provided in Article VIII of the Agreement, Grantee does hereby assume and agree to be responsible for, does hereby waive, release and discharge, and shall defend, indemnify and hold harmless Grantor, its parents, subsidiaries and affiliates, and their respective directors, officers, partners, employees, contractors, agents, representatives, successors and assigns ("Grantor Entities"), from and against all claims, demands, damages, losses, costs and expenses, attorney's fees, court costs, awards, settlements, judgments, penalties, fines, liens, actions or causes of action at law or in equity ("Losses"), including without limitation actions under the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq., as amended, the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq., and any other applicable environmental laws, statutes, ordinances, rules, regulations or orders ("Laws"), arising out of or relating to the environmental and/or physical condition of the Property or other property abandoned thereon by Grantor or arising out of or relating to the ownership or use of the Property after Closing.

Notwithstanding anything to the contrary contained herein (except as otherwise required under the Agreement, in the event that, after Closing, any governmental agency, entity, body, instrumentality, department or representative ("Government") shall notify Grantor that Grantor must undertake on the Property any testing, investigation and/or remediation of flammable explosives, hydrocarbons and/or petroleum products or fractions thereof, radioactive materials, hazardous or toxic wastes, substances or materials, including without limitation those materials and substances defined as "hazardous substances", "hazardous materials", "hazardous wastes" or "toxic substances" in the Laws ("Hazardous Materials"), then Grantor shall immediately notify Grantee of same, Grantee shall promptly undertake the same, and Grantee shall immediately notify the Government that Grantee shall respond to such notice in the place of Grantor. After such notice from Grantor, in the event (i) Grantee fails to timely or properly undertake and pursue the required testing, investigation and/or remediation of the Hazardous Materials, or (ii) the Government insists that Grantor, not Grantee, undertake or pursue the required testing, investigation and/or remediation of the Hazardous Materials; then, and only in the event of (i) or (ii), and under no other circumstances (except as permitted under the Agreement), Grantor shall

have the right and authority, without trespass, to enter the Property and to conduct the required testing, investigation and/or remediation of the Hazardous Materials. Grantor's entry on the Property and activities thereon shall not be deemed an admission of liability for such Hazardous Materials. While on the Property, Grantor shall have the right to install, maintain, operate, sample, remove and decommission monitoring points (including without limitation soil borings, monitoring wells and vapor points), recovery wells, remediation or treatment equipment and an above ground shed to house equipment, to remove, remediate, store and test soils and groundwater therefrom and thereon and to otherwise take all actions required to comply with the Laws. Grantor shall exercise its right of entry onto the Property in a manner that does not unreasonably interfere with the Intended Primary Use thereof by Grantee. Grantee shall not interfere with Grantor's right of entry, or actions taken pursuant thereto, and shall cooperate with Grantor in obtaining any permits, licenses, approvals, consents or related documents necessary for Grantor's actions taken with respect to the Property.

Grantee represents and warrants that it is familiar with the condition of the Property and that, except for the foregoing limited warranty of title by Grantor, GRANTOR HAS NOT MADE AND MAKES NO WARRANTIES OR REPRESENTATIONS REGARDING THE PROPERTY, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ITS HABITABILITY, CONDITION OR FITNESS FOR ANY PARTICULAR USE OR PURPOSE. GRANTEE AGREES THAT THE PROPERTY IS HEREBY CONVEYED AND ACCEPTED IN ITS "AS-IS, WHERE-IS" CONDITION.

Grantee acknowledges that on or after the Effective Date, Grantor may be testing, assessing, or remediating the Property, applying corrective action standards (including without limitation risk-based corrective action standards) and/or the use of exposure controls (such as use or resource restrictions) consistent with the Laws. To reduce risks to human health and/or the environment, and to permit application of corrective action standards which are consistent with the non-residential use of the Property, this conveyance is made and accepted upon the express condition and subject to the restrictions and covenants that: (i) the Property shall not be used or occupied (if use or occupied at all) for residential purposes, child care or elder care facilities, nursing home or hospice facilities, medical or dental facilities, schools, churches, or other places of worship, parks or hospitals; (ii) no water wells used to supply water for human consumption, farming or irrigation shall be installed or used on the Property; and (iii) any building constructed on the Property shall have a slab-on-grade foundation with the top of the slab at or above surface level; and (iv) all portions of the Property, which are, from time to time or at any time, used for a gasoline station, petroleum station, automobile service station, automobile repair shop or any purpose similar to any of the foregoing, shall at all times be covered with an engineered barrier consisting of a concrete or asphalt surface, or such other impermeable surface which is approved by the Government, and which is sufficient to inhibit the inhalation or ingestion of contaminated media and to impede contaminant migration to any groundwater at or adjacent to the Property (collectively, "Exposure Restriction"). Said concrete or asphalt surface on the Property shall be maintained and kept in good repair by the Grantee (at its sole cost and expense) in compliance with all Laws. The Grantee agrees to indemnify, defend and hold harmless the Grantor Entities from and against all Losses arising out of or relating to any use of the Property which is in violation of or inconsistent with the Exposure Restriction. The Exposure Restriction shall run with the Property and each portion thereof for the benefit of the Grantor Entities. Grantor shall,

at Grantee's request, release a portion or portions of the Exposure Restriction from the Property, upon Grantor's receipt from Grantee of an acknowledgment from the Government, obtained by Grantee at its sole cost and expense, that test results demonstrate that the Property meets the then-current soil and groundwater standards for property without that portion or portions of the Exposure Restriction and that the Government approves the releasing of that portion or portions of the Exposure Restriction.

Grantee agrees to cooperate with Grantor and with the Government in obtaining environmental site closure, to such standards as are required pursuant to the Agreement (or such other standards as may be imposed by the Government), for any Contamination. Said cooperation may include, but not be limited to, the following:

(i) execution of any and all documentation as may be necessary, in Grantor's sole discretion, to obtain environmental site closure for the Property (which documentation may impose further exposure controls on the use of the Property by Grantee);

(ii) attendance at any meetings requested by Grantor relating to Contamination and remediation efforts on the Property; and/or

(iii) such other further reasonable acts as may be required in order to obtain environmental site closure for any past, present, or future environmental incident relating to Grantor's prior use, ownership or operation of the Property.

Should Grantee fail or refuse to sign such documentation, or be unavailable to sign such documentation (after reasonable inquiry by Grantor (such reasonableness to be determined by Grantor in its sole discretion)), Grantee hereby irrevocably appoints an authorized representative of Grantor (or any successor thereto), as its attorney-in-fact to sign and execute such documentation for and on behalf of Grantee

Grantee further authorizes Grantor to record one or more "No Further Action/Remediation Letters" or similar documentation against the Property, if and when the same is/are obtained by Grantor from the Government.


Grantee has granted to Grantor a continuing right of first refusal ("Refusal Option") to purchase or lease all or part of the Property or any additions thereto or any improvements or personal property then located thereon, on the same terms and conditions as contained in any bona fide offer made to Grantee within fifteen (15) years after the Effective Date ("Refusal Term"). If, within the Refusal Term, Grantee receives a bona fide offer from a third party to purchase or lease the Property, or any portion thereof or any improvements thereto or any improvements or personal property then located thereon, which offer Grantee desires to accept, Grantee shall within twenty (20) days after Grantee's receipt of such offer notify Grantor by giving Grantor a fully-executed copy of such offer. Grantor shall have the right and option for thirty (30) days after receipt of such notice to elect to purchase or lease all real and personal property covered by such offer for the same consideration and on the same terms and conditions as contained in such offer. If Grantor exercises the Refusal Option, Grantor shall give written notice thereof to Grantee within such thirty (30) day period. In the event that Grantor does not

exercise the Refusal Option, Grantee shall have the right (subject to the restrictions, and covenants set forth in the Agreement and all other agreements between Grantor and Grantee) to sell or lease such property to such third party, but only for the same consideration and on the terms and conditions contained in such offer, and in any case subject to this Refusal Option which shall remain in full force and effect during the Refusal Term. Any sale or lease of such property by Grantee shall be null and void unless and until Grantee has fully complied with such requirements. Without limiting Grantor's rights under the Agreement: (a) the Refusal Option shall run with the land during the Refusal Term and shall bind Grantee and Grantee's heirs, devisees, representatives, successors and assigns, and the failure of Grantor to exercise its Refusal Option in any one case shall not affect Grantor's right to exercise its Refusal Option thereafter; and (b) any sale or lease of such property to any third party during the Refusal Term shall be subject to this Refusal Option and all of the provisions, rights and options herein contained. No failure by Grantor to exercise its Refusal Option, nor any waiver by Grantor thereof, shall in any event be deemed or construed to be a waiver or release of any of Grantee's other obligations to Grantor under the Agreement or any other agreement between Grantor and Grantee.

The terms and provisions of this Special Warranty Deed shall run with the land and shall be binding upon and inure to the benefit of the Grantor Entities, and Grantee. The effective date of this Special Warranty Deed is July 2, 2004 (the "Effective Date").

IN WITNESS WHEREOF, **TRIVISION MARKETING GROUP, LLC** has hereunto set its hand, by its duly authorized representative, this 2<sup>nd</sup> day of July, 2004.

**TRIVISION MARKETING GROUP, LLC**  
a Wisconsin limited liability company


By:   
Ronald W. Lyons, Managing Member

**ACKNOWLEDGMENT**

STATE OF WISCONSIN            )  
                                          ) ss.  
COUNTY OF MILWAUKEE        )

BEFORE ME, a Notary Public in and for said County, personally appeared the above-named **TRIVISION MARKETING GROUP, LLC**, a Wisconsin limited liability company, by Ronald W. Lyons, its managing member, who acknowledged that he did sign the foregoing instrument and that the same is the free act and deed of TriVision Marketing Group, LLC and the free act and deed of him as its authorized representative.

IN TESTIMONY WHEREOF, I have hereunto set my hand and official seal this 2nd day  
July, 2004.



Peter M. Garson, Notary Public  
My Commission is permanent.



**LEGAL DESCRIPTION OF THE PREMISES**

That part of the Northeast ¼ of Section 32, Town 6 North, Range 21 East, partly in the Village of Hales Corners and partly in the Town (Now City) of Greenfield, County of Milwaukee, State of Wisconsin, described as follows:

Commencing at a point in the Northerly line of said ¼ Section which is 1985.70 feet Westerly of the Northeast corner of said ¼ Section; running thence South 89° 54' 37" West along the Northerly line of said ¼ Section 140.22 feet to the center line of West Forest Home Avenue; thence South 45° 14' 44" West along the center line of West Forest Home Avenue 220.14 feet to a point; thence South 44° 45' 16" East 230 feet to a point; thence North 45° 14' 44" East and parallel to the center line of West Forest Home Avenue and 230 feet distant thereof, 191.50 feet plus or minus to a point, thence North 0° 5' 23" West 184.57 feet to the place of beginning, reserving therefrom the North 55 feet and the Northwesterly 60 feet for highway purposes.

Tax Key No. 660-9970 (Affecting the subject premises.)

Address: 9835 W. Forest Home Road, Hales Corners, Wisconsin.

This Special Warranty Deed was prepared by:

Peter M. Garson, Esq.  
von Briesen & Roper, s.c.  
10 E. Doty Street, Suite 620  
Madison, WI 53703  
(608) 661-3982

20058211\_1 DOC

PLAT OF SURVEY



Amoco Station #18764

LOCATION: 9835 West Forest Home Avenue, Hales Corners, Wisconsin

**LEGAL DESCRIPTION:** That part of the Northeast 1/4 of Section 32, Town 6 North, Range 21 East, in the Village of Hales Corners, Milwaukee County, Wisconsin, described as follows: Commencing at a point in the Northerly line of said 1/4 Section which is 1985.70 feet Westerly of the Northeast corner of said 1/4 Section; running thence S 89°54'34" W along the Northerly line of said 1/4 Section, 140.22 feet to the center line of West Forest Home Avenue; thence S 45°14'44" W along the center line of West Forest Home Avenue, 220.14 feet to a point; thence S 44°15'16" E, 230 feet to a point; thence N 45°14'44" E and parallel to the center line of West Forest Home Avenue and 230 feet distant thereof, 191.50 feet plus or minus to a point; thence N 0°5'23" W, 184.57 feet to the place of beginning. RESERVING THEREFROM the North 55 feet and the Northwesterly 60 feet for highway purposes.

January 3, 1995

Survey No. 84715




**METROPOLITAN SURVEY SERVICE, INC.**  
 REGISTERED LAND SURVEYORS  
 W. FOREST HOME AVE., SUITE 202, HALES CORNERS, WI 53130  
 PH. 528-8390 FAX 528-9797


I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THAT THE ABOVE MAP IS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION OF ALL VISIBLE STRUCTURES AND DIMENSIONS OF ALL PRINCIPAL BUILDINGS THEREON, BOUNDARY FENCES, APPARENT EASEMENTS AND ROADWAYS AND VISIBLE ENCROACHMENTS, IF ANY.

THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF THE PRESENT OWNERS OF THE PROPERTY, AND ALSO THOSE WHO PURCHASE, MORTGAGE, OR GUARANTEE THE TITLE THERE TO WITHIN ONE (1) YEAR FROM DATE HEREOF.

SIGNED: *[Signature]*




HALES CORNERS, WIS.



**FIGURE 1**  
**SITE LOCATION MAP**  
**SERVICE STATION NO. 18764**  
**9835 W. FOREST HOME AVE.**  
**HALES CORNERS, WISCONSIN**

PROJECT NO. AMGO-23K	PREPARED BY AM	 <b>Delta</b> Environmental Consultants, Inc.
DATE 12/2/05	REVIEWED BY	



NOTE: FIGURE IS BASED ON A DRAWING TITLED: "ZONING MAP, VILLAGE OF HALES CORNERS", DATED 10-17-96.



**LEGEND:**

- PROPERTY BOUNDARY
- 8958 WGNHS DOMESTIC WELL TIF NUMBER
- ML-543-g WISCONSIN UNIQUE WELL I.D. NUMBER
- P-1 PARKS & INDUSTRIAL
- R-1 1 & 2 FAMILY RES.
- R-3 1 FAMILY RES.
- R-4 MULT-FAMILY RES.
- B-2 GENERAL BUSINESS
- B-3 AUTO-RELATED
- B-4 OFFICE
- WGNHS = WISCONSIN GEOLOGICAL AND NATURAL HISTORY SURVEY

- \* THIS LOCATION IS BEING TRACKED ON THE WISCONSIN DEPARTMENT OF NATURAL RESOURCES BRRTS SYSTEM, AS FOLLOWS:
- TIF #9060 - PETROFFS DRIVE INN, BRRTS NO. 03-41-285735
  - TIF #10560 - JIM'S SERVICE CENTER, BRRTS NO. 02-41-173956
  - TIF #10540 - PRIVATE RESIDENCE, BRRTS NO. 03-41-181685
  - TIF #10532 - AMOCO #18764, BRRTS NO. 03-41-000370

**NOTES:**


- 1.) PROPERTIES WITHOUT A TIF NUMBER MAY HAVE DOMESTIC WELLS; HOWEVER, LOGS COULD NOT BE LOCATED USING THE WGNHS DATABASE.
- 2.) WELL LOCATIONS HAVE NOT BEEN FIELD VERIFIED.



**FIGURE 1**  
SITE VICINITY MAP  
SERVICE STATION NO. 18764  
9835 W. FOREST HOME AVE.  
HALES CORNERS, WISCONSIN

PROJECT NO. AMG0-23K	PREPARED BY KM	DRAWN BY DD
DATE 5/5/03	REVIEWED BY	FILE NAME 18764-Site







- LEGEND:**
- PROPERTY BOUNDARY
  - ⊙ MONITORING WELL
  - ⊗ ABANDONED MONITORING WELL
  - SOIL BORING
  - ⊠ GEOPROBE BORING/TEMPORARY WELL
  - ⊖ UST UNDERGROUND STORAGE TANK
  - ▨ FORMER PUMP ISLAND
  - UE UNDERGROUND ELECTRIC LINE
  - UT UNDERGROUND TELEPHONE LINE
  - GAS GAS LINE
  - W WATER LINE
  - MANHOLE
  - ⊕ UTILITY POLE

NOTE: SHA-1, SHA-2, SGP-1 AND SGP-2 WERE INSTALLED AND SAMPLED AS PART OF A REAL ESTATE TRANSACTION ASSESSMENT.

**FIGURE 1**  
**SITE MAP**  
 FORMER AMOCO SERVICE STATION NO. 18764  
 9835 WEST FOREST HOME AVENUE  
 HALES CORNERS, WISCONSIN



PROJECT NO. G023K	PREPARED BY KM	DRAWN BY DD	
DATE 3/14/05	REVIEWED BY	FILE NAME 18764 Site	



OW-1DR
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.3
REDOX=NM

GMOW-1S
6/10/05
B=77.0
T=712
E=3,220
X=10,700
TMBs=8,370
MTBE=<20.0
NAPH=852
GRO=37,100
DO=0.7
REDOX=NM

OW-1
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-7
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-1SR
6/10/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

GMOW-6D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.3
REDOX=NM

OW-6
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=4.3
REDOX=NM

OW-2SR
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=2.6
REDOX=NM

OW-2R
6/10/05
B=<10.0
T=<10.0
E=111
X=<30.0
TMBs=37.2
MTBE=<1.0
NAPH=118
GRO=2,550
DO=2.1
REDOX=NM

GMOW-5D
12/7/04
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=4.4
REDOX=NM

OW-5R
6/10/05
B=1.1
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=9.6
NAPH=<1.0
GRO=<100
DO=1.7
REDOX=NM

GMOW-3D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.5
REDOX=NM

GMOW-3S
6/10/05
B=8.5
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=96.8
NAPH=<1.0
GRO=52.7
DO=2.2
REDOX=NM

OW-3
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-10
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=6.6
REDOX=NM

OW-1SR
6/10/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-11
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=3.1
REDOX=NM

GMOW-4D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.3
REDOX=NM

OW-4
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-BS
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-9
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

GMOW-8D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=4.5
REDOX=NM

OW-1SR
6/10/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-11
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=3.1
REDOX=NM

GMOW-4D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.3
REDOX=NM

OW-4
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-BS
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-9
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

GMOW-8D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=4.5
REDOX=NM

OW-5R
6/10/05
B=1.1
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=9.6
NAPH=<1.0
GRO=<100
DO=1.7
REDOX=NM

GMOW-3D
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=5.5
REDOX=NM

GMOW-3S
6/10/05
B=8.5
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=96.8
NAPH=<1.0
GRO=52.7
DO=2.2
REDOX=NM

OW-3
6/9/05
B=NS
T=NS
E=NS
X=NS
TMBs=NS
MTBE=NS
NAPH=NS
GRO=NS
DO=NS
REDOX=NS

OW-10
6/9/05
B=<1.0
T=<1.0
E=<1.0
X=<3.0
TMBs=<1.0
MTBE=<1.0
NAPH=<1.0
GRO=<100
DO=6.6
REDOX=NM

**LEGEND:**

- PROPERTY BOUNDARY
- ⊕ MONITORING WELL
- ⊙ ABANDONED MONITORING WELL
- ⊗ SOIL BORING
- ⊠ GEOPROBE BORING/TEMPORARY WELL
- UST UNDERGROUND STORAGE TANK
- FORMER PUMP ISLAND
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND TELEPHONE LINE
- GAS LINE
- WATER LINE
- ⊙ MANHOLE
- ⊕ UTILITY POLE

NOTE: SHA-1, SHA-2, SGP-1 AND SGP-2 WERE INSTALLED AND SAMPLED AS PART OF A REAL ESTATE TRANSACTION ASSESSMENT.

GMOW-3D	SAMPLE NAME
6/9/05	SAMPLE DATE
B=<1.0	BENZENE (ug/L)
T=<1.0	TOLUENE (ug/L)
E=<1.0	ETHYLBENZENE (ug/L)
X=<3.0	XYLENES (ug/L)
TMBs=<1.0	TOTAL TRIMETHYLBENZENES (ug/L)
MTBE=<1.0	METHYL TERTIARY BUTYL ETHER (ug/L)
NAPH=<1.0	NAPHTHALENE (ug/L)
GRO=<100	GASOLINE RANGE ORGANICS (ug/L)
DO=5.5	DISSOLVED OXYGEN (mg/L)
REDOX=NM	REDUCTION/OXIDATION POTENTIAL (mV)


ug/L = MICROGRAMS PER LITER  
 mg/L = MILLIGRAMS PER LITER  
 mV = MILLIVOLTS


CONCENTRATIONS SHOWN IN BOLD TYPE EXCEED THE NR 140 ENFORCEMENT STANDARDS

NS = NOT SAMPLED ON INDICATED DATE  
 NM = NOT MEASURED

**FIGURE 5**  
**GROUNDWATER ANALYTICAL RESULTS**  
 6/9-10/05  
 FORMER AMOCO SERVICE STATION NO. 18764  
 9835 WEST FOREST HOME AVENUE  
 HALES CORNERS, WISCONSIN

PROJECT NO. G023K	PREPARED BY AM	DRAWN BY DD
DATE 8/4/05	REVIEWED BY	FILE NAME 18764_GWA







- LEGEND:**
- PROPERTY BOUNDARY
  - ⊙ MONITORING WELL
  - ⊗ ABANDONED MONITORING WELL
  - SOIL BORING
  - ⊠ GEOPROBE BORING/TEMPORARY WELL
  - U&T UNDERGROUND STORAGE TANK
  - FORMER PUMP ISLAND
  - UE— UNDERGROUND ELECTRIC LINE
  - UT— UNDERGROUND TELEPHONE LINE
  - GAS— GAS LINE
  - W— WATER LINE
  - MANHOLE
  - ⊕ UTILITY POLE
  - 781.0 GROUNDWATER CONTOUR LINE  
CONTOUR INTERVAL = 1.0 FT.
  - (782.08) GROUNDWATER ELEVATION (FEET)
- NOTE: SHA-1, SHA-2, SGP-1 AND SGP-2 WERE INSTALLED AND SAMPLED AS PART OF A REAL ESTATE TRANSACTION ASSESSMENT.

**FIGURE 3**  
**UNCONSOLIDATED/BEDROCK GROUNDWATER**  
**ELEVATION CONTOUR MAP - 12/7/04**  
**FORMER AMOCO SERVICE STATION NO. 18764**  
**9835 WEST FOREST HOME AVENUE**  
**HALES CORNERS, WISCONSIN**

PROJECT NO. G023K	PREPARED BY KM	DRAWN BY DD
DATE 3/14/05	REVIEWED BY	FILE NAME 18764 Site

**Delta**  
 Environmental  
 Consultants, Inc.






**LEGEND:**

- - - PROPERTY BOUNDARY
- ⊙ MONITORING WELL
- ⊗ ABANDONED MONITORING WELL
- SOIL BORING
- ⊗ GEOPROBE BORING/TEMPORARY WELL
- UST UNDERGROUND STORAGE TANK
- FORMER PUMP ISLAND
- UE — UNDERGROUND ELECTRIC LINE
- UT — UNDERGROUND TELEPHONE LINE
- GAS — GAS LINE
- W — WATER LINE
- MANHOLE
- ⊙ UTILITY POLE
- 760.4 — GROUNDWATER CONTOUR LINE  
CONTOUR INTERVAL = 0.2 FT.
- (760.32) GROUNDWATER ELEVATION (FEET)



NOTE: SHA-1, SHA-2, SGP-1 AND SGP-2 WERE INSTALLED AND SAMPLED AS PART OF A REAL ESTATE TRANSACTION ASSESSMENT.

**FIGURE 4**  
**BEDROCK AQUIFER GROUNDWATER**  
**ELEVATION CONTOUR MAP - 12/7/04**  
**FORMER AMOCO SERVICE STATION NO. 18764**  
**9835 WEST FOREST HOME AVENUE**  
**HALES CORNERS, WISCONSIN**



PROJECT NO. G023K	PREPARED BY KM	DRAWN BY DD	
DATE 3/14/05	REVIEWED BY	FILE NAME 18764 Site	





**LEGEND:**

- MONITORING WELL
- MONITORING WELL SCREEN INTERVAL
- ▼ GROUND WATER TABLE ELEVATIONS JANUARY 24, 2003
- SPLIT SPOON SAMPLING INTERVAL
- PHOTONIZATION DETECTOR READING (ppb) NO PID READING AVAILABLE FOR OW-3, OW-4, AND OW-7.
- NS NOT SAMPLED
- SOIL BORING

NOTE: OW-3, OW-4, OW-7, OW-10, AND OW-11 ARE DRY WELLS.

VERTICAL SCALE (FEET) 10



HORIZONTAL SCALE (FEET) 30

- ASPHALT AND GRAVEL BACKFILL
- SANDY OR SILTY CLAY TRACE FINE GRAVEL
- SILTY SAND BROWN
- DOLMITE BEDROCK WHITE TO LIGHT TAN

**FIGURE 2**  
**GEOLOGIC CROSS SECTION A-A'**  
 AMOCO SERVICE STATION No. 18764  
 9835 WEST FOREST HOME AVENUE  
 HALES CORNERS, WISCONSIN

PROJECT NO.:	AMCO-23K	DRAWN BY:	DD
PREPARED BY:	KM	DATE:	2/10/03
FILE NAME:	95875-X		






**LEGEND:**

- MONITORING WELL
- MONITORING WELL SCREEN INTERVAL
- GROUND WATER TABLE ELEVATIONS JANUARY 24, 2003
- SPLIT SPOON SAMPLING INTERVAL
- PHOTONIZATION DETECTOR READING (ppb)  
NO PID READING AVAILABLE FOR OW-1 AND OW-3
- NS NOT SAMPLED

NOTE: OW-1, OW-3, AND OW-8S ARE DRY WELLS.






**FIGURE 3**  
GEOLOGIC CROSS SECTION B-B'

AMOCO SERVICE STATION No. 18764  
9835 WEST FOREST HOME AVENUE  
HALES CORNERS, WISCONSIN

PROJECT NO.: AMG0-23K	DRAWN BY: DD
PREPARED BY: KJM	DATE: 2/10/03
FILE NAME: 18764-BB	





**FIGURE 4**  
GEOLOGIC CROSS SECTION C-C'

AMOCO SERVICE STATION No. 18764  
9835 WEST FOREST HOME AVENUE  
HALES CORNERS, WISCONSIN

PROJECT NO.: AMCO-23K  
DRAWN BY: DD  
PREPARED BY: KM  
DATE: 3/3/03  
FILE NAME: 18764-CC



**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

OW-1														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	<1.0	<5.0	<1.0	<2.0	NS	13	NA	NA	NA	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	6.1	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	4.7	NA	NA	<50	NA	NA	NM	NM	NM
9/14/1995	<1.0	<1.0	<1.0	4.5	8.0	26	NA	NA	52	NA	NA	NM	NM	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	17	NA	NA	<50	NA	NA	2.3	125	NM
4/16/1997	1.4	1.4	<1	<2	<1.0	7.1	NA	NA	<50	NA	NA	1.8	325	NM
2/9/1999	2.7	<1.0	<1.0	<2.0	<1.0	5.6	NA	NA	<100	NA	NA	1.9	069	0.2
6/14/1999	<0.20	<0.50	<0.50	<1.1	0.74	<0.30	NA	NA	<50	NA	NA	1.12	141	<0.1
6/14/1999 D	<0.20	<0.50	<0.50	<1.5	1.83	<0.30	NA	NA	<50	NA	NA			
5/15/2000	0.13	<0.2	<0.22	0.63	0.48	2.3	NA	NA	NA	NA	NA	3.5	258	NM
11/13/2000	<0.13	<0.20	<0.22	<0.23	<0.29	7.0	NA	NA	NA	NA	NA	1.2	302	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	6.5	NA	NA	NA	NA	NA	7.7	197	NM
2/14/2002	<0.13	<0.20	<0.22	<0.23	<0.29	1.8	NA	NA	NA	NA	NA	1.3	NM	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	3.3	196	NM
8/9/2002	<0.13	<0.20	<0.22	0.23	<0.29	<0.16	NA	NA	<50	NA	NA	0.7	158	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	1.8	105	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	2.7	062	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	6.5	087	NM
6/9/2005	Not enough water to sample											NM	NM	NM

OW-2														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	540	1,400	2,800	16,000	NA	<500	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	400	860	2,100	14,000	NA	<200	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	120	220	310	1,800	1,220	<20	NA	NA	7,400	NA	NA	NM	NM	NM
3/31/1994	24	23	71	660	80	<8	NA	NA	3,800	NA	NA	NM	NM	NM
6/29/1994	39	<10	190	1,900	1,310	140	NA	NA	7,100	NA	NA	NM	NM	NM
9/30/1994	260	26	320	2,300	1,930	1,100	NA	NA	11,000	NA	NA	NM	NM	NM
12/29/1994	8.5	4.1	6.4	29	39	220	NA	NA	820	NA	NA	2.0	150	NM
6/8/1995	<10	<10	<10	25	33	4,200	NA	NA	2,300	NA	NA	1.2	NM	NM
6/4/1996	<10	<10	<10	48	27	1,300	NA	NA	1,200	NA	NA	2.3	-010	NM
4/16/1997	5.8	2.8	5.8	26	26	57	NA	NA	280	NA	NA	1.3	020	NM
2/3/2000	0.799	3.5	<0.5	2.05	7.16	<0.3	NA	NA	NA	NA	NA	1.4	-097	NM
5/15/2000	60	3.5	18	60	29	90	NA	NA	NA	NA	NA	1.5	-032	NM
11/13/2000	2.5	0.38	0.57	1.9	1.07	<0.16	NA	NA	NA	NA	NA	1.0	292	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	1.0	158	NM
OW-2 was abandoned on December 4, 2002														

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

ANALYTICAL PARAMETERS													BIO-PARAMETERS		
Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm	
OW-2R															
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15				
1/24/2003	85	12	43	200	123	180	30	<1.0	1,500	1.0	<3.00	4.6	169	NM	
1/24/2003 D	73	9.6	32	160	84	190	22	2.1	NA	NA	NA				
5/28/2003	17	<1.0	250	150	30	10	NA	NA	2,800	NA	NA	2.1	-105	NM	
5/28/2003 D	16	<1.0	260	150	30	9.2	NA	NA	2,700	NA	NA				
8/22/2003	32	27	610	910	610	200	NA	NA	5,100	NA	NA	1.2	-126	NM	
8/22/2003 D	33	25	600	810	530	190	NA	NA	5,100	NA	NA				
11/19/2003	51	26	460	530	270	110	NA	NA	3,900	NA	NA	1.7	-099	NM	
2/11/2004	48	20	250	250	139	200	87	NA	3,200	NA	NA	1.7	-127	NM	
3/29/2005	<2.0	<2.0	140	63.6	3.5	<2.0	112	NA	2,360	NA	NA	1.3	-099	NM	
3/29/2005 D	1.3	<1.0	193	87.8	7.8	<1.0	156	NA	2,670	NA	NA				
6/10/2005	<10.0	<10.0	111	<30.0	37.2	<10.0	118	NA	2,550	NA	NA	2.1	NM	NM	
6/10/2005 D	2.0	<1.0	137	55.0	22.9	4.7	83.3	NA	2,500	NA	NA				

ANALYTICAL PARAMETERS													BIO-PARAMETERS		
Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm	
OW-3															
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15				
4/20/2001	The well was dry during this and subsequent sampling events														

ANALYTICAL PARAMETERS													BIO-PARAMETERS		
Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm	
OW-4															
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15				
8/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	NM	NM	NM	
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	115	NA	NA	3.5	089	NM	
6/9/2005	Not enough water to sample												NM	NM	NM

ANALYTICAL PARAMETERS													BIO-PARAMETERS		
Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm	
OW-5															
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15				
2/28/1991	<1.0	<5.0	<1.0	<2.0	NA	60	NA	NA	NA	NA	NA	NM	NM	NM	
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	49	NA	NA	NS	NA	NA	NM	NM	NM	
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	21	NA	NA	NA	NA	NA	NM	NM	NM	
4/17/1992	<1.0	2.3	<1.0	<2.0	NA	9.0	NA	NA	<50	NA	NA	NM	NM	NM	
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NA	NA	NA	NM	NM	NM	
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM	
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM	
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM	
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM	
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	1.5	350	NM	
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	52	NA	NA	<50	NA	NA	3.1	175	NM	
4/16/1997	<1	<1	<1	<2	<1.0	110	NA	NA	68	NA	NA	3.6	250	NM	
2/9/1999	<1	<1	<1	<2	<1.0	19	NA	NA	<100	NA	NA	3.6	250	0.0	
6/14/1999	<0.20	0.91	<0.5	<1.0	<0.50	23	NA	NA	<50	NA	NA	0.8	188	<0.1	
5/15/2000	<0.13	<0.2	<0.22	<0.23	<0.29	5.1	NA	NA	NA	NA	NA	2.4	265	NM	
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	1.2	NA	NA	NA	NA	NA	5.3	141	NM	
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	3.6	NA	NA	<50	NA	NA	2.6	158	NM	
OW-5 was abandoned on December 4, 2002															

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

OW-5R														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	68	5.6	4.6	34	16.6	95	4.2	<1.0	620	0.41	<3.00	5.4	179	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	5.1	NA	NA	<100	NA	NA	2.0	-073	NM
8/22/2003	62	4.1	<1.0	15	1.2	55	NA	NA	210	NA	NA	1.4	-068	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	52	NA	NA	<100	NA	NA	1.5	-001	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	26	<1.0	NA	<100	NA	NA	3.9	036	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	2.4	-043	NM
6/10/2005	1.1	<1.0	<1.0	<3.0	<1.0	9.6	<1.0	NA	<100	NA	NA	1.7	NM	NM

OW-6														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	<1.0	<5.0	<1.0	<2.0	NA	90	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	14	<5.0	2.0	<2.0	<1.0	34	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	4.3	<1.0	<1.0	<2.0	NA	33	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	34	3.8	1.9	<2.0	NA	31	NA	NA	95	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	6.6	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	8.4	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	5.6	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	352	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	2.9	215	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	37	NA	NA	<50	NA	NA	5.6	070	NM
4/16/1997	<1	<1	<1	<2	<1.0	130	NA	NA	71	NA	NA	4.9	220	NM
2/9/1999	1.1	<1	<1	<2	<1.0	<4	NA	NA	<100	NA	NA	4.2	117	8
6/14/1999	<0.20	<0.50	<0.50	<1.0	<0.50	<0.30	NA	NA	<50	NA	NA	2.92	155	<0.1
5/15/2000	0.32	<0.2	<0.22	1.4	1.1	<0.16	NA	NA	NA	NA	NA	4.9	095	NM
11/13/2000	<0.13	<0.20	<0.22	<0.23	<0.29	5.1	NA	NA	NA	NA	NA	1	286	NM
4/20/2001	<0.13	<0.23	<0.22	<0.29	<0.29	13	NA	NA	NA	NA	NA	4.6	104	NM
8/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	4.2	NA	NA	NA	NA	NA	1.9	114	NM
2/14/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	5.8	NM	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	3.4	187	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	3.7	171	NM
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<100	<0.16	<3.00	NM	NM	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	3.0	051	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	3.1	055	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	2.0	098	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	4.3	NM	NM

OW-7														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	NM	NM	NM
8/20/2001	The well was dry during this and subsequent sampling events													

OW-8S														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	The well was dry during this and subsequent sampling events													
												NM	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

OW-9														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
10/30/1996	The well was dry during this and subsequent sampling events													
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	8.8	083	NM
8/29/2001	The well was dry during this and subsequent sampling events													
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	114	NA	NA	4.5	078	NM
6/9/2005	Not enough water to sample													

OW-10														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	The well was dry. No sample could be collected.													
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA	9.2	103	NM
8/22/2003	<1.0	<1.0	<1.0	<3.0	<1.0	32	NA	NA	<100	NA	NA	3.8	076	NM
11/19/2003	The well was dry during this and subsequent sampling events													
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	6.6	NM	NM

OW-11														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	The well was dry. No sample could be collected.													
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	12	<1.0	<1.0	NA	NA	NA	6.7	118	NM
8/22/2003	<1.0	<1.0	<1.0	<3.0	<1.0	10	NA	NA	<100	NA	NA	5.9	088	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	36	NA	NA	<100	NA	NA	3.5	085	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	0.85 J	<1.0	NA	<100	NA	NA	6.6	067	NM
12/7/2004	The well was dry. No sample could be collected.													
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	3.0	106	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	3.1	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	8,600	31,000	10,000	54,000	NA	<5,000	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	NM	NM	NM
1/29/1992	4,500	16,000	3,900	21,000	NA	<400	NA	NA	NA	NA	NA	NM	NM	NM
7/28/1993	110	1,000	510	6,200	2,760	<50	NA	NA	NA	NA	NA	NM	NM	NM
12/29/1994	590	1,400	2,900	14,000	4,300	<400	NA	NA	42,000	NA	NA	0.3	167	NM
3/16/1995	950	1,800	2,600	13,000	4,280	<80	NA	NA	41,000	NA	NA	0.9	126	NM
6/8/1995	160	850	1,400	11,000	NA	<80	NA	NA	35,000	NA	NA	NM	NM	NM
9/14/1995	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	NM
12/21/1995	1,900	3,200	3,000	14,000	6,000	<80	NA	NA	75,000	NA	NA	0.8	<-050	NM
3/19/1996	1,800	2,600	2,700	12,000	4,000	<200	NA	NA	47,000	NA	NA	0.9	005	NM
6/4/1996	170	720	1,200	6,000	2,880	<80	NA	NA	26,000	NA	NA	2.1	-050	NM
10/30/1996	770	1,500	1,800	9,100	4,600	<200	NA	NA	31,000	NA	NA	NM	NM	NM
4/16/1997	210	680	1,100	6,700	6,300	230	NA	NA	78,000	NA	NA	0.9	-015	NM
2/9/1999	The well was dry. No sample could be collected.													
6/14/1999	86	275	347	5,730	9,310	<30	NA	NA	435,000	NA	NA	0.6	-050	10+
5/15/2000	79	610	840	6,000	4,800	<16	NA	NA	NA	NA	NA	2.3	-038	NM
11/13/2000	49	780	1,800	9,600	5,800	<16	NA	NA	NA	NA	NA	NM	NM	NM
4/20/2001	58	740	1,400	7,500	3,240	<41	NA	NA	NA	NA	NA	0.1	070	NM
4/20/2001 D	56	770	1,500	7,800	3,240	<38	NA	NA	NA	NA	NA			
8/20/2001	<5.2	370	1,200	6,600	3,040	<12	NA	NA	NA	NA	NA	0.4	-168	NM
8/20/2001 D	<5.2	380	1,200	6,700	3,170	<13	NA	NA	NA	NA	NA			
2/14/2002	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	NM	NM	NM
5/7/2002	36	320	1,100	6,900	3,460	<14	NA	NA	37,000	NA	NA	0.3	032	NM
5/7/2002 D	17	300	1,200	7,100	3,660	<23	NA	NA	40,000	NA	NA			
8/9/2002	<5.2	170	900	5,400	3,340	<6.4	NA	NA	27,000	NA	NA	0.6	061	NM
8/9/2002 D	<5.2	170	910	5,500	3,240	<6.4	NA	NA	NA	NA	NA			
1/24/2003	26 J	280	1,300	9,100	5,500	<40	460	<40	37,000	51	21.1	NM	NM	NM
5/28/2003	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	NA	NA	<100	NA	NA	2.7	-013	NM
5/28/2003 D	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA			
11/19/2003	110	730	1,500	8,500	4,400	<80	NA	NA	24,000	NA	NA	1.6	-110	NM
11/19/2003 D	130	730	1,500	8,600	4,700	<80	NA	NA	25,000	NA	NA			
2/11/2004	460	500	1,900	8,700	4,370	19 J	440	NA	35,000	NA	NA	0.9	-150	NM
2/11/2004 D	61	530	1,500	8,100	3,870	15 J	340	NA	27,000	NA	NA			
12/7/2004	37.3 J	439	2,570	13,300	8,440	<50	680	NA	52,400	NA	NA	1.7	-090	NM
12/7/2004 D	38.7 J	438	2,150	10,900	6,040	<50	659	NA	36,300	NA	NA			
3/29/2005	54.1	583	2,260	11,600	5,580	<50.0	436	NA	24,100	NA	NA	0.9	-102	NM
3/29/2005 D	56.1	555	2,220	11,700	6,710	<20.0	400	NA	28,200	NA	NA			
6/10/2005	77.0	712	3,220	10,700	8,370	<20.0	852	NA	37,100	NA	NA	0.7	NM	NM
6/10/2005 D	77.0	633	2,280	11,200	5,430	<20.0	536	NA	34,300	NA	NA			

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

OW-1SR														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES→	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
3/29/2005	43.2	97.7	534	1,210	661	122	151	<1.0	5,940	NA	NA	2.0	-110	NM
6/10/2005	Not enough water to sample											NM	NM	NM

GMOW-1D														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES→	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	3,500	9,000	1,600	12,000	NA	<500	NA	NA	NA	NA	NA	NM	NM	NM
4/4/1991	2,400	5,200	620	5,600	NA	<500	NA	NA	NA	NA	NA	NM	NM	NM
4/19/1991	1,100	2,200	190	2,500	NA	<50	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	490	450	47	950	500	56	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	80	58	13	35	NA	<8.0	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	25	11	12	23	NA	<8.0	NA	NA	1,000	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	3.5	<1.0	<2.0	<1.0	<4.0	NA	NA	64	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	1.2	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	2.9	363	NM
12/21/1995	The well was dry. No sample could be collected.													
11/6/2002	0.60	8.8	8.4	51	41	<1.0	9.4	<1.0	840	NA	NA	NM	NM	NM
11/6/2002 D	0.64	8.9	8.4	20	45	<1.0	9.9	<1.0	840	NA	NA			
GMOW-1D was abandoned on December 4, 2002														

OW-1DR														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethyl-benzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES→	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	1.6	<1.0	<1.0	<100	0.13	<3.00	6.9	177	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	3.1	<1.0	<1.0	<100	NA	NA	2.9	104	NM
8/22/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	2.5	016	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	2.4	059	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	3.2	<1.0	NA	<100	NA	NA	3.4	047	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	6.0	091	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	4.7	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

GMOW-2S														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
10/22/1990	20	260	380	2,280	NA	140	NA	NA	NA	NA	NA	NM	NM	NM
2/28/1991	4.0	7.0	35	58	NA	16	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	6.0	10	83	70	104	9.0	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	1.4	8.1	18	14	NA	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	<2.0	4.3	7.2	7.1	NA	<8.0	NA	NA	730	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NS	NA	NA	NM	NM	NM
10/18/1993	1.0	8.4	<1.0	3.9	5.9	<4.0	NA	NA	130	NA	NA	NM	NM	NM
3/31/1994	16	4.5	14	36	36.7	<4.0	NA	NA	410	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	2.0	355	NM
3/16/1995	<1.0	<1.0	<1.0	<2.0	<1.0	4.0	NA	NA	<50	NA	NA	2.2	294	NM
6/8/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	3.6	260	NM
9/14/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	2.2	NM	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
3/19/1996	<1.0	<1.0	<1.0	<2.0	<1.0	420	NA	NA	260	NA	NA	4.8	070	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	140	NA	NA	87	NA	NA	3.0	185	NM
10/30/1996	<50	<50	<50	<100	<50	4,200	NA	NA	3,500	NA	NA	3.3	NM	NM
4/16/1997	<2	<2	<2	12	22	950	NA	NA	580	NA	NA	1.5	195	NM
2/9/1999	1.6	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<100	NA	NA	1.2	063	0.6
2/9/1999 D	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	<100	NA	NA			
6/14/1999	<0.20	<0.50	<0.50	<1.0	<0.50	<0.30	NA	NA	<50	NA	NA	1.9	104	<0.1
2/3/2000	<0.15	0.5	<0.5	<0.4	<0.4	8.48	NA	NA	NA	NA	NA	1.8	279	NM
5/15/2000	<0.13	<0.2	<0.22	0.29	<0.29	<0.16	NA	NA	NA	NA	NA	3.1	112	NM
11/13/2000	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	0.8	263	NM
11/13/2000 D	<0.13	<0.20	<0.22	<0.23	<0.29	0.41	NA	NA	NA	NA	NA			
5/7/2002	Well blocked at 6.7 feet. A sample could not be collected.													
GMOW-2S was abandoned on December 4, 2002														

OW-2SR														
Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	Total TMBs µg/L	MTBE µg/L	Naph- thalene µg/L	1,2-DCA µg/L	GRO µg/L	DRO mg/L	Dissolved Lead µg/L	DO mg/L	REDOX millivolts	Dissolved Iron ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
1/24/2003	<1.0	<1.0	10	36	35.9	2.3	1.3	<1.0	330	0.30	<3.00	6.6	115	NM
5/28/2003	3.6	<1.0	<1.0	<3.0	2.1	<4.0	NA	NA	<100	NA	NA	1.6	-048	NM
8/22/2003	1.3	<1.0	1.2	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	1.3	-030	NM
11/19/2003	<1.0	<1.0	2.6	3.9	11.3	<4.0	NA	NA	<100	NA	NA	1.4	-015	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	0.90 J	<1.0	NA	<100	NA	NA	1.2	014	NM
12/7/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	1.2	006	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	0.70 J	<1.0	3.1	NA	175	NA	NA	3.3	-059	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	1.6	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

GMOW-3S	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	44	<5	66	3.0	NA	84	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	220	<50	51	230	310	94	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	97	6.6	23	82	NA	96	NA	NA	NA	NA	NA	NM	NM	NM
7/28/1993	<0.4	<1.0	<1.0	<1.0	<0.7	26	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	65	5.1	<1.0	42	16	59	NA	NA	350	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	26	2.5	18	17	1.1	19	NA	NA	160	NA	NA	NM	NM	NM
9/30/1994	15	1.3	<1.0	5.0	1.4	28	NA	NA	130	NA	NA	NM	NM	NM
12/29/1994	12	<1.0	4.2	8.4	2.3	22	NA	NA	210	NA	NA	2.0	311	NM
3/16/1995	<1.0	<1.0	<1.0	<2.0	<1.0	11	NA	NA	<50	NA	NA	2.5	255	NM
6/8/1995	5.0	<1.0	<1.0	<2.0	<1.0	52	NA	NA	89	NA	NA	0.7	255	NM
9/14/1995	8.3	3.5	3.7	11	6.7	57	NA	NA	130	NA	NA	0.6	NM	NM
12/21/1995	19	8.1	8.0	27	23	150	NA	NA	340	NA	NA	1.0	120	NM
3/19/1996	<1.0	<1.0	<1.0	<2.0	<1.0	270	NA	NA	160	NA	NA	1.9	190	NM
6/4/1996	5.1	3.0	3.6	<2.0	<1.0	200	NA	NA	290	NA	NA	2.4	130	NM
10/30/1996	22	3.9	<2.0	6.0	2.2	330	NA	NA	520	NA	NA	1.6	NM	NM
4/16/1997	<1.0	<1.0	<1.0	2.5	7.3	280	NA	NA	130	NA	NA	2.8	185	NM
2/9/1999	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<100	NA	NA	4.4	133	3
6/14/1999	0.23	<0.50	<0.50	<1.0	<0.5	40	NA	NA	<50	NA	NA	3.0	171	<0.1
2/3/2000	<0.15	<0.4	<0.5	<0.4	<0.4	302	NA	NA	NA	NA	NA	4.3	236	NM
5/15/2000	<0.13	<0.2	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	7.7	279	NM
5/15/2000 D	0.39	<0.2	<0.22	0.86	0.51	23	NA	NA	NA	NA	NA			
11/13/2000	<0.13	<0.20	<0.22	<0.23	<0.29	180	NA	NA	NA	NA	NA	0.6	250	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	62	NA	NA	NA	NA	NA	3.7	117	NM
4/20/2001 D	<0.13	<0.20	<0.22	<0.23	<0.29	62	NA	NA	NA	NA	NA			
8/20/2001	2.8	0.51	1.7	3.6	2.1	130	NA	NA	NA	NA	NA	1.0	093	NM
2/14/2002	1.8	0.3	0.27	3.4	4.3	130	NA	NA	NA	NA	NA	1.6	NM	NM
2/14/2002 D	2.2	0.35	0.28	4.0	5.1	130	NA	NA	NA	NA	NA			
5/7/2002	0.53	<0.20	<0.22	<0.23	<0.29	100	NA	NA	<50	NA	NA	1.4	177	NM
8/9/2002	1.2	<0.20	0.26	0.62	<0.29	120	NA	NA	<50	NA	NA	1.8	187	NM
1/24/2003	6.5	<1.0	<1.0	<3.0	<1.0	210	<1.0	<1.0	290	0.20	<3.00	4.0	119	NM
1/24/2003 D	5.8	<1.0	<1.0	<3.0	<1.0	180	1.2	<1.0	NA	NA	NA			
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	65	NA	NA	<100	NA	NA	2.2	010	NM
8/22/2003	1.3	1.3	6.0	4.1	4.2	93	NA	NA	170	NA	NA	1.7	-045	NM
8/22/2003 D	1.1	1.2	5.4	3.7	3.2	95	NA	NA	170	NA	NA			
11/19/2003	<1.0	<1.0	1.0	<3.0	<1.0	62	NA	NA	<100	NA	NA	1.2	-065	NM
11/19/2003 D	<1.0	<1.0	<1.0	<3.0	3.8	68	NA	NA	<100	NA	NA			
2/11/2004	<1.0	<1.0	0.63 J	<3.0	<1.0	82	<1.0	NA	100	NA	NA	3.4	-022	NM
2/11/2004 D	<1.0	<1.0	<1.0	<3.0	<1.0	95	<1.0	NA	100	NA	NA			
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	27.1	<1.0	NA	<100	NA	NA	2.5	095	NM
6/10/2005	8.5	<1.0	<1.0	<3.0	<1.0	96.8	<1.0	NA	52.7 J	NA	NA	2.2	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	<1.0	<5.0	<1.0	<2.0	NA	80	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	80	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	23	NA	NA	NA	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	11	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	19	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	16	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	6.5	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	1.3	<1.0	<2.0	<1.0	13	NA	NA	70	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	6.2	NA	NA	<50	NA	NA	6.7	304	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	12	NA	NA	<50	NA	NA	6	205	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	96	NA	NA	60	NA	NA	6.7	090	NM
4/16/1997	<1	<1	<1	4.2	5.3	<4	NA	NA	<50	NA	NA	6.2	220	NM
2/9/1999	<1	<1	<1	<2	<1.0	4.6	NA	NA	<100	NA	NA	8.3	095	0.1
6/14/1999	<0.20	<0.50	<0.50	<1.0	<0.50	3.5	NA	NA	<50	NA	NA	5.8	132	<0.1
2/3/2000	<0.15	<0.4	<0.5	<0.4	<0.4	<0.3	NA	NA	NA	NA	NA	3.1	223	NM
5/15/2000	<0.13	<0.2	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	8.8	273	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	0.26	NA	NA	NA	NA	NA	8.5	114	NM
8/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	8.5	089	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	9.6	152	NM
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<100	0.33	<3.00	6.7	189	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	6.6	125	NM
8/21/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	7.2	034	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	5.8	071	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	9.9	036	NM
12/7/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	10.8	093	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	7.6	094	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	5.5	NM	NM

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
2/28/1991	<1.0	<5.0	<1.0	<2.0	NA	<5.0	NA	NA	NA	NA	NA	NM	NM	NM
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	<5.0	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.6	343	NM
9/14/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.6	NM	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	4.2	160	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	4.4	095	NM
4/16/1997	12	<1	<1	6.0	5.8	4.9	NA	NA	93	NA	NA	5.9	300	NM
2/9/1999	1.6	<1	<1	<2.0	<1.0	<4.0	NA	NA	<100	NA	NA	2.3	092	0.3
6/14/1999	<0.20	<0.50	<0.50	<1.0	<0.50	<0.30	NA	NA	<50	NA	NA	3.63	085	<0.1
5/15/2000	<0.13	<0.2	<0.22	<0.23	<0.29	2.0	NA	NA	NA	NA	NA	7.7	070	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	NA	NA	NA	7.0	099	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	0.92	NA	NA	<50	NA	NA	7.9	179	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	8.5	152	NM
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<100	0.11	<3.00	6.6	189	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	6.2	168	NM
8/21/2003	<1.0	<1.0	<1.0	<3.0	1.8	<4.0	NA	NA	<100	NA	NA	5.7	029	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	5.8	102	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	8.0	049	NM
12/7/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	9.4	112	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	7.9	090	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	5.3	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	13	NA	NA	NA	NA	NA	NM	NM	NM
9/30/1991	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	5.6	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	10	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	1.4	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	6.1	359	NM
3/16/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.9	304	NM
6/8/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	6.0	320	NM
9/14/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	4.9	NM	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	3.6	185	NM
3/19/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	8.0	205	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.8	140	NM
10/30/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	6.6	NM	NM
4/16/1997	<1	<1	<1	4.1	5.2	<4	NA	NA	<50	NA	NA	4.0	265	NM
2/9/1999	<1	<1	<1	<2	<1.0	<4	NA	NA	<100	NA	NA	6.8	091	0.1
2/3/2000	<0.15	<0.4	<0.5	<0.4	<0.4	3.51	NA	NA	NA	NA	NA	3.7	238	NM
5/15/2000	0.32	<0.2	<0.22	<0.23	<0.29	4.7	NA	NA	NA	NA	NA	8.2	119	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.24	NA	NA	NA	NA	NA	5.5	117	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	8.3	176	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	9.0	155	NM
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<100	0.11	<3.00	6.8	178	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	5.9	133	NM
8/21/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	3.0	007	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	4.8	066	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	1.2	011	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	4.9	090	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	4.4	NM	NM

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	6.0	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
4/17/1992	<1.0	2.9	<1.0	<2.0	NA	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	1.7	1.5	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.1	364	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	4.1	364	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.8	215	NM
3/19/1996	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	8.0	205	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.3	135	NM
4/16/1997	<1	<1	<1	<2	3.3	<4	NA	NA	<50	NA	NA	6.0	275	NM
2/9/1999	<1	<1	<1	<2	4.2	19	NA	NA	<100	NA	NA	2.2	114	0.3
2/3/2000	<0.15	<0.4	<0.5	<0.19	<0.4	6.15	NA	NA	NA	NA	NA	3.0	204	NM
5/15/2000	<0.13	<0.2	<0.22	<0.23	<0.29	9.4	NA	NA	NA	NA	NA	7.0	250	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	1.8	NA	NA	NA	NA	NA	5.0	117	NM
2/14/2002	<0.13	<0.20	<0.22	<0.23	<0.29	4.9	NA	NA	NA	NA	NA	6.3	NM	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	7.1	NA	NA	<50	NA	NA	4.8	184	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	7.4	NA	NA	<50	NA	NA	7.1	162	NM
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	13	<1.0	<1.0	<100	0.16	<3.00	6.3	184	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	15	NA	NA	<100	NA	NA	5.5	104	NM
8/21/2003	<1.0	<1.0	<1.0	<3.0	<1.0	9.6	NA	NA	<100	NA	NA	5.8	018	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	17	NA	NA	<100	NA	NA	5.0	065	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	17	<1.0	NA	<100	NA	NA	8.3	054	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	6.3	095	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	5.3	NM	NM

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Date Sampled	ANALYTICAL PARAMETERS											BIO-PARAMETERS		
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	DO	REDOX	Dissolved Iron
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	mg/L	millivolts	ppm
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15			
8/5/1991	<1.0	<5.0	<1.0	<2.0	<1.0	<5.0	NA	NA	NA	NA	NA	NM	NM	NM
1/29/1992	<1.0	<1.0	<1.0	<2.0	NA	<4.0	NA	NA	NA	NA	NA	NM	NM	NM
7/28/1993	<0.4	<0.6	<0.8	<1.3	<0.7	<1.0	NA	NA	NA	NA	NA	NM	NM	NM
10/18/1993	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
3/31/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
6/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
9/30/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	NM	NM	NM
12/29/1994	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	6.2	330	NM
3/16/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	7.2	342	NM
6/8/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.2	300	NM
9/14/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	7.8	NM	NM
12/21/1995	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.2	155	NM
3/19/1996	<1.0	<1.0	<1.0	<2.0	<1.0	280	NA	NA	170	NA	NA	9.4	210	NM
6/4/1996	<1.0	<1.0	<1.0	<2.0	<1.0	<4.0	NA	NA	<50	NA	NA	5.6	175	NM
10/30/1996	<1.0	<1.0	<1.0	2.2	<1.0	<4.0	NA	NA	<50	NA	NA	5.9	NM	NM
4/16/1997	<1	<1	<1	<2	1.4	<4	NA	NA	<50	NA	NA	6.5	285	NM
2/9/1999	<1	<1	<1	<2	<1.0	5.8	NA	NA	<100	NA	NA	7.9	105	0
5/15/2000	0.34	<0.2	<0.22	0.58	0.35	2.7	NA	NA	NA	NA	NA	7.9	271	NM
4/20/2001	<0.13	<0.20	<0.22	<0.23	<0.29	<0.40	NA	NA	NA	NA	NA	7.6	120	NM
5/7/2002	<0.13	<0.20	<0.22	<0.23	<0.29	0.94	NA	NA	<50	NA	NA	9.0	145	NM
8/9/2002	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	NA	NA	<50	NA	NA	7.7	170	NM
1/23/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	2.3	<1.0	<100	0.12	<3.00	7.7	238	NM
5/28/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	6.8	175	NM
8/21/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	7.3	008	NM
11/19/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<4.0	NA	NA	<100	NA	NA	7.8	085	NM
2/11/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	10.1	011	NM
12/7/2004	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	11.4	106	NM
3/29/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	115	NA	NA	8.9	039	NM
6/9/2005	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	NA	<100	NA	NA	4.5	NM	NM

Date Sampled	ANALYTICAL PARAMETERS												
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	cis-1,2-DCE	TCE
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15	70	5.0
12/9/2002	<1.0	<1.0	<1.0	<3.0	<1.0	6.8	<1.0	<1.0	NA	NA	NA	1.4	1.9
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	4.3	<1.0	<1.0	<100	NA	NA	<1.0	<1.0
5/27/2003	TEMPORARY WELL ABANDONED												

Date Sampled	ANALYTICAL PARAMETERS										
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15
12/9/2002	<1.0	<1.0	3.3	13	8.1	<1.0	<1.0	<1.0	NA	NA	NA
1/24/2003	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	NA	NA	NA
5/27/2003	TEMPORARY WELL ABANDONED										

Date Sampled	ANALYTICAL PARAMETERS													
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total TMBs	MTBE	Naphthalene	1,2-DCA	GRO	DRO	Dissolved Lead	n-Butylbenzene	sec-Butylbenzene	n-Propylbenzene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L
NR 140 ES-->	5.0	1,000	700	10,000	480	60	40	5.0	-	-	15	-	-	-
12/9/2002	7.8	<1.0	4.7	<3.0	4.3	6.8	<1.0	<1.0	NA	NA	NA	1.7	0.5	3.0
1/24/2003	<1.0	<1.0	<1.0	<1.0	<1.0	6.0	<1.0	<1.0	<100	NA	NA	<1.0	<1.0	<1.0
5/27/2003	TEMPORARY WELL ABANDONED													

**Table 3**  
**Groundwater Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

**Notes:**

< ..... = Not detected at or above the laboratory method detection limit  
µg/L ..... = micrograms per liter (equivalent of parts per billion)  
mg/L ..... = milligrams per liter (equivalent of parts per million)  
D ..... = Duplicate sample  
DCA ..... = Dichloroethane  
DCE ..... = Dichloroethene  
DRO ..... = Diesel Range Organics  
FP ..... = Free Product  
GRO ..... = Gasoline Range Organics  
J ..... = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit  
MTBE ..... = Methyl Tertiary Butyl Ether  
NA ..... = Not Analyzed for indicated parameter  
NM ..... = Not Measured  
NS ..... = Not Sampled on indicated date  
ppm ..... = parts per million  
REDOX ..... = Reduction/Oxidation potential  
TCE ..... = Trichloroethene  
TMBs ..... = Trimethylbenzenes  
NR 140 ES ..... = Wisconsin Administrative Code Chapter NR 140 Enforcement Standard  
**"BOLD TYPE"** ..... = The indicated concentration exceeds the NR 140 ES

**Table 1**  
**Soil Sample Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Sample ID	Sample Date	Sample Depth Feet	PID IUs	Analytical Parameters									
				Benzene mg/kg	Toluene mg/kg	Ethylbenzene mg/kg	Xylenes mg/kg	1,3,5-TMB mg/kg	1,2,4-TMB mg/kg	MTBE mg/kg	GRO mg/kg	DRO mg/kg	Lead mg/kg
NR 720 RCL-->				0.0055	1.5	2.9	4.1	--	--	--	100	100	50
NR 746 SSL -->				8.5	38	4.6	42	83	11	--	--	--	--
EPA Calculated Site-Specific RCL -->				--	400	280	50	29	--	--	--	--	--
GMOW-2S	9/26/1990	14-16	NM	<0.11	<0.57	<0.11	0.4	NA	NA	<0.57	<5*	NA	NA
	9/26/1990	17-17.5	NM	6.3	48	188	870	NA	NA	28	3,000*	NA	NA
GMSB-3	1/7/1991	16-18	15	<0.061	<0.30	0.18	0.53	NA	NA	<0.30	16*	NA	NA
GMSB-4	1/7/1991	5-7	8	<0.065	<0.032	<0.065	<0.13	NA	NA	<0.32	<5*	NA	NA
GMSB-6	7/11/1991	3-5	5	<0.057	<0.29	<0.057	<0.11	<0.057	<0.057	<0.29	<5*	NA	22
	7/11/1991	15.5-17	25	<0.056	<0.28	0.29	1.4	0.88	3.2	<0.28	17	NA	8.0
GMSB-7	7/23/1991	5-7	0	<0.002	<0.010	<0.002	<0.004	<0.002	<0.002	<0.010	<5*	NA	8.0
	7/23/1991	15-16.5	0	<0.002	<0.010	<0.002	<0.004	<0.002	<0.002	<0.009	<5*	NA	<6.0
GMOW-5D	7/19/1991	3-5	5-10	<0.56	<2.8	<0.56	<1.1	<0.56	<0.56	<2.8	15*	NA	9.2
GMOW-6D	7/24/1991	3-5	0-3	<0.6	<3.0	<0.6	<1.2	<0.6	<0.6	<3.0	<5*	NA	8.6
	7/24/1991	9-11	0-1	<0.57	<2.9	<0.57	<1.1	<0.57	<0.57	<2.9	<5*	NA	7.4
GMOW-8D	7/16/1991	10-11	1	<0.57	<2.9	<0.57	<1.1	<0.57	<0.57	<2.9	<5*	NA	6.2
**PIT-NW	4/28/1992	10	NM	<0.11	<0.11	<0.11	<0.22	<0.11	0.15	<0.45	4.5*	NA	NA
**PIT-SE	4/28/1992	12	NM	<0.11	<0.11	0.19	<0.22	<0.11	<0.11	<0.45	<3.7*	NA	NA
SB-8	11/11/1994	10-12	2	NA	NA	NA	NA	NA	NA	NA	<5.5	NA	NA
SB-9	11/11/1994	11-13	0	<0.12	<0.12	<0.12	<0.24	<0.12	<0.12	<0.48	<6.0	NA	NA
SB-10	11/11/1994	3-5	0.6	<0.12	<0.12	<0.12	<0.24	<0.12	<0.12	<0.48	<6.0	NA	NA
	11/11/1994	14-16	12	<0.11	<0.11	<0.11	<0.22	<0.11	<0.11	<0.44	<5.5	NA	NA
SB-11	11/11/1994	9-11	0.4	<0.11	<0.11	<0.11	<0.22	<0.11	<0.11	<0.44	<5.5	NA	NA
SB-12	11/11/1994	9-11	8	<0.12	<0.12	<0.12	<0.24	<0.12	1.1	<0.48	<6.0	NA	NA
SB-13	11/11/1994	8-10	0.5	<0.11	<0.11	<0.11	<0.22	<0.11	<0.11	<0.44	<5.5	NA	NA
OW-9	10/11/1996	10-12	0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<5.0	NA	NA
SHA-1	9/18/2002	0-1	10.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	NA	8.52	NA
SHA-2	9/18/2002	0-1	0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	NA	7.40	NA
SGP-1	9/18/2002	6-8	28	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	NA	9.82	NA
SGP-2	9/18/2002	0-4	10.2	<0.025	<0.025	0.0804	0.0344	<0.025	<0.025	<0.025	NA	556	NA
GP-1	12/6/2002	6-8	0	<0.027	<0.027	<0.027	<0.038	<0.027	<0.027	<0.027	<5.5	<5.5	11
GP-2	12/6/2002	10-12	0	<0.031	<0.031	<0.031	<0.043	<0.031	<0.031	<0.031	<6.1	<6.1	9.8
GP-3	12/6/2002	6-8	0	<0.030	<0.030	<0.030	<0.042	<0.030	<0.030	<0.030	<6.0	6.6	8.7
GP-4	12/6/2002	8-10	0	<0.031	<0.031	<0.031	<0.044	<0.031	<0.031	<0.031	<6.3	<6.3	13
	12/6/2002	16-18.75	316	<0.028	<0.028	0.071	<0.039	279	<0.028	<0.028	41	60	18

**Table 1**  
**Soil Sample Analytical Results**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

Sample ID	Sample Date	Sample Depth Feet	PID IUs	Analytical Parameters									
				Benzene mg/kg	Toluene mg/kg	Ethylbenzene mg/kg	Xylenes mg/kg	1,3,5-TMB mg/kg	1,2,4-TMB mg/kg	MTBE mg/kg	GRO mg/kg	DRO mg/kg	Lead mg/kg
<b>NR 720 RCL--&gt;</b>				<b>0.0055</b>	<b>1.5</b>	<b>2.9</b>	<b>4.1</b>	--	--	--	<b>100</b>	<b>100</b>	<b>50</b>
NR 746 SSL -->				8.5	38	4.6	42	83	11	--	--	--	--
<i>EPA Calculated Site-Specific RCL --&gt;</i>				--	<u>400</u>	<u>280</u>	<u>50</u>	<u>29</u>	--	--	--	--	--
OW-1DR	1/15/2003	12.5-14	0	<0.056	<0.056	<0.056	<0.17	<0.056	<0.056	0.22	<5.6	19	5.87
	1/15/2003	15-16.5	292	<0.056	<0.056	0.68	3.6	1.2	3.7	<0.056	67	27	7.57
OW-2R	1/16/2003	7.5-9	17	<0.056	<0.056	<0.056	<0.17	<0.056	<0.056	<0.056	7.5	<11	5.52
OW-2SR	1/16/2003	5-6.5	0	<0.058	<0.058	<0.058	<0.17	<0.058	<0.058	<0.058	<5.8	<15	6.44
OW-5R	1/16/2003	5-6.5	3	<0.062	<0.062	<0.062	<0.19	<0.062	<0.062	<0.062	<6.2	<13	9.78
OW-8S	1/20/2003	10-11.5	0	<0.057	<0.057	<0.057	<0.17	<0.057	<0.057	<0.057	<5.7	<13	5.78
OW-10	1/17/2003	7.5-9	0	<0.057	<0.057	<0.057	<0.17	<0.057	<0.057	<0.057	<5.7	<11	5.64
OW-11	1/20/2003	12.5-14	0	<0.057	<0.057	<0.057	<0.17	<0.057	<0.057	<0.057	<5.7	<10	5.66
OW-1SR	11/30/2004	11-13	0	<0.0567	<0.0567	<0.0567	<0.17	<0.0567	<0.0567	<0.0567	<5.7	NA	4.2
	11/30/2004	15-16.5	75	<0.561	<0.0561	0.503	<0.168	1.6	4.6	<0.561	<b>225</b>	NA	3.7

**NOTES:**

- \* ..... = Total Petroleum Hydrocarbons
- \*\* ..... = Pit information from the Natural Bioremediation Study, presented to the WDNR by ECOVA Corporation on May 1, 1995
- < ..... = Not detected at or above the laboratory method detection limit
- DRO ..... = Diesel Range Organics
- GRO ..... = Gasoline Range Organics
- IUs ..... = Instrument Units
- J ..... = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit
- mg/kg ..... = milligrams per kilogram (equivalent to parts per million)
- MTBE ..... = Methyl Tertiary Butyl Ether
- NA ..... = Not Analyzed for the indicated parameter
- NM ..... = Not Measured
- PID ..... = Volatile organic vapor level as measured with a photoionization detector
- ppm ..... = parts per million
- TMB ..... = Trimethylbenzene
- SHA ..... = Hand auger soil boring advanced under the direction of Sigma Environmental Services, Inc.
- SGP ..... = Geoprobe soil boring advanced under the direction of Sigma Environmental Services, Inc.
- NR 720 RCL ..... = Wisconsin Administrative Code Chapter NR 720 Non-Industrial Generic Residual Contaminant Level
- NR 746 SSL ..... = Wisconsin Administrative Code Chapter NR 746 Table 1 Generic Soil Screening Level
- EPA Calculated Site-Specific RCL ..... = calculated value from the USEPA Site-Specific RCL modeling website based on WDNR guidance document Pub-RR-682
- "BOLD TYPE"** ..... = The indicated concentration exceeds the NR 720 RCL
- "italics"* ..... = The indicated concentration exceeds the NR 746 Generic SSL
- "underlined" ..... = The indicated concentration exceeds the EPA Calculated Site-Specific SSL

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-1</b>					
<b>TOC Elevation:</b>		<b>796.56</b>	<b>Well Depth:</b>		<b>15.14</b>
<b>TOC Elevation (01/03):</b>		<b>797.64</b>	<b>Screen Length:</b>		<b>10.00</b>
<b>TOS Elevation:</b>		<b>793.86</b>			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
2/28/1991	7.94	788.62	NA	NO	
5/18/1992		Original OW-1 Abandoned			
6/29/1994	13.16	783.40	-5.22	NO	
9/30/1994	12.78	783.78	0.38	NO	
12/29/1994	13.15	783.41	-0.37	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	13.09	783.47	NA	NO	
12/21/1995	13.02	783.54	0.07	NO	
3/19/1996	NM	NA	NA	NA	
6/4/1996	7.18	789.38	NA	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	6.39	790.17	NA	NO	
2/9/1999	10.55	786.01	-4.16	NO	
6/14/1999	6.05	790.51	4.50	NO	
2/3/2000	17.19	779.37	-11.14	NO	
5/15/2000	10.15	786.41	7.04	NO	
7/20/2000	8.53	788.03	1.62	NO	
8/18/2000	7.20	789.36	1.33	NO	
11/13/2000	8.32	788.24	-1.12	NO	
4/20/2001	8.14	788.42	0.18	NO	flooded, dk gray
8/20/2001	NM	NA	NA	NA	
2/14/2002	13.96	782.60	NA	NO	
5/7/2002	6.27	790.29	7.69	NO	black, sheen
8/9/2002	12.28	784.28	-6.01	NO	dark gray, clear
1/24/2003	DRY	NA	NA	NO	
5/27/2003	11.92	785.72	NA	NO	clear, w/black organic matter
8/21/2003	13.69	783.95	-1.77	NO	not enough water for sampling
11/19/2003	13.00	784.64	0.69	NO	silty, dry @ 0.5 gal
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	11.83	785.81	NA	NO	clear
6/9/2005	14.15	783.49	NA	NO	not enough water for sampling

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-2</b>					
<b>TOC Elevation: 797.16</b>		<b>Well Depth: 13.00</b>			
<b>TOS Elevation: 794.16</b>		<b>Screen Length: 10.00</b>			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
2/28/1991	7.73	789.43	NA	NO	
8/5/1991	9.27	787.89	-1.54	NO	
1/29/1992	NM	NA	NA	NA	
10/18/1993	8.67	788.49	NA	NO	
3/31/1994	5.88	791.28	2.79	NO	
6/29/1994	7.73	789.43	-1.85	NO	
9/30/1994	8.66	788.50	-0.93	NO	
12/29/1994	8.52	788.64	0.14	NO	
3/16/1995	DRY	NA	NA	NO	
6/8/1995	7.53	789.63	NA	NO	
9/14/1995	8.65	788.51	-1.12	NO	
12/21/1995	NM	NA	NA	NA	
3/19/1996	NM	NA	NA	NA	
6/4/1996	5.63	791.53	NA	NO	
10/30/1996	DRY	NA	NA	NO	
4/16/1997	6.62	790.54	NA	NO	
2/9/1999	DRY	NA	NA	NO	obstructed @ 3.5 ft
6/14/1999	DRY	NA	NA	NO	obstructed @ 2 ft
2/3/2000	1.40	795.76	NA	YES	
5/15/2000	6.49	790.67	-5.09	NO	
7/20/2000	7.02	790.14	-0.53	NO	
8/18/2000	5.10	792.06	1.92	NO	
11/13/2000	8.02	789.14	-2.92	NO	
4/20/2001	1.28	795.88	6.74	YES	cap off - not sampled
8/20/2001	8.50	788.66	-7.22	NO	black w/sheen
2/14/2002	DRY	NA	NA	NO	
5/7/2002	6.31	790.85	NA	NO	DTB 8.55'
8/9/2002	DRY	NA	NA	NO	
OW-2 was abandoned on December 4, 2002					

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-2R</b>					
<b>TOC Elevation (01/03):</b>		<b>798.11</b>	<b>Well Depth:</b>		<b>20.54</b>
<b>TOS Elevation:</b>		<b>792.57</b>	<b>Screen Length:</b>		<b>15.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
1/24/2003	16.80	781.31	NA	NO	silty, slow recharge
5/27/2003	13.99	784.12	2.81	NO	cloudy, fast recharge
8/21/2003	15.38	782.73	-1.39	NO	cloudy, black, mod recharge, odor
11/19/2003	15.78	782.33	-0.40	NO	cloudy, odor
2/11/2004	16.42	781.69	-0.64	NO	cloudy, odor, dry @ 1.5 gal
12/7/2004	16.03	782.08	0.39	NO	
3/29/2005	13.60	784.51	2.43	NO	cloudy, odor
6/9/2005	15.44	782.67	-1.84	NO	black, odor, dry @ 3.0 gal

<b>OW-3</b>					
<b>TOC Elevation (01/03):</b>		<b>798.50</b>	<b>Well Depth:</b>		<b>13.80</b>
<b>TOS Elevation:</b>		<b>794.70</b>	<b>Screen Length:</b>		<b>10.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
5/15/2000	DRY	NA	NA	NO	
4/20/2001	DRY	NA	NA	NO	
8/20/2001	DRY	NA	NA	NO	
5/7/2002	DRY	NA	NA	NO	DTB 11.44'
8/9/2002	NM	NA	NA	NA	
1/24/2003	DRY	NA	NA	NO	DTB 13.83'
5/27/2003	DRY	NA	NA	NO	DTB 11.46'
8/21/2003	DRY	NA	NA	NO	
11/19/2003	DRY	NA	NA	NO	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	DRY	NA	NA	NO	
6/9/2005	DRY	NA	NA	NO	

<b>OW-4</b>					
<b>TOC Elevation (01/03):</b>		<b>798.81</b>	<b>Well Depth:</b>		<b>14.20</b>
<b>TOS Elevation:</b>		<b>794.61</b>	<b>Screen Length:</b>		<b>10.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
2/3/2000	DRY	NA	NA	NO	
5/15/2000	DRY	NA	NA	NO	
4/20/2001	DRY	NA	NA	NO	
8/20/2001	13.67	NA	NA	NO	
2/14/2002	NM	NA	NA	NA	
5/7/2002	14.07	NA	NA	NO	
8/9/2002	14.11	NA	NA	NO	
1/24/2003	14.22	784.59	NA	NO	insufficient water
5/27/2003	DRY	NA	NA	NO	DTB 13.90'
8/21/2003	DRY	NA	NA	NO	
11/19/2003	DRY	NA	NA	NO	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	13.15	785.66	NA	NO	silty
6/9/2005	14.08	784.73	NA	NO	not enough water for sampling

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-5</b>					
<b>TOC Elevation:</b>		<b>795.99</b>	<b>Well Depth:</b>		<b>13.80</b>
<b>TOS Elevation:</b>		<b>792.19</b>	<b>Screen Length:</b>		<b>10.00</b>
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
2/28/1991	7.44	788.55	NA	NO	
8/5/1991	9.03	786.96	-1.59	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	7.95	788.04	NA	NO	
10/18/1993	8.71	787.28	-0.76	NO	
3/31/1994	6.31	789.68	2.40	NO	
6/29/1994	8.21	787.78	-1.90	NO	
9/30/1994	8.90	787.09	-0.69	NO	
12/29/1994	7.61	788.38	1.29	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	NM	NA	NA	NA	
12/21/1995	NM	NA	NA	NA	
3/19/1996	8.72	787.27	NA	NO	
6/4/1996	7.55	788.44	1.17	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	7.12	788.87	NA	NO	
2/9/1999	7.47	788.52	-0.35	NO	
6/14/1999	4.81	791.18	2.66	NO	
2/3/2000	DRY	NA	NA	NO	
5/15/2000	7.32	788.67	NA	NO	
11/13/2000	DRY	NA	NA	NO	
4/20/2001	7.11	788.88	NA	NO	brown
8/20/2001	NM	NA	NA	NA	
2/14/2002	DRY	NA	NA	NO	
5/7/2002	7.65	788.34	NA	NO	DTB 8.85'
8/9/2002	DRY	NA	NA	NO	
OW-5 was abandoned on December 4, 2002					

<b>OW-5R</b>					
<b>TOC Elevation (01/03):</b>		<b>797.27</b>	<b>Well Depth:</b>		<b>19.80</b>
<b>TOS Elevation:</b>		<b>792.47</b>	<b>Screen Length:</b>		<b>15.00</b>
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
1/24/2003	17.13	780.14	NA	NO	silty, slow recharge
5/27/2003	14.14	783.13	2.99	NO	cloudy, mod recharge
8/21/2003	14.95	782.32	-0.81	NO	cloudy, fast recharge
11/19/2003	15.83	781.44	-0.88	NO	cloudy, dry @ 2.0 gal
2/11/2004	16.74	780.53	-0.91	NO	cloudy, dry @ 1.0 gal
12/7/2004	16.36	780.91	0.38	NO	
3/29/2005	13.00	784.27	3.36	NO	cloudy
6/9/2005	14.85	782.42	-1.85	NO	silty, dry @ 2.5 gal

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-6</b>					
<b>TOC Elevation:</b>		<b>796.12</b>	<b>Well Depth:</b>		<b>17.70</b>
<b>TOC Elevation (01/03):</b>		<b>797.35</b>	<b>Screen Length:</b>		<b>10.00</b>
<b>TOS Elevation:</b>		<b>788.42</b>			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
2/28/1991	13.88	782.24	NA	NO	
8/5/1991	14.54	781.58	-0.66	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	12.42	783.70	NA	NO	
10/18/1993	14.20	781.92	-1.78	NO	
3/31/1994	11.05	785.07	3.15	NO	
6/29/1994	13.09	783.03	-2.04	NO	
9/30/1994	14.34	781.78	-1.25	NO	
12/29/1994	14.69	781.43	-0.35	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	NM	NA	NA	NA	
12/21/1995	14.33	781.79	NA	NO	
3/19/1996	NM	NA	NA	NA	
6/4/1996	12.74	783.38	NA	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	12.63	783.49	NA	NO	
2/9/1999	13.29	782.83	-0.66	NO	
6/14/1999	8.46	787.66	4.83	NO	
2/3/2000	NM	NA	NA	NA	
5/15/2000	12.15	783.97	NA	NO	
7/20/2000	12.26	783.86	-0.11	NO	
8/18/2000	12.00	784.12	0.26	NO	
11/13/2000	13.14	782.98	-1.14	NO	
4/20/2001	10.41	785.71	2.73	NO	brown
8/20/2001	14.30	781.82	-3.89	NO	dark brown, cloudy
2/14/2002	15.13	780.99	-0.83	NO	dk orange, low turbid
5/7/2002	12.50	783.62	2.63	NO	DTB 16.85'
8/9/2002	14.71	781.41	-2.21	NO	brown, turbid
1/24/2003	15.51	781.84	0.43	NO	insufficient water
5/27/2003	DRY	NA	NA	NO	
8/21/2003	NM	NA	NA	NA	
11/19/2003	14.30	783.05	NA	NO	silty, dry @ 1.5 gal
2/11/2004	15.34	782.01	-1.04	NO	silty, dry @ 1.0 gal
12/7/2004	DRY	NA	NA	NO	
3/29/2005	13.21	784.14	NA	NO	silty
6/9/2005	14.36	782.99	NA	NO	silty, dry @ 0.50 gal

<b>OW-7</b>					
<b>TOC Elevation (01/03):</b>		<b>797.55</b>	<b>Well Depth:</b>		<b>14.10</b>
<b>TOS Elevation:</b>		<b>793.45</b>	<b>Screen Length:</b>		<b>10.00</b>
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
11/13/2000	DRY	NA	NA	NO	
4/20/2001	13.58	NA	NA	NO	
8/20/2001	NM	NA	NA	NA	
2/14/2002	NM	NA	NA	NA	
5/7/2002	13.86	NA	NA	NO	
8/9/2002	DRY	NA	NA	NO	
1/24/2003	DRY	NA	NA	NO	
5/27/2003	DRY	NA	NA	NO	
8/21/2003	NM	NA	NA	NA	
11/19/2003	NM	NA	NA	NA	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	DRY	NA	NA	NO	
6/9/2005	DRY	NA	NA	NO	

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-8S</b>					
<b>TOC Elevation (01/03):</b>		<b>798.13</b>	<b>Well Depth:</b>		<b>20.55</b>
<b>TOS Elevation:</b>		<b>792.58</b>	<b>Screen Length:</b>		<b>15.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
1/24/2003	DRY	NA	NA	NO	
5/27/2003	DRY	NA	NA	NO	DTB 20.54'
8/21/2003	DRY	NA	NA	NO	
11/19/2003	DRY	NA	NA	NO	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	DRY	NA	NA	NO	
6/9/2005	DRY	NA	NA	NO	

<b>OW-9</b>					
<b>TOC Elevation (01/03):</b>		<b>797.76</b>	<b>Well Depth:</b>		<b>22.00</b>
<b>TOS Elevation:</b>		<b>785.76</b>	<b>Screen Length:</b>		<b>10.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
10/30/1996	DRY	NA	NA	NO	
4/16/1997	DRY	NA	NA	NO	
2/3/2000	DRY	NA	NA	NO	
5/15/2000	20.78	NA	NA	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	20.02	NA	NA	NO	
8/20/2001	NM	NA	NA	NA	
2/14/2002	NM	NA	NA	NA	
5/7/2002	DRY	NA	NA	NO	DTB 21.43'
8/9/2002	DRY	NA	NA	NO	
1/24/2003	DRY	NA	NA	NO	
5/27/2003	DRY	NA	NA	NO	DTB 21.45'
8/21/2003	DRY	NA	NA	NO	
11/19/2003	DRY	NA	NA	NO	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	20.71	777.05	NA	NO	clear
6/9/2005	DRY	NA	NA	NO	

<b>OW-10</b>					
<b>TOC Elevation (01/03):</b>		<b>796.81</b>	<b>Well Depth:</b>		<b>19.75</b>
<b>TOS Elevation:</b>		<b>792.06</b>	<b>Screen Length:</b>		<b>15.00</b>
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
1/24/2003	DRY	NA	NA	NO	
5/27/2003	14.68	782.13	NA	NO	tan, cloudy, fast recharge
8/22/2003	16.03	780.78	-1.35	NO	cloudy, lt brown, mod recharge
11/19/2003	DRY	NA	NA	NO	
2/11/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	DRY	NA	NA	NO	
6/9/2005	15.93	780.88	NA	NO	cloudy, dry @ 2.0 gal

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-11</b>					
TOC Elevation (01/03):		798.97	Well Depth:		21.30
TOS Elevation:		792.67	Screen Length:		15.00
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
1/24/2003	DRY	NA	NA	NO	
5/27/2003	16.10	782.87	NA	NO	cloudy
8/22/2003	17.12	781.85	-1.02	NO	cloudy, lt brown
11/19/2003	17.00	781.97	0.12	NO	cloudy, dry @ 1.5 gal
2/11/2004	17.76	781.21	-0.76	NO	cloudy, dry @ 1.0 gal
12/7/2004	DRY	NA	NA	NO	
3/29/2005	16.25	782.72	NA	NO	cloudy
6/9/2005	17.39	781.58	-1.14	NO	cloudy, dry @ 1.0 gal

<b>GMOW-1S</b>							
TOC Elevation:		796.99	Well Depth:		24.70		
TOC Elevation (01/03):		798.07	Screen Length:		10.00		
TOS Elevation:		783.37					
Date	Depth to Groundwater BTOC	Free Product Thickness	Depth to Product BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
2/28/1991	15.21	NP	NP	781.78	NA	NO	
8/5/1991	15.78	0.04	15.74	781.21	-0.57	NO	
1/29/1992	15.18	NP	NP	781.81	0.60	NO	
4/17/1992	NM	NM	NM	NA	NA	NA	
7/28/1993	14.29	NP	NP	782.70	NA	NO	
10/18/1993	15.34	0.01	15.33	781.65	-1.05	NO	
3/31/1994	14.11	0.75	13.36	782.88	1.23	NO	
6/29/1994	14.88	0.21	14.67	782.11	-0.77	NO	
8/18/1994	14.73	0.15	14.58	782.26	0.15	NO	
9/30/1994	15.22	0.08	15.14	781.77	-0.49	NO	
12/29/1994	15.64	NP	NP	781.35	-0.42	NO	
3/3/1995	15.89	0.04	15.85	781.10	-0.25	NO	
3/16/1995	15.66	NP	NP	781.33	-0.02	NO	
6/8/1995	NM	NM	NM	NA	NA	NA	
9/14/1995	NM	NM	NM	NA	NA	NA	free product observed
10/4/1995	15.51	0.01	15.50	781.48	NA	NO	
12/21/1995	15.19	NP	NP	781.80	0.32	NO	
3/19/1996	15.46	NP	NP	781.53	-0.27	NO	
4/10/1996	15.43	NP	NP	781.56	0.03	NO	
6/4/1996	14.11	NP	NP	782.88	1.32	NO	
10/30/1996	16.00	0.04	15.96	780.99	-1.89	NO	
1/29/1997	DRY	DRY	DRY	NA	NA	NO	
4/16/1997	14.05	NP	NP	782.94	NA	NO	
2/9/1999	DRY	DRY	DRY	NA	NA	NO	obstructed well
6/14/1999	12.63	NP	NP	784.36	NA	YES	
2/3/2000	16.99	0.28	16.71	780.00	-4.36	NO	
5/15/2000	13.76	NP	NP	783.23	3.23	NO	
7/20/2000	13.38	NP	NP	783.61	0.38	YES	
8/18/2000	14.89	0.25	14.64	782.10	-1.51	NO	
11/13/2000	14.88	NP	NP	782.11	0.01	NO	
2/7/2001	15.68	NP	NP	781.31	-0.80	NO	
4/20/2001	13.18	NP	NP	783.81	2.50	YES	
6/14/2001	12.97	NP	NP	784.02	0.21	YES	
8/20/2001	14.98	NP	NP	782.01	-2.01	NO	gray, sheen
10/3/2001	14.80	NP	NP	782.19	0.18	NO	sock 25% sat.
11/20/2001	15.12	NP	NP	781.87	-0.32	NO	
2/14/2002	16.00	0.12	15.88	780.99	-0.88	NO	
5/7/2002	14.00	NP	NP	782.99	2.00	NO	gray film, sheen, DTB 23.00'
8/9/2002	15.40	NP	NP	781.59	-1.40	NO	black heavy sheen
1/24/2003	16.34	NP	NP	781.73	0.14	NO	film obs. after bailing, cloudy
5/27/2003	13.94	NP	NP	784.13	2.40	YES	black, cloudy
8/21/2003	15.05	0.17	14.88	783.02	-1.11	NO	
11/19/2003	15.19	NP	NP	782.88	-0.14	NO	clear, odor
2/11/2004	16.20	0.20	16.00	781.87	-1.01	NO	dark brown FP, cloudy, odor, dry @ 3.5 gal
12/7/2004	15.57	NP	NP	782.50	0.63	NO	black, strong odor
3/29/2005	14.02	NP	NP	784.05	1.55	YES	clear, odor
6/9/2005	15.10	NP	NP	782.97	-1.08	NO	black, odor, dry @ 6.5 gal

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>OW-1SR</b>					
TOC Elevation:		Well Depth:		25.90	
TOC Elevation (01/03):		Screen Length:		15.00	
TOS Elevation:					
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
12/2/2004	DRY	NA	NA	NO	
12/7/2004	DRY	NA	NA	NO	
3/29/2005	21.29	NA	NA	NO	clear, odor
6/9/2005	25.39	NA	NA	NO	not enough water for sampling

<b>GMOW-1D</b>					
TOC Elevation:		Well Depth:		49.20	
TOS Elevation:		Screen Length:		15.00	
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
2/28/1991	39.70	757.07	NA	NO	
4/4/1991	39.74	756.38	-0.69	NO	
4/19/1991	39.72	756.40	0.02	NO	
8/5/1991	38.42	757.70	1.30	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	32.48	763.64	NA	YES	
10/18/1993	34.67	761.45	-2.19	NO	
3/31/1994	38.99	757.13	-4.32	NO	
6/29/1994	39.21	756.91	-0.22	NO	
9/30/1994	39.92	756.20	-0.71	NO	
12/29/1994	41.08	755.04	-1.16	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	NM	NA	NA	NA	
12/21/1995	DRY	NA	NA	NO	
3/19/1996	DRY	NA	NA	NO	
6/4/1996	DRY	NA	NA	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	DRY	NA	NA	NO	
2/9/1999	38.24	757.88	NA	NO	
6/14/1999	DRY	NA	NA	NO	
2/3/2000	NM	NA	NA	NA	
5/15/2000	DRY	NA	NA	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	DRY	NA	NA	NO	
8/20/2001	DRY	NA	NA	NO	
2/14/2002	DRY	NA	NA	NO	
5/7/2002	DRY	NA	NA	NO	DTB 34.15'
8/9/2002	DRY	NA	NA	NO	

GMOW-1D was abandoned on December 4, 2002

<b>OW-1DR</b>					
TOC Elevation (01/03):		Well Depth:		48.92	
TOS Elevation:		Screen Length:		15.00	
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
1/24/2003	39.69	758.30	NA	NO	silty, fast recharge
5/27/2003	42.36	755.63	-2.67	NO	tan, cloudy, fast recharge
8/22/2003	42.44	755.55	-0.08	NO	cloudy, silty, tan
11/19/2003	42.95	755.04	-0.51	NO	cloudy, dry @ 3.5 gal
2/11/2004	43.70	754.29	-0.75	NO	cloudy, dry @ 3.0 gal
12/7/2004	37.42	760.57	6.28	NO	
3/29/2005	38.74	759.25	-1.32	NO	silty
6/9/2005	38.15	759.84	0.59	NO	cloudy

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-2S</b>					
<b>TOC Elevation:</b> 796.91		<b>Well Depth:</b> 14.20			
<b>TOS Elevation:</b> 789.71		<b>Screen Length:</b> 7.00			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
10/22/1990	8.30	788.61	NA	NO	
2/28/1991	8.61	788.30	-0.31	NO	
8/5/1991	9.35	787.56	-0.74	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	8.12	788.79	NA	NO	
10/18/1993	8.67	788.24	-0.55	NO	
3/31/1994	6.25	790.66	2.42	YES	
6/29/1994	7.52	789.39	-1.27	NO	
9/30/1994	8.49	788.42	-0.97	NO	
12/29/1994	8.38	788.53	0.11	NO	
3/16/1995	8.90	788.01	-0.52	NO	
6/8/1995	7.57	789.34	1.33	NO	
9/14/1995	8.53	788.38	-0.96	NO	
12/21/1995	NM	NA	NA	NA	
3/19/1996	8.80	788.11	NA	NO	
6/4/1996	7.00	789.91	1.80	YES	
10/30/1996	8.82	788.09	-1.82	NO	
4/16/1997	6.41	790.50	2.41	YES	
2/9/1999	7.53	789.38	-1.12	NO	
6/14/1999	5.46	791.45	2.07	YES	
2/3/2000	10.27	786.64	-4.81	NO	
5/15/2000	6.96	789.95	3.31	YES	
7/20/2000	7.18	789.73	-0.22	YES	
8/18/2000	7.01	789.90	0.17	YES	
11/13/2000	8.15	788.76	-1.14	NO	
4/20/2001	DRY	NA	NA	NO	
8/20/2001	NM	NA	NA	NA	
2/14/2002	DRY	NA	NA	NO	
5/7/2002	DRY	NA	NA	NO	DTB 6.72'
8/9/2002	DRY	NA	NA	NO	
GMOW-2S was abandoned on December 4, 2002					

<b>OW-2SR</b>					
<b>TOC Elevation (01/03):</b> 797.96		<b>Well Depth:</b> 21.21			
<b>TOS Elevation:</b> 791.75		<b>Screen Length:</b> 15.00			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
1/24/2003	14.91	783.05	NA	NO	silty, fast recharge
5/27/2003	11.88	786.08	3.03	NO	slightly cloudy, fast recharge
8/22/2003	13.57	784.39	-1.69	NO	cloudy, fast recharge
11/19/2003	13.00	784.96	0.57	NO	clear, dry @ 3.5 gal
2/11/2004	14.90	783.06	-1.90	NO	cloudy, dry @ 2.5 gal
12/7/2004	12.48	785.48	2.42	NO	clear, odor
3/29/2005	9.70	788.26	2.78	NO	cloudy
6/9/2005	10.94	787.02	-1.24	NO	silty

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-3S</b>					
TOC Elevation: 797.19		Well Depth: 24.30			
TOC Elevation (01/03): 798.28		Screen Length: 10.00			
TOS Elevation: 782.89					
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
2/28/1991	18.08	779.11	NA	NO	
8/5/1991	19.12	778.07	-1.04	NO	
1/29/1992	NM	NA	NA	NA	
7/28/1993	17.63	779.56	NA	NO	
10/18/1993	18.03	779.16	-0.40	NO	
3/31/1994	15.12	782.07	2.91	NO	
6/29/1994	17.15	780.04	-2.03	NO	
9/30/1994	17.18	780.01	-0.03	NO	
12/29/1994	17.15	780.04	0.03	NO	
3/16/1995	16.93	780.26	0.22	NO	
6/8/1995	16.09	781.10	0.84	NO	
9/14/1995	17.22	779.97	-1.13	NO	
12/21/1995	17.18	780.01	0.04	NO	
3/19/1996	17.22	779.97	-0.04	NO	
6/4/1996	15.81	781.38	1.41	NO	
10/30/1996	17.24	779.95	-1.43	NO	
4/16/1997	16.32	780.87	0.92	NO	
2/9/1999	14.72	782.47	1.60	NO	
6/14/1999	12.33	784.86	2.39	YES	
2/3/2000	20.50	776.69	-8.17	NO	
5/15/2000	14.90	782.29	5.60	NO	
11/13/2000	17.32	779.87	-2.42	NO	
4/20/2001	14.74	782.45	2.58	NO	
8/20/2001	17.37	779.82	-2.63	NO	
2/14/2002	17.64	779.55	-0.27	NO	
5/7/2002	15.44	781.75	2.20	NO	DTB 23.45'
8/9/2002	17.45	779.74	-2.01	NO	clear
1/24/2003	18.07	780.21	0.47	NO	clear
5/27/2003	15.58	782.70	2.49	NO	clear, fast recharge
8/21/2003	17.25	781.03	-1.67	NO	clear, fast recharge
11/19/2003	17.34	780.94	-0.09	NO	clear
2/11/2004	17.73	780.55	-0.39	NO	clear, odor, dry @ 2.5 gal
12/7/2004	17.49	780.79	0.24	NO	
3/29/2005	15.40	782.88	2.09	NO	clear
6/9/2005	17.31	780.97	-1.91	NO	clear, odor, dry @ 5.0 gal

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

GMOW-3D					
TOC Elevation:		797.38	Well Depth:		50.00
TOC Elevation (01/03):		798.43	Screen Length:		15.00
TOS Elevation:		762.38			
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
2/28/1991	40.52	756.86	NA	NO	
8/5/1991	39.44	757.94	1.08	NO	
1/29/1992	NM	NA	NA	NA	
7/28/1993	32.77	764.61	NA	YES	
10/18/1993	35.24	762.14	-2.47	NO	
3/31/1994	39.52	757.86	-4.28	NO	
6/29/1994	39.77	757.61	-0.25	NO	
9/30/1994	40.57	756.81	-0.80	NO	
12/29/1994	41.78	755.60	-1.21	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	NM	NA	NA	NA	
12/21/1995	41.28	756.10	NA	NO	
3/19/1996	NM	NA	NA	NA	
6/4/1996	41.17	756.21	NA	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	41.43	755.95	NA	NO	
2/9/1999	39.31	758.07	2.12	NO	
6/14/1999	34.89	762.49	4.42	YES	
2/3/2000	38.95	758.43	-4.06	NO	
5/15/2000	41.30	756.08	-2.35	NO	
11/13/2000	NM	NA	NA	NA	
04/20/001	35.41	761.97	NA	NO	
8/20/2001	34.77	762.61	0.64	YES	clear, cloudy
2/14/2002	NM	NA	NA	NA	
5/7/2002	NM	NA	NA	NA	
8/9/2002	38.44	758.94	NA	NO	light brown, cloudy
1/24/2003	40.62	757.81	-1.13	NO	cloudy, fast recharge
5/27/2003	43.20	755.23	-2.58	NO	clear, fast recharge
8/21/2003	43.28	755.15	-0.08	NO	clear, sand in well causing bailer problems
11/19/2003	43.88	754.55	-0.60	NO	clear, dry @ 2.5 gal
2/11/2004	44.74	753.69	-0.86	NO	cloudy, dry @ 1.5 gal
12/7/2004	38.38	760.05	6.36	NO	clear, slight odor
3/29/2005	39.47	758.96	-1.09	NO	clear
6/9/2005	38.84	759.59	0.63	NO	clear

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-4D</b>					
<b>TOC Elevation:</b>		<b>797.66</b>	<b>Well Depth:</b>		<b>54.20</b>
<b>TOC Elevation (01/03):</b>		<b>798.77</b>	<b>Screen Length:</b>		<b>19.10</b>
<b>TOS Elevation:</b>		<b>762.56</b>			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
10/22/1990	40.35	757.31	NA	NO	
2/28/1991	40.63	757.03	-0.28	NO	
8/5/1991	39.46	758.20	1.17	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	33.17	764.49	NA	YES	
10/18/1993	35.57	762.09	-2.40	NO	
3/31/1994	39.92	757.74	-4.35	NO	
6/29/1994	40.13	757.53	-0.21	NO	
9/30/1994	40.92	756.74	-0.79	NO	
12/29/1994	42.12	755.54	-1.20	NO	
3/16/1995	NM	NA	NA	NA	
6/8/1995	NM	NA	NA	NA	
9/14/1995	41.26	756.40	NA	NO	
12/21/1995	41.45	756.21	-0.19	NO	
3/19/1996	NM	NA	NA	NA	
6/4/1996	41.37	756.29	NA	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	41.58	756.08	NA	NO	
2/9/1999	39.44	758.22	2.14	NO	
6/14/1999	35.12	762.54	4.32	NO	
2/3/2000	NM	NA	NA	NA	
5/15/2000	41.44	756.22	NA	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	35.69	761.97	NA	NO	It brown
8/20/2001	NM	NA	NA	NA	
2/14/2002	NM	NA	NA	NA	
5/7/2002	39.43	758.23	NA	NO	DTB 51.25'
8/9/2002	38.67	758.99	0.76	NO	clear/cloudy
1/24/2003	40.82	757.95	-1.04	NO	cloudy, fast recharge
5/27/2003	43.42	755.35	-2.60	NO	clear
8/21/2003	43.55	755.22	-0.13	NO	clear
11/19/2003	44.10	754.67	-0.55	NO	clear, dry @ 4.0 gal
2/11/2004	44.80	753.97	-0.70	NO	cloudy, dry @ 2.5 gal
12/7/2004	38.45	760.32	6.35	NO	clear
3/29/2005	39.70	759.07	-1.25	NO	clear
6/9/2005	39.01	759.76	0.69	NO	clear

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-5D</b>					
TOC Elevation: 796.07		Well Depth: 45.00			
TOC Elevation (01/03): 797.14		Screen Length: 10.00			
TOS Elevation: 761.07					
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
8/5/1991	39.14	756.93	NA	NO	
9/30/1991	40.10	755.97	-0.96	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	30.97	765.10	NA	YES	
10/18/1993	33.44	762.63	-2.47	YES	
3/31/1994	37.90	758.17	-4.46	NO	
6/29/1994	37.88	758.19	0.02	NO	
9/30/1994	38.47	757.60	-0.59	NO	
12/29/1994	39.81	756.26	-1.34	NO	
3/16/1995	40.54	755.53	-0.73	NO	
6/8/1995	39.53	756.54	1.01	NO	
9/14/1995	38.94	757.13	0.59	NO	
12/21/1995	39.24	756.83	-0.30	NO	
3/19/1996	39.52	756.55	-0.28	NO	
6/4/1996	39.27	756.80	0.25	NO	
10/30/1996	37.64	758.43	1.63	NO	
4/16/1997	39.37	756.70	-1.73	NO	
2/9/1999	37.57	758.50	1.80	NO	
6/14/1999	33.21	762.86	4.36	YES	
2/3/2000	37.32	758.75	-4.11	NO	
5/15/2000	39.38	756.69	-2.06	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	33.84	762.23	NA	YES	brown
8/20/2001	NM	NA	NA	NA	
2/14/2002	NM	NA	NA	NA	
5/7/2002	37.43	758.64	NA	NO	DTB 44.25'
8/9/2002	36.65	759.42	0.78	NO	clear/cloudy
1/24/2003	39.00	758.14	-1.28	NO	clear, slow recharge
5/27/2003	41.30	755.84	-2.30	NO	cloudy
8/21/2003	41.12	756.02	0.18	NO	cloudy
11/19/2003	41.81	755.33	-0.69	NO	cloudy, dry @ 1.5 gal
2/11/2004	42.41	754.73	-0.60	NO	silty, dry @ 0.5 gal
12/7/2004	36.84	760.30	5.57	NO	
3/29/2005	37.67	759.47	-0.83	NO	cloudy
6/9/2005	37.09	760.05	0.58	NO	silty, dry @ 1.5 gal

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-6D</b>					
<b>TOC Elevation:</b>		<b>796.40</b>	<b>Well Depth:</b>		<b>46.00</b>
<b>TOC Elevation (01/03):</b>		<b>797.47</b>	<b>Screen Length:</b>		<b>10.00</b>
<b>TOS Elevation:</b>		<b>760.40</b>			
<b>Date</b>	<b>Depth to Groundwater BTOC</b>	<b>Groundwater Elevation</b>	<b>Elevation Difference</b>	<b>Submerged Screen</b>	<b>Comments</b>
8/5/1991	38.09	758.31	NA	NO	
1/29/1992	NM	NA	NA	NA	
4/17/1992	NM	NA	NA	NA	
7/28/1993	32.28	764.12	NA	YES	
10/18/1993	34.40	762.00	-2.12	YES	
3/31/1994	38.60	757.80	-4.20	NO	
6/29/1994	38.85	757.55	-0.25	NO	
9/30/1994	39.52	756.88	-0.67	NO	
12/29/1994	40.65	755.75	-1.13	NO	
12/21/1995	40.13	756.27	0.52	NO	
3/19/1996	39.52	756.88	0.61	NO	
6/4/1996	40.27	756.13	-0.75	NO	
10/30/1996	NM	NA	NA	NA	
4/16/1997	40.20	756.20	NA	NO	
2/9/1999	37.87	758.53	2.33	NO	
6/14/1999	34.11	762.29	3.76	YES	
2/3/2000	37.34	759.06	-3.23	NO	
5/15/2000	39.79	756.61	-2.45	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	34.70	761.70	NA	YES	clear
8/20/2001	NM	NA	NA	NA	
2/14/2002	37.09	759.31	NA	NO	
5/7/2002	38.12	758.28	-1.03	NO	DTB 45.80'
8/9/2002	37.10	759.30	-1.02	NO	gray, cloudy
1/24/2003	39.02	758.45	-0.85	NO	clear, fast recharge
5/27/2003	41.71	755.76	-2.69	NO	slightly cloudy
8/21/2003	41.78	755.69	-0.07	NO	slightly cloudy
11/19/2003	42.27	755.20	-0.49	NO	clear, dry @ 1.75 gal
2/11/2004	42.98	754.49	-0.71	NO	clear, dry @ 1.0 gal
12/7/2004	36.86	760.61	6.12	YES	
3/29/2005	38.16	759.31	-1.30	NO	clear
6/9/2005	37.64	759.83	0.52	NO	clear

**Table 2**  
**Groundwater Elevation Summary**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K

<b>GMOW-8D</b>					
TOC Elevation: 799.17		Well Depth: 47.00			
TOC Elevation (01/03): 800.51		Screen Length: 10.00			
TOS Elevation: 762.17					
Date	Depth to Groundwater BTOC	Groundwater Elevation	Elevation Difference	Submerged Screen	Comments
8/5/1991	41.61	757.56	NA	NO	
1/29/1992	NM	NA	NA	NA	
7/28/1993	34.88	764.29	NA	YES	
10/18/1993	37.42	761.75	-2.54	NO	
3/31/1994	41.85	757.32	-4.43	NO	
6/29/1994	41.99	757.18	-0.14	NO	
9/30/1994	42.84	756.33	-0.85	NO	
12/29/1994	44.05	755.12	-1.21	NO	
3/16/1995	44.91	754.26	-0.86	NO	
6/8/1995	44.02	755.15	0.89	NO	
9/14/1995	43.16	756.01	0.86	NO	
12/21/1995	43.44	755.73	-0.28	NO	
3/19/1996	43.61	755.56	-0.17	NO	
6/4/1996	43.22	755.95	0.39	NO	
10/30/1996	41.37	757.80	1.85	NO	
4/16/1997	43.57	755.60	-2.20	NO	
2/9/1999	41.42	757.75	2.15	NO	
6/14/1999	36.78	762.39	4.64	YES	
2/3/2000	41.08	758.09	-4.30	NO	
5/15/2000	43.50	755.67	-2.42	NO	
11/13/2000	NM	NA	NA	NA	
4/20/2001	37.41	761.76	NA	NO	
8/20/2001	NM	NA	NA	NA	
2/14/2002	NM	NA	NA	NA	
5/7/2002	41.34	757.83	NA	NO	DTB 48.93'
8/9/2002	40.63	758.54	0.71	NO	
1/24/2003	42.93	757.58	-0.96	NO	
5/27/2003	45.52	754.99	-2.59	NO	clear, fast recharge
8/21/2003	45.64	754.87	-0.12	NO	slightly cloudy
11/19/2003	46.30	754.21	-0.66	NO	clear
2/11/2004	46.68	753.83	-0.38	NO	clear
12/7/2004	40.54	759.97	6.14	NO	clear
3/29/2005	41.68	758.83	-1.14	NO	clear
6/9/2005	40.99	759.52	0.69	NO	clear

**Notes:**  
All elevations measured in feet, unless otherwise noted  
BTOC = Below Top of Casing  
TOC elevation and ground elevations are measured from a referenced benchmark  
TOC = Top of Casing  
TOS = Top of Screen  
NA = Not Applicable  
NM = Not Measured  
NP = No Product

**STATEMENT OF LEGAL DESCRIPTION ACCURACY**

**FOR**

**Parcel Identification Number: 660-9970**

**Geographic Position: 680219, 276515 WTM**

Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K  
BRRTS No. 03-41-000370  
Commerce No. 53130-2101-3

The Milwaukee County Register of Deeds Office provided the attached legal description as part of the deed for the above-mentioned property. According to the information available to Delta Environmental Consultants, Inc., the legal description is accurate and complete.

**DELTA ENVIRONMENTAL CONSULTANTS, INC.**



Adam S. McIlheran, Staff Hydrogeologist

11/29/05

Date



FILE COPY

Solving environment-related business problems worldwide

[www.deltaenv.com](http://www.deltaenv.com)

17500 West Liberty Lane • Suite A  
New Berlin, Wisconsin 53146-2109 USA

262.789.0254 800.477.7411  
Fax 262.789.5483

November 29, 2005

George Batog  
Batog, LLC  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin

Certified Mail No. 7004 0750 0000 2520 2444

Subject: **Inclusion of Property at 9835 West Forest Home Avenue, Hales Corners, Wisconsin into Wisconsin Department of Natural Resources GIS Registry**  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
Delta Project No. G023K  
BRRTS No. 03-41-000370

Dear Mr. Batog:

On behalf of Atlantic Richfield Company, a BP affiliated company (BP), Delta Environmental Consultants (Delta) is informing you that residual soil and groundwater contamination is present on your property located at 9835 West Forest Home Avenue, Hales Corners, WI (former Amoco Service Station No. 18764). The levels of benzene, ethylbenzene, xylenes, methyl tert butyl ether (MTBE), trimethylbenzenes (TMBs), and naphthalene contamination in the groundwater on your property are above the groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code.

The levels of benzene, toluene, ethylbenzene, xylenes, gasoline range organics (GRO), and diesel range organics (DRO) in soil at one or more locations are above the soil residual contaminant levels (RCLs) found in chapter NR 720 of the Wisconsin Administrative Code. However, indications are that the soil and groundwater contaminant plume is stable or receding and will naturally degrade over time. Delta believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and/or chapter NR 746, Wisconsin Administrative Code. Delta will submit a request to the Wisconsin Department of Natural Resources (WDNR) to accept natural attenuation of groundwater as the final remedy for this site and grant case closure. Closure, if granted, means that the WDNR will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A copy of the WDNR Fact Sheet titled *What Landowners Should Know: Information About Using Natural Attenuation to Clean Up Contaminated Groundwater* is enclosed for your information. Note that any requirements with regard to residual soil contamination will be made by the WDNR at the time of their review of the closure request.

The WDNR will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to:

Ms. Brenda Boyce  
Wisconsin Department of Natural Resources  
Southeast Region Headquarters  
2300 N. Martin Luther King Drive  
Milwaukee, WI 53212



GIS Notification for:  
Former Amoco Service Station No. 18764  
9835 West Forest Home Avenue  
Hales Corners, Wisconsin  
November 29, 2005  
Page 2

If the WDNR grants case closure, all properties within the site boundaries where soil and groundwater contamination exceeds chapter NR 720 RCLs or the NR 140 ESs, respectively, will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs or the NR 140 ESs were found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's internet web site. **Please review the enclosed legal description of your property and notify me within the next 30 days if the legal description is incorrect.**

If you or any subsequent property owners excavate contaminated soil, it may be considered a solid waste and must be managed in accordance with all applicable laws. Additionally, if you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property should call the Diggers Hotline 800/242-8511 if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the WDNR if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the WDNR makes a decision on the closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from BP or Delta, by writing to the agency address given above or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at [www.dnr.state.wi.us/org/at/et/geo/gwur](http://www.dnr.state.wi.us/org/at/et/geo/gwur). A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, feel free to contact Rick Carney, Project Manager at 262/827-4803. You may also contact Ms. Brenda Boyce of the WDNR at 414/263-8366.

Sincerely,

**DELTA ENVIRONMENTAL CONSULTANTS, INC.**



Adam S. McIlheran  
Staff Hydrogeologist

Enclosures

cc: Ray Stoelting – Atlantic Richfield Company (a BP affiliated company)  
Don Gallo - Reinhart, Boerner, and Van Deuren, SC