

GIS REGISTRY INFORMATION

SITE NAME:	Mobil Oil Service Station #05-PEA (former Shell Oil Co #129504)		
BRRTS #:	03-41-000962	FID #	
COMMERCE # (if appropriate):	53217-4508-00	(if appropriate):	
CLOSURE DATE:	April 28, 2004		
STREET ADDRESS:	5600 N Port Washington Rd		
CITY:	Glendale		
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X = 689506	Y = 296135	
CONTAMINATED MEDIA:	Groundwater	Soil	<input checked="" type="checkbox"/>
		Both	
OFF-SOURCE GW CONTAMINATION >ES:	Yes	No	<input checked="" type="checkbox"/>
• IF YES, STREET ADDRESS:			
• GPS COORDINATES (meters in WTM91 projection):			
	X =	Y =	
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	No	<input checked="" type="checkbox"/>
• IF YES, STREET ADDRESS 1:			
• GPS COORDINATES (meters in WTM91 projection):			
	X =	Y =	
CONTAMINATION IN RIGHT OF WAY:	Yes	No	<input checked="" type="checkbox"/>
<u>DOCUMENTS NEEDED</u>			
Closure Letter, and any conditional closure letter issued			<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties			<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties			<input checked="" type="checkbox"/>
County Parcel ID number, if used for county, for all affected properties			<input checked="" type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.			<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.			<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)			
Tables of Latest Soil Analytical Results (no shading or cross-hatching)			<input checked="" type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.			
GW: Table of water level elevations, with sampling dates, and free product noted if present			
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)			
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour			<input checked="" type="checkbox"/>
Geologic cross-sections, if required for SI. (8.5x14' if paper copy)			
RP certified statement that legal descriptions are complete and accurate.			<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)			
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)			
Copy of (soil or land use) deed restriction (s) or deed notice if any required as a condition of closure			



April 28, 2004

Mr. Jeffrey Johnson
ExxonMobil Refining & Supply
P.O. Box 874
Joliet, IL 60434

RE: Final Closure

Commerce # 53217-4508-00 WDNR BRRTS # 03-41-000962
Mobil Service Station 05-PEA (former Shell Oil Company #129504), 5600 North Port
Washington Road, Glendale

Dear Mr. Johnson:

The Wisconsin Department of Commerce has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5361.

Sincerely,

Monica L. Weis
Hydrogeologist
Site Review Section

cc: Ms. Cynthia Draves, Handex of Wisconsin
Mr. William Elliot, Lakeside Oil Company, 555 West Brown Deer Road, Suite 200, Fox Point, WI 53217
Case File



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963
TDD #: (608) 264-8777
Fax #: (414) 220-5374
<http://www.commerce.state.wi.us>
<http://www.wisconsin.gov>
Jim Doyle, Governor
Cory L. Nettles, Secretary

December 23, 2003

Mr. Jeffrey Johnson
Exxon/Mobil Refining and Supply Company
Joliet Refinery
Administration Building, Room 260
I-55 & Arsenal Road
Channahon, IL 60410

RE: Conditional Case Closure Revised

Commerce # 53217-4508-00 WDNR BRRTS # 03-41-000962
Mobil #05-PEA, 5600 North Port Washington Road, Glendale

Dear Mr. Johnson:

The Wisconsin Department of Commerce (Commerce) has reviewed the revised request for case closure that included dispenser leak information for the site referenced above. Based on the information provided in the *Site Investigation Update and Closure Reinstatement Request*, prepared by your consultant, Handex of Wisconsin, Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

During the final groundwater sampling event conducted on January 16, 2003, the preventive action limit (PAL) for benzene and total trimethylbenzene was exceeded at monitoring well MW-4, at 1.9 and 193.6 parts per billion, respectively. Commerce is issuing a PAL exemption per NR 140.28(2), Wis. Adm. Code, for benzene and trimethylbenzene at the referenced property.

Commerce understands that residual soil contamination remains on-site. Therefore, the conditions for final closure required in Commerce's June 7, 2002 letter are applicable and restated below. However, you may submit a Geographic Information System (GIS) packet directly to Commerce and pay the associated fee of \$200.00 directly to the Wisconsin Department of Natural Resources in lieu of recording a deed notice.

The following conditions must be satisfied to obtain final closure:

1. A notice must be placed on the property deed addressing residual petroleum impacts to soil on the above-referenced property. For case closure, Commerce will need the deed notification containing the County Register of Deeds' recording information. The affidavit must include a site map that accurately shows the property boundaries and indicates where the residual contamination remains. Also, include a table of residual soil contamination results, if the data are not presented on the map. Enclosed for your use is an example of a "Notice of Contamination to Property" that has been prepared for your site. If you wish to modify the language, submit a copy to this office for approval prior to recording. If an

electronic copy of the "Notice of Contamination to Property" is desired, you may contact Commerce and a copy will be forwarded to you.

2. All monitoring wells must be properly abandoned and the appropriate documentation forwarded to Commerce at the letterhead address.
3. The components of the SVE/Air Sparge system must be disassembled. Provide a narrative of the dismantling of the SVE/Air Sparge system.

This letter serves as your written notice of "no further action". Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement. Costs associated with recording deed notices or other restrictions are not eligible for PECFA reimbursement, and the recording of these notices should not delay the claim submittal process.

Be aware that all work activities associated with investigating, remediating, and reporting the dispenser leak are not eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5361.

Sincerely,



Monica L. Weis
Hydrogeologist
Site Review Section

Enclosure: Draft Notice of Contamination to Property

cc: Ms. Tammi Nagel, Handex of Wisconsin
Mr. William Elliot, Lakeside Oil Company
Case File

8431955

REGISTER'S OFFICE | SS
Milwaukee County, WI

RECORDED AT 2:40 PM

01-16-2003

JOHN LA FAVE
REGISTER OF DEEDS

AMOUNT 21.00

SPECIAL WARRANTY DEED

Document Number:

Document Title:

Recording Area

Name and Return Address:

Stewart Title Guaranty Company
1980 Post Oak Blvd., Suite 610
Houston, TX 77056

ATTN: Jackie Trainor
National Title Services

166-8997

Parcel Identification Number (PIN)

TRANSFER
\$ 2655.00
FEE

THIS INSTRUMENT WAS DRAFTED BY:
Paul H. Ryan - (703) 846-2348

REEL

5498

IMAGE

4893

SPECIAL WARRANTY DEED

THIS SPECIAL WARRANTY DEED is between **ExxonMobil Oil Corporation**, a New York corporation, called "Grantor", and **LakePointe Holdings, LLC**, a Wisconsin Limited Liability Company, called "Grantee", whose mailing address is 555 West Brown Deer Road, Suite 200, Fox Point, WI 53217.

Grantor, for a good and valuable consideration, grants, bargains, sells and conveys with Limited Warranty to Grantee all of the real property (the "Property") described in Exhibit "A," attached hereto and made a part hereof. The Property is **NOW KNOWN AS** the property described in Exhibit "B", attached hereto and made a part hereof.

This conveyance is made expressly subject to:

1. Encroachments, protrusions, easements, changes in street lines, rights-of-way and other matters that would be revealed by a current on the ground survey and inspection of the property.
2. Recorded leases, agreements, easements, rights of way, covenants, conditions and restrictions as the same may be of present force and effect.
3. Zoning regulations, ordinances, building restrictions, and regulations and any violations thereof.
4. The lien for real property taxes for the current year, and any liens for special assessments which as of the date hereof are not due and payable; and
5. Rights of any franchisee, subtenant or licensee of Grantor occupying the Property, pursuant to a valid lease, license or other occupancy agreement, at the Closing Date (as such term is defined in the Agreement of Purchase and Sale dated November 21st, 2002, by and between the Grantor and Grantee herein).

TO HAVE AND TO HOLD the Property, together with the appurtenances, estate, title and interest thereto, unto Grantee, Grantee's successors, heirs and assigns forever, subject to the provisions hereof, and in lieu of all other warranties, express or implied, Grantor does hereby bind itself, its successors and assigns, to warrant and forever defend the title to the Property unto Grantee, Grantee's successors, heirs and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

IN TESTIMONY WHEREOF, Grantor has hereunto set its hand and seal this 9th day of

REF

5498

IMAGE

4894

January, 2003, with an effective date of Jan. 16th, 2003.

Witness:

ExxonMobil Oil Corporation, a PHH2
New York corporation

D.J. Rasmussen
Name: D.J. Rasmussen
D.J. Rasmussen
D. DiAgostino
Name: D. DiAgostino
D. DiAgostino

By: [Signature]
Name: D. J. Fisher
Title: Agent and Attorney-in-fact

(Corporate Seal)


LakePointe Holdings, LLC
A Wisconsin Limited Liability Company
By Lakeside Oil Company, Inc.
A Wisconsin Corporation
The Managing Member

Attest:

By: [Signature]
Name: William Elliott
Title: President

COMMONWEALTH OF VIRGINIA)
) ss:
COUNTY OF FAIRFAX)

On this 9th day of January, 2003, before me personally came D. J. Fisher, to me known, who being by me duly sworn, did depose and say that deponent is the Agent and Attorney-in-fact for **ExxonMobil Oil Corporation**, a New York corporation, the corporation described in and which executed the foregoing instrument pursuant to a Special Power of Attorney executed on December 16th, 2002, recorded immediately prior hereto in Deed Book _____, Page _____ (as Instrument # 8431952); and that deponent signed deponent's name thereto by like order on behalf of said corporation.

[Signature]
Notary Public - Dorothy M. Morris


My Commission Expires: 4/30/2003

FAINT TYPE - Blue Ink

REEL 5498 IMAGE 4895

STATE OF WISCONSIN)
COUNTY OF MILWAUKEE

This instrument was acknowledged and executed before me this 15th day of January, 2003, by William Elliott, who acknowledged himself to be the President of Lakeside Oil Company, Inc., a Wisconsin Corporation, the Managing Member of **LakePointe Holdings, LLC**, a Wisconsin Limited Liability Company, the limited liability company described in the foregoing instrument and that he was authorized to execute the same.

Barbara L. Jauschek

Notary Public, State of Wisconsin

My Commission Expires

10-23-06



REFL 5498 IMAGE 4896

EXHIBIT "A"
TO SPECIAL WARRANTY DEED

PROPERTY DESCRIPTION

Site # 12844
5600 North Port Washington Road
Our File # 02161070

That part of the West 1/5 of the South 10 acres of Government Lot 4 of the West 1/2 of the Southeast 1/4 of Section 29, in Township 8 North, Range 22 East, in the City of Glendale, Milwaukee County, Wisconsin, bounded and described as follows, to-wit: Commencing at the Southwest corner of said 1/4 Section, running thence North along the West line of said 1/4 Section, 180.0 feet to a point; thence East and parallel to the South line of said 1/4 Section, 183.36 feet to a point; thence South 180.0 feet to a point which is 183.28 feet East of the Southwest corner of said 1/4 Section; thence West along the South line of said 1/4 Section, 183.28 feet to the place of commencement, excepting therefrom the South 60.0 feet and the West 60 feet thereof.

Exhibit "B"
Legal Description

That part of the West 1/5 of the South 10 acres of Government Lot 4 of the West 1/2 of the Southeast 1/4 of Section 29, in Township 8 North, Range 22 East, in the City of Glendale, Milwaukee County, Wisconsin, bounded and described as follows, to-wit: Commencing at the Southwest corner of said 1/4 Section, running thence North along the West line of said 1/4 Section, 180.0 feet to a point; thence East and parallel to the South line of said 1/4 Section, 183.36 feet to a point; thence South 180.0 feet to a point which is 183.28 feet East of the Southwest corner of said 1/4 Section; thence West along the South line of said 1/4 Section, 183.28 feet to the place of commencement, excepting therefrom the South 60.0 feet and the West 60 feet thereof.

12844 - 5600 N. Port Washington Road


REEL

5498


IMAGE

4884



NO.	REVISIONS	DATE	BY	CHKD



SCALE 1:24000



MILWAUKEE & THIENSVILLE QUADRANGLES
MILWAUKEE COUNTY, WISCONSIN
7.5 MINUTE SERIES (TOPOGRAPHIC)



SCHEMATIC OF SURROUNDING AREA
NOT TO SCALE

8945L2

Handax
OF WISCONSIN
16940 VICTOR ROAD
NEW BERLIN, WI 53151
(414) 641-9011

EXXONMOBIL OIL CORPORATION

P.O. Box 874
Joliet, IL 60434



SITE LOCATION MAP
MOBIL SERVICE STATION # 05-PEA
5600 NORTH PORT WASHINGTON ROAD
GLENDALE, MILWAUKEE COUNTY, WISCONSIN

DRAWN BY: M. SMITH
CHECKED BY: -
SCALE: AS NOTED
DATE: 2/25/99
DRAWING FILE: 105894

FIGURE

1

NO.	REVISIONS	DATE	BY	CHKD



LEGEND	
---	PROPERTY BOUNDARY
⊙	MONITORING WELL LOCATION
⊛	AIR SPARGE WELL LOCATION
⊠	AIR SPARGE MONITORING WELL LOCATION
⊚	VAPOR EXTRACTION WELL LOCATION
⊙	VAPOR MONITORING WELL LOCATION
⊙	OBSERVATION SUMP LOCATION
⊙	SOIL BORING LOCATION

Handex
OF WISCONSIN
16940 VICTOR ROAD
NEW BERLIN, WI 53151
(262) 641-9011

EXXONMOBIL OIL CORPORATION
P.O. Box 874
Joliet, IL 60434

SITE MAP
MOBIL SERVICE STATION # 05-PEA
5600 NORTH PORT WASHINGTON ROAD
GLENDALE, MILWAUKEE COUNTY, WISCONSIN

DRAWN BY:	R. WALSHVELO
CHECKED BY:	-
SCALE:	1" = 20'
DATE:	11/20/03
DRAWING FILE:	105894

FIGURE
2

8945M1A



SOIL LABORATORY ANALYTICAL RESULTS
Mobil Service Station No. 05-PEA
Glendale, Wisconsin

Sample Identification	Sample Date	Sample Depth (feet)	Headspace Reading (IUs)	Percent Total Solids (%)	Benzene (µg/kg)	Toluene (µg/kg)	Ethylbenzene (µg/kg)	Total Xylenes (µg/kg)	MTBE (µg/kg)	1,2,4-Trimethylbenzene (µg/kg)	1,3,5-Trimethylbenzene (µg/kg)	Naphthalene (µg/kg)	TPH (mg/kg)	GRO (mg/kg)	TPH as DRO (mg/kg)	DRO (mg/kg)
MW-1	11/25/1991	4-5 8-10*	5.0 10.0	----	<2.0 <2.0	<2.0 <2.0	<2.0 <2.0	<2.0 <2.0	----	----	----	----	<0.1 <0.1	----	<3.3 <3.3	----
MW-2	11/25/1991	4-5 8-10*	0.0 1.0	----	<2.0 <2.0	2.6 2.4	<2.0 <2.0	5.7 3.0	----	----	----	----	<0.1 <0.1	----	<3.3 <3.3	----
MW-3	11/25/1991	4-5 8-10*	0.0 0.0	----	<2.0 <2.0	<2.0 <2.0	23 41	480 590	----	----	----	----	20 19	----	<3.3 <3.3	----
MW-4	11/26/1991	3-5 8-10*	5.0 15.0	----	2.2 <0.2	4.0 2.7	120 <0.2	550 160	----	----	----	----	22 11	----	----	----
TF-1	11/26/1991	3-5 8-10*	10.0 150.0	----	<0.2 1500	<0.2 820	1.6 540	30.0 1700	----	----	----	----	0.3 1700	----	----	----
TF-2	11/26/1991	3-5 8-10*	10.0 150.0	----	<0.2 410	<0.2 280	<0.2 200	3.3 36000	----	----	----	----	1.9 1200	----	----	----
TF-3	11/26/1991	3-5 8-10*	5.0 150.0	----	<0.2 <20	<0.2 480	<0.2 7000	<0.2 51000	----	----	----	----	<0.1 1400	----	----	----
TF-4	11/26/1991	3-5 8-10	0.0 0.0	----	<0.2 <0.2	<0.2 <0.2	<0.2 <0.2	<0.2 <0.2	----	----	----	----	0.1 <0.1	----	----	----
ATF	11/26/1991	3-5 8-10*	5.0 50.0	----	<0.2 9.3	<0.2 150	<0.2 1400	<0.2 6400	----	----	----	----	<0.1 560	----	----	----
WO	11/25/1991	4-5 8-10*	120.0 300.0	----	<2.0 ----	<2.0 ----	<2.0 ----	<2.0 ----	----	----	----	----	110 2900	----	----	----
PI-1	11/25/1991	3-5	75.0	----	35	5900	5300	29000	----	----	----	----	68	----	----	----
PI-2	11/25/1991	3-5	15.0	----	<2.0	<2.0	<2.0	<2.0	----	----	----	----	46	----	----	----
PI-3	11/25/1991	3-5	5.0	----	<2.0	<2.0	<2.0	<2.0	----	----	----	----	17	----	----	----
PL-3	11/25/1991	3-5	0.0	----	<2.0	<2.0	<2.0	<2.0	----	----	----	----	25	----	----	----
PL-4	11/25/1991	3-5	22.0	----	<2.0	<2.0	<2.0	<2.0	----	----	----	----	130	----	----	----
PL-5	11/25/1991	3-5	0.0	----	<2.0	<2.0	1.3	47	----	----	----	----	<6.7	----	----	----
NR 720 Residual Contaminant Levels					5.5	1,500	2,900	4,100	NA	NA	NA	NA	NA	100	NA	100
NR 746.06 Table 1 (Indicators of Free-Phase Hydrocarbons)					8,500	38,000	4,600	42,000	NA	83,000	11,000	2,700	NA	NA	NA	NA
NR 746.06 Table 2 (Direct Contact)					1,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NOTES:																
* Data with asterisk indicates sample was taken at or below the historic measured high water table, based on monitoring well data.																
IUs = Instrument Units by OVA/FID or PID																
% = percent																
mg/kg = milligrams per kilogram																
µg/kg = micrograms per kilogram																
TPH = Total Petroleum Hydrocarbons analyzed by Method 418.1 or 8015.																
GRO = Gasoline Range Organics, WI Modified GRO Method.																
TPH as DRO = TPH by the Modified California DHS Method, High Boiler Fraction - Diesel.																
DRO = Diesel Range Organics, WI Modified DRO Method.																
NA = Not applicable, no level established under indicated NR Chapter.																
---- = Parameter not analyzed/measured, or information is not available.																
J - Detected, but below quantitation limit.																

SOIL LABORATORY ANALYTICAL RESULTS
Mobil Service Station No. 05-PEA
Glendale, Wisconsin

Sample Identification	Sample Date	Sample Depth (feet)	Headspace Reading (IUs)	Percent Total Solids (%)	Benzene (µg/kg)	Toluene (µg/kg)	Ethylbenzene (µg/kg)	Total Xylenes (µg/kg)	MTBE (µg/kg)	1,2,4-Trimethylbenzene (µg/kg)	1,3,5-Trimethylbenzene (µg/kg)	Naphthalene (µg/kg)	TPH (mg/kg)	GRO (mg/kg)	TPH as DRO (mg/kg)	DRO (mg/kg)
VE-1	01/12/1993	5	3.0	95.4	<5.2	<5.2	<5.2	<15.2	<5.2	----	----	36	----	<10	----	<10
VE-2	01/12/1993	5	25.0	93.3	<5.4	50	210	1060	<5.4	----	----	<360	----	20	----	<10
VE-3	01/13/1993	5	0.0	95.9	<5.2	<5.2	<5.2	<15.2	<5.2	----	----	71	----	<10	----	<10
VM-2	01/12/1993	5	3.0	95	<5.3	<5.3	<5.3	24.2	<5.3	----	----	210 J	----	<10	----	<10
VM-3	01/12/1993	5	4.0	92.9	<5.4	<5.4	<5.4	<16.4	<5.4	----	----	1200	----	31	----	<10
VM-4	01/12/1993	5	25.0	94	<5.3	<5.3	<5.3	<16.3	<5.3	----	----	3600	----	<10	----	<10
VM-5	01/12/1993	5	5.0	93	<5.4	<5.4	<5.4	<16.4	49	----	----	1700	----	<10	----	<10
VM-6	01/13/1993	5	30.0	95	<5.3	<5.3	26	23	<5.3	----	----	<140	----	<10	----	<10
VM-7	01/13/1993	5	8.0	92.6	<5.1	<5.1	85	2040	<5.1	----	----	1300	----	2500	----	78
VM-8	01/13/1993	5	40.0	95.4	<5.2	<5.2	<5.2	<15.2	<5.2	----	----	240	----	<10	----	<10
HA-1	09/20/2002	0-1	36.2	----	----	----	----	----	----	----	----	----	----	----	----	----
		1-3	4.5	93.3	<27	46.0	39.0	129.0	<27	129.0	47.0	----	----	<5.4	----	----
		3-5	1.6	91.3	<27	57.0	67.0	241.0	<27	153.0	57.0	----	----	<5.5	----	----
		6-8	8.9	92.8	<27	72.0	65.0	216.0	<27	151.0	66.0	----	----	<5.4	----	----
NR 720 Residual Contaminant Levels					5.5	1,500	2,900	4,100	NA	NA	NA	NA	NA	100	NA	100
NR 746.06 Table 1 (Indicators of Free-Phase Hydrocarbons)					8,500	38,000	4,600	42,000	NA	83,000	11,000	2,700	NA	NA	NA	NA
NR 746.06 Table 2 (Direct Contact)					1,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NOTES:																
* Data with asterisk indicates sample was taken at or below the historic measured high water table, based on monitoring well data.																
IUs = Instrument Units by OVA/FID or PID																
% = percent																
mg/kg = milligrams per kilogram																
µg/kg = micrograms per kilogram																
TPH = Total Petroleum Hydrocarbons analyzed by Method 418.1 or 8015.																
GRO = Gasoline Range Organics, WI Modified GRO Method.																
TPH as DRO = TPH by the Modified California DHS Method, High Boiler Fraction - Diesel.																
DRO = Diesel Range Organics, WI Modified DRO Method.																
NA = Not applicable, no level established under Indicated NR Chapter.																
---- = Parameter not analyzed/measured, or information is not available.																
J - Detected, but below quantitation limit.																

NO.	REVISIONS	DATE	BY	CHKD



APPROXIMATE EXTENT OF SOIL POTENTIALLY ABOVE NR 720 RESIDUAL CONTAMINANT LEVELS

LEGEND

---	PROPERTY BOUNDARY
⊕	MONITORING WELL LOCATION
⊕	AIR SPARGE WELL LOCATION
⊕	AIR SPARGE MONITORING WELL LOCATION
⊕	VAPOR EXTRACTION WELL LOCATION
⊕	VAPOR MONITORING WELL LOCATION
⊕	OBSERVATION SUMP LOCATION
⊕	SOIL BORING LOCATION

Handex
OF WISCONSIN
16940 VICTOR ROAD
NEW BERLIN, WI 53151
(262) 641-9011

EXXONMOBIL OIL CORPORATION
P.O. Box 874
Joliet, IL 60434

SOIL BORING/WELL LOCATION AND SOIL CONTOUR MAP
MOBIL SERVICE STATION # 05-PEA
5600 NORTH PORT WASHINGTON ROAD
GLENDALE, MILWAUKEE COUNTY, WISCONSIN

DRAWN BY:	R. WALSHVELO
CHECKED BY:	-
SCALE:	1" = 20'
DATE:	1/28/04
DRAWING FILE:	105894

FIGURE
2