

GIS REGISTRY INFORMATION

SITE NAME:	Total Petroleum #2612			FID #	
BRRTS #:	03-41-001055		(if appropriate):		
COMMERCE #:	53220-2499-45-A				
CLOSURE DATE:	April 15, 2008				
STREET ADDRESS:	6745 W Forest Home Ave				
CITY:	Greenfield				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	683281	Y =	279456	
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input type="checkbox"/>	Both <input checked="" type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
• IF YES, STREET ADDRESS:	6709 W Forest Home Ave., Greenfield				
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
CONTAMINATION IN RIGHT OF WAY:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued or denial letter issued					<input checked="" type="checkbox"/>
Copy of any maintenance plan referenced in the final closure letter					<input checked="" type="checkbox"/>
Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i>					<input type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties					<input type="checkbox"/>
County Parcel ID number, <i>if used for county</i> , for all affected properties					<input type="checkbox"/>
Location Map that outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily. If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), <i>if required for site investigation (SI)</i> . The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input checked="" type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, <i>if required for SI</i>					<input type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input checked="" type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)					<input checked="" type="checkbox"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
9316 North 107TH Street
Milwaukee, Wisconsin 53224-1121
TDD #: (608) 264-8777
Fax #: (414) 357-4700
Jim Doyle, Governor
Jack L. Fischer, A.I.A., Secretary

April 15, 2008

Khalid Ahmed
A & A Petroleum Inc
9401 W Beloit Rd Ste 111
Milwaukee, WI 53227

RE: **Final Closure**

Commerce # 53220-2499-45-A DNR BRRTS # 03-41-001055
Total Petroleum #2612, 6745 W Forest Home Ave, Greenfield

Dear Mr. Ahmed:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 357-4702.

Sincerely,

A handwritten signature in black ink, appearing to read "Greg Michael", written over a white background.

Greg Michael
Advanced Hydrogeologist
Site Review Section

cc: K. Singh & Assoc Inc.
Kler BTS Investments, LLC 15425 Nueberry Ct., Brookfield, WI 53005

PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN

December 20, 2007

Property Located at:

6745 West Forest Home Avenue

Greenfield, WI 53220

[Commerce #53220-2499-45, BRRTS #03-41-001055]

[All that part of the Northeast ¼ of Section 22, Township 6 North, Range 21 East, in the City of Greenfield, County of Milwaukee, State of Wisconsin, described as follows:

Commencing at a point on the West Line of said ¼ Section, 1376.90 feet south of the Northwest corner of said ¼ Section, which point is on the North Line of the Railway and Transmission Line right-of-way of Wisconsin Electric Power Company. As said right-of-way is more particularly described in that certain deed of Wisconsin General Railway to the Milwaukee Electric Railway and Light Company, dated April 30, 1931, recorded in Volume 1351 of Deeds, Page 241, as Document No. 1851741, which said point is also the place of beginning of lands herein described; thence north on the West Line of said Northeast ¼ of Section 22, 201.47 feet to a point on the old Center Line of West Forest Home Avenue (also known as Janesville Plank Road); thence North 48° 0' East on said old Center Line of West Forest Home Avenue, 298.51 feet to a point; thence South 0° 10' West, 391.63 feet to a point on the North Line of said Railway and Transmission Line right-of-way of the Wisconsin Electric Power Company; thence South 87° 48' west on said north right-of-way line 220.08 feet to the place of beginning.]

[Parcel Identification Number: 572-8976]

Introduction

This document is the Maintenance Plan for a pavement cover and building barrier at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing slab on grade building and other paved surfaces occupying the area over the contaminated groundwater plume and soil on-site. The contaminated soil is impacted by benzene, ethylbenzene, toluene, xylenes, and MTBE. The location of the paved surfaces and building to be maintained in accordance with this Maintenance Plan, as well as the impacted groundwater plume and soil are identified in the attached map (Exhibit A).

Cover and Building Barrier Purpose

The paved surfaces and the building foundation over the contaminated groundwater plume and soil serve as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. These paved surfaces and building foundation also act as a partial infiltration barrier to minimize soil-to-groundwater contamination migration that would violate the groundwater standards in Ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The paved surfaces and building foundation overlying the contaminated groundwater plume and soil and as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into and exposure to underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs

will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log. The inspection log must be kept on site and made immediately available for review by the Department of Commerce (Commerce), its successor, and/or other state agency. Do not submit a copy of the log annually.

Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces and/or the building overlying the contaminated groundwater plume and soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by Commerce or its successor.

The property owner, in order to maintain the integrity of the paved surfaces and/or the building, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of Department of Natural Resources.

Contact Information October 2007

Site Owner and Operator:
Mr. Trilochan S. Kler
Kler BTS Investment LLC
15425 Neuberry Court
Brookfield, WI 53005
Phone # (414) 429-2060

Consultant:
Pratap N. Singh, Ph.D. P.E.
K. Singh & Associates, Inc.
1135 Legion Drive
Elm Grove, WI 53122
Phone # (262) 821-1171

Department of Commerce:
Mr. Greg Michael
Wisconsin Department of Commerce
9316 N. 07th Street
Milwaukee, WI 53224-1121
Phone # (414) 357-4702

Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

OWNER
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer

K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Cap Maintenance Plan

Date
December 15, 1998

SCALE
2" = 40'

Drawn by
M.J.P.

Checked by
P.N.S.

Project no.
4330

Date

- LEGEND**
- 4" Vapor/Groundwater Extraction Well
 - Additional Boring
 - ⊕ Additional Monitoring Well
 - ⊙ Soil Boring
 - ⊖ Monitoring Well
 - ⊗ UST Monitoring Stump




Exhibit A

South 68th Street

West Forest Home Avenue





ENVIRONMENTAL & REGULATORY SERVICES
101 W. Pleasant St. Suite 205
Milwaukee, Wisconsin 53211
Fax #: (414) 220 5374
TDD #: (608) 264-8777
www.commerce.state.wi.us

Tommy G. Thompson, Governor
Brenda J. Blanchard, Secretary

March 31, 2000

Khalid Ahmed
A & A Petroleum
11840 W. Silver Spring Dr.
Milwaukee, WI 53225

4330 / Dhruv
meek
Raghu

Subject: **Conditional Case Closure** Total Petroleum#2612 6745 W. Forest Home Ave, Milwaukee
Commerce # 53220-2499-45 WDNR BRRTS: 03-41-001055

Dear Mr. Ahmed:

The above referenced site was reviewed for closure by Wisconsin Department of Commerce PECFA Site Review staff in response to the closure request prepared by your consultant, K. Singh & Assc. The Wisconsin Department of Natural Resources (WDNR) transferred this site to the Wisconsin Department of Commerce on February 11, 2000 for regulatory oversight. It is understood that there is residual soil and groundwater contamination present on site. Using the standards established in NR 700, and the risk criteria of Comm 46, the Department has determined that this site does not pose a significant threat to the environment and human health and no further investigation or remedial action is necessary.

The following items are necessary to satisfy the conditions of closure:

1. A notification must be placed on the property deed addressing residual soil and groundwater impacts. For case closure we will need a copy of the deed notification that contains the County Register of Deeds' recording information. Enclosed an example of a "Notice of Contamination to Property" for your use. If you wish to modify the language, submit a copy to this office for approval prior to filing.
2. All monitoring, recovery, and extraction well abandonment forms.

IMPORTANT: Before this case can be officially listed as "closed" on the Wisconsin Department of Commerce/Natural Resources computer database, you or your consultant must submit the requested information.

If, in the future, site conditions indicate that any contamination that remains poses a threat, the need for further remediation would be determined and required if necessary. If subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility.

It is important to realize that if the land use conditions change in the future and the contaminated soil is disturbed, appropriate measures must be implemented to assure any residual contamination is managed following all applicable State of Wisconsin regulations and standards.

Total Petroleum 6745 W. Forest Home Ave, Milwaukee
Commerce # 53220-2499-45 WDNR BRRTS: 03-41-001055

Page 2

If you have any questions, feel free to contact me at (414) 220-5375.

Sincerely,



Gregory S. Michael
Hydrogeologist
Department of Commerce
PECFA Site Review Section

cc: electronic storage
K. Singh & Assc



State Bar of Wisconsin Form 3-2003
QUIT CLAIM DEED

Document Number

Document Name

THIS DEED, made between KJG Investments, Inc. a/k/a KJG Investment, Inc.

(“Grantor,” whether one or more),

and Tirlochan Singh Kler

(“Grantee,” whether one or more).

Grantor quit claims to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Milwaukee County, State of Wisconsin (“Property”) (if more space is needed, please attach addendum):

See attached legal description.

DOC.# 09231494

REGISTER'S OFFICE | SS
Milwaukee County, WI

RECORDED 05/09/2006 08:44AM

JOHN LA FAVE
REGISTER OF DEEDS

AMOUNT: 13.00

Recording Area

Name and Return Address

LITERSKI & ROGACZEWSKI
4745 W. Forest Home Ave.
Greerfield, WI 53219

572-8976

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

FEE
77.25 (15)
EXEMPT

Dated April 25, 2006

KJG Investment, Inc.

Tirlochan Singh Kler (SEAL) _____ (SEAL)
* By: Tirlochan Singh Kler, President

Jagdisher Singh Kler (SEAL) _____ (SEAL)
* By: Jagdisher Singh Kler, Secretary

AUTHENTICATION

Signature(s) Tirlochan Singh Kler and Jagdisher Singh Kler

authenticated on April 25, 2006

* Paul D. Literski

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by Wis. Stat. § 706.06)

THIS INSTRUMENT DRAFTED BY:

Attorney Paul D. Literski

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
_____ COUNTY)

Personally came before me on _____,
the above-named _____

to me known to be the person(s) who executed the foregoing
instrument and acknowledged the same.

Notary Public, State of Wisconsin
My Commission (is permanent) (expires: _____)

(Signatures may be authenticated or acknowledged. Both are not necessary.)
NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.
© 2003 STATE BAR OF WISCONSIN FORM NO. 3-2003

QUIT CLAIM DEED

* Type name below signatures.

ALL THAT PART OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 22, TOWNSHIP 6 NORTH, RANGE 21 EAST, IN THE CITY OF GREENFIELD, COUNTY OF MILWAUKEE, STATE OF WISCONSIN, DESCRIBED AS FOLLOWS:

COMMENCING AT A POINT ON THE WEST LINE OF SAID $\frac{1}{4}$ SECTION, 1376.90 FEET SOUTH OF THE NORTHWEST CORNER OF SAID $\frac{1}{4}$ SECTION, WHICH POINT IS ON THE NORTH LINE OF THE RAILWAY AND TRANSMISSION LINE RIGHT-OF-WAY OF WISCONSIN ELECTRIC POWER CO. AS SAID RIGHT-OF-WAY IS MORE PARTICULARLY DESCRIBED IN THAT CERTAIN DEED OF WISCONSIN GENERAL RAILWAY TO THE MILWAUKEE ELECTRIC RAILWAY AND LIGHT CO., DATED APRIL 30, 1931, RECORDED IN VOLUME 1354 OF DEEDS, PAGE 241, AS DOCUMENT NO. 1851741, WHICH SAID POINT IS ALSO THE PLACE OF BEGINNING OF LANDS HEREIN DESCRIBED; THENCE NORTH ON THE WEST LINE OF SAID NORTHEAST $\frac{1}{4}$ OF SECTION 22, 201.47 FEET TO A POINT ON THE OLD CENTER LINE OF WEST FOREST HOME AVENUE (ALSO KNOWN AS JANESVILLE PLANK ROAD); THENCE NORTH $48^{\circ} 0'$ EAST ON SAID OLD CENTER LINE OF WEST FOREST HOME AVENUE, 298.51 FEET TO A POINT; THENCE SOUTH $0^{\circ} 10'$ WEST, 391.63 FEET TO A POINT ON THE NORTH LINE OF SAID RAILWAY AND TRANSMISSION LINE RIGHT-OF-WAY OF THE WISCONSIN ELECTRIC POWER CO.; THENCE SOUTH $87^{\circ} 48'$ WEST ON SAID NORTH RIGHT-OF-WAY LINE, 220.8 FEET TO THE PLACE OF BEGINNING.

Certification of Legal Description

Parcel Identification Number: 572-8976


(6745 W. Forest Home Avenue, Milwaukee, WI)

All that part of the Northeast ¼ of Section 22, Township 6 North, Range 21 East, in the City of Greenfield, County of Milwaukee, State of Wisconsin, described as follows:

Commencing at a point on the West Line of said ¼ Section, 1376.90 feet south of the Northwest corner of said ¼ Section, which point is on the North Line of the Railway and Transmission Line right-of-way of Wisconsin Electric Power Company. As said right-of-way is more particularly described in that certain deed of Wisconsin General Railway to the Milwaukee Electric Railway and Light Company, dated April 30, 1931, recorded in Volume 1351 of Deeds, Page 241, as Document No. 1851741, which said point is also the place of beginning of lands herein described; thence north on the West Line of said Northeast ¼ of Section 22, 201.47 feet to a point on the old Center Line of West Forest Home Avenue (also known as Janesville Plank Road); thence North 48° 0' East on said old Center Line of West Forest Home Avenue, 298.51 feet to a point; thence South 0° 10' West, 391.63 feet to a point on the North Line of said Railway and Transmission Line right-of-way of the Wisconsin Electric Power Company; thence South 87° 48' west on said north right-of-way line 220.08 feet to the place of beginning.

I TIRLO CHAMSKLER certify that the legal description provided above and on the attached Warranty Deed is complete and accurate to the best of my knowledge. The legal description correctly describes the parcel affected by petroleum releases from 6745 W. Forest Home Avenue, Milwaukee, Wisconsin.

Signature



Title

OWNER

Date

12-20-07




Figure 1. Site Location Map

Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

Owner
A & A Petroleum, Inc.


PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer
K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Figure 1. Soil Boring and Monitoring Well Locations.

Date	December 15, 1998	Drawn by	M.J.P.	Project no.	4330	Date
SCALE	20'	Checked by	P.N.S.			

- LEGEND**
- 4" Vapor/ Groundwater Extraction Well
 - Additional Boring
 - ⊕ Additional Monitoring Well
 - ⊙ Soil Boring
 - ⊖ Monitoring Well
 - ⊗ UST Monitoring Sump



Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

Owner
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer

K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Figure 1. Soil Boring and Monitoring Well Locations.

Date
December 15, 1998


SCALE
0' 20' 40'


Drawn by
M.J.P. 4330

Checked by
P.N.S.

- 4" Vapor/Groundwater Extraction Well
- Additional Boring
- ⊙ Additional Monitoring Well
- ⊕ Soil Boring
- ⊖ Monitoring Well
- ⊗ UST Monitoring Sump

LEGEND





Owner
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer
K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants


1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Figure 2. Groundwater Elevations

Date	December 15, 1998
SCALE	1" = 40'

Drawn by	M.J.P.	Project no.	4330
Checked by	P.N.S.	Date	

- LEGEND**
- Groundwater Elevation Contour Line
 - 4" Vapor Groundwater Extraction Well
 - Additional Boring
 - Additional Monitoring Well
 - Soil Boring
 - Monitoring Well
 - UST Monitoring Sump



LEGEND

- 25 ppb Benzene Concentration Contour Line
- 4" Vapor/ Groundwater Extraction Well
- Additional Boring
- Additional Monitoring Well
- Soil Boring
- Monitoring Well
- UST Monitoring Sump

Figure 3. Plume of Benzene in Soil

Date	December 15, 1998	Drawn by	M.L.P.	Project no.	4330	Date	
SCALE	20'	Checked by	P.N.S.				

Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

Owner
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer

K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants

1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Lawn's, Inc. Office

Storage Shed

B-1A
MW-10

B-2A
MW-11

(<200)
GP-3

(<200)
GP-5

(<200)
GP-4

(<200)
GP-2

(<200)
GP-1A

(<200)
GP-6

(770)
GP-2

500 (33,600)
MW-9 (22,600)

1,000
GP-4A

1,500
GP-4A

2,500
GP-11A

5,000
GP-11A

15,000
GP-8A

2,500
MW-5

5,000
MW-2

7,400
MW-6


15,000
MW-1

2,500
MW-3

5,000
MW-4

7,400
MW-6

15,000
MW-1



Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

OWNER
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer

K. SINGH & ASSOCIATES, INC.
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Figure 4. Plume of GRO in Soil

LEGEND	
	GRO Concentration Contour Line
	4" Vapor/Groundwater Extraction Well
	Additional Boring
	Additional Monitoring Well
	Soil Boring
	Monitoring Well
	UST Monitoring Sump

Date	Drawn by	Project no.	Date
December 15, 1998	M.J.P.	4330	
	Checked by		
	P.N.S.		

SCALE
0' 20' 40'




Figure 5 Plume of Benzene Concentration in Groundwater

LEGEND	
●	4" Vapor/Groundwater Extraction Well
○	Additional Boring
⊕	Additional Monitoring Well
⊙	Soil Boring
⊗	Monitoring Well
⊕	UST Monitoring Sump

Date	Drawn by	Project no.	Date
December 15, 1998	M.J.P.	4330	
	Checked by		
	P.N.S.		


Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

Owner
A & A Petroleum, Inc.

PROJECT LOCATION
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer
K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Scale: 20' = 1" (10' South)



Note: Soil borings with an "A" designation at the end of the boring name were advanced under the supervision of K. Singh and Associates, Inc.

Owner:
A & A Petroleum, Inc.

PROJECT LOCATION:
Former Total Station #2612
6745 West Forest Home Avenue
Greenfield, WI

Engineer

K. SINGH & ASSOCIATES, INC.,
Engineers & Environmental Management Consultants
1135 Legion Drive, Elm Grove, Wisconsin 53122, (414) 821-1171

Figure 1. Soil Boring and Monitoring Well Locations.

- LEGEND**
- 4" Vapor/Groundwater Extraction Well
 - Additional Boring
 - ⊕ Additional Monitoring Well
 - ⊙ Soil Boring
 - ⊗ Monitoring Well
 - UST Monitoring Sump

Date	December 15, 1998	Project no.	4330	Date	
SCALE	1" = 20'	Checked by	P.N.S.		

Table 1
Summary of Soil Quality Test Results

Sample ID	Sample Depth	PID Reading	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2,4-TMB	1,3,5-TMB	GRO	DRO	Lead
			ft	Inst. Unit	ppb	ppb	ppb	ppb	ppb	ppb	ppm
GP-1A	3-5	42	<25	<25	82	150	89	97	14	NT	NT
	7-9	BK	<25	<25	<25	<25	<25	<25	<6.0	NT	NT
	13-15	9	<25	<25	<25	55	<25	<25	<5.9	NT	NT
GP-2A	5-7	210	930	23,000	9,500	61,000	23,000	8,300	460	NT	NT
	13-15	58	33	66	39	200	98	37	12	NT	NT
GP-3A	7-9		<250	1,100	15,000	43,000	45,000	18,000	1,200	NT	NT
	13-15		<25	<25	<25	49	36	<25	32	NT	NT
GP-4A	7-9	176	1,500	350	440	4,200	9,800	2,800	180	130	NT
	15-17	20	170	200	950	2,200	2,300	920	53	NT	NT
GP-5A	9-11	300	7,400	3,500	3,800	150,000	86,000	33,000	1,500	NT	11
	13-15	10	4,500	210	2,600	10,000	12,000	1,400	100	NT	NT
GP-6A	9-11	230	4,400	830	9,200	25,000	16,000	5,900	390	7.3	NT
GP-7A	7-9	300	5,500	12,000	11,700	47,000	30,000	12,000	680	NT	35
	13-15	7	1,600	160	2,300	900	110	60	15	NT	NT
GP-8A	7-9	21	920	290	280	1,800	2,600	1,000	58	NT	NT
	13-15	BK	1,600	70	54	510	70	90	10	NT	NT
GP-9A	7-9	200	620	5,800	20,000	59,000	63,000	24,000	1,500	NT	NT
GP-10A	5-7	41	410	<25	220	210	<25	<25	<6.1	NT	NT
	7-9	154	180	210	160	200	54	76	45	NT	NT
	13-15	200	57	270	280	450	96	140	73	NT	NT
GP-11A	7-9	220	2,200	3,500	27,000	71,000	47,000	18,000	1,100	NT	NT
	11-13	3.5	<25	<25	<25	<25	<25	<25	<5.4	NT	NT
B-1A	6-7.5	BK	<25	<25	<25	<25	<25	<25	<5.7	NT	NT
B-2A	6-7.5	BK	<25	<25	<25	<25	<25	<25	<6.3	NT	NT
Geoprobe Soil Samples- May 1994											
GP-7	7-9	1,931	5,400	43,800	21,300	146,400	66,000	22,300	1,102	116	NT
GP-8	9-11	0.3	<1.9	76.8	<9.0	<18	<9.0	<9.0	NT	<5.0	NT
GP-9	2-3	23.2	NT	NT	NT	NT	NT	NT	14	6.24	NT
GP-10	7-9	618	2,700	<10,000	<5,100	<10,200	<5,100	<5,100	261	102	NT
GP-11	7-9	N/A	<1.9	<1.9	<9.0	<18	<9.0	<9.0	<5.0	10.8	NT
Geoprobe Soil Samples- May 1993											
GP-1	7-8	N/A	20,100	1,520	ND	2,920	NT	NT	NT**	NT	NT
	8-10	N/A	33,600	1,000	2,560	16,200	NT	NT	NT**	NT	NT
	10-12	N/A	340	ND	ND	ND	NT	NT	NT**	NT	NT
GP-2	7-9	N/A	770	ND	ND	ND	NT	NT	NT**	NT	NT
	9-11	N/A	330	ND	ND	ND	NT	NT	NT**	NT	NT
GP-3	7-8	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
	8-10	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
GP-4	7-8	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
	8-10	N/A	22,600	1,000	1,500	ND	NT	NT	NT**	NT	NT
	10-12	N/A	560	ND	ND	ND	NT	NT	NT**	NT	NT
Dup. (10-12)	N/A	770	ND	ND	ND	NT	NT	NT**	NT	NT	
GP-5	7-8.5	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
	8.5-10	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
GP-6	7-9	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT

Table 1
Summary of Soil Quality Test Results

Sample ID	Sample Depth	PID Reading	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2,4-TMB	1,3,5-TMB	GRO	DRO	Lead
	ft	Inst. Unit	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppm	ppm
	9-11	N/A	ND	ND	ND	ND	NT	NT	NT**	NT	NT
Soil Borings - March/ July, 1992											
B-1	7-8.5	29	NT	NT	NT	NT	NT	NT	11	NT	NT
	9.5-11	16	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-2	7-8.5	350	NT	NT	NT	NT	NT	NT	820	NT	NT
	12-13.5	20	NT	NT	NT	NT	NT	NT	11	NT	NT
B-3	9.5-11	250	NT	NT	NT	NT	NT	NT	2,300	NT	NT
	12-13.5	12	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-4	4.5-6	140	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
	12-13.5	9	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-5	7-8.5	15	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
	12-13.5	7	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-6	9.5-11	165.0	NT	NT	NT	NT	NT	NT	18	NT	NT
	14.5-16	13	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-7	9.5-11	41.0	NT	NT	NT	NT	NT	NT	52	NT	NT
	14.5-16	11	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-8	7-8.5	400	NT	NT	NT	NT	NT	NT	2,400	NT	NT
	14.5-16	22	NT	NT	NT	NT	NT	NT	4.7	NT	NT
B-9	7-8.5	380	NT	NT	NT	NT	NT	NT	360	NT	NT
	12-13.5	10	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-10	4.5-6	280	NT	NT	NT	NT	NT	NT	2,800	NT	NT
	12-13.5	8	NT	NT	NT	NT	NT	NT	<4.0	NT	NT
B-11	7-8.5	180	NT	NT	NT	NT	NT	NT	230	NT	NT
	12-13.5	22	NT	NT	NT	NT	NT	NT	7	NT	NT
B-12	7-8.5	1,321	NT	NT	NT	NT	NT	NT	450	NT	NT
	14.5-16	18	NT	NT	NT	NT	NT	NT	<4.7	NT	NT
B-13	7-8.5	4,855	NT	NT	NT	NT	NT	NT	190	NT	NT
	14.5-16	25	NT	NT	NT	NT	NT	NT	<4.8	NT	NT
B-14	7-8.5	6,944	NT	NT	NT	NT	NT	NT	180	NT	NT
	14.5-16	44	NT	NT	NT	NT	NT	NT	<4.6	NT	NT
B-15	7-8.5	4,844	NT	NT	NT	NT	NT	NT	NT	5600	NT
	14.5-16	28	NT	NT	NT	NT	NT	NT	NT	<4.6	NT
B-16	7-8.5	6,836	NT	NT	NT	NT	NT	NT	480	NT	NT
	14.5-16	40	NT	NT	NT	NT	NT	NT	<4.8	NT	NT
NR 720 Standard			5.5	1,500	2,900	4,100	--	--	100	100	--

Note: "PID"= Photoionization Detector

MTBE = Methyl Tert-Butyl Ether

TMB = Trimethyl Benzene

NT= Not Tested

N/A= Not available

Soil samples that were taken prior to 1998 were collected by Sigma Environmental

*= Results based upon field GC data, which was reported as parts per million by volume. Based upon the field lab report, weight-based results are typically 2 to 3 orders of magnitude lower.

**= GRO was below detection limits (11 to 13 ppm), but samples exceeded lab holding time.

^= Results reported in GRO/DRO columns are TPH on a gasoline /diesel standard.

Table 2
Summary of Groundwater Quality Test Results

Date	Sample No.	Benzene	Ethylbenzene	Toluene	Xylenes	GRO	DRO	Lead	MTBE	Naphthalene	1,2,4-TMB	1,3,5-TMB
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppb	ppb	ppb	ppb
4/18/91	MW-1	1.0	< 1.0	37	2.0							
4/17/92		< 1.0	< 1.0	34	20.0							
7/27/92		< 1.0	< 1.0	1.7	1.1							
11/5/98		0.51	< 1.0	1.7	1.1	0.21	NT	NT	420	NT	< 1.0	< 1.0
4/18/91	MW-2	9,700	180	1,400	8,700							
4/17/92		9,600	1,800	1,300	3,500							
7/27/92		8,800	1,600	8,100	9,900							
3/13/95		6,500	1,400	1,000	4,900	25	6.9					
6/14/95		4,900	960	320	2,600	14	5.7					
9/13/95		9,800	1,400	480	4,200	25	6.2					
9/13/95	Duplicate	9,800	1,400	460	4,200	25	6					
4/18/91	MW-3	450	3,200	1,200	12,000							
4/17/92		5,800	4,600	11,000	47,000							
7/27/92		5,200	4,800	8,100	17,000							
3/13/95		3,400	3,100	260	7,400	26	8					
6/14/95		3,900	3,900	380	8,500	33	19					
9/13/95		5,600	4,800	370	11,000	42	11					
11/14/96		4,200	4,900	270	11,300	47	NT	NT	< 100	580	2,600	730
11/5/98		4,200	4,400	300	10,000	40	NT	NT	< 10	NT	2,900	860
4/18/91	MW-4	2,900	5	1,500	600							
4/17/92		3,700	120	170	1,400							
7/27/92		3,600	71	92	150							
3/13/95		640	16	11	23	3.1	1.3					
6/14/95		1,200	45	27	79	3.2	3.4					
6/14/95	Duplicate	1,200	52	28	80	4.8	1.6					
9/13/95		1,700	37	22	57	3.4	1.2					
11/14/96		1,400	15	< 10	< 30	4.8	NT	NT	230	6.3	< 10	< 10
11/14/96	Duplicate	1,500	18	< 10	< 30	5.1	NT	NT	220	9.1	< 10	< 10
11/5/98		1,400	13	7.9	23	5.0	NT	NT	65	NT	5.4	5.0
4/18/91	MW-5	1,400	1,300	900	2,900							

Table 2
Summary of Groundwater Quality Test Results

Date	Sample No.	Benzene	Ethylbenzene	Toluene	Xylenes	GRO	DRO	Lead	MTBE	Naphthalene	1,2,4-TMB	1,3,5-TMB
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppb	ppb	ppb	ppb
4/18/91	Duplicate	2,500	< 1.0	900	3,500							
4/17/92		20,000	3,100	280	11,000							
7/27/92		18,000	3,300	420	3,200							
4/18/91	MW-6	5,700	200	5,800	3,100							
4/17/92		9,300	3,200	670	25,000							
7/27/92		8,400	3,000	620	7,400							
7/27/92	Duplicate	8,200	2,900	560	7,100							
3/13/95		3,300	1,000	210	1,500	13	4.2					
6/14/95		5,700	1,700	260	2,900	18	6.1					
9/13/95		7,800	1,900	250	2,300	21	2.9					
4/18/91	MW-7	1,200	180	6,900	6,300							
4/17/92		22,000	2,100	10,000	38,000							
7/27/92		20,000	2,200	4,800	11,000							
3/13/95		10,000	1,100	1,800	3,300	25	8.7					
3/13/95	Duplicate	13,000	1,300	2,200	4,100	31	8.1					
6/14/95		8,800	1,100	4,600	7,000	31	7.6					
9/13/95		18,000	1,700	410	2,900	31	5.2					
11/14/96		20,000	1,900	540	1,200	33	NT	NT	< 50	450	380	< 50
11/5/98		20,000	1,700	1800	2,100	34	NT	NT	370	NT	500	78
7/27/92	MW-8	7,900	1,600	210	3,700							
3/13/95		4,200	820	89	960	11	1.6					
6/14/95		6,600	1,600	150	1,900	18	3.9					
9/13/95		7,600	1,800	150	2,000	21	4.4					
3/13/95	MW-9	920	NS	< 100	< 300	2.2	1.4					
6/14/95		NS	< 100	NS	NS	NS	NS					
9/13/95		NS	NS	NS	NS	NS	NS					
11/14/96		28	< 5	< 5	< 15	1.1	NT	NT	890	< 1	< 5	< 5
11/5/98		180	10	2.6	20	0.88	NT	NT	380	NT	24	7.3
11/27/98	MW-10	<0.50	<0.50	<0.50	<0.50	<0.050	NT	NT	2.5	<2.0	<1.0	<1.0
11/27/98	MW-11	<0.50	<0.50	<0.50	<0.50	<0.050	NT	NT	2.8	<2.0	<1.0	<1.0

Table 2
Summary of Groundwater Quality Test Results

Date	Sample No.	Benzene	Ethylbenzene	Toluene	Xylenes	GRO	DRO	Lead	MTBE	Naphthalene	1,2,4-TMB	1,3,5-TMB
		ppb	ppb	ppb	ppb	ppm	ppm	ppm	ppb	ppb	ppb	ppb
11/27/98	EX-3	4,600	640	67	1,000	11	NT	NT	1100	NT	730	<50
11/27/98	EX-5	90	220	17	500	2.9	NT	NT	27	NT	400	94
5/23/94	GP-11 (W)	<0.20	<1.0	<2.0	<2.0	NT	NT	NT	44.8*	2	<1.0	<1.0
5/3/93	GP-1 (W)	741,000	<200	76200	<200	NT	NT	NT	NT	NT	NT	NT
5/3/93	GP-2 (W)	<200	<200	<200	<200	NT	NT	NT	NT	NT	NT	NT
5/3/93	GP-3 (W)	<200	<200	<200	<200	NT	NT	NT	NT	NT	NT	NT
5/3/93	GP-4 (W)	110,000	<200	63900	44,800	NT	NT	NT	NT	NT	NT	NT
5/3/93	GP-5 (W)	<200	<200	<200	<200	NT	NT	NT	NT	NT	NT	NT
	PAL**	0.5	140	68.6	124	NA	NA	0.0015	12	8	NA	NA
	ES**	5.0	700	343	620	NA	NA	0.015	60	40	NA	NA

Note:

NA--Not Applicable

NT--Not Tested

*Noted to be possible contaminant from vial septum in lab report.

** Source: NR 140, October 1996, No. 490.

Table 4
Summary of Groundwater Elevations

Well #	MW-1	MW-2*	MW-3	MW-4	MW-5*	MW-6*	MW-7	MW-8*	MW-9	MW-10	MW-11	EX-1	EX-2	EX-3	EX-5
Screened Interval	4-14	2.5-12.5	2.5-12.5	3.5-13.5	5-15	2.5-12.5	3-13	5.5-15.5		5-15	4-14	5.5-14	5.5-14	5.5-14	5.5-14
Top of PVC*	763.15	100.26	763.42	763.13	99.55	99.09	762.06	96.24	760.98	761.79	759.73			761.31	761.03
Date															
4/18/91	757.10	95.11	757.94	757.61	94.00	93.16	756.71	**	**	**	**	**	**	**	**
6/6/91	755.43	93.69	756.86	756.69	92.51	92.40	756.30	**	**	**	**	**	**	**	**
4/17/92	754.95	93.00	755.81	755.19	91.94	91.27	754.96	**	**	**	**	**	**	**	**
7/27/92	753.53	91.71	754.84	755.09	90.68	91.66	754.66	89.89	**	**	**	**	**	**	**
3/18/93	755.69	94.01	756.87	756.59	92.40	92.20	756.31	90.03	**	**	**	90.58	91.56	**	**
11/5/98	755.39	NT	756.35	756.34	NT	NT	756.68	NT	755.12	**	**	**	**	**	**
11/27/98	755.62	NT	756.43	756.28	NT	NT	756.52	NT	755.77	755.24	755.08			754.47	755.91

Notes: * -Based upon original site benchmark. Wells were not found at time of the new survey.

** - Well was not installed at the time of sampling

NT=Depth to water not taken

NA= Data not available

Depth to water readings through 1996 and monitoring well elevations are based upon Sigma Environmental data.



K. SINGH & ASSOCIATES, INC.

Engineers, Scientists and Environmental Management Consultants

January 8, 2008

Mr. Curt Bolton
City Engineer
Department of Public Works
City of Greenfield
7325 W. Forest Home Avenue
Greenfield, WI 53220

Project #4330

Subject: Notification of Potential Residual Contamination in the Right-of-Way of S. 68th Street and W. Forest Home Avenue, along 6745 W. Forest Home Avenue, Greenfield, WI (WDNR BRRTS #03-41-001055, Commerce #53220-2499-45)

Dear Mr. Bolton:

The purpose of this letter is to notify Department of Public Works, City of Greenfield regarding potential residual petroleum contamination in soil and groundwater within the right-of-way of S. 68th Street and W. Forest Home Avenue, Wisconsin.

Monitoring well MW-3 located within the property boundary about 20 feet southeast of right-of-way of W. Forest Home Avenue has shown petroleum contamination in excess of NR 140 enforcement standard (ES). Therefore, there is a potential for migration of petroleum contamination within the right-of-way of W. Forest Home Avenue. Soil boring GP-7 is located within the right-of-way of S. 68th Street. Petroleum contamination in excess of NR 720 standards in GP-7 indicates that the right-of-way has been impacted by petroleum contamination. Petroleum contamination in excess of NR 140 ES in MW-7 indicates that there is a potential for migration of petroleum contamination in groundwater within the right-of-way of S. 68th Street. The location of soil borings and monitoring wells are shown on Figure 1. Groundwater quality test results are included in Table 1.

We notify the above details for your information and records. It is our understanding that the residual contamination will be remediated by natural attenuation. Please call us if you have any questions regarding this submittal.

Sincerely,

K. SINGH & ASSOCIATES, INC.

Mukesh Kumar Jain

Mukesh K. Jain, Ph.D.
Project Engineer

Pratap N. Singh

Pratap N. Singh, Ph.D., P.E.
Project Manager

cc: Mr. Trilochan S. Kler / Kler BTS Investment LLC

KLER BTS INVESTMENT LLC
15425 NEUBERRY CT.
BROOKFIELD, WI 53005

December 20, 2007

Mr. Charles Eggert
Lawns, Inc.
6709 West Forest Home Avenue
Greenfield, WI 53220

Subject: Notification of Groundwater Contamination

Dear Mr. Eggert:

Groundwater contamination that appears to have originated on the property located at 6745 W. Forest Home Avenue has migrated onto your property located at 6709 W. Forest Home Avenue, Greenfield. The level of benzene and MTBE contamination in groundwater sample collected from monitoring well MW-9 installed on your property are above the enforcement standards (ES) found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that the groundwater plume is stable or receding and will naturally degrade over time. I believe that by allowing natural attenuation to complete the cleanup, this site will meet the requirements for case closure that are found in chapter Comm 46 and chapter Comm 46, Wisconsin Administrative Code, and I will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. To obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, you may visit <http://www.dnr.wi.gov/org/aw/aw/rr/archives/pubs/RR589.pdf>.

The Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have the right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to the closure request, you should mail the information to: Mr. Greg Michael of the Wisconsin Department of Commerce, 9316 N. 107th Street, Milwaukee, Wisconsin 53224-1121.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter 140 enforcement standards was found at the time the case was closed. The GIS Registry will be available to the general public on the Department of Commerce's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Mr. Charles Eggert
Page 2

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS registry of Closed Remediation Sites on the internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm.pdf>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's Drinking Water and Groundwater Program. The well construction application, form 3300-254, is on the internet at <http://www.dnr.wi.gov/org/water/dwg/3300254.pdf>, or may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, you may contact me at 15425 Neuberry Court, Brookfield, WI 53005 (414-429-2060), or you may contact Mr. Greg Michael, Wisconsin Department of Commerce, 9316 N. 107th Street, Milwaukee, Wisconsin 53224-1121 (414) 357-4700.

Sincerely,


Trilochan S. Kler
(Kler BTS Investment LLC)