

GIS Registry Disclaimer

This case was closed by the DNR prior to August 1, 2002, when DNR began adding approved cleanups with residual soil contamination into the GIS Registry. Certain documents that are currently required by ch. NR 726, Wis. Adm. Code may therefore not be included in this packet as they were unavailable at the time the original case was closed.

The information contained in this document was assembled by DNR from a previously closed case file, and added to the GIS Registry to provide the public with information on closed sites with residual soil and/or groundwater contamination remaining above applicable state standards.

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #: 03-41-001319

ACTIVITY NAME: MILWAUKEE CNTY - CAMD MAIN SHOP

PROPERTY ADDRESS: 10320 WATERTOWN PLANK RD

MUNICIPALITY: Wauwatosa

PARCEL ID #: 3749999-03

CLOSURE DATE: Dec 12, 2001

FID #: 241206350

DATCP #:

COMM #: 53226355320

*WTM COORDINATES:

X: 679474 Y: 287814

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:	03-41-001319	PARCEL ID #:	
ACTIVITY NAME:	MILWAUKEE CNTY - CAMD MAIN SHOP	WTM COORDINATES: X:	
		Y:	

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: **Title:**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Exhibit A**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 1 **Title: Site Layout**

BRRTS #: 03-41-001319

ACTIVITY NAME: MILWAUKEE CNTY - CAMD MAIN SHOP

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: **Title:**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **Title:**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: **Title: DS-2**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title:**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title:**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-001319

ACTIVITY NAME: MILWAUKEE CNTY - CAMD MAIN SHOP

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:


Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region
Milwaukee Service Center
2300 N. Dr. ML King Drive, PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-263-8500
FAX 414-263-8716
TDD 414-263-8713

December 18, 2001

Mr. Tim Detzer
Milwaukee County DPW
Environmental Services
2711 West Wells Street #213
Milwaukee, Wisconsin 53208


SUBJECT: Final Closure Letter, CAMD Main Shop, 10320 Watertown Plank, Wauwatosa,
Wisconsin. FID#241206350. BRRTS#03-41-001319.

Dear Mr. Detzer:

We have received a copy of the recorded deed affidavit and the monitoring well abandonment forms required in our closure letter of February 5, 1998. We consider this case closed, and require no further action at this site. This letter serves as your final closure letter.

If you have any questions, you may contact me at (414) 263-8589.

Sincerely,


Gina Keenan
Hydrogeologist

cc: SER case file



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Regional Headquarters
2300 N. Dr. ML King, Jr. Drive, Box 12436
Milwaukee, WI 53212-0436
TELEPHONE 414-263-8500
FAX 414-263-8716
TDD 414-263-8713

February 5, 1998

Mr. Robert Knighten
Milwaukee County DPW
Courthouse Annex, Room #314
907 North 10th Street
Milwaukee, Wisconsin 53233

SUBJECT: Request for closure, CAMD Main Shop, 10320 West Watertown Plank Road,
Wauwatosa, Wisconsin. BRR-LUST FID#241206350.

Dear Mr. Knighten:


At the request of your environmental consultant, Hydro-Search, Inc. (HSI), we have reviewed the referenced case file for closure. Based on the information provided we concur with HSI's recommendation of closure and conditionally require no further action at this site in connection with the former and abandoned in-place underground storage tanks. The conditions of the closure are as follows:

1. A deed restriction is placed on the title of the deed of the property for the soil contamination that was inaccessible to remediation. An example of the language of the deed restriction is enclosed.
2. Within sixty days, all of the groundwater monitoring wells at the site must be abandoned in accordance with WAC NR 141 and the completed abandonment forms must be submitted to the department.

Once the department receives the well abandonment forms and confirmation that the deed restriction has been placed on the title of the deed for this property, this case will be tracked as closed on the department's tracking system. We reserve the right to reopen this case pursuant to s. NR 726.09, Wisconsin Administrative Code (WAC), should additional information regarding site conditions indicate that contamination on or from the site poses a threat to public health, safety or welfare or the environment. You should note that this letter does not constitute departmental certification under s. 144.765(2) (a) 3, Stats., as created by 1993 Wisconsin Act 453 (May 12, 1994). Persons who meet the definition of purchaser in s.144.765(1)(c) must receive department pre-approval prior to conducting a site investigation in order to be eligible for the liability exemption under s. 144.765, Stats.

If you have any questions regarding this letter, you may contact me at the above address or at (414) 263-8589.

Sincerely,


Gina Keenan
Hydrogeologist

enclosures

c: HSI-enclosures
SED case file

*Quality Natural Resources Management
Through Excellent Customer Service*



7671785

Document Number

DEED RESTRICTION

Legal Description of the Property

SEE EXHIBIT "A" ATTACHED

REGISTER'S OFFICE } SS
 Milwaukee County, WI }
 RECORDED AT 11 15 AM

JAN 20 1999 1510 to
 REEL 4481 IMAGE 1512 incl.
 Walter R. Berger REGISTER OF DEEDS

Recording Area

Name and Return Address

Mr. Robert L. Knighten, P.E.
 Milwaukee County DPW
 Courthouse Annex Room 314
 907 N. 10th Street
 Milwaukee, WI 53233

Commonly known as:
 Central Automotive Maintenance Division
 Main Shop
 10320 W. Watertown Plank Road
 Wauwatosa, WI 53226

Declaration of Restrictions

Part of
 Parcel Identification No.: 3749999-03

STATE OF WISCONSIN)
) ss
 COUNTY OF MILWAUKEE)

7671785 #
 RECORD 14.00

WHEREAS, Milwaukee County is the owner of the above-described property.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

One or more petroleum hydrocarbon discharges have occurred on this property. Structural impediments existing at the time of clean-up made complete remediation of the soil contamination impracticable. Petroleum-contaminated soil may remain on this property at the following locations: immediately adjacent to the south wall of the Maintenance Building in the loading dock area and immediately north and beneath existing new petroleum piping in the same area. Pursuant to the requirements of s. 292.11, Stats., if the structural impediments which currently exist on this property are removed, the property owner shall be required to conduct an investigation of the degree and extent of the petroleum hydrocarbon contamination. To the extent that contamination is found at that time, the Wisconsin Department of Natural

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 18th day of January 19 99.

Signature: F. Thomas Ament
Printed Name: F. Thomas Ament, County Executive

Signature: Rod Lanser
Printed Name: Rod Lanser, County Clerk

Subscribed and sworn to before me
this 18th day of January 19 99

Craig C. Dillmann
Craig C. Dillmann
Notary Public, State of WISCONSIN
My commission expires: 10/31/99

Subscribed and sworn to before me
this 18th day of January 19 99

Craig C. Dillmann
Craig C. Dillmann
Notary Public, State of WISCONSIN
My commission expires: 10/31/99

This document was drafted by the Wisconsin Department of Natural Resources.

APPROVED
FOR
EXECUTION
[Signature]
CORPORATION
COUNSEL





EXHIBIT "A"




LEGAL DESCRIPTION:


A PARCEL OF LAND IN THE SOUTHWEST 1/4 SECTION OF SECTION 20, TOWNSHIP 7 NORTH, RANGE 21 EAST, IN THE CITY OF WAUWATOSA, MILWAUKEE COUNTY, STATE OF WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID 1/4 SECTION, THENCE S 88°18'28" W ALONG THE SOUTH LINE OF SAID 1/4 SECTION 1178.37 FEET TO A POINT; THENCE N 01°41'32" W 173.80 FEET TO THE POINT OF BEGINNING; THENCE S 88°17'25" W 80.00 FEET TO A POINT; THENCE N 01°42'35" W 80.00 FEET TO A POINT; THENCE N 88°17'25" E 80.00 FEET; THENCE S 01°42'35" E 80.00 FEET TO THE POINT OF BEGINNING.

PREPARED BY: MILV. CO. DPV
KDS
12/30/98



MILWAUKEE COUNTY WAUWATOSA, WISCONSIN	DATE: 11/29/95
CAMD-MAIN SHOP SITE LAYOUT, BOREHOLE/MONITOR WELL LOCATIONS	DESIGNED: CTM
	CHECKED: TMT
	APPROVED: TMT
	DRAWN: CTM
	PROJ: 302553295
HYDRO-SEARCH INC A Tetra Tech Company	Figure 1



NOTE: Underground piping and utilities shown are based on field surveys only. Contractor is responsible for verifying and protecting all underground utilities during excavation and construction.

C.A.M.D. WATERTOWN PLANK



MILWAUKEE COUNTY	
10320 W. WATERTOWN PLANK RD.	
WAUWATOSA	
SCALE: 1"=10'-0"	DATE: MARCH, 1990
PREPARED BY: FOTH & VAN DYKE	BY: B.J.Z.

BACK WALL

CEILING HEIGHT APPROXIMATELY 30'

TRUCK ACCESS DOORS

BACK MAINTENANCE AREA

CONCRETE

LIMIT OF EXCAVATION

GRATE COVERED
6' DEEP TRENCH

SUMP

STEAM PIPES

HYDRAULIC LIFT

MC-SS-IT-01N

SUMP

STEAM PIPES

HYDRAULIC LIFT

GRATE COVERED
6' DEEP TRENCH

OIL & HYDRAULIC FLUID STORAGE AREAS

OVERHEAD REELS

WALL DIVIDING FRONT AND BACK
OF MAINTENANCE AREAS

WORK BENCH

MC-SS-IT-02S

ELECTRIC PANEL

FRONT MAINTENANCE AREA

INDOOR TANK AT CAMD-WATERTOWN PLANK

NOTE: Underground piping and utilities shown are based on field surveys only. Contractor is responsible for verifying and protecting all underground utilities during excavation and construction.



MILWAUKEE COUNTY	
10320 W. WATERTOWN PLANK RD.	
MILWAUKEE	
SCALE: 1"=10'-0"	DATE: MARCH, 1990
PREPARED BY: FOTH & VAN DYKE	BY: B.J.Z.

Mr. Robert L. Knighten
Milwaukee County
January 3, 1991
Page 2

Groundwater was not encountered within the excavation. According to well logs from the immediate area, depth to groundwater is approximately 8 to 15 feet below the ground surface.

TANK REMOVAL

Midwest Petroleum Service, Inc. was contracted by Milwaukee County to excavate and remove the tanks from the site. Excavation activities were performed on September 28, 1990 and following removal, the tanks and piping were inspected for leaks. The tanks and piping appeared to be in good condition, with no visible staining or holes present. Ionizable organic compound readings were monitored in the field using a photoionization detector (PID). Petroleum vapors released from excavated soils were observed to be in excess of 350 parts-per-million (ppm).

SOIL SAMPLING

Soil samples were taken from five locations, approximately 1 to 2 feet below the tank at depths of 5 to 7 feet. (See Attachment 1 for sample location map). Strong petroleum odors were present at all five sample points.

Sample No.	Location	Depth (ft.)	Soil	TPH-GC (ppm)	BETX (ppm)
MC-SS-C18-01W	West end	5	Sand and gravel	13,000 E	---
MC-SS-C18-02E	East end	5	Sand	120	---
MC-SS-C22-01W	West end	5	Silty clay and gravel	1,900 E	---
MC-SS-C22-02E	East end	7	Sand and gravel	1,700 E	---
MC-SS-C22-03BW	Bottom west	7	Silty clay and sand	1,700 E	0.46

E = Compound exceeds calibration range

A stainless steel sample spoon was used to collect all five samples which were placed in 120-ml glass sample jars. The jars were filled completely with no headspace and placed on ice according to approved sampling techniques. The samples were thermally preserved during transportation and were delivered with chain-of-custody and analysis request forms to a Wisconsin Department of Natural Resources (WDNR) approved laboratory. (See Attachment 2 for Chain-of-Custody and Analysis Request forms).

SAMPLE ANALYSIS

All of the samples were analyzed for total petroleum hydrocarbons by gas chromatography (TPH-GC). In addition, Sample No. MC-SS-C22-03BW was analyzed for benzene,

CLIENT: Hydro-Search

Test	Result	Det.Limit	Reg.Limit	Units	Analyzed	Extracted	BY	Method	
Sample ID: DS-2		Lab ID: 9510019-08A			Collected: 10/04/95				
Flash Point, Open Cup	> 140			degrees F	10/13/95			DAS	
Free Liquids	0			%	10/13/95			DAS 9095	
TCLP Inorganic Extraction	-			-		10/09/95		BHZ 1311	
Lead, TCLP	<MDL	2.4	5.0	mg/l	10/12/95			YIN 6010	
TCLP Metals Digestion	-			-		10/11/95		YIN	
Dry Weight	85			%	10/11/95			DAS	
Mod. DRO (WDNR), Soil								WDNR M	
Diesel Range Organics	150	26		mg/Kg	10/17/95	10/13/95		JKK	
Lighter than DRO	NP			mg/Kg	10/17/95	10/13/95		JKK	
Heavier than DRO	NP			mg/Kg	10/17/95	10/13/95		JKK	
Mod. GRO (WDNR), Soil								WDNR M	
Gasoline Range Organics	410	15		mg/Kg	10/18/95			EMC	
Heavier than GRO	P			mg/Kg	10/18/95			EMC	
PVOC Soil								8020	
Benzene	380	43		ug/Kg	10/10/95			EMC	

Sample ID: Bioremediation Pile		Lab ID: 9510019-09A			Collected: 10/04/95				
Ammonia	<MDL	10		mg/kg	10/17/95			NET 350.2	
Dissolved Nitrate, Nitrite	<MDL	2.0		mg/kg	10/11/95			NET 353.3	
Lab pH	8.23	-	12.5	units	10/11/95			BHZ 150.1	
Nitrite	<MDL	2.0		mg/kg	10/11/95			NET 353.3/354.3	
Phosphorus, Total	<MDL	5.0		mg/kg	10/17/95			NET 365.2	
Sulfate	29	15		mg/kg	10/17/95			NET 375.4	
Total Kjeldahl Nitrogen	200	30		mg/kg	10/11/95			NET 351.3	
Total Organic Carbon	7300	10		mg/kg	10/17/95			BHZ 415.1	
Total Organic Nitrogen	200	30		mg/kg	10/11/95			NET S.Mtd 4500	
Calcium in Soil	7.8	0.16		%	10/30/95			BHZ ILM030	
Iron in Soil	2.4	0.05		%	10/30/95			BHZ ILM030	
Magnesium in Soil	3.5	0.12		%	10/30/95			BHZ ILM030	
Manganese in Soil	810	1.20		mg/kg	10/30/95			BHZ ILM030	
Metals Digestion	-			-		10/10/95		YIN 3010/3050	
Potassium in Soil	0.28	0.005		%	10/30/95			BHZ ILM030	
Dry Weight	88			%	10/11/95			DAS	

MDL - Method Detection Limit corrected for Dry Weight and Dilution Factor
 NP - Not Present P - Present
 Results are reported in a dry weight basis for solid and semi-solid samples indicated in the report.

CAMP MAIN