

GIS Registry Disclaimer

This case was closed by the DNR prior to August 1, 2002, when DNR began adding approved cleanups with residual soil contamination into the GIS Registry. Certain documents that are currently required by ch. NR 726, Wis. Adm. Code may therefore not be included in this packet as they were unavailable at the time the original case was closed.

The information contained in this document was assembled by DNR from a previously closed case file, and added to the GIS Registry to provide the public with information on closed sites with residual soil and/or groundwater contamination remaining above applicable state standards.

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #:

ACTIVITY NAME:

PROPERTY ADDRESS:

MUNICIPALITY:

PARCEL ID #:

CLOSURE DATE:

FID #:

DATCP #:

COMM #:

*WTM COORDINATES:

X: Y:

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

- Groundwater Contamination > ES (236)
- Contamination in ROW
- Off-Source Contamination
(note: for list of off-source properties see "Impacted Off-Source Property" form)
- Soil Contamination > *RCL or **SSRCL (232)
- Contamination in ROW
- Off-Source Contamination
(note: for list of off-source properties see "Impacted Off-Source Property" form)

Land Use Controls:

- N/A (Not Applicable)
- Soil: maintain industrial zoning (220)
(note: soil contamination concentrations between non-industrial and industrial levels)
- Structural Impediment (224)
- Site Specific Condition (228)
- Cover or Barrier (222)
(note: maintenance plan for groundwater or direct contact)
- Vapor Mitigation (226)
- Maintain Liability Exemption (230)
(note: local government unit or economic development corporation was directed to take a response action)

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

- Yes No N/A

** Residual Contaminant Level
**Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:
ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location and Local Topography**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title:**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 1 **Title: Limits of Excavation**

BRRTS #: 03-41-002137

ACTIVITY NAME: GOLDBERG, ILYNE PROPERTY

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: **Title:**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **Title:**

Figure #: **Title:**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 4-1 **Title:** Groundwater Analytical Results

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title:**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title:**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-002137

ACTIVITY NAME: GOLDBERG, ILYNE PROPERTY

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:


Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Regional Headquarters
2300 N. Dr. ML King Drive, PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-263-8500
FAX 414-263-8483
TDD 414-263-8713

June 25, 1999

Ms. Ilyne Goldberg
932 Maple Rd.
Flossmoor, IL 60422

FID 241113950
BRRTS 0341002137

Subject: Closure request for Goldberg Property located at 7324 W. Capitol Dr.,
Milwaukee, WI

Dear Ms. Goldberg:

The Department has received a copy of the recorded deed restriction and well abandonment documents. This site is now in compliance with NR 726, WI Adm. Code. The Department considers this case officially closed and tracked as such on the Department's tracking system.

However, the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare of the environment.

If you have any questions regarding this letter, please contact me at the above address or at (414)263-8644.


Sincerely,

Michelle M. McGee
Hydrogeologist
Remediation and Redevelopment Program

cc: Daniel Morgan, HSI Geotrans
Michael Durlacher, Borek & Goldhirsh
SER case file

Quality Natural Resources Management
Through Excellent Customer Service





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor.
George E. Meyer, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Regional Headquarters
2300 N. Dr. ML King Drive, PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-263-8500
FAX 414-263-8483
TDD 414-263-8713

December 1, 1998

Ms. Ilyne Goldberg
932 Maple Rd.
Flossmoor, IL 60422

FID 241113950
BRRTS 0341002137

Subject: Closure request for Goldberg Property located at 7324 W. Capitol Dr.,
Milwaukee, WI

Dear Ms. Goldberg:

The Department has reviewed your most recent submittal, "Request For Closure", dated August 28, 1998, and any other information pertaining to the above mentioned site.

The Department concurs with your consultant that no further action is necessary at this time. This case will be considered closed after ch. NR 726.05(8)(c), Wis. Adm. Code (WAC), regarding monitoring well abandonment and ch. NR 726.05(8)(a), WAC, regarding deed restrictions, are met. However, the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare or the environment.

All Monitoring wells must be abandoned within 60 days in accordance to ch. NR 141.25, WAC.

After deed restriction draft approval, receipt of a certified copy of the deed restriction, and receipt of monitoring well abandonment documentation, this site will be in compliance with ch. NR 726, WAC, and will be officially closed and tracked as such on the Department's tracking system.

For expedient processing, please send all future correspondence to the attention of Mike Farley-RR Program Assistant at the above address. Please include that I, Michelle McGee, is the current reviewer of the case.

Interim guidance on institutional controls may be found on the DNR's web site (<http://www.dnr.state.wi.us>) by searching "RR PDF Documents" or by calling the publication request line at (608)264-6009.

If you have any questions regarding this letter, please contact me at the above address or at (414)263-8644.

Sincerely,

Michelle M. McGee
Hydrogeologist
Remediation and Redevelopment Program

cc: Daniel Morgan, HSI Geotrans
SER case file



Quality Natural Resources Management
Through Excellent Customer Service



7756780

REGISTER'S OFFICE | SS
Milwaukee County, WI

RECORDED AT 12:29 PM

06-14-1999

REEL _____ IMAGE _____

WALTER R. BARCZAK
REGISTER OF DEEDS

AMOUNT 14.00

Document Number DEED RESTRICTION

LEGAL DESCRIPTION

Lot 16 & 17 in Block 6, in Lake Boulevard Gardens, being a subdivision of Block 6, Sunset Heights No. 2 in the City of Milwaukee, County of Milwaukee, State of Wisconsin except that part taken by the City of Milwaukee, except that part taken by the City of Milwaukee, pursuant to Award of Damages recorded as documents N.O.S. 3547381 and 3547382 in the Milwaukee County Register of Deeds Office.

Recording Area

Michael A. Durlacher
3545 Lake Avenue #200
Wilmette, IL 60091

Declaration of Restrictions

Parcel Identification Number:
251-0191-0

STATE OF WISCONSIN)
) ss
COUNTY OF MILWAUKEE)

WHEREAS, Ilyne Goldberg and Richard Durlacher are the owner of the above-described property.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

One or more petroleum discharges have occurred on this property. Soils at or near the water table in the center of the property contain petroleum hydrocarbons at levels in excess of NR720 Residual Contaminant Levels. (See Survey attached as Exhibit A) Pursuant to the requirements of s. 292.11, Stats., if excavation activities for any reason disturb soils at depths below seven feet below ground surface in the center portion of the property, the property owner shall be required to conduct an investigation and upon discovery of contamination, notify the Wisconsin Department of Natural Resources. Any contamination shall be properly treated or disposed of in accordance with applicable laws.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 25th day of MAY, 1999.

Signature: Richard Durlacher
Richard Durlacher

Signature: Ilyse Goldberg
Ilyse Goldberg

Subscribed and sworn to before me
this 25 day of MAY, 1999.

Michael A. Durlacher
Notary Public, State of Illinois, County of Cook





My commission expires 4/5/2000

This document was drafted by:

Michael A. Durlacher
3545 Lake Avenue #200
Wilmette, Illinois 60091

EXPLANATION

- MW-103 MONITOR WELL LOCATION AND DESIGNATION
- GP-1 TEMPORARY GEOPROBE MONITOR WELL LOCATION AND DESIGNATION (May 21, 1997)
- GP-2 10-12 GEOPROBE SAMPLE LOCATION, DEPTH AND DESIGNATION (May 21, 1997)
- B-8 EXISTING BOREHOLE LOCATION AND DESIGNATION
- 10 ESTIMATED DEPTH OF VAPOSE SOL IMPACTS
- B-11 BA-2 BIO-ASSAY SAMPLE LOCATIONS
- 101-WEST 5 SOL SAMPLE LOCATION, DEPTH AND DESIGNATION OF PVOG (TOP) AND GRO CONCENTRATIONS (ppm). ND MEANS NO DETECTION



GOLDBERG LIST REVIEW MILWAUKEE, WISCONSIN		DATE: 07/29/97
LIMITS OF EXCAVATIONS AND SOL BORING AND MONITOR WELL LOCATIONS		DESIGNED: BOB
		CHECKED: TMT
		APPROVED: DLM
		DRAWN: BOB
		PROJ: NS61
		Figure 1

04/19/99 09:40

A
EXHIBIT

11

CERTIFICATE NO. **220112**

STATE OF WISCONSIN
MILWAUKEE COUNTY SS.

OFFICE OF
REGISTER OF DEEDS


I, the undersigned,
Register of Deeds of
Milwaukee County,
hereby certify that
this document is a
true and correct copy
of the original on
file or record in
this office.

Witness my hand and
official seal this


JUN 14 1999

Walter R. Barczak
Walter R. Barczak





QUADRANGLE LOCATION



SCALE
0 5000
FEET
National Geodetic Vertical Datum of 1929
Contour Interval 10 Feet



Base map from U.S.G.S. 7.5' WAUWATOSA, WI
topographic quadrangle map, photorevised 1971



Hydro-Search, Inc.
A Tetra Tech Company
Integrated Water Resource Services
Reno • Denver • Milwaukee • Huntington Beach
Sacramento • Houston • Phoenix

**GOLDBERG LUST REVIEW
MILWAUKEE, WISCONSIN**


**SITE LOCATION and
LOCAL TOPOGRAPHY**

Dsgn. by:	Chk. by:	Apprv. by:
PROJECT: 306583189	DATE: 07/14/94	

DRAWING: 3189-A1	FIGURE: 1-1
------------------	-------------

EXPLANATION

- MW-103 MONITOR WELL LOCATION AND DESIGNATION
- GP-1 TEMPORARY GEOPROBE MONITOR WELL LOCATION AND DESIGNATION (May 21, 1997)
- GP-2 10-12' GEOPROBE SAMPLE LOCATION, DEPTH, AND DESIGNATION (May 21, 1997)
- B-6 EXISTING BOREHOLE LOCATION AND DESIGNATION
- 10' ESTIMATED DEPTH OF VADOSE SOIL IMPACTS
- 9-11' BA-2 BIO-ASSAY SAMPLE LOCATIONS
- 101-WEST 5' SOIL SAMPLE LOCATION, DEPTH, AND DESIGNATION OF PVOC (TOP) AND GRO CONCENTRATIONS (ppm). ND MEANS NO DETECTION.



GOLDBERG LUST REVIEW MILWAUKEE, WISCONSIN	DATE: 07/21/97
LIMITS OF EXCAVATIONS AND SOIL BORING AND MONITOR WELL LOCATIONS	DESIGNED: BOB
	CHECKED: TMT
	APPROVED: DLM
	DRAWN: BOB
	PROJ: N561



Figure 1

Table 1 Groundwater Analytical Results

Compound	NR 140 Enforcement Standard	NR 140 Preventive Action Limit	MW-101		MW-102		MW-103		GP-1 at MW-103	
			May-95	Oct-95	May-95	Oct-95	May-95	Oct-95	5/21/97	6/10/97
Benzene	5	0.5					<u>92</u>	<u>2.6</u>	<u>46</u>	<u>27</u>
Isopropylbenzene	NA	NA					2.5		nta	nta
Naphthalene	40	8					7.4		<u>11</u>	<u>49</u>
n-Propylbenzene	NA	NA					2.6		nta	nta
1,2,4 - Trimethylbenzene	NA	NA					48		140	320
1,3,5 - Trimethylbenzene	NA	NA					3.2			
Xylenes	620	124					83		<u>270</u>	<u>440</u>
Toluene	343	68.6							2.9	8.6
GRO	NA	NA					350		1000	1700

NA: No NR140 ES or PAL for this compound
 Blank indicates compound not detected
 nta: compound not analyzed
 Underline indicates compound exceeds NR140 PAL
 Shade indicates compound exceeds NR140 ES
 Results are in ug/L (ppb)

c:/n561 (DLM excel)

Table 4-1. Analytical Results of Soil Samples from 7324 W. Capitol Drive Site.
(Samples were collected by Hydro-Search, Inc. - June and August, 1994)

Analysis	Unit	June Samples						August Samples		WDR Proposed NR720 Soil Cleanup Guidelines
		MW-101 2-4'	MW-101 10-12'	MW-102 2-4'	MW-102 10-12'	MW-103 2-4'	MW-103 12-14'	B-9	B-10	
Benzene	µg/kg	450	<1.2	<1.2	<1.2	10	<1.2	<1.3	<1.1	5.5
Ethylbenzene	µg/kg	31,000	<1.2	<1.2	<1.2	<1.2	<1.2	<1.3	<1.1	2,900
Methyl-t-butyl ether	µg/kg	<280	<1.2	<1.2	<1.2	<1.2	<1.2	<1.3	<1.1	—
Toluene	µg/kg	1,000	<1.2	<1.2	<1.2	1.5	<1.2	<1.3	<1.1	1,500
1,2,4-trimethylbenzene	µg/kg	44,000	<1.2	<1.2	<1.2	<1.2	2.1	<1.3	<1.1	—
1,3,5-trimethylbenzene	µg/kg	5,600	<1.2	<1.2	<1.2	<1.2	<1.2	<1.3	<1.1	—
Total Xylenes	µg/kg	144,000	<2.4	2.4	1.6	15.4	4.2	<1.3	<1.1	4,100
GRO	mg/kg	490	<3.1	<3.1	<3.0	4.2	<3.0	<3.3	<1.1	250
Lead	mg/kg	6.7	14	21	8.6	16	15	15	9.4	—

Note: — = No standard exists

**Table 2-1 Analytical Results of Soil Samples from 7324 W. Capitol Drive Site
(Samples were collected by Twin City Testing - September 1990)**

Analysis	Unit	Sample and Depth Interval										WNR Proposed NR720 Soil Cleanup Standards
		Boring 2 9-11'	Boring 2 11-13'	Boring 3 7-9'	Boring 4 9-10.5'	Boring 4 11-13'	Boring 5 7-9'	Boring 6 10-12'	Boring 6 12-14'	Boring 8 10-12'	Boring 8 12-14'	
Benzene	µg/kg	33	3	9	2,300	5	21	1,100	3	880	6	5.5
Ethylbenzene	µg/kg	40	1	1	1,800	2	1	830	<1	140	<1	2,900
Toluene	µg/kg	30	8	14	2,700	8	3	1,100	3	290	3	1,500
Total Xylenes	µg/kg	160	4	40	5,400	1	140	3,600	30	190	7	4,100
Total Hydrocarbons as Gasoline	mg/kg	6.8	0.21	0.74	170	0.15	1.2	80	0.16	20	.19	250*

* Based on assumed hydraulic conductivity $<1 \times 10^{-6}$