

GIS REGISTRY
Cover Sheet

July, 2008
(RR 5367)

JAN 20 2010

Source Property Information

CLOSURE DATE: Jan 20, 2010

BRRTS #: 03-41-002380
ACTIVITY NAME: Former 7-Eleven Store #30501
PROPERTY ADDRESS: 6204 North Port Washington Road
MUNICIPALITY: Glendale
PARCEL ID #: 163-8986

FID #: 241100970
DATCP #:
COMM #: 53217431004

*WTM COORDINATES:

WTM COORDINATES REPRESENT:

X: 689783 Y: 297338

* Coordinates are in
WTM83, NAD83 (1991)

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Contamination in ROW

Off-Source Contamination

Off-Source Contamination

(note: for list of off-source properties
see "Impacted Off-Source Property")

(note: for list of off-source properties
see "Impacted Off-Source Property")

Land Use Controls:

Soil: maintain industrial zoning (220)

Cover or Barrier (222)

(note: soil contamination concentrations
between residential and industrial levels)

(note: maintenance plan for
groundwater or direct contact)

Structural Impediment (224)

Vapor Mitigation (226)

Site Specific Condition (228)

Maintain Liability Exemption (230)

(note: local government or economic
development corporation)

Monitoring wells properly abandoned? (234)

Yes No N/A

* Residual Contaminant Level

**Site Specific Residual Contaminant Level

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

03-41-002380

PARCEL ID #:

163-8986

ACTIVITY NAME:

Former 7-Eleven Store #30501

WTM COORDINATES:

X: 689783

Y: 297338

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 **Title: Inferred Extent of Soil Exceeding Residual Contaminant Levels**

BRRTS #: 03-41-002380

ACTIVITY NAME: Former 7-Eleven Store #30501

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 4 Title: Generalized Cross-Section From A-A'

Figure #: Title:

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 5 Title: Inferred Extent Where Groundwater Exceeds Criteria

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 6 Title: Summary of Groundwater Elevations - August 7, 2006

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 2 Title: Historical Soil analytical Results

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 3 Title: Summary of Groundwater Analytical Results

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: Monitoring Well Gauging Data

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-002380

ACTIVITY NAME: Former 7-Eleven Store #30501

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
Number of "Off-Source" Letters: 2
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
Number of "Governmental Unit/Right-Of-Way Owner" Letters: 2



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

January 20, 2010

7-Eleven, Inc.
Attn: Mr. Ken Hillard
P O Box 711 (Loc 0148)
Dallas, TX 75221-0771

Subject: Final Case Closure with Land Use Limitations or Conditions for the Former 7-Eleven
#30501, 6204 North Port Washington Road, Glendale, WI

FID: 241100970
BRRTS: 03-41-002380
PECFA: 53217-4310-04

Dear Mr. Hillard:

On November 3, 2009, the Wisconsin Department of Natural Resources ("the Department") Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On November 3, 2009, you were notified that the Closure Committee had granted conditional closure to this case.

On January 4, 2010, the Department received correspondence indicating that you have complied with the requirements of closure by submitting the groundwater monitoring well abandonment forms.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructs a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS

Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you or the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains in the area as shown in the enclosed Soil Exceeding Residual Contaminant Levels (RCLs), Figure 3, in the attached Cover Maintenance Plan as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments existing at the time of cleanup, consisting of the pump island and building, made complete investigation and remediation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are removed, the property owner shall conduct an investigation of the degree and extent of petroleum contamination. If contamination is found at that time, the Wisconsin Department of Natural Resources shall be immediately notified and the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or

other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the asphalt and concrete pavement, onsite building or other impervious cap that currently exists in the location shown on the attached map shall be maintained in compliance with the **attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Department upon request.

Prohibited Activities

The following activities are prohibited on any portion of the property where pavement, a building foundation, or other barrier is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on the contaminated property and off the contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

PECFA

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact John J. Hnat at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



James A. Schmidt
Southeast Region
Remediation and Redevelopment Team Supervisor

Enclosure: Cover Maintenance Plan dated September 2009

C: Steve Mueller, Dept. of Commerce, Milwaukee
Mohammed Khaleel, MIK, LLC
Peter More, AECOM Environmental
WDNR SER Files

COVER MAINTENANCE PLAN

September 2009

PROPERTY LOCATED AT:

6204 North Port Washington Road, Glendale, Wisconsin

FID # 241100970, WDNR BRRTS 03-41-002380

LEGAL DESCRIPTION: COM AT INTERSECTION OF CEN LINE OF N PORT WASHINGTON RD & S LINE OF N1/2 OF NE1/4 SEC 29-8-22 TH E 206.15' N 182' W 217.18' TH S 5D56M 15S E 65.65' TH S 1D38M W 116.75' TO BEG CONT 0.883 ACS

TAX ID: 1638986000

Introduction

This document is the Maintenance Plan for a pavement cover at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing pavement cover occupying the area over the contaminated groundwater plume and/or soil on-site.

More site-specific information about this property may be found in:

- The case file in the Wisconsin Department of Natural Resources (DNR) Southeast regional office
- BRRTS on the Web (DNR's internet based data base of contaminated sites): <http://botw.dnr.state.wi.us/botw/SetUpBasicSearchForm.do>
- GIS Registry PDF file for further information on the nature and extent of contamination: <http://dnrm.wisconsin.gov/imf/imfApplyTheme.jsp?index=1>; and
- The DNR project manager for Milwaukee County.

Description of Contamination

Soil contaminated by petroleum hydrocarbons (gasoline) is located at a depth of 5 to 16 feet on the site 6204 North Port Washington Road and along the adjacent right-of-ways for North Port Washington Road and Bender Road. Specifically, the concentrations of naphthalene, benzene, toluene, ethylbenzene, and xylene (BTEX), 1,2,4-trimethylbenzene and/or 1,3,5-trimethylbenzene in certain soil samples exceeded NR 746.06 Table 1 or Table 2 Soil Screening Level (SSL) and/or NR 720 Residual Contaminant Levels (RCLs). The inferred extent of soil which exceeded the SSL is illustrated on Figure 1. The inferred extent of soil which exceeded the RCL is illustrated on Figure 2. Groundwater contaminated by petroleum hydrocarbons (gasoline) is located at a depth of approximately 15 feet below the ground surface on the site 6204 North Port Washington Road and along the adjacent right-of-way for North Port Washington Road. Specifically, the concentrations of naphthalene, BTEX, 1,2,4-

trimethylbenzene and/or 1,3,5-trimethylbenzene in certain groundwater samples exceeded the NR 140 Enforcement Standards. The inferred extent of groundwater which exceeded the ES is shown on Figure 3.

Description of the Cover to be maintained

The pavement cover consists of 3-inch or more thick asphalt or concrete and the site building with a concrete slab-on-grade construction. The pavement cover is located on the site as shown on the attached Figure 4.

Cover and Building Barrier Purpose

The cover over the contaminated groundwater plume and contaminated soil serve as a barrier to prevent direct human contact with residual contamination that might otherwise pose a threat to human health. The cover also acts as a partial infiltration barrier to minimize future soil-to-groundwater contamination migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code.

Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The asphalt and concrete cover and building overlying the contaminated groundwater plume and contaminated soil and as depicted in Figure 3 will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into underlying soils. The inspections will be performed by the property owner or their designated representative. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed and where infiltration from the surface will not be effectively minimized will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit A, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed and where infiltration from the surface will not be effectively minimized. Once repairs are completed, they will be documented in the inspection log. A copy of the inspection log will be kept at the address of the property owner and available for submittal or inspection by DNR representatives upon their request.

Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling or larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the pavement cover overlying the contaminated groundwater plume and contaminated soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the DNR or its successor.

The property owner, in order to maintain the integrity of the pavement cover, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

Prohibition of Activities and Notification of DNR Prior to Actions Affecting a Cover

The following activities are prohibited on any portion of the property where pavement and a building foundation are required as shown on the attached map, unless prior written approval has been obtained from the DNR: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of DNR.


Contact Information

SEPTEMBER 2009


Site Owner and Operator: Mr. Mohammed Khaleel, MIK, LLC
9427 71st Street, Kenosha, WI 53142-7692
(262) 909-5241

Consultant: Peter J. Moore, AECOM Environment
161 Cheshire Lane North, Suite 500, Minneapolis, MN 55440
(763) 852-4200


WDNR: John Hnat
2300 N. Dr. Martin Luther King Jr. Drive, Milwaukee, WI 53212-3128
(414) 263-8644



LEGEND:



ASPHALT COVER
 CONCRETE COVER
 BUILDING COVER



12,000 UNDERGROUND STORAGE TANK WITH CAPACITY IN GALLONS



DISPENSER ISLAND



CATCH BASIN



FIRE HYDRANT



UTILITY POLE

- T --- TELEPHONE LINE
- E --- ELECTRIC LINE
- W --- WATER LINE
- C --- CABLE TELEVISION LINE
- S --- SANITARY SEWER LINE
- GAS --- GAS LINE

Notes:

- All dimensions and locations are approximate.

Sources:

- Cities Service Company drawing "As Built", dated 4/16/76.
- Field observations.



SCALE: 1" = 40'+/-

AECOM Environment
 161 Cheshire Lane North
 Minneapolis, Minnesota 55441
 P: 763.852.4200
 F: 763.473.0400
 www.AECOM.com

AECOM

COVER LOCATION MAP
 FORMER 7-ELEVEN STORE #30501
 6204 NORTH PORT WASHINGTON ROAD
 GLENDALE, WISCONSIN

FIGURE NUMBER:

4

DRAWN BY:

CMBC

DATE:


9/25/09

PROJECT NUMBER:

06230-040

SHEET NUMBER:

1



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

November 3, 2009

7-Eleven, Inc.
Attn: Mr. Ken Hillard
P O Box 711 (Loc 0148)
Dallas, TX 75221-0771

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure for the Former 7-Eleven #30501 6204 North Port Washington Road, Glendale, WI

FID: 241100970
BRRTS: 03-41-002380
PECFA: 53217-4310-04

Dear Mr. Hillard:

On November 3, 2009, the Wisconsin Department of Natural Resources ("the Department") Regional Closure Committee reviewed your request for closure of the case described above. The Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Regional Closure Committee has determined that the petroleum contamination on the site from the former UST and product line(s) appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code and will be closed when the following condition is satisfied:

Monitoring Well Abandonment

The groundwater monitoring wells and observation well (OS-1) and any other remediation systems (recovery well RW-1) at the site must be properly abandoned in compliance with ch. NR 141, Wis. Admin. Code. Documentation of well abandonment must be submitted to this office on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw within 60-days on receipt of this letter as required in s. NR 726.05(8)(a)1 and s. NR 141.25 Wis. Admin. Code. The Department requires the abandonment of these wells before issuing a final closure letter.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days

of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact me at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



John J. Hnat, P.G., C.P.G.
Project Manager/Hydrogeologist
Southeast Region
Remediation and Redevelopment

C: Steve Mueller, Dept. of Commerce, Milwaukee
Mohammed Khaleel, MIK, LLC
Peter Moore, AECOM Environmental
WDNR SER Files

2



State Bar of Wisconsin Form 6-2003
SPECIAL WARRANTY DEED

DOC. # 09002599

REGISTER'S OFFICE | SS
Milwaukee County, WI

RECORDED 04/29/2005 10:12AM

JOHN LA FAVE
REGISTER OF DEEDS

AMOUNT: 13.00

Document Number

Document Name

THIS DEED, made between Wisconsin Real Estate, LLC an Illinois Limited Liability Company ("Grantor," whether one or more), and M.I.K., LLC ^{AKA LE} a Wisconsin Limited Liability Company ("Grantee," whether one or more). Grantor for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Milwaukee County, State of Wisconsin ("Property")

See Attached Addendum

3,000.00
FEE

Recording Area

Name and Return Address

Muhammed I. Kaaleel
9427 71ST STREET
KENOSHA, WI 53142

163-8986

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible, in fee simple and free and clear of encumbrances arising by, through, or under Grantor, except The property is subject to a certain fuel supply agreement in favor of RP Distribution, Inc. which is a covenant to run with the land.

Dated April 28, 2005

Wisconsin Real Estate, LLC

(SEAL)

By Zahid Hameed its manager

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) _____
authenticated on _____

STATE OF ILLINOIS)
) ss.
COOK COUNTY)

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by Wis. Stat. § 706.06)

Personally came before me on April 29, 2005,
the above-named Zahid Hameed manager of Wisconsin Real Estate, LLC to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.



THIS INSTRUMENT DRAFTED BY:

Patrick A. Mitchell
3525 W. Peterson Suite 218 Chicago, IL 60659

Notary Public, State of Illinois
My Commission (is permanent) (expires: 1-22-06)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

SPECIAL WARRANTY DEED

© 2003 STATE BAR OF WISCONSIN

FORM NO. 6-2003

* Type name below signatures.

Beginning at the intersection of the center line of the North Port Washington Road with the South line of the North ½ of the Northeast ¼ of Section 29, in Township 8 North, Range 22 East, in the City of Glendale, Milwaukee County, Wisconsin, which South line is the center line of West Bender Road and said intersection being 858.00 feet East of the West line of said ¼ Section; thence North 1° 38' West, 116.75 feet along the center line of North Port Washington Road to a point; thence North 5° 56' 15" West, 65.65 feet along the center line of North Port Washington Road to a point; thence East, 217.18 feet and parallel with the center line of West Bender Road to a point which is 260.00 feet West of the East line of the Northwest ¼ of the Northeast ¼ of Section 29 and being the center line of North Lydell Avenue; thence South 0° 18' West, 182.00 feet and parallel with the center line of North Lydell Avenue to a point in the center line of West Bender Road; thence West, 206.15 feet along the center line of West Bender Road to the point of beginning except the South 33 feet and the Westerly 90 feet used for road purposes.

STATE OF WISCONSIN
MILWAUKEE COUNTY

I, the undersigned Register of Deeds of Milwaukee
County, hereby certify that this document is a true
and correct copy of the original on file or record in
my office. Witness my hand and official seal this

AUG - 11 2018

date

John La Fave

JOHN LA FAVE
Register of Deeds

SEP 30 2008

03-41-002380

Tax Legal Description of Property Located at 6204 North Port Washington Road Glendale, Wisconsin


Beginning at the intersection of the center line of the North Port Washington Road with the South line of the North ½ of the Northeast ¼ of Section 29, in Township 8 North, Range 22 East. in the City of Glendale, Milwaukee County, Wisconsin, which South line is the center line of West Bender Road and said intersection being 858.00 feet East of the West line of said ¼ Section; thence North 1° 38' West. 116.75 feet along the center line of North Port Washington Road to a point; thence North 5° 56' 15" West, 65.65 feet along the center line of North Port Washington Road to a point; thence East, 217.18 feet and parallel with the center line of West Bender Road to a point which is 260.00 feet West of the East line of the Northwest ¼ of the Northeast ¼ of Section 29 and being the center line of North Lydell Avenue; thence South 0° 18' West, 182.00 feet and parallel with the center line of North Lydell Avenue; to a point in the center line of West Bender Road; thence West, 206.15 feet along the center line of West Bender Road to the point of beginning except the South 33 feet and the Westerly 90 feet used for road purposes.

I, Muhammed I. Khaleel, Owner of M.I.K., LLC, believe that a legal description presented above describes the property located at 6204 North Port Washington Road, Glendale, Wisconsin.

M. KHALEEL 09/24/08

Muhammed I Khaleel

Date



Adapted from: USGS 7.5 minute series Milwaukee and
Theinsville, Wisconsin topographic quadrangles.

T8N, R22E, Section 20, NE $\frac{1}{4}$, NW $\frac{1}{4}$

SCALE 1:24,000

FIGURE 1


Site Location Map

Former 7-Eleven Store #30501
6204 North Port Washington Road
Glendale, Wisconsin

ENSR AECOM

ENSR CORPORATION
4500 PARK GLEN ROAD, SUITE 210
ST. LOUIS PARK, MINNESOTA 55416
PHONE: (952) 924-0117
FAX: (952) 924-0317






LEGEND:

- | | | | | | |
|-----|--|-----|--|---|--------------|
| --- | PROPERTY BOUNDARY | | DISPENSER ISLAND | | CATCH BASIN |
| ◆ | MW-1 MONITORING WELL | | FORMER DISPENSER ISLAND | ⊕ | FIRE HYDRANT |
| ⊕ | OS-1 OBSERVATION SUMP | | FORMER 2,000 GALLON STEEL UNDERGROUND STORAGE TANK | ○ | UTILITY POLE |
| ◆ | RW-1 RECOVERY WELL | --- | T --- TELEPHONE LINE | Notes: | |
| | 12,000 UNDERGROUND STORAGE TANK WITH CAPACITY IN GALLONS | --- | E --- ELECTRIC LINE | • All dimensions and locations are approximate. | |
| | | --- | W --- WATER LINE | • Water levels were measured on May 9, 2006. | |
| | | --- | C --- CABLE TELEVISION LINE | Sources: | |
| | | --- | S --- SANITARY SEWER LINE | • Cities Service Company drawing "As Built", dated 4/16/76. | |
| | | --- | GAS --- GAS LINE | • ENSR field observations. | |

SCALE: 1" = 40'+/-

ENSR | AECOM
ENSR CORPORATION
 4500 PARK GLEN ROAD, SUITE 210
 ST. LOUIS PARK, MINNESOTA 55416
 PHONE: (952) 924-0117
 FAX: (952) 924-0317
 WEB: [HTTP://WWW.ENSR.AECOM.COM](http://www.ensraecom.com)

SITE MAP FORMER 7-ELEVEN STORE #30501 6204 NORTH PORT WASHINGTON ROAD GLENDALE, WISCONSIN			FIGURE NUMBER: 2
DRAWN BY: BLK	DATE: 05/17/06	PROJECT NUMBER: 06230-040	SHEET NUMBER: 1



LEGEND:

- INFERRED AREA WHERE SOIL EXCEEDS NR 720 TABLE 1 RESIDUAL CONTAMINANT LEVELS (RCL)
- SOIL RESULT THAT EXCEEDS NR 720 TABLE 1 RCL
- GP-1 SOIL BORING LOCATION (5/06)
- MW-12 MONITORING WELL (5/06)
- S-1 NEW CANOPY FOOTING EXCAVATION SOIL SAMPLING LOCATION (8/92)
- MW-1 MONITORING WELL (10/92,11/92,8/94)
- OS-1 OBSERVATION SUMP (1/93)
- B-101 SOIL BORING LOCATION (7/93)
- GPB-1 SOIL BORING LOCATION (4/94)
- RW-1 RECOVERY WELL (3/95)
- PROPERTY BOUNDARY
- 12,000 UNDERGROUND STORAGE TANK WITH CAPACITY IN GALLONS
- DISPENSER ISLAND
- FORMER DISPENSER ISLAND
- 2,000 FORMER 2,000 GALLON STEEL UNDERGROUND STORAGE TANK
- CATCH BASIN
- FIRE HYDRANT
- UTILITY POLE

Notes:
 • All dimensions and locations are approximate.

Sources:
 • Clifles Service Company drawing "As Built", dated 4/16/76.
 • ENSR field observations.


SCALE: 1" = 40'+/-



ENSR | AECOM

ENSR CORPORATION
 4500 PARK GLEN ROAD, SUITE 210
 ST. LOUIS PARK, MINNESOTA 55416
 PHONE: (952) 924-0117
 FAX: (952) 924-0317
 WEB: HTTP://WWW.ENSR.AECOM.COM

**INFERRED EXTENT OF SOIL EXCEEDING
 RESIDUAL CONTAMINANT LEVELS (RCLs)
 FORMER 7-ELEVEN STORE #30501
 6204 NORTH PORT WASHINGTON ROAD
 GLENDALE, WISCONSIN**

DRAWN BY: CMBC	DATE: FEB 2007	PROJECT NUMBER: 06230-040	SHEET NUMBER: 1
--------------------------	--------------------------	-------------------------------------	---------------------------

FIGURE NUMBER:
3



LEGEND:

- INFERRED EXTENT WHERE ONE OR MORE COMPOUND EXCEEDS THE NR 140 ES OR PAL CRITERIA
- ⊕ MW-1 MONITORING WELL WITH 8/7/06 GROUNDWATER ANALYTICAL RESULTS IN PARTS PER BILLION
- PROPERTY BOUNDARY
- ⊕ OS-1 OBSERVATION SUMP
- ⊕ RW-1 RECOVERY WELL
- 12,000 UNDERGROUND STORAGE TANK WITH CAPACITY IN GALLONS
- DISPENSER ISLAND
- FORMER DISPENSER ISLAND
- 2,000 FORMER 2,000 GALLON STEEL UNDERGROUND STORAGE TANK
- ONLY DETECTED COMPOUNDS ARE REPORTED
- NS - Not Sampled
- B - BENZENE
- T - TOLUENE
- E - ETHYLBENZENE
- X - TOTAL XYLENES
- TMB - TOTAL TRIMETHYLBENZENES
- MTBE - METHYL TERT-BUTYL ETHER
- ** - GW Concentration exceeds the NR-140 Enforcement Standard (ES)
- ▣ CATCH BASIN
- ⊕ FIRE HYDRANT
- UTILITY POLE

Notes:

- All dimensions and locations are approximate.
 - Concentrations are reported in ug/L.
- Sources:**
- Cities Service Company drawing "As Built", dated 4/16/76.
 - ENSR field observations.



SCALE: 1" = 40'+/-

ENSR | AECOM


ENSR CORPORATION
 4500 PARK GLEN ROAD, SUITE 210
 ST. LOUIS PARK, MINNESOTA 55416
 PHONE: (952) 924-0117
 FAX: (952) 924-0317
 WEB: HTTP://WWW.ENSR.AECOM.COM

AREA WHERE GROUNDWATER EXCEEDS CRITERIA
 AUGUST 7, 2006 DATA
 FORMER 7-ELEVEN STORE #30501
 6204 NORTH PORT WASHINGTON ROAD
 GLENDALE, WISCONSIN

FIGURE NUMBER:

5

DRAWN BY:	DATE:	PROJECT NUMBER:	SHEET NUMBER:
CMBC	Sept 2008	06230-040	1



LEGEND:

- BENZENE ISOCONCENTRATION CONTOUR IN PARTS PER BILLION
- ◆ MW-1 MONITORING WELL WITH GROUNDWATER ANALYTICAL RESULTS IN PARTS PER BILLION
- PROPERTY BOUNDARY
- ⊕ OS-1 OBSERVATION SUMP
- ◆ RW-1 RECOVERY WELL
- 12,000 UNDERGROUND STORAGE TANK WITH CAPACITY IN GALLONS
- ▨ DISPENSER ISLAND
- ▭ FORMER DISPENSER ISLAND
- 2,000 FORMER 2,000 GALLON STEEL UNDERGROUND STORAGE TANK
- ONLY DETECTED COMPOUNDS ARE REPORTED
- NM - Not Measured
- ← INFERRED DIRECTION OF GROUNDWATER FLOW
- ▩ CATCH BASIN
- ◆ FIRE HYDRANT
- UTILITY POLE

Notes:

- All dimensions and locations are approximate.
- Depth to water gauged
- Concentrations are reported in ug/L.

Sources:

- Cities Service Company drawing "As Built", dated 4/16/76.
- ENSR field observations.

 SCALE: 1" = 40'+/- 	ENSR AECOM ENSR CORPORATION 4500 PARK GLEN ROAD, SUITE 210 ST. LOUIS PARK, MINNESOTA 55416 PHONE: (952) 924-0117 FAX: (952) 924-0317 WEB: HTTP://WWW.ENSR.AECOM.COM	SUMMARY OF GROUNDWATER ELEVATIONS - AUGUST 7, 2006 FORMER 7-ELEVEN STORE #30501 6204 NORTH PORT WASHINGTON ROAD GLENDALE, WISCONSIN		FIGURE NUMBER: <div style="font-size: 2em; font-weight: bold;">6</div>
		DRAWN BY: CMBC	DATE: FEB 2007	PROJECT NUMBER: 06230-040

**Table 2
Historical Soil Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Sample I.D.	Sample Date	Depth ¹	PID ²	GROs ³	Lead	Organic Carbon	Naphthalene	Benzene	Toluene	Ethyl benzene	Total Xylenes	1-2-4-TMB ⁴	1-3-5-TMB	MTBE ⁵
			ppmeq	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NR 720 RCLs ¹³				100 ¹⁷	---	---	---	0.0055	1.5	2.9	4.1	---	---	---
NR 746.06 Table 1 ¹⁴				---	---	---	2.7	8.5	38	4.6	42	83	11	---
NR 746.06 Table 2 ¹⁵				---	---	---	---	1.10	---	---	---	---	---	---
S-1	08/20/92	5.0	40	48	NS	NS	NS	0.88	0.66	1.1	4.6	0.96	0.32	N.D. ⁶
S-2	08/20/92	5.0	3.0	N.D.	NS	NS	NS	0.029	N.D.	0.023	0.016	N.D.	N.D.	N.D.
S-3	08/20/92	5.0	170	580	NS	NS	NS	1.8	6.7	6.7	25	2.2	6.1	N.D.
S-4	08/20/92	6.0	210	430	NS	NS	NS	3.6	3.2	8.0	32	10	3.4	N.D.
S-5	08/20/92	6.0	200	91	NS	NS	NS	4.4	39	16	79	24	7.8	N.D.
MW-1	10/20/92	12-14*	8.0	19	NS	NS	NS	0.097	<0.03 ^b	<0.02	0.15	<0.05	0.055	<0.5
MW-1	10/20/92	18-20*	<1.0	<5.0	NS	NS	NS	<0.01	<0.03	<0.02	<0.15	<0.05	<0.055	<0.50
MW-2	10/20/92	8-10	260	2,000	NS	NS	NS	4.2	19	9.3	47	23	8.6	2.1
MW-2	10/20/92	18-20*	340	60	NS	NS	NS	1.6	0.52	1.2	1.5	0.53	0.24	<0.05
MW-3	10/20/92	8-10*	220	390	NS	NS	NS	3.8	0.65	3.1	5.2	5.5	0.96	1.9
MW-3	10/20/92	18-20*	<1.0	<5.0	NS	NS	NS	0.066	<0.03	<0.02	<0.04	<0.05	<0.05	<0.5
MW-4	10/21/92	8-10*	240	2,000	NS	NS	NS	1.1	1.6	5.0	5.7	12	5.2	<0.5
MW-4	10/21/92	14-16*	5.0	29	NS	NS	NS	0.17	<0.03	<0.02	<0.04	0.11	0.10	1.3
OS-1	01/19/93	NS ⁹	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
GPB-1	04/05/94	4-6	210	5.6	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-1	04/05/94	18-20*	<1	<5.0	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-2	04/06/94	4-6*	4.0	<5.0	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-2	04/06/94	18-20*	2.0	<5.0	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-3	04/06/94	12-14*	3.0	<5.0	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-3	04/06/94	18-20*	2.0	10	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-4	04/06/94	6-8*	22.0	120	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-4	04/06/94	18-20*	3.0	17	NS	NS	NS	<0.05	<0.10	<0.10	<0.20	<0.05	<0.05	<0.5
GPB-5	04/12/94	14-16*	1,122.0	560	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.050	<0.050	<0.5
GPB-5	04/12/94	18-20*	9.0	<5.0	NS	NS	NS	0.14	<0.10	<0.10	<0.20	<0.050	<0.050	<0.5
GPB-6	04/12/94	10-12*	97.0	1,100	NS	NS	NS	<0.050	<0.10	1.8	3.2	6.2	1.4	<0.5
GPB-6	04/12/94	16-18*	5.0	<5.0	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.050	<0.050	<0.5
GPB-7	04/12/94	6-8	3.0	<5.0	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.050	<0.050	<0.5
GPB-7	04/12/94	18-20*	1.0	<5.0	NS	NS	NS	<0.050	<0.10	<0.10	<0.20	<0.050	<0.050	<0.5
MW-5	08/18/94	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	08/18/94	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-7	08/18/94	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
RW-1	03/29/95	13-15*	503.0	10 U ¹⁰	NS	NS	NS	0.026	0.030 U	0.020 U	0.066	0.056	0.050 U	0.50 U
MW-5A	03/31/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-8	11/22/02	7-8*	0.0	<2.5	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
MW-9 ¹¹	11/22/02	7-8*	0.0	<2.5	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
MW-10	11/22/02	17-18	0.0	<2.6	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
MW-11	11/22/02	7-8	0.0	<2.9	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
B101	07/09/03	13*	108.0	1,070	NS	NS	NS	7.14	<1.02	18.2	46	38.7	11.9	<0.605
B102	07/09/03	13.5*	3.2	278	NS	NS	NS	1.57	<0.145 M	4.84	13.3	12	3.51	<0.061
B103	07/09/03	15.5*	548.0	3,000	NS	NS	NS	52.8	144	51.6	216	85.2	26.4	<1.44
B104	07/09/03	9.5	703.0	936	NS	NS	NS	8.02	1.82	20.7	76.5	47.4	13.4	<0.304
B105	07/09/03	10	657.0	1,130	NS	NS	NS	13.7	29.6	25.1	114	53.5	14.8	<0.569
B106	07/09/03	11	350.0	57	NS	NS	NS	0.986	<0.037	1.78	0.546	0.344	0.879	<0.030
B107	07/09/03	13*	29.0	17	NS	NS	NS	0.463	<0.029	0.231	0.185	0.06	<0.029	<0.029
B108	07/09/03	16*	629.0	175	NS	NS	NS	1.12	0.922	3.62	24.5	11.7	3.38	<0.140
B109	07/09/03	13	490.0	232	NS	NS	NS	<0.476 M	<0.147	2.3	3.91	10.3	0.84	<0.147

**Table 2
Historical Soil Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample I.D.	Sample Date	Depth ¹	PID ²	GROs ³	Lead	Organic Carbon	Naphthalene	Benzene	Toluene	Ethyl benzene	Total Xylenes	1-2-4-TMB ⁴	1-3-5-TMB	MTBE ⁵
			ppmeq	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NR 720 RCLs ¹³				100 ¹⁷	---	---	---	0.0055	1.5	2.9	4.1	---	---	---
NR 746.06 Table 1 ¹⁴				---	---	---	2.7	8.5	38	4.6	42	83	11	---
NR 746.06 Table 2 ¹⁵				---	---	---	---	1.10	---	---	---	---	---	---
MW-12-A	05/08/06	7-9	0.0	NS	10	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
MW-12-B	05/08/06	13-15	0.0	NS	8	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-1-A	05/08/06	3-5	0.2	NS	9.2	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-1-B	05/08/06	13-15	0.0	NS	5.8	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	0.33
GP-2-A	05/08/06	9-11	20	NS	9.1	NS	0.57	0.075	<0.025	6.4	0.231	0.089	<0.025	0.060
GP-2-B	05/08/06	13-15	7.2	NS	7.5	NS	<0.025	2.1	<0.025	0.22	0.097	<0.025	<0.025	0.54
GP-3-A	05/08/06	4-6	30.1	NS	17	NS	<0.025	0.16	<0.025	0.70	0.306	0.23	0.068	<0.025
GP-3-B	05/08/06	13-15	84.9	NS	4.8	NS	1.1	0.25	0.073	2.4	0.94	0.46	0.22	0.046
GP-4-A	05/08/06	8-10	23	NS	7.6	NS	0.037	0.035	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-4-B	05/08/06	12-15	70.5	22	5.8	NS	0.22	0.046	<0.025	<0.025	<0.075	0.036	0.088	<0.025
GP-5A	05/08/06	8-10	40	NS	6.9	NS	<0.025	0.23	<0.025	0.38	0.743	0.99	0.19	<0.025
GP-5-B	05/08/06	12-15	60	NS	5	NS	0.22	0.26	<0.025	0.45	0.791	1.2	0.46	<0.025
GP-6-A	05/08/06	8-10	36.2	NS	13	NS	4.6	0.76	0.38	4.3	18.2	21	7.5	0.095
GP-6-B	05/08/06	12-15	60	NS	4.5	NS	0.50	0.89	0.65	1.8	6.9	3.3	1.1	<0.025
GP-7-A	05/08/06	5-7	65.6	NS	8.5	NS	<0.025	0.068	<0.025	0.072	<0.075	<0.025	<0.025	<0.025
GP-7-B	05/08/06	13-15	34.6	NS	3.8	NS	2.8	0.39	0.15	2.7	9.0	7.5	1.6	0.078
GP-15 ¹⁶	08/07/06	3	0.8	NS	20	2,400	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-16	08/07/06	3.5	7.4	NS	22	NS	0.051	<0.025	<0.025	<0.025	<0.075	0.070	<0.025	<0.025
GP-17	08/07/06	3.5	1.2	NS	12	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-18	08/07/06	3.5	0.8	NS	31	NS	0.036	<0.025	<0.025	<0.025	<0.075	0.11	<0.025	<0.025
GP-19	08/07/06	3	6.8	NS	25	10,000	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-20	08/07/06	3.5	6.8	NS	110	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	0.095
GP-21	08/07/06	3	NS	NS	7.6	7,300	<0.025	0.13	<0.025	0.42	0.219	0.16	0.035	0.046
GP-22	08/07/06	3	NS	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025
GP-22	08/07/06	16	NS	NS	NS	NS	<0.025	<0.025	<0.025	<0.025	<0.075	<0.025	<0.025	<0.025

Notes:

- Sample depth is measured in feet below ground surface at time of sample collection. Data with * indicates sample was collected at or below the historic measured high water table, based on nearest monitoring well data.
- PID = Photoionization Detector. Readings measured in parts per million (ppm) equivalent units (calibrated to 100 ppm isobutylene).
- GRO = gasoline range organic compounds.
- TMB = trimethylbenzene.
- MTBE = methyl tert-butyl ether.
- N.D. = Not Detected - analytes were not present above the detection limit.
- Italic type indicates concentration exceeds NR 720 RCL.
Bold type indicates concentration exceeds NR 740.06 Table 1 Soil Screening Level.
Outlined cell indicates concentration exceeds NR 740.06 Table 2 Soil Contaminant Concentration.
- < indicates the compound was not detected at or above the laboratory reporting limit.
- NS = Not sampled. These wells were installed, but no soil samples were taken during the installation.
- U = indicates the compound was analyzed for but not detected and confirmed.
- Soil samples were collected from this soil boring location, however a monitoring well was never installed.
- M = Matrix Interference.
- NR 720 RCLs = WDNR Code, Chapter NR 720, January 2001, Table 1, Residual Contaminant Level (soil cleanup standards) based on protection of groundwater.
- NR 746.06 Table-1 = WDNR Code, Chapter NR 746, January 2001, Table 1, Soil Screening Levels (free-product indicator - risk screening).
- NR 746.06 Table 2 = WDNR Code, Chapter NR 746, January 2001, Table 2, Soil Contaminant Concentrations (direct contact criteria, top 4-feet of the soil).
- Data Gap - Samples GP-8 through GP-14 were collected, however, samples were not analyzed due to high temperature upon arrival at laboratory.
- NR 720 Generic Residual Contaminant Level for GRO is 100 mg/kg.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: RL/DK
Project #: 0893-8618 Method: IP
Date: 11/18/1992 Equipment #: IP (Keck)

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.23	16.07	0.00	0.00	0.00	16.07	636.16	642.97	632.97
MW-2	650.98	14.60	0.00	0.00	0.00	14.60	636.38	640.23	630.23
MW-3	651.31	11.81	0.00	0.00	0.00	11.81	639.50	647.25	637.25
MW-4	652.59	7.30	0.00	0.00	0.00	7.30	645.29	648.58	638.58

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: TR
Project #: 0893-8618 Method: IP
Date: 8/18/1994 Equipment #: IP (Keck)

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	15.91	0.00	0.00	0.00	15.91	636.39	642.97	632.97
MW-2	650.95	15.27	14.98	0.29	0.76	15.05	635.90	640.23	630.23
MW-3	651.37	5.90	0.00	0.00	0.00	5.90	645.47	647.25	637.25
MW-4	652.45	6.89	0.00	0.00	0.00	6.89	645.56	648.58	638.58
MW-5	649.61	15.79	0.00	0.00	0.00	15.79	633.82	---	---
MW-6	649.55	9.94	0.00	0.00	0.00	9.94	639.61	646.86	636.86
MW-7	649.92	15.42	0.00	0.00	0.00	15.42	634.50	643.78	638.78
OS-1	651.86	3.32	0.00	0.00	0.00	3.32	648.54	NM	NM

Notes:

TOC survey conducted on 9/2/94.

LPHs - Liquid phase hydrocarbons.

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: TR
Project #: 0893-8618 Method: IP
Date: 10/25/1994 Equipment #: IP (Keck)

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	15.94	0.00	0.00	0.00	15.94	636.36	642.97	632.97
MW-2	650.95	14.90	0.00	0.00	0.00	14.90	636.05	640.23	630.23
MW-3	651.37	7.62	0.00	0.00	0.00	7.62	643.75	647.25	637.25
MW-4	652.45	7.64	0.00	0.00	0.00	7.64	644.81	648.58	638.58
MW-5	649.61	15.86	0.00	0.00	0.00	15.86	633.75	---	---
MW-6	649.55	9.98	0.00	0.00	0.00	9.98	639.57	646.86	636.86
MW-7	649.92	15.27	0.00	0.00	0.00	15.27	634.65	643.78	638.78
OS-1	651.86	3.45	0.00	0.00	0.00	3.45	648.41	NM	NM

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: JK/AH
Project #: 0893-8618 Method: IP
Date: 4/7/1995 Equipment #: Keck

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.76	0.00	0.00	0.00	14.76	637.54	642.97	632.97
MW-2	650.95	14.01	0.00	0.00	0.00	14.01	636.94	640.23	630.23
MW-3	651.37	7.21	0.00	0.00	0.00	7.21	644.16	647.25	637.25
MW-4	652.45	6.44	0.00	0.00	0.00	6.44	646.01	648.58	638.58
MW-5	649.61	15.25	0.00	0.00	0.00	15.25	634.36	---	---
MW-6	649.55	9.89	0.00	0.00	0.00	9.89	639.66	646.86	636.86
MW-7	649.92	14.22	0.00	0.00	0.00	14.22	635.70	643.78	638.78
OS-1	651.86	4.00	0.00	0.00	0.00	4.00	647.86	NM	NM
RW-1	649.76	14.44	14.19	0.25	0.76	14.25	635.51	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: PC/SA
Project #: 0893-8618 Method: IP
Date: 11/30/1995 Equipment #: Keck

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.80	0.00	0.00	0.00	14.80	637.50	642.97	632.97
MW-2	650.95	13.98	0.00	0.00	0.00	13.98	636.97	640.23	630.23
MW-3	651.37	6.19	0.00	0.00	0.00	6.19	645.18	647.25	637.25
MW-4	652.45	6.52	0.00	0.00	0.00	6.52	645.93	648.58	638.58
MW-5	649.61	15.17	0.00	0.00	0.00	15.17	634.44	---	---
MW-6	649.55	9.68	0.00	0.00	0.00	9.68	639.87	646.86	636.86
MW-7	649.92	14.25	0.00	0.00	0.00	14.25	635.67	643.78	638.78
OS-1	651.86	3.04	0.00	0.00	0.00	3.04	648.82	NM	NM
RW-1	649.76	15.13	14.97	0.16	0.76	15.01	634.75	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: BM
Project #: 0893-8618 Method: IP
Date: 1/25/1996 Equipment #: Keck

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.51	0.00	0.00	0.00	14.51	637.79	642.97	632.97
MW-2	650.95	13.68	0.00	0.00	0.00	13.68	637.27	640.23	630.23
MW-3	651.37	7.35	0.00	0.00	0.00	7.35	644.02	647.25	637.25
MW-4	652.45	7.32	0.00	0.00	0.00	7.32	645.13	648.58	638.58
MW-5	649.61	15.03	0.00	0.00	0.00	15.03	634.58	---	---
MW-6	649.55	9.80	0.00	0.00	0.00	9.80	639.75	646.86	636.86
MW-7	649.92	14.55	0.00	0.00	0.00	14.55	635.37	643.78	638.78
OS-1	651.86	3.68	0.00	0.00	0.00	3.68	648.18	NM	NM
RW-1	649.76	14.10	0.00	0.00	0.00	14.10	635.66	636.76	621.76

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: BM
Project #: 0893-8618 Method: IP
Date: 4/23/1996 Equipment #: Keck

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.20	0.00	0.00	0.00	14.20	638.10	642.97	632.97
MW-2	650.95	13.48	0.00	0.00	0.00	13.48	637.47	640.23	630.23
MW-3	651.37	6.76	0.00	0.00	0.00	6.76	644.61	647.25	637.25
MW-4	652.45	6.05	0.00	0.00	0.00	6.05	646.40	648.58	638.58
MW-5	649.61	14.81	0.00	0.00	0.00	14.81	634.80	---	---
MW-6	649.55	9.87	0.00	0.00	0.00	9.87	639.68	646.86	636.86
MW-7	649.92	13.79	0.00	0.00	0.00	13.79	636.13	643.78	638.78
OS-1	651.86	3.23	0.00	0.00	0.00	3.23	648.63	NM	NM
RW-1	649.76	14.15	13.88	0.27	0.76	13.94	635.82	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: SA/MK
Project #: 0893-8618 Method: IP
Date: 7/9/1996 Equipment #: Keck #3

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	13.29	0.00	0.00	0.00	13.29	639.01	642.97	632.97
MW-2	650.95	12.59	0.00	0.00	0.00	12.59	638.36	640.23	630.23
MW-3	651.37	5.55	0.00	0.00	0.00	5.55	645.82	647.25	637.25
MW-4	652.45	5.83	0.00	0.00	0.00	5.83	646.62	648.58	638.58
MW-5	649.61	NG	0.00	0.00	0.00	0.00	0.00	---	---
MW-6	649.55	10.04	0.00	0.00	0.00	10.04	639.51	646.86	636.86
MW-7	649.92	12.92	0.00	0.00	0.00	12.92	637.00	643.78	638.78
OS-1	651.86	2.81	0.00	0.00	0.00	2.81	649.05	NM	NM
RW-1	649.76	13.20	12.95	0.25	0.76	13.01	636.75	636.76	621.76

NG = Not gauged, well casing damaged.

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: SA/MK
Project #: 0893-8618 Method: IP
Date: 10/8/1996 Equipment #: Keck #3

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.52	0.00	0.00	0.00	14.52	637.78	642.97	632.97
MW-2	650.95	13.78	0.00	0.00	0.00	13.78	637.17	640.23	630.23
MW-3	651.37	6.34	0.00	0.00	0.00	6.34	645.03	647.25	637.25
MW-4	652.45	7.28	0.00	0.00	0.00	7.28	645.17	648.58	638.58
MW-5	649.61	NG	0.00	0.00	0.00	0.00	0.00	---	---
MW-6	649.55	10.15	0.00	0.00	0.00	10.15	639.40	646.86	636.86
MW-7	649.92	14.06	0.00	0.00	0.00	14.06	635.86	643.78	638.78
OS-1	651.86	3.10	0.00	0.00	0.00	3.10	648.76	NM	NM
RW-1	649.76	14.10	14.07	0.03	0.76	14.08	635.68	636.76	621.76

NG = Not gauged, well casing damaged.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: BM/DM
Project #: 0893-8618 Method: IP
Date: 1/30/1997 Equipment #: Keck #3

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.30	14.77	0.00	0.00	0.00	14.77	637.53	642.97	632.97
MW-2	650.95	14.04	0.00	0.00	0.00	14.04	636.91	640.23	630.23
MW-3	651.37	7.18	0.00	0.00	0.00	7.18	644.19	647.25	637.25
MW-4	652.45	8.78	0.00	0.00	0.00	8.78	643.67	648.58	638.58
MW-5	649.61	NG	0.00	0.00	0.00	0.00	0.00	---	---
MW-6	649.55	9.88	0.00	0.00	0.00	9.88	639.67	646.86	636.86
MW-7	649.92	14.15	0.00	0.00	0.00	14.15	635.77	643.78	638.78
OS-1	651.86	4.18	0.00	0.00	0.00	4.18	647.68	NM	NM
RW-1	649.76	14.39	14.36	0.03	0.76	14.37	635.39	636.76	621.76

NG = Not gauged, well casing damaged.

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: LF
Project #: 0893-8618 Method: IP
Date: 4/17/1997 Equipment #: MMC

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	14.00	0.00	0.00	0.00	14.00	638.33	642.97	632.97
MW-2	651.04	13.12	0.00	0.00	0.00	13.12	637.92	640.23	630.23
MW-3	651.43	6.42	0.00	0.00	0.00	6.42	645.01	647.25	637.25
MW-4	652.50	5.80	0.00	0.00	0.00	5.80	646.70	648.58	638.58
MW-5A	649.71	15.95	0.00	0.00	0.00	0.00	649.71	640.79	630.79
MW-6	649.56	9.77	0.00	0.00	0.00	9.77	639.79	646.86	636.86
MW-7	649.92	13.45	0.00	0.00	0.00	13.45	636.47	643.78	638.78
OS-1	651.94	3.00	0.00	0.00	0.00	3.00	648.94	NM	NM
RW-1	650.76	13.50	0.00	0.00	0.00	13.50	637.26	636.76	621.76

Notes:

All of the wells were resurveyed on 4-17-97.
MW-5 was replaced by MW-5A on 3-31-97.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: LF
Project #: 6230040 Method: IP
Date: 7/15/1997 Equipment #: ORS

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	13.57	0.00	0.00	0.00	13.57	638.76	642.97	632.97
MW-2	651.04	12.81	0.00	0.00	0.00	12.81	638.23	640.23	630.23
MW-3	651.43	5.91	0.00	0.00	0.00	5.91	645.52	647.25	637.25
MW-4	652.50	5.81	0.00	0.00	0.00	5.81	646.69	648.58	638.58
MW-5A	649.71	15.97	0.00	0.00	0.00	15.97	633.74	640.79	630.79
MW-6	649.56	10.10	0.00	0.00	0.00	10.10	639.46	646.86	636.86
MW-7	649.92	13.19	0.00	0.00	0.00	13.19	636.73	643.78	638.78
OS-1	651.94	2.82	0.00	0.00	0.00	2.82	649.12	NM	NM
RW-1	650.76	13.45	0.00	0.00	0.00	13.45	637.32	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: BB/LR
Project #: 6230040 Method: IP
Date: 10/16/1997 Equipment #: WLI

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	14.89	0.00	0.00	0.00	14.89	637.44	642.97	632.97
MW-2	651.04	13.86	0.00	0.00	0.00	13.86	637.18	640.23	630.23
MW-3	651.43	6.94	0.00	0.00	0.00	6.94	644.49	647.25	637.25
MW-4	652.50	7.89	0.00	0.00	0.00	7.89	644.61	648.58	638.58
MW-5A	649.71	14.98	0.00	0.00	0.00	14.98	634.73	640.79	630.79
MW-6	649.56	10.80	0.00	0.00	0.00	10.80	638.76	646.86	636.86
MW-7	649.92	14.36	0.00	0.00	0.00	14.36	635.56	643.78	638.78
OS-1	651.94	3.44	0.00	0.00	0.00	3.44	648.50	NM	NM
RW-1	650.76	14.68	0.00	0.00	0.00	14.68	636.08	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: LR/AA
Project #: 6230040 Method: IP
Date: 1/29/1998 Equipment #: ORS

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.62	0.00	0.00	0.00	15.62	636.71	642.97	632.97
MW-2	651.04	14.69	0.00	0.00	0.00	14.69	636.35	640.23	630.23
MW-3	651.43	7.27	0.00	0.00	0.00	7.27	644.16	647.25	637.25
MW-4	652.50	1.53	0.00	0.00	0.00	1.53	650.97	648.58	638.58
MW-5A	649.71	16.44	0.00	0.00	0.00	16.44	633.27	640.79	630.79
MW-6	649.56	9.92	0.00	0.00	0.00	9.92	639.64	646.86	636.86
MW-7	649.92	14.81	0.00	0.00	0.00	14.81	635.11	643.78	638.78
OS-1	651.94	NG	0.00	0.00	0.00	---	---	NM	NM
RW-1	650.76	15.56	0.00	0.00	0.00	15.56	635.20	636.76	621.76

NG= Not Gauged.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRTS # 03-41-002380

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AA
Project #: 6230040 Method: IP
Date: 4/28/98 & 4/29/98 Equipment #: KECK

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	13.80	0.00	0.00	0.00	13.80	638.53	642.97	632.97
MW-2	651.04	13.46	0.00	0.00	0.00	13.46	637.58	640.23	630.23
MW-3	651.43	5.88	0.00	0.00	0.00	5.88	645.55	647.25	637.25
MW-4	652.50	5.65	0.00	0.00	0.00	5.65	646.85	648.58	638.58
MW-5A	649.71	15.98	0.00	0.00	0.00	15.98	633.73	640.79	630.79
MW-6	649.56	10.18	0.00	0.00	0.00	10.18	639.38	646.86	636.86
MW-7	649.92	13.26	0.00	0.00	0.00	13.26	636.66	643.78	638.78
OS-1	651.94	NG	0.00	0.00	0.00	---	---	NM	NM
RW-1	650.76	14.37	0.00	0.00	0.00	14.37	636.39	636.76	621.76

NG= Not Gauged.

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AJJ
Project #: 6230040 Method: IP
Date: 7/30/1998 & 7/31/98 Equipment #: ART

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	14.72	0.00	0.00	0.00	14.72	637.61	642.97	632.97
MW-2	651.04	13.88	0.00	0.00	0.00	13.88	637.16	640.23	630.23
MW-3	651.43	6.14	0.00	0.00	0.00	6.14	645.29	647.25	637.25
MW-4	652.50	7.14	0.00	0.00	0.00	7.14	645.36	648.58	638.58
MW-5A	649.71	16.35	0.00	0.00	0.00	16.35	633.36	640.79	630.79
MW-6	649.56	10.97	0.00	0.00	0.00	10.97	638.59	646.86	636.86
MW-7	649.92	14.24	0.00	0.00	0.00	14.24	635.68	643.78	638.78
OS-1	651.94	3.08	0.00	0.00	0.00	3.08	648.86	NM	NM
RW-1	650.76	14.31	0.00	0.00	0.00	14.31	636.45	636.76	621.76

Project: Southland Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AJJ/CMB
Project #: 6230-040 Method: Solinst
Date: 11/1/1998 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.40	0.00	0.00	0.00	15.40	636.93	642.97	632.97
MW-2	651.04	14.53	0.00	0.00	0.00	14.53	636.51	640.23	630.23
MW-3	651.43	6.43	0.00	0.00	0.00	6.43	645.00	647.25	637.25
MW-4	652.50	7.62	0.00	0.00	0.00	7.62	644.88	648.58	638.58
MW-5A	649.71	16.61	0.00	0.00	0.00	16.61	633.10	640.79	630.79
MW-6	649.56	11.06	0.00	0.00	0.00	11.06	638.50	646.86	636.86
MW-7	649.92	15.54	0.00	0.00	0.00	15.54	634.38	643.78	638.78
OS-1	651.94	3.62	0.00	0.00	0.00	3.62	648.32	NM	NM
RW-1	650.76	14.75	0.00	0.00	0.00	14.75	636.01	636.76	621.76

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: CMB
Project #: 6230-040 Method: Solinst
Date: 5/21/1999 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	14.20	0.00	0.00	0.00	14.20	638.13	642.97	632.97
MW-2	651.04	NG	0.00	0.00	0.00	---	---	640.23	630.23
MW-3	651.43	5.54	0.00	0.00	0.00	5.54	645.89	647.25	637.25
MW-4	652.50	5.56	0.00	0.00	0.00	5.56	646.94	648.58	638.58
MW-5A	649.71	16.24	0.00	0.00	0.00	16.24	633.47	640.79	630.79
MW-6	649.56	10.08	0.00	0.00	0.00	10.08	639.48	646.86	636.86
MW-7	649.92	13.93	0.00	0.00	0.00	13.93	635.99	643.78	638.78
OS-1	651.94	2.78	0.00	0.00	0.00	2.78	649.16	NM	NM
RW-1	650.76	13.72	0.00	0.00	0.00	13.72	637.04	636.76	621.76

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: CMB
Project #: 6230-040 Method: Solinst
Date: 11/2/1999 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.80	0.00	0.00	0.00	15.80	636.53	642.97	632.97
MW-2	651.04	14.56	0.00	0.00	0.00	14.56	636.48	640.23	630.23
MW-3	651.43	6.00	0.00	0.00	0.00	6.00	645.43	647.25	637.25
MW-4	652.50	7.42	0.00	0.00	0.00	7.42	645.08	648.58	638.58
MW-5A	649.71	17.04	0.00	0.00	0.00	17.04	632.67	640.79	630.79
MW-6	649.56	11.91	0.00	0.00	0.00	11.91	637.65	646.86	636.86
MW-7	649.92	14.35	0.00	0.00	0.00	14.35	635.57	643.78	638.78
OS-1	651.94	NM	0.00	0.00	0.00	---	---	NM	NM
RW-1	650.76	14.74	0.00	0.00	0.00	14.74	636.02	636.76	621.76

NM = Not Measured

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: CMB
Project #: 6230-040 Method: Solinst
Date: 6/9/2000 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.90	0.00	0.00	0.00	15.90	636.43	642.97	632.97
MW-2	651.23	14.57	0.00	0.00	0.00	14.57	636.66	640.23	630.23
MW-3	651.15	5.71	0.00	0.00	0.00	5.71	645.44	647.25	637.25
MW-4	652.53	5.73	0.00	0.00	0.00	5.73	646.80	648.58	638.58
MW-5A	649.60	17.04	16.77	0.27	0.76	16.83	632.77	640.79	630.79
MW-6	649.45	12.60	0.00	0.00	0.00	12.60	636.85	646.86	636.86
MW-7	649.80	15.19	0.00	0.00	0.00	15.19	634.61	643.78	638.78
OS-1	651.81	2.76	0.00	0.00	0.00	2.76	649.05	NM	NM
RW-1	650.40	15.28	15.22	0.06	0.76	15.23	635.17	636.76	621.76

NM = Not Measured

Note: Wells resurveyed on 6/9/00.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AJT
Project #: 06230-040 Method: Solinst
Date: 11/10/2000 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	16.27	0.00	0.00	0.00	16.27	636.06	642.97	632.97
MW-2	651.23	14.44	0.00	0.00	0.00	14.44	636.79	640.23	630.23
MW-3	651.15	6.01	0.00	0.00	0.00	6.01	645.14	647.25	637.25
MW-4	652.53	7.65	0.00	0.00	0.00	7.65	644.88	648.58	638.58
MW-5A	649.60	17.79	17.37	0.42	0.76	17.47	632.13	640.79	630.79
MW-6	649.45	11.64	0.00	0.00	0.00	11.64	637.81	646.86	636.86
MW-7	649.80	14.88	0.00	0.00	0.00	14.88	634.92	643.78	638.78
OS-1	651.81	NM	0.00	0.00	0.00	NM	NM	NM	NM
RW-1	650.40	15.38	15.22	0.16	0.76	15.26	635.14	636.76	621.76

NM = Not Measured

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AJT
Project #: 06230-040 Method: IP
Date: 4/27/2001 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.68	0.00	0.00	0.00	15.68	636.65	642.97	632.97
MW-2	651.23	14.77	0.00	0.00	0.00	14.77	636.46	640.23	630.23
MW-3	651.15	6.12	0.00	0.00	0.00	6.12	645.03	647.25	637.25
MW-4	652.53	6.19	0.00	0.00	0.00	6.19	646.34	648.58	638.58
MW-5A	649.60	16.99	0.00	0.00	0.00	16.99	632.61	640.79	630.79
MW-6	649.45	10.50	0.00	0.00	0.00	10.50	638.95	646.86	636.86
MW-7	649.80	14.47	0.00	0.00	0.00	14.47	635.33	643.78	638.78
OS-1	651.81	3.06	0.00	0.00	0.00	3.06	648.75	NM	NM
RW-1	650.40	15.38	0.00	0.00	0.00	15.38	635.02	636.76	621.76

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: RPM
Project #: 06230-040 Method: IP
Date: 10/16/2001 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	16.04	0.00	0.00	0.00	16.04	636.29	642.97	632.97
MW-2	651.23	14.72	14.70	0.02	0.76	14.70	636.53	640.23	630.23
MW-3	651.15	6.01	0.00	0.00	0.00	6.01	645.14	647.25	637.25
MW-4	652.53	7.14	0.00	0.00	0.00	7.14	645.39	648.58	638.58
MW-5A	649.60	17.42	17.41	0.01	0.76	17.41	632.19	640.79	630.79
MW-6	649.45	11.46	0.00	0.00	0.00	11.46	637.99	646.86	636.86
MW-7	649.80	14.89	0.00	0.00	0.00	14.89	634.91	643.78	638.78
OS-1	651.81	2.80	0.00	0.00	0.00	2.80	649.01	NM	NM
RW-1	650.40	14.91	14.80	0.11	0.76	14.83	635.57	636.76	621.76

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: RPM
Project #: 06230-040 Method: IP
Date: 6/4/2002 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	16.06	0.00	0.00	0.00	16.06	636.27	642.97	632.97
MW-2	651.23	14.69	0.00	0.00	0.00	14.69	636.54	640.23	630.23
MW-3	651.15	0.57 ¹	0.00	0.00	0.00	0.57	650.58	647.25	637.25
MW-4	652.53	6.89	0.00	0.00	0.00	6.89	645.64	648.58	638.58
MW-5A	649.60	16.94	0.00	0.00	0.00	16.94	632.66	640.79	630.79
MW-6	649.45	10.02	0.00	0.00	0.00	10.02	639.43	646.86	636.86
MW-7	649.80	14.92	0.00	0.00	0.00	14.92	634.88	643.78	638.78
OS-1	651.81	NM	0.00	0.00	0.00	NM	NM	NM	NM
RW-1	650.40	14.82	14.32	0.50	0.76	14.44	635.96	636.76	621.76

NM = Not Measured

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: AJT
Project #: 06230-040 Method: IP
Date: 6/12/2002 Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	15.88	0.00	0.00	0.00	15.88	636.45	642.97	632.97
MW-2	651.23	14.53	0.00	0.00	0.00	14.53	636.70	640.23	630.23
MW-3	651.15	3.89 ¹	0.00	0.00	0.00	3.89	647.26	647.25	637.25
MW-4	652.53	6.51	0.00	0.00	0.00	6.51	646.02	648.58	638.58
MW-5A	649.60	16.83	16.82	0.01	0.76	16.82	632.78	640.79	630.79
MW-6	649.45	10.57	0.00	0.00	0.00	10.57	638.88	646.86	636.86
MW-7	649.80	15.61	0.00	0.00	0.00	15.61	634.19	643.78	638.78
OS-1	651.81	2.76	2.75	0.01	0.76	2.75	649.06	NM	NM
RW-1	650.40	15.52	14.46	1.06	0.76	14.71	635.69	636.76	621.76

NM = Not Measured

¹ Surface seal for well is broken. Water elevation is affected by water from surface entering well.

Project: 7-Eleven Store #30501, 6204 N. Port Washington Rd., Glendale, WI Operator: RM
Project #: 06230-040 Method: IP
Date: 10/1/2002 Equipment #:

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	16.41	0.00	0.00	0.00	16.41	635.92	642.97	632.97
MW-2	651.23	15.02	0.00	0.00	0.00	15.02	636.21	640.23	630.23
MW-3	651.15	6.02 ¹	0.00	0.00	0.00	6.02	645.13	647.25	637.25
MW-4	652.53	7.42	0.00	0.00	0.00	7.42	645.11	648.58	638.58
MW-5A	649.60	17.08	16.82	0.26	0.76	16.88	632.72	640.79	630.79
MW-6	649.45	11.64	0.00	0.00	0.00	11.64	637.81	646.86	636.86
MW-7	649.80	15.04	0.00	0.00	0.00	15.04	634.76	643.78	638.78
OS-1	651.81	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.40	15.51	15.50	0.01	0.76	15.50	634.90	636.76	621.76

NM = Not Measured

¹ Surface seal for well is broken. Water elevation is affected by water from surface entering well.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project #: 06230-040
Date: 11/6/2002

Method: IP
Equipment #: 09903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.33	16.75	0.00	0.00	0.00	16.75	635.58	642.97	632.97
MW-2	651.23	15.05	0.00	0.00	0.00	15.05	636.18	640.23	630.23
MW-3	651.15	5.91 ¹	0.00	0.00	0.00	5.91	645.24	647.25	637.25
MW-4	652.53	7.71	0.00	0.00	0.00	7.71	644.82	648.58	638.58
MW-5A	649.60	17.62	0.00	0.00	0.00	17.62	631.98	640.79	630.79
MW-6	649.45	10.57	0.00	0.00	0.00	10.57	638.88	646.86	636.86
MW-7	649.80	15.39	0.00	0.00	0.00	15.39	634.41	643.78	638.78
OS-1	651.81	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.40	NM	NM	NM	NM	NM	NM	636.76	621.76

NM = Not Measured

¹ Surface seal for well is broken. Water elevation is affected by water from surface entering well.

Project #: 06230-040
Date: 2/13/2003

Method: IP
Equipment #: 9903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.55	17.63	0.00	0.00	0.00	17.63	634.92	642.97	632.97
MW-2	650.78	16.28	0.00	0.00	0.00	16.28	634.50	640.23	630.23
MW-3	651.33	7.36 ¹	0.00	0.00	0.00	7.36	643.97	647.25	637.25
MW-4	652.53	9.44	0.00	0.00	0.00	9.44	643.09	648.58	638.58
MW-5A	649.70	18.38	0.00	0.00	0.00	18.38	631.32	640.79	630.79
MW-6	649.55	12.34	0.00	0.00	0.00	12.34	637.21	646.86	636.86
MW-7	649.88	16.17	0.00	0.00	0.00	16.17	633.71	643.78	638.78
MW-8	650.20	16.82	0.00	0.00	0.00	16.82	633.38	635.51	625.51
MW-10	651.23	21.03	0.00	0.00	0.00	21.03	630.20	636.02	626.02
MW-11	652.86	22.52	0.00	0.00	0.00	22.52	630.34	642.96	632.96
OS-1	651.98	5.48	0.00	0.00	0.00	5.48	646.50	NM	NM
RW-1	650.50	NM	NM	NM	NM	NM	NM	636.76	621.76

NM = Not Measured

¹ Surface seal for well is broken. Water elevation is affected by water from surface entering well.

Wells were resurveyed by LSI in April 2003

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project #: 06230-040
Date: 6/30/2003

Method: IP
Equipment #: 9903

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.55	17.62	0.00	0.00	0.00	17.62	634.93	642.97	632.97
MW-2	650.78	16.32	16.17	0.15	0.76	16.21	634.57	640.23	630.23
MW-3	651.33	5.43 ¹	0.00	0.00	0.00	5.43	645.90	647.25	637.25
MW-4	652.53	7.93	0.00	0.00	0.00	7.93	644.60	648.58	638.58
MW-5A	649.70	18.18	0.00	0.00	0.00	18.18	631.52	640.79	630.79
MW-6	649.55	11.45	0.00	0.00	0.00	11.45	638.10	646.86	636.86
MW-7	649.88	16.06	0.00	0.00	0.00	16.06	633.82	643.78	638.78
MW-8	650.20	16.66	0.00	0.00	0.00	16.66	633.54	635.51	625.51
MW-10	651.23	20.79	0.00	0.00	0.00	20.79	630.44	636.02	626.02
MW-11	652.86	22.29	0.00	0.00	0.00	22.29	630.57	642.96	632.96
OS-1	651.98	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	16.38	0.00	0.00	0.00	16.38	634.12	636.76	621.76

NM = Not Measured

¹ Surface seal for well is broken. Water elevation is affected by water from surface entering well.

Project #: 06230-040
Date: 04/05/04

Method: IP
Equipment #: Heron

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.55	17.95	0.00	0.00	0.00	17.95	634.60	642.97	632.97
MW-2	650.78	NM ¹	NM	NM	NM	NM	NM	640.23	630.23
MW-3	651.33	6.09	0.00	0.00	0.00	6.09	645.24	647.25	637.25
MW-4	652.53	6.59	0.00	0.00	0.00	6.59	645.94	648.58	638.58
MW-5A	649.70	NM ¹	NM	NM	NM	NM	NM	640.79	630.79
MW-6	649.55	10.89	0.00	0.00	0.00	10.89	638.66	646.86	636.86
MW-7	649.88	16.48	0.00	0.00	0.00	16.48	633.40	643.78	638.78
MW-8	650.20	19.48	0.00	0.00	0.00	19.48	630.72	635.51	625.51
MW-10	651.23	19.02	0.00	0.00	0.00	19.02	632.21	636.02	626.02
MW-11	652.86	21.05	0.00	0.00	0.00	21.05	631.81	642.96	632.96
OS-1	651.98	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	16.38	0.00	0.00	0.00	16.38	634.12	636.76	621.76

NM = Not Measured

NM¹ = Not Measured; absorbant sock in well.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project #: 06230-040
Date: 05/09/06

Method: IP
Equipment #: ET-94

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.53	17.03	0.00	0.00	0.00	17.03	635.50	642.97	632.97
MW-2	650.79	15.82	0.00	0.00	0.00	15.82	634.97	640.23	630.23
MW-3	651.34	4.00	0.00	0.00	0.00	4.00	647.34	647.25	637.25
MW-4	652.54	6.52	0.00	0.00	0.00	6.52	646.02	648.58	638.58
MW-5A	649.70	17.95	17.45	0.50	0.76	17.57	632.13	640.79	630.79
MW-6	649.47	10.75	0.00	0.00	0.00	10.75	638.72	646.86	636.86
MW-7	650.09	15.72	0.00	0.00	0.00	15.72	634.37	643.78	638.78
MW-8	650.20	16.07	0.00	0.00	0.00	16.07	634.13	635.51	625.51
MW-10	650.85	20.08	0.00	0.00	0.00	20.08	630.77	636.02	626.02
MW-11	652.84	21.50	0.00	0.00	0.00	21.50	631.34	642.96	632.96
MW-12	652.19	Dry	0.00	0.00	0.00	NM	NM	----	----
OS-1	NM	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	15.98	15.48	0.50	0.76	15.60	634.90	636.76	621.76

NM = Not Measured

Wells were surveyed by ENSR on May 9, 2006.

MW-12 was installed on 5-8-06. MW-12 never produced water.

Project #: 06230-040
Date: 07/21/06

Method: IP
Equipment #: ET-94

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.53	17.11	0.00	0.00	0.00	17.11	635.42	642.97	632.97
MW-2	650.79	15.61	0.00	0.00	0.00	15.61	635.18	640.23	630.23
MW-3	651.34	1.33	0.00	0.00	0.00	1.33	650.01	647.25	637.25
MW-4	652.54	7.53	0.00	0.00	0.00	7.53	645.01	648.58	638.58
MW-5A	649.70	17.71	17.64	0.07	0.76	17.66	632.04	640.79	630.79
MW-6	649.47	11.80	0.00	0.00	0.00	11.80	637.67	646.86	636.86
MW-7	650.09	15.81	0.00	0.00	0.00	15.81	634.28	643.78	638.78
MW-8	650.20	16.26	0.00	0.00	0.00	16.26	633.94	635.51	625.51
MW-10	650.85	20.59	0.00	0.00	0.00	20.59	630.26	636.02	626.02
MW-11	652.84	21.96	0.00	0.00	0.00	21.96	630.88	642.96	632.96
MW-13	652.19	17.20	0.00	0.00	0.00	17.20	634.99	643.19	628.19
OS-1	NM	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	16.83	0.00	0.00	0.00	16.83	633.67	636.76	621.76

NM = Not Measured

Wells were surveyed by ENSR on May 9, 2006.

MW-13 was installed and surveyed on 7-20-06. MW-12 was overdrilled and MW-13 was installed in the borehole.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project #: 06230-040
Date: 08/07/06

Method: IP
Equipment #: ET-94

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)	Top of Screen (feet)	Bottom of Screen (feet)
MW-1	652.53	17.10	0.00	0.00	0.00	17.10	635.43	642.97	632.97
MW-2	650.79	16.71	16.70	0.01	0.76	16.70	634.09	640.23	630.23
MW-3	651.34	0.96	0.00	0.00	0.00	0.96	650.38	647.25	637.25
MW-4	652.54	7.51	0.00	0.00	0.00	7.51	645.03	648.58	638.58
MW-5A	649.70	17.62	17.55	0.07	0.76	17.57	632.13	640.79	630.79
MW-6	649.47	11.79	0.00	0.00	0.00	11.79	637.68	646.86	636.86
MW-7	650.09	16.85	0.00	0.00	0.00	16.85	633.24	643.78	638.78
MW-8	650.20	16.27	0.00	0.00	0.00	16.27	633.93	635.51	625.51
MW-10	650.85	21.46	0.00	0.00	0.00	21.46	629.39	636.02	626.02
MW-11	652.84	22.01	0.00	0.00	0.00	22.01	630.83	642.96	632.96
MW-13	652.19	17.30	0.00	0.00	0.00	17.30	634.89	643.19	628.19
OS-1	NM	NM	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	15.84	15.82	0.02	0.76	15.82	634.68	636.76	621.76

NM = Not Measured

Wells were surveyed by ENSR on May 9, 2006.

MW-13 was installed and surveyed on 7-20-06. MW-12 was overdrilled and MW-13 was installed in the borehole.

**Table 1
Monitoring Well Gauging Data**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Project #: 06230-040
Date: 04/08/09

Method: IP
Equipment #: ET-94

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)
MW-1	652.53	16.09	0.00	0.00	0.00	16.09	636.44
MW-2	650.79	12.58	0.00	0.00	0.00	12.58	638.21
MW-3	651.34	3.93	0.00	0.00	0.00	3.93	647.41
MW-4	652.54	5.79	0.00	0.00	0.00	5.79	646.75
MW-5A	649.70	16.93	0.00	0.00	0.00	16.93	632.77
MW-6	649.47	10.82	0.00	0.00	0.00	10.82	638.65
MW-7	650.09	14.89	0.00	0.00	0.00	14.89	635.20
MW-8	650.20	15.28	0.00	0.00	0.00	15.28	634.92
MW-10	650.85	19.93	0.00	0.00	0.00	19.93	630.92
MW-11	652.84	21.39	0.00	0.00	0.00	21.39	631.45
MW-13	652.19	16.01	0.00	0.00	0.00	16.01	636.18
OS-1	NM	NM	NM	NM	NM	NM	NM
RW-1	650.50	14.85	0.00	0.00	0.00	14.85	635.65

NM = Not Measured

Wells were surveyed by ENSR on May 9, 2006.

MW-13 was installed and surveyed on 7-20-06. MW-12 was overdrilled and MW-13 was installed in the borehole.

Project #: 06230-040
Date: 07/17/09

Method: IP
Equipment #: ET-94

Well ID	TOC Elevation (feet)	Depth to Water (feet)	Depth to LPHs (feet)	LPHs Thickness (feet)	LPHs Specific Gravity	Corr. Depth to Water (feet)	Corr. Water Elevation (feet)
MW-1	652.53	15.47	0.00	0.00	0.00	15.47	637.06
MW-2 ¹	650.79	13.86	0.00	0.00	0.00	13.86	636.93
MW-3 ¹	651.34	3.39	0.00	0.00	0.00	3.39	647.95
MW-4 ¹	652.54	7.19	0.00	0.00	0.00	7.19	645.35
MW-5A	649.70	16.98	0.00	0.00	0.00	16.98	632.72
MW-6	649.47	11.68	0.00	0.00	0.00	11.68	637.79
MW-7	650.09	14.52	0.00	0.00	0.00	14.52	635.57
MW-8	650.20	15.03	0.00	0.00	0.00	15.03	635.17
MW-10	650.85	19.77	0.00	0.00	0.00	19.77	631.08
MW-11	652.84	21.17	0.00	0.00	0.00	21.17	631.67
MW-13	652.19	15.63	0.00	0.00	0.00	15.63	636.56
OS-1	NM	NM	NM	NM	NM	NM	NM
RW-1 ¹	650.50	14.60	0.00	0.00	0.00	14.60	635.90

NM = Not Measured

Wells were surveyed by ENSR on May 9, 2006.

MW-13 was installed and surveyed on 7-20-06. MW-12 was overdrilled and MW-13 was installed in the borehole.

1. wells gauged on 7-20-09

Table 3
Summary of Groundwater Analytical Results

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-1		Top of Well Screen: 642.97			Length of Well Screen: 10 feet			
11/18/92	14	0.6	<1.0 ⁽⁵⁾	2.7	<1.0	<5.0	<100	636.16
08/18/94	13	<1.0	<1.0	1.4	<1.0	<10.0	<100	636.39
10/25/94	12	<1.0	<1.0	3.1	2.2	<10.0	<100	636.36
04/07/95	0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	637.54
11/30/95	2.2	<1.0	<1.0	<1.0	<1.0	<10.0	<100	637.50
01/25/96	<1.0	<1.0	<1.0	<1.0	<1.0	<10.0	<50	637.79
04/23/96	4.0	<2.0	<2.0	<2.0	<2.0	<2.0	<100	638.10
07/09/96	15	<2.0	<2.0	<3.0	<2.0	2.0	<100	639.01
10/08/96	230	<2.0	<2.0	17	6.0	15	480	637.78
01/30/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	637.53
04/17/97	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	638.33
07/15/97	11	<0.50	0.86	3.3	<1.0	2.0	<50	638.76
10/16/97	4.8	0.81	1.1	7.3	1.8	<0.20	<50	637.44
01/28/98	3.8	<0.50	<0.50	<0.50	<1.0	<0.20	<50	636.71
04/28/98	5.0	0.56	<0.50	0.62	<1.0	<0.20	<50	638.53
07/30/98	70	0.56	1.2	7.6	1.7	13.0	<50	637.61
11/01/98	13	<0.50	<0.50	2.7	<1.0	0.7	65	636.93
05/21/99	15	<0.20	<0.22	1.3	<0.29	<0.16	73	638.13
11/02/99	4.7	<0.20	<0.22	0.9	0.3	<0.16	<50	636.53
06/09/00	17	<0.20	0.47	1.6	<0.29	<0.58	140	636.43
11/30/00	59	<0.20	<0.22	0.86	0.22	1.0	110	636.06
04/27/01	0.23	<0.20	<0.22	<0.23	<0.29	<0.16	<50	636.65
10/16/01	100	<0.20	<0.22	2.0	0.29	<0.40	150	636.29
06/12/02	31	<0.20	0.39	2.5	<0.29	<0.62	100	636.45
11/06/02	NS ⁽⁶⁾	NS	NS	NS	NS	NS	NS	635.58
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	<0.45	<0.68	<0.82	<1.7	3.1	<0.43	<50	634.70
06/30/03	2.4	1.40	0.24	1.3	0.35	<0.27	<50	634.93
04/05/04	<0.25	<0.11	<0.22	<0.39	<0.44	<0.23	<50	634.60
05/09/06	0.17	<0.36	<0.40	<1.1	<0.79	<0.36	NS	635.50
08/07/06	0.29	<0.36	<0.40	<1.1	0.66	<0.36	NS	635.43
04/08/09	0.46	<0.36	<0.40	<1.1	<0.79	<0.36	NS	636.44
07/17/09	4.90	<0.36	<0.40	<1.1	<0.79	<0.36	NS	637.06

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-2 Top of Well Screen: 640.23 Length of Well Screen: 10 feet								
11/18/92	230	130	80	220	53	13	1,400	636.38
08/18/94	NS	NS	NS	NS	NS	NS	NS	635.90
10/25/94	210	630	220	1,300	520	<10.0	7,100	636.05
04/07/95	170	400	110	950	396	<250	4,700	636.94
11/30/95	79	100	40	290	173	<100	2,200	636.97
01/25/96	200	560	200	1,500	670	28	12,000	637.27
04/23/96	290	450	200	1,080	550	180	7,300	637.47
07/09/96	66	130	56	320	143	38	1,700	638.36
10/08/96	530	1,300	330	3,000	810	210	11,000	637.17
01/30/97	58	76	58	300	170	<50	2,400	636.91
04/17/97	72	130	84	440	211	120	2,700	637.92
07/15/97	120	70	78	290	175	44	3,200	638.23
10/16/97	25	30	38	110	79	<2.0	460	637.18
01/28/98	34	120	70	690	371	<2.0	2,700	636.35
04/28/98	44	140	88	700	426	70	3,800	637.58
07/30/98	220	810	500	2,500	960	270	11,000	637.16
11/01/98	1.6	4.0	4.6	12	9.5	1.7	97	636.51
05/21/99	NS	NS	NS	NS	NS	NS	NS	---
11/02/99	48	140	200	1,100	402	<2.7	6,100	636.48
06/09/00	200	280	380	2,800	1,140	<15	14,000	636.66
11/30/00	700	<10	690	480	2,360	<8.0	27,000	636.79
04/27/01	600	490	420	5,100	2,010	<8.0	18,000	636.46
10/16/01	NS	NS	NS	NS	NS	NS	NS	636.53
06/12/02	110	64	100	1,300	840	<5.8	8,300	636.70
11/06/02	NS	NS	NS	NS	NS	NS	NS	636.18
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	NS	NS	NS	NS	NS	NS	NS	634.95
06/30/03	NS	NS	NS	NS	NS	NS	NS	623.66
04/05/04	NS	NS	NS	NS	NS	NS	NS	---
05/09/06	57	12	21	156	340	11	NS	634.97
08/07/06	NS	NS	NS	NS	NS	NS	NS	634.09
04/09/09	0.86	5.2	4.2	27.6	82.8	<0.90	NS	638.21
07/20/09	69.6	14.0	15.1	24.8	48.0	5.10	NS	636.93

Table 3
Summary of Groundwater Analytical Results

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-3 Top of Well Screen: 647.25 Length of Well Screen: 10 feet								
11/18/92	49	1.6	1.1	3.2	<1.0	3,100	120	639.50
08/18/94	560	170	110	210	32	5,600	3,500	645.47
10/25/94	270	<10.0	20	15	<10.0	7,200	3,800	643.75
04/07/95	120	6.4	22	14	10	4,700	2,800	644.16
11/30/95	110	13	21	18	11	4,100	3,200	645.18
01/25/96	19	1.6	1.8	<1.0	<1.0	3,400	1,500	644.02
04/23/96	79	16	4.0	16	3.0	2,700	1,300	644.61
07/09/96	380	<40	<40	<60	<40	3,300	2,000	645.82
10/08/96	770	92	120	200	61	2,400	3,200	645.03
01/30/97	210	11	49	23	16	3,800	1,800	644.19
04/17/97	170	40	18	45	<10	3,300	800	645.01
07/15/97	1,100	160	190	480	140	3,700	6,300	645.52
10/16/97	46	5.2	15	13	9.6	1,800	680	644.49
01/28/98	62	4.2	13	9.8	4.1	<0.20	540	644.16
04/28/98	89	26	16	32	6.0	1,700	280	645.55
07/30/98	45	2.3	10	11	6.6	2,100	330	645.29
11/01/98	56	<25	<25	<25	<50	2,800	<2,500	645.00
05/21/99	26	2.1	3.0	5.9	1.0	1,900	690	645.89
11/02/99	59	5.8	17.0	20	9.1	2,200	1,100	645.43
06/09/00	29	2.3	6.5	13	3.5	1,400	700	645.44
11/30/00	50	1,100	16	15	7.8	1,100	590	645.14
04/27/01	20	4.8	12	33	8.8	930	<500	645.03
10/16/01	230	28	190	270	147	510	1,700	645.14
06/12/02	31	3.3	36	8.8	23	800	570	647.26
11/06/02	NS	NS	NS	NS	NS	NS	NS	645.24
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	7.8	0.92	12	6.3	38	290	470	643.79
06/30/03	3.8	<0.11	0.62	<0.39	0.37	210	130	645.90
04/05/04	11	1.10	3.20	8.6	2.12	510	320	645.24
05/09/06	14	<0.36	13	<1.1	24	8.4	NS	647.34
08/07/06	0.19	<0.36	<0.40	<1.1	0.64	17	NS	650.38
04/09/09	1.5	<0.36	0.92	<1.1	<0.79	5.2	NS	647.41
07/20/09	2.1	<0.36	<0.40	<1.1	<0.79	3.5	NS	647.95

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-4	Top of Well Screen: 648.58				Length of Well Screen: 10 feet			
11/18/92	3,700	55	910	280	17	4,100	9,000	645.29
08/18/94	2,500	27	680	240	<10.0	3,800	6,400	645.56
10/25/94	2,700	25	820	210	10	4,200	8,700	644.81
04/07/95	1,200	<10.0	380	90	<10.0	2,100	4,000	646.01
11/30/95	500	<10.0	300	<10.0	<10.0	1,900	3,300	645.93
01/25/96	390	<5.0	260	<5.0	<5.0	1,600	2,600	645.13
04/23/96	790	<50	290	<50	<50	2,800	2,400	646.40
07/09/96	470	<40	180	<60	<40	2,600	2,400	646.62
10/08/96	260	4.0	420	21	<4.0	2,800	3,300	645.17
01/30/97	360	<25	290	27	<25	4,300	2,800	643.67
04/17/97	540	5.8	230	17	<5.0	2,700	1,900	646.70
07/15/97	440	<5.0	260	8.3	<10.0	2,600	1,600	646.69
10/16/97	38	24	86	70	46	320	730	644.61
01/28/98	23	7.1	32	9.0	<1.0	1,000	540	650.97
04/28/98	110	4.2	110	14	7.3	1,300	520	646.85
07/30/98	18	<2.5	120	3.7	<5.0	1,700	640	645.36
11/01/98	<25	<25	56	<25	<50	2,000	<2,500	644.88
05/21/99	38	<0.40	31	1.1	<0.58	700	500	646.94
11/02/99	25	1.5	15	1.8	<1.4	1,100	780	645.08
06/09/00	46	<2.0	68	6.7	3.7	640	750	646.80
11/30/00	17	540	33	<2.3	<2.9	540	620	644.80
04/27/01	69	0.68	9.3	1.6	0.44	220	300	646.34
10/16/01	<0.95	<1.0	3.8	<1.2	<1.4	350	440	645.39
06/12/02	100	3	160	6	1	620	1,500	646.02
11/06/02	23	<3.4	29	<3.9	<4.7	650	880	644.82
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	110	2.4	160	21	<1.9	290	1,400	643.09
06/30/03	81	1.8	93	10	<1.2	610	870	644.60
04/05/04	150	3.2	150	7.6	<2.55	220	1,100	645.94
05/09/06	390	4.0	160	21	0.54	280	NS	646.02
08/07/06	130	2.1	33	4.8	0.55	460	NS	645.03
04/09/09	75.5	0.45	8.7	1.3	<0.79	42	NS	646.75
07/20/09	9.1	<0.36	2.4	<1.1	<0.79	8	NS	645.35

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-5 Top of Well Screen: 639.52 Length of Well Screen: 10 feet								
08/18/94	850	17	110	110	28	260	1,400	633.82
10/25/94	430	11	110	120	38	150	1,300	633.75
04/07/95	28	<1.0	8.4	7.5	6.4	30	180	634.36
11/30/95	2.9	<1.0	1.4	4.4	3.7	14	110	634.44
01/25/96	1.6	<1.0	2.0	1.9	3.2	1.7	55	634.58
04/23/96	<2.0	<2.0	<2.0	<2.0	<2.0	3.0	<100	634.80
Well abandoned								
MW-5A Top of Well Screen: 640.79 Length of Well Screen: 10 feet								
04/17/97	360	270	210	1,300	1000	230	9,200	649.71
07/15/97	360	24	140	240	224	100	2,700	633.74
10/16/97	2.5	4.3	5.0	5.3	<10	580	1,800	634.73
01/28/98	180	110	180	550	359	120	3,500	633.27
04/28/98	360	75	130	200	100	230	1,600	633.73
07/30/98	110	130	170	640	440	260	3,900	633.36
11/01/98	6.0	8.4	8.5	42	24.4	4.3	230	633.10
05/21/99	500	390	240	1,000	497	94	7,400	633.47
11/02/99	570	700	380	1,700	543	<38	7,100	632.67
06/09/00	NS	NS	NS	NS	NS	NS	NS	632.77
11/30/00	NS	NS	NS	NS	NS	NS	NS	632.13
04/27/01	NS	NS	NS	NS	NS	NS	NS	632.61
10/16/01	NS	NS	NS	NS	NS	NS	NS	632.19
06/12/02	380	2,000	1,600	8,500	2,720	<42	31,000	632.78
11/06/02	NS	NS	NS	NS	NS	NS	NS	631.98
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	NS	NS	NS	NS	NS	NS	NS	631.22
07/01/03	1,500	9,600	11,000	59,000	54,000	210	470,000	NM
04/05/04	NS	NS	NS	NS	NS	NS	NS	---
05/09/06	NS	NS	NS	NS	NS	NS	NS	632.13
08/07/06	NS	NS	NS	NS	NS	NS	NS	632.13
04/09/09	536	212	2,400	14,400	6,900	106	NS	632.77
07/20/09	543	202	1,990	10,600	3,458	117	NS	632.72

Table 3
Summary of Groundwater Analytical Results

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-6 Top of Well Screen: 646.86 Length of Well Screen: 10 feet								
08/18/94	58	33	110	370	375	<10.0	3,700	639.61
10/25/94	110	40	240	380	325	18	3,600	639.57
04/07/95	83	11	270	330	520	<100	3,300	639.66
11/30/95	38	5.4	140	86	256	<10.0	2,600	639.87
01/25/96	14	6.0	120	50	160	<5.0	1,800	639.75
04/23/96	78	<10	190	137	270	55	2,900	639.68
07/09/96	270	<10	280	78	240	58	2,900	639.51
10/08/96	130	3.0	150	25	87	31	1,900H	639.40
01/30/97	79	21	210	110	274	<10	4,300	636.67
04/17/97	280	15	220	110	300	90	2,600	639.71
07/15/97	1,300	27	340	<25	130	210	3,300	638.76
10/16/97	190	<25	130	74	190	<10	1,400	639.64
01/28/98	290	<25	250	75	420	<10	2,500	639.38
04/28/98	910	<25	270	<25	64	190	4,200	638.59
07/30/98	510	<10	75	19	41	190	2,200	638.50
11/01/98	9.5	<0.50	0.80	<0.50	<1.0	1.3	55	639.48
05/21/99	280	2.1	92	5.4	78	43	1,500	637.65
11/02/99	23	1.8	8.4	4.3	4.4	15	250	636.85
06/09/00	NS	NS	NS	NS	NS	NS	NS	637.81
11/30/00	NS	NS	NS	NS	NS	NS	NS	638.95
04/27/01	5.7	0.5	2.5	8.9	21.2	<0.16	460	637.99
10/16/01	16	<0.20	6.9	<0.23	9.8	<0.83	270	638.88
06/12/02	12	0.63	0.87	2.8	3	2.3	290	638.88
11/06/02	5.2	<0.68	1.8	<0.77	2.1	4.1	71	637.81
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	NS	NS	NS	NS	NS	NS	NS	637.11
07/01/03	0.26	0.15	<0.22	0.82	0.34	1.10	<50	638.10
04/05/04	0.38	<0.11	<0.22	<0.39	<0.44	<0.23	<50	638.66
05/09/06	0.62	<0.36	0.60	3.40	2.49	0.54	NS	638.72
08/07/06	<0.14	<0.36	<0.40	<1.1	1.70	<0.36	NS	637.68
04/08/09	0.70	<0.36	<0.40	<1.1	<0.79	0.45	NS	638.65
07/20/09	0.73	<0.36	<0.40	<1.1	<0.79	1.1	NS	637.79

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁶⁾	0.5	200	140	1,000	96	12	NA	NA
MW-7	Top of Well Screen: 634.78				Length of Well Screen: 5 feet			
08/18/94	74	4.4	<1.0	1.5	<1.0	15	210	634.50
10/25/94	150	5.6	<1.0	3.5	1.1	20	450	634.65
04/07/95	66	1.6	<1.0	1.7	<1.0	24	190	635.70
11/30/95	43	1.5	2.3	<1.0	<1.0	60	180	635.67
01/25/96	8.9	<1.0	<1.0	<1.0	<1.0	32	52	635.37
04/23/96	<2.0	<2.0	<2.0	<2.0	<2.0	51	<100	636.13
07/09/96	9.0	<2.0	<2.0	<3.0	<2.0	35	<100	637.00
10/08/96	<1.0	<2.0	<2.0	<3.0	<2.0	41	<100	635.86
01/30/97	<1.0	<1.0	<1.0	<1.0	<1.0	44	55	635.77
04/17/97	<0.50	<0.50	<0.50	<0.50	<1.0	67	<50	636.47
07/15/97	<0.50	<0.50	<0.50	<0.50	<1.0	58	<50	636.73
10/16/97	<0.50	<0.50	<0.50	<0.50	<1.0	50	<50	635.56
01/28/98	<0.50	<0.50	<0.50	6.1	5.2	100	57	635.11
04/28/98	0.68	<0.50	<0.50	<0.50	1.3	45	<50	636.66
07/30/98	1.3	<0.50	<0.50	<0.50	<1.0	100	<50	635.68
11/01/98	<0.50	<0.50	<0.50	<0.50	<1.0	56	<50	634.38
05/21/99	0.63	<0.20	<0.22	<0.23	<0.29	58	50	635.99
11/02/99	1.7	0.67	0.23	1.3	0.76	91	<50	635.57
06/09/00	2.4	5.0	1.4	18.0	8.4	73	110	634.61
11/30/00	<0.13	<0.20	<0.22	0.35	0.29	74	<50	634.92
04/27/01	0.19	<0.20	0.23	1.1	0.63	77	<50	635.33
10/16/01	7.3	0.23	<0.22	0.69	<0.29	63	<50	634.91
06/12/02	3.7	0.20	<0.22	0.37	<0.29	51	<50	634.19
11/06/02	NS	NS	NS	NS	NS	NS	NS	634.41
11/22/02	NS	NS	NS	NS	NS	NS	NS	---
02/13/03	<0.45	<0.68	<0.82	<1.7	<0.94	66	57	633.63
06/30/03	28	1.70	0.87	6.90	2.6	29	98	633.82
04/05/04	<0.25	0.28	<0.22	<0.39	<0.44	47	<50	633.40
05/09/06	8.8	<0.36	<0.40	1.60	0.92	31	NS	634.37
08/07/06	2.2	0.42	0.95	8.3	8.7	49	NS	633.24
04/08/09	1.7	<0.36	<0.40	<1.1	0.6	14.8	NS	635.20
07/20/09	<0.23	<0.36	<0.40	<1.1	<0.79	16	NS	635.57

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
MW-8 Top of Well Screen: 635.51 Length of Well Screen: 10 feet								
11/22/02	<0.45	<0.68	<0.82	<0.77	<0.94	110	<50	---
02/13/03	<0.45	<0.68	<0.82	<1.7	<0.94	39	<50	633.38
06/30/03	0.27	0.34	<0.22	1.20	1.06	16	<50	633.54
04/05/04	0.28	0.12	<0.22	<0.39	<0.44	7.4	<50	630.72
05/09/06	<0.14	<0.36	<0.40	<1.1	<0.79	28	NS	643.13
08/07/06	<0.14	<0.36	<0.40	<1.1	<0.79	13	NS	633.93
04/08/09	<0.23	<0.36	<0.40	<1.1	<0.79	27.2	NS	634.92
07/20/09	<0.23	<0.36	<0.40	<1.1	<0.79	16	NS	635.17
MW-10 Top of Well Screen: 636.02 Length of Well Screen: 10 feet								
11/22/02	<0.45	<0.68	<0.82	<0.77	<0.94	<0.43	<50	---
02/13/03	<0.45	<0.68	<0.82	<1.7	<0.94	<0.43	<50	630.20
07/01/03	<0.25	<0.11	<0.22	0.43	0.61	0.61	<50	630.44
04/05/04	<0.25	<0.11	<0.22	<0.39	<0.44	<0.23	<50	632.21
05/09/06	<0.14	<0.36	<0.40	<1.1	<0.79	<0.36	NS	630.77
08/07/06	<0.14	<0.36	<0.40	<1.1	0.66	<0.36	NS	629.39
04/08/09	<0.23	<0.36	<0.40	<1.1	<0.79	<0.36	NS	630.92
07/17/09	<0.23	<0.36	<0.40	<1.1	<0.79	<0.36	NS	631.08
MW-11 Top of Well Screen: 642.96 Length of Well Screen: 10 feet								
11/22/02	<0.45	<0.68	<0.82	<0.77	<0.94	<0.43	<50	---
02/13/03	<0.45	<0.68	<0.82	<1.7	<0.94	<0.43	<50	630.34
07/01/03	<0.25	0.18	<0.22	0.65	<0.25	<0.23	<50	630.57
04/05/04	<0.25	0.12	<0.22	<0.39	<0.44	<0.23	<50	631.81
05/09/06	<0.14	<0.36	<0.40	<1.1	<0.79	<0.36	NS	631.34
08/07/06	<0.14	<0.36	<0.40	1.75	1.89	<0.36	NS	630.83
04/08/09	<0.23	<0.36	<0.40	<1.1	<0.79	<0.36	NS	631.45
07/17/09	<0.23	<0.36	<0.40	<1.1	<0.79	<0.36	NS	631.67
MW-12 Well never produced water and was overdrilled and renamed MW-13.								
MW-13 Top of Well Screen: 643.19 Length of Well Screen: 15 feet								
08/07/06	<0.14	<0.36	<0.40	<1.1	<0.79	1.1	NS	634.89
04/08/09	<0.23	<0.36	<0.40	<1.1	<0.79	3.0	NS	636.18
07/17/09	<0.23	<0.36	<0.40	<1.1	<0.79	3.5	NS	636.56
RW-1 Top of Well Screen: 636.76 Length of Well Screen: 15 feet								
06/30/03	3,100	10,000	5,600	34,000	24,500	<140	430,000	637.99
4/5/2004	NS	NS	NS	NS	NS	NS	NS	637.99
05/09/06	NS	NS	NS	NS	NS	NS	NS	634.90
08/07/06	NS	NS	NS	NS	NS	NS	NS	634.68
04/09/09	2,370	504	483	2,900	1,072	71.6	NS	635.65
07/20/09	2,520	590	401	2,550	848	84.5	NS	635.90

Table 3
Summary of Groundwater Analytical Results

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES ⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
NR 140 PAL ⁽⁸⁾	0.5	200	140	1,000	96	12	NA	NA
DUPLICATE SAMPLES⁽⁹⁾								
11/92 (MW-2)	250	160	91	260	68	15	1,700	---
10/94 (MW-2)	200	600	210	1,300	490	<10.0	6,800	---
4/95 (MW-2)	160	370	110	930	400	<250	4,600	---
1/96 (MW-2)	290	610	230	1,600	720	<20	11,400	---
4/96 (MW-2)	290	450	210	1,060	570	180	8,700	---
8/94 (MW-3)	420	110	80	140	21	5,400	3,100	---
11/95 (MW-1)	2.1	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---
7/96 (MW-2)	58	120	51	280	128	24	810	---
10/96 (MW-2)	540	1,100	370	2,700	730	220	9,400	---
1/97(MW-2)	56	75	55	310	188	<10	2,100	---
4/97 (MW-2)	98	140	98	490	252	40	2,300	---
7/97 (MW-2)	42	68	62	250	116	39	1,300	---
10/97 (MW-2)	23	30	39	110	82	<10	580	---
1/98 (MW-2)	38	120	64	670	371	<2.0	3,300	---
4/98 (MW-2)	38	150	88	710	440	60	3,600	---
7/98 (MW-2)	220	770	480	2,300	970	280	9,900	---
11/98 (MW-2)	1.7	4.7	5.3	14	11.1	2.2	87	---
5/99 (MW-5)	410	310	190	820	440	93	6,200	---
11/99 (MW-4)	25	2.2	16	1.7	<1.4	1,100	780	---
6/00 (MW-3)	32	2.6	7.6	14	4.5	1,300	710	---
11/00 (MW-3)	47	1,100	15.0	13	6.5	1,100	530	---
4/01 (MW-2)	660	520	460	5,500	2,130	<8.0	17,000	---
10/01 (MW-7)	8.9	0.26	<0.22	0.89	<0.29	62	<50	---
6/02 (MW-7)	3.6	0.22	<0.22	0.38	<0.29	49	<50	---
2/03 (MW-1)	<0.45	<0.68	<0.82	<1.7	1.7	<0.43	<50	---
6/03 (MW-7)	25	1.8	0.96	6.80	2.53	30	93	---
4/04 (MW-3)	11	0.6	1.80	4.60	0.91	630 J	320	---
8/06 (MW-13)	<0.14	<0.36	<0.40	<1.1	<0.79	1.0	NS	---
4/09 (MW-4)	65.4	0.47	7.1	<1.1	<0.79	38	NS	---
7/09 (MW-4)	23.8	<0.36	3.8	<1.1	<0.79	12.8	NS	---

**Table 3
Summary of Groundwater Analytical Results**

Former 7-Eleven Store #30501
6204 North Port Washington Rd., Glendale, WI 53217
BRRTS # 03-41-002380

Sample Date	Benzene	Toluene	Ethyl benzene	Xylenes (total)	TMBs ⁽¹⁾ (total)	MTBE ⁽²⁾	GROs ⁽³⁾	Water Level ⁽⁴⁾
NR 140 ES⁽⁷⁾	5	1,000	700	10,000	480	60	NA	NA
<i>NR 140 PAL⁽⁸⁾</i>	<i>0.5</i>	<i>200</i>	<i>140</i>	<i>1,000</i>	<i>96</i>	<i>12</i>	NA	NA
TRIP BLANK								
11/18/92	<0.5	<2.0	<1.0	<1.0	<1.0	<10.0	<100	---
08/18/94	<0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---
10/25/94	<0.5	1.1	<1.0	<1.0	<1.0	<10.0	<100	---
04/07/95	<0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---
11/30/95	<0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---
01/25/96	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	---
04/23/96	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<100	---
07/09/96	<1.0	<2.0	<2.0	<3.0	<2.0	<2.0	<100	---
10/08/96	<1.0	<2.0	<2.0	<3.0	<2.0	<2.0	<100	---
01/30/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<50	---
04/17/97	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
07/15/97	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
10/16/97	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
01/28/98	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
04/28/98	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
07/30/98	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
11/01/98	<0.50	<0.50	<0.50	<0.50	<1.0	<0.20	<50	---
05/21/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	---
11/02/99	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	---
06/09/00	<0.13	0.32	<0.22	<0.23	<0.29	<0.16	<50	---
11/30/00	<0.13	<0.20	<0.22	<0.23	NA	NA	<50	---
04/27/01	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	---
10/16/01	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	---
06/12/02	<0.13	<0.20	<0.22	<0.23	<0.29	<0.16	<50	---
11/06/02	<0.45	<0.68	<0.82	<0.77	<0.94	<0.43	<50	---
11/22/02	<0.45	<0.68	<0.82	<0.77	<0.94	<0.43	<50	---
02/13/03	<0.45	<0.68	<0.82	<1.7	<0.94	<0.43	NA	---
06/30/03	<0.25	<0.11	<0.22	<0.39	<0.25	<0.23	<50	---
07/01/03	<0.25	<0.11	<0.22	<0.39	<0.25	<0.23	<50	---
04/05/04	<0.25	<0.11	<0.22	<0.39	<0.44	<0.23	<50	---
05/09/06	<0.14	<0.36	<0.40	<1.1	<0.79	<0.36	NS	---
08/07/06	<0.14	<0.36	<0.40	<1.1	<0.79	<0.36	NS	---
04/08/09	<0.23	<0.36	<0.40	<0.11	<0.79	<0.36	NS	---
07/17/09	<0.23	<0.36	<0.40	<0.11	<0.79	<0.36	NS	---
RINSATE								
08/18/94	<0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---
10/25/94	<0.5	<1.0	<1.0	<1.0	<1.0	<10.0	<100	---

Notes:

- * All analytical results are in ug/L (microgram per liter).
- * Bolded results indicate an exceedance of NR 140 Enforcement Standard (ES).
- * Italics results indicate an exceedance of NR 140 Preventive Action Level (PAL).
- * Groundwater samples have not been filtered.

- (1) TMBs (total) = Total of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene.
- (2) MTBE = Methyl tert-butyl ether.
- (3) GROs = Gasoline range organics.
- (4) Water level is measured in feet above mean sea level. Wells were surveyed on May 9, 2006.
- (5) < indicates not detected above the laboratory method detection limit.
- (6) NS = Not Sampled or analyzed.
- (7) Enforcement Standards (ES) contained in Chapter NR 140, Wisconsin Administrative Code, Jan. 2007.
- (8) Preventive Action Limits (PAL) contained in Chapter NR 140, Wisconsin Administrative Code, Jan. 2007.

July 30, 2008

MIK, L.L.C.
9427 71st Street
Kenosha, WI 53142

**Subject: Soil and Groundwater Geographic Information System (GIS Notification)
Former 7-Eleven Store #30501
6204 North Port Washington Road
Milwaukee, Wisconsin
WDNR BRRTS No.: 03-41-002380
PECFA # 53217-4310-04
ENSR Project #06230-040**

Dear Sir or Madam:

ENSR Corporation (ENSR) is issuing this letter to you on behalf of 7-Eleven, Inc., which operated a convenience store and sold gasoline on the property that you now own. ENSR is an environmental consulting firm contracted to 7-Eleven. Under applicable law, 7-Eleven is required to give notice to those that may be affected by a release from gasoline equipment.

Groundwater and soil contamination originated on the former 7-Eleven property at 6204 North Port Washington Road in Glendale, Wisconsin (figures have been included showing the inferred impact to the soil and groundwater). The levels of petroleum-related compounds on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code (WAC) and above the state soil residual contaminant levels found in chapter NR 720 WAC. However, environmental investigation indicates the groundwater contaminant plume is stable or receding and will naturally degrade over time. It is believed that allowing natural attenuation to complete the cleanup will meet the requirements for case closure that are found in chapter NR 726 and Comm 46, WAC. The Department of Natural Resources ("Department") will be requested to accept natural attenuation as the final remedy for this site and to grant case closure. Case closure means that the Department will not be requiring further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A fact sheet is attached that explains natural attenuation (Department of Natural Resources' publication #RR-671, Fact Sheet -- "*What Landowners Should Know: Information about Using Natural Attenuation to Clean up Contaminated Groundwater*").

The Department will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department that is relevant to this closure request, you should mail that information to the Department address listed at the end of this letter.

July 30, 2008
Page 2 of 3

If this case is closed, all properties within the boundaries, where soil or groundwater contamination exceeds chapter NR 140 groundwater enforcement standards or NR 720 residual contaminant levels, will be listed on the Departments Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the locations of properties in Wisconsin where groundwater contamination above chapter NR 140 and soil contamination above NR 720 was found at the time that the case was closed. This GIS Registry will be available to the general public on the Departments Internet web site. Please review the enclosed legal description of your property, listed at the end of this letter, and notify us within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's drinking Water and Groundwater Program. The well construction application, form 3300-254, is on the internet at <http://www.dnr.wi.gov/org/water/dwg/3300254.pdf>, or may be accessed through the GIS Registry web address in the preceding paragraph.

Once the Department makes a decision on the closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of the closure letter by requesting a copy from me, by writing to the agency address given below, or by accessing the Departments GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

7-Eleven values its relationship with the community and all of its neighbors. If you need more information, you may contact Mr. John Hnat of the Department or Mr. Peter Moore of ENSR, the environmental consultant for 7-Eleven, Inc. Their contact information is listed at the end of this letter and in the letterhead, respectively.

Sincerely,

ENSR Corporation



Kazumi Nakada.
Staff Specialist



Peter J. Moore, P.G.
Senior Project Manager

Attachments

cc: Mr. Ken Hilliard, 7-Eleven, Inc.
Mr. John Hnat, WDNR

July 30, 2008
Page 3 of 3

Mr. John Hnat
Wisconsin Department of Natural Resources
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
(414) 263-8500

Ken Hilliard
7-Eleven, Inc.
Environmental Manager
P.O. Box 711 (Loc. 0148)
Dallas, Texas 75221-0711
(972) 828-6592

Tax Legal Description of Property Located at 6204 North Port Washington Road Glendale,
Wisconsin (Obtained from City of Glendale website)

COM AT INTERSECTION OF CENLINE OF N PORT WASHINGTON RD& S LINE OF N1/2 OF
NE1/4SEC 29-8-22 TH E 206.15' N182' W 217.18' TH S 5D56M15S E 65.65' TH S 1D38M W116.75'
TO BEG CONT 0.883ACS

SOURCE
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MIK LLC
9427 71ST STREET
KENDOSHA WI 53142

2. Article Number

(Transfer from service label)

7002 1000 0004 7499 9392

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

[Handwritten Signature]

Agent

Addressee

B. Received by (Printed Name)

[Handwritten Name]

C. Date of Delivery

[Handwritten Date]

D. Is delivery address different from item 1? Yes

If YES, enter delivery address below: No

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

O.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

July 30, 2008

Shar TeBeest.

Wisconsin Department of Transportation
Bureau of Environmental Equity Service
P.O. Box 7965
Madison, WI 53707-7965

Subject: Soil and Groundwater Geographic Information System (GIS Notification)
Former 7-Eleven Store #30501
6204 North Port Washington Road
Milwaukee, Wisconsin
WDNR BRRTS No.: 03-41-002380
PECFA # 53217-4310-04
ENSR Project #06230-040

Dear. Ms.TeBeest

ENSR Corporation (ENSR) is issuing this letter to you on behalf of 7-Eleven, Inc., which operated a convenience store and sold gasoline at the address listed above. ENSR is an environmental consulting firm contracted to 7-Eleven. Under applicable law, 7-Eleven is required to give notice to those that may be affected by a release from gasoline equipment.

Groundwater and soil contamination originated on the former 7-Eleven property at 6204 North Port Washington Road in Glendale, Wisconsin (figures have been included showing the inferred impact to the soil and groundwater). The levels of petroleum-related compounds found in the Right-of-Way ("ROW") of North Port Washington Road are above the state groundwater Enforcement Standards found in chapter NR 140, Wisconsin Administrative Code (WAC) and above the state soil Residual Contaminant Levels found in chapter NR 720 WAC. However, environmental investigation indicates the groundwater contaminant plume is stable or receding and will naturally degrade over time. It is believed that allowing natural attenuation to complete the cleanup will meet the requirements for case closure that are found in chapter NR 726 and Comm 46, WAC. The Department of Natural Resources ("Department") will be requested to accept natural attenuation as the final remedy for this site and to grant case closure. Case closure means that the Department will not be requiring further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A fact sheet is attached that explains natural attenuation (Department of Natural Resources' publication #RR-671, Fact Sheet – *"What Landowners Should Know: Information about Using Natural Attenuation to Clean up Contaminated Groundwater"*).

The Department will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department that is relevant to this closure request, you should mail that information to the Department address listed at the end of this letter.

July 30, 2008
Page 2 of 3

If this case is closed, all properties within the boundaries, where soil or groundwater contamination exceeds chapter NR 140 groundwater Enforcement Standards or NR 720 Residual Contaminant Levels, will be listed on the Department's Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the locations of properties in Wisconsin where groundwater contamination above chapter NR 140 and soil contamination above NR 720 was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department's Internet web site.

Should you or any subsequent property owner wish to construct or reconstruct a well on the ROW, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on the ROW in the future will first need to obtain approval from a regional water supply specialist in DNR's drinking Water and Groundwater Program. The well construction application, form 3300-254, is on the internet at <http://www.dnr.wi.gov/org/water/dwg/3300254.pdf>, or may be accessed through the GIS Registry web address in the preceding paragraph.

Once the Department makes a decision on the closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of the closure letter by requesting a copy from me, by writing to the agency address given below, or by accessing the Department's GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

7-Eleven values its relationship with the community and all of its neighbors. If you need more information, you may contact Mr. John Hnat of the Department or Mr. Peter Moore of ENSR, the environmental consultant for 7-Eleven, Inc. Their contact information is listed at the end of this letter and in the letterhead, respectively.

Sincerely,

ENSR Corporation



Kazumi Nakada
Staff Specialist



Peter J. Moore, P.G.
Senior Project Manager

Attachments

cc: Mr. Ken Hilliard, 7-Eleven, Inc.
Mr. John Hnat, WDNR

July 30, 2008
Page 3 of 3

Mr. John Hnat
Wisconsin Department of Natural Resources
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
(414) 263-8500

Ken Hilliard
7-Eleven, Inc.
Environmental Manager
P.O. Box 711 (Loc. 0148)
Dallas, Texas 75221-0711
(972) 828-6592

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

SMAR TEBEEST
WI DOT
BUREAU OF ENVIRO. EQUITY SERVICE
PO BOX 7965
MADISON WI 53707-7965

COMPLETE THIS SECTION ON DELIVERY

A. Signature *Debbie Lamb* Agent
X Addressee

B. Received by (Printed Name) *Debbie Lamb* C. Date of Delivery

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
(Transfer from service label)

7002 1000 0004 7499 9378

July 30, 2008

Dave Eastman
Director of Public Work
City of Glendale
5909 North Milwaukee River Parkway
Glendale, WI 53209

Subject: Soil Geographic Information System (GIS Notification)
Former 7-Eleven Store #30501
6204 North Port Washington Road
Milwaukee, Wisconsin
WDNR BRRTS No.: 03-41-002380
PECFA # 53217-4310-04
ENSR Project #06230-040

Dear. Mr. Eastman

ENSR Corporation (ENSR) is issuing this letter to you on behalf of 7-Eleven, Inc., which operated a convenience store and sold gasoline at the address listed above. ENSR is an environmental consulting firm contracted to 7-Eleven. Under applicable law, 7-Eleven is required to give notice to those that may be affected by a release from gasoline equipment.

Soil contamination originated on the former 7-Eleven property at 6204 North Port Washington Road in Glendale, Wisconsin (a figure has been included showing the inferred impact to the soil). The levels of petroleum-related compounds found in the Right-of-Way ("ROW") of Bender Road above the state soil residual contaminant levels found in chapter NR 720 WAC. It is believed that allowing natural attenuation to complete the cleanup will meet the requirements for case closure that are found in chapter NR 726 and Comm 46, WAC. The Department of Natural Resources ("Department") will be requested to accept natural attenuation as the final remedy for this site and to grant case closure. Case closure means that the Department will not be requiring further investigation or cleanup action to be taken, other than the reliance on natural attenuation. A fact sheet is attached that explains natural attenuation (Department of Natural Resources' publication #RR-671, Fact Sheet - *What Landowners Should Know: Information about Using Natural Attenuation to Clean up Contaminated Groundwater*).

The Department will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department that is relevant to this closure request, you should mail that information to the Department address listed at the end of this letter.

July 30, 2008
Page 2 of 3

If this case is closed, all properties within the boundaries, where soil or groundwater contamination exceeds chapter NR 140 groundwater enforcement standards or NR 720 residual contaminant levels, will be listed on the Department's Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the locations of properties in Wisconsin where groundwater contamination above chapter NR 140 and soil contamination above NR 720 was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department's Internet web site.

Should you or any subsequent property owner wish to construct or reconstruct a well on to ROW, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well in the ROW in the future will first need to obtain approval from a regional water supply specialist in DNR's drinking Water and Groundwater Program. The well construction application, form 3300-254, is on the internet at <http://www.dnr.wi.gov/org/water/dwg/3300254.pdf>, or may be accessed through the GIS Registry web address in the preceding paragraph.

Once the Department makes a decision on the closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of the closure letter by requesting a copy from me, by writing to the agency address given below, or by accessing the Department GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

7-Eleven values its relationship with the community and all of its neighbors. If you need more information, you may contact Mr. John Hnat of the Department or Mr. Peter Moore of ENSR, the environmental consultant for 7-Eleven, Inc. Their contact information is listed at the end of this letter and in the letterhead, respectively.

Sincerely,

ENSR Corporation



Kazumi Nakada
Staff Specialist



Peter J. Moore, P.G.
Senior Project Manager

Attachments

cc: Mr. Ken Hilliard, 7-Eleven, Inc.
Mr. John Hnat, WDNR

July 30, 2008
Page 3 of 3

Mr. John Hnat
Wisconsin Department of Natural Resources
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
(414) 263-8500

Ken Hilliard
7-Eleven, Inc.
Environmental Manager
P.O. Box 711 (Loc. 0148)
Dallas, Texas 75221-0711
(972) 828-6592

RIGHT-OF-WAY

SENDER: COMPLETE THIS SECTION



so that we can return the card to you.
■ Attach this card to the back of the mailpiece,
or on the front if space permits.

1. Article Addressed to:

DAVE EASTMAN
DIRECTOR OF PUBLIC WORK
CITY OF GLENDALE
5909 N MILWAUKEE RIVER PKWAY
GLENDALE WI 53209

2. Article Number
(Transfer from service label)

7002 1000 0004 7499 9385

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *Steven L. Ramminger* Agent
 Addressee

B. Received by (Printed Name)

STEVEN L. RAMMINGER

C. Date of Delivery

D. Is delivery address different from Item 1? Yes
If YES, enter delivery address below: No

3. Service Type

Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes