

## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-0436  
Telephone 414-263-8500  
FAX 414-263-8606  
TTY 711

October 20, 2008

Mr. Rick Duken  
R & L Carriers, Inc.  
P. O. Box 8000  
Wilmington, Ohio 45177

Subject: Final Case Closure with Land Use Limitations or Conditions  
Former ANR Advance Transportation Company  
5005 South 6<sup>th</sup> Street, Milwaukee, Wisconsin 53221  
FID#: 241222630; BRRTS#: 03-41-168097; PECFA Claim #53221-3615-05B

Dear Mr. Duken:

On September 5, 2006, the Department of Natural Resources (Department) reviewed the above referenced case for closure. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. Information submitted to the Department for closure request includes soil and groundwater documents for GIS registry. On January 12, 2007, the Department notified you that additional site information, including cap maintenance plan, was needed to complete the closure review.

On May 27, 2008, the Department received all of the requested information. Based on the correspondence and data provided in the case file and the additional requested site information received, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

### **Impervious Barrier Required**

Pursuant to s. 292.12(2)(a), Wis. Stats., the paved surfaces or other impervious cap that currently exists in the location shown on the attached map (**Extent of Soil and Groundwater Contamination, and Pavement Cover and Building Barrier - Exhibit A**) shall be maintained in compliance with the attached maintenance plan in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific

Mr. Rick Duken  
RE: Final Case Closure with Land Use Limitations or Conditions  
Former ANR Advance Transportation Company, Milwaukee, Wisconsin  
Page 2.

location(s) described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

*The following activities are prohibited on any portion of the above described impervious barrier area of the property where pavement, a building foundation, soil cover, engineered cap or other barrier is required as shown on the attached map (Extent of Soil and Groundwater Contamination, and Pavement Cover and Building Barrier - Exhibit A), unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.*

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision, please contact Eric Amadi at (414) 263-8639.

Sincerely,



James A. Schmidt  
Southeast Region Remediation & Redevelopment Team Supervisor

cc: Jonathan Lewis - Northern Environmental, Inc.  
SER Case File #: 03-41-168097; Bill Phelps - DG/2; Monica Weiss - Commerce

## PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN

For the Property at: 5005 South 6<sup>th</sup> Street, Milwaukee, WI 53221

WDNR FID #241222630, BRRTS #02-41-168097

LEGAL DESCRIPTION: THAT PART OF THE NORTHWEST ¼ OF SECTION 29, TOWNSHIP 6 NORTH, RANGE 22 EAST, IN THE CITY OF MILWAUKEE, COUNTY OF MILWAUKEE AND STATE OF WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID ¼ SECTION; THENCE NORTH 89°58'40" WEST ALONG THE SOUTH LINE OF SAID ¼ SECTION, 1592.90 FEET TO A POINT; THENCE NORTH 03°35'40" WEST ALONG THE EAST LINE OF A DRAINAGE CHANNEL CONVEYED TO THE CITY OF MILWAUKEE, 694.84 FEET TO A POINT; THENCE NORTHEASTERLY 265.72 FEET ON THE ARC OF CURVE ALONG SAID CHANNEL, WHOSE CENTER LIES TO THE EAST, WHOSE RADIUS IS 162.50 FEET, AND WHOSE CHORD BEARS NORTH 45°28'00" EAST, 237.09 FEET TO A POINT; THENCE SOUTH 89°54'20" EAST ALONG SAID CHANNEL, 1474.02 FEET TO A POINT IN THE EAST LINE OF SAID ¼ SECTION; THENCE DUE SOUTH ALONG THE EAST LINE OF SAID ¼ SECTION, 864.37 FEET TO THE POINT OF BEGINNING, EXCEPTING THEREFROM THOSE PARTS HERETOFORE DEDICATED FOR STREET PURPOSES AND THOSE PARTS CONVEYED FOR STREET PURPOSES.

TAX #625-9978-117-5

Prepared: February 7, 2007

### Introduction

This document is the Maintenance Plan for a pavement cover and building barrier at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing slab on grade building and other paved surfaces occupying the area over the contaminated groundwater plume and soil on-site. The contaminated groundwater plume or soil is impacted by diesel range organics, benzene, ethylbenzene, xylenes, benzo(a)pyrene, benzo(b)fluoranthene, chrysene, and naphthalene. The location of the paved surfaces and building to be maintained in accordance with this Maintenance Plan, as well as the impacted groundwater plume and soil are identified on the attached map (Exhibit A).

### Cover and Building Barrier Purpose

The paved surfaces and the building foundation over the contaminated groundwater plume and soil serve as a partial infiltration barrier to minimize future soil-to-groundwater contamination migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

### Annual Inspection

The paved surfaces and building foundation overlying the contaminated groundwater plume and soil and as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log.

### Maintenance Activities

If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of potential direct contact exposure hazard and provide them with appropriate personal protection equipment. The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored, and disposed of by the owner in accordance with applicable local, state, and federal law.

In the event the paved surfaces and/or the building overlying the contaminated groundwater plume or soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the Wisconsin Department of Natural Resources WDNR, or its successor.


The property owner, in order to maintain the integrity of the paved surfaces and/or the building, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, WDNR, etc.) for viewing.

### Amendment or Withdrawal of Maintenance Plan


This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

#### Contact Information as of February 2007


Site Owner and Operator:	R+L Carriers, Incorporated Post Office Box 8000 Wilmington, Ohio 45177 800.543.5589
Consultant:	Northern Environmental Technologies, Incorporated 10275 North Corporate Parkway, Suite 200 Mequon, Wisconsin 53092 262.241.3133
WDNR:	Eric Amadi Wisconsin Department of Natural Resources 2300 North Dr. M. L. King, Jr. Drive Milwaukee, Wisconsin 53212 414.263.8639




**LEGEND**



**B1200 MW1200** MONITORING WELL AND BOREHOLE LOCATION & IDENTIFICATION




**B1400** BOREHOLE LOCATION & IDENTIFICATION



**OW1** FORMER OBSERVATION WELL LOCATION & IDENTIFICATION




**1** FORMER 1,000 GALLON USED MOTOR OIL UST



**2** FORMER 10,000 GALLON NEW MOTOR OIL UST



PRODUCT PIPING



FENCE



EXTENT OF SOIL WITH PETROLEUM CONCENTRATIONS EXCEEDING NR720 GENERIC RCLs



EXTENT OF GROUNDWATER CONTAINING PETROLEUM CONCENTRATIONS ABOVE NR 140, WIS. ADM. CODE STANDARDS



AREA OF PAVEMENT COVER AND BUILDING BARRIER TO BE MAINTAINED



SCALE IN FEET



**Northern Environmental**<sup>SM</sup>

Hydrologists • Engineers • Surveyors • Scientists

12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

**EXHIBIT A**  
**EXTENT OF SOIL AND GROUNDWATER CONTAMINATION, AND PAVEMENT COVER AND BUILDING BARRIER**

FORMER ANR ADVANCED TRANSPORTATION COMPANY  
MILWAUKEE, WISCONSIN

DATE: 07/25/06

DRAWN BY: KAA

TASK NUMBER: 200

PROJECT NUMBER: RLR 01-2200-2075





## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-3128  
FAX 414-263-8606  
Telephone 414-263-8500  
TTY Access via relay - 711

February 6, 2008

Mr. Rick Duken  
R & L Carriers, Inc.  
P. O. Box 8000  
Wilmington, Ohio 45177

Subject: Conditional Case Closure With Requirements to Achieve Final Closure  
Former ANR Advance Transportation Company  
5005 South 6<sup>th</sup> Street, Milwaukee, WI 53221  
FID #: 241222630; BRRTS #: 03-41-168097; PECFA Claim #: 53221-3615-05B

Dear Mr. Duken:

On September 5, 2006, your request for closure of the case described above was reviewed by the Department of Natural Resources (Department). The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. Information submitted to the Department for closure request includes soil and groundwater documents for GIS registry. On January 12, 2007, the Department notified you that additional site information was needed to complete the case closure review.

On December 18, 2007, the Department received the additional requested information. Based on the information provided, the Department has determined that the petroleum contamination related to the former underground storage tanks on the site appear to have been investigated and remediated to the extent practicable under site conditions. Your case will be closed under s. NR 726.05, Wis. Adm. Code, if the following condition is satisfied:

### **MONITORING WELL ABANDONMENT**

The monitoring wells at the site and/or those monitoring wells associated with the cleanup activities of this site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to the Department on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dgw/gw/](http://www.dnr.state.wi.us/org/water/dgw/gw/) or those provided by the Department. When the above condition has been satisfied, please submit a letter to let me know that the applicable condition has been met and your case will be closed.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites when closure letter is issued. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Mr. Rick Duken  
R & L Carriers, Inc.  
RE: Conditional Case Closure With Requirements to Achieve Final Closure  
Former ANR Advance Transportation Company  
February 6, 2008  
Page 2.

State Statute 101.143 requires that PECFA claimants seeking reimbursement of interest costs, to submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.


The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (414) 263-8639.

Sincerely,



Eric Amadi  
Hydrogeologist - SER/Milwaukee  
Bureau for Remediation & Redevelopment

cc: Jonathan Lewis - Northern Environmental, Inc., 12075 North Corporate Parkway  
Mequon, WI 53092  
SER case File #: 03-41-168097



WARRANTY DEED

Document Number

REGISTER'S OFFICE | SS  
Milwaukee County, WI

RECORDED AT 1:50 PM

06-28-1999

REEL 4593 IMAGE 2445

WALTER R. BARCZAK  
REGISTER OF DEEDS

AMOUNT 14.00

This Deed, made between  
J and L Terminals of Milwaukee, LLP, a Wisconsin  
limited liability partnership

Grantor,  
and

R.L.R. Investments, L.L.C., an Ohio limited  
liability company

Grantor, for a valuable consideration, conveys and warrants to Grantee  
the following described real estate in Milwaukee  
County, State of Wisconsin:

See attached EXHIBIT A for description of real  
estate.

Recording Area

Name and Return Address

Donald R. DeLuca  
R.L.R. Investments, L.L.C.  
600 Gillam Road  
Wilmington OH 45177-0271

TRANSFER

\$17,400.00  
FEE

625-9978-117-5

Parcel Identification Number (PIN)

This is not homestead property.  
(is) (is not)

Exceptions to warranties:

See attached EXHIBIT B for description of Permitted Exceptions.

Dated this 4th day of June, 1999.

J and L Terminals of Milwaukee, LLP, a Wisconsin limited liability partnership

By: Richard H. Lindner, Partner

By: James L. Joppe, Partner

By: Ronald G. Lindner, Partner

AUTHENTICATION

Signature(s) Richard H. Lindner, Ronald G.  
Lindner and James L. Joppe

authenticated this 4th day of June, 1999

\* Richard W. Silverthorn

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Daniel W. Gentges  
Whyte Hirschboeck Dudek S.C.  
(Signatures may be authenticated or acknowledged. Both are  
not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN )  
) ss.  
County. )

Personally came before me this \_\_\_\_\_ day of  
\_\_\_\_\_ the above named

to me known to be the person \_\_\_\_\_ who executed  
the foregoing instrument and acknowledged the same.

Notary Public, State of Wisconsin  
My Commission is permanent. (If not, state expiration date: \_\_\_\_\_)

\*Names of persons signing in any capacity must be typed or printed below their signature.

## EXHIBIT A

Description of Real Estate:

THAT PART OF THE NORTH WEST 1/4 OF SECTION 29, TOWNSHIP 6 NORTH, RANGE 22 EAST, IN THE CITY OF MILWAUKEE, COUNTY OF MILWAUKEE AND STATE OF WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH EAST CORNER OF SAID 1/4 SECTION; THENCE NORTH 89°58'40" WEST ALONG THE SOUTH LINE OF SAID 1/4 SECTION, 1592.90 FEET TO A POINT; THENCE NORTH 03°35'40" WEST ALONG THE EAST LINE OF A DRAINAGE CHANNEL CONVEYED TO THE CITY OF MILWAUKEE, 694.84 FEET TO A POINT; THENCE NORTHEASTERLY 265.72 FEET ON THE ARC OF A CURVE ALONG SAID CHANNEL, WHOSE CENTER LIES TO THE EAST, WHOSE RADIUS IS 162.50 FEET, AND WHOSE CHORD BEARS NORTH 45°15'00" EAST, 237.09 FEET TO A POINT; THENCE SOUTH 89°54'20" EAST ALONG SAID CHANNEL, 1474.02 FEET TO A POINT IN THE EAST LINE OF SAID 1/4 SECTION; THENCE DUE SOUTH ALONG THE EAST LINE OF SAID 1/4 SECTION, 864.37 FEET TO THE POINT OF BEGINNING, EXCEPTING THEREFROM THOSE PARTS HERETOFORE DEDICATED FOR STREET PURPOSES AND THOSE PARTS CONVEYED FOR STREET PURPOSES.

## EXHIBIT B

Permitted Exceptions:

1. Defects, liens, encumbrances, adverse claims or other matters, if any, created, first appearing in the public records or attaching subsequent to the effective date of Lawyers Title Insurance Corporation Commitment No. 176740 but prior to the date Grantee acquires for value of record the above-described real estate.
2. Utility easements of record.
3. Municipal and zoning restrictions and ordinances.
4. Taxes for the year 1999 and subsequent years, not now due or payable.
5. Easement granted to Wisconsin Electric Power Company by instrument recorded on June 4, 1973 in Reel/Volume 724, Image/Page 520, as Document No. 4765187.
6. Easement granted to Wisconsin Electric Power Company by instrument recorded on December 28, 1980 in Reel/Volume 1348, Image/Page 596, as Document No. 5449890.
7. Possible Sewer charges due, dependent upon development. Not now due or payable.
8. Financing Statement wherein J and L Terminals of Milwaukee, LLP, 5005 South 6th Street, Milwaukee, WI 53221 is debtor and AMRESKO Commercial Finance, Inc., 412 E. Park Center Blvd., Suite 300, Boise, ID 83706 is secured party, filed in the office of the Register of Deeds for Milwaukee County, Wisconsin on December 16, 1998, as No. 3811605; assigned within said document to Northwest Bank Minnesota, N.A., as custodian or trustee, Sixth & Marquette Ave., Minneapolis, MN 55479.
9. Mortgage, Assignment of Leases and Rents and Security Agreement from J and L Terminals of Milwaukee, LLP to AMRESKO Commercial Finance, Inc., dated October 16, 1998 and recorded in the office of the Register of Deeds for Milwaukee County, Wisconsin on December 16, 1998 in Reel/Volume 4458, Image/Page 2609, as Document No. 7652494; transferred by Assignment(s) to Norwest Bank Minnesota, National Association in its capacity as Indenture Trustee of the ACLC Business Loan Receivables Trust 1998-2, its successors and/or assigns.
10. Unpaid sewer and water user charges, whether or not now due and payable, which become liens against the premises with the taxes for the year 1999 and subsequent years.

January 31, 2006

Mr. Chris Hatfield  
Northern Environmental Technologies, Incorporated  
12075 North Corporate Parkway, Suite 210  
Mequon, Wisconsin 53092

RE: Signed Statement; 5005 South Sixth Street, Milwaukee, Wisconsin

Dear Mr. Hatfield:



The parcel ID # for the above-referenced site from the Milwaukee County Register of Deeds is 625-9978-117-5. The most-recent deed and survey map are enclosed. I, Rick Duken, am providing a signed statement that the legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick Duken". The signature is fluid and cursive, with the first name "Rick" and last name "Duken" clearly distinguishable.

Mr. Rick Duken  
R + L Carriers, Incorporated

Enclosures



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, GREENDALE, WISCONSIN, 1976 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

## **Northern Environmental**

*Hydrologists • Engineers • Surveyors • Scientists*

12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IS IT EXPRESSLY FURNISHED.


## SITE LOCATION & LOCAL TOPOGRAPHY

FORMER ANR ADVANCED TRANSPORTATION COMPANY  
MILWAUKEE, WISCONSIN

DATE: 07/25/06 DRAWN BY: KAA TASK NUMBER: 200


PROJECT NUMBER: RLR 01-1408-2075

FIGURE 1




**LEGEND**

-  APPROXIMATE UST LOCATION & IDENTIFICATION
-  APPROXIMATE PROPERTY BOUNDARY
-  OW1 FORMER OBSERVATION WELL LOCATION
-  MW100 MONITORING WELL LOCATION
-  SOIL AND/OR GROUNDWATER WITH PETROLEUM CONCENTRATIONS EXCEEDING REGULATORY LIMITS



 <b>Northern Environmental</b> <sup>SM</sup> Hydrologists • Engineers • Surveyors • Scientists 12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092 Phone: 800-776-7140 Fax: 262-241-8222 WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA		<h2 style="margin: 0;">SITE LAYOUT</h2>	
<small>This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.</small>		FORMER ANR ADVANCED TRANSPORTATION COMPANY MILWAUKEE, WISCONSIN	
DATE: 07/25/06	DRAWN BY: KAA	TASK NUMBER: 200	PROJECT NUMBER: RLR 01-2200-2075
			FIGURE 2



**LEGEND**

- B1200 MW1200 MONITORING WELL AND BOREHOLE LOCATION & IDENTIFICATION
- OW1 FORMER OBSERVATION WELL LOCATION & IDENTIFICATION



- FORMER 1,000 GALLON USED MOTOR OIL UST
- FORMER 10,000 GALLON NEW MOTOR OIL UST

- PRODUCT PIPING
- FENCE

92.0 GROUNDWATER ELEVATION IN FEET

GROUNDWATER FLOW DIRECTION

EXTENT OF GROUNDWATER WITH PETROLEUM CONCENTRATIONS EXCEEDING NR 140 WIS. ADMIN. CODE ES



**Northern Environmental**<sup>SM</sup>  
Hydrologists • Engineers • Surveyors • Scientists

12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092  
Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

**GROUNDWATER ELEVATION  
DECEMBER 28, 2005**

FORMER ANR ADVANCED TRANSPORTATION COMPANY  
MILWAUKEE, WISCONSIN

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 07/25/06	DRAWN BY: KAA	TASK NUMBER: 200	PROJECT NUMBER: RLR 01-2200-2075	FIGURE 3
----------------	---------------	------------------	----------------------------------	----------







FIGURE 4



CROSS SECTION REFERENCE MAP



EXPLANATION




DRAWN BY: M/J	PROJECT: ATC131377	DATE: 12/02/98	ANR ADVANCE TRANSPORTATION COMPANY MILWAUKEE, WISCONSIN
REV. DATE 08/24/98	<small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE LOANED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.</small>		
<b>Northern Environmental</b> Hydrologists • Engineers • Geologists			

FIGURE 5

K:\GAIN\ATC131377\ANR\112987-5.dwg

PRINTED: 11/04/98 08:08:07 112987-5.dwg



DRAWN BY: JAW	PROJECT: ATC131816	DATE:
REV. DATE 08/19/98	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
 <b>Northern Environmental</b> <sup>SM</sup> Hydrologists · Engineers · Geologists		

ANR ADVANCE TRANSPORTATION COMPANY  
MILWAUKEE, WISCONSIN

WATER TABLE  
ELEVATION CONTOURS  
SEPTEMBER 21, 1998

K:\CAD\NET\DWG\ATC131816\081998-6.DWG

S:\CAD\Mcquon\PROJECTS\RLR\2075\OLD\U131816\FIGURES\081998-6.dwg, Layout1, 7/31/2006 11:49:03 AM

FIGURE: 6

Table 1 Soil Sample Field Screening and Laboratory Results, Former ANR Advance Transportation Company, Milwaukee, Wisconsin

Sample Location	Sample Number	Depth (feet below grade)	Date Collected	PID Field Screening Results			Diesel Range Organics (mg/kg)	Laboratory Results														Petroleum Odor	Sample Description			
				Time		Photocatalytic Detector Response (pu)		Detected Volatile Organic Compounds (microgram per kilogram)																		
				Collected	Analyzed			Benzene	Bromobenzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	methyl-tertiary-butyl-ether	Naphthalene	n-Propylbenzene	Tetrachloroethane	Toluene	1,2,4-Trichlorobenzene			1,3,5-Trichlorobenzene	Total Xylenes	
NR 746, Wis. Adm. Code Generic Indicator of Residual Petroleum Product in Soil Pores				NE	8500	NE	NE	NE	NE	NE	4600	NE	NE	NE	2700	NE	NE	38000	83000	11000	42000					
NR 720, Wis. Adm. Code Generic RCL				100	5.5	NE	NE	NE	NE	NE	2900	NE	NE	NE	NE	NE	1500	NE	NE	4100						
B900 MW500	S901	2.0 - 4.0	07/12/94	1052	1210	0																		None None None None None None	Silty sand fill Clay to silty clay fill Clay to silty clay fill Clayey silt fill Clay to silty clay till Clay till	
	S902	4.5 - 6.5	07/12/94	1056	1211	2																				
	S903	6.5-8.5	07/12/94	1100	1212	0	<10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S904	8.5-10.5	07/12/94	1107	1213	0																				
	S905	12.0-14.0	07/12/94	1138	1214	0																				
S906	14.5-16.5	07/12/94	1143	1215	0																					
B1200 MW1200	1201	1-3	08/22/97	0843	1022	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None None None None None None	Brown silty clay, moist, fill Brown silty clay, moist, fill Brown silty clay, moist, fill Green silty clay, wet, fill Green silty clay, wet, fill Green clay, sand and gravel, wet, till/alluvium	
	1202	3.5-5.5	08/22/97	0915	1022	0	<10	79	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
	1203	6-8	08/22/97	0933	1022	0																				
	1204	8.5-10.5	08/22/97	0945	1022	0																				
	1205	11-13	08/22/97	0955	1023	0																				
1206	13.5-15.5	08/22/97	1010	1031	0	<10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
B1300 MW1300	1301	1-3	08/22/97	1205	1300	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None None None None None None	Brown silty clay, moist, fill Brown silty clay, moist, fill Brown silty clay, moist, fill Brown silty clay, wet, fill Brown silty clay, wet, fill Brown silty clay, wet, fill	
	1302	3.5-5.5	08/22/97	1210	1300	0	<10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
	1303	6-8	08/22/97	1220	1300	0																				
	1304	8.5-10.5	08/22/97	1235	1300	0																				
	1305	11-13	08/22/97	1250	1355	0																				
1306	13.5-15.5	08/22/97	1320	1355	0																					
B1400 MW1500	1401	1-3	08/22/97	1424	1850	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None None None Slight Strong Slight None	Sand, moist, fill Silty sand, moist, fill Silty sand, wet, fill Sandy clay, wet, till Sandy clay, wet, till Sandy clay, wet, till Brown clay, wet, till	
	1402	3.5-5.5	08/22/97	1430	1850	1.1																				
	1403	6-8	08/22/97	1437	1851	5.6																				
	1404	8.5-10.5	08/22/97	1447	1851	180	9200	99	<25	12,400	4000	<25	6300	<25	1590	<25	3600	13,800	<25	1030	6800	5000	8200			
	1405	11-13	08/22/97	1457	1851	22																				
1406	13.5-15.5	08/22/97	1508	1851	2	<10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
B1500	1501	1-3	08/22/97	1611	1852	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None None None None None None	Brown silty clay, moist, fill Brown silty clay, moist, fill Brown silty clay, moist, fill Greenish-black silty clay, wet, till Brownish-gray silty clay, wet, till Brown silty clay, wet, till	
	1502	3.5-5.5	08/22/97	1615	1853	1	<10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
	1503	6-8	08/22/97	1617	1853	2																				
	1504	8.5-10.5	08/22/97	1625	1854	0																				
	1505	11-13	08/22/97	1630	1854	0																				
1506	13.5-15.5	08/22/97	1640	1854	0																					
B1600	1601	0-2	09/22/98	0838	0902	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None None None None None	Gravel, dry, fill Clayey sand, moist, fill Silty clay, moist, fill No Recovery Silty clay, wet, till	
	1602	2-4	09/22/98	0840	0902	0																				
	1603	4-6	09/22/98	0845	0903	0																				
	1604	6-8	09/22/98	-	-	0																				
	1605	8-10	09/22/98	0857	0905	0																				
B1700	1701	6-8	09/22/98	0929	0935	1	<10	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	None	Silty clay, moist, till	

Note:  
 iui = instrument units as isobutylene  
 mg/kg = milligram per kilogram  
 <x = compound not detected above a reporting limit of x  
 - = not analyzed  
 NE = not established by Wisconsin Administrative Code  
 XXXX = exceeds Chapter NR 720, Wisconsin Administrative Code (NR 720, Wis. Adm. Code) Generic Residual Contaminant Level (RCL)

**Table 2 Free Product Measurements and Removal, Former ANR Advanced Transport Company, Milwaukee, Wisconsin**

Well Number	Date	Depth to Water (feet)	Depth to Product (feet)	Product Thickness (feet)	Volume of Liquid Pumped from OWI (gallons)	Volume of Free Product Removed by Belt Skimmer (gallons)	Notes
OWI	10/19/99	7.33	6.85	0.48	1000		Depth to bottom of used oil tank is 11.3 feet
	11/19/99	-	7.70	-			
	12/03/99	8.23	7.73	0.5	60		2 inches of product measured in tank. 30 gallons of oil pumped from tank. 40 gallons of oil and 20 gallon water pumped from OWI. Depth of OWI is 11.3 feet.
	02/04/00	>11.3	7.50	>3.8			
	04/25/00	-	-	-			Installed belt skimmer
	06/10/00	-	-	-		45	
	08/15/00	-	-	-	800	35	Belt skimmer removed, free product present on bailer
	08/23/00	6.08 to 6.35	5.90	0.18 to 0.45			
	10/30/00	-	6.40	present	438		Oil from 2 drums pumped as well.
	11/02/00	-	-	present			Installed belt skimmer. Depth of OWI is 10.3 feet
	12/04/00	-	-	present			Remove belt skimmer for repairs
	01/09/01	-	7.98	present	450		
	01/24/01	-	-	present	500		
	02/07/01	-	-	present	500		
	02/13/01	-	-	present	500		
	02/21/01	-	-	present	500		
	02/27/01	-	-	present	500		
	03/07/01	-	-	present	500		
	03/13/01	-	-	present	500		
	03/21/01	-	-	present	500		
	03/28/01	-	-	present	500		
	04/04/01	-	-	present	500		
	04/11/01	-	-	present	600		
	04/12/01	-	-	present			Installed belt skimmer
	05/22/01	-	-	present		25	
	06/06/01	-	-	present		10	
	07/03/01	-	-	present		18	
	10/16/01	-	-	sheen		12	
	12/28/01	-	-	sheen		<1	Remove belt skimmer
	04/15/02	-	-	sheen			
04/22/04	-	-	sheen			OWI is removed during UST removal	
<b>TOTAL</b>					8348	145	
MW500	12/03/99	8.90	8.87	0.03			
	02/04/00	9.71	9.35	0.36			
	04/25/00	8.55	-	0.2			
	08/15/00	6.88	-	0.1			Free product present
	08/23/00	NM	-	0.1			Free product present, but not measurable with OWI
	01/09/01	8.52	-	sheen			
	04/12/01	7.56	-	0.1			Free product present
	10/16/01	7.64	-	0.1			More product than previously noted on bailer
	06/10/05	8.34	-	none			Petroleum odor but no free product or sheen
	10/10/05	8.99	-	none			Petroleum odor but no free product or sheen
12/28/05	9.42	-	none			Petroleum odor but no free product or sheen	

Notes:  
 OWI = oil/water interface probe  
 - = not measured

**Table 3 Groundwater Elevation Data, Former ANR Advance Transportation, Milwaukee, Wisconsin**

Well Number	Ground Surface Elevation (feet)	Reference Point Elevation (Top of Riser) (feet)	Date	Depth to Water (feet below Reference Point) (feet)	Water Table Elevation (feet)
MW500 (B900)	101.79	101.29	07/20/94	6.97	94.32
			07/22/94	7.00	94.29
			08/03/94	7.00	94.29
			01/12/95	7.89	93.40
			08/01/96	6.94	94.35
			12/04/96	8.42	92.87
			03/11/97	8.24	93.05
			08/22/97	7.51	93.78
			10/27/97	8.25	93.04
			01/27/98	8.37	92.92
			06/04/98	7.27	94.02
			09/21/98	7.77	93.52
			10/19/99	8.72	92.57
			04/25/00	8.55	92.74
			08/15/00	6.88	94.41
			01/09/01	8.52	92.77
			04/12/01	7.56	93.73
10/16/01	7.64	93.65			
06/10/05	8.34	92.95			
10/10/05	8.99	92.30			
12/28/05	9.42	91.87			
MW1200 (B1200)	101.20	100.73	08/22/97	6.89	93.84
			10/27/97	7.67	93.06
			01/27/98	7.84	92.89
			06/04/98	6.68	94.05
			09/21/98	7.16	93.57
			10/19/99	7.70	93.03
			04/25/00	7.73	93.00
			08/15/00	7.37	93.36
			01/09/01	8.09	92.64
			04/12/01	6.98	93.75
			10/16/01	7.07	93.66
			06/10/05	8.09	92.64
			09/23/05	8.49	92.24
12/28/05	8.83	91.90			
MW1300 (B1300)	101.85	101.36	08/22/97	7.57	93.79
			10/27/97	8.26	93.10
			01/27/98	8.50	92.86
			06/04/98	7.24	94.12
			09/21/98	7.81	93.55
			10/19/99	8.11	93.25
			04/25/00	8.24	93.12
			08/15/00	7.38	93.98
			01/09/01	8.47	92.89
			04/12/01	7.54	93.82
			10/16/01	7.60	93.76
			06/10/05	8.48	92.88
			09/23/05	9.14	92.22
12/28/05	9.39	91.97			

**Table 3 Groundwater Elevation Data, Former ANR Advance Transportation, Milwaukee, Wisconsin**

Well Number	Ground Surface Elevation (feet)	Reference Point Elevation (Top of Riser) (feet)	Date	Depth to Water (feet below Reference Point) (feet)	Water Table Elevation (feet)
MW1400 (B1500)	101.95	101.43	08/22/97	7.23	94.20
			10/27/97	8.28	93.15
			01/27/98	8.57	92.86
			06/04/98	7.15	94.28
			09/21/98	7.80	93.63
			10/19/99	8.14	93.29
			04/25/00	8.15	93.28
			08/15/00	7.24	94.19
			01/09/01	8.50	92.93
			04/12/01	7.29	94.14
			10/16/01	7.62	93.81
			06/10/05	8.32	93.11
			09/23/05	9.01	92.42
			12/28/05	9.40	92.03
OW1	101.69	101.22	10/27/97	7.90	93.32
			01/27/98	8.21	93.01
			06/04/98	-	-
			09/21/98	8.05	93.17
			10/19/99	7.33	93.89
			04/22/04	Removed during UST removal	

Table 4 Groundwater Quality Data Laboratory Results, Former ANR Advance Transportation Company, Milwaukee, Wisconsin

Monitoring Well	Date Collected	Laboratory	DRO (µg/l)	Detected Volatile Organic Compounds (micrograms per liter (µg/l))														Detected Regulated Polynuclear Aromatic Hydrocarbons (micrograms per liter)							
				Benzene	n-Butylbenzene	sec-Butylbenzene	1,1-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	MTBE	Naphthalene	n-propylbenzene	Toluene	Trimethylbenzene	Total Xylenes	Anthracene	Benzo (a)-pyrene	Benzo (b)-fluoranthene	Chrysene	Fluoranthene	Fluorene	Naphthalene	Pyrene	
Chapter NR 140, Wisconsin Administrative Code Preventive Action Limit			NR	0.5	NR	NR	85	140	NR	NR	12	8	NR	200	96	1000	600	0.02	0.02	0.02	80	80	8	50	
Chapter NR 140, Wisconsin Administrative Code Enforcement Standard			NR	5.0	NR	NR	850	700	NR	NR	60	40	NR	1000	480	10,000	3000	0.2	0.2	0.2	400	400	40	250	
MW500	10/27/97	U.S. Analytical	110	<0.21	<0.38	<0.6	<0.31	<0.68	<0.38	<0.37	12	<1	<0.4	<1.5	<1.86	<1.2	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	<0.21	-	-	-	<0.68	-	-	11	-	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	-	
	06/05/98	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	52	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	10/19/99	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	26	-	<0.35	2.4**	<1.0	<0.037	<0.07	<0.1	<0.14	<0.25	0.48	<0.59	<0.074	-	
	04/25/00	U.S. Analytical	-	<0.39	-	-	-	<0.4	-	-	21	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-	
	08/15/00	Commonwealth	-	<0.50	-	-	-	<0.50	-	-	8.7	-	<0.50	<1	<1.50	-	-	-	-	-	-	-	-	-	
	01/09/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	7.5	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	01/09/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	7.6	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	04/12/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	12	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	10/16/01	Commonwealth	-	<0.30	-	-	-	4.6	-	<0.30	<0.30	-	<0.29	<0.60	<1.0	-	-	-	-	-	-	-	-	-	
	06/10/05	Synergy	-	<0.12	-	-	-	<0.5	-	-	5.0	-	<0.13	<1.11	<1.9	0.055	0.10	0.15	0.13	0.28	0.019**	<0.028	0.34	-	
	10/10/05	Synergy	-	<0.12	-	-	-	<0.5	-	-	6.3	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
	12/28/05	Synergy	-	<0.12	-	-	-	<0.5	-	-	7.2	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
MW1200	10/27/97	U.S. Analytical	1200	1.7	<0.38	<0.6	<0.31	<0.68	<0.38	<0.37	17	<1	<0.4	<1.5	<1.86	<1.2	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	1.8	<0.38	<0.6	<0.31	<0.68	<0.38	<0.37	9.2	<1	<0.4	<1.5	<1.86	<1.2	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	2.1	-	-	-	<0.68	-	-	14	-	<1.5	<1.86	2.1	-	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	1.8	<0.38	<0.6	<0.40	<0.68	<0.38	<0.37	15	<1	<0.4	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	
	06/05/98	U.S. Analytical	-	1.1	-	-	-	<0.34	-	-	9.4	-	<0.35	<0.99	<1.0	0.11**	<0.07	<0.1	<0.14	<0.25	<0.14	0.15**	<0.074	-	
	10/19/99	U.S. Analytical	-	7	-	-	-	<0.34	-	-	1.4	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	10/19/99	U.S. Analytical	-	7.2	-	-	-	<0.34	-	-	1.5	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	04/25/00	U.S. Analytical	-	5.8	-	-	-	<0.4	-	-	1.9	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-	
	04/25/00	U.S. Analytical	-	5.7	-	-	-	<0.4	-	-	1.9	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-	
	08/15/00	Commonwealth	-	5.2	-	-	-	<0.50	-	-	<0.40	-	<0.50	<1	<1.50	-	-	-	-	-	-	-	-	-	
	01/09/01	Commonwealth	-	4	-	-	-	<0.40	-	-	0.95	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	04/12/01	Commonwealth	-	2.6	-	-	-	<0.40	-	-	0.41**	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	04/12/01	Commonwealth	-	2.6	-	-	-	<0.40	-	-	0.41**	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	10/16/01	Commonwealth	-	3.4	-	-	-	1.4	-	<0.30	<0.30	-	<0.29	<0.60	<1.0	-	-	-	-	-	-	-	-	-	
	10/16/01	Commonwealth	-	3.1	-	-	-	0.83**	-	<0.30	<0.30	-	0.83**	2.02**	1.0**	-	-	-	-	-	-	-	-	-	
	06/10/05	Synergy	-	1.1	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	0.016**	<0.008	<0.009	<0.011	0.030**	0.052	0.030**	0.032**		
	09/23/05	Synergy	-	1.4	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
	12/28/05	Synergy	-	1.2	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
MW1300	10/27/97	U.S. Analytical	<100	<0.21	<0.38	<0.6	<0.31	<0.68	<0.38	<0.37	<0.21	<1	<0.4	<1.5	<1.86	<1.2	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	<0.21	-	-	-	<0.68	-	-	<0.21	-	<0.4	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	
	06/05/98	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	<0.31	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	10/19/99	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	<0.31	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	04/25/00	U.S. Analytical	-	<0.39	-	-	-	<0.4	-	-	<0.47	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-	
	08/15/00	Commonwealth	-	<0.50	-	-	-	<0.50	-	-	<0.40	-	<0.50	<1	<1.50	-	-	-	-	-	-	-	-	-	
	01/09/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	<0.40	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	04/12/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	<0.40	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	10/16/01	Commonwealth	-	<0.30	-	-	-	<0.30	-	-	<0.30	-	<0.30	<0.60	<1.0	-	-	-	-	-	-	-	-	-	
	06/10/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	<0.013	<0.008	<0.009	<0.011	<0.011	<0.015	<0.028	<0.01		
	09/23/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
	12/28/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
MW1400	10/27/97	U.S. Analytical	<100	<0.21	<0.38	<0.6	<0.31	<0.68	<0.38	<0.37	<0.21	<1	<0.4	<1.5	<1.86	<1.2	-	-	-	-	-	-	-	-	
	01/27/98	U.S. Analytical	-	<0.21	-	-	-	<0.68	-	-	<0.21	-	<0.4	<1.5	<1.86	<1.8	-	-	-	-	-	-	-	-	
	06/05/98	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	<0.31	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	10/19/99	U.S. Analytical	-	<0.32	-	-	-	<0.34	-	-	<0.31	-	<0.35	<0.99	<1.0	-	-	-	-	-	-	-	-	-	
	04/25/00	U.S. Analytical	-	<0.39	-	-	-	<0.4	-	-	<0.47	-	<0.37	<1.03	<1.43	-	-	-	-	-	-	-	-	-	
	08/15/00	Commonwealth	-	<0.50	-	-	-	<0.50	-	-	<0.40	-	<0.50	<1	<1.50	-	-	-	-	-	-	-	-	-	
	01/09/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	<0.40	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	04/12/01	Commonwealth	-	<0.40	-	-	-	<0.40	-	-	<0.40	-	<0.40	<0.80	<1.10	-	-	-	-	-	-	-	-	-	
	10/16/01	Commonwealth	-	<0.30	-	-	-	<0.30	-	-	<0.30	-	0.31**	<0.60	<1.0	-	-	-	-	-	-	-	-	-	
	06/10/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	<0.013	<0.008	<0.009	<0.011	0.019**	0.040**	0.035**	0.011**		
	09/23/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1.9	-	-	-	-	-	-	-	-	-	
	12/28/05	Synergy	-	<0.12	-	-	-	<0.5	-	<0.11	<0.11	-	<0.13	<1.11	<1										