


GIS REGISTRY INFORMATION



SITE NAME: Laidlaw Transit
BRRTS #: 03-41-197942 **FID # (if appropriate):** 241934220
COMMERCE # (if appropriate): 53209-3808-01
CLOSURE DATE: 09-May-2006
STREET ADDRESS: 5901 Glen Park Road
CITY: Glendale

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 688216 Y= 296751

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter or denial letter issued	x
Copy of most recent deed, including legal description, for all affected properties	x
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties	x
County Parcel ID number, if used for county, for all affected properties	x
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.	x
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.	x
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	x
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	x
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.	x
GW: Table of water level elevations, with sampling dates, and free product noted if present	x
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	x
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	x
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)	n/a
RP certified statement that legal descriptions are complete and accurate	x
Copies of off-source notification letters (if applicable)	n/a
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)	n/a
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure	n/a
Copy of any maintenance plan referenced in the deed restriction.	n/a



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

May 9, 2006

Mr. Donald MacFeely
Laidlaw Transit, Inc
1230 East Diehl Road, Suite 108
Naperville, IL 60563

Subject: Final Closure Letter for Laidlaw Transit Site, 5901 Glen Park Road, Glendale, WI

FID: 241934220
BRRTS: 03-41-197942 & 02-41-286727
PECFA: 53209-3808-01

Dear Mr. MacFeely:

On April 4, 2006, your site as described above was reviewed for closure by the Wisconsin Department of Natural Resources ("the Department"). The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 5, 2006, you were notified that conditional closure was granted to this case.

On May 9, 2006, the Department received the groundwater well abandonment forms from Dakota Intertek indicating that you have complied with the conditions of closure. Based on the correspondence and data provided, it appears that your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time. Furthermore, the NR 140.28 PAL exemption described in the conditional closure letter dated April 5, 2006 is now in effect.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains at depth greater than four feet at location GP-1, GP-7, MW-2, MW-4, and MW-7, as indicated in the information submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. All current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

ERP Activity 02-41-286272

Groundwater monitoring indicates that the chlorinated solvents detected in groundwater have attenuated below the Department's enforcement standard (ES), but above the preventative action limit (PAL). As indicated above, the PAL exemption is now in effect, therefore, the Department has closed this activity on this date in our tracking system.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.


The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact me at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



John J. Hnat, P. G.
Project Manager Senior Hydrogeologist
Southeast Region
Remediation and Redevelopment

C: Judy Fassbender, Dakota Intertek
WDNR SER Files



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

April 5, 2006

Mr. Donald MacFeely
Laidlaw Transit, Inc
1230 East Diehl Road, Suite 108
Naperville, IL 60563

Subject: Conditional Closure for Laidlaw Transit Site, 5901 Glen Park Road, Glendale, WI

FID: 241934220
BRRTS: 03-41-197942 & 02-41-286272
PRCFA: 53209-3808-01

Dear Mr. MacFeely:

On April 4, 2006, the Wisconsin Department of Natural Resources ("the Department") reviewed your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the petroleum (from the UST) and chlorinated solvent contamination that was located on the property appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code and will be closed if the following conditions are satisfied:

- The groundwater monitoring wells and any other remediation systems at the site must be properly abandoned in compliance with ch. NR 141, Wis. Admin. Code. Documentation of well abandonment must be submitted to this office on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw within 60-days on receipt of this letter as required in s. NR 726.05(8)(a)1 and s. NR 141.25 Wis. Admin. Code. The Department requires the abandonment of these wells before issuing a final closure letter.

Residual Soil

Residual soil contamination remains onsite at depths greater than four feet. The final closure letter will address the handling of this material if these areas are exposed in the future to protect human health and the environment.

ERP (BRRTS #02-41-286272)

The chlorinated solvents that were indicated in groundwater monitoring wells MW-2, MW-3, MW-4, MW-5, MW-6, and MW-7 that were above the Department's enforcement standard (ES) have attenuated below the Department's ch. NR 140 groundwater quality standards except for cis-1-2-dichloroethene in MW-7. The Department is granting a PAL exemption for this compound. The ERP activity will be closed in conjunction with the final closure for the LUST activity.

PAL Exemption (BRRTS #02-41-286272)

Recent groundwater monitoring data at this site indicates there is an exceedance of the ch. NR 140 Wis. Admin. Code preventive action limit (PAL) for cis-1,2-dichloroethene (cis-1-2-DCE) at location MW-7 (26.2

ppb), but in compliance with the ch. NR 140 Wis. Admin. Code, enforcement standard. The Department may grant an exemption from a PAL for a public health standard pursuant to s. NR 140.28(2)(b), Wis. Admin. Code, if all of the following criteria are met:

1. The measured or anticipated increase in the concentration of the substance will be minimized to the extent technically and economically feasible.
2. Compliance with the PAL is either not technically or economically feasible.
3. The enforcement standard for the substance will not be attained or exceeded at the point of standards application.
4. Any existing or projected increase in the concentration of the substance above the background concentration does not present a threat to public health or welfare.

Based upon the investigative and remedial documentation provided to the Department, it appears that the cis-1-2-DCE groundwater contamination at MW-7 has been investigated and remediated to the extent feasible under current site conditions. Therefore, pursuant to s. NR 140.28(2)(b), an exemption to the PAL is granted for cis-1-2-DCE at MW-2 (26.2 ppb). This letter serves as your exemption.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact me at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



John J. Hnat, P. G.
Project Manager/Senior Hydrogeologist
Southeast Region
Remediation and Redevelopment

C: Bill Phelps, WDNR, DG/2
Dept. of Commerce
Judy Fassbender, Dakota Intertek
WDNR SER Files

5682055

REGISTER'S OFFICE } 68
Milwaukee County, WI }
RECORDED AT-2:30 PM

DEC 30 1983 6-97
REEL 1600 IMAGE

Walter Campbell REGISTER OF DEEDS

This Deed, made between THE JEANETTE GOAN
REVOCABLE TRUST dated August 25, 1981, wherein
Jeanette Goan and Donald C. Bergman are Trustees
Grantor
and NATIONAL SCHOOL BUS SERVICE, INC.,
a New York corporation

Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Milwaukee
County, State of Wisconsin:

Lot One (1) of Certified Survey Map No. 1769
of a part of the South East One-quarter (1/4)
of Section Thirty (30), Town Eight (8) North,
Range Twenty-two (22) East, in the City of
Glendale, recorded on February 7, 1972 in Reel 634,
Images 1524 and 1525, as Document No. 4652442.

Tax Key No. 168-9970

DOC # 5682055 #
RECORD 4.00
RTX 654.00

TRANSFER
\$654.⁰⁰
FEE

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Grantor

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except Municipal
and Zoning Ordinances and Recorded Easements for Public Utilities,
Recorded Building Restrictions, and Taxes for Year 1983.

and will warrant and defend the same.

Dated this 30th day of November, 1983
THE JEANETTE GOAN REVOCABLE TRUST
BY: Jeanette Goan (SEAL)
Jeanette Goan, Trustee
Donald C. Bergman (SEAL)
Donald C. Bergman, Trustee

AUTHENTICATION

Signatures authenticated this 30th day of
November, 1983.

John M. Ellegard
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney John M. Ellegard
Milwaukee, Wisconsin

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

MILWAUKEE County, ss.

Personally came before me, this _____ day of _____, 1983, the above named
THE JEANETTE GOAN REVOCABLE TRUST
by Jeanette Goan and Donald C. Bergman, Trustees

to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

Milwaukee
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration date: _____, 19____.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

469

CERTIFIED SURVEY MAP NO. 1934

4677176

of a part of

THE SOUTH EAST 1/4 OF SECTION 30, TOWN 8 NORTH, RANGE 22 EAST

CITY OF GLENDALE
MILWAUKEE COUNTY, WISCONSIN

REGISTER'S OFFICE
Milwaukee County, Wis.
RECORDED AT 1.10P


WALLEN, LAHRY, WEBSTER & ASSOC., INC.
CIVIL ENGINEERS AND LAND SURVEYORS

on MAY 30 1972 in
Reel 654 Image 923
Wallace G. Nielsen
REGISTER OF DEEDS Jml


MAY 30-72 262594 • 4677176



N. GREEN BAY AVE.



0 - Junction 1" iron pipe
24" long, 113 1957



N. GLEN PARK RD.
S 135° 11' N 89° 28' 40" W
SE corner of SE 1/4 of Sec 30-8-22
E 1/2 line of west 1/2 of SE 1/4 of Sec 30-8-22

CERTIFIED SURVEY MAP NO. _____

of a part of
 THE SOUTHEAST 1/4 OF SECTION 30, TOWN 8 NORTH, RANGE 00 EAST
 CITY OF GLENDALE
 MILWAUKEE COUNTY, WISCONSIN

SURVEYOR'S CERTIFICATE:

State of Wisconsin }
 County of Milwaukee } SS

I W. G. NIENOW, Surveyor, do hereby certify that I have surveyed, divided, and mapped a parcel of land in the Southeast 1/4 of Section 30, Town 8 North, Range 22 East, in the City of Glendale, Milwaukee County, Wisconsin, bounded and described as follows:

Commencing at a point in the South line of said 1/4 Section, 1323.71 feet N89° 35'00"W of the Southeast corner thereof; thence NORTH along the occupied East line of the West 1/2 of said 1/4 Section, 2088.28 feet to the point of beginning of the lands about to be described; thence N 89°28'40"W and parallel to the North line of said 1/4 Section, 560.00 feet to a point; thence NORTH 164.69 feet to a point; thence N89°28'40"W 485.81 feet to a point in the centerline of N. Green Bay Ave.; thence N18°41'00"E along the centerline of N. Green Bay Ave., 104.69 feet to a point; thence S89°28'40"E and parallel to the North line of said 1/4 Section, 275.73 feet to a point; thence NORTH 75.00 feet to a point; thence S89°28'40"E 26.52 feet to a point; thence SOUTH 3.56 feet to a point; thence S89°28'40"E and parallel to the North line of said 1/4 Section, 455.00 feet to the Northwest corner of Certified Survey MAP NO. 1769; thence SOUTH 170.95 feet to a point; thence S89°28'40"E 255.00 feet to a point in the occupied East line of the West 1/2 of said 1/4 Section; thence SOUTH 164.49 feet to the point of beginning.

That I have made such survey, land division and map by the direction of MARQUARDT BUS SERVICE, INC., as owner.

That I have complied with the provisions of Chapter 236 of the Wisconsin State Statutes and the subdivision regulations of the City of Glendale in surveying and mapping the same.

Date: May 2, 1972

Wallace G. Nienow
 Wallace. G. Nienow, Surveyor



CERTIFIED SURVEY MAP NO. _____

OF a part of
THE SOUTH EAST 1/4 OF SECTION 30, TOWN 8 NORTH, RANGE 22 EAST

CITY OF GLENDALE: MILWAUKEE COUNTY, WISCONSIN

HLENOW, LANDRY, WEBSTER & ASSO., INC.
CIVIL ENGINEERS AND LAND SURVEYORS
CORPORATE OWNER'S CERTIFICATE

MARQUARDT BUS SERVICE INC., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the lands described above to be surveyed, divided, and mapped as represented on this map in accordance with the requirements of the City of Glendale, Milwaukee County, Wisconsin.

In Witness Whereof, the said MARQUARDT BUS SERVICE INC. has caused these presents to be signed by MERLE C. ZUEHLKE, President, and countersigned by CELIA M. ZUEHLKE, Secretary, and its corporate seal to be hereunto affixed on this 11 day of May, 1972.

IN THE PRESENCE OF:

Richard J. Janz
Richard J. Janz
William H. Sehmer

Merle C. Zuehlke
Merle C. Zuehlke, President

William H. Sehmer

Celia M. Zuehlke
Celia M. Zuehlke, Secretary

STATE OF WISCONSIN }
MILWAUKEE COUNTY } SS

Personally came before me this 11 day of May, 1972, MERLE C. Zuehlke, President and CELIA M. ZUEHLKE, Secretary of said Corporation and acknowledged that they executed the foregoing instrument as such officers as the deed of said Corporation, by its authority.

My Commission expires 7-27-75

Eleanor A. Thomas
Eleanor A. Thomas
Notary Public, Milwaukee County, Wis.

Approved by the Common Council of the City of Glendale in accordance with a resolution adopted May 16-1972.

Rudolph Mikulich
Rudolph Mikulich, City Clerk-Business Administrator

CERTIFIED SURVEY MAP NO. 1769

of a part of
THE SOUTHEAST 1/4 OF SECTION 30, TOWN 8 NORTH, RANGE 22 EAST
CITY OF GLENDALE
MILWAUKEE COUNTY, WISCONSIN

REC-172 225142 • 4652442 • D CA REC

NIENOW, LANDRY, WEBSTER & ASSOC., INC.
Civil Engineers and Land Surveyors

4652442

REGISTER'S OFFICE
Milwaukee County, Wis.
RECORDED AT

on FEB 7 - 1972 in
REG. 6314 IMAGE 524 -

Walter C. Engel 1525
REGISTER OF DEEDS




NORTH LINE OF S.E. 1/4 OF SEC. 30-8-27

N 89° 28' 40" W

LANDS

N 89° 28' 40" W 255.00



N. GLEN PARK RD.

S 89° 28' 40" E 255.00

LANDS

SCALE: 1 IN. = 30 FT.

Ø - DENOTES 1" DIA. IRON
PIPE, 24" LONG, WGT.
1.13 LBS. PER LIN. FOOT

SOUTH LINE OF S.E. 1/4 OF
SEC. 30-8-27

S.E. CORNER OF
S.E. 1/4 OF SEC. 30-8-27

CERTIFIED SURVEY MAP NO. _____

of a part of
THE SOUTHEAST 1/4 OF SECTION 30, TOWN 8 NORTH, RANGE 22 EAST
CITY OF GLENDALE
MILWAUKEE COUNTY, WISCONSIN

SURVEYOR'S CERTIFICATE

STATE OF WISCONSIN {
MILWAUKEE COUNTY SS

I, WALLACE G. NIENOW, Surveyor, do hereby certify that I have surveyed, divided, and mapped a parcel of land in the Southeast 1/4 of Section 30, Town 8 North, Range 22 East, in the City of Glendale, Milwaukee County, Wisconsin, bounded and described as follows:

Commencing at a point in the south line of said 1/4 Section, 1323.71 feet, N 89° 35' 00" W of the Southeast corner of said 1/4 Section; thence NORTH along the East line of the West 1/2 of said 1/4 Section, 2252.77 feet to the point of beginning of the land about to be described; continuing thence NORTH along the East line of the West 1/2 of said 1/4 Section, 170.95 feet to a point, said point being 229.18 feet SOUTH of the North line of said 1/4 Section; thence N 89° 28' 40" W and parallel to the North line of said 1/4 Section 255.00 feet to a point; thence SOUTH and parallel to the East line of the West 1/2 of said 1/4 Section, 170.95 feet to a point; thence S 89° 28' 40" E, 255.00 feet to the point of beginning.

That I have made such survey, land division, and map by the direction of MARQUARDT BUS SERVICE INC., as owner.

That I have complied with the provisions of Chapter 236 of the Wisconsin State Statutes and the subdivision regulations of the City of Glendale in surveying and mapping the same.

Date: January 17, 1972

Wallace G. Nienow 5-175
Wallace G. Nienow, Surveyor

CORPORATE OWNER'S CERTIFICATE

MARQUARDT BUS SERVICE INC., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the lands described above to be surveyed, divided, and mapped as represented on this map in accordance with the requirements of the City of Glendale, Milwaukee County, Wisconsin.

In Witness Whereof, the said MARQUARDT BUS SERVICE INC. has caused these presents to be signed by MERLE C. ZUEHLKE, President, and countersigned by CELIA M. ZUEHLKE, Secretary, and its corporate seal to be hereunto affixed on this 17th day of January, 1972.

IN THE PRESENCE OF:

Joseph J. Heintskill
Joseph J. Heintskill

Kathleen Ulrich
Kathleen Ulrich

Merle C. Zuehlke, President
Celia M. Zuehlke, Secretary
Seal of Marquardt Bus Service Inc., Milwaukee County, Wisconsin

STATE OF WISCONSIN {
MILWAUKEE COUNTY SS

Personally came before me this 17th day of January, 1972, MERLE C. ZUEHLKE, President and CELIA M. ZUEHLKE, Secretary of said Corporation and acknowledged that they executed the foregoing instrument as such officers as the deed of said Corporation, by its authority.



My Commission expires October 13, 1974

Kathleen Ulrich
Kathleen Ulrich
Notary Public, Milwaukee County, Wis.
Seal of Notary Public, Kathleen Ulrich, Milwaukee County, Wisconsin

Approved by the Common Council of the City of Glendale in accordance with a resolution adopted February 1, 1972


Rudolph Mikulich
Rudolph Mikulich, City Clerk, Business

TOPO! map printed on 03/29/06 from "Wisconsin.tpo" and "Untitled.tpg"
87°57.000' W 87°56.000' W WGS84 87°55.000' W



Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

I-4



Thiensville and Milwaukee Quadrangles
 Wisconsin
 7.5 Minute Series (Topographic)
 Not to scale

LEGEND

○ Potable Well Location

Potable Well Location Map


Laidlaw Transit, Inc.
 5901 Glen Park Road
 Glendale, Wisconsin


ENVIRONMENTAL INNOVATIONS, INC.

14000 Leesbir Road, Sturtevant, WI. Phone: (262) 886-4800 Fax: (262) 886-4442

Figure 1

Figure 1 - Site Location Map





NOTES:

- 1.) BASE MAP DEVELOPED FROM SECOE INTERNATIONAL INC. STORMWATER DISCHARGE PERMIT REQUEST, "SITE MAP" (FIGURE 2).
- 2.) MONITORING WELL LOCATIONS DERIVED FROM ENVIRONMENTAL INNOVATIONS, INC., REMEDIAL INVESTIGATION REPORT, DATED 11/22/01, "SITE LAYOUT" (FIGURE 2).

LEGEND:

- SUBJECT PROPERTY LINE
- FENCE
- ⊙ MW1 GROUNDWATER MONITORING WELL (INSTALLED BY ENVIRONMENTAL INNOVATIONS)
- STORM SEWER LINE
- ⊙ MANHOLE
- ⊞ CATCH BASIN
- ▭ EXISTING PUMP ISLANDS
- ▲ BM BENCHMARK: FINISHED FIRST FLOOR OF EXISTING BUILDING. ASSUMED ELEVATION = 100.0'

GIES ENGINEERING ASSOCIATES, INC.
 126 WISCONSIN JUNCTION DRIVE, SUITE A1
 WAUKESHA, WI 53186 (262)-544-0110

LAYLAW PROPERTY
 5801 N. GLEN PARK ROAD
 GLENDALE, WISCONSIN

DESIGNED	DRAWN	SCALE	DATE	REVISED
SCT	JEE	"	11-23-85	---
PROJECT NO.: 12-0611008			CAD No. 120011029C	

Bus Parking

Parking Lot

MW-7

Asphalt Drive

MW-6

MW-4

MW-2

Building

GP-7

MW-3

GP-5

GP-4

GP-6

GP-1

MW-1

GP-8

MW-5

GP-3


GP-2

Glen Park Road


Bus Parking

Asphalt Drive

Legend



Grass



Former Tank Cavity

○ Fill Lines




Pump Island

— Fence

Scale (in feet)

◆ MW-5 Monitoring Well



● GP-3 GeoProbe Boring



Site Layout Map

Laidlaw Transit, Inc.
5901 Glen Park Road
Glendale, Wisconsin

TABLE 2
Groundwater Sample Analytical Results
Laidlaw - Glendale
5901 Glen Park Rd.
Glendale, WI

Sample	Gas Range Organics	Diesel Range Organics	Benzene	n-Butylbenzene	sec-Butylbenzene	Tert-Butylbenzene	Chlorobenzene	Chloroform	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,2-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene	Isopropyl Ether	Isopropylbenzene	p-Isopropyltoluene	Methyl-t-butyl ether	Naphthalene	Trimethylbenzene (1,2,4 & 1,3,5)	n-Propylbenzene	Toluene	1,1,2-Trichloroethane	Trichloroethene	Vinyl chloride	Total Xylene	Water Level	
MW-1																													
Top of Well Screen: 86.52																								Length of Well Screen: 10'					
9/15/99	NT	794	12	<.23	<.3	<.0.2	<.0.20	<.27	<.2	<.0.19	<.15	<.36	.53	<.2	<.0.16	<.0.32	<.0.16	<.18	.35	<.0.46	<.0.29	<.0.25	.46	<.29	.56	<.0.21	.4	85.17	
7/28/00	<13	160	2.2	<.36	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.35	<.27	<.25	<.3	<.33	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	<.21	<.53	86.11	
10/27/00	91	128	0.84	<.36	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.35	<.27	<.25	<.30	<.33	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	<.20	<.53	84.75	
8/2/01	<50	<.1	<.5	<.5	<.5	<.0.5	<.5	<.14	<.5	<.0.50	<.5	<.5	<.5	<.5	<.5	NT	<.5	<.5	<.5	<.2.0	<.1	<.5	<.5	<.16	<.5	<.170	<.5	85.03	
12/28/04	NT	NT	<.0.50	<.5.0	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	84.24	
3/16/05	NT	NT	<.0.50	<.5.0	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	85.22	
MW-2																													
Top of Well Screen: 86.58																								Length of Well Screen: 10'					
10/21/99	NT	87	15	<.23	<.3	<.0.2	.33	<.27	<.2	<.0.19	<.15	<.36	.8	<.2	.26	<.0.32	2	<.18	<.0.21	<.0.46	<.0.29	1.1	<.0.33	<.29	<.0.16	1.1	.68	85.08	
7/28/00	<13	127	4.7	<.36	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.35	<.27	<.25	<.3	<.33	<.31	0.61	<.75	<.47	<.28	<.29	<.44	<.34	2.2	<.53	85.81	
10/27/00	102	113	3.9	<.36	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.35	<.27	<.25	<.30	<.33	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	1.3	<.53	84.69	
8/2/01	<50	<.1	3.3	<.5	<.5	<.0.5	<.5	<.14	<.5	<.0.50	<.5	<.5	<.5	<.5	<.5	NT	<.5	<.5	0.511	<.2.0	<.1	<.5	<.5	<.16	<.5	2.95	<.5	84.95	
12/29/04	NT	NT	1.07	<.5.0	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	84.25	
3/16/05	NT	NT	0.67	<.5.0	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	85.19	
MW-3																													
Top of Well Screen: 86.94																								Length of Well Screen: 10'					
10/21/99	NT	53	.22	<.23	<.3	<.0.2	.37	<.27	<.2	<.0.19	<.15	<.36	.76	<.2	<.0.16	1.4	<.0.16	<.18	<.0.21	<.0.46	<.0.29	<.0.25	<.0.33	<.29	<.0.16	.58	<.0.36	85.08	
7/28/00	<13	169	<.27	<.28	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.32	<.27	<.25	1.6	<.33	<.31	<.39	<.75	<.47	<.28	<.39	<.44	<.34	0.35	<.53	85.68	
10/27/00	114	285	<.27	<.36	<.34	<.0.3	<.26	<.24	<.34	<.0.26	<.36	<.27	<.35	<.27	<.25	1.3	<.33	<.31	<.39	<.75	<.30	<.28	<.29	<.44	<.34	0.34	<.53	84.66	
8/2/01	<50	<.1	<.5	<.5	<.5	<.0.50	<.5	<.14	<.5	<.0.50	<.5	<.5	<.5	<.5	<.5	NT	<.5	<.5	<.5	<.2.0	<.1	<.5	<.5	<.16	<.5	1.07	<.5	84.94	
12/29/04	NT	NT	<.0.50	<.5.0	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	84.22	
3/16/05	NT	NT	<.0.50	<.5.0	<.5.0	<.5.0	<.0.316	<.5.0	<.5.0	<.5.0	<.5.0	<.5.0	<.0.50	<.5.0	<.5.0	NT	<.5.0	<.5.0	<.0.290	<.8.0	<.5.0	<.5.0	<.5.0	<.0.145	<.0.50	<.0.217	<.5.0	85.09	
ES	NS	NS	5	NS	NS	NS	NS	6	600	1250	75	NS	5	70	700	NS	NS	NS	60	40	480	NS	1000	5	5	0.2	10000	--	
PAL	NS	NS	0.5	NS	NS	NS	NS	0.6	60	125	15	NS	0.5	7	140	NS	NS	NS	12	8	96	NS	200	0.5	0.5	0.02	1000	--	

Notes:

NS - No Standard

NT - Not Tested

All results reported in micrograms per liter (ug/l) except where otherwise noted.

Green values exceed WDNR NR 140 Preventive Action Limits (PAL)

Red values exceed WDNR NR 140 Enforcement Standards (ES)

All other VOC compounds analyzed were below the laboratory minimum detection limits

TABLE 2 (continued)
Groundwater Sample Analytical Results
Laidlaw - Glendale
5901 Glen Park Rd.
Glendale, WI

Sample	Gas Range Organics	Diesel Range Organics	Benzene	n-Butylbenzene	sec-Butylbenzene	Tert-Butylbenzene	Chlorobenzene	Chloroform	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoroethane	1,2-Dichloroethane	cis-1,2-Dichloroethane	Ethylbenzene	Isopropyl Ether	Isopropylbenzene	p-Isopropyltoluene	Methyl-t-butyl ether	Naphthalene	Trimethylbenzene (1,2,4 & 1,3,5)	n-Propylbenzene	Toluene	1,1,2-Trichloroethane	Trichloroethene	Vinyl chloride	Total Xylene	Water Level	
MW-4																													
Top of Well Screen: 91.77																								Length of Well Screen: 10'					
7/28/00	21	132	13	<.36	<.34	<.03	<.26	<.24	<.34	<.026	<.36	<.27	0.4	1.3	0.69	<.3	1.7	<.31	<.39	<.75	<.34	1	<.29	<.44	<.34	7.1	2.96	85.33	
10/27/00	89	96	11	<.36	<.34	<.03	<.26	<.24	<.34	<.026	<.36	<.27	<.35	3.1	0.94	<.3	0.48	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	17	0.7	84.52	
8/2/01	<50	<.1	10.2	<.5	<.5	<.050	<.5	<.14	<.5	<.050	<.5	<.5	<.5	1.52	<.5	NT	<.5	<.5	<.5	<.20	<.1	<.5	<.5	<.16	<.5	13.6	0.77	84.78	
12/29/04	NT	NT	5.37	<.50	<.50	<.50	<.50	<.0316	<.50	<.50	<.50	<.50	<.050	<.50	<.50	NT	<.50	<.50	<.0290	<.80	<.50	<.50	<.50	<.145	<.050	<.0217	<.50	84.12	
3/16/05	NT	NT	7.44	<.50	<.50	<.50	<.50	<.0316	<.50	<.50	<.50	<.50	<.050	<.50	<.50	NT	<.50	<.50	<.0290	<.80	<.50	<.50	<.50	<.145	<.050	<.0217	<.50	84.99	
MW-5																													
Top of Well Screen: 90.26																								Length of Well Screen: 10'					
7/28/00	<13	209	<.27	<.36	<.34	<.03	<.26	<.24	<.34	<.026	<.36	<.27	<.35	<.27	<.25	0.47	<.33	<.31	0.39	<.75	<.34	<.28	<.29	<.44	<.34	0.34	<.53	86.40	
10/27/00	84	94	<.27	<.36	<.34	<.03	<.26	<.24	<.34	<.026	<.36	<.27	<.35	<.27	<.25	<.30	<.33	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	<.20	<.53	84.99	
8/2/01	<50	<.1	<.5	<.5	<.5	<.050	<.5	<.14	<.5	<.050	<.5	<.5	<.5	<.5	<.5	NT	<.5	<.5	0.767	<.20	<.1	<.5	<.5	<.16	<.5	<.170	<.5	85.28	
12/28/04	NT	NT	<.050	<.50	<.50	<.50	<.50	<.0316	<.50	<.50	<.50	<.50	<.050	<.50	<.50	NT	<.50	<.50	<.0290	<.80	<.50	<.50	<.50	<.145	<.050	<.0217	<.50	84.46	
3/16/05	NT	NT	<.050	<.50	<.50	<.50	<.50	<.0316	<.50	<.50	<.50	<.50	<.50	<.50	<.50	NT	<.50	<.50	<.0290	<.80	<.50	<.50	<.50	<.145	<.050	<.0217	<.50	85.55	
MW-6																													
Top of Well Screen: 87.30																								Length of Well Screen: 10'					
8/1/01	62.2	0.189	4.52	1.92	2.44	<.05	5.78	<.14	3.65	<.050	2.6	1.56	<.5	<.5	1.19	NT	1.02	1.2	0.679	10.3	9.75	1.99	0.57	<.16	<.5	2.43	3	84.66	
12/29/04	NT	NT	10.3	<.50	<.50	<.50	35.7	<.0316	<.50	7.53	7.36	<.50	<.050	<.50	8.41	NT	<.50	<.50	<.0290	38.1	29.8	<.50	18.9	<.145	<.050	<.0217	17.5	84.09	
3/16/05	NT	NT	4.21	<.0121	<.010	<.50	11	<.0316	<.0155	<.50	<.0137	<.50	<.050	<.50	<.0106	NT	<.0106	<.0157	<.0290	16.6	8.52	<.0137	<.50	<.145	<.050	<.0217	<.0340	84.92	
MW-7																													
Top of Well Screen: 87.00																								Length of Well Screen: 10'					
8/7/01	1050	0.707	24.5	<.5	<.5	<.50	9.53	11	17.1	<.50	5.21	<.5	<.5	74	38.6	NT	<.50	<.5	<.5	28	46.6	<.5	424	2.59	<.5	39.1	157	83.69	
12/29/04	NT	NT	22	<.50	<.50	<.50	16.4	<.0316	11.3	5.03	5.36	<.50	<.050	<.50	17.8	NT	9.82	8.4	<.0290	28.8	97.3	18	<.50	<.145	<.050	<.0217	238	83.21	
3/16/05	NT	NT	28.3	<.0121	<.50	<.0129	20.6	<.0316	9.24	<.50	5.86	<.50	<.50	26.2	13.6	NT	9.67	5.48	<.0290	20.8	115	17.4	78.1	<.50	<.050	<.0217	167	84.37	
Trip Blank																													
10/21/99	NT	NT	<.19	<.23	<.3	<.50	0.35	<.27	<.2	<.019	<.15	<.36	0.51	<.2	<.16	<.32	<.16	<.18	<.21	<.46	<.29	<.25	<.33	<.29	<.16	<.21	<.36	--	
7/28/00	NT	NT	0.33	<.36	<.34	<.025	<.26	<.24	<.34	<.026	<.36	<.27	<.35	<.27	<.25	<.3	<.33	<.31	<.39	<.75	<.34	<.28	0.51	<.44	<.34	<.21	<.53	--	
10/27/00	NT	NT	<.27	<.34	<.36	<.03	<.26	<.24	<.34	<.026	0.6	<.27	<.35	<.27	<.25	<.30	<.33	<.31	<.39	<.75	<.34	<.28	<.29	<.44	<.34	<.20	<.53	--	
3/16/05	NT	NT	<.050	<.50	<.50	<.50	<.50	<.0316	<.50	<.50	<.50	<.50	<.050	<.50	<.50	NT	<.50	<.50	<.0290	<.80	<.50	<.50	<.50	<.145	<.050	<.0217	<.50	--	
ES	NS	NS	5	NS	NS	NS	NS	6	600	1250	75	NS	5	70	700	NS	NS	NS	60	40	480	NS	1000	5	5	0.2	10000	--	
PAL	NS	NS	0.5	NS	NS	NS	NS	0.6	60	125	15	NS	0.5	7	140	NS	NS	NS	12	8	96	NS	200	0.5	0.5	0.02	1000	--	

Notes:

NS - No Standard

NT - Not Tested

All results reported in micrograms per liter (ug/l) except where otherwise noted.

Green values exceed WDNR NR 140 Preventive Action Limits (PAL)

Red values exceed WDNR NR 140 Enforcement Standards (ES)


All other VOC compounds analyzed were below the laboratory minimum detection limits

TABLE 1 Soil Analytical Results

Laidlaw Transit, Inc.
5901 Glen Park Rd.
Glendale, WI


Sample	Depth (ft BGS)	Sample Date	P/D	DRO (mg/kg)	GRO (mg/kg)	Benzene	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Chloroform	Chloromethane	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,4-Dichlorobenzene	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Methyl Tertiary Butyl Ether (MTBE)	Naphthalene	n-Propylbenzene	Tetrachloroethene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
GP-1	12'-16"	4/14/99	ND	2	NT	118	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<25	
GP-2	10'-14"	4/14/99	10	4	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	53	<25	<33	
GP-3	10'-14"	4/14/99	8	2	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
GP-4	10'-14"	4/14/99	ND	<1.2	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
GP-5	10'-14"	4/14/99	ND	4.5	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
GP-6	12'-14"	9/13/99	ND	3	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
	14'-16"		ND	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
GP-7	12'-14"	9/13/99	ND	6	NT	72	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
GP-8	12'-14"	9/13/99	ND	1.5	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
MW-1	12'-14"	9/13/99	ND	<1.2	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	51	<25	<25	<33	
MW-2	12'-13"	10/15/99	ND	5.5	NT	831	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	<25	<25	<25	<33	
MW-3	12'-13"	10/15/99	ND	6.1	NT	<25	NT	NT	NT	NT	NT	NT	NT	NT	<25	NT	NT	<25	NT	NT	NT	31	57	<25	<33	
MW-4	4'-6'	6/28/00	NR	25	17.0	46	<25	<25	<25	<25	<25	<25	<25	<25	251	39	<25	<25	<38	189	<25	35	94	37	166	
MW-5	6'-8'	6/28/00	NR	1.6	1.7	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<38	<25	<25	<25	<25	<25	<27	
MW-6	3'-5'	7/25/01	ND	11.2	<5.65	<25	30	<25	<25	<25	<25	<25	<25	<25	83.1	<25	76.8	<25	<25	33.5	111	131	169	<25	283	
	8'-10'		ND	906	20.2	<25	136	271	61.2	<25	<25	<25	<25	51.4	75.1	108	7880	<25	809	118	<25	73	593	341	362	
	13'-15"		ND	<6.26	<6.26	<25	<25	<25	<25	<25	<25	<25	<25	<25	45.1	<25	53.3	<25	<25	<25	<25	50.7	<25	<25	44.2	
MW-7	3'-5'	7/25/01	ND	164	15	49.5	61	180	85.7	30.5	<25	127	87.2	64.6	157	304	86.2	179	<25	207	144	<25	720	281	125	1030
	8'-10'		ND	158	23	41.1	222	243	71.1	<25	40.1	<25	<25	147	44.9	308	269	471	<25	1090	327	<25	919	983	282	1050
NR 720 Residual Contaminant Levels				100	100	5.5	NS	NS	NS	NS	NS	NS	NS	NS	2,900	NS	NS	NS	NS	NS	NS	1,500	NS	NS	4,100	
NR 746.06 (2)(b) Soil Screening Levels				NS	NS	8,500	NS	NS	NS	NS	NS	NS	NS	NS	4,600	NS	NS	NS	2,700	NS	NS	NS	38,000	83,000	11,000	42,000
EPA Risk Based Residential Concentration L				NS	NS	12,000	3,100,000	3,100,000	3,160,000	780,000	NS	460	7,600,000	27,000	780,000	7,800,000	NS	NS	160,000	1,600,000	3,100,000	32,000	16,000,000	3,900,000	3,900,000	16,000,000

Notes: ft bgs = feet below ground surface
DRO = Diesel Range Organic
GRO = Gasoline Range Organic
*Data with asterisk indicates sample was taken at or below the historic measured high water table, based on monitoring well data.
Blue values exceed NR 720.09 RCLs or EPA Limits
ND = Not Detected
NR = No Reading
NT = Not Tested
NS = No Standard
All concentrations reported in ug/kg, unless otherwise noted.
All other VOC compounds analyzed were below the laboratory minimum detection limits




Legend

- MW-2 Monitoring Well
- 831 Benzene Concentration (ug/kg)



Soil Benzene Iso-concentration Map


Laidlaw Transit, Inc.
5901 Glen Park Road
Glendale, Wisconsin



Iso-concentration line represents estimated limits of impact to groundwater.

Legend

- ◆ MW-5 Monitoring Well
- <0.50 Benzene (ug/l)



Groundwater Plume Map (3/05)

Laidlaw Transit, Inc.
 5901 Glen Park Road
 Glendale, Wisconsin


TABLE 3 Groundwater Table Elevations

Laidlaw Glendale
5901 Glen Park Rd.
Glendale, WI

MW-1				MW-2				MW-3				MW-4			
Surface Elevation		94.52		Surface Elevation		94.58		Surface Elevation		94.94		Surface Elevation		94.77	
Top of Casing Elevation		94.27		Top of Casing Elevation		94.43		Top of Casing Elevation		94.78		Top of Casing Elevation		94.27	
Top of Screen Elevation		86.52		Top of Screen Elevation		86.58		Top of Screen Elevation		86.94		Top of Screen Elevation		91.77	
Bottom of Screen Elevation		76.52		Bottom of Screen Elevation		76.58		Bottom of Screen Elevation		76.94		Bottom of Screen Elevation		81.77	
Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation	Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation	Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation	Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation
4/13/00	9.10	9.35	85.17	4/13/00	9.35	9.50	85.08	4/13/00	9.70	9.86	85.08	4/13/00	NI	NI	NI
7/28/00	8.16	8.41	86.11	7/28/00	8.62	8.77	85.81	7/28/00	9.10	9.26	85.68	7/28/00	8.94	9.44	85.33
10/27/00	9.52	9.77	84.75	10/27/00	9.74	9.89	84.69	10/27/00	10.12	10.28	84.66	10/27/00	9.75	10.25	84.52
8/1/01	9.24	9.49	85.03	8/1/01	9.48	9.63	84.95	8/1/01	9.84	10.00	84.94	8/1/01	9.49	9.99	84.78
12/28/04	10.03	10.28	84.24	12/28/04	10.18	10.33	84.25	12/28/04	10.56	10.72	84.22	12/28/04	10.15	10.65	84.12
3/16/05	9.05	9.30	85.22	3/16/05	9.24	9.39	85.19	3/16/05	9.69	9.85	85.09	3/16/05	9.28	9.78	84.99

MW-5				MW-6				MW-7			
Surface Elevation		94.26		Surface Elevation		93.30		Surface Elevation		92.00	
Top of Casing Elevation		93.99		Top of Casing Elevation		93.00		Top of Casing Elevation		91.31	
Top of Screen Elevation		90.26		Top of Screen Elevation		87.30		Top of Screen Elevation		87.00	
Bottom of Screen Elevation		80.26		Bottom of Screen Elevation		77.30		Bottom of Screen Elevation		77.00	
Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation	Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation	Measurement Date	DTW (from TOC)	DTW (from ground surface)	Groundwater Elevation
4/13/00	NI	NI	NI	4/13/00	NI	NI	NI	4/13/00	NI	NI	NI
7/28/00	7.59	7.86	86.40	7/28/00	NI	NI	NI	7/28/00	NI	NI	NI
10/27/00	9.00	9.27	84.99	10/27/00	NI	NI	NI	10/27/00	NI	NI	NI
8/1/01	8.71	8.98	85.28	8/1/01	8.34	8.64	84.66	8/1/01	7.62	8.31	83.69
12/28/04	9.53	9.80	84.46	12/28/04	8.91	9.21	84.09	12/28/04	8.1	8.79	83.21
3/16/05	8.44	8.71	85.55	3/16/05	8.08	8.38	84.92	3/16/05	6.94	7.63	84.37

Notes:
Elevations and depths are reported in feet.
Elevations are based upon local site datum.




Water table elevations are based on a local site datum using the 8/7/01 measurements

Legend


✦ MW-5 Monitoring Well
84.99 Water Table Elevation

Scale (in feet)



Groundwater Flow Direction

Laidlaw Transit, Inc.
5901 Glen Park Road
Glendale, Wisconsin



Legend

- GP-2 GeoProbe Boring Location
- ◆ MW-2 Monitoring Well Location
- 831 Benzene Concentration (ug/kg)
- 5.5 DRO Concentration (mg/kg)
- Former Tank Cavity / Excavation
- ▲ SW Remedial Verification Soil Sample

Soil Plume Map

Laidlaw Transit, Inc.
 5901 Glen Park Road
 Glendale, Wisconsin



ENVIRONMENTAL INNOVATIONS, INC. (EI)

Consulting, Remediation and Industrial Services
14000 Leetsbir Road Sturtevant, WI 53177 262-886-4800, FAX 262-886-4442

August 29, 2003

Ms. Victoria Stovall
Wisconsin Department of Natural Resources
P.O. Box 12436
Milwaukee, WI 53212

RE: **GIS Registry Packet**, Laidlaw Transit Inc., 5901 Glen Park Road, Glendale, WI
BRRTS # 03-41-197942

Dear Ms. Stovall:

Enclosed, please find the GIS Registry Packet for soil and groundwater contamination for the above noted property.

The geographic position of this property (in WTM91 Projection) is 688216, 296751

Sincerely,
Environmental Innovations, Inc.

Paul Grittner
Environmental Scientist

I certify that the legal description attached to this statement is correct.

Donald MacFeely