



Source Property Information

CLOSURE DATE: May 27, 2009

BRRTS #: 03-41-226492

FID #: 241997360

ACTIVITY NAME: Bee Bus Lines, Inc.

DATCP #:

PROPERTY ADDRESS: 4330 North 35th Street

COMM #: 53216171230

MUNICIPALITY: Milwaukee

PARCEL ID #: 24698961119

***WTM COORDINATES:**

WTM COORDINATES REPRESENT:

X: 688631 Y: 293507

Approximate Center Of Contaminant Source

** Coordinates are in
WTM83, NAD83 (1991)*

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Contamination in ROW

Off-Source Contamination

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

Cover or Barrier (222)

*(note: soil contamination concentrations
between residential and industrial levels)*

*(note: maintenance plan for
groundwater or direct contact)*

Structural Impediment (224)

Vapor Mitigation (226)

Site Specific Condition (228)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

*** Site Specific Residual Contaminant Level*

MAY 27 2009

State of Wisconsin
 Department of Natural Resources
<http://dnr.wi.gov>

GIS Registry Checklist

Form 4400-245 (R 4/08)

Page 1 of 3

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Admn. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Admn. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

03-41-226492

PARCEL ID #:

24698961119

ACTIVITY NAME:

Bee Bus Lines, Inc.

WTM COORDINATES:

X: 688631

Y: 293507

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter
- Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter
- Certificate of Completion (COC) for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
- Figure #: Title:
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
- Figure #: 1 Title: Site Location Map
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
- Figure #: 2 Title: Site Plan View
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
- Figure #: 3 Title: Excavation Area & Confirmation Sample Locations

BRRTS #: 03-41-226492

ACTIVITY NAME: Bee Bus Lines, Inc.

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 7 Title: Cross Section Plan View

Figure #: 8 & 9 Title: Geologic Cross Section A-A' and B-B'

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 10 Title: Estimated Extent of Groundwater Contaminant Plume (October 24, 2008)

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 4 Title: Groundwater Elevation Contour Map (October 24, 2008)

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 Title: Summary of PVOC Results-Excavation Confirmation Samples

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 3 & 4 Title: Summary of GW PVOC Results & Summary of GW PAH Results

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 2 Title: Summary of Groundwater Elevations

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-226492

ACTIVITY NAME: Bee Bus Lines, Inc.

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
Number of "Off-Source" Letters:
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded off-source property(ies). This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128
FAX 414-263-8606
Telephone 414-263-8500
TTY Access via relay - 711

May 27, 2009

Bee Bus Lines
Attn: Lisa Boyd
4330 North 35th Street
Milwaukee, WI 53216-1712

Subject: Final Case Closure with Land Use Limitations or Conditions for Bee Bus Lines, 4330 North 35th Street, Milwaukee, WI

FID: 241997360
BRRTS: 03-41-226492

PECFA: 53216-1712-30

Dear Ms Boyd:

On April 7, 2009, the Wisconsin Department of Natural Resources ("the Department") Regional Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 8, 2009, the Committee denied your request for closure due to the non-submittal of a Cap Maintenance Plan and Residual Soils Map required for case closure review.

On April 30, 2009, the Department received correspondence indicating that you have complied with the requirements of closure. The Cap Maintenance Plan, Residual Soils Map, and monitoring well abandonment forms were received at this office.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier
- Groundwater contamination is present above Chapter NR 140 enforcement standard

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/qis/index.htm>. If your property is listed on the GIS Registry because of

remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Remaining Residual Soil Contamination

Residual soil contamination remains in the area indicated in Figure 1 (Soil Quality Map), contained in the Pavement Cover and Building Barrier Maintenance Plan that is attached with this letter, as indicated in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the concrete and asphalt pavement that currently exists in the location shown on the attached map shall be maintained in compliance with **the attached maintenance plan** in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code, and to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The attached maintenance plan and inspection log are to be kept up-to-date and on-site, and the inspection log need only be submitted to the Department upon request.

Prohibited Activities

The following activities are prohibited on any portion of the property where pavement is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

Remaining Residual Groundwater Contamination


Groundwater impacted by petroleum-related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on the contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at:

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case maybe reopened pursuant to s. NR 726.09, Wis. Admin. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare, or to the environment. Failure to submit the above documentation may result in enforcement actions.

The Department appreciates the actions you have taken to investigate and remediate the contamination at this site. If you have any questions or comments, please feel free to contact John J. Hnat at the above address or at (414) 263-8644. Please refer to the FID number at the top of this letter in any future correspondence. Future correspondence should be sent directly to the Remediation and Redevelopment Program Assistant Vicky Stovall (414-263-8688) at the above address.

Sincerely,



James A. Schmidt
Southeast Region
Remediation and Redevelopment Team Supervisor

Enclosure: Pavement Cover and building Barrier Maintenance Plan, dated April 28, 2009

C: Monica Weis, Commerce, Milwaukee
Tim Welch, Shaw Environmental
WDNR SER Files

PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN

Date Prepared: April 28, 2009

Property Located at: 4330 North 35th Street, Milwaukee, Wisconsin

FID #: 241997360, WDNR BRRTS/Activity #: 03-41-226492

That part of the South East One-quarter (1/4) of Section One (1), in Township Seven (7) North, Range Twenty-one (21) East, in the City of Milwaukee, County of Milwaukee, State of Wisconsin, which is bounded and described as follows: Commencing at the point of intersection of the East line of North 35th Street with the South line of the North 1/2 of said 1/4 Section, said line being the center line of West Hope Avenue, extended; thence due North along the East line of North 35th Street, 50.00 feet East of and parallel to the West line of said 1/4 Section, 861.32 feet to the point of beginning of the land herein described; running thence North along the East line of the North 35th Street; 50.00 feet East of and parallel to the West line of said 1/4 Section, 156.90 feet to a point; thence East at right angles to the East line of North 35th Street, 100.00 feet to a point; thence North 26 34' 00" East 33.54 feet to a point, said point being 115.00 feet East of a point in the East line of North 35th Street which is 186.90 feet North of the point of beginning; thence East at a right angles to the East line of North 35th Street, 244.14 feet to a point which is 10.00 feet East of the center line of railroad spur track number 1346A of the Chicago, Milwaukee, St. Paul and Pacific Railroad as measured radial thereto; thence North 04 21' 00" East along a line which is 10.00 feet East of and parallel to the center line spur rack 1346A aforesaid, 171.42 feet to a point; thence North 06 38' 20" East, 10.00 feet East of and parallel to the center line of said railroad spur track, 18.11 feet to a point; thence East at right angles to the center line of North 35th Street, 35.60 feet to a point being 10.00 feet West of the center line of said spur track No. 1346D; thence South 08 30' 40" East along a line which is 10.00 feet West of and parallel to the center line of spur track 1346D, 380.00 feet to a point; thence West at right angles to the East line of North 35th Street, 466.08 feet to the point of beginning.

TAX #: 246-9896-110-0

Introduction

This document is the Maintenance Plan for concrete and asphalt pavement cover at the above-referenced property in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing concrete and other paved asphaltic surfaces occupying the area over the contaminated soil on-site. The contaminated soil is impacted by petroleum volatile organic compounds (PVOCs). The locations of the paved surfaces to be maintained in accordance with this Maintenance Plan, as well as the impacted soil are identified in the attached map (Figure 1- Soil Quality Map).

Cover and Building Barrier Purpose

The paved surfaces and the building foundation over the contaminated soil serve as a barrier to prevent direct human contact with residual soil contamination that might otherwise pose a threat to human health. These paved surfaces and building foundation also act as a partial infiltration barrier to minimize future soil-to-groundwater contamination migration that would violate the groundwater standards in ch. NR 140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The paved surfaces overlying the contaminated soil as depicted in **Figure 1** will be inspected once a year, normally in the spring after all snow and ice is gone, for deterioration, cracks and other potential problems that can cause additional infiltration into and /or exposure to underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Any area where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as **Exhibit B**, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented in the inspection log. A copy of the inspection log will be sent to the Wisconsin Department of Natural Resources ("WDNR") at least annually after every inspection, unless otherwise directed in the case closure letter.

Maintenance Activities If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment ("PPE"). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces and/or the building overlying the contaminated soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surfaces and/or the building, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

Contact Information **APRIL 2009**

Site Owner and Operator: BEE BUS LINES


4330 North 35th Street
Milwaukee, WI 53216
Ms. Lisa Boyd
(414) 365-7443

Consultant:

Shaw Environmental, Inc.
111 W. Pleasant St.
Milwaukee, WI. 53212
Mr. Tim Welch
414-291-2359

WDNR:

Mr. John Hnat
2300 North Martin Luther King Jr. Drive
Milwaukee, WI 53212
(414) 263-8644



N. 35TH STREET

LINCOLN CREEK

GRASS
MW-13
(ABD)
ASPHALT

BROKEN CISTERN

OFFICE

BLOCK BUILDING

GARAGE


BLOCK BUILDING

GRAVEL

METAL BLDG

GREEN FUSE BOX

10' DOUBLE BOX CONCRETE STORM SEWER



- LEGEND**
- MONITORING WELL
 - ABANDONED MONITORING WELL
 - EXCAVATION AREA
 - SANITARY SEWER
 - STORM SEWER
 - FENCE
 - FIRE HYDRANT
 - TELEPHONE POLE
 - ESTIMATED EXTENT OF BENZENE IMPACTED SOILS GREATER THAN NR 720 RCts
 - DASHED WHERE INFERRED



Shaw® Shaw Environmental, Inc.
 831 Critter Court, Suite 400
 Oronoke, Wisconsin 54650

DATE	REVISIONS:
DATE	APPROVED BY:
DATE	CHECKED BY:
DATE	JRD 02/19/09
DATE	DRAWN BY:
DATE	I 26 193
DATE	DRAWING NO.

SOIL QUALITY MAP
 (APRIL 28, 2009)
 BEE BUS LINE SITE
 MILWAUKEE, WISCONSIN

FIGURE NO.
 1

Exhibit B

Barrier INSPECTION LOG

Inspection Date	Inspector	Condition of Cap	Recommendations	Have Recommendations from previous inspection been implemented?

5343941

REGISTRY'S OFFICE
Milwaukee County, Wis.
RECORDED AT 3 00 PM

AUG 11 1979

REEL 1237 IMAGE 585

REGISTRY OF DEEDS

RETURN TO

99

THIS INDENTURE, Made this 30th day of August, A. D., 1979, between Hillview Sand and Gravel Corporation

a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at New Berlin Wisconsin, party of the first part, and Bee Bus Line Incorporated

a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Milwaukee Wisconsin, party of the second part.

Witnesseth, That the said party of the first part, for and in consideration of the sum of One Dollar (\$1.00) and other good and valuable consideration

to it paid by the said party of the second part, the receipt whereof is hereby confessed and acknowledged, has given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents does give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party of the second part, its successors and assigns forever, the following described real estate situated in the County of Milwaukee and State of Wisconsin, to-wit:

That part of the South East One-quarter (1/4) of Section One (1), in Township Seven (7) North, Range Twenty-one (21) East, in the City of Milwaukee, County of Milwaukee, State of Wisconsin, which is bounded and described as follows: Commencing at the point of intersection of the East line of North 35th Street with the South line of the North 1/2 of said 1/4 Section, said line being the center line of West Hope Avenue, extended; thence due North along the East line of North 35th Street, 50.00 feet East of and parallel to the West line of said 1/4 Section, 861.32 feet to the point of beginning of the land herein described; running thence North along the East line of North 35th Street, 50.00 feet East of and parallel to the West line of said 1/4 Section, 156.90 feet to a point; thence East at right angles to the East line of North 35th Street, 100.00 feet

(Legal Description Continued On Reverse)

(IF NECESSARY, CONTINUE DESCRIPTION ON REVERSE SIDE)

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said party of the first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and to Hold the said premises as above described with the hereditaments and appurtenances, unto the said party of the second part, and to its successors and assigns FOREVER.

And the said Hillview Sand and Gravel Corporation party of the first part, for itself and its successors, does covenant, grant, bargain and agree to and with the said party of the second part, its successors and assigns, that at the time of the encasing and delivery of these presents it is well seized of the premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and clear from all incumbrances whatever, except real estate taxes for the year 1979, easements, covenants, conditions and restrictions of record, if any.

and that the above bargained premises in the quiet and peaceable possession of the said party of the second part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, it will forever WARRANT and DEPEND.

In Witness Whereof, the said Hillview Sand and Gravel Corporation party of the first part, has caused these presents to be signed by C.A. Christopherson, its Vice-President, and countersigned by Theo. C. Froemming, its Secretary, at Milwaukee Wisconsin, and its corporate seal to be hereunto affixed, this 30th day of August, A. D., 1979.

SIGNED AND SEALED IN PRESENCE OF
James L. Stelmel

Regina C. Raymond
State of Wisconsin,
Waukesha County.

Personally came before me, this 30th day of August, C.A. Christopherson, Vice President, and Theo. C. Froemming, Secretary

of the above named Corporation, to me known to be the persons who executed the foregoing instrument, and to me known to be such President and Secretary of said Corporation, and acknowledged that they executed the foregoing instrument as such officers as the deed of said Corporation, by its authority.

THIS INSTRUMENT WAS DRAFTED BY
James L. Stelmel, Attorney

My commission (EXPIRES) permanent

HILLVIEW SAND AND GRAVEL CORPORATION

C.A. Christopherson, Vice President
Theo. C. Froemming, Secretary

RECORD 3.00
RFA: D., 1979 25.00

James L. Stelmel
Notary Public, Waukesha County, Wis.

to a point; thence North 26°34'00" East 33.54 feet to a point, said point being 115.00 feet East of a point in the East line of North 35th Street which is 186.90 feet North of the point of beginning; thence East at right angles to the East line of North 35th Street, 244.14 feet to a point which is 10.00 feet East of the center line of railroad spur track number 1346A of the Chicago, Milwaukee, St. Paul and Pacific Railroad as measured radial thereto; thence North 04°21'00" East along a line which is 10.00 feet East of and parallel to the center line of spur track 1346A aforesaid, 171.42 feet to a point; thence North 06°38'20" East, 10.00 feet East of and parallel to the center line of said railroad spur track, 18.11 feet to a point; thence East at right angles to the center line of North 35th Street, 35.60 feet to a point being 10.00 feet West of the center line of said spur track No. 1346D; thence South 08°30'40" East along a line which is 10.00 feet West of and parallel to the center line of spur track 1346D, 380.00 feet to a point; thence West at right angles to the East line of North 35th Street, 466.08 feet to the point of beginning.

No. _____
TO _____

Warranty Deed

This instrument should be immediately filed of file to avoid trouble and litigation.

Return to _____

6316657

This Deed, made between WILLIAM R. HARRIS and ROBERT I. HARRIS, as Tenants in common,

and BEE BUS LINE, INC, a Wisconsin Corporation

REGISTER'S OFFICE
Milwaukee County, WI
RECORDED AT 1:55 P.M.

OCT 2 - 1989 1.557
REEL 2374 IMAGE 1559

Walter Bergall REGISTER OF DEEDS

Witnesseth, That the said Grantor, for a valuable consideration

conveys to Grantee the following described real estate in Milwaukee County, State of Wisconsin:

RETURN TO: R.H. Steven F. Tilton
845 N. 11th St., Milwaukee
53233

Tax Parcel No: 246-9896-110-0

All such lands as described in Exhibit A hereto.

** Grantors retain an easement on the subject property for ingress and egress along the western line thereof for purposes of repair, care and maintenance of fence and buildings located adjacent thereto.

TRANSFER
\$ 15.00
LEE

6316657
RECORD 8.00
RTX 15.60

This is not homestead property.
(in) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging:

And WILLIAM R. HARRIS and ROBERT I. HARRIS warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except easement as set forth within Exhibit B hereto and Municipal and zoning ordinances, recorded easements for public utilities, recorded building restrictions and general real estate taxes in 1989 and subsequent years.

Dated this 25th day of August, 1989
WILLIAM R. HARRIS (SEAL) ROBERT I. HARRIS (SEAL)

AUTHENTICATION

Signature(s) William R. Harris and Robert I. Harris by William R. Harris, P.O.A. authenticated this 25th day of August, 1989
Daniel D. Reshete, Jr.
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not authorized by § 706.06, Wis. Stats.)

ACKNOWLEDGMENT

STATE OF WISCONSIN }
County } st.
Personally came before me this day of 1989 the above named
to me known to be the person who executed the foregoing instrument and acknowledge the same.
Notary Public County, Wis.
My Commission is permanent. (If not, state expiration date: 19)

THIS INSTRUMENT WAS DRAFTED BY Daniel D. Reshete, Jr., Esq.

(Signatures may be authenticated or acknowledged. Both are not necessary.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

THAT PART OF THE NE 1/4 AND THE SE 1/4 OF SECTION 1, T 7 N, R 21 E, IN THE CITY OF MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS:
COMMENCING AT THE POINT OF INTERSECTION OF THE EAST LINE OF NORTH 35TH STREET WITH THE SOUTH LINE OF THE NORTH 1/2 OF THE SE 1/4 OF SAID SECTION 1, SAID LINE BEING THE CENTER LINE OF WEST HOPE AVENUE EXTENDED;
THENCE DUE NORTH ALONG THE EAST LINE OF NORTH 35TH STREET, 50.00 FT. EAST OF AND PARALLEL TO THE WEST LINE OF SAID SE 1/4 OF SECTION 1 AFORESAID 1018.22 FT. TO A POINT;
THENCE EAST AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 100.00 FT. TO A POINT;
THENCE NORTH 26° 34' 00" EAST 33.54 FT. TO A POINT, SAID POINT BEING 115.00 FT. EAST OF AND AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET;
THENCE EAST AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 220.70 FT. TO THE POINT OF BEGINNING OF THE LAND TO BE DESCRIBED;
THENCE EAST ON A LINE AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 23.44 FT. TO A POINT WHICH IS 10.00 FT. EAST OF THE CENTER LINE OF SPUR TRACK NO. 1346A, AS MEASURED AT RIGHT ANGLES THERETO;
THENCE NORTH 04° 21' 00" EAST ALONG A LINE 10.00 FT. EAST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK NO. 1346A, 171.42 FT. TO A POINT;
THENCE NORTH 06° 38' 20" EAST 10.00 FT. EAST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK 18.11 FT. TO A POINT;
THENCE EAST AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 35.60 FT. TO A POINT, SAID POINT BEING 10.00 FT. WEST OF THE CENTER LINE OF SPUR TRACK NO. 1346B;
THENCE NORTH 08° 49' 50" WEST ON A LINE 10.00 FT. WEST OF AND PARALLEL TO THE CENTER LINE OF SPUR TRACK NO. 1346B AFORESAID 117.64 FT. TO A POINT;
THENCE SOUTH 88° 14' 30" WEST ON A LINE PARALLEL TO THE NORTH LINE OF SAID SE 1/4 OF SECTION 1 AFORESAID 24.73 FT. TO A POINT;
THENCE SOUTH 06° 25' 45" WEST ON A LINE 10.00 FT. WEST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK NO. 1346A AFORESAID 76.18 FT. TO A POINT;
THENCE SOUTH 83° 34' 15" EAST AT RIGHT ANGLES TO SAID SPUR TRACK 1346A CENTER LINE 1.00 FT. TO A POINT;
THENCE SOUTH 06° 25' 45" WEST ON A LINE 9.00 FT. WEST OF AND PARALLEL TO SAID SPUR TRACK 1346A CENTER LINE 56.10 FT. TO A POINT;
THENCE SOUTH 05° 47' 20" WEST 173.73 FT. TO THE POINT OF BEGINNING.
CONTAINING 0.1975 ACRES OF LAND

REEL 2374 IMAGE 1558

EXHIBIT A

POOR COPY PRESENTED FOR RECORDING

REEL 2374 IMAG 1559

EASEMENT IN FAVOR OF CHICAGO, MILWAUKEE, ST PAUL AND PACIFIC RAILROAD COMPANY SPUR TRACK
EASEMENT NUMBER 1346A.

THAT PART OF THE NE 1/4 AND THE SE 1/4 OF SECTION 1, T 7 N, R 21 E, IN THE CITY OF MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE POINT OF INTERSECTION OF THE EAST LINE OF NORTH 35TH STREET WITH THE SOUTH LINE OF THE NORTH 1/2 OF THE SE 1/4 OF SAID SECTION 1, SAID LINE BEING THE CENTER LINE OF WEST HOME AVENUE EXTENDED;

THENCE DUE NORTH ALONG THE EAST LINE OF NORTH 35TH STREET, 50.00 FT. EAST OF AND PARALLEL TO THE WEST LINE OF SAID SE 1/4 OF SECTION 1 AFORESAID, 1018.22 FT. TO A POINT;

THENCE EAST AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 100.00 FT. TO A POINT;

THENCE NORTH 26° 34' 00" EAST 33.54 FT. TO A POINT, SAID POINT BEING 115.00 FT. EAST OF AND AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET;

THENCE EAST AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 220.70 FT. TO THE POINT OF BEGINNING OF THE LAND TO BE DESCRIBED;

THENCE EAST ON A LINE AT RIGHT ANGLES TO THE EAST LINE OF NORTH 35TH STREET 23.34 FT. TO A POINT WHICH IS 10.00 FT. EAST OF THE CENTER LINE OF SPUR TRACK NO. 1346A, AS MEASURED AT RIGHT ANGLES THERETO;

THENCE NORTH 04° 21' 00" EAST ALONG A LINE 10.00 FT. EAST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK NO. 1346A, 171.42 FT. TO A POINT;

THENCE NORTH 06° 38' 20" EAST, 10.00 FT. EAST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK 18.11 FT. TO A POINT;

THENCE NORTH 06° 25' 45" EAST ON A LINE, 10.00 FT. EAST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK 116.85 FT. TO A POINT;

THENCE SOUTH 88° 14' 30" WEST AND PARALLEL TO THE NORTH LINE OF SAID SE 1/4 OF SECTION 1 AFORESAID 20.27 FT. TO A POINT;

THENCE SOUTH 06° 25' 45" WEST ON A LINE 10.00 FT. WEST OF AND PARALLEL TO THE CENTER LINE OF SAID SPUR TRACK NO. 1346A AFORESAID 76.18 FT. TO A POINT;

THENCE SOUTH 83° 34' 15" EAST AT RIGHT ANGLES TO SAID SPUR TRACK 1346A CENTER LINE, 1.00 FT. TO A POINT;


THENCE SOUTH 06° 25' 45" WEST ON A LINE 9.00 FT. WEST OF AND PARALLEL TO SAID SPUR TRACK 1346A CENTER LINE 56.10 FT. TO A POINT;

THENCE SOUTH 05° 47' 20" WEST 173.73 FT. TO THE POINT OF BEGINNING.

EXHIBIT B

CERTIFICATION



I Lisa Boyd, Responsible Party (RP) for performing soil and groundwater investigation activities on the Bee Bus Lines, Inc. project (BRRTS#: 03-41-226492) located at 4330 North 35th Street in Milwaukee, Wisconsin, do hereby certify that to the best of my knowledge the legal descriptions included are complete and accurate.




Signature

1/20/09

Date



Taken from the
**MILWAUKEE,
 WISCONSIN**
 7.5 Series U.S.G.S. Topographic Quadrangle
 1958
 PHOTOREVISED 1971



Shaw Environmental, Inc.
 111 W. Pleasant St. Suite 105
 Milwaukee, Wisconsin 53212-3939
 (414) 291-2350

TITLE


SITE LOCATION MAP

LOCATION	BEE BUS LINE Bee Bus Line Site 4330 North 35th Street Milwaukee, Wisconsin
----------	--------------------------------------------------------------------------------------------

DRAWN BEB	CHECKED CAP	REVISION BY DATE	APPROVED BY	PROJECT NO. DATE	126193 12/05/07
--------------	----------------	------------------------	----------------	------------------------	--------------------

FIGURE NO.
1

ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
JRD	05/21/07
DRAWN BY:	
126193	
DRAWING NO.	




N. 35TH STREET

- LEGEND**
- MONITORING WELL
 - GEOPROBE BORING
 - ABANDONED MONITORING WELL
 - SANITARY SEWER
 - STORM SEWER
 - FENCE
 - FIRE HYDRANT
 - TELEPHONE POLE



Shaw® Shaw Environmental, Inc.
 831 Critter Court, Suite 400
 Oshkosh, Wisconsin 54650

SITE PLAN VIEW	FIGURE NO.
BEE BUS LINE SITE MILWAUKEE, WISCONSIN	2



N. 35TH STREET

LINCOLN CREEK

GRASS
MW-13
(ABD)
ASPHALT

BROKEN CISTERN

OFFICE

BLOCK BUILDING

BLOCK BUILDING

METAL BLDG

GREEN FUSE BOX

GARAGE

GRAVEL

10' DOUBLE BOX CONCRETE STORM SEWER

- LEGEND**
- MONITORING WELL
 - ABANDONED MONITORING WELL
 - EXCAVATION AREA
 - SANITARY SEWER
 - STORM SEWER
 - FENCE
 - FIRE HYDRANT
 - TELEPHONE POLE
 - ESTIMATED EXTENT OF BENZENE IMPACTED SOILS GREATER THAN NR 720 RCLs
 - DASHED WHERE INFERRED



Shaw Shaw Environmental, Inc.

831 Center Court, Suite 400
Onalaska, Wisconsin 54650


SOIL QUALITY MAP
(APRIL 28, 2009)

BEE BUS LINE SITE
MILWAUKEE, WISCONSIN

FIGURE NO.
1

REVISIONS:	ENGINEER	DATE
APPROVED BY:	ENGINEER	DATE
CHECKED BY:	JRD	02/19/09
DRAWN BY:	JRD	02/19/09
DRAWING NO.	125193	

ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
JRD	09/05/07
DRAWN BY:	
126193	
DRAWING NO.	



LEGEND

- MONITORING WELL
- GEOPROBE BORING
- CONFIRMATION SAMPLE LOCATION
- ABANDONED MONITORING WELL
- EXCAVATION AREA
- s — SANITARY SEWER
- ss — STORM SEWER
- FENCE
- FIRE HYDRANT
- TELEPHONE POLE


SCALE:



Shaw Shaw Environmental, Inc.
 831 Critter Court, Suite 400
 Onalaska, Wisconsin 54650

EXCAVATION AREA AND
 CONFIRMATION SAMPLE LOCATIONS
 BEE BUS LINE SITE
 MILWAUKEE, WISCONSIN

FIGURE NO.
3



METAL BLDG

ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
1/2/09/QB	
RHW	
DRAWN BY:	
1/26/93-3	
DRAWING NO.	

N. 35TH STREET

LINCOLN CREEK

BLOCK BUILDING

BLOCK BUILDING

DRIVEWAY

GARAGE

GRAVEL


OFFICE

DIESEL PUMP

DIESEL PUMP

CONCRETE PAD

ASPHALT




LEGEND

- ◆ MONITORING WELL
- GEOPROBE POINT

Shaw Shaw Environmental, Inc.
831 Critter Court, Suite 400
Onalaska, Wisconsin 54650

CROSS SECTION PLAN VIEW BEE BUS LINES SITE MILWAUKEE, WISCONSIN	FIGURE NO. 7
--------------------------------------------------------------------------	------------------------



SCREENED INTERVAL
 GROUNDWATER TABLE (04/24/03)
 MSL MEAN SEA LEVEL




Shaw Shaw Environmental, Inc.
 831 Center Court, Suite 400
 Oak Creek, Wisconsin 53090

GEOLOGIC
 CROSS SECTION A-A'
 BEE BUS LINES SITE
 MILWAUKEE, WISCONSIN

REVISIONS
APPROVED BY:
CHECKED BY:
DATE: 12/09/08
DRAWN BY: RHW
DATE: 12/03/04
DRAWING NO.

FIGURE NO. 8



ENGINEER	DATE	REVISIONS	APPROVED BY	CHECKED BY	JRD	02/19/09	DRAWN BY	126193	DRAWING NO.
----------	------	-----------	-------------	------------	-----	----------	----------	--------	-------------

- LEGEND**
- MONITORING WELL
 - ABANDONED MONITORING WELL
 - EXCAVATION AREA
 - SANITARY SEWER
 - STORM SEWER
 - FENCE
 - FIRE HYDRANT
 - TELEPHONE POLE
 - ESTIMATED EXTENT OF BENZENE PLUME GREATER THAN NR 140 ENFORCEMENT STANDARD
 - DASHED WHERE INFERRED


NOTE: MW-4 HAD 0.71 FOOT OF FREE PRODUCT



Shaw® Shaw Environmental, Inc.
 831 Crotter Court, Suite 400
 Onalaska, Wisconsin 54650

ESTIMATED EXTENT OF GROUNDWATER CONTAMINANT PLUME (OCTOBER 24, 2008)	FIGURE NO
BEE BUS LINE SITE MILWAUKEE, WISCONSIN	10

ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
DRAWN BY:	BEB
DATE:	12/09/06
DRAWING NO.:	126193



NOTE:
MW-5 NOT USED IN CONTOURING, ANOMOLOUS DATA POINT.

- LEGEND**
- MONITORING WELL
 - GEOPROBE BORING
 - SANITARY SEWER
 - STORM SEWER
 - FENCE
 - FIRE HYDRANT
 - TELEPHONE POLE
 - (645.60) GROUNDWATER ELEVATION IN FEET
 - ~644~ GROUNDWATER CONTOUR (CONTOUR INTERVAL=1')
 - GROUNDWATER FLOW DIRECTION

Shaw® Shaw Environmental, Inc.
831 Critter Court, Suite 400
Oshkosh, Wisconsin 54650



GROUNDWATER ELEVATION CONTOUR MAP
(OCTOBER 24, 2008)
BEE BUS LINE SITE
MILWAUKEE, WISCONSIN

FIGURE NO.
4

**Summary of Soil PVOC Results-Excavation Confirmation Samples
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Sample ID		NR 720.09	NR 746.06		SSW-1	SSW-2	ESW-1	WSW-1	WSW-2	F-1
Sample Date		Generic	Table 1	Table 2	4/10/2007	4/10/2007	4/10/2007	4/10/2007	4/10/2007	4/10/2007
Sample Depth	Units	RCLs	(Product)	(Contact)	5'-6'	5'-6'	5'-6'	5'-6'	5'-6'	10'-11'
PID	ppm/v				364	10	4	150	43	177
1,2,4-Trimethylbenzene	µg/kg	NES	[83000]	NES	12000	69	< 25	6700	3300	3900
1,3,5-Trimethylbenzene	µg/kg	NES	[11000]	NES	1200	82	< 25	320	1000	860
Benzene	µg/kg	5.5	[8500]	<i>1100</i>	1300	< 25	< 25	1800	580	12000
Ethylbenzene	µg/kg	2900	[4600]	NES	3300	< 25	< 25	2700	1500	4600
Methyl-tert-butyl-ether (MTBE)	µg/kg	NES	NES	NES	< 100	< 25	< 25	52	32	78
Toluene	µg/kg	1500	[38000]	NES	< 100	< 25	< 25	120	< 25	960
Xylene, o	µg/kg	4100*	[42000]*	NES	210	< 25	< 25	230	860	3300
Xylenes, m + p	µg/kg	4100*	[42000]*	NES	4000	< 50	< 50	3200	2400	13000

NOTES:

PID = organic vapor meter/photoionization detector

VOCs = Volatile Organic Compounds

ppm/v = parts per million per volume

µg/kg = micrograms per kilogram

NES = no established standard

Red/Bold = Wisconsin Administrative Code NR 720.09 Generic Recommended Contaminant Levels (RCLs) exceedence

Blue/Italic = Wisconsin Administrative Code NR 746.06 Table 2 (Direct Contact) exceedence

[Violet/Bold] = Wisconsin Administrative Code NR 746.06 Table 1 (Product Indicator) exceedence

**Summary of Soil PVOC Results-Excavation Confirmation Samples
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Sample ID		NR 720.09	NR 746.06		CONF-1	F-2	WSW-3	ESW-2
Sample Date		Generic	Table 1	Table 2	4/10/2007	4/11/2007	4/11/2007	4/11/2007
Sample Depth	Units	RCLs	(Product)	(Contact)	6'	11'-12'	5'-6'	5'-6'
PID	ppm/v				110	76	353	283
1,2,4-Trimethylbenzene	µg/kg	NES	[83000]	NES	2100	9200	< 120	21000
1,3,5-Trimethylbenzene	µg/kg	NES	[11000]	NES	840	2400	< 120	1500
Benzene	µg/kg	5.5	[8500]	<i>1100</i>	1400	390	1600	< 250
Ethylbenzene	µg/kg	2900	[4600]	NES	420	3400	9800	430
Methyl-tert-butyl-ether (MTBE)	µg/kg	NES	NES	NES	69	92	< 120	< 250
Toluene	µg/kg	1500	[38000]	NES	85	< 50	< 120	< 250
Xylene, o	µg/kg	4100*	[42000]*	NES	220	270	860	< 250
Xylenes, m + p	µg/kg	4100*	[42000]*	NES	1200	5800	6800	6700

NOTES:

PID = organic vapor meter/photopionization detector

VOCs = Volatile Organic Compounds

ppm/v = parts per million per volume

µg/kg = micrograms per kilogram

NES = no established standard

Red/Bold = Wisconsin Administrative Code NR 720.09 Generic Recommended Contaminant Levels (RCLs)

Blue/Italic = Wisconsin Administrative Code NR 746.06 Table 2 (Direct Contact) exceedence

[Violet/Bold] = Wisconsin Administrative Code NR 746.06 Table 1 (Product Indicator) exceedence

Table 3

Summary of Groundwater PVOC Results
 Bee Bus Lines
 4330 North 35th Street
 Milwaukee, Wisconsin

Well Number Sample Date	Units	NR 140.10 Table 1		MW-1				
		PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1,2,4-Trimethylbenzene	µg/l	96	480	< 0.39	< 0.39	< 0.97	< 0.39	< 0.39
1,2-Dichloroethane	ug/l	60	600	NA	NA	< 0.36	NA	NA
1,3,5-Trimethylbenzene	µg/l	96	480	< 0.4	< 0.4	< 0.83	< 0.4	< 0.4
Benzene	µg/l	0.5	5	< 0.14	< 0.14	< 0.41	< 0.14	< 0.23
Ethylbenzene	µg/l	140	700	< 0.4	< 0.4	< 0.54	< 0.4	< 0.4
Methyl-tert-butyl-ether (MTBE)	µg/l	12	60	< 0.36	< 0.36	< 0.61	< 0.36	< 0.36
Toluene	µg/l	200	1000	< 0.36	< 0.36	< 0.67	< 0.36	< 0.36
Xylene, o	µg/l	1000	10000	< 0.36	< 0.36	< 1.8	< 0.36	< 0.36
Xylenes, m + p	µg/l	1000	10000	< 0.74	< 0.74	< 0.83	< 0.74	< 0.74

NOTES

NES = no established standard

NA = not analyzed

NS = not sampled, no water

µg/l = micrograms per liter

Q = analyte detected between the limit of detection (LOD) and limit of quantitation (LOQ)

Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standard (ES) exceedance

Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limit (PAL) exceedance

**Summary of Groundwater PVOC Results
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Well Number Sample Date	Units	NR 140.10 Table 1		MW-3				
		PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1,2,4-Trimethylbenzene	µg/l	96	480	< 0.39	< 0.39	< 0.97	< 0.39	< 0.39
1,2-Dichloroethane	ug/l	60	600	NA	NA	< 0.36	NA	NA
1,3,5-Trimethylbenzene	µg/l	96	480	< 0.4	< 0.4	< 0.83	< 0.4	< 0.40
Benzene	µg/l	0.5	5	< 0.14	< 0.14	< 0.41	44	4.50
Ethylbenzene	µg/l	140	700	< 0.4	< 0.4	< 0.54	5.1	< 0.40
Methyl-tert-butyl-ether (MTBE)	µg/l	12	60	< 0.36	< 0.8	< 0.61	1	J < 0.36
Toluene	µg/l	200	1000	< 0.36	< 0.36	< 0.67	0.41	J < 0.36
Xylene, o	µg/l	1000	10000	< 0.36	< 0.36	< 1.8	< 0.36	< 0.36
Xylenes, m + p	µg/l	1000	10000	< 0.74	< 0.74	< 0.83	< 0.74	< 0.74

NOTES

NES = no established standard

NA = not analyzed

NS = not sampled, no water

µg/l = micrograms per liter

Q = analyte detected between the limit of detection (LOD) and limit of quantitation (LOQ)

Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standard (ES) exceedence

Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limit (PAL) exceedence

**Summary of Groundwater PVOG Results
Bee Bus Lines
4330 North 33th Street
Milwaukee, Wisconsin**

Well Number Sample Date	Units	NR 140.10 Table 1		MW-5				
		PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1,2,4-Trimeihylbenzene	µg/l	96	480	26	460*	NS	NS	NS
1,2-Dichloroethane	ug/l	60	600	NA	NA	NS	NS	NS
1,3,5-Trimethylbenzene	µg/l	96	480	2.7	35	NS	NS	NS
Benzene	µg/l	0.5	5	210	350	NS	NS	NS
Ethylbenzene	µg/l	140	700	98	770	NS	NS	NS
Methyl-tert-butyl-ether (MTBE)	µg/l	12	60	12*	42*	NS	NS	NS
Toluene	µg/l	200	1000	15	83	NS	NS	NS
Xylene, o	µg/l	1000	10000	2	13	NS	NS	NS
Xylenes, m + p	µg/l	1000	10000	44	520	NS	NS	NS

NOTES

NES = no established standard

NA = not analyzed

NS = not sampled, no water

µg/l = micrograms per liter

Q = analyte detected between the limit of detection (LOD) and limit of quantitation (LOQ)

Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standard (ES) exceedence

Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limit (PAL) exceedence

Table 3

**Summary of Groundwater PVOOC Results
See Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Well Number Sample Date	Units	NR 140.10 Table 1		MW-11				
		PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1,2,4-Trimethylbenzene	µg/l	<i>96</i>	480	< 0.39	< 0.39	< 0.97	< 0.39	< 0.39
1,2-Dichloroethane	ug/l	<i>60</i>	600	NA	NA	< 0.36	NA	NA
1,3,5-Trimethylbenzene	µg/l	<i>96</i>	480	< 0.4	< 0.4	< 0.83	< 0.4	< 0.4
Benzene	µg/l	<i>0.5</i>	5	< 0.14	< 0.14	< 0.41	< 0.14	< 0.23
Ethylbenzene	µg/l	<i>140</i>	700	< 0.4	< 0.4	< 0.54	< 0.4	< 0.4
Methyl-tert-butyl-ether (MTBE)	µg/l	<i>12</i>	60	< 0.36	< 0.36	< 0.61	< 0.36	< 0.36
Toluene	µg/l	<i>200</i>	1000	< 0.36	< 0.36	< 0.67	< 0.36	< 0.36
Xylene, o	µg/l	<i>1000</i>	10000	< 0.36	< 0.36	< 1.8	< 0.36	< 0.36
Xylenes, m + p	µg/l	<i>1000</i>	10000	< 0.74	< 0.74	< 0.83	< 0.74	< 0.74

NOTES

NE§ = no established standard

NA = not analyzed

NS = not sampled, no water

µg/l = micrograms per liter

Q = analyte detected between the limit of detection (LOD) and limit of quantitation (LOQ)

Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standard (ES) exceedance

Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limit (PAL) exceedance

Table 4

**Summary of Groundwater PAH Results
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Well Number	Sample Date	Units	NR 140.10 Table 1		MW-1					MW-3														
			PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008										
1-Methylnaphthalene		µg/l	NES	NES	0.015	<	0.010	<	0.010	<	0.0095	<	0.0095	<	0.010	<	0.12	<	0.043	<	0.33	<	0.0095	
2-Methylnaphthalene		µg/l	NES	NES	0.021	<	0.011	<	0.011	<	0.011	<	0.011	<	0.011	<	0.011	<	0.013	<	0.021	<	0.011	
Acenaphthene		µg/l	NES	NES	0.010	<	0.013	<	0.0082	<	0.0078	<	0.0078	<	0.0082	<	0.051	<	0.036	<	0.073	J	<	0.0078
Acenaphthylene		µg/l	NES	NES	<	0.0081	<	0.0081	<	0.0081	<	0.005	<	0.005	<	0.0081	<	0.016	0.014	Q	0.021	J	<	0.005
Anthracene		µg/l	NES	NES	0.020	<	0.029	<	0.025	Q	0.017	J	0.019	J	0.019	<	0.016	0.016	0.026	Q	0.029	J	0.02	J
Benzo(a)anthracene		µg/l	NES	NES	0.051	<	0.065	<	0.046	Q	0.026	J	0.017	J	<	0.016	0.017	0.021	Q	0.015	J	0.0071	J	
Benzo(a)pyrene		µg/l	0.02	0.2	0.045	<	0.057	<	0.039	Q	0.019	J	0.011	J	<	0.018	0.019	0.021	Q	0.017	J	0.0068	J	
Benzo(b)fluoranthene		µg/l	0.02	0.2	0.044	<	0.065	<	0.041	QZ	0.018	J	0.015	J	<	0.016	0.026	0.021	QZ	0.016	J	0.0075	J	
Benzo(ghi)perylene		µg/l	NES	NES	0.027	<	0.034	<	0.026	Q	0.014	J	0.0085	J	<	0.019	0.021	<	0.022	0.016	J	0.0064	J	
Benzo(k)fluoranthene		µg/l	NES	NES	0.039	<	0.042	<	0.037	QZ	0.024	J	0.012	J	<	0.019	<	0.019	0.026	QZ	0.023	J	<	0.0078
Chrysene		µg/l	0.02	0.2	0.049	<	0.063	<	0.060	Q	0.039	J	0.015	J	<	0.019	0.022	0.028	Q	0.027	J	0.0074	J	
Dibenz(a,h)anthracene		µg/l	NES	NES	<	0.019	<	0.019	<	0.019	<	0.0043	<	0.0043	<	0.019	<	0.019	<	0.021	<	0.0086	<	0.0043
Fluoranthene		µg/l	80	400	0.14	<	0.21	<	0.15	<	0.094	<	0.047	<	0.017	0.034	0.045	Q	0.039	J	0.015	J	0.015	J
Fluorene		µg/l	80	400	<	0.0091	<	0.0091	<	0.0063	<	0.0063	<	0.0063	<	0.0091	0.080	0.055	<	0.092	J	0.0083	J	
Indeno(1,2,3-cd)pyrene		µg/l	NES	NES	0.028	<	0.027	<	0.020	Q	0.011	J	0.0072	J	<	0.019	<	0.019	<	0.021	<	0.0072	<	0.0049
Naphthalene		µg/l	8	40	0.036	<	0.012	<	0.012	<	0.016	<	0.016	<	<	0.012	0.076	0.052	<	0.15	<	0.016	<	0.016
Phenanthrene		µg/l	NES	NES	0.028	<	0.034	<	0.020	Q	0.017	J	0.0099	J	<	0.014	0.025	0.022	Q	0.029	J	0.009	J	
Pyrene		µg/l	50	250	0.10	<	0.15	<	0.11	<	0.068	<	0.035	J	<	0.018	0.037	0.046	Q	0.044	J	0.014	J	

NOTES
 PAH = Polycyclic Aromatic Hydrocarbons
 NES = no established standard
 NS = not sampled, no water
 µg/l = micrograms per liter
 J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit
Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standards (ES) exceedence
Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limits (PAL) exceedence

Summary of Groundwater PAH Results
 Bee Bus Lines
 4330 North 35th Street
 Milwaukee, Wisconsin

Well Number	Sample Date	NR 140.10 Table 1		MW-5					MW-10					
		Units	PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1-Methylnaphthalene	µg/l	NES	NES	15	150	NS	NS	NS	<	0.010	NA	NS	NS	NS
2-Methylnaphthalene	µg/l	NES	NES	2.2	110	NS	NS	NS	<	0.011	NA	NS	NS	NS
Acenaphthene	µg/l	NES	NES	11	12	NS	NS	NS	<	0.0082	NA	NS	NS	NS
Acenaphthylene	µg/l	NES	NES	2.0	1.1	NS	NS	NS	<	0.0081	NA	NS	NS	NS
Anthracene	µg/l	NES	NES	15	13	NS	NS	NS	<	0.012	NA	NS	NS	NS
Benzo(a)anthracene	µg/l	NES	NES	4.2	2.8	NS	NS	NS	<	0.018	NA	NS	NS	NS
Benzo(a)pyrene	µg/l	0.02	0.2	3.0	2.0	NS	NS	NS	<	0.018	NA	NS	NS	NS
Benzo(b)fluoranthene	µg/l	0.02	0.2	2.5	2.0	NS	NS	NS	<	0.016	NA	NS	NS	NS
Benzo(ghi)perylene	µg/l	NES	NES	< 1.9	< 2.1	NS	NS	NS	<	0.019	NA	NS	NS	NS
Benzo(k)fluoranthene	µg/l	NES	NES	2.2	< 2.1	NS	NS	NS	<	0.019	NA	NS	NS	NS
Chrysene	µg/l	0.02	0.2	5.0	3.7	NS	NS	NS	<	0.019	NA	NS	NS	NS
Dibenz(a,h)anthracene	µg/l	NES	NES	< 1.9	< 2.0	NS	NS	NS	<	0.019	NA	NS	NS	NS
Fluoranthene	µg/l	80	400	5.2	8.1	NS	NS	NS	<	0.015	NA	NS	NS	NS
Fluorene	µg/l	80	400	20	22	NS	NS	NS	<	0.0091	NA	NS	NS	NS
Indeno(1,2,3-cd)pyrene	µg/l	NES	NES	< 1.9	< 2.0	NS	NS	NS	<	0.019	NA	NS	NS	NS
Naphthalene	µg/l	8	40	19	240	NS	NS	NS	<	0.012	NA	NS	NS	NS
Phenanthrene	µg/l	NES	NES	10	27	NS	NS	NS	<	0.011	NA	NS	NS	NS
Pyrene	µg/l	50	250	32	29	NS	NS	NS	<	0.015	NA	NS	NS	NS


NOTES
 PAH = Polycyclic Aromatic Hydrocarbons
 NES = no established standard
 NS = not sampled, no water
 µg/l = micrograms per liter
 J = Estimated concentration above the adjusted method detection limit in
Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standards (ES) exceedence
Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limits (PAL) exceedence

Table 4

**Summary of Groundwater PAH Results
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Well Number	Sample Date	NR 140.10 Table 2		MW-11					MW-12				
		Units	PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008	5/10/2007	8/10/2007	11/14/2007	2/29/2008
1-Methylnaphthalene	µg/l	NES	NES	< 0.010	< 0.010	< 0.010	< 0.04	< 0.0095	0.22	NS	NS	NS	NS
2-Methylnaphthalene	µg/l	NES	NES	< 0.011	< 0.011	< 0.011	< 0.044	< 0.011	0.016	NS	NS	NS	NS
Acenaphthene	µg/l	NES	NES	< 0.0082	< 0.0082	< 0.0082	< 0.032	< 0.0078	< 0.0089	NS	NS	NS	NS
Acenaphthylene	µg/l	NES	NES	< 0.0081	< 0.0082	< 0.0081	0.025 J	< 0.005	< 0.0089	NS	NS	NS	NS
Anthracene	µg/l	NES	NES	0.012	0.014	0.015 Q	0.099 J	0.021 J	< 0.013	NS	NS	NS	NS
Benzo(a)anthracene	µg/l	NES	NES	< 0.016	< 0.016	< 0.016	0.25	0.018 J	< 0.017	NS	NS	NS	NS
Benzo(a)pyrene	µg/l	0.02	0.2	< 0.018	< 0.019	< 0.018	0.3	0.021 J	< 0.020	NS	NS	NS	NS
Benzo(b)fluoranthene	µg/l	0.02	0.2	< 0.016	0.030	< 0.016 Z	0.36	0.027 J	< 0.017	NS	NS	NS	NS
Benzo(ghi)perylene	µg/l	NES	NES	< 0.019	0.021	< 0.019	0.4	0.025 J	< 0.021	NS	NS	NS	NS
Benzo(k)fluoranthene	µg/l	NES	NES	< 0.019	< 0.020	< 0.019 Z	0.37	0.021 J	< 0.021	NS	NS	NS	NS
Chrysene	µg/l	0.02	0.2	< 0.019	0.020	< 0.019	0.48	0.02 J	< 0.021	NS	NS	NS	NS
Dibenz(a,h)anthracene	µg/l	NES	NES	< 0.019	< 0.019	< 0.019	0.069 J	0.0048 J	< 0.021	NS	NS	NS	NS
Fluoranthene	µg/l	80	400	< 0.015	0.034	0.021 Q	0.77	0.045 J	< 0.017	NS	NS	NS	NS
Fluorene	µg/l	80	400	< 0.0091	< 0.0091	< 0.0091	0.035 J	< 0.0053	< 0.0099	NS	NS	NS	NS
Indeno(1,2,3-cd)pyrene	µg/l	NES	NES	< 0.019	< 0.019	< 0.019	0.26	0.017 J	< 0.021	NS	NS	NS	NS
Naphthalene	µg/l	8	40	< 0.012	< 0.012	< 0.012	< 0.068	< 0.016	0.079	NS	NS	NS	NS
Phenanthrene	µg/l	NES	NES	< 0.011	0.019	0.016 Q	0.29	0.018 J	0.015	NS	NS	NS	NS
Pyrene	µg/l	50	250	< 0.015	0.029	0.020 Q	0.67	0.037 J	< 0.016	NS	NS	NS	NS

NOTES
 PAH = Polycyclic Aromatic Hydrocarbons
 NES = no established standard
 NS = not sampled, no water
 µg/l = micrograms per liter
 J = Estimated concentration above the adjusted method detection limit
Red/Bold = Wisconsin Administrative Code NIT 140 Enforcement Standards (ES) exceedance
Blue/Italic = Wisconsin Administrative Code NR 140 Preventive Action Limits (PAL) exceedance



Summary of Groundwater PAH Results
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin

Well Number	Units	NR 140.10 Table 1		MW-13				
		PAL	ES	5/10/2007	8/10/2007	11/14/2007	2/29/2008	10/24/2008
1-Methylnaphthalene	µg/l	NES	NES	NS	NS	NS	NS	NS
2-Methylnaphthalene	µg/l	NES	NES	NS	NS	NS	NS	NS
Acenaphthene	µg/l	NES	NES	NS	NS	NS	NS	NS
Acenaphthylene	µg/l	NES	NES	NS	NS	NS	NS	NS
Anthracene	µg/l	NES	NES	NS	NS	NS	NS	NS
Benzo(a)anthracene	µg/l	NES	NES	NS	NS	NS	NS	NS
Benzo(a)pyrene	µg/l	0.02	0.2	NS	NS	NS	NS	NS
Benzo(b)fluoranthene	µg/l	0.02	0.2	NS	NS	NS	NS	NS
Benzo(ghi)perylene	µg/l	NES	NES	NS	NS	NS	NS	NS
Benzo(k)fluoranthene	µg/l	NES	NES	NS	NS	NS	NS	NS
Chrysene	µg/l	0.02	0.2	NS	NS	NS	NS	NS
Dibenz(a,h)anthracene	µg/l	NES	NES	NS	NS	NS	NS	NS
Fluoranthene	µg/l	80	400	NS	NS	NS	NS	NS
Fluorene	µg/l	80	400	NS	NS	NS	NS	NS
Indeno(1,2,3-cd)pyrene	µg/l	NES	NES	NS	NS	NS	NS	NS
Naphthalene	µg/l	8	40	NS	NS	NS	NS	NS
Phenanthrene	µg/l	NES	NES	NS	NS	NS	NS	NS
Pyrene	µg/l	50	250	NS	NS	NS	NS	NS

NOTES

PAH = Polycyclic Aromatic Hydrocarbons

NES = no established standard

NS = not sampled, no water

µg/l = micrograms per liter

J = Estimated concentration above the adjusted method detection limit as

Red/Bold = Wisconsin Administrative Code NR 140 Enforcement Standards (ES) exceedance**Blue/Italic** = Wisconsin Administrative Code NR 140 Preventive Action Limits (PAL) exceedance

Table 2

Summary of Groundwater Elevations
 Bee Bus Lines
 4330 North 35th Street
 Milwaukee, Wisconsin

Well Number	Measurement Date	Top of Casing Elevation (ft msl)	Screen Interval		Depth to Water (ft btoc)	Floating Product Thickness (ft)	Water Elevation (ft msl)	Change in Water Elevation (ft)
			Top (ft msl)	Bottom (ft msl)				
MW-1		651.87	640.49	630.49				
	4/30/2007				5.91	0.0	645.96	
	5/10/2007				6.07	0.0	645.8	0.16
	8/10/2007				6.31	0.0	645.56	0.24
	11/14/2007				6.67	0.0	645.2	0.36
	2/29/2008				6.47	0.0	645.4	-0.2
	10/24/2008				6.27	0.0	645.6	-0.2
MW-3		651.11	646.76	636.76				
	4/30/2007				---			
	5/10/2007				9.91	0.0	641.2	
	8/10/2007				12.09	0.0	639.02	2.18
	11/14/2007				12.06	0.0	639.05	-0.03
	2/29/2008				11.74	0.0	639.37	-0.32
	10/24/2008				12	0.0	639.11	0.26
MW-4		652.06	641.93	631.93				
	4/30/2007				16.51	1.33	635.55	
	5/7/2007				16.69	1.29	635.37	0.18
	5/10/2007				16.29	0.18	635.77	-0.40
	6/5/2007				16.35	0.37	635.71	0.06
	7/20/2007				16.34	0.38	635.72	-0.01
	8/17/2007				15.99	0.28	636.07	-0.35
	11/14/2007				17.26	0.13	634.78	1.29
	2/29/2008				15.74	0.07	636.32	-1.54
	10/24/2008				16.18	0.11	635.88	0.44
MW-5		651.44	641.26	631.26				
	4/30/2007				16.13	0.0	635.31	
	5/10/2007				16.37	0.0	635.07	0.24
	8/10/2007				17.6	0.0	633.84	1.23
	11/14/2007				19.83	0.0	631.61	2.23
	2/29/2008				20.08	0.0	631.36	0.25
	10/24/2008				19.85	0.0	631.59	-0.23

Table 2

**Summary of Groundwater Elevations
Bee Bus Lines
4330 North 35th Street
Milwaukee, Wisconsin**

Well Number	Measurement Date	Top of Casing Elevation (ft msl)	Screen Interval Top (ft msl)	Screen Interval Bottom (ft msl)	Depth to Water (ft btoc)	Floating Product Thickness (ft)	Water Elevation (ft msl)	Change in Water Elevation (ft)
MW-10		652.08	646.47	636.47				
	4/30/2007				----			
	5/10/2007				9.58	0.0	642.5	
	8/10/2007				15.6	0.0	636.48	6.02
	11/14/2007				15.39	0.0	636.69	-0.21
	2/29/2008				15.45	0.0	636.63	0.06
	10/24/2008				15.41	0.0	636.67	-0.04
MW-11		650.83	641.03	631.03				
	4/30/2007				16.11	0.0	634.72	
	5/10/2007				16.11	0.0	634.72	0.00
	8/10/2007				17.29	0.0	633.54	1.18
	11/14/2007				16.83	0.0	634.00	-0.46
	2/29/2008				17.13	0.0	633.70	0.30
	10/24/2008				16.95	0.0	633.88	-0.18
MW-12		651.75	642.63	632.63				
	4/30/2007				15.91	0.0	635.84	
	5/10/2007				17.58	0.0	634.17	1.67
	8/10/2007				19.00	0.0	632.75	1.42
	11/14/2007				19.00	0.0	632.75	0.00
	2/29/2008				19.12	0.0	632.63	0.12
	10/24/2008				18.91	0.0	632.84	-0.21
MW-13		652.04	639.78	629.78				
	4/30/2007				----			
	5/10/2007				21.75	0.0	630.29	
	8/10/2007				22.25	0.0	629.79	0.50
	11/14/2007				21.89	0.0	630.15	-0.36
	2/29/2008				NM			
	10/24/2008				21.71	0.0	630.33	-0.18

NOTES

NM = Not Measured
 ft bgs = feet below ground surface
 ft btm = feet relative to benchmark
 ft btoc = feet below top of casing
 ft msl = feet relative to mean sea level
 Elevations in feet based on arbitrary on-site datum