

GIS REGISTRY  
Cover Sheet

July, 2008  
(RR 5367)

Source Property Information

BRRTS #: 03-41-256655  
ACTIVITY NAME: Emmpak Foods Area 6  
PROPERTY ADDRESS: 200 S. Emmbur Lane  
MUNICIPALITY: Milwaukee  
PARCEL ID #: 426-0033-110-2

CLOSURE DATE: Sep 30, 2008

FID #: 241255740

DATCP #:

COMM #:

\*WTM COORDINATES:

X: 688618 Y: 286278

\*Coordinates are in  
WTM83, NAD83 (1991)

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source  
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

(note: for list of off-source properties  
see "Impacted Off-Source Property")

Soil Contamination > \*RCL or \*\*SSRCL (232)

Contamination in ROW

Off-Source Contamination

(note: for list of off-source properties  
see "Impacted Off-Source Property")

Land Use Controls:

Soil: maintain industrial zoning (220)

(note: soil contamination concentrations  
between residential and industrial levels)

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

(note: maintenance plan for  
groundwater or direct contact)

Vapor Mitigation (226)

Maintain Liability Exemption (230)

(note: local government or economic  
development corporation)

Monitoring wells properly abandoned? (234)

Yes  No  N/A

\* Residual Contaminant Level

\*\*Site Specific Residual Contaminant Level

Completed by M.B.  
9/30/08

State of Wisconsin  
Department of Natural Resources  
<http://dnr.wi.gov>

## GIS Registry Checklist

Form 4400-245 (R 4/08)

Page 1 of 3

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

03-41-256655

PARCEL ID #:

426-0033-110-2

ACTIVITY NAME:

Emmpak Foods Area 6

WTM COORDINATES:

X: 688618

Y: 286278

### CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

### SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).  
**Figure #:**                      **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

### MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.  
*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*  
**Figure #: 1**                      **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #: 1**                      **Title: Area 6 Site Layout Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.  
**Figure #:**                      **Title:**

BRRTS #: 03-41-256655

ACTIVITY NAME: Emmpak Foods Area 6

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: **Geologic Cross Section Location Map (Area 6)**

Figure #: 3 Title: **Geologic Cross Section A-A'**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

*Note: This is intended to show the total area of contaminated groundwater.*

Figure #: 2 Title: **Groundwater Quality Map**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 11 Title: **Groundwater Contour Map**

Figure #: Title:

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: Title:

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 3 Title: **Groundwater Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: **Depth to Groundwater and Water Level Elevations**

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-256655

ACTIVITY NAME: Emmpak Foods Area 6

## NOTIFICATIONS

### Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

### Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.  
*Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*  
**Number of "Off-Source" Letters:**
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).  
**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Matthew J. Frank, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters  
2300 N. Dr. Martin Luther King, Jr. Drive  
Milwaukee, Wisconsin 53212-0436  
Telephone 414-263-8500  
FAX 414-263-8716  
TTY 414-263-8713

September 30, 2008

Ms. Shaunell Morgan, Environmental Supervisor  
Cargill Meat Solutions  
200 S. Emmbur Lane  
Milwaukee, WI 53233

SUBJECT: Final Case Closure  
Emmpak Area 6, 200 S. Emmbur Lane, Milwaukee, WI  
WDNR BRRTS Activity #: 03-41-256655

Dear Ms. Morgan:

On September 30, 2008, the Department of Natural Resources reviewed your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On February 1, 2001, you were notified that the Department had granted conditional closure to this case.

On January 17, 2006 the Department received correspondence indicating that you have complied with the requirements of closure. Monitoring well abandonment forms and a GIS registry packet were submitted to the Department.

---

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

### GIS Registry

The conditions of case closure set out below in this letter require that your site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Groundwater contamination is present above Chapter NR 140 enforcement standards

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior

Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.


#### Remaining Residual Groundwater Contamination

Groundwater impacted by petroleum related contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on the contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at (414)263-8557.

Sincerely,




Margaret M. Brunette, P.G.

Hydrogeologist

Bureau for Remediation & Redevelopment

---



FID # 241255740  
ERR/ERP

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Gloria L. McCutcheon, Regional Director

Southeast Region  
Milwaukee Service Center  
2300 N. Dr. ML King Drive, PO Box 12436  
Milwaukee, Wisconsin 53212-0436  
Telephone 414-263-8500  
FAX 414-263-8716  
TDD 414-263-8713

February 1, 2001

Mr. Brian Gierach  
Emmpak Foods, Inc.  
200 S. Emmer Lane  
Milwaukee, WI 53233

Subject: Conditional Case Closure: Emmpak Foods, Inc. Area 6

Dear Mr. Gierach:

After careful review of the closure request, the Department has determined that the petroleum contamination on the site in the vicinity of the former underground diesel, gasoline, and used motor oil storage tanks that were used in conjunction with the East Tractor Garage Facility and the former Fleet Refueling Station appears to have been investigated and remediated to the extent practicable under current site conditions. Your case will be closed under ch. NR 726.05, Wis. Adm. Code, if the following conditions are satisfied:

**MONITORING WELL ABANDONMENT**

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 140, Wis. Adm. Code, unless these wells will be used as part of continuing site-wide monitoring. If monitoring wells will not be immediately abandoned you will need to notify the Department of your continued monitoring plans to qualify for case closure. Documentation of well abandonment must be submitted on forms provided by the Department.

**GROUNDWATER USE RESTRICTION**

Chapter NR 726.05(2)(b), Wis. Adm. Code, provides that if groundwater contamination still exceeds NR 140 enforcement standards when a closure request is submitted, a case may only be closed if a groundwater use restriction is recorded for each property where enforcement standards are exceeded.

You will need to submit a draft groundwater use restriction to the Department before the document is signed and recorded. A model groundwater use restriction is enclosed for your use. To assist the Department in the review of your draft groundwater use restriction document, a copy of the property deed or deeds should be submitted along with the draft document. Once the Department has checked your draft document for completeness, it should be signed by the owner of the property and recorded at the Milwaukee County Register of Deeds Office. A copy of the recorded document, with the recording information stamped on it, should be submitted to the Department.

Once a letter confirming that the above conditions have been satisfied and any necessary documentation has been submitted, your case can be closed.

Closure of this site is based on current site conditions, if site conditions change (ie. increased infiltration) additional investigation may be necessary to assess the affects to contaminant migration and impacts.

*Quality Natural Resources Management  
Through Excellent Customer Service*



Please be aware that due to the fill material present at the site, an exemption from NR500 may be necessary to construct on the property.

This case may be reopened pursuant to NR 726.09 Wis. Admin. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the actions taken to investigate and remediate the contamination at this site. If you have any questions please feel free to contact me at the above address or at (414)263-8557.

Sincerely,

*Margaret M. Brunette*

Margaret M. Brunette, P.G.  
Hydrogeologist, Remediation and Redevelopment

Cc: Dave Bauer – Sigma Environmental Services, Inc.

---

**LEGAL DESCRIPTION FOR AREA 6  
200 S. EMMER LANE  
MILWAUKEE, WISCONSIN 53233**

DEED RESTRICTION AREA 6

BEING A PART OF PARCEL C OF CERTIFIED SURVEY MAP NUMBER 2441  
LOCATED IN THE NE 1/4 OF THE NE 1/4 OF SECTION 31, TOWNSHIP 7 NORTH,  
RANGE 22 EAST, IN THE CITY OF MILWAUKEE, COUNTY OF MILWAUKEE, STATE  
OF WISCONSIN.



COMMENCING AT THE NORTHEAST CORNER OF THE NE 1/4 OF SECTION 31,  
TOWNSHIP 7 NORTH, RANGE 22 EAST; THENCE S 88°41'31" W, ALONG THE  
NORTH LINE OF SAID NE 1/4 OF SECTION 31, 555.15 FEET; THENCE S 14°58'29"  
W, 36.47 FEET TO THE NORTHWEST CORNER OF CERTIFIED SURVEY MAP 2441  
ALSO BEING THE EASTERLY RIGHT OF WAY OF SOUTH EMMER LANE;  
THENCE S 14°58'29" W, 84.25 FEET ALONG THE EASTERLY RIGHT OF WAY LINE  
OF SOUTH EMMER LANE TO THE POINT OF BEGINNING; THENCE CONTINUING  
S 14°58'29" W, 282.93 FEET ALONG SAID EASTERLY RIGHT OF WAY LINE OF  
SOUTH EMMER LANE TO A POINT; THENCE S 75°53'25" E, 132.53 FEET TO A  
POINT; THENCE N 75°05'27" E, 72.27 FEET TO A POINT; THENCE N 01°13'43" W,  
255.05 FEET TO A POINT; THENCE N 75°01'31" W, 124.00 FEET TO THE POINT OF  
BEGINNING.

SAID PARCEL CONTAINING 45,118 SQUARE FEET OR 1.0 ACRES OF LAND.


# EXHIBIT

## DEED RESTRICTION AREA 6


BEING A PART OF PARCEL C OF CERTIFIED SURVEY MAP NUMBER 2441 LOCATED IN THE NE 1/4 OF THE NE 1/4 OF SECTION 31, TOWNSHIP 7 NORTH, RANGE 22 EAST, IN THE CITY OF MILWAUKEE, COUNTY OF MILWAUKEE, STATE OF WISCONSIN.



**SIGMA**  
 DEVELOPMENT, INC.  
 1300 WEST CANAL STREET  
 MILWAUKEE, WISCONSIN 53233  
 PHONE: (414) 643-4200  
 FAX: (414) 643-4210




The Parcel Identification number that includes Area 6 is 426-0033-110-2



NE ¼ of NE ¼ Sec. 31, T7N, R22E . Adapted from U.S.G.S. 7.5 minute series, Milwaukee, (dated 1958, photorevised 1971) Wisconsin, quadrangle.

SCALE 1:24 000




CONTOUR INTERVAL 10 FEET  
 DOTTED LINES REPRESENT 5-FOOT CONTOURS  
 DATUM IS MEAN SEA LEVEL



**Figure 1. Site Location Map**  
 Emmpak Foods, Inc.  
 321 West Canal Street, Milwaukee, Wisconsin

**SIGMA**  
 ENVIRONMENTAL SERVICES INC.



**EMPAK FOODS, INC.**  
 200 SOUTH EMBER LANE, MILWAUKEE, WI




DATE: 1-8-98 | DR. BY: BEB | DR.# 4205-011

SCALE: 1" = 60'

**AREA 6 SITE LAYOUT MAP**

**FIGURE 1**



**EMPAK FOODS, INC.**  
 200 SOUTH EMBER LANE, MILWAUKEE, WI


DATE: 1-8-98    DR. BY: BEB    DR.# 4205-023


**GROUNDWATER QUALITY MAP - 5/5/99**  
 (NR 140 EXCEDENCES ONLY)

**SIGMA**  
 ENVIRONMENTAL SERVICES INC.

SCALE: 1" = 60'

**FIGURE 2**





**EMPAK FOODS, INC.**  
 200 SOUTH EMBER LANE, MILWAUKEE, WI




DATE: 1-7-98      DR. BY: BEB      DR. # 4205-010

SCALE: 1" = 60'

**GEOLOGIC CROSS SECTION  
 LOCATION MAP (AREA 6)**

**FIGURE 3**



ELEVATION RELATIVE TO MEAN SEA LEVEL (IN FEET)

ELEVATION RELATIVE TO MEAN SEA LEVEL (IN FEET)

USCS SYMBOLS	
	SM - SILTY FINE SAND AND SANDY SILT WITH TRACE SHELLS AND ORGANIC DETRITUS, OCCASIONAL FINE GRAVEL INCLUSIONS OBSERVED.
	ML - CLAYEY SILT WITH TRACE SHELLS AND ORGANIC DETRITUS.
	SP - SAND, GRADING FROM VERY FINE TO COARSE.
	PT - PEAT

LEGEND	
	= STATIC WATER ELEVATION (11-19-97)
	= WELL SCREEN INTERVAL
	= FILL MATERIAL, REMORDED, CLAYEY AND SANDY SILT WITH GRAVEL INCLUSIONS, OCCASIONAL FOUNDRY RESIDUALS, CINDER, BRICK MATERIAL AND CONCRETE.

NOTES:

( ) = FIELD FLAMEIONIZATION DETECTOR (FID) VALUES EXPRESSED IN INSTRUMENT UNITS AS METHANE.

EMMPAK FOODS, INC. 200 SOUTH EMMER LANE, MILWAUKEE, WI			
DATE: 1-8-98	DR. BY: BEB	DR. # 4205-012	
GEOLOGIC CROSS SECTION A - A'			ENVIRONMENTAL SERVICES, INC.
			FIGURE 3

**TABLE**  
**GROUNDWATER ANALYTICAL RESULTS**  
**EMMPAK FOODS, INC. TRACTOR GARAGE (AREA 6)**  
 200 South Emmber Lane  
 Milwaukee, Wisconsin

Analyte	units	MW-601								ES	PAL
		8/19/1997	11/19/1997	2/19/1998	5/21/1998	8/26/1998	11/17/1998	2/18/1999	5/5/1999		
Date Sampled											
Soluble Lead	µg/L	3.4	<0.89	26	<0.89	<0.89	<0.89	<1.2	1.2	15	1.5
Benzene	µg/L	67/69	35/24	16/16	9.8/5.8	9.2/13	13/12	48	34/34	5.0	0.5
Toluene	µg/L	11/11	<3.3	<1.6	3.3/<3.0	2.7	1.1/1.0	<0.50	0.49/0.48	1,000	200
Ethylbenzene	µg/L	66/66	32/26	24/22	14/8.3	3/11	9.4/5.8	13	16/16	700	140
Xylenes	µg/L	350/350	95/70	50/49	33/20	23.0	16/13	18	12/13	10,000	1,000
Methyl-tert-butyl ether	µg/L	3.8/3.8	<0.32	<5.7	<2.0	<1.6	2.3/2.1	<1.2	<0.25	60	12
1,2,4-Trimethylbenzene	µg/L	180/180	83/61	59/58	47/29	30/33	32/22	44	39/39	---	---
1,3,5-Trimethylbenzene	µg/L	52/51	18/13	4.3/4.4	4.0/2.7	3/2.7	1.1/1.2	3.4	7/7.1	---	---
Total Trimethylbenzene	µg/L	232/231	101/74	63.3/62.4	51/31.7	33/35.7	33.1/23.2	47.4	46/46.1	480	96
1,2-Dichloroethane	µg/L	11/11	NA	NA	NA	NA	<0.55	<1.2	<0.25	5.0	0.5
Acenaphthene	µg/L	<0.96	<0.96	<0.99	2.6/<0.22	2.0/2.1	2.8	0.46	2.0	---	---
Anthracene	µg/L	0.2/0.22	0.42/0.12	0.26/0.32	0.80/0.46	0.28/0.33	0.41	0.30	0.49	3000	600
Benzo (a) anthracene	µg/L	0.39/0.45	0.17/0.15	0.064/0.10	0.42/0.62	0.039/0.54	0.18	0.76	1.2	---	---
Benzo (b) fluoranthene	µg/L	<0.088	<0.088	0.15/0.27	0.20/0.26	<0.043/0.096	0.046	0.51	0.24	0.20	0.02
Benzo (k) fluoranthene	µg/L	<0.061	<0.061	<0.063/0.16	1.2/0.095	<0.029	<0.030	0.19	0.094	---	---
Benzo (a) pyrene	µg/L	<0.063	<0.063	0.26/0.38	1.3/0.40	0.16	0.057	0.75	0.52	0.2	0.02
Benzo (ghi) perylene	µg/L	<0.11	<0.11	0.34/0.56	0.28/0.41	0.15	<0.10	1.1	1.1	---	---
Chrysene	µg/L	0.036/0.10	0.21/0.063	0.19/0.097	0.24/0.084	0.079	<0.014	0.17	0.089	0.2	0.02
Fluoranthene	µg/L	0.63/0.70	0.47/0.16	0.71/1.0	2.1/0.97	0.6/0.51	0.74	0.92	0.89	400	80
Fluorene	µg/L	1.5/1.4	1.6/0.34	0.73/0.49	1.9/1.4	1.4/0.98	1.8	0.62	3.2	400	80
Indeno (1,2,3-cd) pyrene	µg/L	<0.057	<0.057	0.41/0.26	0.10/0.33	0.11	<0.087	0.46	0.40	---	---
1-Methylnaphthalene	µg/L	14	11/2.9	6.0/2.8	5.7/4.5	6/6.1	4.6	2.4	7.4	---	---
2-Methylnaphthalene	µg/L	616	3.5/1.2	1.3/<0.65	4.8/3.4	3.1/2.6	<0.63	<0.64	<0.61	---	---
Naphthalene	µg/L	56/40	8.2/4.3	6.2/7.4	5.1/4.3	8.2/3.7	1.1	0.67	<0.22	40	8
Phenanthrene	µg/L	0.83/0.95	1.9/0.53	1.3/1.6	2.5/1.5	1.4/1.8	2.3	0.80	1.9	---	---
Pyrene	µg/L	0.31/0.36	0.36/0.11	0.098/0.12	0.33/0.18	0.069	0.13	0.30	0.2	250	125
Sulfate	mg/L	90	120	53	59.0	77	78	180.0	NA	250	125
Dissolved Oxygen (DO)	mg/L	0.23	0.56	0.63	0.28	0.30	0.38	0.39	0.24	---	---
Ferrous Iron	mg/L	3.2	3.0	3.2	3.0	9.4	7.0	4.4	5.0	---	---
Oxidation/Reduction Potential	mV	NA	-66.0	567.2	-94.0	-130.8	-109.2	-99.0	-115.2	---	---
Conductivity	mS	5.7	5.66	12.90	13.14	5.64	5.40	4.98	12.96	---	---
Total Heterotrophic Microbes	cfu/ml	14,000	8,700	120,000	130,000	NA	NA	NA	NA	---	---
Hydrocarbon Degrading Microbes	cfu/ml	3,400	5,800	70,000	3,200	NA	NA	NA	NA	---	---
Alkalinity, total (CaCO3)	mg/L	1010	990	950	1,100	980	NA	NA	NA	---	---
N-Nitrate	mg/L	<0.50	0.42	<0.55	<0.28	<0.11	0.78	<0.017	NA	10	2
Dissolved Manganese	mg/L	2.5	0.87	0.93	0.58	0.51	0.56	0.86	NA	0.05	0.025
Total Organic Carbon (TOC)	mg/L	77	120	31	48.0	43	NA	NA	NA	---	---
pH	---	7.5	6.8	6.6	7.1	7.3	7.0	7.0	7.0	---	---
Temperature	° C	18.8	11.4	10.8	17.0	22.8	19.2	17.3	14.1	---	---

Key:  
 µg/L = micrograms per Liter  
 mg/L = milligrams per Liter  
 cfu/ml = colony forming units per milliliter of groundwater  
 ES = Wis Admin Code, NR 140 Groundwater Quality Enforcement Standard.  
 PAL = Wis Admin Code, NR 140 Groundwater Quality Preventive Action Limit.  
 MW-601 = Monitoring well nomenclature; Area 6 monitoring well 01  
 MW-12 = CDM monitoring well

**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
**EMMPAK FOODS, INC. TRACTOR GARAGE (AREA 6)**  
 200 South Emmber Lane  
 Milwaukee, Wisconsin

Analyte	units	MW-12								ES	PAL
		08/19/1997	11/19/1997	02/19/1998	05/21/1998	08/26/1998	11/17/1998	02/18/1999	05/05/1999		
<b>Soluble Lead</b>	µg/L	3.5	<0.89	12	1.8	1.1	14	1.7	1.4	15	1.5
Benzene	µg/L	<0.31	0.21	<0.13	<0.13	<0.31	<0.31	<0.10	<0.10	5.0	0.5
Toluene	µg/L	<0.39	<0.20	<0.20	<0.20	<0.39	<0.48	<0.10	<0.10	1,000	200
Ethylbenzene	µg/L	<0.38	0.33	<0.22	<0.22	<0.38	<0.26	<0.25	<0.25	700	140
Xylenes	µg/L	<1.1	0.50	<0.23	<0.23	<1.1	<1.0	<0.25	<0.25	10,000	1,000
Methyl-tert-butyl ether	µg/L	<0.14	<0.16	<0.16	<0.16	<0.14	<0.66	<0.25	<0.25	60	12
1,2,4-Trimethylbenzene	µg/L	<0.32	0.81	<0.22	<0.22	<0.32	<0.27	<0.10	<0.10	---	---
1,3,5-Trimethylbenzene	µg/L	<0.33	0.31	<0.29	<0.29	<0.33	<0.18	<0.10	<0.10	---	---
Total Trimethylbenzene	µg/L	<0.65	1.1	<0.51	<0.51	<0.65	<0.45	<0.20	<0.20	480	96
1,2-Dichloroethane	µg/L	<0.20	NA	NA	NA	<0.20	<0.55	<0.25	<0.25	5.0	0.5
Acenaphthene	µg/L	<0.96	<0.96	<0.96	<0.24	<0.22	<0.22	<0.24	<0.73	---	---
Anthracene	µg/L	0.14	0.12	0.18	0.076	0.55	0.31	0.18	0.13	3000	600
Benzo (a) anthracene	µg/L	0.55	0.35	0.19	0.23	2.1	1.0	0.56	0.44	---	---
<b>Benzo (b) fluoranthene</b>	µg/L	0.18	0.18	0.16	<0.046	<b>0.46</b>	<b>0.25</b>	0.12	<b>0.24</b>	0.20	0.02
Benzo (k) fluoranthene	µg/L	0.23	0.063	0.16	<0.031	0.79	0.14	0.079	0.085	---	---
<b>Benzo (a) pyrene</b>	µg/L	<b>0.42</b>	<b>0.29</b>	<b>0.42</b>	0.18	<b>1.9</b>	<b>0.79</b>	<b>0.34</b>	<b>0.38</b>	0.2	0.02
Benzo (ghi) perylene	µg/L	0.33	0.35	0.32	0.17	1.5	0.60	0.36	<0.33	---	---
<b>Chrysene</b>	µg/L	<b>0.32</b>	<b>0.28</b>	<b>0.36</b>	0.13	<b>1.2</b>	<b>0.56</b>	<b>0.29</b>	<b>0.29</b>	0.2	0.02
Fluoranthene	µg/L	0.84	0.94	0.91	0.47	3.8	2.0	0.52	1.4	400	80
Fluorene	µg/L	<0.075	0.31	<0.075	<0.031	<0.029	0.038	0.033	<0.097	400	80
Indeno (1,2,3-cd) pyrene	µg/L	0.21	0.15	0.26	<0.090	0.76	0.40	0.17	<0.28	---	---
1-Methylnaphthalene	µg/L	<0.58	<0.58	<0.58	<0.43	<0.40	<0.41	<0.43	<1.3	---	---
2-Methylnaphthalene	µg/L	<0.65	<0.65	<0.65	<0.65	<0.60	<0.61	<0.65	<2.0	---	---
Naphthalene	µg/L	<0.35/<0.31	<0.31	<0.31	<0.24	<0.22	<0.22	<0.24	<0.73	40	8
Phenanthrene	µg/L	0.45	0.39	0.23	0.14	1.6	0.77	0.35	0.34	---	---
Pyrene	µg/L	1.2	1	1.8	0.32	5.1	1.4	0.75	0.79	250	125
Sulfate	mg/L	160	99	170	210	230	150	110	NA	250	125
Dissolved Oxygen (DO)	mg/L	0.3	0.50	4.81	4.30	0.54	0.69	0.52	5.0	---	---
Ferrous Iron	mg/L	0.1	ND	ND	0.0	0.0	3.0	3.0	0.0	---	---
Oxidation/Reduction Potential	mV	NA	40.0	139.8	86.1	73.0	341.2	289.6	98.7	---	---
Conductivity	mS	1,251	1,743	12.18	14.61	1.47	5.03	4.99	12.64	---	---
Total Heterotrophic Microbes	cfu/ml	90,000	2,400	3,300	49,000	NA	NA	NA	NA	---	---
Hydrocarbon Degrading Microbes	cfu/ml	70,000	1,100	2,900	1,600	NA	NA	NA	NA	---	---
Alkalinity, total (CaCO3)	mg/L	510	780	410	460	450	NA	NA	NA	---	---
N-Nitrate	mg/L	<0.50	<0.20	23	13	15	16	14	NA	10	2
Dissolved Manganese	mg/L	0.14	0.54	<0.0063	<0.0063	0.092	0.26	<0.0086	NA	0.05	0.025
Total Organic Carbon (TOC)	mg/L	22	42	4.3	5.1	6.2	NA	NA	NA	---	---
pH	---	7.6	6.8	7.2	7.1	7.4	7.0	7.1	7.0	---	---
Temperature	° C	14.8	13.1	7.3	9.4	15.9	13.9	13.6	8.6	---	---

Key:  
 µg/L = micrograms per Liter  
 mg/L = milligrams per Liter  
 cfu/ml = colony forming units per milliliter of groundwater  
 ES = Wis Admin Code, NR 140 Groundwater Quality Enforcement Standard.  
 PAL = Wis Admin Code, NR 140 Groundwater Quality Preventive Action Limit.  
 MW-601 = Monitoring well nomenclature; Area 6 monitoring well 01  
 MW-12 = CDM monitoring well

**TABLE 3  
GROUNDWATER ANALYTICAL RESULTS  
EMMPAK FOODS, INC. TRACTOR GARAGE (AREA 6)  
200 South Emmber Lane  
Milwaukee, Wisconsin**

Analyte	units	MW-13								ES	PAL
		08/19/1997	11/19/1997	02/19/1998	05/21/1998	08/26/1998	11/17/1998	02/18/1999	05/05/1999		
Date Sampled											
Soluble Lead	µg/L	2.0	<0.89	<0.89	<0.89	<0.89	1.7	<1.2	<1.2	15	1.5
Benzene	µg/L	<0.31	0.21	<0.13	<0.13	<0.31	<0.31	<0.10	<0.10	5.0	0.5
Toluene	µg/L	<0.39	0.21	<0.20	<0.20	<0.39	<0.48	<0.10	<0.10	1,000	200
Ethylbenzene	µg/L	<0.38	<0.22	<0.22	<0.22	<0.38	<0.26	<0.25	<0.25	700	140
Xylenes	µg/L	<1.1	0.32	<0.23	<0.23	<1.1	<1.0	<0.25	<0.25	10,000	1,000
Methyl-tert-butyl ether	µg/L	0.83	<0.16	<0.16	<0.40	<0.14	<0.66	<0.25	<0.25	60	12
1,2,4-Trimethylbenzene	µg/L	<0.32	0.22	<0.22	<0.22	<0.32	<0.27	<0.10	<0.10	---	---
1,3,5-Trimethylbenzene	µg/L	<0.33	<0.29	<0.29	<0.29	<0.33	<0.18	<0.10	<0.10	---	---
Total Trimethylbenzene	µg/L	<0.65	0.22	<0.51	<0.51	<0.65	<0.45	<0.20	<0.20	480	96
1,2-Dichloroethane	µg/L	<0.20	NA	NA	NA	<0.20	<0.55	<0.25	<0.25	5.0	0.5
Acenaphthene	µg/L	<0.96	<0.96	<11	2.7	2.6	2.8	<1.1	2.6	---	---
Anthracene	µg/L	2.8	3.1	3.2	12	4.1	5.9	15	11	3000	600
Benzo (a) anthracene	µg/L	2.7	3.8	3.0	17	4.6	6.6	17	13	---	---
Benzo (b) fluoranthene	µg/L	0.98	1.3	1.2	6.2	1.6	2.5	7.1	4.7	0.20	0.02
Benzo (k) fluoranthene	µg/L	1.1	1.5	0.91	6.5	2.0	2.7	4.3	5.7	---	---
Benzo (a) pyrene	µg/L	2.6	3.0	2.6	22	5.3	5.9	15	12	0.2	0.02
Benzo (ghi) perylene	µg/L	1.9	2.2	1.4	10	4.4	6.0	12	10	---	---
Chrysene	µg/L	1.8	2.4	1.9	10	3.5	4.2	10	8.2	0.2	0.02
Fluoranthene	µg/L	7.8	12	10	9.5	14	18	56	39	400	80
Fluorene	µg/L	3.8	4.1	3.0	8.0	3.0	4.9	8.8	6.6	400	80
Indeno (1,2,3-cd) pyrene	µg/L	1.1	1.7	0.65	9.7	2.5	3.3	9.1	7.1	---	---
1-Methylnaphthalene	µg/L	5.3	2.6	<6.4	11.0	1.2	2.2	<2.0	<2.0	---	---
2-Methylnaphthalene	µg/L	7.3	7.3	<7.2	21.0	9.9	13	<3.0	<3.0	---	---
Naphthalene	µg/L	<0.35/2.0	<0.31	<3.4	2.2	1.8	3.2	<1.1	<1.1	40	8
Phenanthrene	µg/L	10	7.3	11	32	13	19	41	29	---	---
Pyrene	µg/L	6.2	8.2	5.1	28	9.2	16	30	21	250	125
Sulfate	mg/L	61	85	37	43	63	57	50	NA	250	125
Dissolved Oxygen (DO)	mg/L	0.18	0.30	0.33	0.4	0.36	0.35	0.36	0.18	---	---
Ferrous Iron	mg/L	3.5	4.0	4.0	7.0	7.8	7.0	3.0	4.0	---	---
Oxidation/Reduction Potential	mV	NA	24.4	-56.7	-110.5	-118.3	-110.5	-108.6	-97.5	---	---
Conductivity	mS	2.8	3.25	12.71	14.12	3.10	2.76	2.39	3.01	---	---
Total Heterotrophic Microbes	cfu/ml	4,600	460	7,300	160,000	NA	NA	NA	NA	---	---
Hydrocarbon Degrading Microbes	cfu/ml	1,300	3	900.0	10,000	NA	NA	NA	NA	---	---
Alkalinity, total (CaCO3)	mg/L	730	680	770	740	740	NA	NA	NA	---	---
N-Nitrate	mg/L	<0.50	<0.20	0.48	<0.28	<0.055	0.42	<0.017	NA	10	2
Dissolved Manganese	mg/L	0.82	0.58	0.59	0.56	0.52	0.51	0.50	NA	0.05	0.025
Total Organic Carbon (TOC)	mg/L	27	59	16	36	15	NA	NA	NA	---	---
pH	---	7.5	7.0	6.9	6.9	7.2	7.0	7.0	7.0	---	---
Temperature	° C	19.4	15.9	11.2	13.2	21.5	16.3	16.5	12.6	---	---

Key:  
µg/L = micrograms per Liter  
mg/L = milligrams per Liter  
cfu/ml = colony forming units per milliliter of groundwater  
ES = Wis Admin Code, NR 140 Groundwater Quality Enforcement Standard.  
PAL = Wis Admin Code, NR 140 Groundwater Quality Preventive Action Limit.  
MW-601 = Monitoring well nomenclature; Area 6 monitoring well 01  
MW-12 = CDM monitoring well

**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
**EMMPAK FOODS, INC. TRACTOR GARAGE (AREA 6)**  
 200 South Emmer Lane  
 Milwaukee, Wisconsin

Analyte	units	MW-14								ES	PAL
		08/19/1997	11/19/1997	02/19/1998	05/21/1998	08/26/1998	11/17/1998	02/18/1999	05/05/1999		
Soluble Lead	µg/L	1.4	0.89	6.7	1.0	<0.89	1.0	<1.2	<1.2	15	1.5
Benzene	µg/L	<0.31	0.16	<0.13	<0.13	<0.31	<0.31	<0.10	<0.10	5.0	0.5
Toluene	µg/L	<0.39	0.20	<0.20	<0.20	<0.39	<0.48	<0.10	<0.10	1,000	200
Ethylbenzene	µg/L	<0.38	<0.22	<0.22	<0.22	<0.38	<0.26	<0.25	<0.25	700	140
Xylenes	µg/L	<1.1	0.25	<0.23	<0.23	<1.1	<1.0	<0.25	<0.25	10,000	1,000
Methyl-tert-butyl ether	µg/L	0.21	<0.16	<0.16	<0.16	<0.14	<0.66	<0.25	<0.25	60	12
1,2,4-Trimethylbenzene	µg/L	<0.32	<0.22	<0.22	<0.22	<0.32	<0.27	<0.10	<0.10	---	---
1,3,5-Trimethylbenzene	µg/L	<0.33	<0.29	<0.29	<0.29	<0.33	<0.18	<0.10	<0.10	---	---
Total Trimethylbenzene	µg/L	<0.65	<0.51	<0.51	<0.51	<0.65	<0.45	<0.20	<0.20	480	96
1,2-Dichloroethane	µg/L	<0.20	NA	NA	NA	<0.20	<0.55	<0.25	<0.25	5.0	0.5
Acenaphthene	µg/L	<0.96	<0.96	<0.99	<0.22	<0.22	<0.23	<0.23	<0.22	---	---
Anthracene	µg/L	0.12	0.059	0.28	0.22	0.032	0.16	0.37	0.15	3000	600
Benzo (a) anthracene	µg/L	0.14	<0.032	0.054	0.42	0.055	0.17	0.83	0.27	---	---
Benzo (b) fluoranthene	µg/L	<0.088	<0.088	0.076	0.079	<0.043	0.042	0.30	0.071	0.20	0.02
Benzo (k) fluoranthene	µg/L	<0.061	<0.061	<0.063	0.049	<0.029	0.092	0.19	0.050	---	---
Benzo (a) pyrene	µg/L	<0.063	<0.063	0.18	0.24	<0.027	0.063	0.60	0.20	0.2	0.02
Benzo (ghi) perylene	µg/L	<0.11	<0.11	0.22	0.14	<0.10	0.20	0.67	<0.10	---	---
Chrysene	µg/L	<0.021	<0.021	0.058	0.12	<0.013	0.16	0.39	0.11	0.2	0.02
Fluoranthene	µg/L	0.35	0.17	0.69	0.94	0.11	0.42	1.9	0.53	400	80
Fluorene	µg/L	0.15	<0.075	0.26	0.21	<0.029	<0.030	0.19	0.053	400	80
Indeno (1,2,3-cd) pyrene	µg/L	<0.057	<0.057	0.15	0.093	<0.083	0.075	0.44	<0.084	---	---
1-Methylnaphthalene	µg/L	<0.58	<0.58	<0.60	<0.40	<0.40	<0.41	<0.42	<0.40	---	---
2-Methylnaphthalene	µg/L	<0.65	<0.65	<0.67	<0.60	<0.60	<0.62	<0.64	<0.61	---	---
Naphthalene	µg/L	<0.35/<0.31	<0.31	<0.32	<0.22	<0.22	<0.23	<0.23	<0.22	40	8
Phenanthrene	µg/L	0.49	0.25	1.1	0.73	0.11	0.63	1.1	0.49	---	---
Pyrene	µg/L	0.17	0.084	0.38	0.56	0.051	0.22	1.0	0.31	250	125
Sulfate	mg/L	67	84	46	52	59	60	70	NA	250	125
Dissolved Oxygen (DO)	mg/L	0.3	0.51	0.37	0.23	0.32	0.36	0.30	0.21	---	---
Ferrous Iron	mg/L	4.0	NA	1.4	1.0	9.0	4.5	2.6	3.6	---	---
Oxidation/Reduction Potential	mV	NA	55.2	46.8	-74.7	-114.0	-97.1	-82.9	-65.2	---	---
Conductivity	mS	4.3	4.78	19.86	17.34	5.0	4.90	5.00	4.17	---	---
Total Heterotrophic Microbes	cfu/ml	NA	NA	NA	NA	NA	NA	NA	NA	---	---
Hydrocarbon Degrading Microbes	cfu/ml	NA	NA	NA	NA	NA	NA	NA	NA	---	---
Alkalinity, total (CaCO3)	mg/L	820	710	810	730	720	NA	NA	NA	---	---
N-Nitrate	mg/L	<0.50	<0.20	0.40	<0.28	<0.11	0.76	<0.017	NA	10	2
Dissolved Manganese	mg/L	1.4	0.63	0.62	0.92	0.66	0.65	0.60	NA	0.05	0.025
Total Organic Carbon (TOC)	mg/L	38	170	17	19	14	NA	NA	NA	---	---
pH	---	7.5	7.0	6.7	7.1	7.4	7.0	7.1	7.0	---	---
Temperature	° C	15.2	14.9	9.9	13.3	17.6	16.3	15.9	11.1	---	---

Key:  
 µg/L = micrograms per Liter  
 mg/L = milligrams per Liter  
 cfu/ml = colony forming units per milliliter of groundwater  
 ES = Wis Admin Code, NR 140 Groundwater Quality Enforcement Standard.  
 PAL = Wis Admin Code, NR 140 Groundwater Quality Preventive Action Limit.  
 MW-601 = Monitoring well nomenclature; Area 6 monitoring well 01  
 MW-12 = CDM monitoring well

**Table 1**  
**Depth to Groundwater and Water Level Elevations**  
**EMMPAK FOODS, INC.\TRACTOR GARAGE (AREA 6)**  
**200 South Emmer Lane**  
**Milwaukee, Wisconsin**

Well Designation	Measuring Point Elevation (ft)	Ground Surface Elevation (ft)	Depth to Groundwater (ft)	Groundwater Level Elevation (ft)	Date Collected			
MW-601	585.03	585.38	4.62	580.41	08/18/1997			
			5.16	579.87	11/19/1997			
			4.94	580.09	02/19/1998			
			4.88	580.15	05/21/1998			
			5.02	580.01	08/26/1998			
			5.45	579.58	11/17/1998			
			5.40	579.63	02/18/1999			
			5.12	579.91	05/05/1999			
			MW-12	590.82	588.04	8.98	581.84	08/18/1997
						9.89	580.93	11/19/1997
8.04	582.78	02/19/1998						
8.88	581.94	05/21/1998						
9.22	581.60	08/26/1998						
9.42	581.40	11/17/1998						
8.93	581.89	02/18/1999						
8.58	582.24	05/05/1999						
MW-13	583.97	583.44				3.32	580.65	08/18/1997
						3.97	580.00	11/19/1997
			3.72	580.25	02/19/1998			
			3.65	580.32	05/21/1998			
			3.84	580.13	08/26/1998			
			4.34	579.63	11/17/1998			
			4.30	579.67	02/18/1999			
			3.90	580.07	05/05/1999			
			MW-14	583.88	584.23	3.45	580.43	08/18/1997
						4.05	579.83	11/19/1997
3.81	580.07	02/19/1998						
4.77	579.11	05/21/1998						
3.95	579.93	08/26/1998						
4.33	579.55	11/17/1998						
4.30	579.58	02/18/1999						
9.52	574.36	05/05/1999						


**Note:**


Measuring point for monitoring wells equals northside top of well casings.  
All elevations relative to mean sea level (msl).

Emmpak Foods, Inc., the responsible party for the property located at 200 South Emmer Drive (Area 6), Milwaukee, Wisconsin, states that the legal description provided to the Wisconsin Department of Natural Resources (and attached to this statement) for case file reference 03-41-256655 is complete and accurate to the best of our knowledge.

Signature of Representative for Responsible Party:

Date:

  
\_\_\_\_\_

  
\_\_\_\_\_