

**Source Property Information**

BRRTS #:	03-41-544791	Closure Date:	November 03, 2009
ACTIVITY NAME:	The Quiet Zone	FID#:	341125540
PROPERTY ADDRESS:	2422 W Capitol Dr	DATCP#:	
MUNICIPALITY:	Milwaukee	COMM#:	53206-1428-22
PARCEL ID#:	245-0530-200-8		

**\*WTM Coordinates:**

X:  Y:

*\*Coordinates are in WTM83, NAD83 (1991)*

**WTM Coordinates Represent:**

- Approximate Center of Contaminant Source  
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

**Contaminated Media:**

- |  |   |
|--|---|
| <input checked="" type="checkbox"/> Groundwater Contamination > ES (236) | <input checked="" type="checkbox"/> Soil Contamination > *RCLs or **SSRCL (232) |
| <input type="checkbox"/> Groundwater Contamination in ROW                | <input type="checkbox"/> Soil Contamination in ROW                              |
| <input type="checkbox"/> Off-Source Contamination                        | <input type="checkbox"/> Off-Source Contamination                               |

*(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")*

*(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")*

**Land Use Controls:**

- |   |   |
|---|---|
| <input type="checkbox"/> Soil: maintain industrial zoning (220) | <input type="checkbox"/> Cover or Barrier (222)             |
| <input type="checkbox"/> Structural Impediment (224)            | <input type="checkbox"/> Vapor Mitigation (226)             |
| <input type="checkbox"/> Site-Specific Condition (228)          | <input type="checkbox"/> Maintain Liability Exemption (230) |

*(note: soil contaminant concentrations between residential and industrial levels)*

*(note: maintenance plan for groundwater or direct contact)*

*(note: local government or economic development corporation)*

**Monitoring wells properly abandoned? (234)**

- Yes       No       N/A

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

03-41-544791

PARCEL ID #:

245-0530-200-8

ACTIVITY NAME:

The Quiet Zone

WTM COORDINATES: X:

687428

Y: 292874

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

Closure Letter

Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)

Conditional Closure Letter

Certificate of Completion (COC) for VPLE sites

**SOURCE LEGAL DOCUMENTS**

**Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.

**Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

**Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #:

Title:

**Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

**Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.

**Note:** Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.

Figure #: 1

Title: Site Location

**Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: 2

Title: Site Features

**Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: 3

Title: Soil Contaminants Above RCL's (Volatiles)

BRRTS #: **03-41-544791**

ACTIVITY NAME: **The Quiet Zone**

**MAPS (continued)**

**Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **4** Title: **Geologic Cross Section Reference Map**

Figure #: **5** Title: **Geologic Cross Section A-A'**

**Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

**Note:** This is intended to show the total area of contaminated groundwater.

Figure #: **6** Title: **Groundwater Contaminants Above the ES**

**Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **7** Title: **Groundwater Flow Direction - 8/19/08**

Figure #: Title:

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

**Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.

**Note:** This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: **1** Title: **Soil Analytical Results (3 pages)**

**Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **2** Title: **Analytical Results - Groundwater (6 pages)**

**Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **3** Title: **Groundwater Elevations**

**IMPROPERLY ABANDONED MONITORING WELLS** **Not Applicable**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

**Note:** If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

**Not Applicable**

**Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

**Note:** If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

**Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

**Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

**Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-41-544791

ACTIVITY NAME: The Quiet Zone

**NOTIFICATIONS**

Not Applicable

**Source Property**

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

**Off-Source Property**

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

*Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*

**Number of "Off-Source" Letters:**

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
9316 North 107th Street  
Milwaukee, Wisconsin 53224-1121  
TTY: Contact Through Relay  
Fax: (414) 357-4700  
Jim Doyle, Governor  
Richard J. Leinenkugel, Secretary

November 3, 2009

Mr. Haithem Naji  
7872 South Victory Creek Court  
Franklin, WI 53132

RE: **Final Closure**

**Commerce # 53206-1428-22-A** DNR BRRTS # 03-41-544791  
The Quiet Zone, 2422 West Capitol Drive, Milwaukee

Dear Mr. Naji:

The Wisconsin Department of Commerce (Commerce) has received all items required as the condition for closure of the site referenced above. This site is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. To review all sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable State and federal regulations.

Costs for sampling and excavation activities conducted after case closure are not eligible for PECFA reimbursement. However, if it is determined that any undisturbed remaining petroleum contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If this case is reopened, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. It is in your best interest to keep all documentation related to environmental activities at your site.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 357-4703.

Sincerely,

A handwritten signature in black ink, appearing to read "L.M.", with a long horizontal flourish extending to the right.

Linda M. Michalets  
Senior Hydrogeologist  
Site Review Section

cc: Mr. Dave Lennon, Sentinel Environmental Services, LLC



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
9316 North 107th Street  
Milwaukee, Wisconsin 53224-1121  
TTY: Contact Through Relay  
Fax: (414) 357-4700  
Jim Doyle, Governor  
Richard J. Leinenkugel, Secretary

August 13, 2009

Mr. Haithem Naji  
7872 South Victory Creek Court  
Franklin, WI 53132

RE: **Conditional Case Closure**

**Commerce # 53206-1428-22-A DNR BRRTS # 03-41-544791**  
The Quiet Zone, 2422 West Capitol Drive, Milwaukee

Dear Mr. Naji:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Sentinel Environmental Services, LLC, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

**The following condition must be satisfied to obtain final closure:**

The six monitoring wells (MW-1 through MW-6) must be properly abandoned within 60 days and the appropriate documentation forwarded to Commerce at the letterhead address within 120 days of the date of this letter. Noncompliance with the abandonment requirement and deadline can result in enforcement action and financial penalties.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. All sites on the Registry can be viewed via the Remediation and Redevelopment (RR) Sites Map at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Timely filing of your final PECFA claim is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days from the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 357-4703.

Sincerely,

Handwritten signature of Linda M. Michalets, consisting of the letters 'L' and 'M' in a cursive style.

Linda M. Michalets  
Senior Hydrogeologist  
Site Review Section

cc: Mr. Dave Lennon, Sentinel Environmental Services, LLC



DOC.# 09159728

REGISTER'S OFFICE | SS  
Milwaukee County, WI

RECORDED 01/06/2006 02:10PM

JOHN LA FAVE  
REGISTER OF DEEDS

AMOUNT: 13.00

Document Number

**WARRANTY DEED**

This Deed, made between C E & S Enterprises, Inc. ("Grantor"), and Haithem A. Najj A. Najj ("Grantee").

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Milwaukee County, State of Wisconsin ("Property"):

TRANSFER  
\$1,020.<sup>00</sup>  
FEE

NAME AND RETURN ADDRESS:

Haithem A. Najj  
2422 W Capitol Drive  
Milwaukee, WI 53206

TAX PARCEL NO.:  
245-0530-200-8

This ~~XXXXXX~~ is not homestead property.

LOTS 17, 18 AND THE EAST 41 FEET OF LOT 19, IN BLOCK 2, IN GRASS BROTHERS SUBDIVISION, BEING A SUBDIVISION OF LOTS 10, 11, 12, 13, 14, 15, 16 AND 17, IN E.C. FREIHUBE'S SUBDIVISION, IN THE SOUTHWEST 1/4 OF SECTION 6, IN TOWNSHIP 7 NORTH, RANGE 22 EAST, IN THE CITY OF MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN.

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and general taxes levied in the year of closing.

Dated this DECEMBER 22nd, 2005

C E & S Enterprises, Inc. BY:

Elaine Bowman

By: Elaine Bowman  
Secretary/Treasurer

**AUTHENTICATION**

Signature(s)

\_\_\_\_\_  
Elaine Bowman

authenticated this 12-22-05

\_\_\_\_\_  
Printed Name: STEPHEN C (RAYMOND)

TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not, \_\_\_\_\_ authorized  
by 706.06, Wis. Stats.)

**ACKNOWLEDGEMENT**

State of Wisconsin  
County of Milwaukee

Personally came before me on \_\_\_\_\_  
the above named C E & S Enterprises, Inc. to me  
known to be the person(s) who executed the  
foregoing instrument and acknowledged the  
same.

\_\_\_\_\_  
Notary Public:  
Notary County/State: /  
Commission Expires:

THIS INSTRUMENT WAS DRAFTED BY  
Attorney Dan R. Raymond  
Under the Supervision of:  
Metropolitan Title Company

(Signatures may be authenticated or acknowledged. Both are not necessary.)

S.W. 0-7-22  
ATLAS P. 245

GRASS BROS. SUBD. 245

Blk. 3 Graham & Osborn's Subd. Adj.

PLACE

\*4100

\*4080

\*4072-4

\*4070

\*4062

\*4058

\*4054 & A

\*4046-8

\*4042-4



\*4036-8

\*4032

\*4024-6

\*4020-2

N. 24<sup>TH</sup> \*4012



2444-36  
W. CAPITOL


2422

2414

\*2406-10

\*2400-4

DRIVE



WEST CAPITOL DRIVE 120'

I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon; boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.




**National Survey & Engineering**

3470 North 127th Street • P.O. Box 444 • Brookfield, Wisconsin, 53005 • Phone 414 / 781-1000

*Kenneth E. Berke*

THIS IS ORIGINAL  
PRINT ONLY IF  
SEAL IS IMPRINTED  
IN RED



● GEO-PROBE LOCATIONS

 <p><b>AXIS CONSULTING, LLC</b></p> <p>P.O. Box 709 Brookfield, WI 53005 Phone: 262-790-2696 Fax: 262-790-9378</p>	<p>FIG.-NO. 2 PRELIMINARY GEO-PROBE LOCATIONS</p>	
	Drawn By:	Date:
	Rev'd. By:	File No.
	Scale:	Dwg.No.
	<p>Microfilm CITY OF</p>	


RE: The Quiet Zone  
2422 West Capitol Drive  
Milwaukee, WI 53206  
BRRTS #03-41-544791  
Commerce #53206-1428-22-A

To whom it may concern:

I believe the legal description included with the closure request for the property at 2422 West Capitol Drive, Milwaukee, WI to be complete and accurate.


Haithem Naji  
Responsible Party

Signature



Date

7/17/09



Note: Base map developed from the Milwaukee, Wisconsin  
15 Minute U.S.G.S. Quadrangle Map

Scale (feet): 0 ————— 2000

Figure 1  
Site Location Map  
The Quiet Zone  
2422 West Capitol Dr.  
Milwaukee, WI 53206

Quadrangle Location  
SW ¼, SW ¼, S6, T7N, R22E

**SENTINEL**  
ENVIRONMENTAL  
SERVICES, LLC






Figure 3  
 Soil Contaminants Above RCLs (Volatiles)  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Sentinel Environmental Services, LLC  
 PO Box 865, Grafton, WI 53024




Figure 4  
 Geologic Cross Section Reference Map  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Sentinel Environmental Services, LLC  
 PO Box 865, Grafton, WI 53024




Figure 5  
 Geologic Cross Section A-A'  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Sentinel Environmental Services, LLC  
 PO Box 865, Grafton, WI 53024




Figure 6  
 Groundwater Contaminants Above the ES  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Sentinel Environmental Services, LLC  
 PO Box 865, Grafton, WI 53024




Figure 7  
 Groundwater Flow Direction - 08/19/08  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Sentinel Environmental Services, LLC  
 PO Box 865, Grafton, WI 53024

Table 1 (page 1 of 3)  
Soil Analytical Results  
The Quiet Zone  
2422 W. Capitol Dr., Milwaukee, WI

		NR 720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples							
Boring Number					GP-1	GP-2	GP-3		GP-4		GP-6	
Sample Number					S1	S1	S1	S2	S1	S2	S1	S2
Depth (feet)					0-4	0-4	0-4	4-8	0-4	4-8	0-4	4-8
Date Collected					12/02/05	12/02/05	12/02/05	12/02/05	12/02/05	12/02/05	12/02/05	12/02/05
PID Reading					---	---	---	---	---	---	---	---
DRO (mg/kg)	250	---	---		---	---	90					
GRO (mg/kg)	250	---	---		---	---	25.9	15.7	1.21	1.73	32.4	4.84
Total Lead (mg/kg)	50	---	---		---	---	---	---	---	---	---	---
VOCs (µg/kg) <sup>1</sup>												
1,2,4-Trimethylbenzene	---	83,000	---		<10	<10	990	65	<10	46	54	17
1,3,5-Trimethylbenzene	---	11,000	---		<10	<10	33	<10	<10	<10	127	<10
Benzene	25 <sup>2</sup>	8,500	1,100		<b>60</b>	<5.0	9.7	<5.0	<5.0	<5.0	<5.0	54
Ethylbenzene	2,900	4,600	---		<5.0	<5.0	9.7	98	<5.0	<5.0	255	<5.0
Total Xylenes	4,100	42,000	---		<5.0	<5.0	280	54	<5.0	54	255	<5.0
MTBE	---	---	---		<10	<10	<8.061	<10	<10	<10	<10	<10
Naphthalene	---	2,700	---		<51	<51	240	<51	<50	<50	<51	<51
Isopropylbenzene	---	---	---		---	---	160	---	---	---	---	---
n-Propylbenzene	---	---	---		---	---	490	---	---	---	---	---
n-Butylbenzene	---	---	---		---	---	67	---	---	---	---	---
sec-Butylbenzene	---	---	---		---	---	65	---	---	---	---	---
tert-Butylbenzene	---	---	---		---	---	5.2	---	---	---	---	---
p-Isopropyltoluene	---	---	---		---	---	24	---	---	---	---	---
Toluene	1,500	38,000	---		<51	<51	<35	<51	<50	<51	109	<51

1 VOCs with standards or detections are listed.

2 Benzene RCL elevated from 5.5 µg/kg to 25 µg/kg due to methanol preservation

Bold Values exceed Regulatory Standards

--- = Not Tested or No Standard

Table 1 (page 2 of 3)  
 Soil Analytical Results  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Boring Number	NR 720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples											
				B1/MW-1		B2/MW-2			MW-3		B-3		B-4		
Sample Number	S1		S4	S2	S3	S8	S2	S7	S2	S5	S2	S3	S6		
Depth (feet)	1-2.5	8.5-10	3.5-5	6-7.5	18.5-20	3.5-5	16-17.5	3.5-5	11-12.5	3.5-5	6-7.5	13.5-15			
Date Collected	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06	03/28/06			
PID Reading	---	---	---	---	---	---	---	---	---	---	---	---			
DRO (mg/kg)	250	---	---	75	<4.6	350	---	5.8	<4.1	10	6.6	<4.8	52	---	---
GRO (mg/kg)	250	---	---	4.5	4.0	950	---	5.6	5.8	5.3	5	5	230	270	5.9
Total Lead (mg/kg)	50	---	---	9.7	8.2	44	---	6.1	8	5.5	13	7.9	6.6	6.7	7.5
VOCs (µg/kg)															
1,2,4-Trimethylbenzene	---	83,000	---	<25	<25	260	---	<25	<25	<25	<25	<25	400	<25	<25
1,3,5-Trimethylbenzene	---	11,000	---	<25	<25	<50	---	<25	<25	<25	<25	<25	64	<25	<25
Benzene	25 <sup>2</sup>	8,500	1,100	<25	<25	1,400	---	<25	<25	<25	<25	<25	750	340	<25
Ethylbenzene	2,900	4,600	---	<25	<25	4,100	---	<25	<25	<25	<25	<25	480	3,400	<25
Total Xylenes	4,100	42,000	---	<25	<25	950	---	<25	<25	<25	<25	<25	450	<25	<25
MTBE	---	---	---	<25	<25	<50	---	<25	<25	<25	<25	<25	<25	<25	<25
Naphthalene	---	2,700	---	<25	<25	13,000	---	<25	<25	<25	<25	<25	53	5,600	<25
Isopropylbenzene	---	---	---	<25	<25	5,100	---	<25	<25	<25	<25	<25	2,200	1,700	<25
n-Propylbenzene	---	---	---	<25	<25	18,000	---	<25	<25	<25	<25	<25	6,200	5,600	<25
n-Butylbenzene	---	---	---	<25	<25	14,000	---	<25	<25	<25	<25	<25	1,200	2,700	<25
sec-Butylbenzene	---	---	---	<25	<25	3,500	---	<25	<25	<25	<25	<25	560	740	<25
tert-Butylbenzene	---	---	---	<25	<25	<50	---	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	---	---	---	<25	<25	<50	---	<25	<25	<25	<25	<25	400	210	<25
Toluene	1,500	38,000	---	<25	<25	69	---	<25	<25	<25	<25	<25	39	<25	<25
PAHs Detected (µg/kg)															
1-Methylnaphthalene	---	---	---	---	---	---	120	<3.4	---	---	<3.7	---	---	---	---
2-Methylnaphthalene	---	---	---	---	---	---	230	<3.5	---	---	<3.8	---	---	---	---
Acenaphthene	---	---	---	---	---	---	<3.4	<3.3	---	---	<3.6	---	---	---	---
Acenaphthylene	---	---	---	---	---	---	<3.3	<3.2	---	---	<3.5	---	---	---	---
Anthracene	---	---	---	---	---	---	<4.0	<4.0	---	---	<4.4	---	---	---	---
Benzo(a)anthracene	---	---	---	---	---	---	<6.0	<5.9	---	---	<6.5	---	---	---	---
Benzo(a)pyrene	---	---	---	---	---	---	<3.2	<3.2	---	---	3.6	---	---	---	---
Benzo(b)fluoranthene	---	---	---	---	---	---	<3.2	<3.1	---	---	3.6	---	---	---	---
Benzo(ghi)perylene	---	---	---	---	---	---	<4.0	<4.0	---	---	<4.4	---	---	---	---
Benzo(k)fluoranthene	---	---	---	---	---	---	<3.5	<3.4	---	---	<3.8	---	---	---	---
Chrysene	---	---	---	---	---	---	<4.9	<4.8	---	---	<5.4	---	---	---	---
Dibenz(a,h)anthracene	---	---	---	---	---	---	<3.1	<3.1	---	---	<3.4	---	---	---	---
Fluoranthene	---	---	---	---	---	---	<3.3	<3.2	---	---	10	---	---	---	---
Fluorene	---	---	---	---	---	---	<3.9	<3.8	---	---	<4.2	---	---	---	---
Indeno(1,2,3-cd)pyrene	---	---	---	---	---	---	<2.8	<2.8	---	---	<3.1	---	---	---	---
Naphthalene	---	2,700	---	---	---	---	30	<4.5	---	---	<4.9	---	---	---	---
Phenanthrene	---	---	---	---	---	---	<3.3	<3.3	---	---	5.4	---	---	---	---
Pyrene	---	---	---	---	---	---	<2.8	<2.7	---	---	10	---	---	---	---

1 VOCs with standards or detections are listed.  
 2 Benzene RCL elevated from 5.5 µg/kg to 25 µg/kg due to methanol preservation  
 Bold Values exceed Regulatory Standards  
 --- = Not Tested or No Standard

Table 1 (page 3 of 3)  
 Soil Analytical Results  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

Boring Number	NR 720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples									
				MW-4	MW-5	MW-6		SP-1	SP-2	SP-3	SP-4	SP-5	
Sample Number				MW-4 (2.5'-4.5')	MW-5 (2.5'-4.5')	MW-6 (2.5'-4.5')	MW-6 (5'-7')	SP-1 (0'-4')	SP-2 (0'-4')	SP-3 (0'-4')	SP-4 (0'-4')	SP-5 (0'-4')	
Depth (feet)				2.5-4.5	2.5-4.5	2.5-4.5	5-7	0-4	0-4	0-4	0-4	0-4	
Date Collected				03/04/08	03/04/08	03/04/08	03/04/08	06/04/08	06/04/08	06/04/08	06/04/08	06/04/08	
PID Reading				0	0	0	0	---	---	---	---	---	
DRO (mg/kg)	250	---	---	1.6	430	187	62.1	---	---	---	---	---	
GRO (mg/kg)	250	---	---	<2.8	6.50	3.6	<3.0	<3.1	<3.0	<3.0	3.1	<3.2	
Total Lead (mg/kg)	50	---	---	10	10.3	327	23.5	18.5	10.4	166	8.3	196	
VOCs (µg/kg) <sup>1</sup>													
1,2,4-Trimethylbenzene	---	83,000	---	<25	54.8	82	<25	<25	<25	<25	32	<25	
1,3,5-Trimethylbenzene	---	11,000	---	<25	<25	36.7	<25	<25	<25	<25	37.2	<25	
Benzene	25 <sup>2</sup>	8,500	1,100	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Ethylbenzene	2,900	4,600	---	<25	<25	31	<25	<25	<25	<25	<25	<25	
Total Xylenes	4,100	42,000	---	<50	<50	205.9	<50	<50	<50	<50	<50	<50	
MTBE	---	---	---	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Naphthalene	---	2,700	---	---	---	---	---	---	---	---	---	---	
Isopropylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	
n-Propylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	
n-Butylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	
sec-Butylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	
tert-Butylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	
p-Isopropyltoluene	---	---	---	---	---	---	---	---	---	---	---	---	
Toluene	1,500	38,000	---	<25	<25	121	<25	<25	<25	<25	<25	<25	

<sup>1</sup> VOCs with standards or detections are listed.

<sup>2</sup> Benzene RCL elevated from 5.5 µg/kg to 25 µg/kg due to methanol preservation

Bold Values exceed Regulatory Standards

--- = Not Tested or No Standard

Table 2 (page 1 of 6)  
Analytical Results - Groundwater  
The Quiet Zone  
2422 W. Capitol Dr., Milwaukee, WI

	Samples						NR 140 Groundwater Quality Standards	
	MW-1							
Boring	GP-1						ES	PAL
Date	3/31/2006 ***	6/22/2006***	04/15/08	08/19/08	12/29/08	05/12/09		
<b>ANALYTE</b>								
GROs (mg/L)	<50	<50	--	--	--	--	--	--
DROs (mg/L)	170	<100	--	--	--	--	--	--
Dissolved Lead (µg/L)	--	--	0.06	--	--	--	15	1.5
Iron (µg/L)	<50	--	--	--	--	--	300	150
Manganese (µg/L)	270	--	--	--	--	--	50	25
Nitrate (mg/L)	1.6	--	--	--	--	--	10	2
Sulfate (mg/L)	120	--	--	--	--	--	250	125
<b>PVOCs &amp; Detected VOCs (µg/L)<sup>1</sup></b>								
<b>Benzene</b>	<0.41	<0.41	<0.41	<0.14	<0.23	<0.23	5	0.5
sec-Butylbenzene	<0.89	<0.89	<0.89	--	--	--	--	--
<b>Ethylbenzene</b>	<0.54	<0.54	<0.54	<0.40	<0.40	<0.40	700	140
Isopropylbenzene	<0.59	<0.59	<0.59	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<0.61	<0.61	<0.61	<0.36	<0.36	<0.36	60	12
Naphthalene	<0.74	<0.74	<0.74	--	--	--	100	10
n-propylbenzene	<0.81	<0.81	<0.81	--	--	--	--	--
<b>Toluene</b>	<0.67	<0.67	<0.67	<0.36	<0.36	<0.36	1,000	200
<b>Trimethylbenzenes</b>	1.1	<0.83	<0.83	<0.39	<0.39	<0.39	480	96
<b>Xylene (total)</b>	<0.83	<0.83	<0.83	<0.36	<0.36	<0.36	10,000	1,000
<b>Detected PAHs<sup>1</sup> (µg/L)</b>								
1-Methylnaphthalene	0.2	--	--	--	--	--	--	--
2-Methylnaphthalene	0.14	--	--	--	--	--	--	--
Acenaphthene	0.011	--	--	--	--	--	--	--
Acenaphthylene	<0.0081	--	--	--	--	--	--	--
Chrysene	<b>0.023</b>	--	--	--	--	--	0.2	0.02
Fluoranthene	0.019	--	--	--	--	--	400	80
Fluorene	0.023	--	--	--	--	--	400	80
Naphthalene	0.11	--	--	--	--	--	100	10
Phenanthrene	0.058	--	--	--	--	--	--	--
Pyrene	0.027	--	--	--	--	--	250	50

\*\*\* = Iron, Manganese, Nitrate, and Sulfate data collected 4/4/06

\*\*\* = Axis Consulting requested VOC as well as GRO/PVOC analysis. Results in table reflect laboratory VOC testing results.

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 2 (page 2 of 6)  
 Analytical Results - Groundwater  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

	Samples						NR 140 Groundwater Quality Standards	
	MW-2						ES	PAL
Boring								
Date	3/31/2006 ***	6/22/2006***	04/15/08	08/19/08	12/29/08	05/12/09		
<b>ANALYTE</b>								
GROs (mg/L)	830	69	--	--	--	--	--	--
DROs (mg/L)	2000	220	--	--	--	--	--	--
Dissolved Lead (µg/L)	--	--	<0.044	--	--	--	15	1.5
Iron (µg/L)	<50	--	--	--	--	--	300	150
Manganese (µg/L)	910	--	--	--	--	--	50	25
Nitrate (mg/L)	0.65	--	--	--	--	--	10	2
Sulfate (mg/L)	63	--	--	--	--	--	250	125
<b>PVOCs &amp; Detected VOCs (µg/L)<sup>1</sup></b>								
<b>Benzene</b>	<b>63</b>	<b>25</b>	<b>24.3</b>	<b>24.4</b>	<b>13.8</b>	<b>36.1</b>	5	0.5
sec-Butylbenzene	<1.8	1.9	2.7	--	--	--	--	--
<b>Ethylbenzene</b>	<b>38</b>	<b>4.6</b>	<b>9.8</b>	<b>24.6</b>	<b>14.1</b>	<b>16.6</b>	700	140
Isopropylbenzene	4.4	1.2	6.7	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<b>&lt;1.2</b>	<b>&lt;0.61</b>	<b>&lt;0.61</b>	<b>&lt;0.36</b>	<b>&lt;0.36</b>	<b>0.51</b>	60	12
Naphthalene	5.2	3.7	1.4	--	--	--	100	10
n-propylbenzene	11	2.7	11.5	--	--	--	--	--
<b>Toluene</b>	<b>1.6</b>	<b>&lt;0.67</b>	<b>&lt;0.67</b>	<b>&lt;0.36</b>	<b>&lt;0.36</b>	<b>&lt;0.36</b>	1,000	200
<b>Trimethylbenzenes</b>	<b>60.2</b>	<b>2.9</b>	<b>&lt;0.83</b>	<b>14</b>	<b>0.47</b>	<b>0.61</b>	480	96
<b>Xylene (total)</b>	<b>66.5</b>	<b>3.9</b>	<b>&lt;0.83</b>	<b>5.5</b>	<b>&lt;0.36</b>	<b>2</b>	10,000	1,000
<b>Detected PAHs<sup>1</sup> (µg/L)</b>								
1-Methylnaphthalene	4.1	--	--	--	--	--	--	--
2-Methylnaphthalene	3.8	--	--	--	--	--	--	--
Acenaphthene	0.027	--	--	--	--	--	--	--
Acenaphthylene	0.012	--	--	--	--	--	--	--
Chrysene	<0.0019	--	--	--	--	--	0.2	0.02
Fluoranthene	0.029	--	--	--	--	--	400	80
Fluorene	0.025	--	--	--	--	--	400	80
Naphthalene	6.9	--	--	--	--	--	100	10
Phenanthrene	0.053	--	--	--	--	--	--	--
Pyrene	0.024	--	--	--	--	--	250	50

\*\*\* = Iron, Manganese, Nitrate, and Sulfate data collected 4/4/06

\*\*\* = Axis Consulting requested VOC as well as GRO/PVOC analysis. Results in table reflect laboratory VOC testing results.

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 2 (page 3 of 6)  
 Analytical Results - Groundwater  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

	Samples						NR 140 Groundwater Quality Standards	
	MW-3						ES	PAL
Boring								
Date	3/31/2006 ***	6/22/2006***	04/15/08	08/19/08	12/29/08	05/12/09		
ANALYTE								
GROs (mg/L)	<50	<50	--	--	--	--	--	--
DROs (mg/L)	380	<100	--	--	--	--	--	--
Dissolved Lead (µg/L)	--	--	<0.044	--	--	--	15	1.5
Iron (µg/L)	<50	--	--	--	--	--	300	150
Manganese (µg/L)	380	--	--	--	--	--	50	25
Nitrate (mg/L)	<0.078	--	--	--	--	--	10	2
Sulfate (mg/L)	61	--	--	--	--	--	250	125
PVOCs & Detected VOCs (µg/L) <sup>1</sup>								
<b>Benzene</b>	<0.41	<0.41	<0.41	<0.14	<0.23	<0.23	5	0.5
sec-Butylbenzene	<0.89	<0.89	<0.89	--	--	--	--	--
<b>Ethylbenzene</b>	<0.54	<0.54	<0.54	<0.40	<0.40	<0.40	700	140
Isopropylbenzene	<0.59	<0.59	<0.59	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<0.61	<0.61	<0.61	<0.36	<0.36	<0.36	60	12
Naphthalene	<0.74	<0.74	<0.74	--	--	--	100	10
n-propylbenzene	<0.81	<0.81	<0.81	--	--	--	--	--
<b>Toluene</b>	<0.67	<0.67	<0.67	<0.36	<0.36	<0.36	1,000	200
<b>Trimethylbenzenes</b>	1.8	<0.83	<0.83	<0.39	<0.39	<0.39	480	96
<b>Xylene (total)</b>	<0.83	<0.83	<0.83	<0.36	<0.36	<0.36	10,000	1,000
Detected PAHs <sup>1</sup> (µg/L)								
1-Methylnaphthalene	0.26	--	--	--	--	--	--	--
2-Methylnaphthalene	0.34	--	--	--	--	--	--	--
Acenaphthene	0.0088	--	--	--	--	--	--	--
Acenaphthylene	<0.0081	--	--	--	--	--	--	--
Chrysene	<0.019	--	--	--	--	--	0.2	0.02
Fluoranthene	<0.0015	--	--	--	--	--	400	80
Fluorene	0.024	--	--	--	--	--	400	80
Naphthalene	0.22	--	--	--	--	--	100	10
Phenanthrene	0.039	--	--	--	--	--	--	--
Pyrene	0.02	--	--	--	--	--	250	50

\*\*\* = Iron, Manganese, Nitrate, and Sulfate data collected 4/4/06

\*\*\* = Axis Consulting requested VOC as well as GRO/PVOC analysis. Results in table reflect laboratory VOC testing results.

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 2 (page 4 of 6)  
 Analytical Results - Groundwater  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

	MW-4				NR 140 Groundwater Quality Standards	
	MW-4				ES	PAL
Boring	MW-4					
Date	04/15/08	08/19/08	12/29/08	05/12/09		
<b>ANALYTE</b>						
GROs (mg/L)	--	--	--	--	--	--
DROs (mg/L)	--	--	--	--	--	--
Dissolved Lead (µg/L)	<0.044	--	--	--	15	1.5
<b>PVOCs &amp; Detected VOCs (µg/L)<sup>1</sup></b>						
<b>Benzene</b>	<0.41	<0.14	<0.23	<0.23	5	0.5
sec-Butylbenzene	<0.89	--	--	--	--	--
<b>Ethylbenzene</b>	<0.54	<0.40	<0.40	<0.40	700	140
Isopropylbenzene	<0.59	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<0.61	<0.36	<0.36	<0.36	60	12
Naphthalene	<0.74	--	--	--	100	10
n-propylbenzene	<0.81	--	--	--	--	--
<b>Toluene</b>	<0.67	<0.36	<0.36	<0.36	1,000	200
<b>Trimethylbenzenes</b>	<0.83	<0.39	<0.39	<0.39	480	96
<b>Xylene (total)</b>	<0.83	<0.36	<0.36	<0.36	10,000	1,000

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 2 (page 5 of 6)  
 Analytical Results - Groundwater  
 The Quiet Zone  
 2422 W. Capitol Dr., Milwaukee, WI

	MW-5				NR 140 Groundwater Quality Standards	
	MW-5				ES	PAL
Boring	MW-5				ES	PAL
Date	04/15/08	08/19/08	12/29/08	05/12/09		
<b>ANALYTE</b>						
GROs (mg/L)	--	--	--	--	--	--
DROs (mg/L)	--	--	--	--	--	--
Dissolved Lead (µg/L)	<0.044	--	--	--	15	1.5
<b>PVOCs &amp; Detected VOCs (µg/L)<sup>1</sup></b>						
<b>Benzene</b>	<0.41	<0.14	<0.23	<0.23	5	0.5
sec-Butylbenzene	<0.89	--	--	--	--	--
<b>Ethylbenzene</b>	<0.54	<0.40	<0.40	<0.40	700	140
Isopropylbenzene	<0.59	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<0.61	<0.36	<0.36	<0.36	60	12
Naphthalene	<0.74	--	--	--	100	10
n-propylbenzene	<0.81	--	--	--	--	--
<b>Toluene</b>	<0.67	<0.36	<0.36	<0.36	1,000	200
<b>Trimethylbenzenes</b>	<0.83	<0.39	<0.39	<0.39	480	96
<b>Xylene (total)</b>	<0.83	<0.36	<0.36	<0.36	10,000	1,000

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 2 (page 6 of 6)  
Analytical Results - Groundwater  
The Quiet Zone  
2422 W. Capitol Dr., Milwaukee, WI

	MW-6				NR 140 Groundwater Quality Standards	
	MW-6				ES	PAL
Boring	MW-6					
Date	04/15/08	08/19/08	12/29/08	05/12/09		
<b>ANALYTE</b>						
GROs (mg/L)	--	--	--	--	--	--
DROs (mg/L)	--	--	--	--	--	--
Dissolved Lead (µg/L)	0.10	--	--	--	15	1.5
<b>PVOCs &amp; Detected VOCs (µg/L)<sup>1</sup></b>						
<b>Benzene</b>	<0.41	<0.14	<0.23	<0.23	5	0.5
sec-Butylbenzene	<0.89	--	--	--	--	--
<b>Ethylbenzene</b>	<0.54	<0.40	<0.40	<0.40	700	140
Isopropylbenzene	<0.59	--	--	--	--	--
<b>Methyl-tert-butyl-ether</b>	<0.61	<0.36	<0.36	<0.36	60	12
Naphthalene	<0.74	--	--	--	100	10
n-propylbenzene	3.5	--	--	--	--	--
<b>Toluene</b>	<0.67	<0.36	<0.36	<0.36	1,000	200
<b>Trimethylbenzenes</b>	<0.83	<0.39	<0.39	<0.39	480	96
<b>Xylene (total)</b>	<0.83	<0.36	<0.36	<0.36	10,000	1,000

-- = Not Tested, No Standard, or Not Detected (data unavailable to show detection limits)

Bold indicates concentrations above the PAL or the ES.

<sup>1</sup> Only VOCs/PAHs detected are listed.

Table 3  
Groundwater Elevations  
The Quiet Zone  
2422 W. Capitol Dr., Milwaukee, WI

Well I.D.	Date	Ground Surface Elevation (feet)	Top of Casing Elevation (feet)	Screen Elevation Top (feet)	Screen Elevation Bottom (feet)	Depth to Water (feet)	Groundwater Elevation (feet)
MW-1	04/15/08	658.3	657.76	648.8	638.8	3.45	654.31
	08/19/08					6.20	651.56
	12/29/08					3.93	653.83
	05/12/09					3.93	653.83
MW-2	04/15/08	658.7	658.11	648.4	638.4	4.05	653.71
	08/19/08					6.45	651.31
	12/29/08					4.64	653.12
	05/12/09					4.58	653.18
MW-3	04/15/08	658.3	657.68	647.9	637.9	3.55	654.21
	08/19/08					6.44	651.32
	12/29/08					4.01	653.75
	05/12/09					4.28	653.48
MW-4	04/15/08	660.1	659.65	657	647	4.26	655.39
	08/19/08					7.35	652.30
	12/29/08					4.24	655.41
	05/12/09					5.19	654.46
MW-5	04/15/08	660.3	659.76	657.2	647.2	5.05	654.71
	08/19/08					8.28	651.48
	12/29/08					6.11	653.65
	05/12/09					6.43	653.33
MW-6	04/15/08	659.5	658.77	656.4	646.4	4.46	654.31
	08/19/08					7.66	651.11
	12/29/08					4.50	654.27
	05/12/09					4.94	653.83

Elevations referenced to Mean Sea Level