

GIS REGISTRY INFORMATION

| | | | |
|---|---|--|-------------------------------|
| SITE NAME: | DRS Power & Control Technologies Inc Property | | |
| BRRTS #: | 03-41-549248 | FID # | (if appropriate): |
| COMMERCE #: | 53216-1894-65-B | | |
| CLOSURE DATE: | August 3, 2007 | | |
| STREET ADDRESS: | 4265 N 30th St | | |
| CITY: | Milwaukee | | |
| SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): | X = 686639 | Y = 293182 | |
| CONTAMINATED MEDIA: | Groundwater <input type="checkbox"/> | Soil <input checked="" type="checkbox"/> | Both <input type="checkbox"/> |
| OFF-SOURCE GW CONTAMINATION >ES: | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| • IF YES, STREET ADDRESS: | | | |
| • GPS COORDINATES (meters in WTM91 projection): | X = | Y = | |
| OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| • IF YES, STREET ADDRESS 1: | | | |
| • GPS COORDINATES (meters in WTM91 projection): | X = | Y = | |
| CONTAMINATION IN RIGHT OF WAY: | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| <u>DOCUMENTS NEEDED</u> | | | |
| Closure Letter, and any conditional closure letter issued or denial letter issued | <input checked="" type="checkbox"/> | | |
| Copy of any maintenance plan referenced in the final closure letter | <input type="checkbox"/> | | |
| Copy of (soil or land use) deed notice <i>if any required as a condition of closure</i> | <input type="checkbox"/> | | |
| Copy of most recent deed, including legal description, for all affected properties | <input checked="" type="checkbox"/> | | |
| Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties | <input checked="" type="checkbox"/> | | |
| County Parcel ID number, <i>if used for county</i> , for all affected properties | <input checked="" type="checkbox"/> | | |
| Location Map that outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily. If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. | <input checked="" type="checkbox"/> | | |
| Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. | <input checked="" type="checkbox"/> | | |
| Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) | <input type="checkbox"/> | | |
| Tables of Latest Soil Analytical Results (no shading or cross-hatching) | <input checked="" type="checkbox"/> | | |
| Isoconcentration map(s), <i>if required for site investigation (SI)</i> . The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. | <input type="checkbox"/> | | |
| GW: Table of water level elevations, with sampling dates, and free product noted if present | <input type="checkbox"/> | | |
| GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) | <input type="checkbox"/> | | |
| SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour | <input checked="" type="checkbox"/> | | |
| Geologic cross-sections, <i>if required for SI</i> | <input type="checkbox"/> | | |
| RP certified statement that legal descriptions are complete and accurate | <input checked="" type="checkbox"/> | | |
| Copies of off-source notification letters (if applicable) | <input type="checkbox"/> | | |
| Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW) | <input type="checkbox"/> | | |



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
9316 North 107th Street
Milwaukee, Wisconsin 53224-1121
TDD #: (608) 264-8777
Fax #: (414) 357-4700
Jim Doyle, Governor
Mary P. Burke, Secretary

August 3, 2007

Ms. Kathy Hetzel
DRS Power & Control Technologies, Inc.
4265 North 30th Street
Milwaukee, WI 53216

RE: **Final Closure**

Commerce # 53216-1894-65-B **DNR BRRTS # 03-41-549248**
DRS Power & Control Technologies, Inc. Property, 4265 North 30th Street, Milwaukee

Dear Ms. Hetzel:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 357-4703.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda M. Michalets". The signature is fluid and cursive, with a long horizontal stroke at the end.

Linda M. Michalets
Senior Hydrogeologist
Site Review Section

cc: Mr. Jason Bartley, Environmental & Development Solutions, Inc.



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
9316 North 107th Street
Milwaukee, Wisconsin 53224-1121
TDD #: (608) 264-8777
Fax #: (414) 357-4700
Jim Doyle, Governor
Mary P. Burke, Secretary

July 16, 2007

Mr. Randy Kanter
DRS Power & Control Technologies, Inc.
4265 North 30th Street
Milwaukee, WI 53216

RE: **Conditional Case Closure**

Commerce # 53216-1894-65-B DNR BRRTS # 03-41-549248
DRS Power & Control Technologies Property, 4265 North 30th Street, Milwaukee

Dear Mr. Kanter:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Environmental & Development Solutions, Inc., for the site referenced above. It is understood that residual soil contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- All five monitoring wells must be properly abandoned and the appropriate documentation must be forwarded to me at the letterhead address.

This letter serves as your written notice of "no further action." A final closure letter will be sent upon receipt of the well abandonment documentation.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 357-4703.

Sincerely,

A handwritten signature in black ink, appearing to read "L. Michalets", with a long, sweeping horizontal line extending to the right.

Linda M. Michalets
Senior Hydrogeologist
Site Review Section

cc: Mr. Jason Bartley, Environmental & Development Solutions, Inc.

WARRANTY DEED

Document Number

8337961

This Deed, made between EATON CORPORATION Grantor, and DRS POWER & CONTROL TECHNOLOGIES, INC. Grantee.

Grantor, for a valuable consideration, conveys and warrants to Grantee the following described real estate in Milwaukee County, State of Wisconsin (the "Property") (if more space is needed, please attach addendum): Legally described on Exhibit A attached hereto and made a part hereof by reference.

REGISTER'S OFFICE | SS Milwaukee County, WI

RECORDED AT 1:06 PM

08-28-2002

IGNATIUS J. NIEMCZYK REGISTER OF DEEDS

AMOUNT 13.00

REEL 5401 IMAGE 1177

TRANSFER \$ 8,595.00 FEE

Recording Area Name and Return Address Audrey Stern, Esq. DRS Technologies, Inc. Five Sylvan Way Parsippany, NJ 07054

Together with all appurtenant rights, title and interests.

246-9998-110-5 Parcel Identification Number (PIN) This is not homestead property (is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except general and special real estate taxes; easements for electricity, water, gas, sewer and telephone lines; workmen's or other similar liens imposed by law and arising or incurred in the ordinary course of business; and other liens of record.

Dated this 21st day of August, 2002.

EATON CORPORATION * By: David M. O'Loughlin Name: David M. O'Loughlin Title: attorney-in-fact * And By: Margaret Saluja Name: MARGARET SALUJA Title: ATTORNEY-IN-FACT AUTHENTICATION Signature(s)

authenticated this ___ day of _____

* TITLE: MEMBER STATE BAR OF WISCONSIN (If not, authorized by §706.06, Wis. Stats.) THIS INSTRUMENT WAS DRAFTED BY Scott Langlois, Esq. of Quarles & Brady LLP

(Signatures may be authenticated or acknowledged. Both are not necessary.)

* _____ * _____

ACKNOWLEDGMENT

STATE OF Ohio) Cuyahoga County) ss.

Personally came before me this 21st day of August, 2002, the above named David M. O'Loughlin and Margaret Saluja as attorney-in-fact and attorney-in-fact of Eaton Corporation

to me known to be the person(s) who executed the foregoing instrument and acknowledged the same

James N. Dean Notary Public, State of My Commission is permanent (If not, state expiration date)

* Names of persons signing in any capacity must be typed or printed below their signature. STATE BAR OF WISCONSIN

Handwritten marks: a large '2' on the left and a signature on the right.

EXHIBIT A
Legal Description

REEL 5401

PART OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4, THE NORTHWEST 1/4 OF THE SOUTHEAST 1/4, THE SOUTHWEST 1/4 OF THE SOUTHEAST 1/4 AND THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 1, TOWNSHIP 7 NORTH, RANGE 21 EAST, CITY OF MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF THE RECORDED PLAT OF CITY VIEW; THENCE SOUTH 00° 00' 00" WEST, 20.00 FEET; THENCE SOUTH 88° 55' 29" WEST, 30.01 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 88° 55' 29" WEST, 36.82 FEET; THENCE SOUTH 02° 13' 36" WEST, 230.91 FEET; THENCE SOUTH 88° 49' 00" WEST, 349.35 FEET; THENCE 243.13 FEET ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 173.00 FEET AND A LONG CHORD SUBTENDED BEARING SOUTH 48° 33' 19" WEST, 223.61 FEET; THENCE NORTH 07° 20' 30" WEST, 92.06 FEET; THENCE NORTH 03° 20' 30" WEST, 107.71 FEET; THENCE NORTH 02° 46' 02" WEST, 196.98 FEET; THENCE NORTH 03° 29' 42" WEST, 1330.45 FEET; THENCE NORTH 88° 55' 29" EAST, 541.46 FEET; THENCE SOUTH 00° 00' 00" WEST, 33.00 FEET; THENCE NORTH 88° 55' 29" EAST, 130.00 FEET; THENCE SOUTH 00° 00' 00" WEST, 1316.50 FEET TO THE PLACE OF BEGINNING.

IMAGE 1178

@
Tax Parcel No. 246-9998-110-5
Address: 4235 N., 30th St., Milwaukee, WI. @




411 East Wisconsin Avenue
Milwaukee, Wisconsin 53202-4497
Tel 414.277.5000
Fax 414.271.3552
www.quarles.com

See also PAC Real Estate papers
Attorneys at Law in:
Phoenix and Tucson, Arizona
Naples and Boca Raton, Florida
Chicago, Illinois (Quarles & Brady LLC)
Milwaukee and Madison, Wisconsin

Writer's Direct Dial: 414.277.5619
E-Mail: sll@quarles.com

July 21, 2003



Ms. Audrey Stern, Esq.
DRS Technologies
5 Sylvan Way
Parsippany, NJ 07054

RE: Milwaukee Property Boundary Issue

Dear Audrey:

Our clients have agreed to a new boundary line, which requires that Eaton Corporation convey a strip of property to DRS Power and Control Technologies, Inc. I have enclosed a copy of this Deed for your review. In order to record this Deed, I will need to submit the enclosed Wisconsin Real Estate Transfer Return, which has already been signed on behalf of Eaton. Accordingly, please have an authorized party execute the enclosed Wisconsin Real Estate Transfer Return within the box in item 76. Please have the person sign in black ink and try to keep the signature within the white box.

After execution, please return the original Wisconsin Real Estate Transfer Return to me. I will then have this Deed recorded to effectuate the property conveyance. Please call should you have any questions.

Very truly yours,

QUARLES & BRADY LLP

Scott L. Langlois

SLL:skm:sal
Enclosures
cc: Dale Mitchell

STATE BAR OF WISCONSIN FORM 3 - 2000
QUITCLAIM DEED

Document Number

This Deed, made between EATON CORPORATION

_____, Grantor,
and DRS POWER & CONTROL TECHNOLOGIES, INC.

_____, Grantee.
Grantor quit claims to Grantee the following described real estate in
Milwaukee County, State of Wisconsin (if more space is needed,
please attach addendum):

Legally described on Exhibit A attached hereto and made a part hereof by reference.

Recording Area

Name and Return Address

Scott L. Langlois, Esq.
Quarles & Brady LLP
411 East Wisconsin Avenue, Suite 2040
Milwaukee, WI 53202

Part of 246-9998-200-4
Parcel Identification Number (PIN)

This is not _____ homestead property.
(is) (is not)

Together with all appurtenant rights, title and interests.

Dated this _____ day of _____, 2003

EATON CORPORATION

(SEAL)

By: R.E. Parmenter (SEAL)

*

*Robert E. Parmenter, VP & Treasurer

(SEAL)

By: E.R. Franklin (SEAL)

*

*Earl R. Franklin, VP & Secretary

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____,

*

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Scott L. Langlois, Esq.

Quarles & Brady LLP

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

State of OHIO)
) ss.
CUYAHOGA County.)

Personally came before me this 10 day of
July, 2003, the above named

R.E. Parmenter and E.R. Franklin
as VP & Treasurer and VP & Secretary
of Eaton Corporation

to me known to be the person s _____ who executed the foregoing
instrument and acknowledge the same on behalf of said corporation.

* Celeste Delaney
Notary Public, State of Wisconsin Ohio
My commission is permanent. (If not, state expiration date:
July 31, 2005.)

*Names of persons signing in any capacity must be typed or printed below their signature.

STATE BAR OF WISCONSIN
FORM No. 3 -2000

QUITCLAIM DEED


CELESTE DELANEY

Notary Public
State of Ohio

My Commission Expires 7-31-05

EXHIBIT A

PART OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 1, TOWN 7 NORTH, RANGE 21 EAST, IN THE CITY OF MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID SOUTHEAST 1/4 SECTION; THENCE NORTH 00°13'22" EAST ALONG THE EAST LINE OF SAID SOUTHEAST 1/4 SECTION 1332.53 FEET TO THE EASTERLY EXTENSION OF THE NORTH LINE OF A PUBLIC ALLEY; THENCE SOUTH 88°55'29" WEST ALONG SAID NORTH LINE AND ITS EASTERLY AND WESTERLY EXTENSIONS 974.60 FEET TO THE SOUTHWEST CORNER OF THE RECORDED PLAT OF CITY VIEW, SAID CORNER BEING IN THE CENTERLINE OF NORTH 30TH STREET; THENCE SOUTH 20.00 FEET TO THE SOUTH LINE OF SAID PUBLIC ALLEY; THENCE SOUTH 88°55'29" WEST ALONG SAID SOUTH LINE AND ITS WESTERLY EXTENSION 48.04 FEET TO THE POINT OF BEGINNING OF THE LANDS TO BE DESCRIBED; THENCE SOUTH 00°57'17" EAST 229.58 FEET TO THE NORTH LINE OF WEST HOPE STREET; THENCE SOUTH 89°05'14" WEST ALONG SAID NORTH LINE 31.55 FEET TO A POINT; THENCE NORTH 02°13'36" EAST ALONG THE WEST LINE OF LAND DESCRIBED IN WARRANTY DEED DATED AUGUST 21, 2002 AND RECORDED AS DOCUMENT NO. 8337961 229.87 FEET TO A POINT; THENCE NORTH 88°55'29" EAST 18.79 FEET TO THE POINT OF BEGINNING.



Bock & Clark's National Surveyors Network
National Coordinators of ALTA/ACSM Land Title Surveys
137 N. W. 11th St., Ft. Lauderdale, FL 33304
Phone: (954) 562-3636
www.bockandclark.com




ALTA/ACSM LAND TITLE SURVEY
PREPARED FOR:
EATON-NAVY PROJECT
DATE: 4/18/02
Project No. / SITE 2
Sheet 5 of 8





| | | |
|---|--|---|
| <p>Approximate Scale</p> <p>1" = 1,600'</p> | <p>United States Geologic Society Topographic Map Milwaukee Quadrangle</p> <p>SW 1/4 of SE 1/4 of Sec 1, T7N, R21E</p> |  |
|---|--|---|

| | | |
|---|---|---------------------|
|  | <p>Site Location Diagram DRS Power & Control Technologies 4265 N. 30th Street Milwaukee, Wisconsin</p> | <p>Figure 1</p> |
|---|---|---------------------|



Subject Site
 4265 N. 30th Street
 Milwaukee, WI



Subject Area
 boiler house and
 fmr. 30,000-gal fuel
 oil USTs

File No.: 060608a
 DWG Date: 3-20-07
 Rev Date:
 Drawn By: JEB
 Checked By (PM): JEB

Project Area Diagram
 DRS Power & Control Technologies, Inc.
 4265 N. 30th Street
 Milwaukee, WI

Figure
 2





KEY

⊕ = SI monitoring well

⊙ = SI probehole



File No.: 060808b
 DWG Date: 3-20-07
 Rev Date:
 Drawn By: JEB
 Checked By (PM): JEB

Sampling Locations Diagram
 DRS Power & Control Technologies, Inc.
 4265 N. 30th Street
 Milwaukee, WI

Figure
 3

TABLE 1
DRO and PVOC Analytical Results - Soil Samples
DRS Power & Control Technologies, Inc. Property
Milwaukee, Wisconsin

| Sample Location:Depth | Sample Date | DRO (ppm) | Benzene (ppb) | Ethyl benzene (ppb) | Naphthalene (ppb) | Toluene (ppb) | Combined TMBs (ppb) | Total Xylenes (ppb) |
|-----------------------|-------------|--------------|---------------|---------------------|-------------------|---------------|---------------------|---------------------|
| P-1:6-8 | 3/13/07 | 2,400 | <140 | <140 | 760 | <140 | 170 | <470 |
| P-2:6-8 | 3/16/07 | <4.9 | <27 | <27 | <55 | <27 | <54 | <93 |
| P-3:6-8 | 3/13/07 | <5.4 | <30 | <30 | <61 | <30 | <60 | <100 |
| P-4:6-8 | 3/13/07 | <5.8 | <32 | <32 | <64 | <32 | <64 | <110 |
| P-6:4-6 | 3/16/07 | 63 | <38 | <38 | <76 | <38 | <76 | <130 |
| P-6:10-12 | 3/16/07 | 6.0 | <30 | <30 | <61 | <30 | <60 | <100 |
| <i>NR 720 GW RCL</i> | - | <i>100</i> | <i>5.5</i> | <i>2,900</i> | <i>400</i> | <i>1,500</i> | <i>NS</i> | <i>4,100</i> |
| <i>Sugg. D.C. RCL</i> | - | <i>NS</i> | <i>1,100</i> | <i>NS</i> | <i>110,000</i> | <i>NS</i> | <i>NS</i> | <i>NS</i> |
| <i>NR 746 Table 1</i> | - | <i>NS</i> | <i>8,500</i> | <i>4,600</i> | <i>2,700</i> | <i>38,000</i> | <i>83K/11K</i> | <i>42,000</i> |

Notes:


1. Concentrations that exceed their respective standard for the groundwater pathway are in bold type.
2. Concentrations that exceed their respective standard for direct contact (industrial) are in italics.
3. Concentrations that exceed their respective NR 746 Table 1 Values are underlined.

TABLE 2
PAH Analytical Results - Soil Samples
DRS Prower & Control Technologies Property
Milwaukee, Wisconsin

| Sample Location:Depth | Sample Date | Acenaphthene (ppm) | Anthracene (ppm) | Benzo (a) anthracene (ppm) | Benzo (a) pyrene (ppm) | Benzo (b) fluoranthene (ppm) | Benzo (g,h,i) perylene (ppm) | Benzo (k) fluoranthene (ppm) | Chrysene (ppm) | Dibenzo (a,h) anthracene (ppm) | Fluoranthrene (ppm) | Indeno (1,2,3-cd) pyrene (ppm) | 2-Methylnaphthalene (ppm) | Phenanthrene (ppm) | Pyrene (ppm) |
|-------------------------|-------------|--------------------|------------------|----------------------------|------------------------|------------------------------|------------------------------|------------------------------|----------------|--------------------------------|---------------------|--------------------------------|---------------------------|--------------------|--------------|
| P-1:6-8 | 3/13/07 | 33 | 74 | 250 | 200 | 180 | 160 | 100 | 190 | 26 | 480 | 140 | 150 | 140 | 370 |
| P-2:6-8 | 3/16/07 | <0.062 | <0.0062 | <0.0062 | <0.0062 | <0.0062 | <0.0062 | <0.0062 | <0.0062 | <0.0093 | <0.012 | <0.0062 | <0.031 | <0.0062 | <0.0062 |
| <i>Suggested GW RCL</i> | | 38 | 3,000 | 17 | 48 | 360 | 6,800 | 870 | 37 | 38 | 500 | 680 | 20 | 1.8 | 8,700 |
| <i>Suggested DC RCL</i> | | 60,000 | 300,000 | 3.9 | 0.39 | 3.9 | 39 | 39 | 390 | 0.39 | 40,000 | 3.9 | 40,000 | 390 | 30,000 |

Notes:

1. Only the detected compounds are presented.
2. Concentrations that exceed their respective suggested generic cleanup level for protection of groundwater are in bold.
3. Concentrations that exceed their respective suggested generic cleanup level for industrial direct contact are in italics.



main DRS building

asphalt/concrete

asphalt/concrete

approximate extent of soil impacts

| | |
|---------|-------|
| P-2 | |
| 3-16-07 | 6'-8' |
| DRO | <4.9 |
| B | <27 |
| N | <55 |
| TMB | <54 |

| | |
|-----------|--------------|
| P-1 | |
| 3-13-07 | 6'-8' |
| DRO | 2,400 |
| B | <140 |
| N | 760 |
| TMB | 170 |
| B(a)A | 250 |
| B(a)P | 200 |
| B(b)F | 180 |
| B(ghi)P | 160 |
| B(k)F | 100 |
| C | 190 |
| D(ah)A | 26 |
| I(123cd)P | 140 |
| 2-Mn | 150 |
| Ph | 140 |



| | |
|-----------|---------|
| P-4 | |
| 3-13-07 | 6'-8' |
| DRO | <5.8 |
| B | <32 |
| N | <64 |
| TMB | <64 |
| B(a)A | <0.0062 |
| B(a)P | <0.0062 |
| B(b)F | <0.0062 |
| B(ghi)P | <0.0062 |
| B(k)F | <0.0062 |
| C | <0.0062 |
| D(ah)A | <0.0093 |
| I(123cd)P | <0.0062 |
| 2-Mn | <0.031 |
| Ph | <0.0062 |

| | |
|---------|-------|
| P-3 | |
| 3-13-07 | 6'-8' |
| DRO | <5.4 |
| B | <30 |
| N | <61 |
| TMB | <60 |

| | | |
|---------|-------|---------|
| P-6 | | |
| 3-16-07 | 4'-6' | 10'-12' |
| DRO | 63 | 6.0 |
| B | <38 | <30 |
| N | <76 | <61 |
| TMB | <76 | <60 |

KEY

- ⊕ = SI monitoring well
- ⊕ = SI probehole
- DRO = diesel range organics
- B = benzene
- N = naphthalene
- TMB = comb. trimethylbenzenes
- B(a)A = benzo(a)anthracene
- B(a)P = benzo(a)pyrene
- B(b)F = benzo(b)fluoranthene
- B(ghi)P = benzo(g,h,i)perylene
- B(k)F = benzo(k)fluoranthene
- C = chrysene
- D(ah)A = dibenzo(a,h)anthracene
- I(123cd)P = indeno(1,2,3-cd)pyrene
- 2-Mn = 2-methylnaphthalene
- Ph = phenanthrene



- Notes:
1. Only the detected DRO and VOCs and benzene are shown.
 2. Only the PAHs detected above their interim suggested generic cleanup levels are shown.
 3. DRO and PAH concentrations are shown in parts per million (ppm).
 4. VOC concentrations are shown in parts per billion (ppb).
 5. Concentrations in bold exceed their respective standards for the groundwater pathway.
 6. concentrations in italics exceed their respective standards for the industrial direct contact pathway.

File No.: 060808c
 DWG Date: 3-21-07
 Rev Date: 3-30-07
 Drawn By: JEB
 Checked By (PM): JEB

Soil Analytical Results Diagram
 DRS Power & Control Technologies, Inc.
 4265 N. 30th Street
 Milwaukee, WI

Figure
 4





DRS Power & Control Technologies, Inc

4265 North 30th Street
Milwaukee, WI 53216

Phone: (414) 875-2900

www.drs.com

Date: April 5, 2007

Re: Legal Description Validation for GIS Registry Packet

To Whom It May Concern:

I, Sally Wallace, VP and General Manager of DRS Power & Control Technologies, Inc., believe that the legal description as identified in the attached Warranty Deed dated August 21st, 2002 is complete and accurate in defining the correct property as it relates to this tank closure request.

A handwritten signature in black ink that reads "Sally Wallace". The signature is written in a cursive style.

Sally Wallace
VP & General Manager