

GIS REGISTRY INFORMATION

SITE NAME: Herbert Bellin Estate

BRRTS #: 02-46-545245 **FID # (if appropriate):** 246106850

COMMERCE # (if appropriate): _____

CLOSURE DATE: 09-Apr-2008

STREET ADDRESS: 8805 W Highland Road

CITY: Mequon

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 680747 Y= 310434

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties X
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) X
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour X
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) X
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure
- Copy of any maintenance plan referenced in the deed restriction.



State of Wisconsin
Jim Doyle, Governor

Department of Agriculture, Trade and Consumer Protection

Rod Nilsestuen, Secretary

April 9, 2008

Mr. Ed Bellin
296 Woodview Drive
Cortland, OH 44410

RE: Final Closure
Herbert Bellin Estate
BRRTS #02-46-545245

Dear Mr. Bellin,

Thank you for having Drake Environmental provide me with the final information needed to close the lead arsenate case at your property located in Mequon, Wisconsin. As I indicated previously, DATCP's Closure Committee agreed that the site qualifies for closure.

However, since contaminated soil was excavated and placed into an engineered "raised berm" on the property, the case does not qualify for clean closure. Rather, the Committee agreed that this case can only be considered closed if the portion of the property where the raised berm is located (Lot 1) is placed onto the Wisconsin Department of Natural Resources' Geographic Information System (GIS) Soil Registry, as outlined in Wis. Admin. Code NR 726.05.

Pursuant to s. 292.12(2)(a), Wis. Stats., the 12-inch clean soil cap and protective sod cover on the contaminated soil shall be maintained to prevent direct contact with the contaminated soil. If future plans for the property include any modification to the bermed area, the property owner at that time must obtain written approval from DATCP for the proposed modifications. The owner at the time must sample and analyze any excavated soil to determine if the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Also, DATCP agrees that the arsenic quantified in the on-site potable well is reflective of naturally occurring (background) arsenic in the bedrock aquifer. Therefore, consistent with Wis. Admin. Code NR 140.28(4), DATCP will grant you an Enforcement Standard exemption for the arsenic quantified in the on-site potable well. However, you are required to disclose this condition to any prospective buyers of the property. The low concentration of lead (2.4 ug/L) that was quantified in the initial sampling event at the on-site well was not confirmed in the two subsequent sampling events, so a PAL exemption is not required for lead.

Agriculture generates \$51.5 billion for Wisconsin


2811 Agriculture Drive • PO Box 8911 • Madison, WI 53708-8911 • Wisconsin.gov

Ed Bellin
April 9, 2008
Page 2

Finally, this case may be reopened (*pursuant to NR 726.09, Wis. Adm. Code*) if additional information indicates that contamination from the site poses a threat to public health, safety or welfare, or the environment.

Please call me at (608) 224-4502 if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Graham", written over a faint, illegible typed name.

Richard C. Graham, P.G.

c: Chelsea Corson, Drake
Andrew Boettcher, WDNR

397029

VOL. 604 PAGE 459

RECORDED

1987 NOV 19 AM 8:30

ERNA W. BELLIN
 HERBERT J. BELLIN as Personal Representative of the estate of
 HERBERT J. BELLIN ("Decedent"),
 for a valuable consideration conveys, without warranty, to
 HERBERT J. BELLIN TRUST, created under the
 Last Will and Testament of HERBERT J.
 BELLIN, deceased, Grantee,
 the following described real estate in Ozaukee County,
 State of Wisconsin (hereinafter called the "Property"):

Res. W. Vest
 REGISTER OF DEEDS
 OZAUKEE COUNTY, WI
 FEE
 * 77.25
 EXEMPT
 RETURN TO
 SCHLOEMER LAW OFFICES
 P.O. Box 176, West Bend, WI.

An undivided one-half (1/2) interest in and to:

Tax Parcel No: 14-016-2A-222.00

PARCEL 1:

The West Half of the NORTHWEST Quarter (W 1/2 NW 1/4) of Section Sixteen (16), Township Nine (9) North, Range Twenty-one (21) East, City of Mequon, Ozaukee County, Wisconsin, EXCEPTING THEREFROM a strip of land 1 rod wide used as a right of way or private road and described as follows:
 Commencing at the Northeast corner of the Northwest 1/4 of the Northwest 1/4 of Section 16, Township 9 North, Range 21 East, and running from there South 120 rods, thence West 1 rod, thence North 120 rods, thence East 1 rod to the place of beginning.

PARCEL 2:

The South Half of the Southeast Quarter of the NORTHWEST Quarter (S 1/2 SE 1/4 NW 1/4) of Section Sixteen (16), EXCEPTING THEREFROM a strip of land along the East side thereof, 2 rods in width from East to West, and 40 rods in length from North to South, all in Section 16, Township 9 North, Range 21 East, City of Mequon, Ozaukee County, Wisconsin.

EXEMPT under Section 77.25 (11), Wis. Stats.

Personal Representative by this deed does convey to Grantee all of the estate and interest in the Property which the Decedent had immediately prior to Decedent's death, and all of the estate and interest in the Property which the Personal Representative has since acquired.

Dated this 27 day of October, 1987.

Erna W. Bellin (SEAL)

..... (SEAL)

Erna W. Bellin
Personal Representative

.....
Personal Representative

AUTHENTICATION

Signature(s) of Erna W. Bellin

ACKNOWLEDGMENT

STATE OF WISCONSIN

SS.

..... County,

Personally came before me this day of
....., 19..... the above named

Authenticated this 27 day of October, 1987.
Elaine A. Shanebrook

Elaine A. Shanebrook
TITLE: MEMBER STATE BAR OF WISCONSIN

(If not,
authorized by § 706.06, Wis. Stats.)

to me known to be the person who executed the
foregoing instrument and acknowledge the same.

THIS INSTRUMENT WAS DRAFTED BY
 Atty. Elaine A. Shanebrook
 West Bend, Wisconsin 53095
 (Signatures may be authenticated or unacknowledged. Both
 are not necessary.)

Notary Public County, Wis.
 My Commission is permanent. (If not, state expiration
 date:, 19.....)


A-11997

*Names of persons signing in any capacity should be typed or printed below their signatures.

0858447

CERTIFIED SURVEY MAP NO. **3650**

THAT PART OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 OF THE OF SECTION 16, TOWN 9 NORTH, RANGE 21 EAST, IN THE CITY OF MEQUON, OZAUKEE COUNTY, WISCONSIN.




SCALE 1" = 100'



NORTH SHORE ENGINEERING, INC.
Consulting Engineers & Land Surveyors
11433 N. Port Washington Rd., Mequon, Wisconsin, 53092
(262) 241-9400 • FAX: (262) 241-5337

W. HIGHLAND ROAD

NW CORNER OF THE NW 1/4 OF SECTION 16-9-21 (BERTENSEN ALUMINUM MONUMENT)





OWNER:
HERBERT J. BELLIN TRUST
8805 W. HIGHLAND ROAD
MEQUON, WI, 53092

LEGEND

- - DENOTES 1.315"X18" STEEL PIPE WEIGHING 1.13 LBS. PER LINEAL FOOT (SET)
- - DENOTES 1-1/4" STEEL PIPE (FOUND)

ALL BEARINGS REFERENCED TO GRID NORTH OF THE WISCONSIN STATE PLANE COORDINATE SYSTEM, SOUTH ZONE (NORTH LINE OF THE NW 1/4 OF SECTION 16-9-21 WHICH BEARS N87°52'14"E)



LOCATION MAP

NW 1/4 SEC. 16-9-21
(SCALE 1"=2000')

CERTIFIED SURVEY MAP NO. 3650

THAT PART OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 16,
TOWN 9 NORTH, RANGE 21 EAST, IN THE CITY OF MEQUON, OZAUKEE COUNTY,
WISCONSIN.

SURVEYOR'S CERTIFICATE

I, James G. Schneider, Registered Land Surveyor, do hereby certify:

THAT I have surveyed, divided and mapped the following parcel of land:

That part of the Northwest 1/4 of the Northwest 1/4 of Section 16, Township 9 North,
Range 21 East, in the City of Mequon, Ozaukee County, Wisconsin, bounded and
described as follows:

Commencing at the Northwest corner of the Northwest 1/4 of said Section 16; thence
N87°52'14"E along the North line of said Northwest 1/4 Section, 725.43 feet to the point
of beginning of the land to be described; thence continuing N87°52'14"E along the North
line of said Northwest 1/4 Section, 584.00 feet; thence S1°28'51"E, 521.03 feet; thence
S87°52'14"W and parallel to said North line of said Northwest 1/4 Section, 584.00 feet;
thence N1°28'51"W, 521.03 feet to the point of beginning.


Excepting therefrom the North 40.00 feet, as depicted on the face of this map, dedicated
to the City of Mequon for public road purposes.

Said lands containing 6.449 acres of land, more or less.


That I have made such survey, land division, and plat at the direction of Erna Bellin,
(individually as to an undivided 1/2 interest and as Trustee of the Herbert J. Bellin Trust
created under the last will and testament of Herbert J. Bellin, deceased as to an
undivided 1/2 interest), OWNER of said lands.

That such map is a correct representation of all the exterior boundaries of the land
surveyed and the land division thereof made.

That I have complied with Chapter 236.34 of the Wisconsin Statutes and the
requirements of the City of Mequon.


James G. Schneider S-2127

2-1-2007



0858447

RONALD A. VOIGT
OZAUKEE COUNTY
REGISTER OF DEEDS
PORT WASHINGTON, WI
TXID: 44619

RECORDED ON
02/23/2007 09:40AM

This instrument was drafted by James G. Schneider

REC FEE: 15.00
TRANS FEE: 8.00
PAGES: 3
EXEMPT #: 0

CERTIFIED SURVEY MAP NO. 3650

THAT PART OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 16,
TOWN 9 NORTH, RANGE 21 EAST, IN THE CITY OF MEQUON, OZAUKEE COUNTY,
WISCONSIN.


OWNER'S CERTIFICATE

I, Erna Bellin, (individually as to an undivided 1/2 interest and as Trustee of the Herbert J. Bellin Trust created under the last will and testament of Herbert J. Bellin, deceased as to an undivided 1/2 interest), OWNER, do hereby certify: THAT I have caused the lands described in the foregoing certificate of James G. Schneider, Surveyor, to be surveyed, divided, mapped and dedicated.

Edward E. Bellin
Witness

Erna W. Jeske
Erna Bellin
Now Known As ERNA W. JESKE

WITNESS the hand and seal of said OWNER on this 5th day of February
2007.



STATE OF WISCONSIN)
OZAUKEE COUNTY)ss

PERSONALLY came before me on this 5th day of February, 2007
Erna Bellin, to me known to be the person who executed the foregoing certificate and
acknowledged the same.

Kathryn J. Rismeyer
Notary Public
Kathryn J. Rismeyer

My Commission expires 12-30-2007

CITY OF MEQUON PLAN COMMISSION APPROVAL

APPROVED by the City of Mequon Plan Commission on this 7th day of
February 2007.

Chantone Alexander
Chairman

[Signature]
Secretary



This instrument was drafted by James G. Schneider

Parcel ID Number For Bellin Farm:

14-016-06-003.00

Map Created on Feb 11, 2008



Legend

- ◆ Open Sites (ongoing cleanups)
- ▨ Open Sites (ongoing cleanups) - site boundaries shown
- ◆ Closed Sites (completed cleanups)
- ▨ Closed Sites (completed cleanups) - site boundaries shown
- County Boundary
- ✂ Railroads
- Major Highways
- Interstate
- US Highway
- State Highway
- Local Roads
- Civil Towns
- Civil Town
- ▨ 24K Open Water
- 24K Rivers and Shorelines
- Municipalities

0 375 750 1125 ft.


Map created on Feb 11, 2008

Note: Not all RR Sites have been geo-located yet.




Scale: 1:3,953

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.



MENOMONEE FALLS
 USGS 7.5 MINUTE QUADRANGLE MAPS
 SECTION 16, T-9-N, R-21-E





BELLIN ESTATE
 8805 W HIGHLAND ROAD MEQUON, WI

PROJECT NO.: J06057	PM: AAM
DRAWN BY: AAM	DATE: 12/6/06
CHECKED BY: AAM	DATE: 12/18/06
APPROVED BY: AAM	DATE: 10/26/06

VICINITY
 DIAGRAM

FIGURE
 1





BELLIN FARM
8805 W HIGHLAND ROAD
MEQUON, WI


PROJECT NO: J06057 PM: AAM
DRAWN BY: AAM DATE: 5/29/07
CHECKED BY: AAM DATE: 5/29/07
APPRVD BY: DATE:
FILE:

POTABLE WELLS WITHIN
1200 FEET OF SITE

FIGURE




BELLIN ORCHARD 8805 W HIGHLAND ROAD MEQUON, WI	PROJECT NO: J07008 PM: AAM	POTABLE WELLS SAMPLED FOR ANALYTICAL TESTING	FIGURE
	DRAWN BY: AAM DATE: 5/29/07		9
	CHECKED BY: AAM DATE: 5/29/07		
	APPRVD BY: DATE:		
	FILE:		



Outbuilding



DIAGRAM SCALE
0'  50'

DRAWN BY:	DATE:
CHECKED BY:	DATE:
APPROVED BY:	DATE:
PROJECT:	PM:

*NOTE ALL DIMENSIONS ON THIS DIAGRAM ARE APPROXIMATE

Combined Excavation Areas
Lead > 50
Arsenic > 10

BELLIN ESTATE
8805 W. HIGHLAND ROAD, MEQUON, WI





DIAGRAM SCALE
0' ————— 50'

DRAWN BY: AAM DATE: 4/12/07
 CHECKED BY: DATE:
 APPROVED BY: DATE:
 PROJECT: PM:

*NOTE: ALL DIMENSIONS ON THIS DIAGRAM ARE APPROXIMATE.

FIGURE 4: SOIL CUT & RELOCATION AREAS

BELLIN ESTATE
8805 W. HIGHLAND ROAD, MEQUON, WI



CONTAMINATED
SOIL RELOCATION
AREA



DIAGRAM SCALE	
0'	50'
DRAWN BY: AAM	DATE: 4/12/07
CHECKED BY:	DATE:
APPROVED BY:	DATE:
PROJECT:	PM:
*NOTE ALL DIMENSIONS ON THIS DIAGRAM ARE APPROXIMATE	

FIGURE 8: SOIL CUT & RELOCATION AREAS

BELLIN ORCHARD
8805 W. HIGHLAND ROAD, MEQUON, WI

TABLE 1

SOIL SAMPLE ANALYTICAL AND XRF SCREENING RESULTS

Lead Arsenate Assessment/Investigation
 Bellin Estate
 8805 W. Highland Rd.
 Mequon, Wisconsin

Page 1 of 3

Sample ID	Sample Date	Depth (ft bgs)	XRF Screen or Lab	Screen ID #	Total Arsenic (mg/kg)	Total Lead (mg/kg)
P-2	2/9/06	6-8	Lab		14	92
P-2	2/9/06	22-24	Lab		7.5	57
P-3	1/19/07	0 - 0.5	XRF	187	16	121.5
P-3	2/9/06	6-8	Lab		17	22
P-4	1/19/07	0 - 0.5	XRF	191	<1	120.8
P-4	2/9/06	2-4	Lab		9.2	15
P-5	1/19/07	0 - 0.5	XRF	186	4.0	74.8
P-5	2/9/06	6-8	Lab		12	27
P-6	2/9/06	6-8	Lab		6.5	19
B-1	1/19/07	0 - 0.5	XRF	151, 163	7.5, 7.8	41.5, 45.9
B-1	7/26/06	0.5-1	Lab		<2.5	8.1
B-1	1/19/07	1.5 - 2	XRF	153	3.2	39.0
B-1	7/26/06	2 - 2.5	Lab		3.3	9.0
B-1	1/19/07	2.5 - 3	XRF	152	5.0	11.7
B-1	1/19/07	3.5 - 4	XRF	149	4.1	26.2
B-2	1/19/07	0 - 0.5	XRF	128	0.3	16.6
B-2	7/26/06	0.5-1	Lab		<2.5	16
B-2	1/19/07	1.5 - 2	XRF	147	7.0	26.0
B-2	1/19/07	2.5 - 3	XRF	144	5.0	17.2
B-2	1/19/07	3.5 - 4	XRF	148	5.4	9.7
B-3	1/19/07	0 - 0.5	XRF	196	1.5	94.5
B-3	7/26/06	0.5-1	Lab		13	55
B-3	1/19/07	1.5 - 2	XRF	143	14.2	27.8
B-3	1/19/07	2.5 - 3	XRF	157	5.6	23.7
B-3	1/19/07	3.5 - 4	XRF	145	6.4	16.2
B-4	1/19/07	0 - 0.5	XRF	124	5.0	64.7
B-4	7/26/06	0.5-1	Lab		4.3	19
B-4	1/19/07	1.5 - 2	XRF	158	8.1	30.8
B-4	1/19/07	2.5 - 3	XRF	156	4.0	30.7
B-4	1/19/07	3.5 - 4	XRF	154	2.8	9.5
B-5	1/19/07	0 - 0.5	XRF	139, 141	6.3, 5.2	48.4, 45.1
B-5	7/26/06	0.5-1	Lab		5.8	16
B-5	1/19/07	2 - 2.5	XRF	129	3.0	18.9
B-5	1/19/07	3	XRF	130	4.5	12.7
B-5	1/19/07	3.5 - 4	XRF	131	2.3	11.8
B-6	1/19/07	0 - 0.5	XRF	142	18.7	64.6
B-6	7/26/06	0.5-1	Lab		7.0	18
B-6	1/19/07	1.5 - 2	XRF	138, 140	9.9, 10.1	11.9, 32.3
B-6	1/19/07	2.5 - 3	XRF	126	7.1	11.7
B-6	1/19/07	3.5 - 4	XRF	127	<1	13.6
NR 720 Table 2 RCL					0.039/1.6	50/500

KEY: **Bold** = Concentration above NR 720 Table 2 RCL Non-industrial / Industrial
 ft. bgs = feet below ground surface
 mg/kg = milligrams per kilogram

TABLE 1
SOIL SAMPLE ANALYTICAL AND XRF SCREENING RESULTS

Lead Arsenate Assessment/Investigation
Bellin Estate
8805 W. Highland Rd.
Mequon, Wisconsin

Page 2 of 3

Sample ID	Sample Date	Depth (ft bgs)	XRF Screen or Lab	Screen ID #	Total Arsenic (mg/kg)	Total Lead (mg/kg)
B-7	1/19/07	0 - 0.5	XRF	146	6.6	40.0
B-7	7/26/06	0.5 - 1	Lab		4.1	12
B-7	1/19/07	1.5 - 2	XRF	150	1.5	17.9
B-7	1/19/07	2.5 - 3	XRF	162	5.2	15.7
B-7	1/19/07	3.5 - 4	XRF	132	3.0	12.3
B-8	1/19/07	0 - 0.5	XRF	164	17.6	77.3
B-8	7/26/06	0.5 - 1	Lab		12	34
B-8	1/19/07	1.5 - 2	XRF	160	8.3	13.2
B-8	1/19/07	2.5 - 3	XRF	159, 161	1.0, 3.2	17.3, 12.5
B-8	1/19/07	3.5 - 4	XRF	155	4.0	8.3
B-9	1/19/07	0 - 0.5	XRF	133	21.6	83.4
B-9	7/26/06	0.5 - 1	Lab		21	67
B-9	1/19/07	1.5 - 2	XRF	135	6.7	27.4
B-9	1/19/07	2.5 - 3	XRF	137	6.9	14.7
B-9	1/19/07	3.5 - 4	XRF	136	5.1	9.9
B-10	1/19/07	0 - 0.5	XRF	166, 184	2.9, 6.4	52.8, 55.2
B-10	7/26/06	0.5 - 1	Lab		6.6	13
B-10	1/19/07	3.5 - 4	XRF	176	6.4	12.9
B-11	1/19/07	0 - 0.5	XRF	168	8.2	23.9
B-11	7/26/06	0.5 - 1	Lab		4.0	17
B-11	1/19/07	1.5 - 2	XRF	165	1.8	20.1
B-11	1/19/07	2.5 - 3	XRF	167	1.0	16.7
B-11	1/19/07	3.5 - 4	XRF	179	5.3	13.0
B-12	1/19/07	0 - 0.5	XRF	123	1.0	21.2
B-12	7/26/06	0.5 - 1	Lab		3.9	9.1
B-12	1/19/07	1.5 - 2	XRF	169	1.8	12.5
B-12	1/19/07	2.5 - 3	XRF	173	0.13	7.7
B-12	1/19/07	3.5 - 4	XRF	175	4.2	9.0
B-12	1/19/07	3.5 - 4	Lab	Confirm	<0.4	11
B-13	1/19/07	0 - 0.5	XRF	177	5.9	41.7
B-13	7/26/06	0.5 - 1	Lab		3.4	15
B-13	1/19/07	1.5 - 2	XRF	178	5.9	25.5
B-13	1/19/07	2.5 - 3	XRF	181	1.1	23.8
B-13	1/19/07	3.5 - 4	XRF	174	2.9	23.9
B-14	1/19/07	0 - 0.5	XRF	170	1.4	55.5
B-14	7/26/06	0.5 - 1	Lab		6.9	40
B-14	1/19/07	1.5 - 2	XRF	180	6.1	27.7
B-14	1/19/07	2.5 - 3	XRF	172	6.1	13.2
B-14	1/19/07	3.5 - 4	XRF	183	2.0	12.4
B-15	1/19/07	0 - 0.5	XRF	198	3.7	116.6
B-16	1/19/07	0 - 0.5	XRF	192	0.5	76.5
B-17	1/19/07	0 - 0.5	XRF	189	2.0	79.0
NR 720 Table 2 RCL					0.039/1.6	50/500

KEY: **Bold** = Concentration above NR 720 Table 2 RCL Non-industrial / Industrial
ft. bgs = feet below ground surface
mg/kg = milligrams per kilogram

TABLE 1
SOIL SAMPLE ANALYTICAL AND XRF SCREENING RESULTS

Lead Arsenate Assessment/Investigation
 Bellin Estate
 8805 W. Highland Rd.
 Mequon, Wisconsin

Page 3 of 3

Sample ID	Sample Date	Depth (ft bgs)	XRF Screen or Lab	Screen ID #	Total Arsenic (mg/kg)	Total Lead (mg/kg)
B-18	1/19/07	0 - 0.5	XRF	193	5.5	18.5
B-19	1/19/07	0 - 0.5	XRF	194	4.8	17.4
B-20	1/19/07	0 - 0.5	XRF	185	5.9	15.4
B-21	1/19/07	0 - 0.5	XRF	190	3.0	17.6
B-22	1/19/07	0 - 0.5	XRF	195	8.0	26.7
B-23	1/19/07	0 - 0.5	XRF	199	3.6	66.3
B-23	1/19/07	0 - 0.5	Lab	Confirm	10.0	100.0
B-24	1/19/07	0 - 0.5	XRF	200	20.3	88.2
B-25	1/19/07	0 - 0.5	XRF	201	16.8	63.3
B-26	1/19/07	0 - 0.5	XRF	197	19.7	91.0
B-26	1/19/07	0 - 0.5	Lab	Confirm	27.0	140.0
B-27	1/19/07	0 - 0.5	XRF	202	14.0	69.4
B-28	1/19/07	0 - 0.5	XRF	203	2.5	69.7
B-29	1/19/07	0 - 0.5	XRF	204	20.2	63.3
NR 720 Table 2 RCL					0.039/1.6	50/500
KEY: Bold = Concentration above NR 720 Table 2 RCL Non-industrial / Industrial ft. bgs = feet below ground surface mg/kg = milligrams per kilogram						

Table 2 Remedial Excavation Soil Quality Results
Bellin Orchard
8805 W Highland Road Mequon, WI 53097
BRRTS# 03-46-545245, FID #246106850
Drake Project No. J07008

Soil Sample	Collection Date	Depth	Lead (XRF)	Arsenic (XRF)	Lead (LAB)	Arsenic (LAB)
C1	9/17/2007	19"	35	<9	na	na
C2	9/17/2007	19"	17	<9	na	na
C3	9/17/2007	19"	13	<9	na	na
C4	9/17/2007	19"	36	<9	na	na
C5	9/17/2007	19"	24	8	na	na
C6	9/17/2007	20"	19	<9	na	na
C7	9/17/2007	20"	14	<9	na	na
C8	9/17/2007	20"	24	<7	na	na
C9	9/17/2007	22"	20	<9	na	na
C10	9/17/2007	22"	33	<9	na	na
C11	9/17/2007	22"	46	<9	na	na
C12	9/17/2007	18"	17	<9	na	na
C13	9/17/2007	18"	13	<9	na	na
C14	9/17/2007	22"	16	<9	na	na
C15	9/17/2007	22"	25	<9	na	na
C16	9/17/2007	22"	21	<9	na	na
C17	9/17/2007	22"	39	<9	na	na
C18*	9/17/2007	22"	32	<9	33	4.5
C19	9/17/2007	22"	49	<9	na	na
C20	9/17/2007	22"	48	<9	na	na
C21*	9/17/2007	15"	33	<8	20	1.8
C22	9/17/2007	19"	49	<8	na	na
C23	9/17/2007	19"	49	<8	na	na
C24	9/17/2007	17"	49	<9	na	na
C25	9/17/2007	18"	49	<8	na	na
C26	9/17/2007	19"	12	<8	na	na
C27	9/17/2007	19"	43	<9	na	na
C28	9/17/2007	19"	19	<7	na	na
C29	9/17/2007	19"	25	<8	na	na
C30	9/17/2007	18"	25	<8	na	na
C31*	9/17/2007	19"	17	7	20	1.5
C32	9/17/2007	19"	11	<8	na	na
C33	9/17/2007	19"	15	7	na	na
C34	9/17/2007	24"	32	<7	na	na
C35	9/17/2007	20"	14	<8	na	na
C36	9/17/2007	20"	23	<9	na	na
C37	9/17/2007	20"	12	7	na	na
C38	9/17/2007	20"	24	6	na	na
C39	9/17/2007	20"	39	8	na	na
C40	9/17/2007	19"	23	<9	na	na
C41*	9/17/2007	20"	15	<7	17	1.4
C42	9/17/2007	20"	21	<8	na	na
C43	9/17/2007	20"	14	8	na	na
C44*	9/17/2007	20"	19	<9	15	2.1
<i>Site Specific Approved RCL</i>			50	9	50	9



All concentrations expressed as parts per million (ppm)
 Bold values denote a sample that was tested in a laboratory in addition to the XRF
 na= Sample not analyzed at laboratory
 Site Specific RCLs Denoted in May 3, 2007 DATCP RAP Approval Letter

Table 3: Potable Water Sample Analytical Results
Bellin Farm
8805 West Highland Road Mequon, WI 53097
BRRTS# 03-46-545122, PECFA# 53097-2701-05, FID# 246106850
Drake Project # J06057

Sample ID	Date Sampled	Arsenic	Lead	Benzene	Ethylbenzene	Toluene	Xylenes	Trimethylbenzenes	1,2 - Dichloroethane	Naphthalene	MTBE
8805	01/30/06	15	2.4	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.41	<0.50
(Bellin)	01/19/07	15	<1.0	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/07	14	<1	NA	NA	NA	NA	NA	NA	NA	NA
8643	01/30/06	3.2	14	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.43	<0.50
(Goldner)											
8617	01/30/06	<0.79	<0.44	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	<0.43	<0.50
(Samplaski)											
8533	01/30/06	<0.79	<0.63J	<0.20	<0.50	<0.20	<0.50	<0.40	<0.50	0.65	<0.50
(Welsh/Polzer)											
Hawks Glen	01/25/07	8.7	<0.6	NA	NA	NA	NA	NA	NA	NA	NA
NR 140 PAL		1	1.5	0.5	140	200	1,000	96	0.5	8	12
NR 140 ES		10	15	5	700	1,000	10,000	480	5	40	60

KEY: MTBE = Methyl tert-butyl ether
Italics = Exceeds NR 140 Preventive Action Limit (PAL)
Bold = Exceeds NR 140 Enforcement Standard (ES)
 results expressed in micrograms per liter (ug/liter)
 NA = Not Analyzed

Table 3 Static Groundwater Elevations Bellin Farm 8805 W Highland Road Mequon, WI, 53097 BRRTS# 03-46-545122, PECFA# 53097270105, FID #246106850 Drake Project No. J05057					
Sample Location	Top of Casing Elevation (Ft.)	Depth of Well (Ft.)	Date of Measurement	Depth To Water (Ft.)	Groundwater Elevation (Ft.)
MW-1	791.16	42.58	11/16/2006	29.56	761.6
			2/16/2007	27.46	763.7
MW-2	792.33	41.98	11/16/2006	30.71	761.62
			2/16/2007	28.51	763.82
MW-3	793.68	47.02	11/16/2006	31.79	761.89
			2/16/2007	29.54	764.14
MW-4	793.23	42.48	11/16/2006	31.42	761.81
			2/16/2007	29.29	763.94





BELLIN FARM
8805 W HIGHLAND ROAD MEQUON, WI

PROJECT NO: J06057 PM: AAM
DRAWN BY: AAM DATE: 11/16/06
CHECKED BY: AAM DATE: 12/7/06
APPRVD BY: DATE:
FILE:

11/16/2006 STATIC GROUNDWATER MEASUREMENTS &
ESTIMATED FLOW DIRECTION

FIGURE
7



BELLIN FARM 8805 W HIGHLAND ROAD MEQUON, WI	PROJECT NO: J06057 PM: AAM	2/16/2007 STATIC GROUNDWATER MEASUREMENTS & ESTIMATED FLOW DIRECTION	FIGURE 8
	DRAWN BY: AAM DATE: 3/15/07		
	CHECKED BY: AAM DATE: 3/15/07		
	APPRVD BY: DATE:		
	FILE:		




Approximate Western Property Boundary

Approximate Eastern Property Boundary

Approximate Southern Property Boundary

To West Highland Road ↑



CONTAMINATED SOIL RELOCATION AREA




DIAGRAM SCALE
0' ————— 50'

DRAWN BY: AAM DATE: 4/12/07
 CHECKED BY: DATE:
 APPROVED BY: DATE:
 PROJECT: PM:
 *NOTE ALL DIMENSIONS ON THIS DIAGRAM ARE APPROXIMATE


FIGURE 10: RESIDUAL SOIL CONTAMINATION IN RELOCATION AREA

BELLIN ESTATE
 8805 W. HIGHLAND ROAD, MEQUON, WI



LEGEND

	CL: CLAY		SW: GRAVELY SAND	VERTICAL SCALE: 1" = 10' HORIZONTAL SCALE: 1" = 10'
	OL: CLAY		SM: SILTY SAND	
	SP: POORLY GRADED GRAVELY SAND			



BELLIN FARM
 8805 WEST HIGHLAND ROAD MEQUON, WI

PROJECT NO: J06057 PM: AAM
 DRAWN BY: AAM DATE: 5/29/07
 CHECKED BY: AAM DATE: 5/29/07
 APPRVD BY: DATE:
 FILE:

CROSS SECTION
 A - A'

FIGURE
 5

June 21, 2007

To Whom It May Concern:

I believe that, to the best of my knowledge, the legal description for the property referenced in the attached GIS registry package is complete and accurate.

Sincerely,



Edward Bellin
Durable Power of Attorney For
Erna Jeske
296 Woodview Drive
Courtland, OH 44410

J06057