

GIS REGISTRY INFORMATION

SITE NAME:	Speedway #2089		FID #	
BRRTS #:	03-52-001087		(if appropriate):	
COMMERCE # <small>(if appropriate):</small>	53405-2749-20			
CLOSURE DATE:	May 13, 2003			
STREET ADDRESS:	4620 Washington Ave			
CITY:	Racine			
SOURCE PROPERTY GPS COORDINATES <small>(meters in WTM91 projection):</small>	X = 697224	Y = 251871		
CONTAMINATED MEDIA:	Groundwater <input checked="" type="checkbox"/>	Soil <input type="checkbox"/>	Both <input type="checkbox"/>	
OFF-SOURCE GW CONTAMINATION >ES:	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
• IF YES, STREET ADDRESS:				
• GPS COORDINATES X = <input type="text"/> Y = <input type="text"/>				
<small>(meters in WTM91 projection):</small>				
OFF-SOURCE SOIL CONTAMINATION	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
>Generic or Site-Specific RCL (SSRCL):				
• IF YES, STREET ADDRESS 1:				
• GPS COORDINATES X = <input type="text"/> Y = <input type="text"/>				
<small>(meters in WTM91 projection):</small>				
CONTAMINATION IN RIGHT OF WAY:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
DOCUMENTS NEEDED				
Closure Letter, and any conditional closure letter issued				X
Copy of most recent deed, including legal description, for all affected properties				
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties				
County Parcel ID number, <i>if used for county</i> , for all affected properties				X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.				X
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.				X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)				X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)				
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.				X
GW: Table of water level elevations, with sampling dates, and free product noted if present				X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)				X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour				X
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)				X
RP certified statement that legal descriptions are complete and accurate				
Copies of off-source notification letters (if applicable)				X
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)				X
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure				X



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212-3963
TDD #: (608) 264-8777
Fax #: (414) 220-5374
<http://www.commerce.state.wi.us>
<http://www.wisconsin.gov>
Jim Doyle, Governor
Cory L. Nettles, Secretary

May 13, 2003

Mr. Keith Hughes
Speedway SuperAmerica, LLC
500 Speedway Drive
Enon, OHIO 45323

RE: **Final Closure**

Commerce # 53405-2749-20 WDNR BRRTS # 03-52-001087
Speedway #2089, 4620 Washington Ave., Racine

Dear Mr. Hughes:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If applicable, the PECFA claim for this site would also be reopened and you may apply for assistance to the extent of remaining eligibility.


Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5402.

Sincerely,

A handwritten signature in black ink, appearing to read 'Stephen D. Mueller', written in a cursive style.

Stephen D. Mueller
Hydrogeologist
Site Review Section

cc: Mr. Dale Armbruster, Sigma Environmental Services, Inc.
Case File



General Site Location





midwest engineering services, inc.

FIGURE 1
 General Site Location
 Speedway Gas Station, Unit 2089
 4620 Washington Avenue
 Racine, WI


PROJECT NUMBER:
 7-01082-2

DATE:
 5-23-91



LEGEND

- ⊕ = MONITORING WELL LOCATION
- ⊗ = SUMP LOCATION
- = FENCE



WASHINGTON AVENUE

SPEEDWAY STATION #2089 4260 WASHINGTON AVENUE, RACINE, WI	
DATE: 2-8-01	DR.: BY: BEB DR.# 5T16-002
SCALE: 1" = 30' SITE PLAN MAP	
FIGURE 1	

NOTES:
 1. MAP BASED FROM "SITE PLAN SKETCH" PRODUCED BY MIDWEST ENVIRONMENTAL SERVICES, INC., DATED 1-14-93.
 2. OBSTRUCTION IN B-16 OBSERVED BY SIGMA ON MAY 12, 2000.

<u>Date</u>	<u>Location</u>	<u>Benzene (ppb)</u>	<u>Toluene (ppb)</u>	<u>Ethylbenzene (ppb)</u>	<u>Xylene (ppb)</u>
4-9-90	B-6	2700	150	3000	6300
6-14-90	B-6	2900	300	1200	5900
	B-7	<1.0	<1.0	<1.0	1.2
	B-8	4100	120	2500	10,000
	B-11	1.1	<1.0	<1.0	<1.0
3-5-91	B-6	4800	56	4000	7000
	B-7	<1.0	<1.0	<1.0	<1.0
	B-8	114	<1.0	<1.0	6
	B-9	<1.0	<1.0	<1.0	<1.0
	B-11	3	<1.0	<1.0	<1.0
	B-15	<1.0	<1.0	<1.0	<1.0
	B-16	<1.0	<1.0	<1.0	<1.0
	B-17	55	<1.0	<1.0	2
4-23-91	B-8	45	<1.0	<1.0	2
5-21-91	B-8	10	<1.0	<1.0	<1.0

PRE - REMEDIAL EXCAVATION
 GROUND WATER QUALITY RESULTS

Sump 1 (12 Inch Sump)

PARAMETER*	1992			1993				1994	1995	PAL	ES
	5-13	10-20	12-11	3-2	6-21	9-29	12-3	11-8	5-2		
Benzene	240	ND	15	ND	12	ND	9	180	2.1	0.5	5
n-Butylbenzene	6	ND	ND	ND	ND	ND	ND	--	--	--	--
tert-Butylbenzene	13	ND	ND	ND	ND	ND	ND	--	--	--	--
1,1-Dichloroethane	2	ND	ND	ND	ND	ND	ND	--	--	85	850
cis-1,2-Dichloroethene	7	ND	ND	ND	ND	ND	ND	--	--	7	70
Ethylbenzene	18	ND	ND	ND	ND	ND	ND	1	ND	140	700
Isopropylbenzene	3	ND	ND	ND	ND	ND	ND	--	--	--	--
Napthalene	59	ND	ND	ND	ND	ND	ND	--	--	8	40
Tetrachloroethene	ND	ND	3.6	ND	ND	ND	ND	--	--	.5	5
Trichloroethene	ND	ND	ND	ND	ND	ND	ND	--	--	.5	5
1,1,1-Trichloroethane	4	ND	ND	ND	ND	ND	ND	--	--	40	200
1,3,5-Trimethylbenzene	6	ND	ND	ND	ND	ND	ND	ND	ND	--	--
1,2,4-Trimethylbenzene	--	--	--	--	--	--	--	ND	ND	--	--
Toluene	120	ND	ND	ND	21	ND	ND	120	ND	68.6	343
Xylenes	54	ND	ND	ND	10	ND	ND	16	ND	124	620
MTBE	--	--	--	--	--	--	--	380	62	12	60
GRO	--	--	--	--	--	--	--	500	ND	--	--

Sump 2 (4 Inch Sump)

PARAMETER*	1992			1993				1994	1995	PAL	ES
	5-13	10-20	12-11	3-2	6-21	9-29	12-3	11-8	5-2		
Benzene	12	17	7.4	ND	2	96	46	150	ND	0.5	5
n-Butylbenzene	2	ND	ND	ND	ND	ND	ND	--	--	--	--
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	--	--	--	--
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	--	--	85	850
cis-1,2-Dichloroethene	2	ND	ND	ND	ND	ND	ND	--	--	7	70
Ethylbenzene	ND	ND	ND	ND	ND	11	ND	2	ND	140	700
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	--	--	--	--
Napthalene	13	ND	ND	ND	ND	ND	ND	--	--	8	40
Tetrachloroethene	1	ND	3.6	ND	ND	ND	ND	--	--	.5	5
Trichloroethene	2	2	ND	ND	ND	ND	ND	--	--	.5	5
1,1,1-Trichloroethane	2	ND	ND	ND	ND	ND	ND	--	--	40	200
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--
1,2,4-Trimethylbenzene	--	--	--	--	--	--	--	ND	ND	--	--
Toluene	ND	ND	ND	ND	ND	130	130	24	ND	68.6	343
Xylenes	ND	ND	ND	ND	8	44	18	3	ND	124	620
MTBE	--	--	--	--	--	--	--	110	13	12	60
GRO	--	--	--	--	--	--	--	ND	ND	--	--

ES = Enforcement Standard

PAL = Preventive Action Limit

ND = Not Detected

* Concentrations in parts per billion (ppb)

-- Not Tested

PARAMETER*	B-8					PAL	ES
	1992			1993	1994		
	5-13	10-20	12-11	6-21	11-8		
Benzene	ND	ND	ND	ND	ND	0.5	5
n-Butylbenzene	ND	ND	ND	ND	-	--	-
tert-Butylbenzene	ND	ND	ND	ND	-	--	-
1,1-Dichloroethane	ND	ND	ND	ND	-	85	850
cis-1,2-Dichloroethene	ND	ND	ND	ND	-	7	70
Ethylbenzene	ND	ND	ND	ND	ND	140	700
Isopropylbenzene	ND	ND	ND	ND	-	-	-
Napthalene	ND	ND	ND	ND	-	8	40
Tetrachloroethene	ND	ND	ND	ND	-	.5	5
Trichloroethene	ND	ND	ND	ND	-	.8	5
1,1,1-Trichloroethane	ND	ND	ND	ND	-	40	200
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	--	--
1,2,4-Trimethylbenzene	-	-	-	-	ND	-	-
Toluene	ND	ND	ND	ND	ND	68.6	343
Xylenes	ND	ND	ND	ND	ND	124	620
MTBE	-	-	-	-	11	12	60

ES = Enforcement Standard

PAL = Preventive Action Limit

ND = Not Detected

* Concentrations in parts per billion (ppb)

Table 2

Post-Remedial Groundwater Quality Results
 Speedway SuperAmerica #2089, 4620 Washington Avenue, Racine, Wisconsin
 Sigma Project No. 5716

Parameter	Well ID: B-8		B-15		Sump #1		Sump #2		NR 140 ES	NR 140 PAL	
	Date: 05/12/2000	09/27/2000	05/12/2000	5/00 Dup	05/02/1995	09/27/2000	05/12/2000	09/27/2000			
	Units	Units	Units	Units	Units	Units	Units	Units	Units	Units	
pVOCs											
Benzene	µg/L	<0.27	<0.29	<0.26	2.1	0.92	<1.0	1.1	<1.4	5	0.5
1,2-Dichloroethane	µg/L	<0.37	<0.21	NA	NA	<0.53	NA	<0.92	<1.1	5	0.5
Ethylbenzene	µg/L	<0.32	<0.57	<0.24	<1.0	<1.4	<1.0	<0.80	<2.8	700	140
Methyl-t-butyl ether	µg/L	1.3	1.4	1.3	62	340	13	490	330	60	12
Toluene	µg/L	<0.27	<1.1	<0.21	<1.0	<0.54	<1.0	<0.68	<1.5	1,000	200
1,3,5-Trimethylbenzene	µg/L	<0.27	<0.29	<0.54	<1.0	<0.54	<1.0	<0.68	<1.4	NS	NS
1,2,4-Trimethylbenzene	µg/L	<0.22	<0.34	<0.86	<1.0	<0.44	<1.0	<0.55	<1.7	NS	NS
Total Trimethylbenzene	µg/L	<0.49	<0.63	<1.4	<2.0	<0.98	<2.0	<1.23	<3.0	480	96
Xylenes, Total	µg/L	<0.67	<0.63	<1.34	<2.0	<1.34	<2.0	1.5	<3.1	10,000	1,000

Notes:


1. Last groundwater extraction event at site performed on April 14, 1995. Analytical results shown are only post-remedial.
2. Groundwater samples from May 1995 collected by Midwest Engineering Services, Inc. All others collected by Sigma Environmental Services, Inc.
3. NR 140 ES = Wisconsin Administrative Code Chapter NR 140 Enforcement Standard
4. NR 140 PAL = Wisconsin Administrative Code Chapter NR 140 Preventive Action Limit
5. µg/L = micrograms per liter (equivalent to parts per billion)
6. NA = Not Analyzed
7. NS = No Standard established
8. Exceedances:
 - ||||| = Concentration exceeds NR 140 ES
 - ||||| = Concentration exceeds NR 140 PAL

TABLE 1
Groundwater Elevation Data
Speedway SuperAmerica #2089, Racine, Wisconsin
Project No. 5716

Well ID	Elevation Top of Casing	Water Level	Groundwater Elevation	Date
B-8	691.76	7.86	683.90	05/12/2000
		8.21	683.55	09/27/2000
B-15	684.13	5.54	678.59	05/12/2000
		5.59	678.54	09/27/2000
Sump 1	Not surveyed	6.08	---	05/12/2000
		6.07	---	09/27/2000
Sump 2	Not surveyed	7.09	---	05/12/2000
		7.08	---	09/27/2000

Notes:

1. Elevations for B-8 and B-15 were surveyed by Midwest Engineering Services during site investigation.
2. Elevations for Sump 1 and Sump 2 not surveyed.



PRE-REMEDIAL EXCAVATION

NOTE: Groundwater Contour lines estimated by interpolation between available data points.

Approximate Scale: 1" = 20'

LEGEND	
	New Monitoring Well
	Previous Boring
	Previous Monitoring Well
	New Boring



FIGURE 2
 Groundwater Contour Map
 Speedway Convenience Store
 Unit 2089
 4620 Washington Avenue
 Racine, WI

PROJECT NUMBER:
 01034

DATE:
 7-6-90




FIGURE 3
 Subsurface Profile
 Speedway Convenience Store
 Unit 2089
 4620 Washington Avenue
 Racine, Wisconsin

M.E.S. Project #
 01034

DATE: 7-6-90



December 6, 2002

Project Reference 5716

Property Owner
One Hour Martinizing
4606 Washington Avenue
Racine, Wisconsin 53405

RE: Case Closure for Petroleum Impacts Located at the Speedway Station at 4620 Washington Avenue, Racine, Wisconsin

Dear Sir:

This correspondence is to inform you that the Wisconsin Department of Commerce has granted case closure associated with the petroleum impacts resulting from a previous petroleum release at the above referenced property. As a requirement for final closure, a copy of the closure letter is provided as an attachment.

If you have any questions or comments, please call me at (414) 768-7144.

Sincerely,
Sigma Environmental Services, Inc.

Dale C. Armbruster
Dale C. Armbruster, P.G.
Project Manager

U.S. Postal Service CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)		
Postmark Here		
Postage	\$.37	#5716/SSA/OCA
Certified Fee	2.30	
Return Receipt Fee (Endorsement Required)	1.75	
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$4.42	12-9-02
Sent To <i>One Hour Martinizing</i>		
Street, Apt. No. or PO Box No. <i>4606 Washington Avenue</i>		
City, State, ZIP+4 <i>Racine, WI 53405</i>		

7002 0510 0000 5962 2597





ENVIRONMENTAL & REGULATORY SERVICES
101 West Pleasant Street, Suite 100A
Milwaukee, Wisconsin 53212
Fax (414) 220-5374
TDD# (608) 264-8777
www.commerce.state.wi.us
Scott McCallum, Governor
Brenda J. Blanchard, Secretary

June 11, 2001

Speedway SuperAmerica LLC
Attn: Mr. Keith Hughes
500 Speedway Drive
Enon, OH 45323

Sigma Environmental Services, Inc.
Attn: Mr. Dale Armbruster
220 E. Ryan Rd.
Oak Creek, WI 53154-7144

RE: **Commerce# 53405-2749-20, BRRTS# 03-52-001087**
Speedway #2089, 4620 Washington Ave., Racine, WI 53405

One 6,000-gallon and three 8,000-gallon unleaded gasoline underground storage tanks (USTs) (reg. #329278-329281), removed in April 1991.

Conditional Case Closure

Dear Mr. Hughes:

This letter is a revision of the conditional closure letter sent on June 4, 2001. The third condition required for final closure of the site has been revised as presented below to conform to Wisconsin Department of Commerce (Commerce) policy. The condition satisfies Wis. Admin. Code (WAC) NR 714 requirements. The original June 4, 2001 conditional closure letter has been replaced by this letter in the case file.

The above-referenced site was reviewed for closure by the Wisconsin Department of Commerce PECFA Site Review Section in response to the closure request prepared by your consultant, Sigma Environmental Services, Inc. Based on the information provided, it is understood that residual petroleum contamination remains in groundwater near the existing UST basin at concentrations above WAC NR 140 enforcement standards. Using the standards established in WAC NR 700 series and the risk criteria in WAC Comm 46, the Department has determined that this site does not pose a threat to the environment and human health. No further investigation or remedial action is necessary.

The following items are necessary to satisfy the conditions of case closure:

- Placement of a *Notice of Contamination*—groundwater use and deed affidavit—on the property deed for the subject site, in accordance with NR 726.05(8)(am) and (b). Enclosed is an example of a *Notice of Contamination* for the subject property. Please include a map that shows the property boundary lines and all residual soil and groundwater contamination above standards on the subject property and the public alley right-of-way (ROW). Also, include soil and groundwater analytical tables. Submit a copy of the final (approved) deed notice filed at the County register of deeds office for verification and placement in the case file. If you wish to modify the language, submit a copy to this office for approval before filing.

Conditional Case Closure**Commerce# 53405-2749-20, BRRTS# 03-52-001087****Speedway #2089****4620 Washington Ave., Racine, WI 53405**

June 11, 2001

Page 2

- Provide written notification of the presence of groundwater contamination within the public alley ROW to the municipal clerk, and the municipal department (or state agency) that is responsible for maintaining the ROW. In accordance with NR 726.05(2)(b)4, please submit proof of compliance with the notification requirement.
- Provide a copy of this conditional closure letter to the owner of the neighboring property to the east. Please submit proof of compliance with the notification requirement (e.g., copy of certified/registered mail receipt).
- Property abandon all monitoring wells at the site in accordance with WAC NR 141.25. In addition, take appropriate precautionary measures to ensure that the two sumps used for groundwater extraction can not become conduits for introducing contamination into the subsurface.

IMPORTANT: Before this case can be officially listed as "closed" on the Department of Commerce and Department of Natural Resources computer databases, you or your consultant must submit the requested information and/or documentation.

In the event that any of the remaining petroleum contamination is uncovered in the future, it will be the responsibility of the property owner to properly manage all contaminated soil and groundwater that does not meet applicable State and Federal standards. Furthermore, if future land use or site conditions change, such that any remaining contamination poses a threat, then the need for further remediation would be determined and required if necessary. If there becomes a need to reopen this case, the original claim under the PECFA fund (if applicable) would also be reopened and you could apply for assistance to the extent of remaining eligibility.

Thank you for your efforts in protecting and restoring the environment. If you have any questions, please contact me at the letterhead address or at (414) 220-5402.

Sincerely,

COPY

Stephen D. Mueller
Hydrogeologist
PECFA Site Review Section

Encl. Notice of Contamination to Property (sent on June 4, 2001)

Cc: case file

MAILED
12-9-02

December 6, 2002

Project Reference # 5716

Mr. Rick Jones
City of Racine
Department of Public Works
730 Washington Avenue
Racine, Wisconsin 53403

RE: Notice of Potential Groundwater Impacts within Public Right-of-Way

Dear Mr. Jones:

On behalf of Speedway SuperAmerica (SSA), Sigma Environmental Services, Inc. (Sigma) is providing written notification of potential groundwater petroleum impacts within a public right-of-way (ROW) in accordance with Wisconsin Administrative Code NR 726.05(2)(b)4. The ROW which may contain groundwater impacts is located directly north of the SSA facility located at 4620 Washington Avenue, Racine, Wisconsin. The facility is located on the northeast corner of Ohio Street and Washington Avenue. During the last groundwater monitoring event, petroleum compounds were detected in two monitoring wells directly south of the alley at concentrations below the groundwater preventive action limit. Therefore, any groundwater impacts that may be present in the ROW should also be below the preventive action limits. A groundwater quality map is provided as an attachment.

The Wisconsin Department of Commerce has granted flexible closure for the facility. It has been demonstrated that the residual petroleum impacts will be remediated by natural attenuation processes.

If you have any questions or comments, please call me at (414) 768-7144.

Sincerely,
Sigma Environmental Services, Inc.



Dale C. Armbruster, P.G.
Project Manager



December 6, 2002

Project Reference # 5716

Ms. Karen Norton
City of Racine Municipal Clerk
730 Washington Avenue
Racine, Wisconsin 53403

MAILED
12/9/02

RE: Notice of Potential Groundwater Impacts within Public Right-of-Way

Dear Ms. Norton:

On behalf of Speedway SuperAmerica (SSA), Sigma Environmental Services, Inc. (Sigma) is providing written notification of potential groundwater petroleum impacts within a public right-of-way (ROW) in accordance with Wisconsin Administrative Code NR 726.05(2)(b)4. The ROW which may contain groundwater impacts is located directly north of the SSA facility located at 4620 Washington Avenue, Racine, Wisconsin. The facility is located on the northeast corner of Ohio Street and Washington Avenue. During the last groundwater monitoring event, petroleum compounds were detected in two monitoring wells directly south of the alley at concentrations below the groundwater preventive action limit. Therefore, any groundwater impacts that may be present in the ROW should also be below the preventive action limits. A groundwater quality map is provided as an attachment.

The Wisconsin Department of Commerce has granted flexible closure for the facility. It has been demonstrated that the residual petroleum impacts will be remediated by natural attenuation processes.

If you have any questions or comments, please call me at (414) 768-7144.

Sincerely,
Sigma Environmental Services, Inc.



Dale C. Armbruster, P.G.
Project Manager



that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 22nd day of May, 2002.

[When appropriate use the following clause]:

By signing this document, [he/she] acknowledges that [he/she] is duly authorized to sign this document on behalf of Speedway SuperAmerica LLC.

N
102
S
102
Signature: AHBaker

Printed Name: STEVEN N. BAKER

Title: VICE PRESIDENT

Subscribed and sworn to before me
this 22nd day of May, 2002.

Katherine S. Piatt-Bergwald
Notary Public, State of Ohio
My commission _____

KATHERINE S. PIATT
NOTARY PUBLIC, STATE OF OHIO
MY COMMISSION EXPIRES 3/17/04

This document was drafted by the Wisconsin Department of Commerce.