

GIS REGISTRY INFORMATION

SITE NAME: Former STOKELY USA

BRRTS # and FID #: 06-52-260036 | 252006150

CLOSURE DATE: 4/23/03

STREET ADDRESS: 4100 YORK STREET

CITY: UNION GROVE, WI

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): x= 678531 y= 247614

OFF-SOURCE CONTAMINATION (>ES): Yes No
(if there are more than 2 off-source properties, make a note and attach additional sheet(s))

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

IF YES, STREET ADDRESS 2: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

CONTAMINATED MEDIA: (Groundwater, Soil or Both?) GROUNDWATER

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter issued	<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties	<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties	<input checked="" type="checkbox"/>
County Parcel ID number, if used for county, for all affected properties	<input checked="" type="checkbox"/> 186-03-21-30-024-000
Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy)	<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy)	<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	<input checked="" type="checkbox"/>
Isoconcentration map(s), if available from site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. If not available, include the following 2 types of maps:	NA
Latest groundwater flow/monitoring well location map	<input checked="" type="checkbox"/>
Latest extent of contaminant plume map	<input checked="" type="checkbox"/>
Geologic cross-sections, if available from SI. (8.5x14" if paper copy)	<input checked="" type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate	<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)	NA
Letter informing ROW owner of residual contamination (if applicable)	NA
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure.	NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-263-8500
FAX 414-263-8606
TTY 711

April 23, 2003

Christine Rademacher
Village Administrator
Village of Union Grove
1015 State Street
Union Grove, WI 53182

Subject: Conditional Case Closure with NR 140 Exemption
Former Stokely USA property, 4100 York Avenue, Union Grove
FID# 252006150 BRRTS # 06-52-260036 Tax Parcel ID# 51-186-03-21-30-024-020
Also referred to as the "**Southern Parcel**"

Dear Ms. Rademacher:

On April 17, 2003, your request for closure of the "Property" described above was reviewed by the Department of Natural Resources (Department). After careful review of the closure request the Department has determined that the chloride contamination on the site from the historic wastewater lagoons in the southwestern part of the "Property" appears to have been investigated and remediated to the extent practicable under site conditions. Recent groundwater monitoring data at this site indicates exceedances of the ch. NR 140, Wis. Adm. Code, enforcement standard(ES) for chloride at MW-4. The Department may grant an exemption for a substance of public welfare concern, or nitrate, pursuant to s. NR 140.28(2)(a), Wis. Adm. Code, if actions have been taken to achieve the lowest possible concentration for that substance which is technically and economically feasible and the existing or anticipated increase in the concentration of that substance does not present a threat to public health or welfare.

Based on the documentation provided, the Department believes that the above criteria have been or will be met. The source area was determined to be two wastewater lagoons, which were closed by the Department in 1993. Therefore, pursuant to s. NR 140.28(2)(a), Wis. Adm. Code, an exemption to the enforcement standard is granted for chloride at MW-4 where the exceedance was detected. This letter serves as your exemption.

Your case will be tracked as closed if the following conditions are satisfied:

- The monitoring well, MW-4, must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Victoria Stovall on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.
- Resubmit the Case Summary and Closeout Form with revisions to address contamination on the Southern Parcel only. The packet for the GIS Registry of Closed Remediation Sites does **not** need to be resubmitted. No additional fees will be assessed for placing this site on the Registry.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 414-263-8564.

Sincerely,

A handwritten signature in black ink that reads "Michelle Williams". The signature is written in a cursive, flowing style.

Michelle Williams
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Bill Phelps, DG/2
Kristin Kurzka, Sigma Environmental Services, Inc.
SER File

Exhibit "A" (con't)

Parcel III: That part of the East 1/2 of the Southwest 1/4 of Section 30, Township 3 North, Range 21 East, bounded as follows: Begin at the Southeast corner of the aforesaid East 1/2 of the Southwest 1/4 of said Section 30, thence North along the East line of said East 1/2 of the Southwest 1/4 of said Section 30, 334.6 feet to the point that is 590.7 feet South of intersection of the said East line and Southerly line of the right of way of Chicago, Milwaukee, St. Paul and Pacific Railway Company; thence West 288.75 feet; thence North 198.0 feet; thence West 969.95 feet to the West line of aforesaid East 1/2 of the Southwest 1/4 of said Section 30; thence South along the said West line 528.5 feet to the Southwest corner of said East 1/2 of the Southwest 1/4 of said Section 30; thence East 1262.8 feet to the beginning. Excepting therefrom land conveyed by Warranty Deed executed by Meeters, Inc., a corp to Joseph Leider, dated December 4, 1947 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on December 31, 1947 in Volume 469 of Deeds, at page 588, as Document No. 531053. Also excepting therefrom land conveyed by Warranty Deed executed by Meeter Bros. & Co. to Daniel R. Squires, Sr. and Yvonne Squires, his wife, dated August 1, 1969 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on December 18, 1969 in Volume 1039 of Records, at page 331, as Document No. 862797, Rerecorded in the office of the Register of Deeds for Racine County, Wisconsin on May 22, 1970 in Volume 1052 of Records, at page 167, as Document No. 868068. Also excepting therefrom land conveyed by Quit Claim Deed executed by Meeter Bros. & Co., a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Union Grove, Wisconsin to Village of Union Grove, a Municipal Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Union Grove, Wisconsin, dated May 25, 1970 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on June 4, 1970 in Volume 1053 of Records, at Page 381, as Document No. 868626. Also excepting therefrom land conveyed by Warranty Deed executed by Meeter Bros. & Co., a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, located at Union Grove, Wisconsin to Daniel R. Squires, Sr. and Yvonne Squires, his wife, dated January 15, 1973 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on May 15, 1973 in Volume 1180 of Records, at page 2, as Document No. 920892. Also excepting therefrom land conveyed by Warranty Deed executed by Meeter Bros. & Co. to Daniel R. Squires and Yvonne M. Squires, as joint tenants with full rights of survivorship, and not as tenants in common, dated December 1979 and recorded in the office of the Register of Deeds for Racine County, Wisconsin on April 16, 1987 in Volume 1858 of Records, at page 551, as Document No. 1226254. Said land being in the Village of Union Grove, County of Racine, State of Wisconsin.

EXCEPT FOR:

A TRACT OF LAND IN THE SOUTHEAST 1/4 OF THE FRACTIONAL SOUTHWEST 1/4 OF SECTION 30, TOWN 3 NORTH, RANGE 21 EAST, IN THE VILLAGE OF UNION GROVE, COUNTY OF RACINE, STATE OF WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:

- COMMENCE AT THE SOUTH 1/4 CORNER OF SAID SECTION;
- THENCE North 01 degrees 33 minutes 56 seconds West for a distance of 33.00 feet, ALONG THE EAST LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE South 88 degrees 32 minutes 28 seconds West for a distance of 220.00 feet, PARALLEL TO AND 33.00 FEET NORTH OF THE SOUTH LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE North 01 degrees 33 minutes 56 seconds West for a distance of 99.00 feet, PARALLEL TO THE EAST LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE South 88 degrees 32 minutes 28 seconds West for a distance of 187.00 feet, PARALLEL TO THE SOUTH LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE North 01 degrees 33 minutes 56 seconds West for a distance of 42.40 feet, PARALLEL TO THE EAST LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE North 88 degrees 32 minutes 28 seconds East for a distance of 187.00 feet, PARALLEL TO THE SOUTH LINE OF SAID 1/4 SECTION, TO A POINT;
- THENCE South 01 degrees 33 minutes 56 seconds East for a distance of 42.40 feet, PARALLEL TO THE EAST LINE OF SAID 1/4 SECTION, TO THE POINT OF BEGINNING.

GEOGRAPHIC POSITIONS

- WTM91 coordinates for the former Stokely USA property, located at 4100 York Street, Union Grove, Wisconsin:

Northern Parcel

Northeast corner: 678786, 247858
Northwest corner: 678641, 247837
Southwest corner (1): 678646, 247792
Southwest corner (2): 678696, 247800
Southwest corner (3): 678698, 247721
Southeast corner: 678786, 247721

Central Parcel:

Northeast corner: 678786, 247721
Northwest corner: 678698, 247721
Southwest corner: 678678, 247626
Southeast corner (1): 678735, 247628
Southeast corner (2): 678735, 247645
Southeast corner (3): 678792, 247647

Southern Parcel

Northeast corner: 678698, 247721
Northwest corner: 678417, 247714
Southwest corner: 678421, 247567
Southeast corner (1): 678652, 247572
Southeast corner (2): 678651, 247582
Southeast corner (3): 678679, 247583

*All coordinates obtained from a professional site survey completed by Sigma Development, Inc. in February 2002. Coordinate locations verified by viewing the Wisconsin Department of Natural Resources' Geographic Information System Interactive map at <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.


PARCEL IDENTIFICATION NUMBERS

- Parcel Identification Numbers (PINs) for the former Stokely USA property, located at 4100 York Street, Union Grove, Wisconsin:

~~Northern Parcel: 186-03-21-30-021-010~~

~~Central Parcel: 186-03-21-30-022-010~~

Southern Parcel: 186-03-21-30-024-020



SW ¼ of Sec. 30, T3N, R21E. Adapted from U.S.G.S. 7.5 minute series, Union Grove, Wisconsin, quadrangle dated 1960 (photorevised 1971).




Figure 1. Site Location Map
 Village of Union Grove Property
 4100 York Street, Union Grove, Wisconsin

SIGMA
 ENVIRONMENTAL SERVICES INC.

Table 1
Groundwater Quality Results
Village of Union Grove: Former Stokely Property
Sigma Project No. 6343



Well ID:		MW-1			MW-2		MW-3		MW-4		MW-5		NR 140	NR 140
Analytes	Date	03/15/02	3/02 Dup.	11/18/02	03/15/02	11/18/02	03/15/02	11/18/02	03/15/02	11/18/02	11/18/02	11/02 Dup.	ES	PAL
Nitrate-Nitrite	mg/L	0.10	NA	NA	0.14	NA	0.19	NA	0.12	NA	NA	NA	10	2
Chloride	mg/L	500	NA	62.7	2,400	1,560	260	244	180	378	309	NA	250	125
PVOCs/Detected VOCs														
Benzene	µg/L	<0.48	<0.48	NA	<0.48	NA	<0.48	NA	<0.48	NA	<0.31	<0.31	5	0.5
Ethylbenzene	µg/L	<0.43	<0.43	NA	<0.43	NA	<0.43	NA	<0.43	NA	<0.5	<0.5	700	140
Methyl-tert-butyl-ether	µg/L	<0.67	<0.67	NA	<0.67	NA	<0.67	NA	<0.67	NA	<0.3	<0.3	60	12
Toluene	µg/L	<0.47	<0.47	NA	<0.47	NA	<0.47	NA	<0.47	NA	<0.3	<0.3	1,000	200
1,2,4-Trimethylbenzene	µg/L	<0.51	<0.51	NA	<0.51	NA	<0.51	NA	<0.51	NA	<0.4	<0.4	NS	NS
1,3,5-Trimethylbenzene	µg/L	<0.52	<0.52	NA	<0.52	NA	<0.52	NA	<0.52	NA	<0.31	<0.31	NS	NS
Total Trimethylbenzene	µg/L	<1.03	<1.03	NA	<1.03	NA	<1.03	NA	<1.03	NA	<0.71	<0.71	480	96
Xylenes, Total	µg/L	<1.94	<1.94	NA	<1.94	NA	<1.94	NA	<1.94	NA	<0.92	<0.92	10,000	1,000
1,1,1-Trichloroethane	µg/L	<0.69	<0.69	NA	<0.69	NA	<0.69	NA	<0.69	NA	1.27 Q	1.03 Q	200	40
PAHs														
Acenaphthene	µg/L	<0.018	NA	<0.06	<0.018	<0.06	<0.018	<0.06	<0.018	<0.06	<0.06	NA	NS	NS
Acenaphthylene	µg/L	<0.023	NA	<0.06	<0.023	<0.06	<0.023	<0.06	0.040 Q	<0.06	<0.06	NA	NS	NS
Anthracene	µg/L	0.049 Q	NA	<0.05	<0.020	<0.05	<0.020	<0.05	<0.020	<0.05	<0.05	NA	3,000	600
Benzo(a)anthracene	µg/L	0.051 Q	NA	0.07 Q	<0.019	<0.04	<0.019	<0.04	0.057 Q	<0.04	0.05 Q	NA	NS	NS
Benzo(a)pyrene	µg/L	0.050	NA	0.06	<0.012	<0.017	0.016 Q	<0.017	0.084	<0.017	<0.017	NA	0.2	0.02
Benzo(b)fluoranthene	µg/L	0.041 Q	NA	0.12 Q	<0.014	<0.04	0.016 Q	<0.04	0.11	<0.04	<0.04	NA	0.2	0.02
Benzo(g,h,i)perylene	µg/L	0.038 Q	NA	0.63	<0.015	<0.05	<0.015	<0.05	0.14	<0.05	<0.05	NA	NS	NS
Benzo(k)fluoranthene	µg/L	0.040 Q	NA	0.09 Q	<0.013	<0.04	0.013 Q	<0.04	0.089	<0.04	<0.04	NA	NS	NS
Indeno(1,2,3-cd)pyrene	µg/L	0.032 Q	NA	0.55	<0.014	<0.05	<0.014	<0.05	0.13	<0.05	<0.05	NA	NS	NS
Chrysene	µg/L	0.048 Q	NA	0.07 Q	<0.018	<0.05	0.027 Q	<0.05	0.064	<0.05	<0.05	NA	0.2	0.02
Dibenzo(a,h)anthracene	µg/L	<0.017	NA	0.8	<0.017	<0.06	<0.017	<0.06	0.082	<0.06	<0.06	NA	NS	NS
Fluoranthene	µg/L	0.12	NA	0.62	<0.028	<0.06	0.037 Q	0.33	0.046 Q	0.1 Q	<0.06	NA	400	80
Fluorene	µg/L	0.032 Q	NA	<0.12	<0.021	<0.12	<0.021	<0.12	<0.021	<0.12	<0.12	NA	400	80
2-Methylnaphthalene	µg/L	0.051 Q	NA	<0.11	<0.028	<0.11	<0.028	<0.11	0.12	<0.11	<0.11	NA	NS	NS
1-Methylnaphthalene	µg/L	0.033 Q	NA	<0.08	<0.027	<0.08	<0.027	<0.08	0.060 Q	<0.08	<0.08	NA	NS	NS
Naphthalene	µg/L	0.037 Q	NA	<0.1	<0.027	<0.1	<0.027	<0.1	0.20	<0.1	<0.1	NA	40	8
Phenanthrene	µg/L	0.24	NA	0.23 Q	<0.019	<0.08	0.026 Q	0.11 Q	0.046 Q	<0.08	0.16 Q	NA	NS	NS
Pyrene	µg/L	0.16	NA	0.81	<0.020	<0.09	0.030 Q	<0.09	0.054 Q	<0.09	<0.09	NA	250	50
Dissolved RCRA Metals														
Arsenic	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.30	NA	50	5
Barium	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	64	NA	2,000	400
Chromium	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.6	NA	100	10
Lead	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.43 Q	NA	15	1.5
Selenium	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<3.00	NA	50	10
Silver	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<3	NA	50	10
Cadmium	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.2	NA	5	0.5
Mercury	µg/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.07	NA	2	0.2

- Notes:
- Groundwater samples collected by Sigma and submitted to En Chem, Inc. for 3/15/02 analyses and U.S. Filter/Enviroscan for 11/18/02 analyses.
 - NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard. ES for chloride from Table 2 "Public Welfare Groundwater Quality Standards"
 - NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit. PAL for chloride from Table 2 "Public Welfare Groundwater Quality Standards"
 - NS = no standard
 - µg/L = micrograms per liter (equivalent to parts per billion, ppb)
 - mg/L = milligrams per liter (equivalent to parts per million, ppm)
 - NA = Not Analyzed
 - Q = Results are qualified due to the uncertainty of the parameter concentration between the Limit of Detection and Limit of Quantitation.
 - Equipment blanks: 3/15/02 - All VOCs reported below laboratory detection limits
11/18/02 - All VOCs reported below laboratory detection limits
 - Trip blanks: 3/15/02 - Not used
11/18/02 - All VOCs reported below laboratory detection limits
 - Exceedances: **bold, box** = Concentration exceeds NR 140 ES
bold, italics = Concentration exceeds NR 140 PAL

Table 3
Static Groundwater Elevations
Village of Union Grove: Former Stokely Property
Sigma Project No. 6343


Well ID	Date	Ground Surface Elevation (feet MSL)	Top of Casing Elevation (feet MSL)	Depth to Groundwater (feet from TOC)	Total Well Depth (feet from TOC)	Groundwater Elevation (feet MSL)	Well Screen Interval
MW-1	3/15/2002	801.0	803.90	5.45	23.2	798.45	4.5 to 19.5 feet bgs
	11/18/2002			6.87	23.2	797.03	796.5 to 781.5 feet MSL
MW-2	3/15/2002	800.4	803.30	4.85	23.0	798.45	4.5 to 19.5 feet bgs
	11/18/2002			6.75	23.0	796.55	795.9 to 780.9 feet MSL
MW-3	3/15/2002	800.1	802.44	5.90	22.4	796.54	4.5 to 19.5 feet bgs
	11/18/2002			8.47	22.4	793.97	795.6 to 780.6 feet MSL
MW-4	3/15/2002	803.4	805.75	2.21	19.9	803.54	4 to 19 feet bgs
	11/18/2002			8.16	19.9	797.59	799.4 to 784.4 feet MSL
MW-5	11/18/2002	795.0	796.86	10.41	21.5	786.45	5 to 20 feet bgs 790.0 to 775.0 feet MSL

Notes:

1. Survey performed by Sigma Development, Inc.
2. feet MSL = feet above Mean Sea Level
3. feet bgs = feet below ground surface
4. Monitoring well MW-5 installed on November 5, 2002.
5. Monitoring well MW-5 surveyed on November 12, 2002 by Sigma Environmental Services, Inc.

LEGEND

- ⊕ = GEOPROBE BORING (SIGMA - JULY 1991)
- ⊕ = TEST PIT (SIGMA - JULY 1991)
- ⊕ = GEOPROBE BORING (SIGMA - SEPT. 1997)
- ⊕ = GEOPROBE BORING (SIGMA - FEB. MARCH 2002)
- ⊕ = MONITORING WELL (SIGMA - FEB. MARCH NOV. 2002)
- ⊕ = UTILITY POLE
- ⊗ = TREE
- ⊕ = CATCH BASIN
- - - = FENCE
- ⊕ = TELEPHONE PEDISTAL
- - - = UNDERGROUND TELEPHONE LINE
- - - = UNDERGROUND GAS LINE
- - - = OVERHEAD ELECTRIC LINE
- - - = PROPERTY LINE
- - - = GROUNDWATER CONTOUR LINE, CONTOUR INTERVAL = 1.0'
- ⊕ = STATIC GROUNDWATER LEVEL (11-18-02)
- = GROUNDWATER FLOW DIRECTION



NOTES:

1. SURVEY DATE 2/05/02 & 4/03/02. SURVEY COORDINATES REFERENCED TO WISCONSIN STATE PLANE COORDINATES S. ZONE. ELEVATIONS REFERENCED TO NGVD 1929.
2. LOCATIONS OF GP-1 THROUGH GP-6 (JULY 1991), TP-1 THROUGH TP-15 (JULY 1997), AND GP-1 THROUGH GP-3 (SEPT. 1997) ARE BASED ON FIELD MEASUREMENTS AND HAVE NOT BEEN SURVEYED.
3. LOCATIONS OF FORMER LAGOONS IN SOUTHWEST CORNER OF SITE BASED ON APRIL 1980 AERIAL PHOTOGRAPHY.

SIGMA
 ENVIRONMENTAL SERVICES INC.
 220 EAST RYAN ROAD
 OAK CREEK, WISCONSIN 53154
 PHONE : (414) 768 - 7144
 1-800-732-4671

SCALE -


NO	DATE	REVISIONS	BY	APVD

NAME:	DATE:
DRAWN BY: BEB	11-22-02
DESIGNED BY:	
CHECKED BY:	
APPROVED BY:	

FORMER STOKELY USA
 4100 YORK STREET, UNION GROVE, WISCONSIN
 GROUNDWATER CONTOUR MAP (11-18-02)

DRAWING NUMBER
 E343-010

FIGURE 2



SIGMA
 ENVIRONMENTAL SERVICES INC.
 220 EAST RYAN ROAD
 DAY CREEK, WISCONSIN 53154
 PHONE : (414) 768 - 7144
 1-800-732-4671

HORIZONTAL SCALE				
0' 40' 80' 120' 160'				
NO	DATE	REVISIONS	BY	APVD

NAME :	DATE :
DRAWN BY: BEB	4-15-02
DESIGNED BY:	
CHECKED BY:	
APPROVED BY:	

FORMER STOKELY USA
 4100 YORK STREET, UNION GROVE, WI
 GEOLOGIC CROSS SECTIONS A - A' AND B - B'

DRAWING NUMBER
 6343-004
FIGURE 3

STATEMENT BY RESPONSIBLE PARTY

The Village of Union Grove, the responsible party for the property located at 4100 York Street, Union Grove, Wisconsin, states that the legal descriptions for the three parcels associated with this site to be listed in the Groundwater GIS Registry provided to the Wisconsin Department of Natural Resources for WDNR BRRS #06-52-260036 (Southern parcel), 06-52-283948 (Central parcel), and 06-52-283950 (Northern parcel) is complete and accurate to the best of our knowledge.


Signature of Representative for Responsible Party


Date