

GIS REGISTRY INFORMATION

SITE NAME:	Random Lake Coop & Cenex Station		
BRRTS # and FID #:	FID #460121640, BRRTS #0260001042		
CLOSURE DATE:	07/18/2003		
STREET ADDRESS:	430 1st Street		
CITY:	Random Lake		
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X=	684590	Y= 343868

OFF-SOURCE CONTAMINATION (>ES): <small>(if there are more than 2 off-source properties, make a note and attach additional sheet(s))</small>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
--	---	-----------------------------	--

IF YES, STREET ADDRESS 1:	93 Bentert Street		
GPS COORDINATES (meters in WTM91 projection):	X=	684516	Y= 343892

IF YES, STREET ADDRESS 2:	83 Bentert Street		
GPS COORDINATES (meters in WTM91 projection):	X=	684531	Y= 343829

CONTAMINATION IN RIGHT OF WAY:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
---------------------------------------	---	-----------------------------	--

CONTAMINATED MEDIA: (Groundwater, Soil or Both?)	both
---	------

DOCUMENTS NEEDED:	
Closure Letter, and any conditional closure letter issued	X
Copy of most recent deed, including legal description, for all affected properties	X
Certified survey map or relevant portion of the recorded plat map <i>(if referenced in the legal description)</i> for all affected properties	X
County Parcel ID number, <i>if used for county</i> , for all affected properties	X
Location Map which outlines all properties within contaminated site boundaries in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy)	X
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy)	X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	X
Isoconcentration map(s), if available from site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of contamination defined. If not available, include the following 2 types of maps:	X
Latest groundwater flow/monitoring well location map	X
Latest extent of contaminant plume map	X
Geologic cross-sections, if available from SI. (8.5x14" if paper copy)	X
RP certified statement that legal descriptions are complete and accurate	X
Copies of off-source notification letters (if applicable)	X



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Gloria L. McCutcheon, Regional Director

Plymouth Service Center
1155 Pilgrim Rd.
P.O. Box 408
Plymouth, Wisconsin 53073-0408
Telephone 920-892-8756
FAX 920-892-6638

July 18, 2003

Norbert Schleicher
Kettle Lakes Coop
P.O. Box 285
Cedar Grove, WI 53013

Dear Mr. Schleicher:

Subject: Case closure, Random Lake Coop, petroleum releases, 430 1st Street, Random Lake, file reference FID #460121640, BRRTS #0260001042

Thank you for having your consultant submit additional information that I asked for to me. Your case meets the requirements of ch. NR 726, Wis. Admin Code and is closed based on the investigative and remedial documentation provided. However, the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare or the environment.

Monitoring Well Abandonment

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.

Waste and/or Soil Pile Removal

If soil in this location (or these locations) is excavated in the future, the property owner at that time will be required to sample and analyze the excavated soil in order to determine whether the contamination still remains. The owner will also have to properly store, treat, or dispose of any excavated materials, based upon the results of that characterization, and take special precautions during excavation activities to prevent a direct contact threat to humans. The purpose of the notice is to notify all future owners that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation.

Geographic Information System (GIS)


Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

PECFA

Regarding PECFA, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

If you have any questions about this letter, please call me at 414-892-8756, extension 3023.

Sincerely,

A handwritten signature in cursive script that reads "John Feeney". The signature is written in black ink and is positioned above the printed name.

John Feeney

Wisconsin Department of Natural Resources

Cc: Northern Environmental
SER File

WARRANTY DEED-To Corporation

STATE OF WISCONSIN
FORM No. 4

509782

Wisconsin Legal Blank Company
Milwaukee, Wisconsin 15365

This indenture, Made this 7th day of July A. D., 1948.,
between **Raymond Zimmermann and Elsie Zimmermann, his wife**

..... parties of the first part, and
Random Lake Co-operative Association,
~~a co-operative association~~ duly organized and existing under and by virtue of the laws of the State of Wisconsin, located
at **Random Lake**, Wisconsin, party of the second part.

Witnesseth, That the said parties of the first part, for and in consideration of the sum of
one dollar and other good and valuable consideration

to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and
acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and
by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party
of the second part, its successors and assigns forever, the following described real estate, situated in the County
of **Sheboygan** and State of Wisconsin, to-wit:

Lot One (1) and that part of Lot Three (3), described
as follows: Commencing at the northwest corner of
lot 3, thence East 43-1/3 feet, thence South to Lot
4, thence West 43-1/3 feet, thence north to place
of beginning, all in Block Twelve (12) First Addition
to the Village of Random Lake, as per the recorded
plat thereof.



Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise
appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said parties of the
first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises
and their hereditaments and appurtenances.

To have and to hold the said premises as above described with the hereditaments and appurtenances, unto
the said party of the second part, and to its successors and assigns FOREVER.

And the said **Raymond Zimmermann and Elsie Zimmermann, his wife**

for themselves, their heirs, executors and administrators, do covenant, grant, bargain and agree
to and with the said party of the second part, its successors and assigns, that at the time of the unsealing and
delivery of these presents they are well seized of the premises above described, as of a good, sure,
perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and
clear from all incumbrances whatever,

and that the above bargained premises in the quiet and peaceable possession of the said party of the second

part, its successors and assigns, against all and every person or persons lawfully claiming the whole or any part thereof, they will forever WARRANT and DEFEND.

In Witness Whereof, the said parties of the first part have hereunto set their hands and seals this 7th day of July A. D. 1948.

SIGNED AND SEALED IN PRESENCE OF

Philip G. Anderson
Philip G. Anderson
Doris Stephan
Doris Stephan

Raymond Zimmermann (SEAL)
Raymond Zimmermann
Elsie Zimmermann (SEAL)
Elsie Zimmermann

(SEAL)

(SEAL)

State of Wisconsin,

SHEBOYGAN County.

Personally came before me, this 7th day of July A. D. 1948, the above named Raymond Zimmermann and Elsie Zimmermann, his wife

to me known to be the persons who executed the foregoing instrument and acknowledged the contents thereof to be their act and deed.

Philip G. Anderson
Philip G. Anderson
Notary Public, Sheboygan County, Wis.
My commission expires March 6 A. D. 1949



No. 509782

Raymond Zimmermann and Elsie Zimmermann, his wife

Random Lake Co-operative Association

Warranty Deed

REGISTER'S OFFICE

State of Wisconsin, SHEBOYGAN County

Registered for Record this 16th day of July A. D. 1948

at 150 dollars and no cents and recorded

at 312 pages of Deeds on page 567

W. J. Hildebrand, Register of Deeds

Philip G. Anderson

509809

WARRANTY DEED

THIS INSTRUMENT, made this 15 day of January, 1948 between Katherine LaBude, widow of the Villars of Elkport Lake, Sheboygan County, Wisconsin, Oscar LaBude and Agnes LaBude, his wife of Rockford, Illinois, Arno LaBude and Clair LaBude, his wife of Sheboygan Falls, Sheboygan County, Wisconsin and Ervin LaBude and Elizabeth LaBude, his wife of Appleton, Wisconsin, parties of the first part, and Donald Paul Gross and Hildegard Gross, his wife jointly or to the survivor of either of them, parties of the second part,

WARRANTY DEED—To Corporation

STATE OF WISCONSIN 509782
FORM No. 4

Wisconsin Legal Blank Company
Milwaukee, Wisconsin 13365

This indenture, Made this 7th day of July, A. D., 1948,
between **Rymond Zimmermann and Elsie Zimmermann, his wife**

parties of the first part, and
Random Lake Co-operative Association
a co-operative association
xx ~~corporation~~ duly organized and existing under and by virtue of the laws of the State of Wisconsin, located
at **Random Lake**, Wisconsin, party of the second part.

Witnesseth, That the said parties of the first part, for and in consideration of the sum of
one dollar and other good and valuable consideration

to them in hand paid by the said party of the second part, the receipt whereof is hereby confessed and
acknowledged, have given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and
by these presents do give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said party
of the second part, its successors and assigns forever, the following described real estate, situated in the County
of **Sheboygan** and State of Wisconsin, to-wit:

Lot One (1) and that part of Lot Three (3), described
as follows: Commencing at the Northwest corner of
Lot 3, thence East 43-1/3 feet, thence South to Lot
4, thence West 43-1/3 feet, thence North to place
of beginning, all in Block Twelve (12) First Addition
to the Village of Random Lake, as per the recorded
plat thereof.



Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise
appertaining; and all the estate, right, title, interest, claim or demand whatsoever, of the said parties of the
first part, either in law or equity, either in possession or expectancy of, in and to the above bargained premises
and their hereditaments and appurtenances.

To have and to hold the said premises as above described with the hereditaments and appurtenances, unto
the said party of the second part, and to its successors and assigns FOREVER.

And the said **Rymond Zimmermann and Elsie Zimmermann, his wife**

for themselves, their heirs, executors and administrators, do covenant, grant, bargain and agree
to and with the said party of the second part, its successors and assigns, that at the time of the encoding and
delivery of these presents they are well seized of the premises above described, as of a good, sure,
perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the same are free and
clear from all incumbrances whatever,

and that the above bargained premises in the quiet and peaceable possession of the said party of the second

433592
STATUTORY DEED

W.E. Hoelz, William F. Wilk and Ewald Doegnitz, Trustees of the Segregated Trust of the State Bank of Random Lake, Wisconsin, grantors, of Random Lake, Wisconsin, hereby convey and warrant to Badger Tag Company, a Wisconsin Corporation, grantee, of Random Lake, Wisconsin, for the sum of one dollar and other good and valuable consideration, the following tract of land together with the buildings thereon situated in Sheboygan County, Wisconsin, to-wit:

Lots numbered five (5) six (6) seven (7) eight (8) nine (9) ten (10) ~~eleven~~ (11) in block number eleven (11) all in the First Addition to the Village of Random Lake, Sheboygan County, Wisconsin.

In Witness Whereof said trustees have caused these presents to be signed by W.E. Hoelz, William F. Wilk and Ewald Doegnitz, trustees of the Segregated Trust of the State Bank of Random Lake, this 30th day of December, 1942.

In Presence of:

Maria A. Raab
Bessie M. Heinen

William F. Wilk
Trustee

Ewald Doegnitz
Trustee


W. E. Hoelz
Trustee

State of Wisconsin)
Sheboygan County) ss

Personally came before me, this 30th day of December, 1942, the above named W.E. Hoelz, William F. Wilk and Ewald Doegnitz, to me known to be the persons who executed the foregoing instrument, and to me known to be such Trustees of the Segregated Trust of the State Bank of Random Lake, and acknowledged that they executed the foregoing instrument as such Trustees as the deed of said Segregated Trust of the State Bank of Random Lake.

L. L. Kriches

Notary Public, Sheboygan County, Wis.
My Commission Expires June 24, 1945



WARRANTY DEED

SHEBOYGAN COUNTY, WI
RECORDED ON

06-22-2001 2:22 PM

DARLENE J. NAVIS
REGISTER OF DEEDS

RECORDING FEE: 12.00
TRANSFER FEE:

060224 7

Document Number:

Return Address: Ronald M. Sobel, Jr.
1650 9th Avenue, Suite 2, P.O. Box 397
Grafton, Wisconsin 53024-0397

Parcel I.D. Number: 740810;740800;740780


FEE
\$ 77.25 (110)
EXEMPT

AUDREY K. MUELLER, a single person, hereby warrants and conveys to AUDREY K. MUELLER, trustee, or successor trustee(s) of the AUDREY K. MUELLER TRUST DATED APRIL 29, 1999, the following described real estate in Sheboygan County, State of Wisconsin:

See Attached Exhibit A

This _____ is _____ homestead property only as to Parcel 1 tax key no. 740810.

Dated this 17th day of November, 2000.



AUDREY K. MUELLER


STATE OF WISCONSIN)
) SS:
COUNTY OF SHEBOYGAN)

ACKNOWLEDGEMENT

Personally came before me this 17th day of November, 2000, the above named AUDREY K. MUELLER , to me known to be the person who executed the foregoing instrument and acknowledged the same.



Ronald M. Sobel, Jr., Notary Public
Sheboygan County, Wisconsin
My Commission is permanent



This instrument was drafted by Ronald M. Sobel, Jr., Attorney-at-Law, 1650 9th Avenue, Suite 2, P.O. Box 397, Grafton, Wisconsin 53024-0397

EXHIBIT "A"

(Page 1 of 1)

Parcel 1:

Lots number One (1), Two (2), and Three (3) and Four (4), Block 11, First Addition to the Village of Random Lake, Sheboygan County, Wisconsin, excepting therefrom the following: Commencing at the Northeast corner of Lot 3, Block 11, First Addition to the Village of Random Lake, running thence South along Bentert Street 60 feet, thence West on a line 85 feet, thence South on a line 33 feet, thence West on a line 45 feet to Alley known as Allen Street, thence North along said Alley 99 feet to First Street, thence East along said First Street 130 feet to place of beginning, and being a part of Lots 1, 2, 3, Block 11, First Addition to the Village of Random Lake. Said Real Estate is more accurately described as: Lots 1, 2, 3, and 4, Block 11 First Addition to the Village of Random Lake, Sheboygan Co., Wisconsin, excepting therefrom the following:

Commencing at the Northeast corner of Lot 3, Block 11, First Addition to the Village of Random Lake, running thence South along Bentert Street 60 feet, thence west on a line 85 feet, thence south on a line 33 feet, thence West on a line 45 feet to Alley known as Allen Street, thence North along said Alley 93 feet to First Street, thence East along said First Street 129.9 feet to place of beginning, and being part of Lots 1, 2, and 3, Block 11 First Addition to the Village of Random Lake.

Parcel ID Number: 740810

Parcel 2:

Commencing at the Northeast corner of Lot Number Three (3) Block number eleven (11), First Addition to the Village of Random Lake, Wisconsin, running thence South along Bentert Street Sixty (60) feet, thence West on a line 85 feet, thence South on a line 33 feet, thence West on a line 45 feet to alley known as Allen Street, thence North along said alley 99 feet to First Street, thence East along said First Street 130 feet to place of beginning, being a part of Lots 1, 2, and 3, Block Eleven (11), First Addition to the Village of Random Lake: together with the vacated Allen Street adjacent and appurtenant thereto.

Parcel ID Number: 740800


Parcel 3:


Lot Number Four (4), in Block Number Ten (10) according to the recorded plat of the Village of Random Lake, Sheboygan County, Wisconsin.

Parcel ID Number: 740780

MAP OF THE
 FIRST ADDITION
 TO THE
 VILLAGE OF RANDOM LAKE
 VILLAGE OF RANDOM LAKE
 PRT OF THE NE 1/4 OF THE SE 1/4—SECTION 34
 T13 N R 21 E TOWN OF SHERMAN

SCALE: 1"=100'-0"





EXPLANATION

- INLET
- MANHOLE
- ◆ MW1000 GROUND WATER MONITORING WELL LOCATION
- SUMP 1 GROUND WATER EXTRACTION WELL LOCATION
- S — SANITARY SEWER LINE AND FLOW DIRECTION
- W — WATER LINE
- G — GAS LINE
- — — PROPERTY BOUNDARY LINE
- ||||| RAILROAD TRACKS

DRAWN BY: VLG PROJECT: 01-1408-0889 DATE: 12/23/02

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

Northern EnvironmentalSM
Hydrologists · Engineers · Geologists

KETTLE LAKES COOPERATIVE CENEX STATION
RANDOM LAKE, WISCONSIN

SITE LAYOUT

FIGURE:

Table 3 Ground-Water Quality, Kettle Lakes Cooperative Association, Random Lake, Wisconsin

Well ID	Sample Date	Concentration of Analytes Detected (ug/l)																		Laboratory		
		GRO	DRO	TPH	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Trimethyl benzenes	MTBE	n-Butyl-benzene	sec-Butyl-benzene	Isopropyl-benzene	Naphthalene	n-Propyl-benzene	Methylene chloride	Chlor-benzene	Chloroform	Dichloro-difluoro-methane		Lead	
MW100	06-23-90	-	-	68,000	93	1900	1400	10,000	-	-	-	-	-	-	-	-	-	-	-	-	ORTEK	
	06-05-91	-	-	-	18,000	1040	11,300	6000	1207	<250	<340	<200	<150	<500	<100	<300	<100	<100	<150	-	ORTEK	
	05-25-94	-	-	-	9800	1900	22,000	13,000	3900	<50	-	-	-	-	-	-	-	-	-	-	U S Oil	
	10-26-94	120,000	230,000	-	6900	2000	23,000	13,300	3100	<100	610	<100	<100	1300	300	<200	<100	<100	<400	11	U S Oil	
	10-26-94	-	-	-	7300	2600	25,000	16,000	3120	<1000	-	-	-	-	-	-	-	-	-	-	U S Oil	
	06-05-97	-	-	-	2780	1340	17,100	10,200	3790	<105	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	12-11-97	-	-	-	3200	1000	12,500	9800	2710	39	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-24-98	-	-	-	490	730	5700	4100	800	<15.5	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-27-99	-	-	-	1300	1300	14,000	11,000	2330	<31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-25-00	-	-	-	430	860	5900	5600	1000	<15	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
	03-04-02	-	-	-	110	2100	4500	11,700	2750	<20	-	-	-	720	-	-	-	-	-	-	-	CT Laboratories
	05-31-02	-	-	-	130	1100	1800	8000	1740	<10	-	-	-	320	-	-	-	-	-	-	-	U S Analytical
MW300	06-25-90	-	-	-	<1.0	<1.0	<1.0	<3.0	-	-	-	-	-	-	-	-	-	-	-	-	ORTEK	
	06-05-91	-	-	-	<0.3	<0.3	<0.2	<0.6	<0.9	<0.3	<0.4	<0.3	<0.3	<1.0	<0.2	<0.6	<0.2	<0.2	<0.2	-	ORTEK	
	05-25-94	-	-	-	<0.6	<1.0	1.1	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	U S Oil	
	10-26-94	<100	<100	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	<2.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<1.0	<4.0	2	U S Oil	
	06-05-97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-24-98	-	-	-	<0.32	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-27-99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-25-00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
MW400	06-25-90	-	-	-	<1.0	<1.0	<1.0	<3.0	-	-	-	-	-	-	-	-	-	-	-	-	ORTEK	
	06-05-91	-	-	-	130	<0.3	83.5	10.9	2.3	<1.0	<0.4	<0.3	<0.3	<1.0	<0.2	<0.6	<0.2	<0.2	<0.3	-	ORTEK	
	05-25-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	U S Oil	
	10-26-94	290	210	-	20	4.9	15	29.6	15.5	<1.0	3.6	<1.0	<1.0	<2.0	1.3	<2.0	<1.0	<1.0	<4.0	2	U S Oil	
	06-05-97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	12-11-97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-24-98	-	-	-	<0.32	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-27-99	-	-	-	<0.32	<0.34	0.41 "J"	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-30-99	-	-	-	<0.32	<0.34	0.62 "J"	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-25-00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
05-31-02	-	-	-	<0.43	<0.49	5.7	<1.45	<1.14	<0.49	-	-	-	<1.4	-	-	-	-	-	-	-	U S Analytical	
MW600	06-05-91	-	-	-	3	<0.3	2.7	<0.6	<0.9	<1.0	<0.4	<0.3	<0.3	<1.0	<0.2	<0.6	<0.2	<0.2	<0.2	-	ORTEK	
	05-25-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	U S Oil	
	10-26-94	<100	<100	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	<2.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<1.0	<4.0	2	U S Oil	
	06-05-97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-27-99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-25-00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
	03-04-02	-	-	-	<0.40	<0.40	<0.40	<1.4	<0.90	<0.40	-	-	-	-	-	-	-	-	-	-	-	CT Laboratories
MW700	06-05-91	-	-	-	114	<0.3	42.6	21.8	2	111	<0.4	<0.3	<0.3	<1.0	<0.2	<0.6	<0.2	<0.2	<0.2	-	ORTEK	
	05-25-94	-	-	-	360	100	24	84	80	43	-	-	-	-	-	-	-	-	-	-	U S Oil	
	10-25-94	150	<100	-	33	1	<1.0	<1.5	<1.86	34	<2.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<1.0	<4.0	2	U S Oil	
	06-05-97	-	-	-	0.64 "J"	<0.68	<1.5	<1.8	<1.86	0.48 "J"	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	12-11-97	-	-	-	1.2	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-24-98	-	-	-	<0.32	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-27-99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	11-30-99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U S Oil
	05-25-00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
	03-04-02	-	-	-	<0.40	<0.40	<0.40	<1.4	<0.90	<0.40	-	-	-	-	-	-	-	-	-	-	-	CT Laboratories
05-31-02	-	-	-	<0.43	0.76 "J"	<0.63	<1.45	<1.14	<0.49	-	-	-	<1.4	-	-	-	-	-	-	-	U S Analytical	

Table 3 Ground-Water Quality, Kettle Lakes Cooperative Association, Random Lake, Wisconsin

Well ID	Sample Date	Concentration of Analytes Detected (ug/l)																			Laboratory
		GRO	DRO	TPH	Benzene	Ethyl-benzene	Toluene	Total Nylenes	Trimethyl benzenes	MTBE	n-Butyl-benzene	sec-Butyl-benzene	Isopropyl-benzene	Naphthalene	n-Propyl-benzene	Methylene chloride	Chlorobenzene	Chloroform	Dichloro-difluoro-methane	Lead	
MW800	11/19/91	-	-	-	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.9	<1.0	<1.0	<1.0	-	ORTEK U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil Commonwealth CT Laboratories
	05/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	
	05/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	
	10/25/94	<100	<100	-	<0.5	<1.0	<1.0	<2.5	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<4.0	<1	
	06/05/97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	
	11/24/98	-	-	-	0.52*J*	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	
	05/27/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	
	11/30/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	
	05/25/00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	
03/04/02	-	-	-	<0.40	0.48	<0.40	<1.4	<0.90	<0.40	-	-	-	<1.3	-	-	-	-	-	-		
MW900	11/19/91	-	-	-	570	260	710	405	244	-	21	<1.0	<1.0	86	11	46	<10.0	<10.0	<10.0	-	ORTEK U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil Commonwealth CT Laboratories U.S. Analytical
	05/25/94	-	-	-	1400	280	1700	1200	290	1400	-	-	-	-	-	-	-	-	-	-	
	10/25/94	54,000	2000	-	5200	2100	10,000	11,200	3610	<500	<1000	<500	<500	<1000	<500	<1000	300	<500	<2000	<1	
	06/05/97	-	-	-	2090	340	2280	1300	325	95	-	-	-	-	-	-	-	-	-	-	
	12/11/97	-	-	-	7600	1600	12,400	8800	1480	87	-	-	-	-	-	-	-	-	-	-	
	12/11/97	-	-	-	7400	1600	12,100	8600	1480	85	-	-	-	-	-	-	-	-	-	-	
	11/24/98	-	-	-	6000	1300	11,000	7300	1428	<31	-	-	-	-	-	-	-	-	-	-	
	05/27/99	-	-	-	1400	410	1700	1600	338	5.9*J*	-	-	-	-	-	-	-	-	-	-	
	11/30/99	-	-	-	600	540	170	1700	750	<6.2	-	-	-	-	-	-	-	-	-	-	
	05/25/00	-	-	-	520	440	560	1900	555	<15	-	-	-	-	-	-	-	-	-	-	
	05/25/00	-	-	-	520	440	560	1800	441	<15	-	-	-	-	-	-	-	-	-	-	
	03/04/02	-	-	-	590	1200	620	3250	51	-	-	-	-	-	-	-	-	-	-	-	
	05/31/02	-	-	-	750	1900	4100	5900	1170	21*J*	-	-	-	-	-	-	-	-	-	-	
MW1000	11/19/91	-	-	-	<1.0	<1.0	<1.0	<2.0	<2.0	-	<1.0	<1.0	<1.0	1.9	<1.0	<1.0	16	<1.0	<1.0	-	ORTEK U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil Commonwealth
	05/25/94	-	-	-	1.3	2	<1.0	5.8	3.2	<1.0	-	-	-	-	-	-	-	-	-	-	
	10/25/94	<100	2900	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	<2.0	<1.0	<2.0	<1.0	<2.0	14	<1.0	<4.0	<1		
	10/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-		
	11/24/98	-	-	-	<0.32	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-		
	05/27/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-		
	11/30/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-		
	05/25/00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-		
MW1200	12/03/91	-	-	-	<1.0	<1.0	<1.0	<2.0	<2.0	-	<1.0	<1.0	<1.0	<1.0	<1.0	1.1	<1.0	2.1	1.7	-	ORTEK U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil CT Laboratories U.S. Analytical
	10/25/94	960	<100	-	470	<1.0	1.1	3.8	<2.0	4.5	<2.0	<1.0	<1.0	25	<1.0	<2.0	<1.0	<1.0	<4.0	<1	
	06/05/97	-	-	-	8.3	<0.68	<1.5	<1.8	<1.86	0.45*J*	-	-	-	-	-	-	-	-	-		
	06/05/97	-	-	-	9	<0.68	<1.5	<1.8	<1.86	0.38*J*	-	-	-	-	-	-	-	-	-		
	12/11/97	-	-	-	9	4	1	<1.8	<1.86	0.38*J*	-	-	-	-	-	-	-	-	-		
	11/24/98	-	-	-	1.3	0.92*J*	<0.35	1.0*J*	0.76*J*	<0.31	-	-	-	-	-	-	-	-	-		
	05/27/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-		
	03/04/02	-	-	-	<0.40	<0.40	<0.40	<1.4	<0.90	<0.40	-	-	-	<1.3	-	-	-	-	-		
05/31/02	-	-	-	1.3	0.91*J*	<0.63	<1.45	<0.42	<0.49	-	-	-	<1.4	-	-	-	-	-			
MW1300	12/03/91	-	-	-	<1.0	<1.0	1.7	<2.0	<2.0	-	<1.0	<1.0	<1.0	<1.0	<1.0	2.0	<1.0	<1.0	<1.0	-	ORTEK U.S. Oil U.S. Oil U.S. Oil U.S. Oil U.S. Oil Commonwealth CT Laboratories U.S. Analytical
	05/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-		
	10/25/94	<100	410	-	<0.6	<1.0	<1.0	<2.5	<2.0	8.8	<2.0	<1.0	<1.0	<2.0	<1.0	<2.0	<1.0	<1.0	<4.0	2	
	11/24/98	-	-	-	<0.32	<0.34	<0.35	-	<0.99	0.49*J*	<0.23	<0.34	<0.34	<0.88	<0.3	<0.29	<0.31	<0.4	<0.28		
	05/27/99	-	-	-	0.51*J*	<0.34	<0.35	<1	<0.99	0.33*J*	-	-	-	-	-	-	-	-	-		
	11/30/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-		
	05/25/00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-		
	03/04/02	-	-	-	<0.40	<0.40	<0.40	<1.4	<0.90	<0.40	-	-	-	<1.3	-	-	-	-	-		
05/31/02	-	-	-	<0.43	<0.49	<0.63	<1.45	<1.14	<0.49	-	-	-	<1.4	-	-	-	-	-			

Table 3 Ground-Water Quality, Kettle Lakes Cooperative Association, Random Lake, Wisconsin


Well ID	Sample Date	Concentration of Analytes Detected (ng/l)																		Laboratory		
		GRO	DRO	TPH	Benzene	Ethyl-benzene	Toluene	Total Nylenes	Trimethyl benzenes	MTBE	n-Butyl-benzene	sec-Butyl-benzene	Isopropyl-benzene	Napthalene	n-Propyl-benzene	Methylene chloride	Chlorobenzene	Chloroform	Dichloro-difluoro-methane		Lead	
MWA1500	06/05/97	-	-	-	7.2	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	12/11/97	-	-	-	0.59**	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11/24/98	-	-	-	<0.32	<0.34	<0.35	<0.98	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/27/99	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11/30/99	-	-	-	<0.32	0.36**	<0.35	<1	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/25/00	-	-	-	1.0	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
	03/04/02	-	-	-	8.0	27	0.97	7.6	3.1	1.2	-	-	-	41	-	-	-	-	-	-	-	CT Laboratories
	05/31/02	-	-	-	5.6	5.2	<0.63	1.7	0.43**	<0.49	-	-	-	<1.4	-	-	-	-	-	-	-	U.S. Analytical Lab
MW1700	03/04/02	-	-	-	<0.40	0.59	<0.40	4.7	61	<0.40	-	-	-	5.1	-	-	-	-	-	-	-	CT Laboratories
	05/31/02	-	-	-	<0.43	<0.49	6.3	<1.45	13.1	<0.49	-	-	-	1.9**	-	-	-	-	-	-	-	U.S. Analytical Lab
MW1800	03/04/02	-	-	-	180	630	<8.0	200	380	<8.0	-	-	-	30	-	-	-	-	-	-	-	CT Laboratories
	05/31/02	-	-	-	150	390	<6.3	18**	170	<4.9	-	-	-	<1.4	-	-	-	-	-	-	-	U.S. Analytical Lab
	05/31/02	-	-	-	150	390	<6.3	21**	160	<4.9	-	-	-	<1.4	-	-	-	-	-	-	-	U.S. Analytical Lab
Sump 1	05/24/94	45,000	8300	-	4100	1100	14,000	13,600	4220	170	160	48	99	750	340	<40	<20	<20	<80	<0.04	-	U.S. Oil
	11/24/98	-	-	-	83	210	770	540	244	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/27/99	-	-	-	120	420	1900	2300	890	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11/30/99	-	-	-	36	120	31	220	271	<3.1	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11/30/99	-	-	-	27	120	33	220	258	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/25/00	-	-	-	<25	100	72	428	600	<15	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
	05/24/94	28,000	2100	-	9400	1200	11,000	5400	1360	410	160	<1.0	49	300	150	<2.0	<1.0	<1.0	<4.0	<0.04	-	U.S. Oil
05/24/94	-	-	-	13,000	1500	16,000	7400	1650	500	140	<50	52	330	160	<100	<50	<50	<200	-	-	U.S. Oil	
06/05/97	-	-	-	1160	460	5600	2680	543	1	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil	
12/11/97	-	-	-	350	500	2600	3300	1040	<0.21	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil	
11/24/98	-	-	-	57	75	140	410	<0.99	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil	
05/27/99	-	-	-	160	270	1600	2300	490	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil	
11/30/99	-	-	-	74	250	640	1900	487	<3.1	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil	
05/25/00	-	-	-	<25	45	<2.5	27	37	<1.5	-	-	-	-	-	-	-	-	-	-	-	Commonwealth	
Sump 3	05/24/94	58,000	2500	-	7600	1600	21,000	9500	2050	<50	200	<50	59	420	190	<100	<50	<50	<200	<0.04	-	U.S. Oil
	11/24/98	-	-	-	150	720	2000	3900	890	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/27/99	-	-	-	150	760	2800	4100	890	<0.31	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11/30/99	-	-	-	110	900	1700	5300	1070	<3.1	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/25/00	-	-	-	10	73	300	480	90	<3.0	-	-	-	-	-	-	-	-	-	-	-	Commonwealth
Field Blank	11/19/91	-	-	-	<1.0	<1.0	<1.0	<2.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.4	<1.0	<1.0	<1.0	-	-	ORTEK
	05/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	10/25/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	10/26/94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil

Table 3 Ground-Water Quality, Kettle Lakes Cooperative Association, Random Lake, Wisconsin

Well ID	Sample Date	Concentration of Analytes Detected (ug/l)																		Laboratory		
		GRO	DRO	TPH	Benzene	Ethyl-benzene	Toluene	Total Nylenes	Trimethyl benzenes	MTBE	n-Butyl-benzene	sec-Butyl-benzene	Isopropyl-benzene	Naphthalene	n-Propyl-benzene	Methylene chloride	Chlorobenzene	Chloroform	Dichloro-difluoro-methane		Lead	
Trip Blank	05-25-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05-25-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	10-25-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	10-26-94	-	-	-	<0.6	<1.0	<1.0	<2.5	<2.0	<1.0	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	06-05-97	-	-	-	<0.21	<0.68	<1.5	<1.8	<1.86	<0.21	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	11-30-96	-	-	-	<0.32	<0.34	<0.35	<1	<0.99	-	-	-	-	-	-	-	-	-	-	-	-	U.S. Oil
	05-25-00	-	-	-	<0.50	<0.50	<0.50	<1.5	<1.0	<0.30	-	-	-	-	-	-	-	-	-	-	-	Commonwealth CT Laboratories
	03-04-02	-	-	-	<0.4	<0.4	<0.4	<1.4	<0.9	<0.4	-	-	-	<1.3	-	-	-	-	-	-	-	Commonwealth CT Laboratories
NR 140, Wis. Adm. Code ES		CNR	CNR	CNR	5	700	1000	10,000	480	60	CNR	CNR	CNR	40	CNR	5	CNR	60	1000	15		
NR 140, Wis. Adm. Code PAL		CNR	CNR	CNR	0.5	140	200	1000	96	12	CNR	CNR	CNR	8	CNR	0.5	CNR	0.6	200	15		

NOTE

- µg/l = micrograms per liter
- GRO = gasoline range organics
- DRO = diesel range organics
- TPH = total petroleum hydrocarbons
- MTBE = methyl-tertiary-butyl-ether
- = not analyzed
- <x = compound not detected to a detection limit of x
- * = duplicate sample
- CNR = currently not regulated
- XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code preventive action limit (PAL)
- XXX = exceeds NR 140, Wis. Adm. Code enforcement standards (ES)



EXPLANATION	
	INLET
	MANHOLE
	MW700 <0.43 GROUND WATER MONITORING WELL LOCATION WITH BENZENE CONCENTRATION ($\mu\text{g/l}$)
	SUMP 1 GROUND WATER EXTRACTION WELL LOCATION
	SANITARY SEWER LINE AND FLOW DIRECTION
	WATER LINE
	GAS LINE
	OVERHEAD ELECTRIC LINE
	BENZENE CONCENTRATION ELEVATION CONTOUR
	PROPERTY BOUNDARY LINE

DRAWN BY: VLG	PROJECT: 01-1408-0889	DATE: 7/18/02
REV. DATE	THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.	
 Northern Environmental SM Hydrologists • Engineers • Geologists		

KETTLE LAKES COOPERATIVE CENEX STATION RANDOM LAKE, WISCONSIN
BENEZENE CONCENTRATIONS IN GROUND-WATER MAY 31, 2002

FIGURE 3

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation
MW100	876.98	876.57	06/04/91	10.29	866.28
			06/05/91	10.32	866.25
			06/17/91	10.12	866.45
			09/26/91	10.72	865.85
			11/19/91	10.42	866.15
			12/27/91	10.19	866.38
			12/09/93	7.91	868.66
			02/11/94	8.60	867.97
			05/24/94	7.71	868.86
			07/26/94	7.91	868.66
			08/15/94	7.80	868.77
			10/25/94	8.24	868.33
			11/16/95	7.32	869.25
			12/05/95	8.06	868.51
			10/04/96	7.80	868.77
			06/05/97	7.60	868.97
			12/11/97	8.47	868.10
			11/23/98	8.50	868.07
			05/26/99	7.09	869.48
			11/30/99	8.67	867.90
05/23/00	7.64	868.93			
MW300	880.32	879.97	06/04/91	10.24	869.73
			06/05/91	10.24	869.73
			06/17/91	10.02	869.95
			09/26/91	10.63	869.34
			11/19/91	10.32	869.65
			12/27/91	10.18	869.79
			12/09/93	11.05	868.92
			05/24/94	10.71	869.26
			07/26/94	10.76	869.21
			08/15/94	10.68	869.29
			10/25/94	11.27	868.70
			11/16/95	11.02	868.95
			12/05/95	11.16	868.81
			10/04/96	10.89	869.08
			06/05/97	10.59	869.38
			12/11/97	11.05	868.92
			11/23/98	11.48	868.49
			05/26/99	10.07	869.90
			11/30/99	11.80	868.17
			05/23/00	10.54	869.43
05/31/02	10.42	869.55			

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation		
MW400	879.30	879.10	06/04/91	9.69	869.41		
			06/05/91	9.70	869.40		
			06/17/91	9.58	869.52		
			09/26/91	10.08	869.02		
			11/19/91	9.72	869.38		
			12/27/91	9.62	869.48		
			12/09/93	10.47	868.63		
			02/11/94	10.85	868.25		
			05/24/94	10.01	869.09		
			07/26/94	10.07	869.03		
			08/15/94	10.10	869.00		
			10/25/94	10.57	868.53		
			11/16/95	10.73	868.37		
			12/05/95	10.58	868.52		
	10/04/96	10.22	868.88				
	06/05/97	9.96	869.14				
	12/11/97	10.73	868.37				
	11/23/98	10.88	868.22				
	05/26/99	9.48	869.62				
	11/30/99	11.11	867.99				
879.02	878.68	05/23/00	9.91	869.19			
		05/14/02	-	-			
		05/31/02	9.36	869.32			
		MW600	879.54	878.82	06/04/91	10.00	868.82
					06/05/91	10.00	868.82
					06/17/91	9.86	868.96
09/26/91	10.27				868.55		
11/19/91	9.94				868.88		
12/27/91	9.73				869.09		
12/09/93	10.06				868.76		
02/11/94	10.65				868.17		
05/24/94	9.68				869.14		
07/26/94	9.91				868.91		
08/15/94	9.77	869.05					
10/25/94	10.31	868.51					
11/16/95	10.12	868.70					
12/05/95	10.16	868.66					
10/04/96	9.93	868.89					
06/05/97	9.60	869.22					
12/11/97	10.46	868.36					
11/23/98	10.57	868.25					
05/26/99	9.07	869.75					
11/30/99	10.79	868.03					
05/23/00	9.65	869.17					
05/31/02	9.33	869.49					

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation
MW700	879.46	879.10	06/04/91	9.92	869.18
			06/05/91	9.90	869.20
			06/17/91	9.78	869.32
			09/26/91	10.19	868.91
			11/19/91	9.85	869.25
			12/09/93	10.46	868.64
			02/11/94	11.05	868.05
			05/24/94	10.12	868.98
			07/26/94	10.35	868.75
			08/15/94	10.23	868.87
			10/25/94	10.75	868.35
			11/16/95	9.02	870.08
			12/05/95	10.62	868.48
			10/04/96	10.43	868.67
	06/05/97	10.19	868.91		
	12/11/97	11.09	868.01		
	11/23/98	11.11	867.99		
	05/26/99	9.72	869.38		
	11/30/99	11.30	867.80		
	05/23/00	10.35	868.75		
879.30	879.08	05/14/02	-	-	
		05/31/02	9.95	869.13	
MW800	878.97	878.40	11/19/91	9.43	868.97
			11/27/91	9.09	869.31
			12/27/91	9.12	869.28
			12/09/93	9.95	868.45
			02/11/94	10.50	867.90
			05/24/94	9.54	868.86
			07/26/94	9.94	868.46
			08/15/94	9.79	868.61
			10/25/94	10.22	868.18
			11/16/95	10.01	868.39
			12/05/95	10.00	868.40
			10/04/96	10.01	868.39
			06/05/97	9.60	868.80
			12/11/97	10.70	867.70
			11/23/98	10.65	867.75
			05/26/99	8.92	869.48
			11/30/99	10.77	867.63
			05/23/00	9.63	868.77
			05/31/02	9.49	868.91

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation
MW900	877.42	876.99	11/19/91	8.00	868.99
			11/27/91	7.88	869.11
			12/27/91	7.90	869.09
			12/09/93	8.50	868.49
			05/24/94	8.27	868.72
			07/26/94	8.61	868.38
			08/15/94	8.47	868.52
			10/25/94	8.87	868.12
			11/16/95	8.81	868.18
			12/05/95	8.79	868.20
			10/04/96	8.63	868.36
			06/05/97	8.35	868.64
			12/11/97	9.29	867.70
			11/23/98	9.26	867.73
			05/26/99	7.90	869.09
			11/30/99	9.43	867.56
			05/23/00	8.39	868.60
05/31/02	8.22	868.77			
MW1000	874.90	874.43	11/19/91	5.33	869.10
			11/27/91	5.12	869.31
			12/27/91	6.25	868.18
			12/09/93	5.81	868.62
			02/11/94	6.42	868.01
			05/24/94	5.60	868.83
			07/26/94	5.82	868.61
			08/15/94	5.72	868.71
			10/25/94	6.25	868.18
			11/16/95	6.03	868.40
			12/05/95	6.05	868.38
			10/04/96	5.85	868.58
			06/05/97	5.59	868.84
	12/11/97	6.39	868.04		
	11/23/98	6.48	867.95		
	05/26/99	5.13	869.30		
	11/30/99	6.57	867.86		
05/23/00	5.66	868.77			
11/16/01	5.83	868.60			
05/14/02	4.97	868.94			
05/31/02	5.23	868.68			
	874.20	873.91			

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation
MW1200	874.42	873.95	11/27/91	4.71	869.24
			12/27/91	4.92	869.03
			10/25/94	5.95	868.00
			11/16/95	5.88	868.07
			12/05/95	5.77	868.18
			10/04/96	5.73	868.22
			06/05/97	5.51	868.44
			12/11/97	6.41	867.54
			11/23/98	6.39	867.56
			05/26/99	5.05	868.90
			05/31/02	5.40	868.55
MW1300	878.97	878.40	11/27/91	4.13	874.27
			12/27/91	4.32	874.08
			12/09/93	4.63	873.77
			02/11/94	4.77	873.63
			07/26/94	5.04	873.36
			10/25/94	5.25	873.15
MW1300A	872.41	875.64	11/23/98	8.10	867.54
			05/26/99	6.80	868.84
			11/30/99	8.22	867.42
			05/23/00	6.80	868.84
			05/31/02	7.08	868.56
MW1400	876.31	875.74	10/04/96	7.00	868.74
			06/05/97	6.83	868.91
			12/11/97	7.54	868.20
			11/23/98	7.67	868.07
			05/26/99	6.68	869.06
			11/30/99	7.93	867.81
			05/23/00	7.10	868.64
			11/06/01	7.39	868.35
			05/14/02	6.70	869.04
			05/31/02	6.90	868.84
MWA1500	875.56	875.20	10/04/96	6.66	868.54
			06/05/97	6.40	868.80
			12/11/97	7.25	867.95
			11/23/98	7.27	867.93
			05/26/99	6.00	869.20
			11/30/99	7.57	867.63
			05/23/00	6.51	868.69
			11/06/01	6.82	868.38
			05/14/02	6.02	869.18
			05/31/02	6.29	868.91

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin

Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation

Table 2 Ground-Water Elevation Data, Kettle Lakes Cooperative, Random Lake, Wisconsin


Well Number	Ground Surface Elevation	Reference Point* Elevation	Date	Depth to Water Below Reference Point*	Water Table Elevation
MWA1600	873.68	873.33	10/04/96	4.73	868.60
			06/05/97	4.61	868.72
			12/11/97	5.08	868.25
			11/23/98	5.22	868.11
			05/26/99	4.47	868.86
			11/30/99	5.46	867.87
			05/23/00	4.73	868.60
			11/06/01	4.94	868.39
			05/14/02	4.39	868.94
MW1700	874.89	874.57	05/31/02	6.19	868.38
MW1800	874.69	874.38	05/31/02	6.49	867.89
Sump 1	878.98	877.76	12/05/95	9.17	868.59
			06/05/97	8.65	869.11
			12/11/97	9.49	868.27
			05/26/99	8.14	869.62
			11/30/99	9.69	868.07
			05/23/00	8.67	869.09
Sump 2	878.15	877.06	12/05/95	8.57	868.49
			06/05/97	7.86	869.20
			12/11/97	8.82	868.24
			11/23/98	8.88	868.18
			05/26/99	7.49	869.57
			11/30/99	9.05	868.01
			05/23/00	8.00	869.06
Sump 3	877.91	876.89	12/05/95	8.46	868.43
			08/05/97	7.65	869.24
			12/11/97	8.75	868.14
			11/30/99	8.91	867.98
			05/23/00	7.85	869.04

Note:



* = top of monitoring well casing
 Elevations referenced to mean sea level.

EAST

WEST



SECTION B-B'



EXPLANATION

- GS: GROUND SURFACE ELEVATION ABOVE MEAN SEA LEVEL
- ▽ WATER TABLE ON 12/27/91
- 1 FILL
- 2 SAND AND GRAVEL
- 3 CLAYEY SILT, SILTY CLAY, CLAY
- PID PID RESPONSE IN PPM


G.M.B. ENGINEERING 037107

REV	PROJECT: RLC130497	DATE: 03/03/92	RANDOM LAKE CO-OP RANDOM LAKE, WISCONSIN
THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED. THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND.			
▲ Northern Environmental Hydrologists • Engineers • Geologists			EAST-WEST SUBSURFACE CROSS SECTION

FIGURE 4

NORTH

SOUTH



EXPLANATION

- GS: GROUND SURFACE ELEVATION ABOVE MEAN SEA LEVEL
- WATER TABLE ON 12/27/91
- 1 FILL
- 2 SAND AND GRAVEL
- 3 CLAYEY SILT, SILTY CLAY, CLAY
- PID PID RESPONSE IN PPM



G.M.B. ENGINEERING 537167

REV	PROJECT: RLC130497	DATE: 03/03/92	RANDOM LAKE CO-OP RANDOM LAKE, WISCONSIN
<small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED, EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED. THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND.</small>			
Northern Environmental <small>Hydrologists • Engineers • Geologists</small>			NORTH-SOUTH SUBSURFACE CROSS SECTION

FIGURE 5

August 22, 2002


Mr. Christopher Hatfield
Northern Environmental Technologies, Incorporated
1214 West Venture Court
Mequon, Wisconsin 53092

RE: Signed Statement, Kettle Lakes Cooperative, 430 1st Street, Random Lake, Wisconsin;
WDATCP #94519052001, WDNR FID #460121640

Dear Mr. Hatfield:

The most recent deed and portion of the plat map for the Kettle Lakes Cooperative, 430 1st Street property, the Badger Tag and Label, 83 Bentert Street property and the Mueller property are enclosed. I, Norbert Schleicher, am providing this signed statement that the legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,



Norbert Schleicher
Kettle Lakes Cooperative

Enclosures

December 26, 2002
(RLC 01-1408-0889)

Badger Tag & Label Corporation
83 Bentert Street
Random Lake, Wisconsin 53075

RE: Kettle Lakes Cooperative, 430 First Street, Random Lake, Wisconsin; BRRTS #0260001042,
COMM 53075-1772-50

To Whom It May Concern:

Ground-water contamination that originated on the Kettle Lakes Cooperative property at 430 First Street, Random Lake, Wisconsin has migrated onto a portion of your property on the southwest corner of First Street and Bentert Street, Random Lake, Wisconsin. The level of benzene in ground water on a portion of your property is above the state ground-water enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, Northern Environmental Technologies, Incorporation (Northern Environmental) investigated this contamination and determined that the ground-water contaminant plume is stable or receding and should naturally attenuate over time. Northern Environmental believes that allowing natural attenuation to complete the cleanup at the site will meet the case closure requirements found in the NR 700 series, Wis. Adm. Code and has requested that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the ground-water contamination is not on your property, neither you nor any subsequent owner of the property will be held responsible for investigation or cleanup of this ground-water contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes (s. 292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats. or to obtain a copy of the WDNR publication #RR-589, Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination*, you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area.

The WDNR will not review this closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should call or mail:

Ms. Nancy Ryan
Wisconsin Department of Natural Resources
1155 Pilgrim Parkway
Plymouth, Wisconsin 53073
(920) 892-2856


If this case is closed, all properties within the site boundaries where ground-water contamination exceeds NR 140, Wis. Adm. Code ground-water ES will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remedial Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where ground-water contamination above NR 140, Wis. Adm. Code ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site. Please review the enclosed legal description of your property. Enclosed is a letter indicating the enclosed legal description of your property is complete and correct. If so, please sign the enclosed letter and submit it to Northern Environmental within the next 30 days.

Should you or any subsequent property owner wish to construct or reconstruct a water supply well on your property, special well construction standards may be necessary to protect the well from the residual ground-water contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline ([800] 242-8511) if your property is located outside of the service area of a municipally-owned water system, or contact the Drinking Water Program within the WDNR if your property is located within the designated service area of a municipally-owned water system, to determine if there is a need for special well construction standards.

Once the WDATCP makes a decision on this closure request, it will be documented in a letter. If the WDATCP grants closure, you may obtain a copy of this letter by requesting a copy from Northern Environmental, by writing to the agency address given above or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact Mr. Gary R. Henningsen or me at (262) 241-3133.

Sincerely
**Northern Environmental
Technologies, Incorporated**



Christopher C. Hatfield
Hydrogeologist

CCH/lmh
Enclosures

c: Norbert Schleicher, Kettle Lakes Cooperative

December 26, 2002
(RLC 01-1408-0889)

Ms. Audrey Mueller
Post Office Box 114
Random Lake, Wisconsin 53075

RE: Kettle Lakes Cooperative, 430 First Street, Random Lake, Wisconsin; BRRTS #0260001042,
COMM 53075-1772-50

Dear Ms. Mueller:

Ground-water contamination that originated on the Kettle Lakes Cooperative property at 430 First Street, Random Lake, Wisconsin has migrated onto a portion of your property on the southwest corner of First Street and Bentert Street, Random Lake, Wisconsin. The levels of benzene, ethylbenzene, toluene, trimethylbenzenes, and naphthalene in ground water on a portion of your property are above the state ground-water enforcement standards (ES) found in Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code). However, Northern Environmental Technologies, Incorporation (Northern Environmental) investigated this contamination and determined that the ground-water contaminant plume is stable or receding and should naturally attenuate over time. Northern Environmental believes that allowing natural attenuation to complete the cleanup at the site will meet the case closure requirements found in the NR 700 series, Wis. Adm. Code and has requested that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the ground-water contamination is not on your property, neither you nor any subsequent owner of the property will be held responsible for investigation or cleanup of this ground-water contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes (s. 292.13, Wis. Stats), including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of s. 292.13, Wis. Stats. or to obtain a copy of the WDNR publication #RR-589, Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination*, you may call (800) 367-6076 for calls originating in Wisconsin or (608) 264-6020 if you are calling from out of state or within the Madison area.

The WDNR will not review this closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should call or mail:

Ms. Nancy Ryan
Wisconsin Department of Natural Resources
1155 Pilgrim Parkway
Plymouth, Wisconsin 53073
(920) 892-2856


If this case is closed, all properties within the site boundaries where ground-water contamination exceeds NR 140, Wis. Adm. Code ground-water ES will be listed on the WDNR's geographic information system (GIS) Registry of Closed Remedial Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where ground-water contamination above NR 140, Wis. Adm. Code ES was found at the time that the case was closed. This GIS Registry will be available to the general public on the WDNR's Internet web site. Please review the enclosed legal description of your property. Enclosed is a letter indicating the enclosed legal description of your property is complete and correct. If so, please sign the enclosed letter and submit it to Northern Environmental within the next 30 days.

Should you or any subsequent property owner wish to construct or reconstruct a water supply well on your property, special well construction standards may be necessary to protect the well from the residual ground-water contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline ([800] 242-8511) if your property is located outside of the service area of a municipally-owned water system, or contact the Drinking Water Program within the WDNR if your property is located within the designated service area of a municipally-owned water system, to determine if there is a need for special well construction standards.

Once the WDATCP makes a decision on this closure request, it will be documented in a letter. If the WDATCP grants closure, you may obtain a copy of this letter by requesting a copy from Northern Environmental, by writing to the agency address given above or by accessing the WDNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact Mr. Gary R. Henningsen or me at (262) 241-3133.

Sincerely
**Northern Environmental
Technologies, Incorporated**



Christopher C. Hatfield
Hydrogeologist

CCH/lmh
Enclosures

c: Norbert Schleicher, Kettle Lakes Cooperative

September 16, 2002
(KLC 01-1408-1487)
(RLC 01-1408-0889)

Village of Random Lake
Department of Public Works
96 Russell Drive
Random Lake, Wisconsin 53075

RE: Ground-Water Contamination, Kettle Lakes Cooperative, 430 1st Street, Random Lake, Wisconsin


To Whom It May Concern:

Kettle Lakes Cooperative is the responsible party for agricultural chemical and petroleum contamination at 430 1st Street, Random Lake, Wisconsin (the Site). Northern Environmental Technologies, Incorporated (Northern Environmental) was retained to provide consulting services to investigate the petroleum release and obtain closure. Northern Environmental completed the site investigation and monitored ground-water quality at the Site, and is now asking the Wisconsin Department of Agriculture, Trade, and Consumer Protection (WDATCP) and the Wisconsin Department of Natural Resources (WDNR) to close the Site.

As a condition for closure, the WDATCP and WDNR will require that the village of Random Lake be notified of potential off-site agricultural chemical and/or petroleum contamination. Based on the investigation results, it appears that agricultural chemical and petroleum contamination may be present in ground water in the Bentert Street right-of-way. Petroleum contamination may also be present west of the Site beneath 1st Street. A figure showing the estimated extent of contamination is enclosed.

We trust this information meets your needs. Please contact us if you have any questions or comments.

Sincerely,
**Northern Environmental
Technologies, Incorporated**



Christopher C. Hatfield
Hydrogeologist

CCH/kai
Enclosure

c: Mr. Norbert Schleicher

Table 1 Soil Sample Field Screening and Laboratory Analytical Results, Random Lake Cooperative, Random Lake, Wisconsin

Borehole Number	Sample Number	Depth (feet)	Date Collected	Photoionization Detector Response (iui)	TPH (milligrams per kilogram)		
					Gasoline	Kerosene	Diesel
B100/MW100	S101	3.5 - 5.5	06/18/90	0.2	-	-	-
	S102	6.5 - 8.5	06/18/90	985	850	ND	ND
	S103	9.5 - 11.5	06/18/90	309	-	-	-
	S104	12.5 - 14.5	06/18/90	363	26	ND	ND
B200	S201	3 - 5	06/18/90	5.0	-	-	-
	S202	6 - 8	06/18/90	1.1	ND	ND	ND
	S203	9 - 11	06/18/90	0.2	-	-	-
	S204	12 - 14	06/18/90	0.2	-	-	-
B300/MW300	S301	3.5 - 5.5	06/18/90	0.0	-	-	-
	S302	6.5 - 8.5	06/18/90	0.0	ND	ND	ND
	S303	9.5 - 11.5	06/18/90	0.0	-	-	-
	S304	12.5 - 14.5	06/18/90	0.0	-	-	-
B400/MW400	S401	3.5 - 5.5	06/19/90	1.4	-	-	-
	S402	6.5 - 8.5	06/19/90	0.4	ND	ND	ND
	S403	9.5 - 11.5	06/19/90	0.9	-	-	-
	S404	12.5 - 14.5	06/19/90	2.4	ND	ND	ND

Note:

iui = instrument units as isobutylene

TPH = total petroleum hydrocarbons

- = not laboratory analyzed

ND = not detected

Table 1 Summary of Field and Laboratory Analyses for Soil Samples Collected from Soil Explorations at Random Lake Coop Cenex Gas Station, Random Lake, Wisconsin


Sample Label	Date Collected	PID Heedpace Analyses			Results of Laboratory Analyses		Penetrometer Reading (tsf)	Soil Odor	Soil Description	Depth (feet) (1)	Sample Location (2)
		Time Collected	Time Analyzed	PID Response (ppm)	TPH Quantified as Gasoline (ppm)						
B500-S501	06/03/91	1400	1450	92		2.25	Moderate petroleum	Silty clay	1.0 - 2.5	80 West, 54 North	
B500-S502	06/03/91	1405	1452	39		0.00	Moderate gasoline	Sandy gravel and gravelly sand	3.5 - 5.0	80 West, 54 North	
B500-S503	06/03/91	1410	1453	155		1.00	Strong gasoline	Sand	6.0 - 7.5	80 West, 54 North	
B500-S504	06/03/91	1415	1454	227	<5.0	0.00	Strong gasoline	Sand	8.5 - 10.0	80 West, 54 North	
B500-S505	06/03/91	1440	1455	71		0.00	Moderate gasoline	Sand	11.0 - 12.5	80 West, 54 North	
B500-S506	06/03/91	1450	1505	12	<5.0	1.25	None	Clayey silt and sand	13.5 - 15.0	80 West, 54 North	
B500-S507	06/03/91	1455	1510	0.0		1.50	None	Clayey silt and sand	16.0 - 17.5	80 West, 54 North	
B600-S601	06/04/91	0845	1030	0.0		0.00	None	Sand	1.0 - 2.5	38 West, 120 North	
B600-S602	06/04/91	0855	1031	4.7		0.00	None	Sand and gravel	3.5 - 5.0	38 West, 120 North	
B600-S603	06/04/91	0915	1032	17.9	<5.0	0.00	None	Sand	6.0 - 7.5	38 West, 120 North	
B600-S604	06/04/91	0945	1033	1.5	<5.0	0.00	None	Silty sand	8.5 - 10.0	38 West, 120 North	
B600-S605	06/04/91	0952	1034	0.0		1.25	None	Silty clay, clayey silt	11.0 - 12.5	38 West, 120 North	
B600-S606	06/04/91	1000	1035	0.0		0.20	None	Clayey silt, silty clay	13.5 - 15.0	38 West, 120 North	
B700-S701	06/04/91	1225	1315	0.5		1.00	None	Silty clay	1.0 - 2.5	82 West, 120 North	
B700-S702	06/04/91	1230	1316	3.1		0.00	None	Silty clay	3.5 - 5.0	82 West, 120 North	
B700-S703	06/04/91	1240	1317	9.5		0.00	None	Sandy gravel, gravelly sand	6.0 - 7.5	82 West, 120 North	
B700-S704	06/04/91	1250	1318	46	<5.0	0.00	Slight gasoline	Sand, silty sand	8.5 - 10.0	82 West, 120 North	
B700-S705	06/04/91	1255	1319	0.0	<5.0	0.00	None	Silty sand, clayey silt	11.0 - 12.5	82 West, 120 North	
B700-S706	06/04/91	1307	1320	0.0		0.00	None	Clayey silt	12.5 - 15.0	82 West, 120 North	

NOTE: (1) = Samples collected at 2.5 foot intervals with 18-inch split-spoon
 (2) = Location from origin in feet origin is northwest corner of Coop office
 < = Less than detection limit
 tsf = tons per square foot
 ppm = parts per million

Table 1 Summary of Soil Field Screening and Laboratory Results, Soil Exploration Drilling Program, Random Lake Coop, 430 First Street, Random Lake, Wisconsin

Boring Identification Number	Sample Number	Depth (feet)	Date Collected	PID Headspace Analysis			Laboratory Results		Soil Description
				Time Collected	Time Analyzed	PID Headspace Response (ppm)	Gasoline Range Organics (ppm)	Sample Odor	
B800	S801	1.0 - 2.5	11/18/91	0915	0945	0.0		None	Gravelly clay
	S802	3.5 - 5.0	11/18/91	0920	0946	0.0		None	Poorly sorted sand
	S803	6.0 - 7.5	11/18/91	0925	0946	0.0		None	Poorly sorted sand
	S804	8.5 - 10.0	11/18/91	0927	0955	0.0	< 5.0	None	Well graded coarse sand
	S805	11.0 - 12.5	11/18/91	0930	0955	0.0		None	Well graded coarse sand
	S806	13.5 - 15.0	11/18/91	0933	0955	0.0		None	Well graded coarse sand
B900	S901	1.0 - 2.5	11/18/91	1005	1025	0.0		Slight hydrocarbon	Gravelly sand
	S902	3.5 - 5.0	11/18/91	1008	1025	0.0		None	Poorly sorted sand
	S903	6.0 - 7.5	11/18/91	1012	1028	0.0		Slight hydrocarbon	Poorly sorted gravelly sand
	S904	8.5 - 10.0	11/18/91	1015	1035	105	< 5.0	Gasoline	Poorly sorted gravelly sand
	S905	11.0 - 12.5	11/18/91	1020	1040	22		Gasoline	Coarse sand
	S906	13.5 - 15.0	11/18/91	1023	1040	4.5		Gasoline	Well sorted fine sand
B1000	S1001	1.0 - 2.5	11/18/91	1230	1305	0.0		None	Sandy gravel
	S1002	3.5 - 5.0	11/18/91	1235	1305	0.0		None	Poorly sorted sand
	S1003	6.0 - 7.5	11/18/91	1240	1310	0.0	< 5.0	None	Well sorted medium sand
	S1004	8.5 - 10.0	11/18/91	1244	1311	0.0		None	Well sorted medium sand
	S1005	11.0 - 12.5	11/18/91	1247	1315	1.5		None	Lean clay
B1100	S1101	1.0 - 2.5	11/18/91	1400	1500	95		Strong skunk-like	Clay
	S1102	3.5 - 5.0	11/18/91	1403	1501	189		Slight skunk-like	Gravelly clay
	S1103	6.0 - 7.5	11/18/91	1405	1502	170		Strong gasoline	Sand and gravel
	S1104	8.5 - 10.0	11/18/91	1410	1503	592	9.2	Strong gasoline	Well sorted fine sand
B1200	S1201	1.0 - 2.5	11/27/91	0850	0922	3.0		None	Gravel and cobble fill
	S1202	3.5 - 5.0	11/27/91	0853	0922	0.0		None	Sandy silt
	S1203	6.0 - 7.5	11/27/91	0856	0926	0.0	< 5.0	None	Sandy gravel
	S1204	8.5 - 10.0	11/27/91	0900	0926	0.0		None	Sandy gravel
B1300	S1301	3.5 - 5.0	11/27/91	1022	1050	1.5		None	Topsoil
	S1302	6.0 - 7.5	11/27/91	1025	1052	115	< 5.0	Slight gasoline	Well sorted fine sand
	S1303	8.5 - 10.0	11/27/91	1031	1054	2.0		Slight gasoline	Clay
	S1304	11.0 - 12.5	11/27/91	1100	1130	0.0		None	Sandy clay

NOTE:
 ppm = parts per million
 < = less than detection limit (not detected)



DRAWN BY: KAA PROJECT: RLC01-1408-0889 DATE: 04/29/03

REV. DATE THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.



KETTLE LAKES COOPERATIVE CENEX STATION
RANDOM LAKE, WISCONSIN

EXTENT OF SOIL EXCEEDING
NR720 RCLs

August 22, 2002


Mr. Christopher Hatfield
Northern Environmental Technologies, Incorporated
1214 West Venture Court
Mequon, Wisconsin 53092

RE: Signed Statement, Kettle Lakes Cooperative, 430 1st Street, Random Lake, Wisconsin;
WDATCP #94519052001, WDNR FID #460121640

Dear Mr. Hatfield:

The most recent deed and portion of the plat map for the Kettle Lakes Cooperative, 430 1st Street property, the Badger Tag and Label, 83 Bentert Street property and the Mueller property are enclosed. I, Norbert Schleicher, am providing this signed statement that the legal descriptions and attachments to this statement are, to the best of my knowledge, complete and accurate.

Sincerely,



Norbert Schleicher
Kettle Lakes Cooperative

Enclosures