

GIS REGISTRY INFORMATION

SITE NAME: Alliant Energy
 BRRTS #: 02-65-256102 FID # (if appropriate): 265099340
 COMMERCE # (if appropriate): _____
 CLOSURE DATE: 1-15-08
 STREET ADDRESS: 255 Mill Street
 CITY: Lake Geneva 53147
 SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 648684 Y= 236812

CONTAMINATED MEDIA: Groundwater Soil Both
 OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____
 GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No
 IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____
 CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter.
- Copy of (soil or land use) deed notice *if any required as a condition of closure*
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map *(if referenced in the legal description)* for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties ZOP 00299
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
NA
X
X
X
X
X
NA
X
NA
NA
NA
X
X
X
NA
NA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Waukesha Service Center
141 NW Barstow St.
Room 180
Waukesha, Wisconsin 53188
Telephone 262-574-2100
FAX 262-574-2117

January 15, 2008

Ms. Jill Stevens
Alliant Energy
4902 N. Biltmore Lane
Madison, WI 53707

FID# 265099340
BRRTS# 02-65-256102

Subject: Final Case Closure with Land Use Limitations or Conditions for Alliant Energy Property, 255 Mill Street, Lake Geneva

Dear Ms. Stevens:

The Wisconsin Department of Natural Resources (Department) received your request for closure of the above-referenced site on January 12, 2007. The Department contacted your consultant at the time and indicated that a soil GIS registry packet and fee accompanied by a cap maintenance plan would be required to close the site. On December 6, 2007, the Department received the required information and fee. Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. It is the Department's intent to conduct inspections in the future to ensure that the conditions included in this letter including compliance with any referenced maintenance plans are met.

Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the asphalt pavement that currently exists in the location shown on the attached map shall be maintained in compliance with the attached maintenance plan in order to prevent direct contact with residual soil contamination that might otherwise pose a threat to human health. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Prohibited Activities

The following activities are prohibited on any portion of the property where pavement is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; or 6) construction or placement of a building or other structure.

GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites for the following reasons:

- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier

Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Brenda Boyce at (262) 574-2140.

Sincerely,



Frances Koonce
Remediation & Redevelopment Sub Team Supervisor

Attachment – Cap Maintenance Plan

cc: Robyn Seymour – Seymour Environmental Services

PAVEMENT COVER MAINTENANCE PLAN

September 25, 2007

Property Located at:

225 Mill Street
Lake Geneva, Wisconsin

WDNR BRRTS #: 02-65-256102

LEGAL DESCRIPTION – Parcel ID # ZA312100001.

Lot 1 of Certified Survey Map Number 1321, recorded on June 29, 1999 in Volume 17 of Certified Survey Maps on Pages 73 and 74 as Document Number 419911 in the Office of the Register of Deeds for Walworth County, Wisconsin.

Said Lot 1 being located in part of the Southwest Quarter of the Northeast Quarter (SW1/4-NE1/4) of Section 36, Township 2 North, Range 17 East, City of Lake Geneva, Walworth County, Wisconsin.

Grantor reserves easements, 20 feet in width, lying 10 feet each side of all existing overhead electric line facilities within said Lot 1, for maintenance, repair operation and removal thereof, and the right to trim any trees or brush which may grow therein. Any trees which need to be removed must have the approval of the City of Lake Geneva Forester.

Grantor reserves ingress and egress to Outlot 1 as shown on said Certified Survey Map Number 1321.

INTRODUCTION

This document is the Maintenance Plan for a pavement cover at the above-referenced property in accordance with the requirements of s. NR724.13(2), Wisconsin Administrative Code. The maintenance activities relate to the existing asphaltic pavement occupy the area over the contaminated soil on-site. The contaminated soil is impacted by polycyclic biphenols (PCBs). The location of the paved surfaces to be maintained in accordance with this Maintenance Plan, as well as the impacted soil, are identified in the attached map (Exhibit A).

COVER PURPOSE

The paved surface over the contaminated soil serve as a barrier to prevent direct human contact with the residual soil contamination that might otherwise pose a threat to human health. These paved surfaces also act as a partial infiltration barrier to minimize future soil-to-groundwater contamination migration that would violate the groundwater standards in ch. NR140, Wisconsin Administrative Code. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

ANNUAL INSPECTION

The paved surface overlying the contaminated soil as depicted in Exhibit A will be inspected once a year, normally in the spring after all snow and ice are gone, for deterioration, cracks and other potential problems that can cause additional infiltration or exposure to underlying soils. The inspections will be performed to evaluate damage due to settling, exposure to weather, wear from traffic, increasing age, and other factors. Any area where soils have become, or are likely to become, exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are exposed. Once repairs are completed, they will be documented on the inspection log. A copy of the inspection log will be sent to the Wisconsin Department of Natural Resources (WDNR) at least annually after every inspection, unless otherwise directed in the case closure letter.

MAINTENANCE ACTIVITIES

If problems are noted during the annual inspections or at any other time during the year, repair will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations. In the event that necessary maintenance activities expose the underlying soil, the owner must inform maintenance workers of the direct contact exposure hazard and provide them with appropriate personal protection equipment (PPE). The owner must also sample any soil that is excavated from the site prior to disposal to ascertain if contamination remains. The soil must be treated, stored and disposed of by the owner in accordance with applicable local, state and federal law.

In the event the paved surfaces overlying the contaminated soil are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines as outlined in this Maintenance Plan unless indicated otherwise by the WDNR or its successor.

The property owner, in order to maintain the integrity of the paved surface, will maintain a copy of this Maintenance Plan on-site and make it available to all interested parties (i.e. on-site employees, contractors, future property owners, etc.) for viewing.

AMENDMENT OR WITHDRAWAL OF MAINTANENCE PLAN

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.


CONTACT INFORMATION

Site Owner: City of Lake Geneva
626 Geneva Street
Lake Geneva, Wisconsin 53147

Responsible
Party: Alliant Energy – WP&L
4902 N. Biltmore Lane
Madison, Wisconsin 53707

Consultant: Seymour Environmental Services, Inc.
2531 Dyreson Road
McFarland, Wisconsin 53558

WDNR: Ms. Brenda Boyce
Southeast Regional Headquarters
2300 N. Dr. Martin Luther King Jr. Drive
Milwaukee, Wisconsin 53212



FILE/PATH: D:\PROJECTS\LAKEGENEVA\GIS
Fig2-Layout.cdr
DATE: 04/23/2004
PREPARED: MDF APPROVED:
SOURCE:
FIELD MEASUREMENTS

SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

SITE LAYOUT / RESIDUAL PCBs in SOIL
Alliant Energy
255 Mill Street
Lake Geneva, Wisconsin

E X H I B I T
A

438333

STATE BAR OF WISCONSIN FORM 2 1998
WARRANTY DEED

VOL. 669 PAGE 8152

Document Number

RECORDED IN VOL 669
PAGE 8152

This Deed, made between Wisconsin Power and Light Company, a Wisconsin corporation

'00 MAR 1 AM 11 45

and City of Lake Geneva, a municipal corporation

CONNIE J. WOOD
REGISTER OF DEEDS
WALWORTH COUNTY, WI

Grantor, for a valuable consideration, conveys and warrants to Grantee the following described real estate in Walworth County, State of Wisconsin

Lot 1 of Certified Survey Map Number 3121, recorded on June 29, 1999 in Volume 17 of Certified Survey Maps on Pages 73 and 74 as Document Number 419911 in the office of the Register of Deeds for Walworth County, Wisconsin.

SECURITY TITLE
L.C. 10.00

WAL 36865

Said Lot 1 being located in part of the Southwest Quarter of the Northeast Quarter (SW1/4-NE1/4) of Section 36, Township 2 North, Range 17 East, City of Lake Geneva, Walworth County, Wisconsin.

Grantor reserves easements, 20 feet in width, lying 10 feet each side of all existing overhead electric line facilities within said Lot 1, for the maintenance, repair operation and removal thereof, and the right to trim any trees or brush which may grow thereon. Any trees which need to be removed must have the approval of the City of Lake Geneva Forester.

ZOP 00299

Parcel Identification Number (PIN)

This is not homestead property (is) (is not)

Grantor reserves ingress/egress to Outlot 1 as shown and dedicated on said Certified Survey Map Number 3121.

Exceptions to warranties:

Dated this 14th day of February, 2000

(SEAL) _____ (SEAL)
* Pamela J. Wegner, Vice-President
(SEAL) _____ (SEAL)
* Edward M. Gleason, Corp. Secy

AUTHENTICATION TRANSFER FEE \$729.00 ACKNOWLEDGMENT
Signature(s) _____
State of Wisconsin, }
Dane County }
Personally came before me this February 2000 day of February the above named Pamela J. Wegner, Vice-President and Edward M. Gleason, Corporate Secretary

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not _____ authorized by §706.06, Wis. Stats.)
THIS INSTRUMENT WAS DRAFTED BY
Laurie R. Sokolak

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.
Laurie R. Sokolak
* Laurie R. Sokolak
Notary Public, State of Wisconsin
My commission is permanent. (If not, state expiration date June 24 2001)

(Signatures may be authenticated or acknowledged. Both are not necessary)

I hereby certify that I have on this 3rd day of March, 2000 microphotographed the above document in accordance with standards established by Sec. 228.03 (1) of Statutes and with established procedures
Karen Witt, Camera Operator


WALWORTH COUNTY
CERTIFIED SURVEY MAP NO. 3121

SURVEYOR'S CERTIFICATE

I, **Charles L. Christopher, Registered Land Surveyor**, do hereby certify that by the direction of WISCONSIN POWER AND LIGHT COMPANY, I have surveyed, divided and mapped a part of the Southwest Quarter (SW 1/4) of the Northeast Quarter (NE 1/4) of Section 36, Township 2 North, Range 17 East of the 4th P.M., City of Lake Geneva, Walworth County, Wisconsin, more particularly described as follows:

Commencing at the North Quarter corner of said Section 36; thence S00°49'12"E, 1852.57 feet along the west line of the NE 1/4 of said Section 36; thence N89°46'28"E, 442.12 feet to the intersection of the east right of way line of Mill Road with the north right of way line of Main Street and the Point of Beginning; thence N89°46'28"E, 3.65 feet along the north right of way line of Main Street; thence N57°14'11"E, 109.80 feet, thence S86°31'04"E, 27.89 feet, thence N31°31'28"E, 100.10 feet; thence N42°00'13"E, 112.08 feet; thence N39°56'13"W, 13.45 feet; thence N50°04'09"E, 32.50 feet; thence N40°03'22"W, 288.32 feet; thence S84°38'55"W, 114.27 feet to the east right of way line of Sage Street; thence S01°23'27"E, 85.00 feet along the east line of Sage Street; thence S64°33'45"E, 85.00 feet; thence S31°59'09"E, 13.05 feet to the northwest corner of an existing building; thence S00°31'10"E, 189.00 feet along the west side of said building and the east right of way line of Mill Road; thence southwesterly along the easterly right of way line of Mill Road, 159.93 feet along the arc of a curve to the right, having a radius of 214.50 feet and a central angle of 42°43'09", said curve subtended by a chord bearing S20°50'25"W, 156.25 feet to the Point of Beginning. Said parcel contains 65,317 square feet or 1.50 acres, more or less.

I further certify that this certified survey map is a correct representation of all the exterior boundaries of the land surveyed, and that I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and Section 66 of the Lake Geneva Code in surveying, dividing, and mapping the same to the best of my knowledge and belief.




Charles L. Christopher


Registered Land Surveyor No. 1842

Dated this 2ND day of February, 1999.

Approval by the Plan Commission of the City of Lake Geneva

Date April 19 1999

By 
(Plan Commission Chairman)



DATE 6-29-1999 AT 3:14 P M

FILED
RECORDED IN VOL. 17 PAGE 73

WALWORTH COUNTY
CONNIE J. WOOLEVER, REGISTER OF DEEDS
WISCONSIN POWER + LIGHT Co.
12.00

419911

WALWORTH COUNTY CERTIFIED SURVEY MAP NO. 3121

PART OF THE SOUTHWEST QUARTER OF THE NORTHEAST
QUARTER OF SECTION 36, TOWNSHIP 2 NORTH, RANGE 17 EAST,
CITY OF LAKE GENEVA, WALWORTH COUNTY, WISCONSIN

OWNER : WISCONSIN POWER AND LIGHT CO.
222 WEST WASHINGTON
MADISON, WI. 53701

SURVEYOR: CHARLES L. CHRISTOPHER
WISCONSIN POWER & LIGHT
222 WEST WASHINGTON AVENUE
MADISON, WI. 53701

LEGEND: ○ Iron Pipe Found
● 3/4" x 30" Rebar Set
Weighing 1.50 lb/lineal foot


GRID
WISCONSIN COORDINATE
SYSTEM, SOUTH ZONE
NAD 27
SCALE 1"=100'

CURVE TABLE:



CURVE	RADIUS	DELTA	TANGENT	ARC	CHORD LENGTH	CHORD BEARING
A - B	214.50'	42°43'09"	83.89'	159.93'	156.25'	S20°50'25"W

DECEMBER 22, 1998

N 1/4 CORNER SECTION 36,
TOWNSHIP 2 NORTH, RANGE
17 EAST, CONCRETE COUNTY
MONUMENT FOUND
NORTH 221526.57
EAST 2421050.30
PER WALWORTH COUNTY
MONUMENT SHEET



Note: This outlet is used for electric substation purposes, and will have no private sewage facilities.



1 INCH = 750 FEET
SCALE IS APPROXIMATE




FILE/PATH: D:\PROJECTS\ALLIANT-LakeGeneva\FIGURES\Figure-2.cdr
 DATE: 09/23/2003
 PREPARED: MDF APPROVED:
 SOURCE: FIELD MEASUREMENTS

SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

SITE LOCATION
Alliant Energy
255 Mill Street
Lake Geneva, Wisconsin

FIGURE
1



SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

SITE LAYOUT/RESIDUAL PCBs in SOIL
Alliant Energy
255 Mill Street
Lake Geneva, Wisconsin


FIGURE
2

SUMMARY OF SOIL ANALYTICAL DATA FROM FORMER TRANSFORMER DIKE
Alliant Property – 225 Mill Street – Lake Geneva, WI

SAMPLE	DEPTH (ft)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	TOTAL PCB	DRO
SS01	0-0.5	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	440	440	na
SS02	0-0.5	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<35.7	na
GP01	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	700	700	na
GP02	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	140	140	na
GP03	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	180	180	na
GP04	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	200	200	na
GP05	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<35.7	na
GP06	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<35.7	na
GP07	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	59	59	na
GP08	1-2	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<35.7	na
HA09	0-0.5	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	150	150	na
HA11	0-0.5	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	64	64	na
GP-26	0-0.5	<10	<10	<10	<10	<10	<10	<10	750	na
GP98-01	4	<5	<5	<5	<5	<5	<5	<5	<35	na
	8	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-02	2	<5	<5	<5	<5	<5	<5	<5	<35	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-03	2	<5	<5	<5	<5	<5	<5	<5	<35	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-04	4	<5	<5	<5	<5	<5	<5	<5	<35	na
	8	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-05	2	<5	<5	<5	<5	<5	<5	<5	<35	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-06	4	<5	<5	<5	<5	<5	<5	<5	<35	na
	8	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-07	2	<5	<5	<5	<5	<5	62	29	91	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-08	2	<5	<5	<5	<5	<5	<5	<5	<35	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-09	4	<5	<5	<5	<5	<5	9400	<5	9400	na
	8	<5	<5	<5	<5	<5	270	<5	270	na
GP98-10	2	<5	<5	<5	<5	<5	<5	37	37	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
GP98-11	2	<5	<5	<5	<5	<5	<5	<5	<35	na
	4	<5	<5	<5	<5	<5	<5	<5	<35	na
RA-1	1.5	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	<31.5	<10
RA-2	2.5	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	<31.5	150
RA-3	1.5	na	na	<10						
HA-1	3-4	<29	<29	<29	<29	<29	<29	<29	<203	na
DRO-1		na	na	<4.8						

- PCB results are listed in ug/kg; DRO results are in mg/kg

- Bold values exceedance WDNR cleanup guidelines



LEGEND

- GP-20 ● - Sampling Location (1996)
- GP98-08 ● - Sampling Location (1998)
- RA-2 ■ - Remedial Excavation Margin Sampling Location
- B-4 ◆ - Sampling Location (2003)

0 30' 60'

1 INCH = 30 FEET
SCALE IS APPROXIMATE

FILE/PATH: D:\PROJECTS\LAKEGENEVA\GIS
Fig2-Layout.cdr

DATE: 04/23/2004

PREPARED: MDF APPROVED:



SOURCE:
FIELD MEASUREMENTS

**SEYMOUR
ENVIRONMENTAL
SERVICES, INC.**

SAMPLING LOCATIONS/RESIDUAL PCBs in SOIL
Alliant Energy
255 Mill Street
Lake Geneva, Wisconsin

FIGURE
3

CROSS-SECTION



FILE/PATH: D:\PROJECTS\ALLIANT-LakeGeneva\FIGURES\Figure-2.cdr
 DATE: 09/23/2003
 PREPARED: MDF APPROVED:
 SOURCE: FIELD MEASUREMENTS

SEYMOUR
 ENVIRONMENTAL
 SERVICES, INC.

CROSS-SECTION SHOWING PCB DISTRIBUTION
 Alliant Energy
 255 Mill Street
 Lake Geneva, Wisconsin

FIGURE

4