


State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Annex
4041 North Richards Street
PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-229-0800
FAX 414-229-0810

July 7, 2000

Edna Gierach, c/o Fritz Gierach
P.O. Box 395
Germantown, WI 53022



FILE COPY

Dear Ms. Gierach:

Subject: Case closure, former Gierach 76, W157 N11618 Fond du Lac Avenue, Germantown, file reference FID #267099140 ERR-LUST

I have reviewed your case file based on documents submitted by Cooper Environmental and Engineering Resources, Inc. Based on this information I agree with Cooper in that no further work is needed. The department reserves the right to reopen this case pursuant to s. NR726.09, Wisconsin Administrative Code (WAC), should additional information regarding site conditions indicate contamination on or from the site poses a threat to public health, safety or welfare or the environment.

To complete the closure of this site, you must place a groundwater use restriction on the property deed at the county register of deeds office which specifies the legal description of the property, the location, type, and concentration of the contaminants and includes the following language:

Natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this property. Construction of wells where water quality exceeds the drinking water standards in ch. NR809 is restricted by chs. NR811 and NR812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply. Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater to determine what specific requirements are applicable prior to constructing or reconstructing a well on this property.

Within 60 days all of the groundwater monitoring wells at the site must be abandoned in accordance with WAC NR 141 and the completed abandonment forms must be submitted to the department. Once the department receives the abandonment forms, this case will be tracked as closed on our computer tracking system.

If you have any questions about this letter, call me at 414-229-0850.

Sincerely,


John Feeney
Wisconsin Department of Natural Resources

Cc: Cooper, SER File

Quality Natural Resources Management
Through Excellent Customer Service



STATE OF WISCONSIN
Register's Office
WASHINGTON COUNTY

} ss.

FILE COPY

2266

TO ALL TO WHOM THESE PRESENTS SHALL COME:

I, DOROTHY C. GONNERING, Register of Deeds in and for Washington County, do hereby certify that I have compared the annexed copy of Groundwater Use Restriction, Edna Gierach aka Edna A. Gierach, David L. Iverson and Wendelynn M. Iverson to the Public, recorded August 28, 2000 at 12:15 pm, Document: #864131.

with the original record in my office and that the same is a true and correct copy thereof and of the whole thereof.

IN TESTIMONY WHEREOF I have hereunto set my hand and affixed the official seal of my office at the City of West Bend, in said County, this

28th day of August, 2000.

Dorothy C. Gonnering
Register of Deeds,
Washington County, Wisconsin

(SEAL)

Deputy Register of Deeds

Form 252

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this Property. Construction of wells where water quality exceeds drinking water standards in ch. NR 809 is restricted by chs NR 811 and NR 812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owners hereby declare that all of the Property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this Property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater to determine what specific requirements are applicable prior to constructing or reconstructing a well on this Property.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Edna A. Gierach and David L. Iverson and Wendelynn M. Iverson as their interest appears herein certify that they are duly authorized to sign this document.

IN WITNESS WHEREOF, the owners have executed this Declaration of Restrictions, this 25th day of July 2000.

David L. Iverson
David L. Iverson

Edna A. Gierach
Edna Gierach aka Edna A. Gierach

Wendelynn M. Iverson
Wendelynn M. Iverson

Subscribed and Sworn to before me
this 25 day of July 2000.

This document was drafted by
Wisconsin Department of Natural Resources

John P. Brandner
Notary Public, Wisconsin
My Commission: *affirm 4/2002*

Exhibit A

That part of Out Lot Five A (5A) and Out Lot Six (6) in ASSESSOR'S PLAT, Village of Germantown, Southeast 1/4 Northeast 1/4 of Section 22, Township 9 North, Range 20 East, Washington County, Wisconsin, described as follows, viz:

Beginning at the most northerly corner of Parcel I of Certified Survey Map No. 3329, thence South 38 degrees 52 minutes 37 seconds West, 35.67 feet (recorded as South 41 degrees 07 minutes West, 38.92 feet); thence North 52 degrees 20 minutes 42 seconds West, 39.00 feet (recorded as North 46 degrees 36 minutes West); thence South 37 degrees 20 minutes 48 seconds west, 44.00 feet (recorded as South 39 degrees 54 minutes West); thence North 52 degrees 20 minutes 42 seconds West, 88.00 feet (recorded as North 50 degrees 43 minutes West); thence South 38 degrees 39 minutes 52 seconds West, 100.01 feet (recorded as South 42 degrees 51 minutes West); thence North 52 degrees 20 minutes 42 seconds West, 140.00 feet along the center line of S.T.H. "145"; thence North 38 degrees 39 minutes 52 seconds East, 179.56 feet (recorded as 181.00 feet); thence South 52 degrees 22 minutes 16 seconds East, 266.11 feet (recorded as 263.58 feet) to the point of beginning, EXCEPTING THEREFROM that portion thereof heretofore conveyed to Harold F. Vogt and Marilyn E. Vogt, husband and wife as described by deed recorded in the Washington County Registry in Volume 1633 of Records on page 581, as Document No. 728613.

That part of Parcel One (1) of CERTIFIED SURVEY MAP No. 3329, recorded in the Washington County Registry on January 5, 1989 in Volume 20 of Certified Survey Maps on pages 21-23, as Document No.538339 and being all that part of Outlot 6, Outlot 7, Outlot 17 and part of Outlot 18, in the Northeast 1/4 and Southeast 1/4 of Section 22, Township 9 North, Range 20 East, in the Village of Germantown, Washington County, Wisconsin, bounded and described as follows:

Commencing at the east 1/4 corner of Section 22, Township 9 North, Range 20 East, in the Village of Germantown, Washington County; thence South 88 degrees 37 minutes 44 seconds West, 200.00 feet; thence North 52 degrees 22 minutes 16 seconds West, 195.025 feet; thence South 38 degrees 39 minutes 52 seconds West, 79.635 feet to the point of beginning; thence continuing South 38 degrees 39 minutes 52 seconds West, 50.00 feet; thence North 52 degrees 20 minutes 42 seconds West, 44.00 feet; thence North 38 degrees 39 minutes 52 seconds East, 50.00 feet; thence South 52 degrees 20 minutes 42 seconds East, 44.015 feet to the point of beginning.




Figure 1.

SITE LOCATION

Glerach 76 Station

W157 N11618 Fond du Lac Avenue

Germantown, WI



QUADRANGLE LOCATION

source: USGS 7.5' Quadrangle: (Menomonee Falls, WI; 1976)

date:	drafted by:	checked by:	approved by:
3/24/97	PDF	PKS	NWR

Cooper

Environmental & Engineering Resources Inc.
1411 North Main Street, West Bend, Wisconsin, 53095

scale: 1 : 24,000

contour interval = 10 feet

Table 1
Groundwater Parameter Concentrations Exceeding NR 140 Standards
Former Gierach 76 Station
Germantown, Wisconsin




Well Number	Date Sampled	Sample ID	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Naphthalene	MTBE	Trimethylbenzene
MW01	09/25/92	GI/MW01-01	340	130	<u>610</u>	810	ND(<50)	ND(<50)	
	12/03/92	GI/MW01-02	53	43	<u>49</u>	85	<u>27</u>	ND(<1.0)	
	06/13/94	GI/MW01-04	<u>4.2</u>	ND(<0.4)	ND(<0.4)	1.2	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW01-05	<u>3.4</u>	5	5.9	16.3	2.2	ND(<1.0)	
	09/05/96	GI/MW01-9/96	21	32	32	94	--	ND(<1.0)	
	10/08/97	GI/MW01-10/97	11	23	13	45	--	ND(<0.53)	
	05/28/98	GI/MW01-5/98	10	23	20	69	--	ND(<0.22)	
	10/08/98	GI/MW01-10/98	<u>2.7</u>	0.52 Q	0.22 Q	ND	--	ND(<0.22)	
	05/25/99	GI/MW01-5/99	19	28	3.0	26	--	1.5	32.58
02/02/2000	GI/MW01-2/00	<u>1.39</u>	1.21	1.06	2.6	--	ND(<0.20)	1.64	
MW03	09/25/92	GI/MW03-01	3,000	<u>360</u>	3,100	<u>2,200</u>	--	ND(<50)	
	12/03/92	GI/MW03-02	630	<u>190</u>	<u>250</u>	470	50	ND(<10)	
	06/13/94	GI/MW03-04	20	10	4	7.3	4.7	ND(<0.5)	
	08/24/94	GI/MW03-05	27	30	28	93	<u>18</u>	ND(<1.0)	
	09/05/96	GI/MW03-9/96	13	20	4.7	21.8	--	ND(<1.0)	
	10/08/97	GI/MW03-10/97	8.2	22	2.1	11.5	--	ND(<0.53)	
	05/28/98	GI/MW03-5/98	15	26	4.5	37	--	0.98	
	10/08/98	GI/MW03-10/98	240	69	170	440	--	<u>26</u>	
	05/25/99	GI/MW03-5/99	19	27	5.3	60	--	2.2	53.1
02/02/2000	GI/MW03-2/00	35.2	13.1	26.7	52.9	--	0.93	10.36	
MW04	12/03/92	GI/MW04-01	<u>2.4</u>	ND(<1.0)	2.6	ND	1.5	ND(<1.0)	
	06/13/94	GI/MW04-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW04-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW04-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW04-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	ND(<0.53)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
05/25/99	Not Sampled								
02/02/2000	Not Sampled								
MW05	12/03/92	GI/MW05-01	<u>1</u>	ND(<1.0)	ND(<1.0)	ND	ND(<1.0)	ND(<1.0)	
	06/13/94	GI/MW05-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW05-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW05-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW05-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	ND(<0.53)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
05/25/99	Not Sampled								
02/02/2000	Not Sampled								
NR 140 ES			5	700	1000	10000	40	60	480
NR140 PAL			0.5	140	200	1000	8	12	96
<p>Notes: All samples analyzed using EPA method 8260 for PVOCs All concentrations are reported in micrograms per liter, ug/l Q = Estimated result. Concentration detected between the LOD and LOQ ND() = below the limit of detection (detection limit) -- = Not sampled ES = NR 140 Enforcement Standard PAL = NR 140 Preventive Action Limit 300 = Enforcement Standard Exceedance <u>50</u> = Preventive Action Limit Exceedance</p>									

Table 1, continued
 Groundwater Parameter Concentrations Exceeding NR 140 Standards
 Former Gierach 76 Station
 Germantown, Wisconsin

Well Number	Date Sampled	Sample ID	Benzene	Ethylbenzene	Toluene	Total Xylenes	Naphthalene	MTBE	Trimethylbenzene
MW06	12/03/92	GI/MW06-01	ND(<1.0)	ND(<1.0)	12	ND	ND(<1.0)	ND(<1.0)	
	06/13/94	GI/MW06-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW06-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW06-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW06-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	ND(<0.53)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
	05/25/99	Not Sampled							
02/02/2000	Not Sampled								
MW07	12/03/92	GI/MW07-01	ND(<1.0)	ND(<1.0)	12	ND	ND(<1.0)	ND(<1.0)	
	06/13/94	GI/MW07-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW07-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW07-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW07-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	ND(<0.53)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
	05/25/99	Not Sampled							
02/02/2000	Not Sampled								
MW08	03/30/93	GI/MW08-01	2,900	780	<u>770</u>	<u>2,050</u>	140	ND(<100)	
	06/13/94	GI/MW08-04	1,500	820	<u>490</u>	<u>1,590</u>	270	ND(<50)	
	08/24/94	GI/MW08-05	2,100	810	<u>690</u>	<u>2,400</u>	160	ND(<25)	
	09/05/96	GI/MW08-9/96	920	<u>650</u>	130	<u>1,910</u>	--	ND(<25)	
	10/08/97	GI/MW08-10/97	560	<u>650</u>	150	<u>1,180</u>	--	ND(<5.3)	
	05/28/98	GI/MW08-5/98	380	<u>330</u>	77	467	--	4.3	
	10/08/98	GI/MW08-10/98	150	110	27	235	--	<u>15</u>	
	05/25/99	GI/MW08-5/99	580	<u>320</u>	66	380	--	9.3	<u>351.5</u>
	02/02/2000	GI/MW08-2/00	86.5	<u>305</u>	28.2	426	--	<u>39.1</u>	699
MW09	03/14/94	GI/MW09-03	130	40	150	290	<u>9.5</u>	11	
	06/13/94	GI/MW09-04	100	24	ND(<0.4)	ND	<u>9.6</u>	<u>17</u>	
	08/24/94	GI/MW09-05	52	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	<u>17</u>	
	09/05/96	GI/MW09-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	7.6	
	10/08/97	GI/MW09-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	4.2	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
	05/25/99	Not Sampled							
02/02/2000	Not Sampled								
NR 140 ES			5	700	1000	10000	40	60	480
NR140 PAL			0.5	140	200	1000	8	12	96
Notes: All samples analyzed using EPA method 8260 for PVOCs All concentrations are reported in micrograms per liter, ug/l Q = Estimated result. Concentration detected between the LOD and LOQ ND() = below the limit of detection (detection limit) -- = Not sampled ES = NR 140 Enforcement Standard PAL = NR 140 Preventive Action Limit <u>300</u> = Enforcement Standard Exceedance <u>50</u> = Preventive Action Limit Exceedance									

Table 1, continued
 Groundwater Parameter Concentrations Exceeding NR 140 Standards
 Former Gierach 76 Station
 Germantown, Wisconsin

Well Number	Date Sampled	Sample ID	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Naphthalene	MTBE	Trimethylbenzene
MW10	03/14/94	GI/MW10-03	ND(<0.3)	ND(<0.4)	0.43	ND	ND(<0.7)	2.5	
	06/13/94	GI/MW10-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	<u>14</u>	
	08/24/94	GI/MW10-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	<u>20</u>	
	09/05/96	GI/MW10-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	<u>23</u>	
	10/08/97	GI/MW10-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	<u>21</u>	
	05/28/98	GI/MW10-5/98	ND(<0.26)	ND(<0.24)	ND(<0.21)	ND	--	<u>17</u>	
	10/08/98	GI/MW10-10/98	ND(<0.26)	ND(<0.24)	ND(<0.21)	ND	--	<u>13</u>	
	05/25/99	GI/MW10-5/99	ND(<0.13)	ND(<0.22)	ND(<0.20)	ND	--	<u>15</u>	ND(<0.29)
	02/02/2000	GI/MW10-2/00	ND(<0.50)	1.06	0.815	3.18	--	<u>15.7</u>	ND(<1.0)
	MW11	06/13/94	GI/MW11-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)
08/24/94		GI/MW11-05	<u>140</u>	1.6	ND(<1.0)	ND	ND(<2.0)	<u>22</u>	
09/05/96		GI/MW11-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	7.2	
10/08/97		GI/MW11-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	3.7	
05/28/98		Not Sampled							
10/08/98		Not Sampled							
05/25/99		Not Sampled							
02/02/2000		Not Sampled							
MW12	06/13/94	GI/MW12-04	ND(<0.3)	ND(<0.4)	ND(<0.4)	ND	ND(<0.7)	ND(<0.5)	
	08/24/94	GI/MW12-05	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW12-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW12-10/97	ND(<0.41)	ND(<0.23)	ND(<0.28)	ND	--	ND(<0.53)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
	05/25/99	Not Sampled							
	02/02/2000	Not Sampled							
MW13	01/11/95	GI/MW13-05	ND(<1.0)	ND(<1.0)	ND(<1.0)	ND	ND(<2.0)	ND(<1.0)	
	09/05/96	GI/MW13-9/96	ND(<0.6)	ND(<1.0)	ND(<1.0)	ND	--	ND(<1.0)	
	10/08/97	GI/MW13-10/97	ND(<0.16)	ND(<0.29)	ND(<0.36)	ND	--	ND(<0.2)	
	05/28/98	Not Sampled							
	10/08/98	Not Sampled							
	05/25/99	Not Sampled							
NR 140 ES			5	700	1,000	10,000	40	60	480
NR140 PAL			0.5	140	200	1,000	8	12	96
Notes: All samples analyzed using EPA method 8260 for PVOCs All concentrations are reported in micrograms per liter, ug/l Q = Estimated result. Concentration detected between the LOD and LOQ ND() = below the limit of detection (detection limit) -- = Not sampled ES = NR 140 Enforcement Standard PAL = NR 140 Preventive Action Limit <u>300</u> = Enforcement Standard Exceedance <u>50</u> = Preventive Action Limit Exceedance									



SB01 - Soil Boring Location

- GC - Fill, Clay to Gravel and Debris
- GM - Silt, Sand, Gravel
- SM - Silty Sand
- CL - Silty, Sandy, Gravelly Clay

Drawn By: TAR

GIERACH 76 GEOLOGIC CROSS-SECTIONS

Scale: 1" equals 10'

Vertical Exaggeration: 3X

THE DEPTH AND THICKNESSES OF THE SUBSURFACE STRATA INDICATED ON THE SECTIONS WERE GENERALIZED FROM AND INTERPOLATED BETWEEN THE TEST BORINGS. INFORMATION ON ACTUAL SUBSURFACE CONDITIONS EXISTS ONLY AT THE LOCATION OF THE TEST BORINGS AND IT IS POSSIBLE THAT SUBSURFACE CONDITIONS BETWEEN THE TEST BORINGS MAY VARY FROM THOSE INDICATED.

Figure 2-2

Gierach 76
W157 N11618 Fond du Lac Avenue
Germantown, Wisconsin

Cooper
ENVIRONMENTAL RESOURCES INC.
111 North Main Street, West Bend, Wisconsin 53090





Figure 2
INTERPRETED SHALLOW GROUNDWATER
FLOW DIRECTION
(January 18, 2000)

Glerach 76 Station
W157 N11618 Fond du Lac Avenue
Germantown, Wisconsin

- Interpreted groundwater flow direction
- ? 855.0 - groundwater contour line (January 18, 2000); dashed and question-marked where inferred contour interval = 1 foot
- MW01 + = groundwater monitoring well location and I.D. (858.71) = groundwater elevation (in feet MSL)
- ⊗ = water supply well location
- ? = unknown

date:	drafted by:	checked by:	approved by:
06/07/00	CCM		

Cooper

Environmental & Engineering Resources, Inc.
 1411 North Main Street, West Bend, Wisconsin, 53090
 Scale: 1" = 60' File: C:\DWGCS\GLERACH\GWFD1800

MW03 - 02/02/00	
Parameter	Con., ug/l
B	35.2
E	13.1
T	26.7
X	52.9
MTBE	0.93
TMB	10.36

MW01 - 02/02/00	
Parameter	Con., ug/l
B	1.39
E	1.21
T	1.06
X	2.6
MTBE	ND
TMB	1.64

MW08 - 02/02/02	
Parameter	Con., ug/l
B	86.8
E	305
T	28.2
X	425
MTBE	39.1
TMB	889

MW10 - 02/02/00	
Parameter	Con., ug/l
B	ND
E	1.06
T	0.815
X	3.18
MTBE	15.7
TMB	ND




Figure 3
GROUNDWATER PARAMETER
DISTRIBUTION PLAN
 (February 2, 2000)
Gierach 76 Station
W157 N11618 Fond du Lac Avenue
Germantown, Wisconsin

- ⊗ = water supply well location
- ⊕ = monitoring well location and I.D.
- B = benzene
- E = ethylbenzene
- T = toluene
- X = xylene
- MTBE = methyl-terbutyl ether
- TMB = trimethylbenzene
- ND = not detected above qualification limit

date:	06/07/00	drafted by:	CCU	checked by:		approved by:	
-------	----------	-------------	-----	-------------	--	--------------	--