

GIS REGISTRY
Cover Sheet

May, 2008
(RR 5367)

Source Property Information

BRRTS #: 03-67-005194
ACTIVITY NAME: Richfield Service
PROPERTY ADDRESS: 2903 Hwy 167
MUNICIPALITY: Richfield
PARCEL ID #: T10 0350 & T10 0350 00B

CLOSURE DATE: Oct 21, 2009
FID #: 267150400
DATCP #:
COMM #: 53076972613

***WTM COORDINATES:**

X: 667387 Y: 310212

**Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL
or Direct Contact > 4 ft (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-67-005194

Parcel ID #: ~~V40-0350-006~~ T10 0350 + T10 0350 00B

ACTIVITY NAME: *Richfield Service*
(Richfield Rent A Car)

WTM COORDINATES: X: ~~667394~~ 667387 Y: ~~340182~~ 310212

CLOSURE DOCUMENTS (the Department add these items to the final GIS packet for posting on the Registry)

Closure Letter

Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)

Conditional Closure Letter

Certificate of Completion (COC) for VPLE sites

SOURCE LEGAL DOCUMENTS

Deed: The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section. **Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Certified Survey Map: A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #: Title:

Signed Statement: A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 X 14 inches unless the map is submitted electronically.

Location Map: A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.

Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.

Figure #: Title: Site Location Map

Detailed Site Map: A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: 2 Title: Site Layout and Soil Boring/Well Locations

Soil Contamination Contour Map: For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: Title: Post - Remediation Estimated Extent of Residual Soil Contamination

BRRTS #: 03-67-005194

ACTIVITY NAME: Richfield Rent A Car

MAPS (continued)

X **Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: Title: Pre – Remedial Geologic Cross Section A – A'

Figure #: Title: Pre – Remedial Geologic Cross Section B – B'

X **Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data. Note: This is intended to show the total area of contaminated groundwater.

Figure #: Title: Groundwater Contamination (6/25/2008)

X **Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: Title: Groundwater Elevations and Flow Direction (October 14, 1996)

Figure #: Title: Groundwater Contour Map (9/26/2007)
Groundwater Contour Map (12/27/2007)

TABLES (meeting the requirements of s. NR 716.15(2)(h))

Tables must be no larger than 8.5 x 14 inches, unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

X **Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates. Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Figure #: Title: Soil Sample Laboratory/Field Screening Results

X **Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Figure #: Title: Groundwater Analytical Results Summary

X **Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Figure #: Title: Watertable Elevations Table

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: *If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

X **Not Applicable**

_____ **Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

_____ **Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

_____ **Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

State of Wisconsin
Department of Natural Resources
<http://dnr.wi.gov>

GIS Registry Checklist
Form 4400-245 (R 4/08) Page 3 of 3

BRRTS #: 03-67-005194

ACTIVITY NAME: Richfield Rent A Car

NOTIFICATIONS

Source Property

_____ **Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

_____ **Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

_____ **Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

_____ **Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.

_____ **Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

_____ **Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Waukesha Service Center
141 NW Barstow St., Room 180
Waukesha, Wisconsin 53188
Telephone 262-574-2100
FAX 262-574-2128

October 21, 2009

Mr. Philip Thoma
Richfield Service
1810 Wolf Road
Richfield, WI 53076

Subject: Final Case Closure
Richfield Service (Richfield Rent-a-Car)
2903 Hwy 167, Richfield, WI 53076
FID# 267150400, BRRTS# 03-67-005194, Commerce# 53076-9726-13

Dear Mr. Thoma:

On April 9, 2009, you were notified that the Wisconsin Department of Natural Resources (the Department) had granted conditional closure for the above referenced property (the Property). On July 14, 2009, the Department received copies of the well abandonment forms and documentation from the disposal of the carbon vessels from the groundwater treatment system as requested by the Department thereby demonstrating that you have complied with the conditions of closure.

Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed,
- Groundwater contamination is present above Chapter NR 140 enforcement standards.

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be

obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Residual Soil Contamination

Residual soil contamination remains along the northwest corner of the building on-site as indicated on the attached map (Post-Remediation Estimated Extent of Residual Soil Contamination in Excess of WAC Chapter NR 720 RCLs), which was included in the information submitted to the Department of Natural Resources. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present on this contaminated property. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the efforts you have taken to restore the environment at this site. If you have any questions regarding this letter, please contact me at the letterhead address or (262) 574-2166.

Sincerely,



David G. Volkert, P.G.
Hydrogeologist
Bureau for Remediation & Redevelopment

Attachment

cc: Jason Powell, METCO
Lee Delcore, Commerce
SER File




FIGURE
Richfield Service
Post-Remediation
Estimated Extent of
Residual Soil Contamination
in excess of WAC,
Chapter NR 720 RCLS

Scale : 1" = 40'



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Waukesha Service Center
141 NW Barstow St., Room 180
Waukesha, Wisconsin 53188
Telephone 262-574-2100
FAX 262-574-2128

April 9, 2009

Mr. Philip Thoma
Richfield Service
1810 Wolf Road
Richfield, WI 53076

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
Richfield Service (Richfield Rent-a-Car)
2903 Hwy167, Richfield, WI 53076
FID# 267150400, BRRTS# 03-67-005194, Commerce# 53076-9726-13

Dear Mr. Thoma:

On February 2, 2009, the Department of Natural Resources (the Department) received the *Case Closure Request* that was prepared by METCO. The Department reviews environmental remediation cases for compliance with state statutes and rules to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the petroleum contamination on the site from the former underground storage tank system appears to have been investigated and remediated to the extent practicable under site conditions.

Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed when the monitoring wells, soil vapor extraction wells and any other remedial system wells are properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to the Department on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department.

When the wells have been properly abandoned, please submit the well abandonment forms to verify that applicable condition has been met, and your case will be closed. **Please direct correspondence with the site FID# and BRRTS# noted to: Victoria Stovall, Wisconsin Department of Natural Resources, 2300 N. Dr. ML King Dr., Milwaukee, WI 53212.**

Your site will be listed on the Department's Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.


Prior to abandoning the wells prepare a cost estimate for the work and submit it to the Department of Commerce (Commerce) and to the Department. The Commerce project manager for your site is Lee Delcore.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates the efforts you have taken to restore the environment at this site. If you have any questions regarding this letter, please contact me at the letterhead address or (262) 574-2166.

Sincerely,



David G. Volkert, P.G.
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Jason Powell, METCO
Lee Delcore, Commerce
SER File

WARRANTY DEED

Document Number

Document Name

DOC#: 1068012



Recorded
NOV. 03, 2004 AT 10:00AM
SHARON A. MARTIN
REGISTER OF DEEDS
WASHINGTON COUNTY, WI
Fee Amount: \$13.00
Fee Exempt 77.25-(17)

THIS DEED, made between BETTY JANE WEYER-ROSIO, TRUSTEE OF THE BETTY JANE WEYER-ROSIO REVOCABLE TRUST DATED AUGUST 11, 2000. ("Grantor," whether one or more), and PHILIP J. THOMA AND DONNA C. THOMA, Husband and Wife

("Grantee," whether one or more).

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Washington County, State of Wisconsin ("Property") (if more space is needed, please attach addendum):

SEE OVERLEAF "LEGAL DESCRIPTION"

FEE

#77.25 (17)

EXEMPT

THIS DEED IS GIVEN IN FULFILLMENT OF A LAND CONTRACT BETWEEN THE PARTIES DATED: May 23, 1995; AND RECORDED WITH THE WASHINGTON COUNTY REGISTER OF DEEDS on May 31, 1995 in VOL. 1507, PAGE 348, AS DOCUMENT NO: 692216

Recording Area

Name and Return Address

PHILIP J. & DONNA C. THOMA

W 11547 ALP Ave

Plainfield, WI 54966

T10 0350; T10 0350 00B

Parcel Identification Number (PIN)

This is not homestead property. (is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except: municipal and zoning ordinances, recorded easement servicing the prpty, recorded building and use restrictions and covenants, general and special taxes levied in the yr 1995 and subsequent yrs and liens and encumbrances, if any, created by the grantee

Dated October 29, 2004

Betty Jane Weyer-Rosio (Signature)
* Betty Jane Weyer-Rosio, Trustee

(SEAL) (SEAL)

(SEAL) (SEAL)

AUTHENTICATION

Signature(s) BETTY JANE WEYER-ROSIO, TRUSTEE

authenticated on October 29, 2004

Charles H. Hathaway (Signature)

* Charles H. Hathaway

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, authorized by Wis. Stat. § 706.06)

THIS INSTRUMENT DRAFTED BY:

CHARLES H. HATHAWAY ATTORNEY-AT-LAW
415 E. WASHINGTON, SLINGER WI 53086-0520

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

WARRANTY DEED

STATE BAR OF WISCONSIN

FORM No. 1-2003

*Type name below signatures.

Legal Description

PARCEL 1

Parcel A of Certified Survey Map No. 1900, recorded in the Washington County Registry on May 18, 1978 in Volume 9 of Certified Survey Maps on Pages 416-418, as Document No. 403372 and being a part of the Northeast One-quarter (1/4) of the Northeast One-quarter (1/4) of Section Thirteen (13), Township Nine (9) North, Range Nineteen (19) East, Town of Richfield, Washington County, Wisconsin.

Together with an easement for ingress and egress over Parcel B onto State Trunk Highway No. 167, as disclosed by the recorded Certified Survey Map.

Together with an access easement for ingress and egress onto State Trunk Highway Way 167, as disclosed by the recorded Certified Survey Map.

Address: 2903 Hwy 167 Tax Key No.: T10 0350

PARCEL 2

Parcel B of Certified Survey Map No. 1900, recorded in the Washington County Registry on May 18, 1978 in Volume 9 of Certified Survey Maps on Pages 416-418, as Document No. 403372 and being a part of the Northeast One-quarter (1/4) of the Northeast One-quarter (1/4) of Section Thirteen (13), Township Nine (9) North, Range Nineteen (19) East, Town of Richfield, Washington County, Wisconsin.

Together with an access easement for ingress and egress onto State Trunk Highway No. 167, as disclosed by the recorded Certified Survey Map.

Address: 2913 Hwy 167 Tax Key No.: T10 0350 00B

parcel # V10 0350 00C

Department of Transportation approval number is DOT 66-167-1506

note: See page 3 for Department of Transportation restrictions. Highway setback line is 50' from ROW or 110' from center/reference line which ever is greater.

Washington County Certified Survey Map

Parcel "A" and Parcel "B" of Certified Survey Map No. 1900 as recorded in the Washington County Registry in Volume 9 of Certified Survey Maps on pages 416-418 as Document No. 403372, being part of the NE 1/4 of the NE 1/4 of Section 13, Township 9 North, Range 19 East, Town of Richfield, Washington County, Wisconsin.

North 1/4 corner
Sec. 13-9-19
conc.mon./brass cap found
461,089.66
2,481,684.68
(State Plane Coordinates)

Northeast corner
Sec. 13-9-19
conc.mon./brass cap found
461,120.54
2,484,308.96
(State Plane Coordinates)

Owner/Subdivider
Philip J. and Donna C. Thoma
1750 Hwy. 175
Richfield, WI 53076

Surveyor's Certificate:

Surveyor
Donald J. Thoma
Accurate Surveying
4483 Hwy. 33 W.
West Bend, WI 53095


I, Donald J. Thoma, registered land surveyor, hereby certify that by the direction of Philip J. Thoma, I have surveyed, divided, and mapped the land shown and described hereon, being all of Parcel "A" and Parcel "B" of Certified Survey Map No. 1900 as recorded in the Washington County Registry in Volume 9 of Certified Survey Maps on pages 416-418 as Document No. 403372, being part of the NE 1/4 of the NE 1/4 of Section 13, Township 9 North, Range 19 East, Town of Richfield, Washington County, Wisconsin, which is bounded and described as follows:

Commencing at the northeast corner of said Section 13; thence S 89°19'33" W, along the north line of said NE 1/4, 310.43 feet; thence S 00°40'27" E, at right angles, 100.00 feet to a point in the southwesterly right-of-way of S.T.H. "167", being the point of beginning of lands herein described; thence N 66°42'41" W, along said southwesterly right-of-way line, 98.49 feet; thence S 89°19'33" W, along the southerly right-of-way line of said S.T.H. "167", 200.33 feet; thence S 24°21'44" W, along the easterly right-of-way line of said S.T.H. "167", 345.45 feet to the northeasterly right-of-way line of Wisconsin Southern R.R.; thence southeasterly along said R.R. right-of-way line and along the arc of a curve to the left, 890.89 feet, radius 3769.83 feet, delta 13°32'25" S 51°55'56" E, 888.83 feet to the westerly right-of-way line of U.S.H. "41"; thence N 01°05'28" W, along said westerly right-of-way line, 141.69 feet; thence N 21°04'28" W, continuing along said westerly right-of-way line, 733.55 feet to the point of beginning.

Containing 6.927 acres (301,744 square feet) more or less.

I further certify that I have fully complied with the provisions of sec. 236.34 of Wisconsin Statutes and the Town of Richfield Land Division Ordinance in surveying, dividing, and mapping said land, and that this map is a correct representation of the exterior boundaries of the land surveyed and the division of said lands.


Dated this 16th day of October, 2000.



Donald J. Thoma
Donald J. Thoma, S-2470

Current Zoning B-4

Minimum building setback from ROW = 40'
Minimum building sideyard = 25'
Minimum building rearward = 25'



This instrument was drafted by Donald J. Thoma, S-2470

WDNR BRRTS Case #: 03-67-005194

WDNR Site Name: Richfield Rent A Car

Geographic Information System (GIS) Registry of Closed Remediation Sites


In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate. *(CSM)*

Responsible Party: Philip J. Thomas - Owner
(print name/title)


Philip J. Thomas - 1-18-09
(signature) (date)

TOPOI map printed on 01/16/09 from "wisconsin.tpo" and "Untitled.tpg"
88°12.000' W WGS84 88°11.000' W



88°12.000' W WGS84 88°11.000' W
0 1000 FEET 0 500 1000 METERS
1 MILE
Printed from TOPOI ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
RICHFIELD RENT A CAR – RICHFIELD, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM



LEGEND

- IW-1 ◆ Infiltration Well
- VE1 ▲ Vapor Extraction Well
- RW1 ■ Groundwater Recovery Well
- SB2 ● Soil Boring Location
- PZ-1 ⊕ Deep Piezometer Well
- MW-5 ● Groundwater Monitoring Well

Environmental Associates, Inc.

Drawn by:	RRG	Drawing:	95-02434
9/7/04	File	newSite.cvx	

MODIFIED BY METCO 8/21/08 - AN


FIGURE 2
Richfield Service
Site Layout
and
Soil Boring/Well
Locations

Scale: 1" = 40'

Access Easement for Ingress and Egress onto State Hwy. 167 for 2903 and 2913 Hwy 167 West Parcels

Wisconsin Department of Transportation Controlled Property (Vacant)

2913 Hwy, 167 West Richfield, WI 53076 (Open, grass-covered parcel)



Drawn by:	RRG	Drawing:	95-02434
	2-11-04	File:	soilcont.cvs


Environmental Associates, Inc.

Access Easement for Ingress and Egress onto State Hwy. 167 for 2903 and 2913 Hwy 167 West Parcels

Wisconsin Department of Transportation
Controlled Property (Vacant)

2913 Hwy. 167 West
Richfield, WI 53076
(Open, grass-covered parcel)






COARSE-GRAINED SOILS

FINE-GRAINED/HIGHLY ORGANIC SOILS

LEGEND



CLEAN GRAVELS (LITTLE OR NO FINES)	GW	WELL-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
	GP	POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
GRAVELS WITH FINES (APPROXIMATE AMOUNT OF FINES)	GM	SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES
	GC	CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES
CLEAN SANDS (LITTLE OR NO FINES)	SW	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
	SP	POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
SANDS WITH FINES (APPROXIMATE AMOUNT OF FINES)	SM	SILTY SANDS, SAND-SILT MIXTURES
	SC	CLAYEY SANDS, SAND-CLAY MIXTURES


SILTS AND CLAYS LIQUID LIMIT (LESS THAN 50)	ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY
	CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
	OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
SILTS AND CLAYS LIQUID LIMIT (GREATER THAN 50)	MH	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS FINE SANDY OR SILTY SOILS
	CH	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
	OH	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS	PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS

**Attachment D7b
Richfield Service
Pre-Remedial
Geologic Cross Section
and GRO Distribution
A - A'**


Vertical Scale : 1" = 4.0'
Horizontal Scale : 1" = 20'

Environmental Associates, Inc.

Drawn by:	RRG	Checked by:		Drawing File	95-02434-8 434-bx.cvs
	5-13-98	Approved by:			



COARSE-GRAINED SOILS FINE-GRAINED/HIGHLY ORGANIC SOILS



CLEAN GRAVELS (LITTLE OR NO FINES)		GW	WELL-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
GRAVELS WITH FINES (APPRECIABLE AMOUNT OF FINES) <td>GP <td>POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES</td> </td>		GP <td>POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES</td>	POORLY-GRADED GRAVELS, GRAVEL-SAND MIXTURES, LITTLE OR NO FINES
CLEAN SANDS (LITTLE OR NO FINES) <td>GM <td>SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES</td> </td>		GM <td>SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES</td>	SILTY GRAVELS, GRAVEL-SAND-SILT MIXTURES
SANDS WITH FINES (APPRECIABLE AMOUNT OF FINES) <td>GC <td>CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES</td> </td>		GC <td>CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES</td>	CLAYEY GRAVELS, GRAVEL-SAND-CLAY MIXTURES
<td>SW <td>WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES</td> </td>		SW <td>WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES</td>	WELL-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
<td>SP <td>POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES</td> </td>		SP <td>POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES</td>	POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
<td>SM <td>SILTY SANDS, SAND-SILT MIXTURES</td> </td>		SM <td>SILTY SANDS, SAND-SILT MIXTURES</td>	SILTY SANDS, SAND-SILT MIXTURES
<td>SC <td>CLAYEY SANDS, SAND-CLAY MIXTURES</td> </td>		SC <td>CLAYEY SANDS, SAND-CLAY MIXTURES</td>	CLAYEY SANDS, SAND-CLAY MIXTURES


SILTS AND CLAYS LIQUID LIMIT (LESS THAN 50)		ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY
		CL	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
		OL	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
SILTS AND CLAYS LIQUID LIMIT (GREATER THAN 50)		MH	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS FINE SANDY OR SILTY SOILS
		CH	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
		OH	ORGANIC CLAYS OF MEDIUM TO HIGH PLASTICITY, ORGANIC SILTS
HIGHLY ORGANIC SOILS		PT	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS


Attachment D7c
 Richfield Service
 Geologic Cross Section
 B - B'
 and Pre-Remedial
 GRO Soil Distribution

Vertical Scale : 1" = 4.0'
 Horizontal Scale : 1" = 20'

Environmental Associates, Inc.

Drawn by:	RRG	Checked by:		Drawing File:	95-02434-9 434-fxb.cvs
	5-13-98	Approved by:			





Drawn by:	RRG	Drawing:	95-02434
	9/7/04	File	newsite.cvx

Environmental Associates, Inc.

MODIFIED BY METCO 8/21/08 - BW

LEGEND

- IW-1 ◆ Infiltration Well
- VE1 ▼ Vapor Extraction Well
- RW1 ▲ Groundwater Recovery Well
- SB2 ● Soil Boring Location
- PZ-1 ⊕ Deep Peizometer Well
- MW-5 ● Groundwater Monitoring Well

Access Easement for Ingress and Egress onto State Hwy. 167 for 2903 and 2913 Hwy 167 West Parcels

Wisconsin Department of Transportation Controlled Property (Vacant)



Attachment B6: Pre-Remedial Soil Sample Laboratory Analytical Results
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin

Sample Location Sample Name Sampling Interval in Feet Soil Type (USCS Class) Sample Collection Date	Units	WAC NR 720.10 Table 1 & 2 Soil Cleanup Standards	MW1		SB2			SB3	
			RC/MW1-4	RC/MW1-8	RC/SB2-5	RC/SB2-8	RC/SB2-12	RC/SB3-4	RC/SB3-5
			8.5-10.5	18.5-20.5	11.0-13.0	18.5-20.5	28.5-30.5	8.5-10.5	11.0-13.0
			SM	SM	GM	GM	GM	SM	SM
Total Solids	% Solid	--	94	89	94	85	84	97	93
PID Headspace Analysis	i.u.	--	776	156	44.4	974	383	104.8	91.3
Gasoline Range Organics (GRO)	mg/kg	100	670	4,800	< 2.6	3,400	3.6	< 2.6	< 2.7
<u>Volatile Organic Compounds (VOCs):</u>									
Benzene	ug/kg	5.5	160	22,000	< 25	< 500	< 25	< 25	< 25
1,2-Dichloroethane (1,2-DCA)	ug/kg	4.9	< 100	< 1,000	< 25	< 500	< 25	< 25	< 25
Ethylbenzene	ug/kg	2,900	160	99,000	< 25	42,000	42	< 25	< 25
Naphthalene	ug/kg	--	< 100	< 1,000	< 25	< 500	< 25	< 25	< 25
Methyl-tert-butyl-ether (MTBE)	ug/kg	--	1,700	47,000	< 25	19,000	< 25	< 25	41
Toluene	ug/kg	1,500	1,100	280,000	60	48,000	170	< 25	51
1,2,4-Trimethylbenzene (1,2,4-TMB)	ug/kg	--	23,000	260,000	38	150,000	< 25	< 25	65
1,3,5-Trimethylbenzene (1,3,5-TMB)	ug/kg	--	12,000	86,000	47	49,000	31	< 25	28
Total Xylenes (m/p-Xylene + o-Xylene)	ug/kg	4,100	12,600	490,000	82	222,000	217	28	44
<u>Total Metals Analysis</u>									
Total Lead (Pb)	mg/kg	50	5.3	< 3.7	< 3.5	< 3.7	< 3.8	< 3.3	< 3.5

Footnotes:

USCS = Unified Soil Classification System

PID = Photo-ionization Detector

TPH = Total Petroleum Hydrocarbons

mg/kg = Milligrams per Kilogram

ug/kg = Micrograms per Kilogram

i.u. = Instrument Units

-- = Not Analyzed or No WAC NR720 Standard

Bold Value = WAC NR 720 Standard Exceedence

**Attachment B6: Pre-Remedial Soil Sample Laboratory Analytical Results
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin**

Sample Location Sample Name Sampling Interval in Feet Soil Type (USCS Class) Sample Collection Date	Units	WAC NR 720.10 Table 1 & 2 Soil Cleanup Standards	MW4			MW5			MW6	
			RC/MW4-6	RC/MW4-8	RC/MW4-10	RC/MW5-6	RC/MW5-8	RC/MW5-10	RC/MW6-8	RC/MW6-10
			13.5-15.5	18.5-20.5	23.5-25.5	13.5-15.5	18.5-20.5	23.5-25.5	18.5-20.5	23.5-25.5
			SP	SP	SP	SM	ML	SM	SM	SM
			4/10/96	4/10/96	4/10/96	4/10/96	4/10/96	4/10/96	4/10/96	4/10/96
Total Solids	% Solid	--	97	92	88	93	93	89	85	86
PID Headspace Analysis	i.u.	--	8.1	558	368	11.1	10.6	0.0	4.0	4.8
Gasoline Range Organics (GRO)	mg/kg	100	< 2.6	34	3.5	< 2.7	< 2.7	< 2.8	--	< 2.9
<u>Volatile Organic Compounds (VOCs):</u>										
Benzene	ug/kg	5.5	--	< 25	62	< 25	< 25	< 25	< 25	< 25
1,2-Dichloroethane (1,2-DCA)	ug/kg	4.9	--	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Ethylbenzene	ug/kg	2,900	--	210	130	< 25	< 25	< 25	< 25	< 25
Naphthalene	ug/kg	--	--	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Methyl-tert-butyl-ether (MTBE)	ug/kg	--	--	140	70	< 25	< 25	< 25	< 25	< 25
Toluene	ug/kg	1,500	--	400	960	< 25	< 25	< 25	< 25	< 25
1,2,4-Trimethylbenzene (1,2,4-TMB)	ug/kg	--	--	600	170	< 25	< 25	< 25	< 25	< 25
1,3,5-Trimethylbenzene (1,3,5-TMB)	ug/kg	--	--	180	44	< 25	< 25	< 25	< 25	< 25
Total Xylenes (m/p-Xylene + o-Xylene)	ug/kg	4,100	--	1090	690	< 50	< 50	< 50	< 50	< 50
<u>Total Metals Analysis</u>										
Total Lead (Pb)	mg/kg	50	4.2	< 3.5	< 3.8	4.1	< 3.4	< 3.7	< 3.9	< 3.7

Footnotes:

USCS = Unified Soil Classification System

PID = Photo-ionization Detector

TPH = Total Petroleum Hydrocarbons

mg/kg = Milligrams per Kilogram

ug/kg = Micrograms per Kilogram

i.u. = Instrument Units

-- = Not Analyzed or No WAC NR720 Standard

Bold Value = WAC NR 720 Standard Exceedence

**Attachment B6: Pre-Remedial Soil Sample Laboratory Analytical Results
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin**

Sample Location Sample Name Sampling Interval in Feet Soil Type (USCS Class) Sample Collection Date	Units	WAC NR 720.10 Table 1 & 2 Soil Cleanup Standards	SB7			SB8		SB8	MW10		
			RC/SB7-6	RC/SB7-8	RC/SB7-11	RC/SB8-5	RC/SB8-7	RC/SB8-8	RC/MW10-4	RC/MW10-6	RC/MW10-8
			13.5-15.5 SM 4/11/96	18.5-20.5 SM 4/11/96	26.0-28.0 SM 4/11/96	11.0-13.0 SM 4/11/96	16.0-18.0 SM 4/11/96	18.5-20.5 SM 4/11/96	8.5-10.5 SM/GM 8/22/96	13.5-15.5 SM 8/22/96	18.5-20.5 GM 8/22/96
Total Solids	% Solid	--	96	94	94	94	95	91	95	96	86
PID Headspace Analysis	i.u.	--	4.4	4.4	4.4	17.1	205	638	0.0	2.2	0.2
Gasoline Range Organics (GRO)	mg/kg	100	< 2.6	< 2.7	< 2.7	< 2.7	< 2.6	2,300	<2.6	<2.6	<2.9
<u>Volatiles Organic Compounds (VOCs):</u>											
Benzene	ug/kg	5.5	< 25	< 25	< 25	< 25	27	1,100	<25	<25	<25
1,2-Dichloroethane (1,2-DCA)	ug/kg	4.9	< 25	< 25	< 25	< 25	< 25	<100	<25	<25	<25
Ethylbenzene	ug/kg	2,900	< 25	< 25	< 25	< 25	49	11,000	<25	<25	<25
Naphthalene	ug/kg	--	< 25	< 25	< 25	< 25	< 25	<100	<25	<25	<25
Methyl-tert-butyl-ether (MTBE)	ug/kg	--	< 25	< 25	< 25	< 25	< 25	6,900	<25	<25	<25
Toluene	ug/kg	1,500	< 25	< 25	< 25	< 25	130	24,000	<25	<25	<25
1,2,4-Trimethylbenzene (1,2,4-TMB)	ug/kg	--	< 25	< 25	< 25	< 25	150	31,000	<25	<25	<25
1,3,5-Trimethylbenzene (1,3,5-TMB)	ug/kg	--	< 25	< 25	< 25	< 25	56	10,000	<25	<25	<25
Total Xylenes (m/p-Xylene + o-Xylene)	ug/kg	4,100	< 50	< 50	< 50	< 50	262	53,000	< 50	< 50	< 50
<u>Total Metals Analysis</u>											
Total Lead (Pb)	mg/kg	50	<3.4	< 3.5	< 3.4	<3.4	< 3.4	< 3.5	2.0	1.4	1.0

Footnotes:

- USCS = Unified Soil Classification System
- PID = Photo-ionization Detector
- TPH = Total Petroleum Hydrocarbons
- mg/kg = Milligrams per Kilogram
- ug/kg = Micrograms per Kilogram
- i.u. = Instrument Units
- = Not Analyzed or No WAC NR720 Standard
- Bold Value** = WAC NR 720 Standard Exceedence

Attachment B6: Pre-Remedial Soil Sample Laboratory Analytical Results
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin

Sample Location Sample Name Sampling Interval in Feet Soil Type (USCS Class) Sample Collection Date	Units	WAC NR 720.10 Table 1 & 2 Soil Cleanup Standards	MW-11		RC/MeOH					
			RC/MW11-6 13.5-15.5 GM 8/22/96	RC/MW11-8 18.5-20.5 GM 8/22/96	Methanol/ Field Blank 3/26/96	Methanol/ Field Blank 3/28/96	Methanol/ Field Blank 4/10/96	Methanol/ Field Blank 4/11/96	Methanol/ Field Blank 8/22/96	
Total Solids	% Solid	--	91	91	--	--	--	--	--	
PID Headspace Analysis	i.u.	--	6.3	4.7	--	--	--	--	--	
Gasoline Range Organics (GRO)	mg/kg	100	<2.7	<2.7	< 2,500	--	< 2,500	< 2,500	<2500	
<u>Volatile Organic Compounds (VOCs):</u>										
Benzene	ug/kg	5.5	<25	<25	< 25	< 25	< 25	< 25	< 25	
1,2-Dichloroethane (1,2-DCA)	ug/kg	4.9	<25	<25	< 25	< 25	< 25	< 25	< 25	
Ethylbenzene	ug/kg	2,900	<25	<25	< 25	< 25	< 25	< 25	< 25	
Naphthalene	ug/kg	--	<25	<25	< 25	< 25	< 25	< 25	< 25	
Methyl-tert-butyl-ether (MTBE)	ug/kg	--	<25	<25	< 25	< 25	< 25	< 25	< 25	
Toluene	ug/kg	1,500	<25	<25	< 25	32	< 25	69	<25	
1,2,4-Trimethylbenzene (1,2,4-TMB)	ug/kg	--	<25	<25	< 25	< 25	< 25	< 25	< 25	
1,3,5-Trimethylbenzene (1,3,5-TMB)	ug/kg	--	<25	<25	< 25	< 25	< 25	< 25	< 25	
Total Xylenes (m/p-Xylene + o-Xylene)	ug/kg	4,100	< 50	< 50	< 50	< 50	< 50	27	< 50	
<u>Total Metals Analysis</u>										
Total Lead (Pb)	mg/kg	50	2.9	2.3	--	--	--	--	--	

Footnotes:

USCS = Unified Soil Classification System

PID = Photo-ionization Detector

TPH = Total Petroleum Hydrocarbons

mg/kg = Milligrams per Kilogram

ug/kg = Micrograms per Kilogram

i.u. = Instrument Units

-- = Not Analyzed or No WAC NR720 Standard

Bold Value = WAC NR 720 Standard Exceedence

**Attachment B6: Post-Remedial Soil Sample Laboratory Analytical Results -
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin**

Sample Location Sample Name Sampling Interval in Feet Soil Type (USCS Class) Sample Collection Date	Units	WAC NR 720.10	SB12	SB13	SB14	PZ-1		
		Table 1 & 2 Soil Cleanup Standards	S-8 16-18 SM 3/7/00	S-9 16-18 SM 3/7/00	S-9 16-18 SM 3/7/00	24-26 SM 2/19/02	Methanol/ Field Blank -- 3/7/00	Methanol/ Field Blank -- 2/19/02
Total Solids	% Solid	--	88.7	92.6	95.4	87.7	--	--
PID Headspace Analysis	i.u.	--	>1000	> 1000	849	--	--	--
Gasoline Range Organics (GRO)	mg/kg	100	1,350	2,270	39	<5.7	<5	<25
<u>Volatil Organic Compounds (VOCs):</u>								
Benzene	ug/kg	5.5	3,490	< 3,020	< 26	<29	<25	<25
1,2-Dichloroethane (1,2-DCA)	ug/kg	4.9	--	--	--	<29	<25	--
Ethylbenzene	ug/kg	2,900	14,700	30,200	189	<29	<25	<25
Methyl-tert-butyl-ether (MTBE)	ug/kg	--	< 564	< 540	< 26	<29	<25	<25
Toluene	ug/kg	1,500	22,500	55,100	262	<29	<25	<25
1,2,4-Trimethylbenzene (1,2,4-TMB)	ug/kg	--	50,700	81,000	713	51	<25	<25
1,3,5-Trimethylbenzene (1,3,5-TMB)	ug/kg	--	14,700	23,800	252	<29	<25	<25
Total Xylenes (m/p-Xylene + o-Xylene)	ug/kg	4,100	71,000	148,000	964	<40	<75	<35

Footnotes:

USCS = Unified Soil Classification System

PID = Photo-ionization Detector

TPH = Total Petroleum Hydrocarbons

mg/kg = Milligrams per Kilogram

ug/kg = Micrograms per Kilogram

i.u. = Instrument Units

-- = Not Analyzed or No WAC NR720 Standard

Bold Value = WAC NR 720 Standard Exceedence

**Post-Remedial Soil Sample Field Screening Results -
Richfield Service, 2903 Hwy. 167 West, Richfield, Wisconsin**

Sample Location Sample Collection Date Sample Depth		SB12 3/7/00	SB13 3/7/00	SB14 3/7/00	PZ-1 2/19/02
0-2	S1	10.0	0.0	67.0	0.0
2-4	S2	6.0	0.0	0.0	0.0
4-6	S3	60.0	6.5	19.0	0.0
6-8	S4	15.0	15.0	0.0	0.0
8-10	S5	6.5	6.5	10.0	0.0
10-12	S6	6.5	6.5	6.0	0.0
12-14	S7	937	937	6.0	0.0
14-16	S8	145	145	0.0	0.0
16-18	S9	>1000	>1000	849	38.0
18-20	S10	EOB	EOB	EOB	120
20-24	S11				300
24-26	S12				0.0
26-28	S13				NS
28-30	S14				NS
30-32	S15				NS
32-34	S16				NS
34-36	S17				NS
36-38	S18				NS
38-40	S19				NS

Groundwater Analytical Results Summary
 Richfield Rent A Car LUST Site BRRTS# 03-67-005194

Well MW-1

PVC Elevation =

967.66

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	950.19	17.58	<200	1900	100000	27000	3300	1800	3100	<200	780	44000	3190	14100
9/12/1996	951.31	16.46	NOT SAMPLED - FREE PRODUCT											
1/21/1997	951.00	16.77	<12	320	92000	9400	970	880	3300	47	1000	20000	5800	20500
2/6/1998	950.00	17.77	<26	NS	NS	15000	720	900	2800	<42	1000	28000	4000	17900
5/13/1998	953.85	13.92	<35	101	58000	2400	<36	120	1900	<31	840	13000	3770	15100
9/16/1998	951.28	16.49	<35	NS	NS	1400	<36	52	1200	<31	880	6900	4600	12500
1/21/1999	949.12	18.65	NS	NS	NS	14000	NS	NS	2400	<62	1800	28000	5700	16000
3/7/2000	NM	NM	NS	NS	NS	5100	NS	NS	650	<3.2	NS	5600	1790	6200
2/28/2002	952.71	14.95	NS	59	NS	4800	<25	140	1000	<25	530	4400	2320	7000
5/30/2002	953.69	13.97	NS	120	NS	450	<12	<12	940	<12	410	1500	2740	6600
8/29/2002	952.31	15.35	NS	63	NS	89	<20	<20	360	<20	230	560	1810	3000
12/5/2002	950.86	16.80	NS	250	NS	1700	<6.2	13	1400	<6.2	750	5500	4320	13000
4/10/2003	949.91	17.75	NS	100	NS	4600	<62	170	1600	<62	720	6500	4500	13000
7/10/2003	950.51	17.15	NS	33	NS	2600	<50	78	630	<50	360	2900	1910	5800
10/9/2003	948.45	19.21	NS	82	NS	3400	<25	44	890	<25	550	4500	2870	7400
1/8/2004	948.83	18.83	NS	49	NS	6200	<50	200	1600	<50	590	12000	2650	9600
9/8/2004	952.16	15.50	NS	36	NS	5000	NS	70	2700	<120	710	20000	3320	14000
12/8/2004	950.78	16.88	NS	31	NS	6800	NS	<50	2030	<120	530	14000	2640	11000
3/8/2005	951.81	15.85	NS	39	NS	7500	NS	<64	2000	<64	580	15000	3290	12000
6/8/2005	951.22	16.44	NS	140	NS	7900	NS	<64	2100	<160	420	20000	2640	14000
9/26/2007	953.05	14.61	NS	23	NS	2690	NS	5.3	1780	<52	810	9100	3440	12300
12/27/2007	951.72	15.94	NS	25	NS	2150	NS	<24.5	NS	<26	NS	9300	NS	NS
3/26/2008	955.17	12.49	NS	18.6	NS	5100	NS	<76	1360	<70	580	8300	2920	9640
6/25/2008	957.35	10.31	NS	5.8	NS	3.6	NS	1.17	5.4	<0.7	12.5	15	75.8	93.5

Well MW-4

PVC Elevation =

968.27

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	950.40	17.95	<1.0	<2.0	<50	1.6	<1.0	<1.0	<1.0	<1.0	<1.0	2.3	<1.0	<1.0
9/12/1996	951.66	16.69	<1.0	<2.0	<50	0.9	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/21/1997	951.27	17.08	0.21	<1.0	<100	<0.2	<0.14	<0.046	<0.68	<0.15	<1.0	<1.5	<1.0	<0.53
2/6/1998	950.69	17.66	<0.13	NS	NS	<0.21	<0.14	<0.048	<0.68	<0.21	<1.0	<1.5	<1.0	<0.58
5/13/1998	954.52	13.83	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.66
9/16/1998	951.27	17.08	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.66
1/21/1999	950.10	18.25	NS	NS	NS	<0.32	NS	NS	<0.34	<0.31	<0.88	<0.35	<0.64	<1.0
3/7/2000	NOT SAMPLED													
2/28/2002	952.69	15.58	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
5/30/2002	953.64	14.63	NS	2.8	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
8/29/2002	952.28	15.99	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
12/5/2002	950.86	17.41	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
4/10/2003	950.02	18.25	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
7/10/2003	950.46	17.81	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
10/9/2003	948.65	19.62	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
1/8/2004	949.36	18.91	NS	<1.4	NS	2.3	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.25	<0.50
9/8/2004	952.26	16.01	NOT SAMPLED											
12/8/2004	950.87	17.4	NOT SAMPLED											
3/8/2005	951.77	16.5	NOT SAMPLED											
6/8/2005	951.09	17.18	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	952.93	15.34	NOT SAMPLED											
12/27/2007	953.66	14.61	NOT SAMPLED											
3/26/2008	955.68	12.59	NOT SAMPLED											
6/25/2008	957.46	10.81	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
 Richfield Rent A Car LUST Site BRRTS# 03-67-005194

Well MW-5

PVC Elevation =

resurveyed 3-26-08

967.88
967.61

(feet) (MSL)
(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	950.48	17.40	<50	15	13000	220	<50	<50	920	<50	190	5200	860	3700
9/12/1996	951.63	16.25	<10	16	14000	320	<10	<10	560	<10	200	2000	1650	3500
1/21/1997	951.23	16.65	4.8	6	3300	36	<1.4	0.41	41	<1.5	37	260	210	510
2/6/1998	950.69	17.19	<2.6	NS	1500	130	<2.8	<1.0	270	<4.2	120	2200	900	2840
5/13/1998	954.18	13.70	<0.35	2.6	NS	1.6	<0.36	<0.35	100	<0.31	40	94	267	390
9/16/1998	951.41	16.47	<0.35	NS	NS	5.4	<0.36	<0.35	33	<0.31	29	92	115	157
1/21/1999	950.08	17.80	NS	NS	NS	11	NS	NS	100	4.3	54	330	189	530
3/7/2000	NM	NM	NS	NS	NS	16	NS	NS	140	<0.40	NS	560	85	470
2/28/2002	952.77	15.11	NS	1.5	NS	7.1	<0.25	<0.25	31	<0.25	3.2	160	24.6	160
5/30/2002	953.74	14.14	NS	<1.2	NS	0.19	<0.25	<0.25	2.6	<0.25	<0.25	0.42	1.01	1.5
8/29/2002	952.36	15.52	NS	2	NS	<0.10	<0.25	<0.25	0.3	<0.25	<0.25	0.58	4.5	6.6
12/5/2002	950.95	16.93	NS	1.8	NS	4.9	<0.25	<0.25	15	<0.25	4.8	110	22.5	110
4/10/2003	950.13	17.75	NS	<1.4	NS	9.6	<1.0	<0.50	45	<1.0	34	110	114.1	340
7/10/2003	950.55	17.33	NS	1.5	NS	23	<2.0	<1.0	380	<2.0	97	290	312	1000
10/9/2003	948.71	19.17	NS	2.3	NS	180	<5.0	<2.5	740	<5.0	210	610	478	1400
1/8/2004	949.41	18.47	NS	4.3	NS	87	<5.0	<2.0	470	<5.0	120	720	425	1700
9/8/2004	952.33	15.55	NS	11	NS	0.98	NS	<0.20	<0.50	<0.50	0.53	4	2.29	14
12/8/2004	950.96	16.92	NS	1.7	NS	5.3	NS	<0.80	190	<2.0	38	39	74	210
3/8/2005	NM	NM	NS	2.1	NS	1.5	NS	<0.40	75	<1.0	8.2	11	29.5	66
6/8/2005	951.35	16.53	NS	3.7	NS	<0.20	NS	<0.20	1.5	<0.50	0.28	0.42	2.44	4.9
9/26/2007	953.13	14.75	NS	NS	NS	2.9	NS	NS	86	<0.52	NS	43	18.41	117
12/27/2007	951.84	16.04	NS	NS	NS	5.3	NS	NS	182	<0.53	NS	139	80.2	329
3/26/2008	NOT SAMPLED - BAILER JAMMED IN WELL													
6/25/2008	957.48	10.13	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Well MW-6

PVC Elevation =

967.19

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	950.54	17.02	1.3	<2.0	<50	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	<1.0	<1.0
9/12/1996	950.93	16.63	<1.0	<2.0	<50	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/21/1997	951.39	16.17	1.2	<1.0	<100	<0.2	<0.14	<0.046	<0.68	<0.15	<1.0	<1.5	<1.0	<0.32
2/6/1998	950.35	17.21	<0.13	NS	NS	<0.21	<0.14	<0.048	<0.68	<0.21	<1.0	<1.5	<1.0	<1.2
5/13/1998	955.34	12.22	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
9/16/1998	951.16	16.40	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
1/21/1999	NM	NM	NOT SAMPLED											
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.74	14.45	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	0.21	<0.20	<0.25
5/30/2002	953.58	13.61	NS	2.5	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
8/29/2002	952.12	15.07	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
12/5/2002	950.82	16.37	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
4/10/2003	950.11	17.08	NOT SAMPLED											
7/10/2003	950.41	16.78	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
10/9/2003	948.59	18.60	NOT SAMPLED											
1/8/2004	949.38	17.81	NS	<1.4	NS	<0.20	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.25	<0.50
9/8/2004	952.08	15.11	NOT SAMPLED											
12/8/2004	950.85	16.34	NOT SAMPLED											
3/8/2005	951.90	15.29	NOT SAMPLED											
6/8/2005	951.15	16.04	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	COULD NOT LOCATE													
12/27/2007	951.71	15.48	NOT SAMPLED											
3/26/2008	955.23	11.96	NOT SAMPLED											
6/25/2008	957.02	10.17	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Richfield Rent A Car LUST Site BRRTS# 03-67-005194

Well MW-9

PVC Elevation =

966.85

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	NM	NM	NOT SAMPLED											
9/12/1996	951.64	15.28	<1.0	<2.0	71	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	34	<1.0	4
1/21/1997	953.03	13.89	0.65	3	<100	<0.2	<0.14	<0.046	<0.68	<0.15	<1.0	<1.5	3.6	<0.32
2/6/1998	950.36	16.56	<0.13	NS	<100	<0.21	<0.14	<0.048	<0.68	<0.21	<1.0	<1.5	<1.0	<1.2
5/13/1998	954.68	12.24	<0.35	<1.0	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	2	<0.64	<0.32
9/16/1998	NM	NM	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
1/21/1999	950.24	16.68	NS	NS	NS	<0.32	NS	NS	<0.34	<0.31	<0.88	<0.35	<0.64	<1.0
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.88	13.97	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
5/30/2002	953.82	13.03	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
8/29/2002	952.40	14.45	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
12/5/2002	951.00	15.85	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
4/10/2003	950.20	16.65	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
7/10/2003	950.58	16.27	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
10/9/2003	948.74	18.11	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
1/8/2004	949.46	17.39	NS	<1.4	NS	<0.20	<0.50	<0.20	<0.50	<0.50	<0.25	<0.20	<0.25	<0.50
9/8/2004	952.37	14.48	NOT SAMPLED											
12/8/2004	951.05	15.80	NOT SAMPLED											
3/8/2005	951.99	14.86	NOT SAMPLED											
6/8/2005	951.28	15.57	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	953.09	13.76	NOT SAMPLED											
12/27/2007	951.88	14.97	NOT SAMPLED											
3/26/2008	955.48	11.37	NOT SAMPLED											
6/25/2008	957.59	9.26	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Well MW-10

PVC Elevation =

967.38

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	NM	NM	NOT SAMPLED											
9/12/1996	951.54	16.00	<1.0	<2.0	<50	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1/21/1997	951.31	16.23	0.31	<1.0	<100	<0.2	<0.14	<0.046	<0.68	<0.15	<1.0	<1.5	<1.0	<0.32
2/6/1998	950.66	16.88	<0.13	NS	NS	0.21	0.26	<0.048	<0.68	<0.21	<1.0	<1.5	<1.0	<1.2
5/13/1998	954.21	13.33	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
9/16/1998	951.09	16.45	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
1/21/1999	950.02	17.52	NS	NS	NS	<0.32	NS	NS	<0.34	<0.31	<0.88	<0.35	<0.64	<1.0
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.67	14.71	NS	<1.2	NS	1.9	0.7	<0.25	<0.25	<0.25	0.44	<0.10	<0.20	<0.25
5/30/2002	953.51	13.87	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
8/29/2002	952.05	15.33	NS	NS	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
12/5/2002	950.77	16.61	NS	NS	NS	11	2.1	0.89	<0.25	<0.25	1.6	<0.10	1.9	<0.25
4/10/2003	950.01	17.37	NS	3.2	NS	130	14	0.83	<0.50	<0.50	7.0	0.70	<0.25	1.7
7/10/2003	950.40	16.98	NS	<1.4	NS	5.6	<0.50	<0.25	<0.50	<0.50	0.42	<0.25	<0.25	<0.50
10/9/2003	948.50	18.88	NS	<1.4	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	0.4	<0.50
1/8/2004	949.35	18.03	NS	<1.4	NS	<0.20	<0.50	<0.20	<0.50		<0.25	0.23	<0.25	<0.50
9/8/2004	952.06	15.32	NOT SAMPLED											
12/8/2004	950.76	16.62	NS	1.8	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
3/8/2005	951.76	15.62	NS	0.49	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
6/8/2005	951.13	16.25	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	952.85	14.53	NOT SAMPLED											
12/27/2007	951.95	15.43	NOT SAMPLED											
3/26/2008	955.17	12.21	NOT SAMPLED											
6/25/2008	957.01	10.37	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Richfield Rent A Car LUST Site BRRTS# 03-67-005194

Well MW-11
PVC Elevation =

resurveyed 3-26-08

967.68
 967.63

(feet) (MSL)
 (feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	NM	NM	NOT SAMPLED											
9/12/1996	951.62	15.94	<1.0	<2.0	<50	<0.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.5	<1.0	<1.0
1/21/1997	951.28	16.28	0.35	1.0	<100	<0.2	<0.14	<0.046	<0.68	<0.15	<1.0	<1.5	<1.0	<0.32
2/6/1998	949.85	17.71	<0.13	NS	NS	<0.21	<0.14	<0.048	<0.68	<0.21	<1.0	<1.5	<1.0	<1.2
5/13/1998	954.49	13.07	<0.35	<1.0	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
9/16/1998	951.31	16.25	<0.35	NS	NS	<0.32	<0.36	<0.35	<0.34	<0.31	<0.88	<0.35	<0.64	<0.32
1/21/1999	950.00	17.56	NOT SAMPLED											
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.66	15.02	NOT SAMPLED											
5/30/2002	953.57	14.11	NOT SAMPLED											
8/29/2002	952.16	15.52	NOT SAMPLED											
12/5/2002	950.78	16.90	NOT SAMPLED											
4/10/2003	949.92	17.76	NOT SAMPLED											
7/10/2003	950.47	17.21	NOT SAMPLED											
10/9/2003	948.63	19.05	NOT SAMPLED											
1/8/2004	949.33	18.35	NOT SAMPLED											
9/8/2004	952.12	15.56	NOT SAMPLED											
12/8/2004	950.73	16.95	NOT SAMPLED											
3/8/2005	951.66	16.02	NOT SAMPLED											
6/8/2005	951.25	16.43	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	952.86	14.82	NOT SAMPLED											
12/27/2007	951.94	15.74	NOT SAMPLED											
3/26/2008	955.10	12.53	NOT SAMPLED											
6/25/2008	957.34	10.29	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Well MW-12
PVC Elevation =

968.17

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	NM	NM	NOT SAMPLED											
9/12/1996	NM	NM	NOT SAMPLED											
1/21/1997	NM	NM	NOT SAMPLED											
2/6/1998	NM	NM	NOT SAMPLED											
5/13/1998	NM	NM	NOT SAMPLED											
9/16/1998	NM	NM	NOT SAMPLED											
1/21/1999	NM	NM	NOT SAMPLED											
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.75	15.42	NS	18	NS	2800	<50	140	1700	<50	580	9100	2270	8500
5/30/2002	953.70	14.47	NS	14	NS	370	<50	<50	340	<50	300	1100	1400	3400
8/29/2002	952.32	15.85	NS	8.4	NS	47	<10	<10	60	<10	140	400	410	930
12/5/2002	950.93	17.24	NS	14	NS	990	<2.0	36	510	<2.0	320	4900	1200	5300
4/10/2003	950.09	18.08	NS	NS	NS	1600	<50	<25	540	<50	370	4200	1660	5500
7/10/2003	950.59	17.58	NS	NS	NS	1500	<50	<25	850	<50	400	5100	1920	6200
10/9/2003	948.63	19.54	NS	NS	NS	3200	<50	62	3500	<50	1100	23000	4280	18000
1/8/2004	949.36	18.81	NS	10	NS	3200	<250	<100	3300	<250	4600	19000	13100	20000
9/8/2004	952.31	15.86	NS	1.9	NS	850	NS	<10	690	<25	200	2000	1380	3000
12/8/2004	950.87	17.30	NS	3.7	NS	3000	NS	<80	2800	<200	880	11000	4500	15000
3/8/2005	951.82	16.35	NS	27	NS	1300	NS	<40	1600	<100	660	7900	3420	11000
6/8/2005	951.27	16.90	NS	23	NS	2700	NS	32	3400	<80	1300	16000	5400	18000
9/26/2007	953.08	15.09	NS	13	NS	142	NS	5.2	840	<26	430	1420	2830	5810
12/27/2007	951.75	16.42	NS	10	NS	302	NS	<24.5	1610	<26	680	3080	3560	9540
3/26/2008	955.24	12.93	NS	NS	NS	700	NS	<76	880	<70	320	2100	1750	4650
6/25/2008	957.41	10.76	NS	5.7	NS	30.5	NS	<0.76	44	<0.7	48	12.5	270	386

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
 Richfield Rent A Car LUST Site BRRTS# 03-67-005194

Well PZ-1

PVC Elevation =

968.20

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
4/11/1996	NM	NM	NOT SAMPLED											
9/12/1996	NM	NM	NOT SAMPLED											
1/21/1997	NM	NM	NOT SAMPLED											
2/6/1998	NM	NM	NOT SAMPLED											
5/13/1998	NM	NM	NOT SAMPLED											
9/16/1998	NM	NM	NOT SAMPLED											
1/21/1999	NM	NM	NOT SAMPLED											
3/7/2000	NM	NM	NOT SAMPLED											
2/28/2002	952.70	15.50	NS	<1.2	NS	200	<2.5	10	180	<2.5	69	760	600	950
5/30/2002	953.59	14.61	NS	2.9	NS	0.31	<0.25	<0.25	0.47	<0.25	<0.25	2.4	3.9	3.9
8/29/2002	952.16	16.04	NS	6.7	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	0.4	0.35	1.1
12/5/2002	950.82	17.38	NS	<1.2	NS	<0.10	<0.25	<0.25	<0.25	<0.25	<0.25	<0.10	<0.20	<0.25
4/10/2003	NM	NM	NOT SAMPLED											
7/10/2003	950.29	17.91	NS	NS	NS	<0.25	<0.50	<0.25	<0.50	<0.50	<0.25	<0.25	<0.25	<0.50
10/9/2003	NM	NM	NOT SAMPLED											
1/8/2004	949.34	18.86	NS	<1.4	NS	0.22	<0.25	<0.20	<0.50	<0.50	<0.25	0.85	<0.25	0.72
9/8/2004	NM	NM	NOT SAMPLED											
12/8/2004	950.88	17.32	NOT SAMPLED											
3/8/2005	NM	NM	NOT SAMPLED											
6/8/2005	951.12	17.08	NS	<1.4	NS	<0.20	NS	<0.20	<0.50	<0.50	<0.25	<0.20	<0.20	<0.50
9/26/2007	952.87	15.33	NS	NS	NS	<0.47	NS	NS	<0.38	<0.52	NS	<0.46	<1.57	<0.99
12/27/2007	950.61	17.59	NS	NS	NS	0.22	NS	NS	<0.44	<0.53	NS	0.78	<0.67	<1.21
3/26/2008	955.29	12.91	NS	NS	NS	<0.49	NS	NS	<0.68	<0.62	NS	<0.46	<1.42	<1.85
6/25/2008	957.19	11.01	NS	NS	NS	<0.24	NS	NS	<0.35	<0.7	NS	<0.39	<0.74	<1.67

Well RW-1

PVC Elevation =

967.83

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
1/21/1997	951.40	16.43	NOT SAMPLED											
2/6/1998	950.66	17.17	NOT SAMPLED											
5/13/1998	950.36	17.47	NOT SAMPLED											
9/16/1998	951.23	16.60	NOT SAMPLED											
6/25/2008	957.37	10.46	NOT SAMPLED											

Well PW

PVC Elevation =

NM

(feet) (MSL)

Date	Water Elevation (in feet MSL)	Depth to Water (in feet)	PCE (ppb)	Lead (ppb)	GRO (ppb)	Benzene (ppb)	1,2 DCA (ppb)	EDB (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
9/26/2007	NM	NM	<0.52	NS	NS	<0.47	<0.45	<0.49	<0.38	<0.52	<1.8	<0.46	<1.57	<0.99
12/27/2007	NM	NM	<0.52	NS	NS	<0.47	<0.45	<0.49	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Watertable Elevations Table
Richfield Rent A Car BRRTS# 03-67-005194
Richfield, Wisconsin

	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12	PZ-1	RW-1
<i>pvc top (ft)</i>	967.66	968.27	967.88	967.19	966.85	967.38	967.68	968.17	968.20	967.83
<i>resurveyed 3-26-08</i>			967.61				967.63			

Date

<i>Date</i>	MW-1	MW-4	MW-5	MW-6	MW-9	MW-10	MW-11	MW-12	PZ-1	RW-1
4/11/1996	950.19	950.40	950.48	950.54	NM	NM	NM	NM	NM	NM
9/12/1996	951.31	951.66	951.63	950.93	951.64	951.54	951.62	NM	NM	NM
1/21/1997	951.00	951.27	951.23	951.39	953.03	951.31	951.28	NM	NM	951.40
2/6/1998	950.00	950.69	950.69	950.35	950.36	950.66	949.85	NM	NM	950.66
5/13/1998	953.85	954.52	954.18	955.34	954.68	954.21	954.49	NM	NM	950.36
9/16/1998	951.28	951.27	951.41	951.16	NM	951.09	951.31	NM	NM	951.23
1/21/1999	949.12	950.10	950.08	NM	950.24	950.02	950.00	NM	NM	NM
3/7/2000	NM									
2/28/2002	952.71	952.69	952.77	952.74	952.88	952.67	952.66	952.75	952.70	NM
5/30/2002	953.69	953.64	953.74	953.58	953.82	953.51	953.57	953.70	953.59	NM
8/29/2002	952.31	952.28	952.36	952.12	952.40	952.05	952.16	952.32	952.16	NM
12/5/2002	950.86	950.86	950.95	950.82	951.00	950.77	950.78	950.93	950.82	NM
4/10/2003	949.91	950.02	950.13	950.11	950.20	950.01	949.92	950.09	NM	NM
7/10/2003	950.51	950.46	950.55	950.41	950.58	950.40	950.47	950.59	950.29	NM
10/9/2003	948.45	948.65	948.71	948.59	948.74	948.50	948.63	948.63	NM	NM
1/8/2004	948.83	949.36	949.41	949.38	949.46	949.35	949.33	949.36	949.34	NM
9/8/2004	952.16	952.26	952.33	952.08	952.37	952.06	952.12	952.31	NM	NM
12/8/2004	950.78	950.87	950.96	950.85	951.05	950.76	950.73	950.87	950.88	NM
3/8/2005	951.81	951.77	NM	951.90	951.99	951.76	951.66	951.82	NM	NM
6/8/2005	951.22	951.09	951.35	951.15	951.28	951.13	951.25	951.27	951.12	NM
9/26/2007	953.05	952.93	953.13	CNL	953.09	952.85	952.86	953.08	952.87	NM
12/27/2007	951.72	953.66	951.84	951.71	951.88	951.95	951.94	951.75	950.61	NM
3/26/2008	955.17	955.68	BAILER	955.23	955.48	955.17	955.10	955.24	955.29	NM
6/25/2008	957.35	957.46	957.48	957.02	957.59	957.01	957.34	957.41	957.19	957.37

Note: Elevations are presented in feet mean sea level (msl).

NM = Not Measured

CNL = Could not locate

BAILER = Bailer Stuck in Well