

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #: 02-68-000960

ACTIVITY NAME: GENERAC CORP

PROPERTY ADDRESS: S45 W29290 STH 59

MUNICIPALITY: Waukesha

PARCEL ID #: GNT 1532.997 and GNT 1532.996

CLOSURE DATE: Nov 30, 2009

FID #: 268014670

DATCP #:

COMM #:

*WTM COORDINATES:

X: 655935 Y: 277962

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRS #:	02-68-000960	PARCEL ID #:	
ACTIVITY NAME:	Generac Corp	WTM COORDINATES: X:	
		Y:	

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: A-2 **Title: Site Layout**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Soil Sample Locations**

BRRTS #: 02-68-000960

ACTIVITY NAME: Generac Corp

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: A-3 **Title: Geologic Cross Section A-A**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: A-5 **Title: Total Dissolved Chlorinated VOC ISO**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: A-4 **Title: Groundwater Flow Map**

Figure #: A-6 **Title: Groundwater Flow Map**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 **Title: Summary of Field and Laboratory Analyses**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 3 **Title: Groundwater Analytical Results**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 2 **Title: Static Groundwater Level Data**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-68-000960

ACTIVITY NAME: Generac Corp

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Waukesha Service Center
141 NW Barstow St
Waukesha, Wisconsin 53188
Telephone 262-574-2100
FAX 262-574-2117
TTY Access via relay - 711

November 30, 2009

Generac Power Systems, Inc.
Jim Frye
S45 W29290 State Highway 59
P.O. Box 59
Waukesha, WI 53187

SUBJECT: Final Case Closure with Continuing Obligations
Generac Power Systems, S45 W29290 State Highway 59, Waukesha, WI
WDNR BRRTS #: 02-68-000960
FID #: 268014670

Dear Mr. Frye:

The Wisconsin Department of Natural Resources (Department) reviewed the above referenced case for closure. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time however, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- Pavement, an engineered cover or a soil barrier must be maintained over contaminated soil and the state must approve any changes to this barrier

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. The property is listed on the GIS Registry because of remaining contamination and if you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which you and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the conditions included in this letter including compliance with referenced maintenance plans are met.

Cover or Barrier

Pursuant to s. 292.12(2)(a), Wis. Stats., the asphalt paved parking areas, covered storage area and warehouse building that currently exists in the location shown on the attached map (Exhibit A) shall be maintained in compliance with the attached maintenance plan in order to minimize the infiltration of water and prevent additional groundwater contamination that would violate the groundwater quality standards in ch. NR 140, Wis. Adm. Code. If soil in the specific locations described above is excavated in the future, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

The maintenance plan and inspection log are to be kept up-to-date and on-site. Please submit the inspection log to the Department only upon request.

Prohibited Activities

The following activities are prohibited on any portion of the property where [pavement, a building foundation, soil cover, or other barrier] is required as shown on the attached map, unless prior written approval has been obtained from the Wisconsin Department of Natural Resources: 1) removal of the existing barrier; 2) replacement with another barrier; 3) excavating or grading of the land surface; 4) filling on capped or paved areas; 5) plowing for agricultural cultivation; 6) construction or placement of a building or other structure.

Post-Closure Notification Requirements

In accordance with ss. 292.12 and 292.13, Wis. Stats., you must notify the Department before making changes that affect or relate to the conditions of closure in this letter. For this case, examples of changed conditions requiring prior notification include, but are not limited to:

- Development, construction or other changes, including zoning changes, that change the land use from industrial to non-industrial

- Disturbance, construction on, change or removal in whole or part of pavement or building that must be maintained over contaminated soil

If capped areas are disturbed, please send written notifications in accordance with the above requirements to Southeast Regional RR Program Office, to the attention of Regional RR Program contact.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Mark Drews at 262-574-2146.

Sincerely,



Frances Koonce, Sub-Team Supervisor
Southeast Remediation & Redevelopment Program

Attachments

- Exhibit A, Pavement and Building Barrier Maintenance Plan
- Pavement Cover and Building Barrier Maintenance Plan

cc: SER File
GZA GeoEnvironmental, Bernard Fenelon, 20900 Swenson Dr., Suite 150, Waukesha, WI 53186

PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN

February 20, 2009

Property Address:

Generac Power Systems, Inc.
P.O. Box 8
(S45 W29290 State Highway 59)
Waukesha, Wisconsin 53187
Tax Key #: GNT1532.997 and GNT 1532.996



FID #268014670
BRRTS #02-68-000960

Introduction

This document is the Pavement Cover and Building Barrier Maintenance Plan (“Maintenance Plan”) for a pavement cover and building barrier at P.O. Box 8 or S45 W29290 State Highway 59, in Waukesha, Wisconsin (“Site”), in accordance with the requirements of s. NR 724.13(2), Wisconsin Administrative Code (WAC). The maintenance activities relate to the existing northern portion of the Site slab-on-grade building and adjacent asphalt pavement which occupy the area over a portion of the impacted subsurface at the Site. The subsurface impacts consist of chlorinated volatile organic compounds (CVOCs) that include trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE) and vinyl chloride (VC). The location of the paved surfaces and building to be maintained in accordance with this Maintenance Plan, as well as the impacted subsurface are identified in the attached map (Exhibit A).

Cover and Building Barrier Purpose

The paved surfaces and the building over the area of subsurface impacts act as a partial infiltration barrier to minimize future groundwater contamination migration that would violate the groundwater standards in WAC Ch. NR 140. Based on the current and future use of the property, the barrier should function as intended unless disturbed.

Annual Inspection

The building slab-on-grade pavement and exterior pavements overlying the subsurface impacts, as depicted in Exhibit A, will be inspected once a year, normally in the spring after all snow and ice are gone (from exterior locations), for deterioration, cracks and other potential problems that can cause additional infiltration into the subsurface. The inspections will be performed to evaluate damage due to settling, exposure to the weather, wear from traffic, increasing age and other factors. Areas where soils have become or are likely to become exposed will be documented. A log of the inspections and any repairs will be maintained by the property owner and is included as Exhibit B, Cap Inspection Log. The log will include recommendations for necessary repair of any areas where underlying soils are materially exposed. If repairs to the paved areas appear necessary, the owner of

the Site will either make the necessary repairs or contract repair maintenance with full documentation in the inspection log. Owner will maintain the inspection log on-Site at the facility for review if requested by the Wisconsin Department of Natural Resources (WDNR).

Maintenance Activities



If problems are noted during the annual inspections or at any other time during the year, repairs will be scheduled as soon as practical. Repairs can include patching and filling operations or they can include larger resurfacing or construction operations.

In the event the paved surfaces and/or the building overlying the impacted subsurface are removed or replaced, the replacement barrier must be equally impervious. Any replacement barrier will be subject to the same maintenance and inspection guidelines, as outlined in this Maintenance Plan, unless indicated otherwise by WDNR or its successor.

In order to maintain the integrity of the paved surfaces and/or the building slab, the property owner will maintain a copy of this Maintenance Plan on the Site and make it available to all interested parties (i.e., on-Site employees, contractors, future property owners, etc.) for viewing.

Amendment or Withdrawal of Maintenance Plan

This Maintenance Plan can be amended or withdrawn by the property owner and its successors with the written approval of WDNR.

Contact Information:

Owner:


Generac Power Systems, Inc.
P.O. Box 8 or,
(S45 W29290 State Hwy 59)
Waukesha, WI 53187
Jim Frye, CHMM
262-544-4811

Consultant:

GZA GeoEnvironmental, Inc.
20900 Swenson Drive,
Suite 150
Waukesha, WI 53186
Bernard Fenelon, P.G.
262-754-2560

WDNR:

Waukesha Service Center
141 NW Barstow Street
Room 180
Waukesha, WI 53188
Mark Drews, P.G.
262-574-2146



- LEGEND**
- TOTAL DISSOLVED CHLORINATED VOC ISO-CONCENTRATION CONTOUR (DASHED WHERE INFERRED)
 - 28.50 TOTAL DISSOLVED CHLORINATED VOC CONCENTRATION DETECTED AT MONITORING POINT ON 10/05/07 (UNITS PRESENTED AS µg/l)
 - 64.95 TOTAL DISSOLVED CHLORINATED VOC CONCENTRATION DETECTED IN GROUNDWATER AT PIEZOMETER ON 10/05/07 (UNITS PRESENTED AS µg/l)
 - ND NOT DETECTED ABOVE THE LABORATORY DETECTION LIMIT
 - SS-1 SUB-SLAB VAPOR MONITORING POINT
 - GP-1 GEOPROBE BORING LOCATION/GROUNDWATER MONITORING POINT
 - HA-1 HAND AUGER BORING LOCATION/GROUNDWATER MONITORING POINT
 - PZ-1 PIEZOMETER LOCATION
 - STA-1 APPROXIMATE LOCATION OF DRAINAGE STAFF GAUGE
 - SW-1 APPROXIMATE LOCATION OF SURFACE WATER SAMPLE

AREA SUBJECT TO PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN (SUSPECTED FORMER SOURCE AREA OF CONTAMINANTS OF CONCERN)

GRASS

PARKING

COVERED OUTSIDE STORAGE

OUTSIDE BUILDING WALL

GENERAC POWER SYSTEMS, INC.
S45 W29290 STATE HIGHWAY 59
WAUKESHA, WISCONSIN

PAVEMENT AND BUILDING BARRIER MAINTENANCE PLAN

JOB NO.
20.0151517.20

FIGURE NO.
Exhibit A


REV. NO.	DESCRIPTION	BY	DATE
		OPERATOR: JAH	DATE: 1/25/08
		BGF	DGB
		DESIGNED BY:	REVIEWED BY:

APPROXIMATE 1" = 50'

GZA
GeoEnvironmental, Inc.
20500 Swenson Drive, Suite 150
Waukesha, Wisconsin • 53186 • Phone
(262) 754-2560 • Fax (262) 754-9711
www.gza.com

PAVEMENT COVER AND BUILDING BARRIER MAINTENANCE PLAN

Inspection Date	Inspector	Condition of Building Slab	Condition of Exterior Pavements	Recommendations	Recommendations for Previous Year Implemented?



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Gloria L. McCutcheon, Regional Director

Waukesha Service Center
141 NW Barstow St
Waukesha, Wisconsin 53188
Telephone 262-574-2100
FAX 262-574-2117
TTY Access via relay - 711

August 4, 2009

Generac Power Systems, Inc.
Jim Frye
S45 W29290 State Highway 59
P.O. Box 8
Waukesha, WI 53187

FID # 268014670
BRRTS # 02-68-000960

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
Generac Power Systems, S45 W29290 State Highway 59, Waukesha
Wisconsin

Dear Mr. Frye:

The Department of Natural Resources (Department) reviewed your request for closure of the case described above. The Department reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the chlorinated solvents contamination on the site from the former underground storage tank near the north end of the building appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Mark Drews on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

PURGE WATER, WASTE and SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at:

<http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 262-574-2146.

Sincerely,



Mark Drews, P.G.

Hydrogeologist

Remediation & Redevelopment Program

cc: GZA GeoEnvironmental, Bernard Fenelon, 20900 Swenson Dr., Suite 150, Waukesha, WI 53186
SER File



DOCUMENT NO.

2413934

REGISTER'S OFFICE
WAUKESHA COUNTY, WI
RECORDED ON

02-01-1999 3:05 PM

MICHAEL J. HAGSLINGER
REGISTER OF DEEDS

REC. FEE: 8.00
REC. FEE-CD: 4.00
REC. FEE-ST: 2.00
TRAN. FEE: 3000.00
TRAN. FEE-STAT: 12000.00
PAGES: 3

REC 2831 MAR 16 78

This Deed, made between Robert D. Kern

_____, Grantor,
and Generac Power Systems, Inc., a Wisconsin
corporation
_____, Grantee,
Witnesseth, That the said Grantor, for a valuable consideration
conveys to Grantee the following described real estate in Waukesha
County, State of Wisconsin:
See Exhibit A attached hereto and incorporated
herein.

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS
David M. Sanders
Reinhart, Boerner et al.
1000 North Water Street
Suite 2100
Milwaukee, WI 53203-3400

GNT 1532.997 & GNT 1532.996
Parcel Identification Number

*and matters arising through acts of Grantee as tenant

TRANSFER
\$ 15,000
FEE

OK
14
3

This is not homestead property.
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Grantor

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, general taxes levied in 1999 and items listed as permitted encumbrances on Exhibit B attached hereto, * and will warrant and defend the same.

Dated this 29 day of January, 1999.

(SEAL) Robert D. Kern (SEAL)
* Robert D. Kern

(SEAL) _____ (SEAL)
* _____


AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) _____
authenticated this _____ day of _____, 19 _____

STATE OF WISCONSIN, } ss.
Waukesha County.
Personally came before me this 29th day of
January, 1999, the above named
Robert D. Kern

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)



me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

THIS INSTRUMENT WAS DRAFTED BY
Peter D. Turke
Reinhart, Boerner et al.
Notary Public, Milwaukee County, Wis.
My Commission is permanent. (If not, state expiration date: _____)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

*Names of persons signing in any capacity should be typed or printed below their signatures.




EXHIBIT A

Parcel 1:

All that part of the Southeast 1/4 of Section 23, Town 6 North, Range 18 East, Town of Genesee, County of Waukesha, State of Wisconsin, bounded and described as follows:

Commencing at a point on the North-South 1/4 line distant North 0° 00' 30" West 387.75 feet from the South 1/4 corner of said Section 23; thence continuing North 0° 00' 30" West along said 1/4 line 2238.43 feet to the center of said Section 23; thence East and along the East-West 1/4 line of said Section 23, 1333.40 feet to the 1/8th corner; thence South 0° 03' East along the 1/8th line 775.14 feet; thence South 73° 16' West 234.63 feet; thence South 64° 11' West 329.20 feet to the center of a creek; thence South 40° 25' West along the centerline of said creek 410.07 feet; thence South 31° 42' West along the centerline of said creek 518.87 feet; thence South 5° 48' East along the centerline of said creek 396.84 feet to a point on the Northerly line of S.T.H. "59"; thence 330.06 feet on the arc of a curve to the right chord bearing South 72° 23' 15" West 330.02 feet, radius 7539.44 feet and along said Northerly line of S.T.H. "59" to the point of commencement.

EXCEPTING that part thereof described in Warranty Deed recorded as Document No. 730949.

Tax Key No. GNT 1532.997

Parcel 2:

All that part of the Southeast 1/4 of Section 23, Town 6 North, Range 18 East, in the Town of Genesee, County of Waukesha, State of Wisconsin, bounded and described as follows:

Commencing at a point on the North-South 1/4 line of said Section 23 distant North 0° 00' 30" West 287.61 feet from the South 1/4 corner thereof, said point being on the centerline of S.T.H. "59"; thence along said centerline 690.40 feet on the arc of a curve to the left chord bearing North 71° 16' 21" East 690.15 feet radius 7639.44 feet; thence North 21° 19' West 100.00 feet to a point on the Northerly line of S.T.H. "59" and to point of beginning of the lands herein described; thence along said Northerly line of S.T.H. "59" 322.39 feet on the arc of a curve to the right chord bearing South 69° 54' 30" West 322.39 feet radius 7539.44 feet to a point on the center of a creek; thence North 5° 48' West along said center line 396.84 feet; thence North 31° 42' East along said centerline 518.87 feet; thence North 40° 25' East along said centerline 410.07 feet; thence North 64° 11' East 329.20 feet; thence North 73° 16' East 234.63 feet to a point on the 1/8th line; thence South 0° 03' East along the 1/8th line 313.43 feet; thence South 89° 57' West 70.00 feet to a point on the Westerly line of Hillside Drive; thence South 0° 03' East along said Westerly line 564.91 feet; thence South 34° 19' West 194.11 feet to a point on the Northerly line of S.T.H. "59"; thence South 68° 41' West along said Northerly line 577.34 feet to the point of beginning.

Tax Key No. GNT 1532.996

EXHIBIT B
Permitted Encumbrances

REEL 2831 IMAGE 1680

Limitations imposed upon access set forth in Award of Damages recorded as Document No. 485441.

Utility Easement granted to Wisconsin Electric Power Company recorded as Document No. 494212.

Utility Easement granted to Wisconsin Electric Power Company and Wisconsin Telephone Company recorded as Document No. 646108.

Telephone Line Right-of-Way Easement granted to North-West Telephone Company recorded as Document No. 842342.

Utility Easement granted to Wisconsin Electric Power Company and North-West Telephone Company recorded as Document No. 850883.

Easement set forth in Award of Damages recorded as Document No. 485442.

Utility Easement granted to Wisconsin Electric Power Company and Wisconsin Telephone Company recorded as Document No. 672193.

Utility Easement granted to Wisconsin Electric Power Company recorded as Document No. 1503657.

Reservation for Highway set forth in Quit Claim Deed recorded as Document No. 653375.

Easement set forth in Warranty Deed recorded as Document No. 730949.

Public or private rights, if any, in such portion of the subject premises as may be presently used, laid out or dedicated in any manner whatsoever, for road purposes.

Rights of the public in any portion of the subject premises lying below the ordinary highwater mark of the creek.

Rights of the public in that portion of the premises lying within the limits of Hillside Drive.

Rights of tenants in possession (including any rights to tenants fixtures owned by such tenants located on the demised premises and any liens on such tenants fixtures).

Holding Tank Agreement recorded as Document No. 1930456.

Apparent interest of Zero Zone Refrigerator Manufacturing, Inc. to that portion of the subject premises described in the above described Holding Tank Agreement. The interest of said party does not otherwise appear of record.

DESCRIPTION

All that part of the Southeast one-quarter of Section 23, Town 6 North, range 18 East, Town of Genesee, Waukesha County, Wisconsin, bounded and described as follows, to-wit: Commencing at a point on the North-South one-quarter line of said Section 23 distant North $0^{\circ}00'30''$ West 287.61 feet from the South one-quarter corner thereof, said point being on the centerline of S.T.H. "59"; thence along said centerline 690.40 feet on the arc of a curve to the left chord bearing North $71^{\circ}16'21''$ East 690.15 feet radius 7639.44 feet; thence North $21^{\circ}19'$ West 100.00 feet to a point on the Northerly line of S.T.H. "59" and to point of beginning of the lands herein described; thence along said Northerly line of S.T.H. "59" 322.39 feet on the arc of a curve to the right chord bearing South $69^{\circ}54'30''$ West 322.39 feet radius 7539.44 feet to a point on the center of a creek; thence North $5^{\circ}48'$ West along said centerline 396.84 feet; thence North $31^{\circ}42'$ East along said centerline 518.87 feet; thence North $40^{\circ}25'$ East along said centerline 410.07 feet; thence North $64^{\circ}11'$ East 329.20 feet; thence North $73^{\circ}16'$ East 234.63 feet to a point on the 1/8th line; thence South $0^{\circ}03'$ East along the 1/8th line 313.43 feet; thence South $89^{\circ}57'$ West 70.00 feet to a point on the Westerly line of Hillside Dr.; thence South $0^{\circ}03'$ East along said Westerly line 564.91 feet; thence South $34^{\circ}19'$ West 194.11 feet to a point on the Northerly line of S.T.H. "59"; thence South $68^{\circ}41'$ West along said Northerly line 577.34 feet to the point of beginning and containing 19.145 acres of land. Excepting and reserving therefrom the following described easement for highway purposes. Commencing at the point where the North line of the above described parcel intersects the 1/8th line of said Section 23; thence South $0^{\circ}03'$ East along the 1/8th line 31.32 feet; thence South $73^{\circ}16'$ West 223.26 feet; thence South $64^{\circ}11'$ West 345.27 feet; thence North $5^{\circ}47'$ East 35.21 feet; thence North $64^{\circ}11'$ East 329.20 feet; thence North $73^{\circ}16'$ East 234.63 feet to the point of beginning.




WCPS0061431

CERTIFICATION


"I have surveyed the above described property and the above map is a true representation thereof, and shows the size and location of the property, its exterior boundaries, the location and dimensions of all structures thereon, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage or guarantee the title thereto, within one (1) year from date hereof; and as to them I hereby certify that said survey and the above map were made in accordance with acceptable professional standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof".

Dated this 4th day of March, 1991.


Registered Land Surveyor





th,
and
with
il
the
1
1.15
point
lands
39
West
thence
2'
&
ence
uth

uth
West
uth
inn-
re-
ng
sects
1/8th
0'11'
0'11'
r

142.70'
true
its
n,
he
ereto,
t said
onal
y
eof".



GENERAC[®]
POWER SYSTEMS, INC.

January 18, 2008


Mr. Mark Drews
Wisconsin Department of Natural Resources
141 NW Barstow Ave
Waukesha, WI 53188

Re: Statement of Responsible Party
Generac Power Systems, Inc.
S45 W29290 State Highway 59
Waukesha, Wisconsin
WDNR BRRTS Case #02-68-000960
WDNR FID #268014670

Dear Mr. Drews:


As required for site closure under Wisconsin Department of Natural Resources Geographic Information System Registry of Closed Remediation Sites, Generac Power Systems Inc. previously identified as the responsible party for the impacts identified in the attached Closure Request for the site located at S45 W29290 State Highway 59, Waukesha, Wisconsin, believes that the legal description for the site being submitted to the Wisconsin Department of Natural Resources is complete and accurate.

Sincerely,



Jim Frye, CHMM
Environmental & Safety Manager
Generac Power Systems, Inc.

JA151500to151599\151517 Generac\Site Closure\RPstatement\tr.doc




MUSGS 9 km E of Geneseo, Wisconsin, United States 01 Jul 1976

DESCRIPTION		BY	DATE
PROJECT NO. 20.0151517.20			
FIGURE NO. 1			
SCALE: 1:24,000 0 1000' 2000' 4000'		PROJ MGR: [REDACTED] DESIGNED BY: [REDACTED] REVIEWED BY: [REDACTED] DRAWN BY: [REDACTED] DATE: 2/17/2006	
GENERAC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WAUKESHA, WISCONSIN		GZA GeoEnvironmental, Inc. 20900 Swenson Drive, Suite 150 Waukesha, Wisconsin 53186 www.gza.com P. (262)754-2560 F. (262)754-9711	
SITE LOCATION MAP			

Image courtesy of the U.S. Geological Survey
 ● Approximate Location of Water-Supply Well

NOTE:
SITE FEATURES DISCERNED FROM 2005
AERIAL PHOTOGRAPH ACQUIRED FROM
WAUKESHA COUNTY GIS WEBSITE.




LEGEND

- A — A' GEOLOGIC CROSS SECTION LOCATION
- ~ APPROXIMATE BOUNDARY OF G.W. IMPACT- EXCESS OF WIS. ADMIN. CODE CHAPTER WR140 ENFORCEMENT STANDARDS (DASHED WHERE INFERRED)
- RS-2 APPROXIMATE LOCATION OF SUMP
- MW106 APPROXIMATE LOCATION OF MONITORING WELL
- P200 APPROXIMATE LOCATION OF PIEZOMETER
- GP-1 APPROXIMATE LOCATION OF GEOPROBE BORING LOCATION/GROUNDWATER MONITORING WELL
- HA-1 APPROXIMATE LOCATION OF HAND AUGER BORING LOCATION
- PZ-1 APPROXIMATE LOCATION OF PIEZOMETER LOCATION
- STA-1 APPROXIMATE LOCATION OF DRAINAGE STAFF GAUGE
- SW-1 APPROXIMATE LOCATION OF SURFACE WATER SAMPLE LOCATION




REV. NO.	DESCRIPTION	BY	DATE
PROJ MGR: BGF DESIGNED BY: BGF REVIEWED BY: BGF		OPERATOR: KCD	DATE: 9/27/2006
APPROXIMATE 1" = 150' 0 75' 150' 300'		GZA GeoEnvironmental, Inc. 2000 Swenson Drive, Suite 100 Waukesha, WI 53186 (262) 794-2500 • Fax: (262) 794-0711 www.gza.com	
GENERAC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WAUKESHA, WISCONSIN		SITE LAYOUT WITH BOUNDARY OF CH.NR140 ENFORCEMENT STANDARD EXCEEDANCES IN GROUNDWATER	
JOB NO.		20.0151517.01	
FIGURE NO.		A-2	

G.M.B. ENGINEERING 537167



EXPLANATION

- MW101 ● GROUND-WATER MONITORING WELL IDENTIFICATION AND LOCATIONS
- B2 SOIL BORING IDENTIFICATION AND LOCATIONS
- UNDERGROUND TELEPHONE CABLES
- · - · - WATER SERVICE MAIN
- - - - PROPERTY LINE
- ⊠ TRANSFORMER
- · - · - SANITARY SEWER
- X - X - FENCE



REV.	PROJECT: GNR130592	DATE: 04/16/92
THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED. THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND.		

▲ Northern Environmental
Hydrologists • Engineers • Geologists

**GENERAC CORPORATION
GENESEEO, WISCONSIN**

SITE LAYOUT

FIGURE 2

STORAGE BUILDING




*GR 110 ppm
BETX LDL*

*110 ppm GR
BETX LDL*

FINAL EXTENT OF REMEDIAL EXCAVATION

North pit 2

*GR 0 LDL
BETX LDL*




EXPLANATION

- ▲ S8 LOCATION AND IDENTIFICATION OF SOIL SAMPLES SCREENED AND LABORATORY ANALYZED
- △ F1 LOCATION AND IDENTIFICATION OF SOIL SAMPLES SCREENED BUT NOT LABORATORY ANALYZED
- ⊕ SOIL VENT SYSTEM (4" DIA. PVC)
- SANITARY SEWER
- x-x- FENCE

*GR 290
BETX 1.8
1.06 ppm
1.8
3.8
1.4
1.003*


DL = Detection Limit



G.M.B. ENGINEERING 537167

REV.	PROJECT: GNR130592	DATE: 04/16/92	GENERAC CORPORATION GENESEE, WISCONSIN
	<small>THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED. THE DRAWING AND ANY COPIES THEREOF SHALL BE RETURNED TO THE OWNER ON DEMAND.</small>		
▲ Northern Environmental <small>Hydrologists • Engineers • Geologists</small>			


FIGURE 3



- NOTES:**
1. STATIC GROUNDWATER ELEVATION SHOWN FOR OCTOBER 05, 2007 SITE VISIT.
 2. GROUNDWATER QUALITY RESULTS SHOWN FOR OCTOBER 2007 SAMPLING EVENT, UNITS REPORTED IN ug/l.
 3. ELEVATION RELATIVE TO ESTABLISHED SITE DATUM OF 100 FEET.
 4. (110) CONCENTRATION IN EXCESS OF WIS. ADMIN. CODE NR140 ENFORCEMENT STANDARD

- LEGEND:**
- ▽ STATIC PIEZOMETRIC WATER LEVEL
 - ▽ (inverted) STATIC SHALLOW WATER LEVEL
 - ▬ SHALLOW WELL SCREEN INTERVAL
 - ▬ (with dots) PIEZOMETER SCREEN INTERVAL
 - TCE TRICHLOROETHENE
 - CIS CIS-1,2-DICHLOROETHENE
 - TRANS TRANS-1,2-DICHLOROETHENE
 - DCA 1,1-DICHLOROETHANE
 - VC VINYL CHLORIDE
 - CL CLAY
 - CL-ML CLAYEY SILT
 - SC CLAYEY SAND
 - ML SILT
 - SP CLEAN SAND
 - SM SILTY SAND WITH OCCASIONAL GRAVEL, COBBLES, SOME CLAYEY SILT
 - ▬ (with wavy lines) WEATHERED BEDROCK SURFACE (DOLOMITE)

<p>PROJ MGR: BGF DESIGNED BY: DGB REVIEWED BY: DGB OPERATOR: DATE: 1/19/08</p>	<p>JOB NO. 20.0151517</p> <p>FIGURE NO. A-3</p>
<p>GENERIC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WALUKESHA, WISCONSIN</p>	
<p>GEOLOGIC CROSS SECTION A - A'</p>	
<p>GZA GeoEnvironmental, Inc. 2000 Lakeshore Drive, Milwaukee, Wisconsin 53218 Tel: (414) 764-7171 www.gza.com</p>	
<p>HORIZONTAL SCALE 1" = 10'</p>	<p>VERTICAL SCALE 1" = 10'</p>
	<p>REV. NO. DESCRIPTION BY DATE</p>




LEGEND

- 50.00 — TOTAL DISSOLVED CHLORINATED VOC ISO-CONCENTRATION CONTOUR (DASHED WHERE INFERRED)
- 7.0 TOTAL DISSOLVED CHLORINATED VOC CONCENTRATION DETECTED AT MONITORING POINT ON 10/06 (UNITS PRESENTED AS ug/l)
- 160 TOTAL DISSOLVED CHLORINATED VOC CONCENTRATION DETECTED IN 4/99 BY OTHERS
- 7.0 TOTAL DISSOLVED CHLORINATED VOC CONCENTRATION DETECTED IN GROUNDWATER AT PIEZOMETER
- ND DETECTED ABOVE THE LABORATORY LEVEL OF QUANTIFICATION
- RS-2 ● APPROXIMATE LOCATION OF SUMP
- MW106 ● APPROXIMATE LOCATION OF MONITORING WELL
- P200 ● APPROXIMATE LOCATION OF PIEZOMETER
- GP-1 ● GEOPROBE BORING LOCATION
- HA-1 ■ HAND AUGER BORING
- PZ-1 ● PIEZOMETER LOCATION
- STA-1 ● APPROXIMATE LOCATION OF DRAINAGE STAFF GAUGE
- SW-1 ● APPROXIMATE LOCATION OF SURFACE WATER SAMPLE COLLECTED 10/14/06


<p>REV. NO.</p>	<p>DESCRIPTION</p>	<p>BY</p>	<p>DATE</p>
<p>PROJ MGR: DESIGNED BY: REVIEWED BY:</p>	<p>BGF CIM</p>	<p>OPERATOR: CLK</p>	<p>DATE: 10/24/06</p>
<p>1" = 50'</p> <p>0 25' 50' 100'</p>			
<p>GENERAC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WAUKESHA, WISCONSIN</p>			
<p>TOTAL DISSOLVED CHLORINATED VOC ISO-CONCENTRATION MAP</p>			
<p>JOB NO.</p> <p style="font-size: 1.2em;">20.0151517</p>		<p>FIGURE NO.</p> <p style="font-size: 1.2em;">A-5</p>	

GZA
GeoEnvironmental, Inc.
2000 Silicon Drive
Waukesha, Wisconsin
53186
Tel: (262) 784-7111
www.gza.com



- LEGEND**
- 83.00 ——— GROUNDWATER EQUIPOTENTIAL LINE (CONTOUR INTERVAL = 1.0 FEET)
 - 85.20 GROUNDWATER ELEVATION MEASURED AT MONITORING WELL ON 10/14/06
 - GROUNDWATER FLOW DIRECTION
 - RS-2 APPROXIMATE LOCATION OF SUMP
 - MW106 APPROXIMATE LOCATION OF MONITORING WELL
 - P200 APPROXIMATE LOCATION OF PIEZOMETER
 - GP-1 GEOPROBE BORING LOCATION
 - HA-1 HAND AUGER BORING LOCATION
 - PZ-1 PIEZOMETER LOCATION
 - STA-1 APPROXIMATE LOCATION OF DRAINAGE STAFF GAUGE
 - SW-1 APPROXIMATE LOCATION OF SURFACE WATER SAMPLE COLLECTED 10/14/06

REV. NO.		DESCRIPTION		BY		DATE	
PROJ MGR:		BGF		OPERATOR:		CLK	
DESIGNED BY:		CJM		DATE:		10/24/06	
REVIEWED BY:							
1" = 50'		50'		100'			
0		25'		50'		100'	
GENERAC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WAUKESHA, WISCONSIN				GZA GeoEnvironmental, Inc. 2000 Business Drive • Waukesha, Wisconsin • 53186 Phone (262) 794-2400 • Fax (262) 794-9211 www.gza.com			
GROUNDWATER FLOW MAP 10/14/06				JOB NO. 20.0151517			
FIGURE NO. A-4							



- LEGEND**
- GROUNDWATER EQUIPOTENTIAL LINE (CONTOUR INTERVAL = 1.0 FEET)
 - GROUNDWATER FLOW DIRECTION
 - GROUNDWATER ELEVATION MEASURED AT MONITORING WELL ON 10/05/07
 - APPROXIMATE LOCATION OF SUMP
 - APPROXIMATE LOCATION OF MONITORING WELL
 - APPROXIMATE LOCATION OF PIEZOMETER
 - GEOPROBE BORING/ MONITORING WELL LOCATION
 - HAND AUGER BORING LOCATION/GROUNDWATER MONITORING POINT
 - PIEZOMETER LOCATION
 - APPROXIMATE LOCATION OF DRAINAGE STAFF GAUGE
 - APPROXIMATE SURFACE WATER SAMPLE LOCATION

REV. NO.	DESCRIPTION	BY	DATE
	PROJ MGR: JAH	OPERATOR: JAH	
	DESIGNED BY: BGF	REVIEWED BY: DGB	DATE: 2/18/08
APPROXIMATE 1" = 50' 		GZA GeoEnvironmental, Inc. 20600 Sweetwood Drive, Suite 150 Waukesha, Wisconsin 53186 • Phone: (262) 533-2500 • Fax: (262) 794-9714 www.gza.com	
		GENERAC POWER SYSTEMS, INC. S45 W29290 STATE HIGHWAY 59 WAUKESHA, WISCONSIN GROUNDWATER FLOW MAP 10/5/2007	
JOB NO.		20.0151517	
FIGURE NO.		A-6	

Table 1 Summary of Field and Laboratory Analyses, Remedial Activities, North Side of Manufacturing Building, Generac Corporation, Geneseo, Wisconsin

Sample Label	Depth (feet)	Date Collected	PID Headspace Analyses			Laboratory Analysis							Sample Odor	Sample Description	Sample Location (feet)
			Time Collected	Time Analyzed	PID Response (u)	Gasoline Range Organics (GRO) (ppm)	Benzene (ppm)	Ethylbenzene (ppm)	Toluene (ppm)	Xylenes (ppm)	MTBE (ppm)	Total Lead (ppm)			
F1	1.0	11/04/91	0950	1000	250								Strong gasoline	Brown sand and gravel fill	100 East, 20 North
F2	2.0	11/04/91	1010	1020	3.0								None	Brown sand and gravel fill	100 East, 10 North
F3	3.0	11/04/91	1120	1140	263								Strong gasoline	Grayish brown clayey sand	100 East, 15 North
F4	4.0	11/04/91	1150	1158	110								Strong gasoline	Grayish brown clayey sand	100 East, 6 North
F5	3.0	11/04/91	1200	1210	86								Strong gasoline	Grayish brown clayey sand	100 East, 5 North
F6	6.0	11/04/91	1235	1250	48								Moderate gasoline	Grayish brown clayey sand	100 East, 5 North
F7	9.0	11/04/91	1325	1335	27								Slight gasoline	Dark brown silty clay	100 East, 3 North
S8	6.0	11/04/91	1330	1340	217	20	<.006	.014	.014	.072	<.025	<2.82	Strong gasoline	Grayish brown clayey silty sand	100 East, 3 North
F9	10.0	11/04/91	1335	1345	349								Strong gasoline	Grayish brown clayey silty sand	100 East, 8 North
F10	12.0	11/04/91	1400	1410	249								Strong gasoline	Grayish brown clayey silty sand	100 East, 8 North
F11	8.0	11/04/91	1410	1430	160								Strong gasoline	Grayish brown clayey silty sand	108 East, 10 North
F12	10.0	11/04/91	1415	1435	61.0								Strong gasoline	Grayish brown clayey silty sand	108 East, 10 North
F13	14.0	11/04/91	1430	1440	0.0	6.0	<.006	<.020	<.015	<.025	<.025	<2.82	Moderate gasoline	Grayish brown clayey silty sand	108 East, 10 North
F13	14.0	11/04/91	1430	1440	0.0	6.0	<.006	<.020	<.015	<.025	<.025	<2.82	None	Grayish brown clayey silty sand	100 East, 10 north
W14	10.0	11/04/91	1450	1515	21.0								Slight gasoline	Grayish brown clayey silty sand	94 East, 10 North
W101	6.0	11/05/91	0735	0750	181								Strong gasoline	Dark brown silty clay	88 East, 10 North
W102	10.0	11/05/91	0738	0755	4.4								None	Brown clayey sand	88 East, 10 North
F103	3.0	11/05/91	0740	0800	102								Strong gasoline	Brown clayey sand	92 East, 10 north
F104	6.0	11/05/91	0745	0805	186								Strong gasoline	Dark brown clayey, silty sand	92 East, 10 north
F105	9.0	11/05/91	0750	0806	80.0								Moderate gasoline	Light brown silty sand	92 East, 10 north
W106	4.0	11/05/91	0810	0820	71.0								Moderate gasoline	Light brown silty sand	100 East, 22 North
N107	6.0	11/05/91	0812	0825	168								Strong gasoline	Light brown silty sand	100 East, 22 North
N108	10.0	11/05/91	0814	0830	3.8								None	Light brown silty sand	100 East, 22 North
F109	3.0	11/05/91	0830	0840	44.0								Moderate gasoline	Brown silty sand and gravel	85 East, 5 North
F110	6.0	11/05/91	0831	0841	121								Strong gasoline	Brown silty sand and gravel	85 East, 5 North
F111	9.0	11/05/91	0832	0842	225								Strong gasoline	Brown silty sand and gravel	85 East, 5 North
W112	6.0	11/05/91	0835	0845	61.0								Moderate gasoline	Brown silty sand and gravel	85 East, 10 North
F113	9.0	11/05/91	0840	0850	29.0								Moderate gasoline	Brown silty sand and gravel	88 East, 10 North
F114	10.0	11/05/91	0915	0925	3.8	<0.5	<.006	<.020	<.015	<.025	<.025	<2.94	None	Brown silty sand and gravel	88 East, 20 North
F115	6.0	11/05/91	0925	0935	10.1								None	Dark brown silty sand	100 East, 25 North
F116	9.0	11/05/91	0935	0945	345								Strong gasoline	Brown silty sand	100 East, 20 North
N117	9.0	11/05/91	1000	1015	0.5								None	Brown silty sand	100 East, 30 North
N118	6.0	11/05/91	1020	1035	3.5	4.2	<.006	<.020	<.015	<.025	<.025	<2.82	None	Brown silty sand	100 East, 30 North
N119	3.0	11/05/91	1025	1040	1.0								None	Brown silty sand	100 East, 30 North
F120	3.0	11/05/91	1100	1110	127								Strong gasoline	Brown silty sand	80 East, 5 North
F121	6.0	11/05/91	1110	1120	25.0								Moderate gasoline	Brown silty sand	80 East, 5 North
W122	6.0	11/05/91	1120	1130	1.1	<0.5	<.006	<.020	<.015	<.025	<.025	6.90	None	Brown silty sand	70 East, 10 North
W123	9.0	11/05/91	1130	1140	123								Strong gasoline	Dark brown clayey, silty sand	78 East, 5 North
N124	3.0	11/05/91	1132	1145	24.0								Slight gasoline	Brown silty sand	80 East, 25 North
N125	6.0	11/05/91	1135	1150	4.8								None	Brown silty sand	82 East, 28 North
S126	4.0	11/05/91	1150	1200	257	290	>.006	1.8	3.8	19.4	.003	<2.82	Strong gasoline	Brown silty sand	80 East, 3 North
S127	9.0	11/05/91	1152	1205	174								Strong gasoline	Brown silty sand	80 East, 3 North
F128	9.0	11/05/91	1200	1210	1.0	2.3	<.06	<.020	<.015	<.025	<.025	<2.82	None	Brown silty sand	75 East, 10 North
W129	3.0	11/05/91	1202	1212	179								Strong gasoline	Brown silty sand	75 East, 5 North

GNR130592.TBL1

Table 1 Continued

Sample Label	Depth (feet)	Date Collected	PID Headspace Analyses			Laboratory Analysis							Sample Odor	Sample Description	Sample Location (feet)	
			Time Collected	Time Analyzed	PID Response (ui)	Gasoline Range Organics (ppm)	Benzene (ppm)	Ethylbenzene (ppm)	Toluene (ppm)	Xylenes (ppm)	MTBE (ppm)	Total Lead (ppm)				
F130	2.0'	11/05/91	1210	1215	41.0											
N131	5.0	11/05/91	1300	1310	0.8	<0.5	<.006	<.020	<.015	<.025	<.025	4.54	Moderate gasoline	Brown silty sand	73 East, 5 North	
N132	3.0	11/05/91	1301	1311	0.5								None	Brown silty sand	80 East, 28 North	
F133	3.0	11/05/91	1320	1330	117								None	Brown silty sand	80 East, 28 North	
F134	9.0	11/05/91	1420	1430	0.7	<.05	<.006	<.020	<.015	<.025	<.025	<2.82	Strong gasoline	Brown silty sand	108 East, 5 North	
F135	6.0	11/05/91	1425	1435	219								None	Dark brown silty clay	115 East, 8 North	
E136	4.0 - 6.0	11/05/91	1500	1510	6.3								Strong gasoline	Grayish brown clayey, silty sand	115 East, 8 North	
E137	4.0 - 6.0	11/05/91	1510	1520	1.5	<0.5	<.006	<.020	<.015	<.025	<.025	<2.82	None	Grayish brown clayey, silty sand	110 East, 25 North	
N138	4.0 - 6.0	11/05/91	1530	1540	0.7								None	Grayish brown clayey, silty sand	125 East, 10 North	
F139	3.0	11/05/91	1532	1545	6.0	0.9	<.006	<.020	<.015	<.025	<.025	<2.82	None	Grayish brown clayey, silty sand	120 East, 20 North	
													None	Grayish brown clayey, silty sand	122 East, 10 North	

NOTE:

Sample location is referenced from northwest corner of building addition (see Figure 2)

ppm = parts per million

F = Floor

N = North Wall

S = South Wall

E = East Wall

W = West Wall

MTBE = Methyl Tertiary Butyl Ether

ui = instrument units as isobutylene

GNR130592.TBL1



TABLE 3
GROUNDWATER ANALYTICAL RESULTS
 Generac Power Systems
 Waukesha, Wisconsin

PARAMETERS	UNITS	NR 140 ES / PAL	GP-1								GP-2				GP-3					
			10/4/06	3/22/07	6/22/07	6/22/07 Dup	10/5/07	10/5/07 Dup	9/4/08	12/5/08	10/5/06	3/22/07	6/21/07	10/5/07	10/5/06	3/22/07	6/22/07	10/5/07	9/4/08	12/5/08
Chlorinated VOCs			Downgradient of Source								Downgradient of Source				Downgradient of Source					
1,1,1-Trichloroethane	µg/l	200 / 40	<4	<1	<1	<1	<2	<2	<2	<0.2	<1	NS	<0.2	<0.2	<1	<1	<1	<2	<2	<2
1,1,2-Trichloroethane	µg/l	5 / 0.5	<4	<0.5	<1	<1	<2	<2	<3	<0.3	<1	NS	<0.2	<0.2	<1	<0.5	<1	<2	<3	<3
1,1-Dichloroethane	µg/l	850 / 85	<4	<0.75	<1	<1	<2	<2	<2	<0.2	<1	NS	<0.2	<0.2	<1	<0.75	<1	<2	<2	<2
1,1-Dichloroethene	µg/l	7 / 0.7	<4	<0.75	<2	<2	<4	<4	<4	0.55	<1	NS	<0.4	<0.4	<1	<0.75	<2	<4	<4	<4
1,2-Dichloroethane	µg/l	5 / 0.5	<4	<0.5	<1	<1	<2	<2	<3	<0.3	<1	NS	<0.2	<0.2	<1	<0.5	<1	<2	<3	<3
cis-1,2-Dichloroethene	µg/l	70 / 7	370	31.7	27	37	134	131	25	66.1	38	NS	13.0	21.2	210	264	169	412	211	290
Tetrachloroethene	µg/l	5 / 0.5	<4	<0.5	<1.5	<1.5	<3	<3	<3	<0.3	<1	NS	<0.3	<0.3	<1	<0.5	<1.5	<3	<3	<3
trans-1,2-Dichloroethene	µg/l	100 / 20	<4	<0.5	<1	<1	5.93	9.14	<2	0.43	4.1	NS	2.4	2.88	1.4	1.2	1.7	2.59	3.19	<2
Trichloroethene	µg/l	5 / 0.5	350	46.4	17.6	28.9	79.6	358	28.5	98.9	41	NS	<0.2	<0.2	130	83.8	94.1	25.7	409	173
Vinyl Chloride	µg/l	0.2 / 0.02	18	<0.75	1.26	1.44	3.49	4.19	<2	2.70	4.4	NS	5.59	4.42	3.7	8.26	6.86	20.6	<2	18.7
Total Molar Concentration	10 ⁹ mol/l	---	83	9.2	5.0	7.5	24	61	6.2	20	9.7	NS	1.8	2.6	38	37	29	45	75	52
MNA Parameters																				
Ethane	µg/l	---	-	<1.4	<1.4	<1.4	2.18	-	-	-	-	-	-	-	-	5.26	4.31	324	-	-
Ethene	µg/l	---	-	<1.5	<1.5	<1.5	<1.5	-	-	-	-	-	-	-	-	<1.5	<1.5	1.58	-	-
Methane	µg/l	---	-	54	950	1,220	533	-	-	-	-	-	-	-	-	380	427	879	-	-
Sulfate	mg/l	---	-	74.7	46.5	46.9	32.5	-	-	-	-	-	-	-	-	27.9	30.1	29.8	-	-
TOC	mg/l	---	-	4.5	11.0	9.82	6.86	-	-	-	-	-	-	-	-	4.66	7.15	9.16	-	-
Iron	mg/l	---	-	0.048	0.048	0.061	0.169	-	-	-	-	-	-	-	-	0.04	3.96	9.23	-	-
Manganese	µg/l	---	-	71.9	71.9	40.1	60.1	-	-	-	-	-	-	-	-	41.3	649	426	-	-



TABLE 3
GROUNDWATER ANALYTICAL RESULTS
 Generac Power Systems
 Waukesha, Wisconsin

PARAMETERS	UNITS	NR 140 ES / PAL	GP-4				GP-5				GP-6				GP-7			
			10/6/06	3/22/07	6/21/07	10/5/07	10/5/06	3/22/07	6/21/07	10/5/07	10/6/06	3/22/07	6/21/07	10/5/07	10/6/06	3/22/07	6/21/07	10/5/07
Chlorinated VOCs			Down to Sidegradient of Source				Sidegradient of Source				Sidegradient of Source				Sidegradient of Source			
1,1,1-Trichloroethane	µg/l	200 / 40	<10	<0.2	<0.2	<0.2	<1	<1	<1	<0.2	<1	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.2
1,1,2-Trichloroethane	µg/l	5 / 0.5	<10	<0.2	<0.2	<0.2	<1	<1	<1	<0.2	<1	<0.1	<0.2	<0.2	<1	<0.1	<0.2	<0.2
1,1-Dichloroethane	µg/l	850 / 85	<10	<0.2	<0.2	<0.2	<1	<1	<1	<0.2	<1	<0.15	<0.2	<0.2	<1	<0.15	<0.2	<0.2
1,1-Dichloroethene	µg/l	7 / 0.7	<10	<0.4	<0.4	<0.4	<1	<2	<2	<0.4	<1	<0.15	<0.4	<0.4	<1	<0.15	<0.4	<0.4
1,2-Dichloroethane	µg/l	5 / 0.5	<10	<0.2	<0.2	<0.2	<1	<1	<1	<0.2	<1	<0.1	<0.2	<0.2	<1	<0.1	<0.2	<0.2
cis-1,2-Dichloroethene	µg/l	70 / 7	310	18.5	6.35	6.36	18	29.8	18.7	17.5	26	<0.2	<0.2	<0.2	21	10.6	9.60	11.4
Tetrachloroethene	µg/l	5 / 0.5	<10	<0.3	<0.3	<0.3	<1	<1.5	<1.5	<0.3	<1	<0.1	<0.3	<0.3	<1	<0.1	<0.3	<0.3
trans-1,2-Dichloroethene	µg/l	100 / 20	<10	0.27	0.29	0.32	<1	1.79	<1	2.12	<1	<0.1	<0.2	<0.2	3	1.77	1.31	1.84
Trichloroethene	µg/l	5 / 0.5	26	3	0.46	<0.2	6	2.75	<1	<0.2	5.7	<0.2	<0.2	<0.2	1.7	6.34	2.52	2.01
Vinyl Chloride	µg/l	0.2 / 0.02	<10	2.38	2.56	1.80	21	31.5	27.8	28.1	<1	<0.15	<0.2	<0.2	4.2	2.31	1.88	2.47
Total Molar Concentration	10 ⁹ mol/l	---	33	2.4	0.86	0.76	3.8	5.4	1.7	3.7	3.3	<0.039	<0.039	<0.039	2.8	2.2	1.5	1.7
MNA Parameters																		
Ethane	µg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethene	µg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methane	µg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulfate	mg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOC	mg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron	mg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	µg/l	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 3
GROUNDWATER ANALYTICAL RESULTS
Generac Power Systems
Waukesha, Wisconsin

PARAMETERS	UNITS	NR 140 ES / PAL	GP-8					GP-9				HA-1					HA-2	HA-3
			10/5/06	10/5/06 (Dup)	3/22/07	6/22/07	10/5/07	10/18/06	3/26/07	6/21/07	10/5/07	10/5/06	3/26/07	6/22/07	10/5/07	9/4/08	10/5/06	10/5/06
Chlorinated VOCs			Downgradient of Source					Upgradient of Source				Downgradient of Source					Side- gradient	Side- gradient
1,1,1-Trichloroethane	µg/l	200 / 40	<1	<1	<2	<2	<2	<1	NS	<0.2	<0.2	<1	<2	<2	<2	<2	<1	<1
1,1,2-Trichloroethane	µg/l	5 / 0.5	<1	<1	<1	<2	<2	<1	NS	<0.2	<0.2	<1	<2	<2	<2	<3	<1	<1
1,1-Dichloroethane	µg/l	850 / 85	<1	<1	<1.5	<2	<2	<1	NS	<0.2	<0.2	<1	<2	<2	<2	<2	<1	<1
1,1-Dichloroethene	µg/l	7 / 0.7	<1	<1	<1.5	<4	<4	<1	NS	<0.4	<0.4	<1	<4	<4	<4	<4	<1	<1
1,2-Dichloroethane	µg/l	5 / 0.5	<1	<1	<1	<2	<2	<1	NS	<0.2	<0.2	<1	<2	<2	<2	<3	<1	<1
cis-1,2-Dichloroethene	µg/l	70 / 7	55	59	54.2	28.2	31.9	<1	NS	<0.2	<0.2	56	107	122	48.1	57.4	6.8	<1
Tetrachloroethene	µg/l	5 / 0.5	<1	<1	<1	<3	<3	<1	NS	<0.3	<0.3	<1	<3	<3	<3	<3	<1	<1
trans-1,2-Dichloroethene	µg/l	100 / 20	1.8	1.9	1.73	<2	<2	<1	NS	<0.2	<0.2	<1	<2	<2	<2	2.96	<1	<1
Trichloroethene	µg/l	5 / 0.5	500	550	367	235	236	<1	NS	<0.2	<0.2	110	267	300	61.6	58.2	<1	<1
Vinyl Chloride	µg/l	0.2 / 0.02	1.7	1.5	<1.5	<2	2.2	<1	NS	<0.2	<0.2	5.2	<2	<2	7.16	<2	<1	<1
Total Molar Concentration	10 ⁹ mol/l	---	71	78	54	34	34	<0.19	NS	<0.039	<0.039	20	45	51	13	13	0.7	<0.19
MNA Parameters																		
Ethane	µg/l	---	-	-	<1.4	<1.4	<1.4	-	-	-	-	-	<1.4	<1.4	<1.4	-	-	-
Ethene	µg/l	---	-	-	<1.5	<1.5	<1.5	-	-	-	-	-	<1.5	<1.5	<1.5	-	-	-
Methane	µg/l	---	-	-	155	140	584	-	-	-	-	-	46.4	11.2	<1.8	-	-	-
Sulfate	mg/l	---	-	-	84	79.9	82.3	-	-	-	-	-	32.4	58.8	23.6	-	-	-
TOC	mg/l	---	-	-	3.61	6.23	4.32	-	-	-	-	-	2.11	9.77	15.4	-	-	-
Iron	mg/l	---	-	-	0.064	0.023	0.031	-	-	-	-	-	-	-	3.57	-	-	-
Manganese	µg/l	---	-	-	176	168	187	-	-	-	-	-	-	-	1,370	-	-	-



**TABLE 3
GROUNDWATER ANALYTICAL RESULTS
Generac Power Systems
Waukesha, Wisconsin**

PARAMETERS	UNITS	NR 140 ES / PAL	HA-4		PZ-1				SW-1				SW-2	
			10/14/06	9/4/08	10/14/06	3/22/07	6/22/07	10/5/07	10/14/06	3/26/07	6/21/07	10/5/07	9/4/08	
Chlorinated VOCs			Cross Drainage		Downgradient of Source				Downstream of Plume				Adj to Plume	
1,1,1-Trichloroethane	µg/l	200 / 40	<1	<0.2	<1	<0.2	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.2
1,1,2-Trichloroethane	µg/l	5 / 0.5	<1	<0.3	<1	<0.1	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.3
1,1-Dichloroethane	µg/l	850 / 85	<1	<0.2	1.1	<0.15	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.2
1,1-Dichloroethene	µg/l	7 / 0.7	<1	<0.4	<1	0.18	<0.4	<0.4	<1	<0.4	<0.4	<0.4	<0.4	<0.4
1,2-Dichloroethane	µg/l	5 / 0.5	<1	<0.3	<1	<0.1	<0.2	<0.2	<1	<0.2	<0.2	<0.2	<0.2	<0.3
cis-1,2-Dichloroethene	µg/l	70 / 7	<1	<0.3	20	17.2	21.1	35.7	<1	<0.2	<0.2	0.3	<0.3	<0.3
Tetrachloroethene	µg/l	5 / 0.5	<1	<0.3	<1	<0.1	<0.3	<0.3	<1	<0.3	<0.3	<0.3	<0.3	<0.3
trans-1,2-Dichloroethene	µg/l	100 / 20	<1	<0.2	<1	0.21	0.24	0.40	<1	<0.2	<0.2	<0.2	<0.2	<0.2
Trichloroethene	µg/l	5 / 0.5	<1	<0.4	35	22.1	25.4	22.5	<1	<0.2	<0.2	0.2	<0.2	<0.4
Vinyl Chloride	µg/l	0.2 / 0.02	<1	<0.2	4.9	4.03	1.65	6.35	<1	<0.2	<0.2	<0.2	<0.2	<0.2
Total Molar Concentration	10 ⁹ mol/l	---	<0.19	<0.039	6.8	4.8	5.5	6.9	<0.19	<0.039	<0.039	0.026	<0.039	<0.039
MNA Parameters														
Ethane	µg/l	---	-	-	-	3.3	<1.4	2.0	-	-	-	-	-	-
Ethene	µg/l	---	-	-	-	<1.5	<1.5	<1.5	-	-	-	-	-	-
Methane	µg/l	---	-	-	-	35.5	27.6	44.7	-	-	-	-	-	-
Sulfate	mg/l	---	-	-	-	30.4	40.5	42.4	-	-	-	-	-	-
TOC	mg/l	---	-	-	-	1.97	3.71	2.59	-	-	-	-	-	-
Iron	mg/l	---	-	-	-	0.09	0.03	0.511	-	-	-	-	-	-
Manganese	µg/l	---	-	-	-	391	411	491	-	-	-	-	-	-

Notes:

1. Groundwater samples were collected by GZA GeoEnvironmental, Inc. (GZA) of Waukesha, Wisconsin on the dates noted, and were analyzed by ECCS, Inc. of Madison, Wisconsin (October 2006) and Siemens of Rothschild, Wisconsin (all other rounds) for specific chlorinated volatile organic compounds (VOCs) in accordance with United States Environmental Protection Agency (USEPA) Method 8260; iron in accordance with USEPA Method 6010; manganese in accordance with USEPA Method 6020; ethane, ethene and methane in accordance with USEPA Method 8015; and sulfate in accordance with USEPA Method 9056.
2. NS denotes that the well was not sampled because the well could not be opened.
3. Wisconsin Administrative Code (WAC) NR 140 Enforcement Standards (ES) and Preventive Action Limits (PALs) are provided for reference.
4. Values in **bold** indicate a NR 140 ES exceedance.
5. "-" denotes sample not tested for that parameter.



**TABLE 2
 STATIC GROUNDWATER LEVEL DATA
 Generac Power Systems, Inc.
 S45 W29290 State Highway 59
 Waukesha, Wisconsin**

Well No.	Top of Casing Elevation (feet)	Depth of Well (feet)	Screened Interval	Depth to Groundwater (feet)					Potentiometric Surface Elevation				
				Oct-06	Mar-07	Jun-07	Oct-07	Sep-08	Oct-06	Mar-07	Jun-07	Oct-07	Sep-08
GP-1	94.64	16	[6 to 16 feet bgs]	10.17	7.75	10.34	10.30	10.30	84.47	86.89	84.30	84.34	84.34
PZ-1	94.20	30.5	[25.5 to 30.5 feet bgs]	9.75	9.30	15.85	14.30	16.06	84.45	84.90	78.35	79.90	78.14
GP-2	98.38	16	[6 to 16 feet bgs]	13.21	NM	13.01	13.30	NM	85.17	NM	85.37	85.08	NM
GP-3	96.94	20	[10 to 20 feet bgs]	11.51	10.32	11.39	11.93	11.89	85.43	86.62	85.55	85.01	85.05
GP-4	94.70	16	[6 to 16 feet bgs]	10.80	9.78	10.36	10.11	10.48	83.90	84.92	84.34	84.59	84.22
GP-5	101.65	20	[10 to 20 feet bgs]	16.55	16.03	16.32	16.49	NM	85.10	85.62	85.33	85.16	NM
GP-6	94.27	16	[6 to 16 feet bgs]	4.88	1.85	7.33	7.71	4.59	89.39	92.42	86.94	86.56	89.68
GP-7	99.93	16	[6 to 16 feet bgs]	12.65	11.90	12.29	12.44	13.02	87.28	88.03	87.64	87.49	86.91
GP-8	98.63	20	[10 to 20 feet bgs]	12.70	11.92	12.49	13.60	13.10	85.93	86.71	86.14	85.03	85.53
GP-9	102.35	13	[8 to 13 feet bgs]	10.24	NM	9.49	10.15	10.59	92.11	NM	92.86	92.20	91.76
HA-1	83.59	6	[1 to 6 feet bgs]	0.94	1.81	1.71	2.13	1.81	82.65	81.78	81.88	81.46	81.78
HA-2	83.41	5.5	[0.5 to 5.5 feet bgs]	1.65	NM	1.66	1.81	1.95	81.76	NM	81.75	81.60	81.46
HA-3	81.78	6.0	[1 to 6 feet bgs]	1.17	NM	1.38	1.20	1.51	80.61	NM	80.40	80.58	80.27
HA-4	83.73	3.5	[1.5 to 3.5 feet bgs]	2.60	NM	2.87	2.99	2.83	81.13	NM	80.86	80.74	80.90
STA-1	81.85	NA	NA	2.05	NM	1.83	1.50	1.82	79.80	NM	80.02	80.35	80.03

Notes:

1. Site datum elevation is 100 feet, relative to survey mark on top of first stair tread at northwest corner of generator testing area.
2. feet bgs denotes feet below ground surface.
3. "NM" denotes water level not measured generally due to snow cover or the well being unable to be opened.
4. "STA-1" denotes a staff gage in the unnamed drainage on the Site.
5. "NA" denotes not applicable.