





State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Gloria L. McCutcheon, Regional Director

Waukesha Service Center  
141 NW Barstow St.  
Room 180  
Waukesha, Wisconsin 53188  
Telephone 262-574-2100  
FAX 262-574-2117

February 25, 2005

Mr. Ronald Kuhlman  
N56 W15865 Ridgewood Drive  
Menomonee Falls, WI 53051

FID# 268543440  
BRRTS# 03-68-184782

Subject: Final Case Closure for Kuhman, Inc., N56 W21466 Silver Spring Road, Menomonee Falls

Dear Mr. Kuhlman:

On October 13, 2004, you were notified that conditional closure was granted to this case. These conditions were the abandonment of all monitoring wells and the submittal of a complete GIS registry packet and fee. On February 11, 2005, the Department received correspondence indicating that you have complied with the conditions of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm> If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (262) 574-2140.

Sincerely,

A handwritten signature in cursive script that reads "Brenda H. Boyce". The signature is written in black ink and has a long, sweeping underline that extends to the right.

Brenda H. Boyce, P.G.  
Hydrogeologist  
Bureau for Remediation & Redevelopment

c: Greg Walsh – Assured Environmental Associates



**State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES**

Jim Doyle, Governor  
Scott Hassett, Secretary  
Gloria L. McCutchen, Regional Director

Waukesha Service Center  
141 NW Barstow St., Room 18 0  
Waukesha, Wisconsin, 53188  
Telephone 262-574-2100  
FAX 262-574-2117

October 13, 2004

Mr. Ronald Kuhlman  
N56 W15865 Ridgewood Drive  
Menomonee Falls, WI 53051

Subject: Conditional Closure, Kuhlman Inc. N56 W21466 Silver Spring Road,  
Menomonee Falls, WI FID# 268543440 BRRTS# 03-68-184782

Dear Mr. Kuhlman:

In an April 14, 1998, letter the Department of Natural Resources outlined environmental issues that needed to be addressed at the above-described site, in order to meet the requirements for site closure. We have since received documentation that the previously required issues have been addressed and have now assigned conditional closure status to this site. This letter has also been forwarded to your environmental consultant. Your site will be assigned final closure status after the following issues are addressed:

- Please abandon the remaining monitoring wells on site, in accordance with Natural Resource Code NR 141 and using abandonment forms (Form 3300-5B).
- This site will be placed on the state Geographical Information System (GIS) due to the groundwater conditions at the site. The GIS packet submitted to the Department is not complete. Please contact Michelle Williams at (414) 263-8564 to clarify the additional information needed to complete the GIS packet.

Please direct the well abandonment forms and future correspondence with the site FID# and BRRTS# noted to: Victoria Stovall, Wisconsin Department of Natural Resources, 2300 N. Dr. ML King Dr., P.O. Box 12436, Milwaukee, WI 53212-0436. The Department appreciates the actions you have taken to restore the environment at this site. If you have any questions about this letter or the site in general, please contact me at the letterhead address or at (262) 574-2174.

Sincerely,

James C. Delwiche, P.G.  
Hydrogeologist  
Bureau for Remediation & Redevelopment

cc: SER Case File  
Greg Walsh – Assured Environmental Associates  
Michelle Williams - WDNR - Milwaukee

STATE OF WISCONSIN FORM 5 - 1999  
**PERSONAL REPRESENTATIVE'S  
DEED**

Document Number

Ronald H. Kuhlman, as Personal Representative of the estate of Harvey G. Kuhlman ("Decedent"), for valuable consideration conveys, without warranty, to David C. Wickerham and Rhonda S. Wickerham, husband and wife, Grantee, the following described real estate in Waukesha County, State of Wisconsin (the "Property") (if more space is needed, please attach addendum):

All that part of the Southwest One-quarter (1/4) of Section Thirty (30), Township Eight (8) North, Range Twenty (20) East, in the Village of Menomonee Falls, Waukesha County, Wisconsin, bounded and described as follows, to-wit:

Starting at a point in the South line of said Section 30, said point being 862.3 feet West of the South 1/4 corner of said Section and in the center of the highway known as County Trunk Highway "VV"; thence North 1°7' East 869.10 feet; thence West 159.635 feet; thence South 1°7' West 869.10 feet to the South line of said Section 30, being also the center line of said public highway; thence East along the Section line 159.635 feet to the place of beginning.

Property Address: N56 W21466 Silver Spring Drive

Personal Representative by this deed does convey to Grantee all of the estate and interest in the Property which the Decedent had immediately prior to Decedent's death, and all of the estate and interest in the Property which the Personal Representative has since acquired.

This Deed is delivered in Satisfaction of a Land Contract dated August 23, 2001 and recorded on October 12, 2001 as Document No. 2706644

Dated this 12 day of February, 2002.

\* Ronald H. Kuhlman

Personal Representative  
AUTHENTICATION

Signature(s) Ronald H. Kuhlman

authenticated this 12 day of February, 2002

\* John P. Brady

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not,  
authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY  
Attorney John P. Brady  
400D Genesee St., Delafield, WI 53018

(Signatures may be authenticated or acknowledged. Both are not necessary.)

*Original  
Received this  
day of May, 2002  
David C. Wickerham*

Recording Area

Name and Return Address  
Attorney John P. Brady  
Weiss Berzowski Brady LLP  
400D Genesee Street  
Delafield, WI 53018

MNFV 00119.986

Parcel Identification Number (PIN)

\*

Personal Representative  
ACKNOWLEDGMENT

STATE OF WISCONSIN )

) ss.

County )

Personally came before me this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_ the above named

to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

\*

Notary Public, State of \_\_\_\_\_



My Commission is permanent. (If not, state expiration date: \_\_\_\_\_)

\* Names of persons signing in any capacity must be typed or printed below their signature.

# PLAT OF SURVEY


All that part of the Southwest 1/4 of Section 30, Town 8 North, Range 20 East, in the Village of Menomonee Falls, Waukesha County, Wisconsin, bounded and described as follows: Starting point on the South line of said Section 30, said point being 862.30 feet West of the Southeast corner of said Section and in the center of the Highway known as County Trunk Highway "V" thence North  $1^{\circ} 7'$  East 869.10 feet; thence West 159.635 feet; thence South  $1^{\circ} 7'$  West 869.10 feet to the South line of said Section 30, being also the center line of said public highway thence East along the Section line 159.635 feet to the place of beginning.

LOCATED AT N-56 W-21466 Silver Spring Road



SCALE

362.3  
7  
S



1325 NO. 72nd ST.  
 (Just North of State St.)  
 WAUWATOSA, WIS.

Surveyed and Drawn by  
**LAND SURVEYORS**

**SURVEYED FOR**  
 Harvey G. Kuhlman  
 N-56 W-21466 Silver Spring  
 Rd.  
 Menomonee Falls, Wis.

I CERTIFY that I have surveyed the above de-  
 scribed property and that the above plat is an  
 accurate survey and a true representation  
 thereof and correctly shows the exterior bound-  
 ary lines and the principal lines of buildings  
 thereon and visible improvements.

Job No. W-30-337

Date May 17, 1968. *August Henke*  
 REGISTERED LAND SURVEYOR NO. 8-488 — STATE OF WISCONSIN





847.6

847.0

847.7

847.6

W.S.  
845.3

860

870

0149-989

0119-988

0119-987

850

883.3

884.6

880

890

897.3

898.5

NBB-41-18F

2733.73

SPRING

0122-001

0122-014

2.485 500E

2.485 000E

2.485 000E


1

1

228 01

162 55

363



844.4

845.6

414,000N

6.5

W.S.  
843.2

843.1

844.8

847.6

SCALE: 1" = 100'

W.S.  
345.3

0119-986

0119-985

850

870

360

70

880

890

900

910

920

930

940

950

960

970

980

990

1000

1010

1020

1030

1040

1050

1060

1070

1080

1090

1100

1110

1120

1130

1140

1150

1160

1170

1180

1190

1200

1210

1220

1230

1240

1250

1260

1270

1280

1290

1300

1310

1320

1330

1340

1350

1360

1370

1380

1390

1400

1410

1420

1430

1440

1450

1460

1470

1480

1490

1500

1510

1520

1530

1540

1550

1560

1570

1580

1590

1600

1610

1620

1630

1640

1650

1660

1670

1680

1690

1700

1710

1720

1730

1740

1750

1760

1770

1780

1790

1800

1810

1820

1830

1840

1850

1860

1870

1880

1890

1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2020

2030

2040

2050

2060

2070

2080

2090

2100

2110

2120

2130

2140

2150

2160

2170

2180

2190

2200

2210

2220

2230

2240

2250

2260

2270

2280

2290

2300

2310

2320

2330

2340

2350

2360

2370

2380

2390

2400

2410

2420

2430

2440

2450

2460

2470

2480

2490

2500

2510

2520

2530

2540

2550

2560

2570

2580

2590

2600

2610

2620

2630

2640

2650

2660

2670

2680

2690

2700

2710

2720

2730

2740

2750

2760

2770

2780

2790

2800

2810

2820

2830

2840

2850

2860

2870

2880

2890

2900

2910

2920

2930

2940

2950

2960

2970

2980

2990

3000

3010

3020

3030

3040

3050

3060

3070

3080

3090

3100

3110

3120

3130

3140

3150

3160

3170

3180

3190

3200

3210

3220

3230

3240

3250

3260

3270

3280

3290

3300

3310

3320

3330

3340

3350

3360

3370

3380

3390

3400

3410

3420

3430

3440

3450

3460

3470

3480

3490

3500

3510

3520

3530

3540

3550

3560

3570

3580

3590

3600

3610

3620

3630

3640

3650

3660

3670

3680


3690

3700



Former UST

Property Boundary




Approximate Scale:  
1" = 120'

Figure 1a  
Site Layout  
Kuhlman, Inc.  
N56 W21466 Silver Spring Road  
Menomonee Falls, Wisconsin




Assured Environmental Associates, Inc.  
14120 West Glendale Avenue  
Brookfield, Wisconsin



**Figure 2**  
**Soil Boring and Groundwater Monitoring Well Locations**  
**Kuhlman Inc.**  
**N56 W21466 Silver Spring Road**  
**Menomonee Falls, Wisconsin**



Assured Environmental Associates, Inc.  
14120 West Glendale Avenue  
Brookfield, Wisconsin



**Figure 3**  
**Extent of Excavation, Estimated Soil Impacts, and Estimated Groundwater Impacts**  
**Kuhlman Inc.**

**N56 W21466 Silver Spring Road**  
**Menomonee Falls, Wisconsin**



Assured Environmental Associates, Inc.  
14120 West Glendale Avenue  
Brookfield, Wisconsin

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-1 6/10/98	MW-1A* 6/10/98	MW-1 2/8/99	MW-1 A 2/8/99	MW-1 R <sup>2</sup> 3/27/02
GRO	----	----	53	NA	NA	NA	2.36
Lead	15	1.5	< 5.0	NA	NA	NA	NA
Benzene	5	0.5	<b>18,000</b>	<b>75,000</b>	<b>31,000</b>	<b>30,000</b>	4.03
n-Butylbenzene	----	----	< 25	< 25	NA	NA	NA
1,2-Dichloroethane	5.0	0.5	<b>42</b>	<b>38</b>	< 250	NA	NA
Ethyl Benzene	700	140	<b>1,700</b>	<b>1,600</b>	<b>3,200</b>	<b>2,300</b>	71.7
Isopropylbenzene	----	----	68	58	NA	NA	NA
Methylene chloride	----	----	< 27	230A	NA	NA	NA
MTBE	60	12	<b>7,400</b>	<b>5,600</b>	<b>18,000</b>	<b>16,000</b>	2.09
Naphthalene	40	8	< 400	< 400	NA	NA	NA
n-Propylbenzene	----	----	210	180	NA	NA	NA
Toluene	343	68.6	<b>23,000</b>	<b>20,000</b>	<b>39,000</b>	<b>39,000</b>	149
1,2,4-Trimethylbenzene	----	----	1,500	1,300	9,800	3,000	132
1,3,5-Trimethylbenzene	----	----	470	420	2,600	790	42.7
Total Xylenes	620	124	<b>6,300</b>	<b>5,900</b>	<b>16,000</b>	<b>11,000</b>	306

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

2 Post remediation sample.

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-2 6/16/98	MW-2A* 6/16/98	MW-2 2/8/99	MW-2 12/4/01	MW-2 3/27/02
GRO	----	----	9.9	NA	NA	5.2	4.09
Lead	15	1.5	< 5.0	NA	NA	NA	NA
Benzene	5	0.5	<b>3,000</b>	<b>3,400</b>	<b>340</b>	<b>10.2</b>	<b>7.65</b>
n-Butylbenzene	----	----	6.1	5.5	NA	NA	NA
1,2-Dichloroethane	5.0	0.5	1.0	1.2	< 50	NA	NA
Ethyl Benzene	700	140	530	290	490	337	148
Isopropylbenzene	----	----	12	8.5	NA	NA	NA
Methylene chloride	----	----	< 0.53	2.5A	NA	NA	NA
MTBE	60	12	<b>94</b>	<b>88</b>	< 20	10.6	2.03
Naphthalene	40	8	32	23	NA	NA	NA
n-Propylbenzene	----	----	23	12	NA	NA	NA
Toluene	343	68.6	<b>3,400</b>	<b>3,100</b>	<b>3,300</b>	<b>433</b>	138
1,2,4-Trimethylbenzene	----	----	1,100	150	470	610	318
1,3,5-Trimethylbenzene	----	----	45	39	150	226	102
Total Xylenes	620	124	<b>1,400</b>	<b>1,300</b>	<b>2,200</b>	<b>1,420</b>	441

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-3 6/16/98	MW-3 2/8/99	MW-3 12/4/01
GRO	----	----	74	NA	5.6
Lead	15	1.5	< 5.0	NA	NA
Benzene	5	0.5	<b>6,900</b>	<b>1,200</b>	<b>21.6</b>
n-Butylbenzene	----	----	260	NA	NA
1,2-Dichloroethane	5.0	0.5	< 25	< 100	NA
Ethyl Benzene	700	140	<b>2,100</b>	<b>1,400</b>	361
Isopropylbenzene	----	----	89	NA	NA
Methylene chloride	----	----	29A	NA	NA
MTBE	60	12	<b>150</b>	< 40	<b>63.1</b>
Naphthalene	40	8	< 400	NA	NA
n-Propylbenzene	----	----	300	NA	NA
Toluene	343	68.6	<b>18,000</b>	<b>11,000</b>	375
Trichloroethene	----	----	< 25	NA	NA
1,2,4-Trimethylbenzene	----	----	2,000	1,500	330
1,3,5-Trimethylbenzene	----	----	500	410	132
Total Xylenes	620	124	<b>8,400</b>	<b>5,400</b>	941

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-8 6/16/98	MW-8 2/8/99	MW-8 12/4/01	MW-8 3/27/02
GRO	----	----	DW	0.15	DW	< 0.05
Lead	15	1.5	DW	1.6	DW	NA
Benzene	5	0.5	DW	27	DW	< 0.50
n-Butylbenzene	----	----	DW	< 0.50	DW	NA
1,2-Dichloroethane	5.0	0.5	DW	< 0.50	DW	NA
Ethyl Benzene	700	140	DW	9.5	DW	< 0.50
Isopropylbenzene	----	----	DW	< 0.50	DW	NA
Methylene chloride	----	----	DW	0.53A	DW	NA
MTBE	60	12	DW	< 0.20	DW	< 0.20
Naphthalene	40	8	DW	< 2.0	DW	NA
n-Propylbenzene	----	----	DW	0.95	DW	NA
Toluene	343	68.6	DW	22	DW	< 0.50
Trichloroethene	----	----	DW	< 0.50	DW	NA
1,2,4-Trimethylbenzene	----	----	DW	11	DW	< 1.0
1,3,5-Trimethylbenzene	----	----	DW	3.0	DW	< 1.0
Total Xylenes	620	124	DW	15	DW	< 0.50

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-10 2/12/99	MW-10 A 2/12/99	MW-10 3/27/02	MW-11 2/12/99	MW-11 12/4/01	MW-11 3/27/02
GRO	----	----	< 0.05	NA	<0.050	1.3	DW	<0.050
Lead	15	1.5	2.7	NA	NA	2.2	DW	NA
Benzene	5	0.5	< 0.50	< 0.50	< 0.50	770	DW	< 0.50
n-Butylbenzene	----	----	< 0.50	< 0.50	NA	< 0.50	DW	NA
1,2-Dichloroethane	5.0	0.5	< 0.50	< 0.50	NA	1.4	DW	NA
Ethyl Benzene	700	140	< 0.50	< 0.50	< 0.50	< 0.50	DW	< 0.50
Isopropylbenzene	----	----	< 0.50	< 0.50	NA	0.74	DW	NA
Methylene chloride	----	----	2.4A,B	3.1A.B	NA	3.5A,B	DW	NA
MTBE	60	12	< 0.20	< 0.20	< 0.20	140	DW	< 0.20
Naphthalene	40	8	< 2.0	< 2.0	NA	< 2.0	DW	NA
n-Propylbenzene	----	----	< 0.50	< 0.50	NA	< 0.50	DW	NA
Toluene	343	68.6	< 0.50	< 0.50	< 0.50	2.3	DW	< 0.50
Trichloroethene	----	----	< 0.50	1.4	NA	< 0.50	DW	NA
1,2,4-Trimethylbenzene	----	----	< 1.0	< 1.0	< 1.0	3.6	DW	< 1.0
1,3,5-Trimethylbenzene	----	----	< 1.0	< 1.0	< 1.0	< 1.0	DW	< 1.0
Total Xylenes	620	124	< 0.50	< 0.50	< 0.50	6.5	DW	< 0.50

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-12 2/12/99	MW-12 12/4/01	MW-12 3/27/02	MW-13 2/12/99	MW-13 3/27/02
GRO	----	----	< 0.050	< 0.050	< 0.050	< 0.050	< 0.050
Lead	15	1.5	< 1.5	NA	NA	2.1	NA
Benzene	5	0.5	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
n-Butylbenzene	----	----	< 0.50	NA	NA	< 0.50	NA
1,2-Dichloroethane	5.0	0.5	< 0.50	NA	NA	< 0.50	NA
Ethyl Benzene	700	140	0.62	< 0.50	< 0.50	< 0.50	< 0.50
Isopropylbenzene	----	----	< 0.50	NA	NA	< 0.50	NA
Methylene chloride	----	----	3.1 A,B	NA	NA	1.2 A,B	NA
MTBE	60	12	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
Naphthalene	40	8	< 2.0	NA	NA	< 2.0	NA
n-Propylbenzene	----	----	< 0.50	NA	NA	< 0.50	NA
Toluene	343	68.6	1.1	< 0.50	< 0.50	0.74	< 0.50
Trichloroethene	----	----	< 0.50	NA	NA	< 0.50	NA
1,2,4-Trimethylbenzene	----	----	2.6	< 1.0	< 1.0	< 1.0	< 1.0
1,3,5-Trimethylbenzene	----	----	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Xylenes	620	124	4.1	< 0.50	< 0.50	1.8	< 0.50

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	MW-14 3/2/99	MW-14A 3/2/99	MW-14 12/4/01	MW-14 3/27/02
GRO	----	----	< 0.050	NA	DW	< 0.050
Lead	15	1.5	< 5.0	NA	DW	NA
Benzene	5	0.5	< 0.50	< 0.50	DW	< 0.50
n-Butylbenzene	----	----	< 0.50	< 0.50	DW	NA
1,2-Dichloroethane	5.0	0.5	< 0.50	< 0.50	DW	NA
Ethyl Benzene	700	140	< 0.50	< 0.62	DW	< 0.50
Isopropylbenzene	----	----	< 0.50	< 0.50	DW	NA
Methylene chloride	----	----	< 0.53	0.89A	DW	NA
MTBE	60	12	< 0.20	< 0.20	DW	< 0.20
Naphthalene	40	8	< 2.0	< 2.0	DW	NA
n-Propylbenzene	----	----	< 0.50	< 0.50	DW	NA
Toluene	343	68.6	< 0.50	< 0.50	DW	< 0.50
Trichloroethene	----	----	< 0.50	< 0.50	DW	NA
1,2,4-Trimethylbenzene	----	----	< 1.0	< 1.0	DW	< 1.0
1,3,5-Trimethylbenzene	----	----	< 1.0	< 1.0	DW	< 1.0
Total Xylenes	620	124	< 0.50	< 0.50	DW	< 0.50

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**Table 3**  
**Water Analytical Results<sup>1</sup>**  
**Kuhlman, Inc.**

Parameter	ES	PAL	Equipment Blank 6/10/98	Equipment Blank 6/16/98	Equipment Blank 2/12/99	Equipment Blank-14 3/2/99
GRO	----	----	NA	NA	NA	NA
Lead	15	1.5	NA	NA	NA	NA
Benzene	5	0.5	< 0.50	< 0.50	< 0.50	< 0.50
n-Butylbenzene	----	----	< 050	< 050	< 0.50	< 0.50
1,2-Dichloroethane	5.0	0.5	< 0.50	< 0.50	< 0.50	< 0.50
Ethyl Benzene	700	140	< 0.50	< 0.50	< 0.50	< 0.50
Isopropylbenzene	----	----	< 0.50	< 0.50	< 0.50	< 0.50
Methylene chloride	----	----	< 0.53	< 0.53	2.5 A	< 0.53
MTBE	60	12	< 0.20	< 0.20	< 0.20	< 0.20
Naphthalene	40	8	< 8.0	< 8.0	< 2.0	< 2.0
n-Propylbenzene	----	----	< 0.50	< 0.50	< 0.50	< 0.50
Toluene	343	68.6	< 0.50	1.7	< 0.50	< 0.50
Trichloroethene	----	----	< 0.50	< 0.50	< 0.50	< 0.50
1,2,4-Trimethylbenzene	----	----	< 1.0	< 1.0	< 1.0	< 1.0
1,3,5-Trimethylbenzene	----	----	< 1.0	< 1.0	< 1.0	< 1.0
Total Xylenes	620	124	< 0.50	0.80	< 0.50	< 0.50

<sup>1</sup> GRO results in mg/l (ppm). All other concentrations in ug/l (ppb).

\* = Duplicate Sample MW-1A

A = Laboratory artifact - concentrations found of this analyte are characteristic of laboratory artifact.

B = The Blank associated with this sample contained the shown amount of Methylene Chloride.

DW = Dry Well

**TABLE 1  
SUMMARY OF GROUNDWATER DEPTH<sup>1</sup>  
KUHLMAN, INC.**

Date	MW-1	MW-2	MW-3	MW-8	MW-10	MW-11	MW-12	MW-13	MW-14
6/9/98	15.92	NI							
6/17/98	16.41	15.62	13.73	NI	NI	NI	NI	NI	NI
6/22/98	16.65	15.81	13.10	NI	NI	NI	NI	NI	NI
7/7/98	NM	NM	NM	DW	NI	NI	NI	NI	NI
11/2/98	19.47	18.26	17.76	15.98	NI	NI	NI	NI	NI
2/8/99	15.62	15.26	11.57	12.0	NI	NI	NI	NI	NI
2/11/99	NM	NM	NM	NM	7.09	15.22	8.00	12.61	NI
3/11/99	16.01	15.28	12.69	14.53	9.57	16.49	10.49	13.58	17.07

**GROUNDWATER ELEVATION**

Date	MW-1	MW-2	MW-3	MW-8	MW-10	MW-11	MW-12	MW-13	MW-14
Depth of Well	20.21	18.64	18.09	16.10	11.71	18.11	12.72	20.24	19.45
Elevations	897.14	897.33	896.72	890.19	897.57	889.01	894.89	896.78	898.72
6/9/98	881.22	NI							
6/17/98	880.73	881.71	882.99	NI	NI	NI	NI	NI	NI
6/22/98	880.49	881.52	883.62	NI	NI	NI	NI	NI	NI
7/7/98	NM	NM	NM	DW	NI	NI	NI	NI	NI
11/2/98	877.67	879.07	878.96	874.21	NI	NI	NI	NI	NI
2/8/99	881.52	882.07	885.15	878.19	NI	NI	NI	NI	NI
2/11/99	NM	NM	NM	NM	890.48	873.79	886.89	884.17	NI
3/11/99	881.13	882.05	884.03	875.66	888.00	872.52	884.40	883.20	881.65

<sup>1</sup> NI = Not Installed  
 NM = Not Measured  
 DW = Dry Well




Figure 4  
Groundwater Elevations

Kuhlman, Inc.  
N56 W21466 Silver Spring Road  
Menomonee Falls, Wisconsin

Elevations provided are in Feet Above Mean Sea Level and are based on data obtained on 3/11/99. Actual site conditions will vary.



Assured Environmental Associates, Inc.  
14120 West Glendale Avenue  
Brookfield, Wisconsin

~~Received: 2/12/05 10:49AM; FAX NO. 1 262 252 9401; Assured Environmental Assoc. Inc~~

JUL-12-2004 MON 01:49 PM KUHLMAN INC

FAX NO. 1 262 252 9401

P. 01

Jul-12-04 10:49AM;

Page 2/2


Sent By: Assured Environmental Assoc;262-781-4180;

Re: Kuhlman, Inc.

FID: 268543440

BRRTS: 03-68-184782

I believe that the legal descriptions attached on the GIS Registry Packet are complete and accurate.



Ronald Kuhlman  
Kuhlman, Inc.