

GRCRS Package Cover Sheet

Site Name Reinhardt Farm

Site Address W936 County Rd. KK, Nelson, WI 54756

BRRTS # 03-06-000731 Date of Closure Decision 11/15/2000

1 Closure letter(s) - conditional letter - final letter

     Groundwater Use Restriction/Warranty Deed

Yes  No  Off-site contamination present? (Include related documents)

Yes  No  Right-of-way contamination present? (Include related documents)

General location map

367821 ~~367846.562500~~ GPS x-coordinate

444714 ~~444714.1562500~~ GPS y-coordinate

Detailed site map(s)

Groundwater flow map(s)

     Latest map(s) showing extent or outline of plume

Latest table(s) of analytical results (soil results included only if soil deed restriction is incorporated into groundwater use restriction document)


If available:

     Legal description

     County and Parcel I.D./Tax Parcel No.

Geologic cross sections

Isoconcentrations map(s)



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Scott A. Humrickhouse, Regional Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TDD 715-839-2786

November 20, 2000

Mr. Kevin Reinhardt  
W936 County Road KK  
Nelson, WI 54756

Subject: Petroleum Contamination Cleanup at Reinhardt Farm  
DNR #03-06-000731; **Conditional Case Closure**

Dear Mr. Reinhardt:

On February 24, 1992, the Department of Natural Resources provided a notice to you that the degree and extent of petroleum contamination at the above-named site was required to be investigated and remediated. We have since been informed that the required work has been completed. On November 15, 2000, the above-named site was reviewed by the West Central Region Closeout Committee for a determination as to whether or not the case qualified for close out under Wis. Adm. Code. Based on the documentation provided to the Department, it appears that the petroleum contamination at the above-named site has been addressed in compliance with the requirements of chs. NR 700 to NR 746, Wis. Adm. Code. Therefore, the Department considers the case "closed," having determined that no further action is necessary to protect human health or the environment.

The closeout committee determined that residual soil contamination at your site is remedied by a performance standard (NR720.19(2)), specifically, natural attenuation of the contamination is performing adequately to prevent discharge of contamination from the soil to the groundwater in exceedance of the aquifer's ability to degrade the contamination. Wisconsin Adm. Code NR714.07(5) requires that use of a performance standard be public noticed. After printing of the public notice an affidavit of printing and a dated tear sheet should be sent to me. I am enclosing some information about public noticing of performance standards.

Due to the presence of residual contamination remaining in the groundwater and soil at the site, a condition of the closeout is that the owner complete, sign and record a groundwater use restriction for the property within 60 days after receipt of this letter. For your convenience, I am enclosing a generic form for the notification. Site specific information regarding the extent and degree of soil and groundwater contamination should be inserted, a site map attached, and a draft returned to me for DNR review. Following DNR review, the final draft is to be filed by the property owner with the County Register of Deeds. To document that this condition has been met, the property owner must submit to the DNR a copy of the recorded deed notification, with the recording information stamped on it.

As you may be aware, future groundwater use restrictions that are required as a condition of closeout will be recorded on a Registry of Closed Remediation Sites. The registry will be a geographic information system (GIS) data layer, created and maintained by DNR. The information will be made available to well drillers, realtors, bankers, property buyers, and other members of the public. This registry will, eventually, eliminate the current practice of property owners filing groundwater use restrictions on deeds at their respective county Register of Deeds offices.

To begin implementation of this new process and in order to complete processing of your request to closeout your cleanup with a groundwater use restriction, we would appreciate your furnishing the following: copy of the most recent deed for the affected property, parcel identification number(s) or parcel

---

*Quality Natural Resources Management  
Through Excellent Customer Service*



tax number(s) (usually assigned by county treasurer), legal descriptions of the property boundaries with metes and bounds (this is often found on the deed). References to lots on subdivided or platted property must be accompanied by a copy of the certified survey map or recorded plat map.

As a condition of case closure, all monitoring and remediation wells must be properly abandoned and the abandonment forms sent to my attention. Please be certain that the abandonment contractor identifies the site completely on the forms and that the forms are sent to my attention. Abandonment forms not completely filled out or not sent directly to me may not reach me, and I will not be able to complete the closure of your case.

In accordance with Wisc. Adm. Code Ch. NR749, a fee of \$750 was received for review of the closeout request and file.

To summarize, the following items need to be addressed to complete closeout of your site:

- 1) public notice of soil performance standard,
- 2) groundwater use restriction,
- 3) information for the Registry of Closed Remediation sites, and
- 4) abandonment of monitoring wells.

As soon as the above conditions have been fulfilled, your case closure will be completed. The Department appreciates the actions you have undertaken to protect human health and the environment. If you have any questions, please feel free to call me at (715) 839-3824.

Sincerely,

Eileen Kramer  
Hydrogeologist

c: Rich Rippley – Michaels Engineering  
Dale Ziege - WDNR  
Lori Huntoon - WDCOM



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Scott A. Humrickhouse, Regional Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TDD 715-839-2786

July 10, 2001

Mr. Kevin Reinhardt  
W936 County Road KK  
Nelson, WI 54756

Subject: Petroleum Contamination Cleanup at Reinhardt Farm  
DNR #03-06-000731, **Case Closure**

Dear Mr. Reinhardt:

On November 15, 2000, your site as described above was reviewed for closure by the Department of Natural Resources. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On November 20, 2000, you were notified that conditional closure was granted to this case.

On June 11, 2001, the Department received correspondence indicating that you have complied with the conditions of closure. Public notice of a performance standard and a groundwater use restriction filed on the deed have been documented. Based on the correspondence and data provided, it appears that your site has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-839-3824.

Sincerely,

Eileen Kramer  
Hydrogeologist  
Remediation & Redevelopment Program

c: Scott Siefkes – Michaels Engineering

*Quality Natural Resources Management  
Through Excellent Customer Service*



205113

Document Number

GROUNDWATER USE RESTRICTION

VOL. 300 PAGE 81

Declaration of Restrictions

In Re:

The Southeast Quarter of the Northeast Quarter (SE 1/4 of NE 1/4) of Section Twenty-Three (23), Township 23 North, Range 13 West (PIN 32-461-0000), and

The Southwest Quarter of the Northwest Quarter (SW 1/4 of NW 1/4) of Section Twenty-Four (24), Township 23 North, Range 13 West (PIN 32-482-0000).

REGISTER OF DEEDS }  
BUFFALO COUNTY, WIS. } SS.  
Received for Record the 8  
day of May A.D. 2001 at 4:02  
o'clock P.M. and recorded in  
Vol. 300 of Record Page 81  
Dorcas J. Crothers  
REGISTER

Recording Area 12.00Pd.

Name and Return Address  
Sandra Reinhardt  
S 936 Co Rd Kk.  
Nelson, WI 54756

STATE OF WISCONSIN )  
 ) ss  
COUNTY OF BUFFALO )

32-461-0000  
32-482-0000

Parcel Identification Numbers (PIN)

WHEREAS, Kenneth A. Olson and Valeria M. Olson a/k/a Valeria Olson, Sellers, and Kevin A. Reinhardt and Sandra K. Reinhardt, Buyers, are the owners under a land contract of the above-described property.

WHEREAS, one or more gasoline discharges have occurred on this property. Gasoline-contaminated groundwater above Chapter (ch.) NR 140 Wisconsin Administrative Code (Wis. Adm. Code) Enforcement Standards (ES) existed on this property at the following location on the following dates: In groundwater samples from former groundwater Monitoring Well 4 (MW-4), benzene was present at 89 parts per billion (ppb) (August 16, 2000) and naphthalene at 47 ppb (May 31, 2000). The extent of affected groundwater is approximately 125 feet east-west by 65 feet north-south, limited to the uppermost portion of the aquifer. The former leaking gasoline tank location is approximately 330 feet north and 35 feet east of the Southwest Corner of the Southwest Quarter of the Northwest Quarter (SW 1/4 of NW 1/4) of Section 24. The location of MW-4 is depicted on the attached Figure 2, which is hereby made a part of this restriction.

Gasoline-contaminated soil above ch. NR 720 Wis. Admin. Code Generic Soil Residual Contaminant Levels (RCL) existed on this property at the following location on the following date: In soil samples collected from Geoprobe<sup>®</sup> test boring 4 (GP-4), Gasoline Range Organics were present at 1,590 parts per million (ppm), benzene at 2.7 ppm, ethylbenzene at 3.5 ppm, toluene at 14 ppm, and xylenes at 23.1 ppm (June 5, 1996). The extent of affected soil is approximately 50 feet east-west by 40 feet north-south between 7 and 11 feet below grade, centered at the former tank location. The former leaking gasoline tank location is approximately 330 feet north and 35 feet east of the Southwest Corner of the Southwest Quarter of the Northwest Quarter (SW 1/4 of NW 1/4) of Section 24. The location of GP-4 is depicted on the attached Figure 2, which is hereby made a part of this restriction.

WHEREAS, it is the desire and intention of the property owners to impose on the property restrictions which will make it unnecessary to conduct additional groundwater or soil remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater contamination exceeding ch. NR 140 Wis. Admin. Code groundwater standards within the boundaries of this property.

205113

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 Wis. Admin. Code is restricted by ch. NR 811 and ch. NR 812 Wis. Admin. Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owners hereby declare that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for the contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by, the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. Upon further receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this groundwater use restriction is no longer binding.

IN WITNESS WHEREOF, the owners of the property have executed this Declaration of Restrictions, this \_\_\_\_\_ day of \_\_\_\_\_, 2001.

Signature: Valeria Olson

Printed Name: Valeria Olson

Signature: Kevin A Reinhardt

Printed Name: Kevin A Reinhardt

Signature: Sandra K. Reinhardt


Printed Name: Sandra K. Reinhardt

Signature: \_\_\_\_\_

Printed Name: \_\_\_\_\_


Subscribed and sworn to before me this 8 day of May, 2001.

Margie Brunlaw  
Notary Public, State of Wisconsin  
My commission 07-06-03




This document was drafted by Michaels Engineering, Inc. based on information provided by the Wisconsin Department of Natural Resources.

URNE QUADRANGLE  
 WISCONSIN—BUFFALO CO.  
 7.5 MINUTE SERIES (TOPOGRAPHIC)




SCALE 1:24 000



CONTOUR INTERVAL 20 FEET  
 DOTTED LINES REPRESENT 10-FOOT CONTOURS  
 NATIONAL GEODETIC VERTICAL DATUM OF 1929




URNE, WIS.  
 NW/4 ALMA 15' QUADRANGLE  
 N4422.5—W9152.5/7.5



UTM GRID AND 1974 MAGNETIC NORTH

Figure 1  
 Site Location Map  
 Kevin Reinhardt Farm  
 W936 County Road KK  
 Nelson, Wisconsin

1974



DESIGNED	WBS
DRAWN	SM5
CHECKED	RJR
APPROVED	RJR
DATE	OCTOBER 2000


**MICHAELS ENVIRONMENTAL ENGINEERING**  
 Monitor 900 Box 2377 La Crosse, Wisconsin 54602-2377  
 PHONE: 608 785-1900 FAX: 608 784-2270  
 9305 West National Avenue West Allis Wisconsin 53227  
 PHONE: 414 541-0500 FAX: 414 541-0777

REINHARDT FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN  
 WATER TABLE ELEVATIONS - 06/16/00

PROJECT NO.  
 R6396AEE

**FIG. 4F**


APPROXIMATE EXTENT OF RESIDUAL GASOLINE COMPOUNDS IN GROUNDWATER THAT EXCEED CH. NR 140 GROUNDWATER ENFORCEMENT STANDARDS FOR DRINKING WATER BASED ON PROTECTION OF HUMAN HEALTH



APPROXIMATE EXTENT OF RESIDUAL GASOLINE COMPOUNDS IN SOIL 7 TO 11 FEET DEPTH THAT EXCEED CH. NR 720 SOIL RESIDUAL CONTAMINANT LEVELS BASED ON PROTECTION OF GROUND WATER

APPROXIMATE LOCATION OF FORMER 300 GALLON GASOLINE UNDERGROUND STORAGE TANK

LEGEND	
	Groundwater Monitoring Well
	Soil Test Boring



DESIGNED: RJK	DRAWN: SMC	CHECKED: RJK	APPROVED: RJK	DATE
BY	DATE	REVISED	DATE	

**MICHAELS ENGINEERING, INC.**  
 1000 Wisconsin Ave., Suite 1000, Madison, WI 53703  
 PHONE: 608-785-1900 FAX: 608-784-2270  
 DECEMBER 2000

REINHARDT FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN  
 EXTENT OF PETROLEUM CONSTITUENTS  
 IN SOIL AND GROUNDWATER

PROJECT NO.  
**R6396AEE**

**FIG. 2**

**Benzene (ug/l)**

11/11/96	<0.2
1/23/97	17
10/27/99	0.43
3/22/00	<0.50
5/31/00	<0.50
6/16/00	-
8/16/00	<0.50

**Benzene (ug/l)**

11/11/96	2,050
1/23/97	19
10/27/99	220
3/22/00	<0.50
5/31/00	1.6
6/16/00	-
8/16/00	21

**Benzene (ug/l)**

11/11/96	11
1/23/97	5.0
10/27/99	<0.26
3/22/00	<0.50
5/31/00	73
MW-1 6/16/00	<0.50
8/16/00	1.0

**Benzene (ug/l)**


11/11/96	816
1/23/97	1,300
10/27/99	75
3/22/00	180
5/31/00	31
6/16/00	-
8/16/00	89

**Benzene (ug/l)**

11/11/96	<0.2
1/23/97	0.20
10/27/99	<0.26
3/22/00	<0.50
5/31/00	<0.50
6/16/00	-
8/16/00	-

**Benzene (ug/l)**

11/11/96	<0.2
1/23/97	<0.20
10/27/99	<0.26
3/22/00	<0.50
5/31/00	<0.50
6/16/00	-
8/16/00	-



DESIGNED	RJR
DRAWN	SMS
CHECKED	RJR
APPROVED	RJR
DATE	OCTOBER 2000

REVISIONS	DATE	BY

**MICHAELS ENGINEERING, INC.**  
 811 Monitor Box 2377 La Crosse Wisconsin 54602-2377  
 PHONE: 608 785-1900 FAX: 608 784-2270

REINHARDT FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN  
 GROUNDWATER ANALYTICAL RESULTS MAP


PROJECT NO.  
**R6396AE**

**FIG. 7**

APPROXIMATE EXTENT OF RESIDUAL GASOLINE COMPOUNDS IN GROUNDWATER THAT EXCEED CH. NR 140 GROUNDWATER ENFORCEMENT STANDARDS FOR DRINKING WATER BASED ON PROTECTION OF HUMAN HEALTH

APPROXIMATE EXTENT OF RESIDUAL GASOLINE COMPOUNDS IN SOIL 7 TO 11 FEET DEPTH THAT EXCEED CH. NR 720 SOIL RESIDUAL CONTAMINANT LEVELS BASED ON PROTECTION OF GROUND WATER

APPROXIMATE LOCATION OF FORMER 300 GALLON GASOLINE UST



DESIGNED	RJR	DESIGNED	RJR
DRAWN	SNVS	CHECKED	RJR
		APPROVED	RJR
		DATE	OCTOBER 2000

**MICHAELS ENGINEERING, INC.**  
 811 Monitor Box 2377 La Crosse Wisconsin 54602-2377  
 PHONE: 608 785-1900 FAX: 608 784-2270

REINHARDT FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN  
 EXTENT OF PETROLEUM CONSTITUENTS  
 IN SOIL AND GROUNDWATER

PROJECT NO.  
**R6396AEE**

**FIG. 8**

**TABLE 5** (Page 1 of 2)

REINHARDT FARM, NELSON, WI

*Pre and Post Remediation*

MONITORING WELL GROUNDWATER PETROLEUM ANALYTICAL RESULTS

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
<b>Gasoline Range Organics</b>						
11/11/96	<30	<30	<30	5,120	4,710	<30
1/23/97	<30	<30	<30	7,500	56	<30
10/27/99	<50	<50	<50	1,600	410	<50
3/22/00	-	-	-	1,600	<14	<14
6/16/00	<14	-	-	-	-	-
<b>Benzene (ES 5 ppb, PAL 0.5 ppb)</b>						
11/11/96	11	<0.2	<0.2	816	2,050	<0.2
1/23/97	5.0	<0.20	0.2	1,300	19	17
10/27/99	<0.26	<0.26	<0.26	75	220	0.43
3/22/00	<0.50	<0.50	<0.50	180	<0.50	<0.50
5/31/00	73	<0.50	<0.50	31	1.6	<0.50
6/16/00	<0.50	-	-	-	-	-
8/16/00	1.0	-	-	89	21	<0.50
<b>Ethylbenzene (ES 700 ppb, PAL 140 ppb)</b>						
11/11/96	<0.2	<0.2	<0.2	166	40	<0.2
1/23/97	<0.20	<0.20	<0.20	360	1.2	<0.20
10/27/99	<0.24	<0.24	<0.24	19	3.7	<0.24
3/22/00	<0.50	<0.50	<0.50	69	<0.50	<0.50
5/31/00	1.2	<0.50	<0.50	64	<0.50	<0.50
6/16/00	<0.50	-	-	-	-	-
8/16/00	<0.50	-	-	7.2	5.3	<0.50
<b>Toluene (ES 1,000 ppb, PAL 200 ppb)</b>						
11/11/96	0.9	<0.2	0.6	1,050	91	<0.2
1/23/97	<0.20	<0.20	6.1	1,000	6.6	0.4
10/27/99	<0.21	<0.21	<0.21	120	4.1	<0.21
3/22/00	<0.50	<0.50	17	100	<0.50	<0.50
5/31/00	12	<0.50	100	<5.0	<0.50	<0.50
6/16/00	<0.50	-	-	-	-	-
8/16/00	<0.50	-	-	19	3.5	<0.50
<b>Total Xylenes (ES 10,000 ppb, PAL 1,000 ppb)</b>						
11/11/96	<0.6	<0.6	<0.6	975	<60	<0.6
1/23/97	<0.50	<0.50	<0.50	1,892	<0.70	<0.50
10/27/99	<1.34	<1.34	<1.34	95	<2.64	<1.34
3/22/00	<1.50	<1.50	<1.50	162	<1.5	<1.5
5/31/00	6.8	<1.50	<1.5	230	<1.5	<1.5
6/16/00	<1.50	-	-	-	-	-
8/16/00	<1.5	-	-	36	2.8	<1.5
<b>Methyl-tert-butyl ether (ES 60 ppb, PAL 12 ppb)</b>						
11/11/96	<0.2	<0.2	<0.2	<10	<20	6.8
1/23/97	<0.30	<0.30	<0.30	8.0	1.5	12
10/27/99	<0.22	<0.22	<0.22	8.2	7.1	1.1
3/22/00	<0.30	<0.30	<0.30	9.3	<0.30	3.6
5/31/00	9.4	<0.30	<0.30	<3.0	<0.30	3.7
6/16/00	<0.30	-	-	-	-	-
8/16/00	<0.40	-	-	12	<0.40	4.4
<b>Naphthalene (ES 40 ppb, PAL 8 ppb)</b>						
11/11/96	<0.8	<0.8	<0.8	89	<80	<0.8
1/23/97	-	-	-	150	-	-
10/27/99	<0.89	<0.89	<0.89	100	<1.8	<0.89
3/22/00	-	-	-	62	<1.0	<1.0
5/31/00	-	-	-	47	-	-
8/16/00	-	-	-	24	-	-



**TABLE 5** (Page 2 of 2)

REINHARDT FARM, NELSON, WI

MONITORING WELL GROUNDWATER PETROLEUM ANALYTICAL RESULTS

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
<b>Total Trimethylbenzenes (ES 480 ppb, PAL 96 ppb)</b>						
11/11/96	<1.1	<1.1	<1.1	297	<110	<1.1
1/23/97	<0.70	<0.70	0.4	560	0.3	<0.70
10/27/99	<1.40	<1.40	<1.40	191	<2.8	<1.40
3/22/00	<1.0	<1.0	<1.0	126	<1.0	<14
5/31/00	0.60	<1.0	<1.0	270	<1.0	<1.0
6/16/00	<1.0	-	-	-	-	-
8/16/00	<1.0	-	-	67	<1.0	<1.0
<b>Dissolved Lead (ES 15 ppb, PAL 1.5 ppb)</b>						
11/11/96	<1	1	1	<1	<1	<1

Results are expressed in parts per billion (ppb = ug/l).

    = exceeds NR 140 Enforcement Standard (ES)

□ = exceeds NR 140 Preventive Action Limit (PAL)



**TABLE 7** (Page 1 of 1)

## REINHARDT FARM, NELSON, WI



## SITE DRINKING WELL GROUNDWATER PETROLEUM ANALYTICAL RESULTS

Date	1/93	12/95	9/96	1/97	9/97	1/98	11/98	10/99	3/00	5/00	8/00
Gasoline Range Organics	-	-	<30	-	-	-	-	-	-	-	-
benzene	<0.5	ND	<0.2	<0.20	<0.30	<0.30	<0.30	<0.27	<0.10	<0.10	<0.10
1,2-dichloroethane	-	-	-	-	-	-	<0.20	<0.37	<0.40	<0.40	<0.40
ethylbenzene	<0.5	ND	<0.2	<0.20	<0.20	<0.20	<0.20	<0.32	<0.10	<0.10	<0.10
methylene chloride	-	ND	<0.3	<0.30	<0.50	0.7	<0.50	0.41	<1.9	<1.9	<1.9
methyl-tert-butyl ether	<5	ND	<0.2	<0.20	<0.20	<0.20	<0.20	<0.32	<1.1	<1.1	<1.1
naphthalene	<0.5	ND	<0.8	<0.80	<1.1	<1.1	<1.1	<0.35	<0.70	<0.70	<0.70
toluene	<0.5	ND	<0.2	<0.20	<0.20	<0.20	<0.20	<0.27	<0.10	<0.10	<0.10
1,2,4-trimethylbenzene	<0.5	ND	<0.7	<0.70	<0.60	<0.60	<0.60	<0.22	<0.20	<0.20	<0.20
1,3,5-trimethylbenzene	<0.5	ND	<0.4	<0.40	<0.30	<0.30	<0.30	<0.27	<0.30	<0.30	<0.30
m&p-xylenes	<0.5	ND	<0.4	<0.40	<0.30	<0.30	<0.30	<0.43	0.30	<0.20	<0.20
o-xylene	<0.5	ND	<0.2	<0.20	*0.5	<0.50	<0.50	<0.24	<0.10	<0.10	<0.10


Laboratory results are expressed in ppb (ug/l)

ND = not detected





LEGEND	
●	Geoprobe Soil Boring
⊕	Monitoring Well



DESIGNED	RJR	DATE	OCTOBER 2000
DRAWN	SMS		
CHECKED	RJR		
APPROVED	RJR		

**MICHAELS ENGINEERING INC.**  
 Wisconsin  
 54600-7377  
 811 W. Lincoln  
 Box 7377, Cross  
 PHONE: 608 785-1900 FAX: 608 784-2270

REINHARDT FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN  
 SOIL BORING LOCATIONS AND  
 CROSS SECTION ORIENTATIONS


PROJECT NO.  
**R6396AEE**

**FIG. 3**

A

A'

Former UST Area



SCALE: 2 FEET  
1 FEET

PID = PHOTO-IONIZATION DETECTOR IN INSTRUMENT UNITS  
 LAB = LABORATORY ANALYTICAL RESULTS IN PPM  
 ONLY DETECTIONS GREATER THAN NEL20 RCL ARE DISPLAYED ABOVE.

GRO - GASOLINE RANGE ORGANICS  
 B - BENZENE  
 E - ETHYLBENZENE  
 T - TOLUENE  
 X - TOTAL XYLENES



PROJECT NAME: REINHART FARM  
 S936 COUNTY ROAD KK, NELSON, WISCONSIN

DESCRIPTION: CROSS SECTION A - A'

PROJECT NO. R6396ABE  
 BY: SAMMAF  
 DATE: 04/03/07  
 PAGE NO. FIG. 3A

