

GIS REGISTRY INFORMATION

SITE NAME: former Holcombe Cenex
BRRTS #: 03-09-000216 **FID # (if appropriate):** 609079790
COMMERCE # (if appropriate): 54729-9999-17
CLOSURE DATE: 18-Jan-07
STREET ADDRESS: Irvin & Hughlett St
CITY: Holcombe

SOURCE PROPERTY LOCATIONAL COORDINATES
(meters in WTM91 projection): X= 432321 Y= 528464

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: Parcel # 23206-2843-08500000 located west of the former Cenex

LOCATIONAL COORDINATES (meters in WTM91 projection): X= 432304 Y= 528458

IF YES, STREET ADDRESS 2: Parcel # 23206-2842-50050775 located on NE corner of Irvin and Hughlett St.

LOCATIONAL COORDINATES (meters in WTM91 projection): X= 432295 Y= 528489

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

LOCATIONAL COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter
- Copy of (soil or land use) deed notice if any required as a condition of closure
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002
Telephone 715-684-2914
FAX 715-684-5940
TTY Access via relay - 711

January 18, 2007

Mr. Mike Prah
River Country Cooperative
1080 West River Street
Chippewa Falls, WI 54729

**Subject: Final Case Closure
Holcombe Cenex, Irvine and Hughitt St., Holcombe, Wisconsin
WDNR BRRTS # 03-09-000216**

Dear Mr. Prah:

On June 16, 2001, your request for closure of the case described above was reviewed by the West Central Region Closure Committee. This committee reviews environmental remediation reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On July 25, 2001, you were notified that conditional closure was granted to this case.

On November 16, 2001, November 28, 2006, December 7, 2006 and December 21, 2006 the Department received correspondence indicating that you have complied with the conditions of closure. On those dates, the well abandonment forms, the waste soil pile removal documentation, the GIS packet, and the GIS registry fee were submitted to this office by Terracon Inc.. Based on the correspondence and data provided, your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains at this site as indicated in the information submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. All current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm> If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 717 684-2914 ext. 117.

Sincerely,



Patrick J. Collins
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Devon Davia - Terracon
FILE



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Scott A. Humrickhouse, Regional Director

Baldwin Service Center
990 Hillcrest Street
Suite 104
Baldwin, Wisconsin 54002
Telephone 715-684-2914
FAX 715-684-5940

July 25, 2001

Mr. Mike Prah
River Country Cooperative
1080 West River Street
Chippewa Falls, WI 54729

**Subject: Conditional Case Closure
Holcombe Cenex, Irvine and Hughitt St., Holcombe, Wisconsin
WDNR BRRTS # 03-09-000216**

Dear Sir/Madam:

On June 16, 2001, your request for closure of the case described above was reviewed by the West Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the former underground storage tanks appears to have been investigated and remediated to the extent practicable under site conditions. Your case will be closed under s. NR 726.05, Wis. Adm. Code, if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells and other remediation wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code, unless long term groundwater monitoring is going to be conducted. If monitoring wells will not be immediately abandoned because you do not file a groundwater use restriction and future groundwater monitoring is planned, you will need to notify me of your monitoring plans in order to qualify for case closure. Documentation of well abandonment must be submitted to Patrick Collins on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.

WASTE AND SOIL PILE REMOVAL

Any remaining waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining waste and/or soil piles have been removed once that work is completed.

GROUNDWATER USE RESTRICTION

Section NR 726.05(2)(b), Wis. Adm. Code, provides that if groundwater contamination still exceeds NR 140 enforcement standards when a closure request is submitted, a case may only be closed if a groundwater use restriction is recorded for each property where enforcement standards are exceeded. Therefore, recording the required groundwater use restriction is an

option that the Department of Natural Resources can offer to you in order to close this case. A restriction must be placed on both the subject property and the laundromat property. If you choose not to accept this option, you may be required to conduct additional groundwater monitoring using existing or additional monitoring wells and may choose to perform additional investigation and cleanup of the remaining contamination in order to qualify for unconditional closure. However, you should note that additional investigation or cleanup work may not be eligible for reimbursement from the Petroleum Environmental Cleanup Fund Award (PECFA) Program. You should contact the Department of Commerce to determine if the additional work will be eligible for reimbursement.

If you choose to pursue closure with a groundwater use restriction, you will need to submit a draft groundwater use restriction to me before the document is signed and recorded. You may find attached a model groundwater use restriction for your use or visit our web site at www.dnr.state.wi.us/org/rr for a copy of the model format and language. **To assist us in the review of your draft groundwater use restriction document, you should submit a copy of the property deed or deeds to me along with the draft document.** Once Department of Natural Resources has checked your draft document for completeness, you should sign it if you own the property, or have the appropriate property owner sign it, and have it recorded at the Chippewa County Register of Deeds Office, and then submit a copy of the recorded document, with the recording information stamped on it, to me. Please be aware that if a groundwater use restriction is recorded for the wrong property because of an inaccurate legal description that you have provided, you will be responsible for recording corrected documents at the Register of Deeds Office to correct the problem.

SOIL PERFORMANCE STANDARD

As specified in NR 714.07(5), Wis. Adm. Code, where a proposed action to address soil contamination includes a performance standard selected in accordance with NR 720.19(2), responsible parties shall publish a public notice as a Class I notice under ch. 985, Stats. This public notice shall meet the requirements of NR 714.07(5)(a-e), Wis. Adm. Code, and should be published in the nearest local paper. A copy of the published public notice shall be submitted to the Department.

NOTICE OF RESIDUAL SOIL CONTAMINATION

The closure committee has required that a deed notice be signed and recorded to give notice of the remaining soil contamination associated with the site. Residual soil contamination remains at a depth below 4 feet in the vicinity of the pump island and the recovery trench as indicated in the information submitted to the Department of Natural Resources. If soil in this location (or these locations) is excavated in the future, the property owner at that time will be required to sample and analyze the excavated soil in order to determine whether the contamination still remains. The owner will also have to properly store, treat, or dispose of any excavated materials, based upon the results of that characterization, and take special precautions during excavation activities to prevent a direct contact threat to humans. The purpose of the notice is to notify all future owners that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation.

You will need to submit a draft deed notice to me before the document is signed and recorded. You may find a model deed notice enclosed for your use or visit our web site at www.dnr.state.wi.us/org/rr. The required notice may be inserted into a groundwater use restriction document, if both a groundwater use restriction and a deed notice are required for the same property. **To assist us in our review of the deed notice, you should submit a copy of the property deed to me along with the draft document.** After Department of Natural Resources

has reviewed the document for completeness, you should sign it if you own the property, or have the appropriate property owner sign it, and have it recorded at the Chippewa County Register of Deeds Office, and then submit a copy of the recorded document, with the recording information stamped on it, to me. Please be aware that if a deed notice is recorded for the wrong property because of an inaccurate legal description that you have provided, you will be responsible for recording corrected documents at the Register of Deeds Office to correct the problem.

RIGHT-OF-WAY SOIL AND/OR GROUNDWATER CONTAMINATION

There is residual soil and/or groundwater contamination in a public street or highway right-of-way. You should provide written notification of the presence of residual soil and/or groundwater contamination to the clerk of the town and county or municipality where the right-of-way is located and to the municipal department or state agency that maintains the right-of-way. Please provide me with a copy of the written notification.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715 684-2914.

Sincerely,



Patrick J. Collins
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Kristina Tschida – Terracon
FILE

Holcombe Cenex
Holcombe, Wisconsin
Terracon Project No. 338885016

Parcel Identification Numbers

Property Name	Parcel ID Number	Address of Property Owner
Moga Property (Former Cenex)	23206-2842-08000000	2033 Wheaton Street, Chippewa Falls, WI 54729 Contact: Mr. and Mrs. Donald Moga
Holcombe Laundromat	23206-2842-50050775	26510 260th Avenue, Holcombe, Wisconsin, 54745 Contact: Mr Garold Johnson
Town of Lake Holcombe	23206-2843-08500000	26179 275th Street, Holcombe, WI, 54745, Contact: Mr. Robert E. Bayerl

DOCUMENT NO.

493866

INDEXED

STATE BAR OF WISCONSIN - FORM 1
WARRANTY DEED

THIS SPACE RESERVED FOR RECORDING DATA

Registers Office } ss.
Chippewa County WI }

Received for Record
the 2 day of June
A.D. 1990 at 9:00 o'clock a.m.
and recorded in vol. 677
of Records Page 302

By Jarvis M. Hebert
Register
Deputy

THIS DEED, made between Cornell Farmers Union Cooperative

Grantor
and Donald J. Moga and Deborah A. Moga, husband and wife
as survivorship marital property

Witnesseth, That the said Grantor for a valuable consideration

conveys to Grantee the following described real estate in Chippewa County,
State of Wisconsin:

A parcel of land in the SE $\frac{1}{4}$ of Sec. 28 Twp. 32 North
of Range 6 West, described as follows:

Beginning at the intersection of the East right-of-way
line of the abandoned railroad with the South line of
Irvine Avenue extended of the Plat of Eau Claire Realty Co. Plat of Holcombe,
thence West along said Irvine Ave. extended to the East line of Hughitt St.
which is the point of beginning; thence Southerly along the East line of
Hughitt St. to the North line of Spooner Ave. extended; thence East along said
North line of Spooner Ave. extended 300 feet; to the East right of way line of
said abandoned railroad; thence Northerly along the East line of said railroad
right-of-way to the South line of Irvine Ave. extended; thence West along said
South line of Irvine Ave. extended 300 feet to the point of beginning.

RETURN TO
State Bank
City of Chippewa Falls
Box 66 Chippewa Falls
800 Chg 54727

Tax Key # _____
This is _____ homestead property.

TRANSFER
FEE
\$ 37.50

Except easements of record and except flowage easements, if any.

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining;
And Cornell Farmers Union Cooperative
warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except reservations,
restrictions and easements of record, if any.

and will warrant and defend the same.

Executed at Cornell, WI this 28th day of December, 1990
Cornell Farmers Union Cooperative

SIGNED AND SEALED IN PRESENCE OF

By: Lyle Briggs (SEAL)
Lyle Briggs, President

William Carrell (SEAL)
William Carrell, Secretary

(SEAL)

(SEAL)

Signatures of Lyle Briggs and William Carrell

authenticated this 28th day of December

19 90
Mary E. Hoel
Mary E. Hoel

Title: Member State Bar of Wisconsin or Other Party
Authorized under Sec. 706.06 vis.

STATE OF WISCONSIN } ss.
County. }

Personally came before me, this _____ day of _____, 19____,
the above named _____

to me known to be the person _____ who executed the foregoing instrument and acknowledged the same.

This instrument was drafted by


Attorney Mary E. Hoel

Notary Public _____ County, Wis.

The use of witnesses is optional.

My Commission (Expires) (Is) _____

Names of persons signing in any capacity should be typed or printed below their signatures.



STATE BAR OF WISCONSIN FORM 3 - 1982
QUIT CLAIM DEED

596721

DOCUMENT NO.

Marge L. Geissler

Sadie Mix a/k/a Sadie Johnson Mix, a single person

quit-claims to Garold M. Johnson

'89 JUL 30 PM 2 13

MARGE L. GEISSLER
REGISTER OF DEEDS
CHIPPEWA COUNTY WI

the following described real estate in Chippewa County,
State of Wisconsin:

See legal description attached

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS

Attorney Cal R. Tillisch
115 Forest Street
P.O. Box 1566
Wausau, WI 54402-1566
12.00 pd # 5083

23206-2842-5005-0775
PARCEL IDENTIFICATION NUMBER
23206-2842-5005-0825

TRANSFER
FEE
\$ 55.30

FEE
EXEMPT
8

This is not homestead property.
(is) (is not)

Dated this 2nd day of Dec, 19 98.

(SEAL) * Sadie Johnson Mix (SEAL)
* Sadie Mix a/k/a Sadie Johnson Mix

(SEAL) _____ (SEAL)
* _____ *

AUTHENTICATION

Signature(s) Sadie Mix a/k/a Sadie Johnson Mix

authenticated this 2 day of Dec, 19 98

Cal R. Tillisch
* Cal R. Tillisch

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Cal R. Tillisch

115 Forest Street, Wausau, WI

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

State of Wisconsin,

} ss.
County.

Personally came before me this _____ day of _____, 19 _____, the above named

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

* _____
Notary Public, _____ County, Wis.

My commission is permanent. (If not, state expiration date: _____, 19 _____.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

596721

**ATTACHMENT TO QUIT CLAIM DEED
MIX/JOHNSON**

LEGAL DESCRIPTION

A part of Government Lot 5, Section 28, Township 32 North of Range 6 West, Chippewa County, Wisconsin described as follows: Beginning at the point of intersection of the Northerly line of Irvine Avenue with the Easterly line of Hughitt Street; thence Northeasterly along the Northerly line of Irvine Avenue extended a distance of 125 feet; thence Northwesterly along the Westerly boundary line a distance of 190 feet; thence Southwesterly on a line parallel with Irvine Avenue extended a distance of 125 feet to the Easterly line of Hughitt Street; thence Southeasterly along the Easterly line of Hughitt Street a distance of 190 feet to the point of beginning.

A part of Government Lot 5 in Section 28 in Township 32 North of Range 6 West, Chippewa County, Wisconsin described as follows: Beginning at the SE corner of Block 2 Eau Claire Realty Company's Plat of Holcombe; thence North 67° 30' East a distance of 185 feet to an iron stake, being the point of beginning; thence N 22° 30' West, a distance of 190 feet to an iron pipe 3/4 inches in diameter; thence North 67° 30' East, a distance of 175 feet to an iron pipe 3/4 inches in diameter, thence South 22° 30' East a distance of 190 feet to an iron pipe 3/4 inches in diameter, thence South 67° 30' West a distance of 175 feet to the place of beginning.

Subject to easements and reservations of record, if any.

DOCUMENT NO.

STATE BAR OF WISCONSIN FORM 1-1982
WARRANTY DEED

THIS SPACE RESERVED FOR RECORDING DATA

513691

INDEXED _____

Registers Office }
Chippewa County, WI } ss
Received for Record
the 28 day of Dec
A.D. 1992 at 9:30 o'clock AM m.
and recorded in vol. 733
of Records Page 457
Beatrice M. Boyce
Register

This Deed, made between Donald J. and Deborah
A. Moga, husband and wife

Grantor,
and Town of Lake Holcombe, a municipal
corporation

Grantee,
Witnesseth, That the said Grantor, for a valuable consideration.....

conveys to Grantee the following described real estate in Chippewa
County, State of Wisconsin:

A parcel of land in the SE $\frac{1}{4}$ of Section 28,
Town 32 North, Range 6 West, described as
follows:

Tax Parcel No:

Beginning at the intersection of the East right-of-way line of
the abandoned railroad with the South line of Irvine Avenue
extended of the Plat of Eau Claire Realty Co. Plat of Holcombe;
thence West along said Irvine Avenue extended to the East line of
Hughitt St.; thence southerly along the East line of Hughitt St.
to the North line of Spooner Avenue extended, which is the point
of beginning; thence easterly along the North line of Spooner
Avenue extended seventy-five (75) feet, thence at right angles
northerly seventy-five (75) feet, thence at right angles westerly
seventy-five (75) feet to the East line of Hughitt St. thence
southerly seventy-five (75) feet more or less, to the point of
beginning.

TRANSFER
FEE
\$ 10.50

This is not homestead property.
(#) (is not)

Together with all and singular the hereditaments and appurtenances therunto belonging;
And
warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except

and will warrant and defend the same.

Dated this 23 day of December, 1992...

(SEAL) Donald J. Moga (SEAL)
Donald J. Moga
(SEAL) Deborah A. Moga (SEAL)
Deborah A. Moga

AUTHENTICATION

Signature(s) Donald J. Moga and
Deborah A. Moga

authenticated this 23 day of December, 1992

Mary E. Hoel
Mary E. Hoel

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Attorney Mary E. Hoel
Cornell, WI 54732

(Signatures may be authenticated or acknowledged. Both
are not necessary.)

ACKNOWLEDGMENT


STATE OF WISCONSIN

County. } ss.
Personally came before me this _____ day of
_____, 19____ the above named

to me known to be the person _____ who executed the
foregoing instrument and acknowledge the same.

Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration
date: _____, 19____)


*Names of persons signing in any capacity should be typed or printed below their signatures.



PARCEL IDENTIFICATION MAP
HOLCOMBE CENEX
 IRVINE ST & HUGHITT ST
 HOLCOMBE, WISCONSIN

Project Mngr:	BRS	Terracon 3011B E. Capitol Drive Appleton, WI 54911	Project No.	38885016
Designed By:	AJP		Scale:	
Checked By:	DED		Date:	4/3/06
Approved By:	BRS		Drawn By:	AJP (38)
File Name:	38885016.GIS.dwg	Layout1	Figure No.	

DIAGRAM IS FOR GENERAL LOCATION ONLY,
 AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES



-  Parcel # 23206-2843-08500000
-  Parcel # 23206-2842-50050775
-  Parcel # 23206-2842-08000000




PARCEL IDENTIFICATION PLAT MAP HOLCOMBE CENEX IRVINE ST & HUGHITT ST HOLCOMBE, WISCONSIN		
Project Mngr:	BRS	Project No. 38885016
Designed By:	AJP	Scale: NONE
Checked By:	DED	Date: 4/3/06
Approved By:	BRS	Drawn By: AJP (38)
File Name:	38885016.GIS.dwg	Figure No.




DIAGRAM IS FOR GENERAL LOCATION ONLY,
AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

UNITED STATES - DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY



PROJECT LOCATION

SCALE 1:24 000



HOLCOMBE QUADRANGLE
 WISCONSIN - CHIPPEWA COUNTY
 7.5 MINUTE SERIES (TOPOGRAPHIC)




SITE LOCATION MAP
 CORNELL FAMER'S UNION COOPERATIVE

HOLCOMBE, WISCONSIN


Project Mngr:	BRS	 3011B E. Capitol Drive Appleton, WI 54911	Project No.	38885016
Designed By:	AJP		Scale:	AS SHOWN
Checked By:	DED		Date:	12/22/06
Approved By:	BRS		Drawn By:	AJP (38)
File Name:	38885016sl.dwg	Layout1	Figure No.	1

DIAGRAM IS FOR GENERAL LOCATION ONLY,
 AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

HUGHITT STREET



IRVINE AVENUE



SCALE

1 INCH = 40 FEET



LEGEND

- MW-1 MONITORING WELL
- ⊙ B-6 SOIL BORING
- ⊙ W POTABLE WELL

FIGURE 2

SITE MAP (JANUARY 17, 1989)
CORNELL FARMERS UNION COOP
HOLCOMBE, WISCONSIN
TERRACON JOB NO. 41885016

Table 2

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Analytical Data

Measured Location	Date	Benzene	Toluene	Ethyl Benzene	Total Xylenes	GRO	MTBE	D.O.	Nitrates	Sulfates
MW-1	11/22/1988	ND	ND	-	ND	6	-	-	-	-
MW-1	1/17/1989	4	ND	-	1	31	-	-	-	-
MW-1	5/10/1989	5	ND	ND	ND	20	-	-	-	-
MW-1	9/18/1989	ND	1	ND	ND	10	-	-	-	-
MW-1	1/30/1990	9	1	ND	1	28	-	-	-	-
MW-1	5/22/1990	4	1	ND	1	36	-	-	-	-
MW-2	11/22/1988	ND	ND	-	ND	ND	-	-	-	-
MW-2	1/17/1989	ND	ND	-	ND	ND	-	-	-	-
MW-2	5/10/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-2	9/18/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-2	1/30/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-2	5/22/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-2	4/2/1991	ND	ND	ND	ND	16	-	-	-	-
MW-2	9/10/1991	ND	ND	ND	ND	ND	-	-	-	-
MW-2	4/26/1994	ND	ND	ND	ND	ND	ND	6	-	-
MW-2	7/7/1994	ND	ND	ND	ND	ND	ND	3	-	-
MW-2	8/30/1995	ND	ND	ND	ND	ND	ND	6	-	-
MW-2	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	5	-	-
MW-2	8/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	2	50	37
MW-3	11/22/1988	ND	ND	-	ND	ND	-	-	-	-
MW-3	1/17/1989	ND	ND	-	ND	ND	-	-	-	-
MW-3	5/10/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-3	9/18/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-3	1/30/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-3	5/22/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-3	4/2/1991	ND	ND	ND	ND	ND	-	-	-	-
MW-3	9/10/1991	ND	ND	ND	ND	ND	-	-	-	-
MW-3	4/26/1994	ND	ND	ND	ND	ND	ND	4	-	-
MW-3	7/7/1994	ND	ND	ND	ND	ND	ND	3	-	-
MW-3	8/30/1995	ND	ND	ND	ND	ND	ND	3	-	-
MW-3	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	2	-	-
MW-3	8/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	2	<0.20	430
MW-4	11/22/1988	920	33	-	980	730	-	-	-	-
MW-4	1/17/1989	930	140	-	1900	6300	-	-	-	-
MW-4	5/10/1989	2900	970	390	2700	29000	-	-	-	-
MW-4	9/18/1989	710	170	5	770	7800	-	-	-	-
MW-4	1/30/1990	480	50	80	490	3000	-	-	-	-
MW-4	5/22/1990	520	34	1	640	2600	-	-	-	-
MW-4	10/2/1990	800	180	71	2200	6100	-	-	-	-
MW-4	4/2/1991	890	100	210	1600	14000	1500	-	-	-
MW-4	9/10/1991	1500	630	190	5000	17000	-	-	-	-
MW-7	1/17/1989	ND	ND	-	ND	ND	-	-	-	-
MW-7	5/10/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-7	9/18/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-7	1/30/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-7	5/22/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-7	10/2/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-7	4/2/1991	ND	ND	ND	ND	29	5	-	-	-
MW-7	9/10/1991	ND	ND	ND	1	5	-	-	-	-
MW-7	4/26/1994	ND	ND	ND	ND	ND	ND	1	-	-
MW-7	7/7/1994	ND	ND	ND	ND	ND	ND	5	-	-
MW-7	8/30/1995	ND	ND	ND	4.7	240	ND	2	-	-
MW-7	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	1	-	-
MW-7	8/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	4	2.7	6.3
MW-8	1/17/1989	1	1	-	4	38	-	-	-	-

Table 2

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Analytical Data

Measured Location	Date	Benzene	Toluene	Ethyl Benzene	Total Xylenes	GRO	MTBE	D.O.	Nitrates	Sulfates
MW-8	5/10/1989	4	ND	ND	ND	20	-	-	-	-
MW-8	9/18/1989	ND	ND	ND	ND	ND	-	-	-	-
MW-8	1/30/1990	ND	ND	ND	ND	ND	-	-	-	-
MW-8	5/22/1990	3	ND	ND	ND	19	-	-	-	-
MW-8	4/2/1991	ND	ND	ND	1	34	-	-	-	-
MW-8	9/10/1991	ND	ND	ND	ND	10	-	-	-	-
MW-8	4/26/1994	ND	ND	ND	ND	ND	ND	3	-	-
MW-8	7/7/1994	ND	ND	ND	ND	ND	ND	1	-	-
MW-8	8/30/1995	ND	ND	ND	ND	ND	ND	4	-	-
MW-8	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	3	-	-
MW-8	8/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	3	<0.20	62
MW-12	9/10/1991	370	430	120	3300	8700	-	-	-	-
MW-12	4/26/1994	480	2600	1200	6900	16000	430	1.5	-	-
MW-12	7/7/1994	350	550	850	10000	15000	120	3	-	-
MW-12	10/11/1994	370	640	870	5000	15000	ND	2	-	-
MW-12	1/30/1995	320	63	670	1100	7700	ND	2	-	-
MW-12	2/22/1995	29	2.5	56	72	610	ND	1.5	-	-
MW-12	5/23/1995	370	1700	820	3500	9800	ND	2	-	-
MW-12 Duplicate	5/23/1995	400	1700	960	2200	11000	ND	2	-	-
MW-12	8/30/1995	130	42	450	1200	4700	38	2	-	-
MW-12	11/3/1995	350	590	590	2700	8200	<13	0.5	-	-
MW-12	2/9/1996	180	<1.0	440	19	2100	<5.0	-	-	-
MW-12	8/20/1996	400	930	910	4000	14000	22	2	-	-
MW-12	9/24/1996	54	<1.0	120	1.1	1500	18	1	-	-
MW-12	12/24/1996	22	<1.0	43	<1.0	960	6.0	1	-	-
MW-12	3/27/1997	40	<1.0	130	660	3400	<5.0	1	-	-
MW-12	5/20/1997	93	470	190	860	2700	<10	1	-	-
MW-12	8/21/1997	61	120	300	1400	2700	<10	1	<0.20	4.3
MW-12	12/17/1997	9.3	<1.0	6.6	<1.0	290	<5.0	2	-	-
MW-12	3/31/1998	150	520	300	1900	-	<5.0	3	-	-
MW-12	7/6/1999	140	220	400	1270	-	3.4	-	-	-
MW-16	9/10/1991	ND	ND	ND	ND	ND	-	-	-	-
MW-16	4/26/1994	ND	2	2	9	ND	ND	1.5	-	-
MW-16	7/7/1994	ND	ND	ND	ND	ND	ND	3	-	-
MW-16	10/11/1994	ND	ND	ND	ND	ND	ND	1	-	-
MW-16	1/30/1995	ND	ND	ND	ND	ND	ND	3	-	-
MW-16	2/22/1995	ND	ND	ND	ND	ND	ND	0.5	-	-
MW-16	5/23/1995	7.5	31	15	42	200	ND	2	-	-
MW-16	8/30/1995	ND	1.8	ND	3.7	ND	ND	1	-	-
MW-16 Duplicate	8/30/1995	ND	ND	ND	ND	ND	ND	1	-	-
MW-16	11/3/1995	<1.0	<1.0	<1.0	<1.0	<100	<5.0	6	-	-
MW-16	2/9/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
MW-16	8/20/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	4	-	-
MW-16	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	2	-	-
MW-16	12/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	1	-	-
MW-16	3/27/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	3	-	-
MW-16	5/20/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	3	-	-
MW-16	8/21/1997	<1.0	<1.0	<1.0	<1.0	-	<5.0	3	-	-
MW-16	12/17/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
MW-16	3/31/1998	<1.0	<1.0	<1.0	<1.0	-	<5.0	3	-	-
MW-16	7/6/1999	<0.26	5.5	<0.24	<0.34	-	<0.22	-	-	-
Holcombe Laundromat	9/19/1988	<1.0	<1.0	<1.0	-	-	-	-	-	-
Potable Well-2	7/6/1999	<0.26	8.8	<0.24	<1.34	-	<0.22	-	-	-
Potable Well-2 (Dup.)	7/6/1999	<0.26	8.6	<0.24	<1.34	-	<0.22	-	-	-
B-9	1/12/1989	ND	ND	-	ND	ND	-	-	-	-

Table 2

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Analytical Data

Measured Location	Date	Benzene	Toluene	Ethyl Benzene	Total Xylenes	GRO	MTBE	D.O.	Nitrates	Sulfates
Trip Blank	7/6/1999	<0.26	58	<0.24	<1.34	-	<0.22	-	-	-
P-4B	5/22/1990	ND	ND	ND	ND	11	-	-	-	-
P-5B	5/22/1990	1900	2900	2600	16000	120000	-	-	-	-
P-6	5/22/1990	550	110	300	2300	11000	-	-	-	-
P-9	10/2/1990	ND	ND	ND	ND	5	-	-	-	-
P-10	10/2/1990	ND	ND	ND	ND	ND	-	-	-	-
P-11	10/2/1990	ND	ND	ND	ND	6	-	-	-	-
P-12	10/2/1990	960	1400	910	5500	16000	-	-	-	-
P-13	10/2/1990	ND	ND	ND	ND	ND	-	-	-	-
WS-1	5/22/1990	ND	ND	ND	ND	ND	-	-	-	-
Pre-Treatment	4/26/1994	740	370	51	430	2500	ND	-	-	-
Pre-Treatment	5/6/1994	56	9	14	63	400	9	-	-	-
Pre-Treatment	5/18/1994	260	35	38	120	740	21	-	-	-
Pre-Treatment	6/9/1994	230	130	66	270	1500	ND	-	-	-
Pre-Treatment	6/21/1994	210	110	64	270	1400	-	-	-	-
Pre-Treatment	9/21/1994	ND	ND	ND	ND	ND	ND	-	-	-
Pre-Treatment	10/10/1994	1	ND	ND	ND	ND	ND	-	-	-
Pre-Treatment	12/27/1994	1.6	ND	ND	ND	ND	-	-	-	-
Pre-Treatment	1/30/1995	1.6	ND	ND	ND	-	ND	-	-	-
Pre-Treatment	2/28/1995	ND	ND	ND	ND	-	ND	-	-	-
Pre-Treatment	3/23/1995	14	ND	ND	5	-	ND	-	-	-
Pre-Treatment	5/23/1995	230	78	42	100	1100	ND	-	-	-
Pre-Treatment	6/16/1995	79	3.9	4.0	18	180	ND	-	-	-
Pre-Treatment	7/11/1995	13	ND	ND	ND	ND	ND	-	-	-
Pre-Treatment	8/30/1995	13	ND	ND	3.5	ND	ND	-	-	-
Pre-Treatment	11/9/1995	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Pre-Treatment	3/18/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
System shut down May 1996										
System re-started August 1996 to include RS-2										
Pre-Treatment	8/20/1996	22	2.6	45	120	3300	<5.0	-	-	-
Pre-Treatment	8/28/1996	150	410	35	1400	3400	<5.0	-	-	-
Pre-Treatment	9/24/1996	86	170	6.1	1800	5200	20	-	-	-
Pre-Treatment	11/26/1996	180	700	490	2000	7700	-	-	-	-
Pre-Treatment	12/24/1996	5.2	<1.0	<1.0	5.3	380	<5.0	-	-	-
Pre-Treatment	3/27/1997	150	1300	210	2700	6800	<5.0	-	-	-
Pre-Treatment(Dup.)	3/27/1997	150	1100	230	2300	7300	<25	-	-	-
Pre-Treatment	5/20/1997	26	<10	<10	370	1900	<50	-	-	-
Pre-Treatment	8/21/1997	59	330	330	920	4600	<9.0	-	-	-
Pre-Treatment	12/17/1997	4.6	<1.0	12	12	230	<5.0	-	-	-
Post-Treatment	4/14/1994	85	5	22	46	520	-	-	-	-
Post-Treatment	4/26/1994	28	17	2	25	150	-	-	-	-
Post-Treatment	5/6/1994	2	ND	ND	1	ND	ND	-	-	-
Post-Treatment	5/18/1994	5	ND	ND	2	ND	5	-	-	-
Post-Treatment	6/9/1994	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	6/21/1994	3	1	1	3	ND	-	-	-	-
Post-Treatment	7/7/1994	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	7/17/1994	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	9/1/1994	12	ND	2	5	ND	ND	-	-	-
Post-Treatment	9/21/1994	ND	ND	ND	ND	ND	ND	-	-	-

Table 2


Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Analytical Data

Measured Location	Date	Benzene	Toluene	Ethyl Benzene	Total Xylenes	GRO	MTBE	D.O.	Nitrates	Sulfates
Post-Treatment	10/10/1994	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	12/27/1994	ND	ND	ND	ND	ND	-	-	-	-
Post-Treatment	1/30/1995	ND	ND	ND	ND	ND	-	-	-	-
Post-Treatment	2/28/1995	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	5/23/1995	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	6/16/1995	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	7/11/1995	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	8/30/1995	ND	ND	ND	ND	ND	ND	-	-	-
Post-Treatment	11/9/1995	11	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	3/18/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
System shut down May 1996										
System re-started August 1996 to include RS-2										
Post-Treatment	8/28/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	9/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	12/24/1996	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	3/27/1997	<1.0	<1.0	<1.0	1.4	<100	<5.0	-	-	-
Post-Treatment	5/20/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	8/21/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
Post-Treatment	12/17/1997	<1.0	<1.0	<1.0	<1.0	<100	<5.0	-	-	-
PZ-1	9/24/1996	270	<1.0	19	<1.0	440	<5.0	2	-	-
PZ-1 (DUP.)	9/24/1996	280	1.5	17	<1.0	440	<5.0	-	-	-
PZ-1	11/5/1996	38	<1.0	<1.0	<1.0	<100	<5.0	1	-	-
PZ-1	8/21/1997	290	1.2	18	<1.0	-	<5.0	1	<0.20	240
PZ-1	12/17/1997	89	<1.0	1.4	<1.0	220	<5.0	1	-	-
PZ-2	11/5/1996	56	5.2	<1.0	<1.0	130	<5.0	1	-	-
PZ-2	3/27/1997	330	37	43	110	990	<5.0	2	-	-
PZ-2	5/20/1997	160	<1.0	<1.0	<1.0	260	<5.0	2	-	-
RS-1	11/5/1996	48	<1.0	<1.0	<1.0	<100	<5.0	1	-	-
Enforcement Standard		5	343	700	620	-	60	-	-	-
Preventative Action Limits (PALs)		0.5	68.6	140	124	-	12	-	-	-

Notes: ND = Not detected above practical quantitation limit (PQL).
- Indicates analysis was not performed.
Concentrations are in units of micrograms per liter (µg/L)
At or above the enforcement standard

N:\Projects\1988\38885016\GIS REGISTRY DOCS\Packet\016TABLS.XLS\Ground Water Elevations



NOTE: THE GROUND WATER CONTOURS SHOWN ARE BASED UPON INTERPOLATION AND EXTRAPOLATION OF WATER LEVEL DATA OBTAINED FROM THE MONITORING WELLS ON JULY 6, 1999. ACTUAL CONDITIONS MAY VARY.

LEGEND

- MONITORING WELL LOCATION
- RECOVERY SUMP LOCATION
- PIEZOMETER LOCATION
- PUMPING WELL LOCATION
- 2" PVC SOIL VENT LINE
- 2" PVC SOIL VENT SCREEN
- 2" PVC GROUND WATER RECOVERY LINE
- 2" PVC TREATED WATER DISCHARGE LINE

APPROXIMATE GROUND WATER FLOW DIRECTION
ELEVATIONS RECORDED IN FEET MSL

APPROXIMATE SCALE
1 INCH = 30 FEET

Inferred Extent of Benzene Contaminant Plume Based on Interpolation and Extrapolation of Data Collected on the Most Recent Sampling Event for Each Well

N:\88_5016\016GWC.DRW

FIGURE 2
GROUND WATER CONTOUR MAP
CORNELL FARMERS UNION COOPERATIVE
HOLCOMBE, WISCONSIN
TERRACON PROJECT NO. 41885016
April, 2001



Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-1	5/10/1989	7.57	1047.21	1039.64	1029.2 - 1039.2
MW-1	9/18/1989	8.23	1047.21	1038.98	1029.2 - 1039.2
MW-1	1/30/1990	11.11	1047.21	1036.10	1029.2 - 1039.2
MW-1	5/22/1990	7.06	1047.21	1040.15	1029.2 - 1039.2
MW-1	10/2/1990	8.65	1047.21	1038.56	1029.2 - 1039.2
MW-1	4/2/1991	8.39	1047.21	1038.82	1029.2 - 1039.2
MW-1	7/25/1991	8.54	1047.21	1038.67	1029.2 - 1039.2
MW-1	8/28/1991	9.68	1047.21	1037.53	1029.2 - 1039.2
MW-1	9/10/1991	7.93	1047.21	1039.28	1029.2 - 1039.2
MW-1	10/25/1991	9.46	1047.21	1037.75	1029.2 - 1039.2
MW-1	5/18/1992	-----	1047.21	-----	1029.2 - 1039.2
MW-1	10/22/1992	8.80	1047.21	1038.41	1029.2 - 1039.2
MW-1	7/12/1993	8.16	1047.21	1039.05	1029.2 - 1039.2
MW-2	5/10/1989	8.79	1046.92	1038.13	1028.9 - 1038.9
MW-2	9/18/1989	9.15	1046.92	1037.77	1028.9 - 1038.9
MW-2	1/30/1990	11.71	1046.92	1035.21	1028.9 - 1038.9
MW-2	5/22/1990	8.26	1046.92	1038.66	1028.9 - 1038.9
MW-2	10/2/1990	8.73	1046.92	1038.19	1028.9 - 1038.9
MW-2	4/2/1991	8.88	1046.92	1038.04	1028.9 - 1038.9
MW-2	7/25/1991	8.60	1046.92	1038.32	1028.9 - 1038.9
MW-2	8/28/1991	9.70	1046.92	1037.22	1028.9 - 1038.9
MW-2	9/10/1991	8.69	1046.92	1038.23	1028.9 - 1038.9
MW-2	10/25/1991	9.61	1046.92	1037.31	1028.9 - 1038.9
MW-2	5/18/1992	-----	1046.92	-----	1028.9 - 1038.9
MW-2	10/22/1992	9.38	1046.92	1037.54	1028.9 - 1038.9
MW-2	7/12/1993	7.52	1046.92	1039.40	1028.9 - 1038.9
MW-2	8/18/1993	7.91	1046.92	1039.01	1028.9 - 1038.9
MW-2	4/13/1994	-----	1046.92	-----	1028.9 - 1038.9
MW-2	4/15/1994	-----	1046.92	-----	1028.9 - 1038.9
MW-2	4/26/1994	8.67	1046.92	1038.25	1028.9 - 1038.9
MW-2	5/6/1994	7.91	1046.92	1039.01	1028.9 - 1038.9
MW-2	5/18/1994	9.00	1046.92	1037.92	1028.9 - 1038.9
MW-2	6/9/1994	10.44	1046.92	1036.48	1028.9 - 1038.9
MW-2	7/7/1994	10.53	1046.92	1036.39	1028.9 - 1038.9
MW-2	9/1/1994	10.72	1046.92	1036.20	1028.9 - 1038.9
MW-2	9/21/1994	11.22	1046.92	1035.70	1028.9 - 1038.9
MW-2	10/11/1994	11.17	1046.92	1035.75	1028.9 - 1038.9
MW-2	12/27/1994	10.33	1046.92	1036.59	1028.9 - 1038.9
MW-2	1/30/1995	10.66	1046.92	1036.26	1028.9 - 1038.9
MW-2	2/22/1995	10.98	1046.92	1035.94	1028.9 - 1038.9
MW-2	5/23/1995	9.44	1046.92	1037.48	1028.9 - 1038.9
MW-2	6/16/1995	9.81	1046.92	1037.11	1028.9 - 1038.9
MW-2	7/11/1995	10.41	1046.92	1036.51	1028.9 - 1038.9
MW-2	8/30/1995	7.35	1046.92	1039.57	1028.9 - 1038.9
MW-2	11/3/1995	7.26	1046.92	1039.66	1028.9 - 1038.9

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-2	2/9/1996	----	1046.92	----	1028.9 - 1038.9
MW-2	3/18/1996	10.14	1046.92	1036.78	1028.9 - 1038.9
MW-2	8/21/1996	8.65	1046.92	1038.27	1028.9 - 1038.9
MW-2	9/24/1996	10.33	1046.92	1036.59	1028.9 - 1038.9
MW-2	11/5/1996	7.34	1046.92	1039.58	1028.9 - 1038.9
MW-2	12/24/1996	9.03	1046.92	1037.89	1028.9 - 1038.9
MW-2	3/27/1997	6.58	1046.92	1040.34	1028.9 - 1038.9
MW-2	5/20/1997	7.71	1046.92	1039.21	1028.9 - 1038.9
MW-2	8/21/1997	7.76	1046.92	1039.16	1028.9 - 1038.9
MW-2	12/17/1997	9.71	1046.92	1037.21	1028.9 - 1038.9
MW-2	3/31/1998	5.99	1046.92	1040.93	1028.9 - 1038.9
MW-2	7/6/1999	9.29	1046.92	1037.63	1028.9 - 1038.9
MW-3	5/10/1989	7.68	1046.50	1038.82	1028.1 - 1038.1
MW-3	9/18/1989	8.85	1046.50	1037.65	1028.1 - 1038.1
MW-3	1/30/1990	11.21	1046.50	1035.29	1028.1 - 1038.1
MW-3	5/22/1990	7.70	1046.50	1038.80	1028.1 - 1038.1
MW-3	10/2/1990	8.36	1046.50	1038.14	1028.1 - 1038.1
MW-3	4/2/1991	7.65	1046.50	1038.85	1028.1 - 1038.1
MW-3	7/25/1991	8.49	1046.50	1038.01	1028.1 - 1038.1
MW-3	8/28/1991	9.22	1046.50	1037.28	1028.1 - 1038.1
MW-3	9/10/1991	8.62	1046.50	1037.88	1028.1 - 1038.1
MW-3	10/25/1991	9.24	1046.50	1037.26	1028.1 - 1038.1
MW-3	5/18/1992	----	1046.50	----	1028.1 - 1038.1
MW-3	10/22/1992	8.98	1046.50	1037.52	1028.1 - 1038.1
MW-3	7/12/1993	7.97	1046.50	1038.53	1028.1 - 1038.1
MW-3	8/18/1993	8.41	1046.50	1038.09	1028.1 - 1038.1
MW-3	4/13/1994	----	1046.50	----	1028.1 - 1038.1
MW-3	4/15/1994	----	1046.50	----	1028.1 - 1038.1
MW-3	4/26/1994	7.45	1046.50	1039.05	1028.1 - 1038.1
MW-3	5/6/1994	7.94	1046.50	1038.56	1028.1 - 1038.1
MW-3	5/18/1994	8.75	1046.50	1037.75	1028.1 - 1038.1
MW-3	6/9/1994	9.18	1046.50	1037.32	1028.1 - 1038.1
MW-3	7/7/1994	9.21	1046.50	1037.29	1028.1 - 1038.1
MW-3	9/1/1994	9.94	1046.50	1036.56	1028.1 - 1038.1
MW-3	9/21/1994	10.00	1046.50	1036.50	1028.1 - 1038.1
MW-3	10/11/1994	10.12	1046.50	1036.38	1028.1 - 1038.1
MW-3	12/27/1994	9.81	1046.50	1036.69	1028.1 - 1038.1
MW-3	1/30/1995	10.19	1046.50	1036.31	1028.1 - 1038.1
MW-3	2/22/1995	10.47	1046.50	1036.03	1028.1 - 1038.1
MW-3	5/23/1995	8.94	1046.50	1037.56	1028.1 - 1038.1
MW-3	6/16/1995	9.16	1046.50	1037.34	1028.1 - 1038.1
MW-3	7/11/1995	9.43	1046.50	1037.07	1028.1 - 1038.1
MW-3	8/30/1995	8.88	1046.50	1037.62	1028.1 - 1038.1
MW-3	11/3/1995	8.49	1046.50	1038.01	1028.1 - 1038.1
MW-3	2/9/1996	----	1046.50	----	1028.1 - 1038.1

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-3	3/18/1996	9.45	1046.50	1037.05	1028.1 - 1038.1
MW-3	8/21/1996	8.83	1046.50	1037.67	1028.1 - 1038.1
MW-3	9/24/1996	9.58	1046.50	1036.92	1028.1 - 1038.1
MW-3	11/5/1996	8.48	1046.50	1038.02	1028.1 - 1038.1
MW-3	12/24/1996	9.03	1046.50	1037.47	1028.1 - 1038.1
MW-3	3/27/1997	7.26	1046.50	1039.24	1028.1 - 1038.1
MW-3	5/20/1997	8.60	1046.50	1037.90	1028.1 - 1038.1
MW-3	8/21/1997	8.93	1046.50	1037.57	1028.1 - 1038.1
MW-3	12/17/1997	9.37	1046.50	1037.13	1028.1 - 1038.1
MW-3	3/31/1998	6.49	1046.50	1040.01	1028.1 - 1038.1
MW-4	5/10/1989	8.39	1046.35	1037.96	1028.4 - 1038.4
MW-4	9/18/1989	8.79	1046.35	1037.56	1028.4 - 1038.4
MW-4	1/30/1990	11.35	1046.35	1035.00	1028.4 - 1038.4
MW-4	5/22/1990	7.97	1046.35	1038.38	1028.4 - 1038.4
MW-4	10/2/1990	8.38	1046.35	1037.97	1028.4 - 1038.4
MW-4	4/2/1991	8.37	1046.35	1037.98	1028.4 - 1038.4
MW-4	7/25/1991	8.20	1046.35	1038.15	1028.4 - 1038.4
MW-4	8/28/1991	9.31	1046.35	1037.04	1028.4 - 1038.4
MW-4	9/10/1991	8.28	1046.35	1038.07	1028.4 - 1038.4
MW-4	10/25/1991	9.25	1046.35	1037.10	1028.4 - 1038.4
MW-4	5/18/1992	----	1046.35	----	1028.4 - 1038.4
MW-4	10/22/1992	8.90	1046.35	1037.45	1028.4 - 1038.4
MW-4	7/12/1993	7.78	1046.35	1038.57	1028.4 - 1038.4
MW-7	5/10/1989	4.77	1043.55	1038.78	1029.0 - 1039.0
MW-7	9/18/1989	6.48	1043.55	1037.07	1029.0 - 1039.0
MW-7	1/30/1990	----	1043.55	----	1029.0 - 1039.0
MW-7	5/22/1990	4.56	1043.55	1038.99	1029.0 - 1039.0
MW-7	10/2/1990	5.75	1043.55	1037.80	1029.0 - 1039.0
MW-7	4/2/1991	5.66	1043.55	1037.89	1029.0 - 1039.0
MW-7	7/25/1991	5.73	1043.55	1037.82	1029.0 - 1039.0
MW-7	8/28/1991	6.71	1043.55	1036.84	1029.0 - 1039.0
MW-7	9/10/1991	5.63	1043.55	1037.92	1029.0 - 1039.0
MW-7	10/25/1991	6.68	1043.55	1036.87	1029.0 - 1039.0
MW-7	5/18/1992	----	1043.55	----	1029.0 - 1039.0
MW-7	10/22/1992	6.08	1043.55	1037.47	1029.0 - 1039.0
MW-7	7/12/1993	5.41	1043.55	1038.14	1029.0 - 1039.0
MW-7	8/18/1993	5.95	1043.55	1037.60	1029.0 - 1039.0
MW-7	4/13/1994	----	1043.55	----	1029.0 - 1039.0
MW-7	4/15/1994	----	1043.55	----	1029.0 - 1039.0
MW-7	4/26/1994	3.73	1043.55	1039.82	1029.0 - 1039.0
MW-7	5/6/1994	4.61	1043.55	1038.94	1029.0 - 1039.0
MW-7	5/18/1994	5.43	1043.55	1038.12	1029.0 - 1039.0
MW-7	6/9/1994	5.87	1043.55	1037.68	1029.0 - 1039.0
MW-7	7/7/1994	6.15	1043.55	1037.40	1029.0 - 1039.0

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-7	9/1/1994	6.48	1043.55	1037.07	1029.0 - 1039.0
MW-7	9/21/1994	6.53	1043.55	1037.02	1029.0 - 1039.0
MW-7	10/11/1994	6.83	1043.55	1036.72	1029.0 - 1039.0
MW-7	12/27/1994	7.11	1043.55	1036.44	1029.0 - 1039.0
MW-7	1/30/1995	-----	1043.55	-----	1029.0 - 1039.0
MW-7	2/22/1995	8.00	1043.55	1035.55	1029.0 - 1039.0
MW-7	5/23/1995	5.89	1043.55	1037.66	1029.0 - 1039.0
MW-7	6/16/1995	6.06	1043.55	1037.49	1029.0 - 1039.0
MW-7	7/11/1995	6.81	1043.55	1036.74	1029.0 - 1039.0
MW-7	8/30/1995	5.16	1043.55	1038.39	1029.0 - 1039.0
MW-7	11/3/1995	5.20	1043.55	1038.35	1029.0 - 1039.0
MW-7	2/9/1996	-----	1043.55	-----	1029.0 - 1039.0
MW-7	3/18/1996	6.04	1043.55	1037.51	1029.0 - 1039.0
MW-7	8/21/1996	6.16	1043.55	1037.39	1029.0 - 1039.0
MW-7	9/24/1996	7.33	1043.55	1036.22	1029.0 - 1039.0
MW-7	11/5/1996	-----	1043.55	-----	1029.0 - 1039.0
MW-7	12/24/1996	-----	1043.55	-----	1029.0 - 1039.0
MW-7	3/27/1997	5.02	1043.55	1038.53	1029.0 - 1039.0
MW-7	5/20/1997	6.00	1043.55	1037.55	1029.0 - 1039.0
MW-7	8/21/1997	5.84	1043.55	1037.71	1029.0 - 1039.0
MW-7	12/17/1997	7.01	1043.55	1036.54	1029.0 - 1039.0
MW-7	3/31/1998	3.98	1043.55	1039.57	1029.0 - 1039.0
MW-7	7/6/1999	6.43	1043.55	1037.12	1029.0 - 1039.0
MW-8	5/10/1989	8.57	1045.90	1037.33	1028.1 - 1038.1
MW-8	9/18/1989	9.34	1045.90	1036.56	1028.1 - 1038.1
MW-8	1/30/1990	11.00	1045.90	1034.90	1028.1 - 1038.1
MW-8	5/22/1990	8.34	1045.90	1037.56	1028.1 - 1038.1
MW-8	10/2/1990	8.72	1045.90	1037.18	1028.1 - 1038.1
MW-8	4/2/1991	8.80	1045.90	1037.10	1028.1 - 1038.1
MW-8	7/25/1991	9.21	1045.90	1036.69	1028.1 - 1038.1
MW-8	8/28/1991	10.07	1045.90	1035.83	1028.1 - 1038.1
MW-8	9/10/1991	8.33	1045.90	1037.57	1028.1 - 1038.1
MW-8	10/25/1991	9.60	1045.90	1036.30	1028.1 - 1038.1
MW-8	5/18/1992	9.45	1045.90	1036.45	1028.1 - 1038.1
MW-8	10/22/1992	9.38	1045.90	1036.52	1028.1 - 1038.1
MW-8	7/12/1993	9.02	1045.90	1036.88	1028.1 - 1038.1
MW-8	8/18/1993	9.28	1045.90	1036.62	1028.1 - 1038.1
MW-8	4/13/1994	-----	1045.90	-----	1028.1 - 1038.1
MW-8	4/15/1994	-----	1045.90	-----	1028.1 - 1038.1
MW-8	4/26/1994	7.21	1045.90	1038.69	1028.1 - 1038.1
MW-8	5/6/1994	8.54	1045.90	1037.36	1028.1 - 1038.1
MW-8	5/18/1994	-----	1045.90	-----	1028.1 - 1038.1
MW-8	6/9/1994	10.18	1045.90	1035.72	1028.1 - 1038.1
MW-8	7/7/1994	10.00	1045.90	1035.90	1028.1 - 1038.1
MW-8	9/1/1994	10.15	1045.90	1035.75	1028.1 - 1038.1

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-8	9/21/1994	10.31	1045.90	1035.59	1028.1 - 1038.1
MW-8	10/11/1994	10.13	1045.90	1035.77	1028.1 - 1038.1
MW-8	12/27/1994	9.95	1045.90	1035.95	1028.1 - 1038.1
MW-8	1/30/1995	10.64	1045.90	1035.26	1028.1 - 1038.1
MW-8	2/22/1995	10.86	1045.90	1035.04	1028.1 - 1038.1
MW-8	5/23/1995	9.76	1045.90	1036.14	1028.1 - 1038.1
MW-8	6/16/1995	10.06	1045.90	1035.84	1028.1 - 1038.1
MW-8	7/11/1995	10.43	1045.90	1035.47	1028.1 - 1038.1
MW-8	8/30/1995	9.06	1045.90	1036.84	1028.1 - 1038.1
MW-8	11/3/1995	8.72	1045.90	1037.18	1028.1 - 1038.1
MW-8	2/9/1996	-----	1045.90	-----	1028.1 - 1038.1
MW-8	3/18/1996	9.08	1045.90	1036.82	1028.1 - 1038.1
MW-8	8/21/1996	9.93	1045.90	1035.97	1028.1 - 1038.1
MW-8	9/24/1996	10.50	1045.90	1035.40	1028.1 - 1038.1
MW-8	11/5/1996	9.29	1045.90	1036.61	1028.1 - 1038.1
MW-8	12/24/1996	9.65	1045.90	1036.25	1028.1 - 1038.1
MW-8	3/27/1997	8.41	1045.90	1037.49	1028.1 - 1038.1
MW-8	5/20/1997	9.62	1045.90	1036.28	1028.1 - 1038.1
MW-8	8/21/1997	9.76	1045.90	1036.14	1028.1 - 1038.1
MW-8	12/17/1997	9.97	1045.90	1035.93	1028.1 - 1038.1
MW-8	3/31/1998	6.11	1045.90	1039.79	1028.1 - 1038.1
MW-8	7/6/1999	10.40	1045.90	1035.50	1028.1 - 1038.1
MW-12	9/10/1991	5.63	1043.92	1038.29	1029.1 - 1039.1
MW-12	10/25/1991	-----	1043.92	-----	1029.1 - 1039.1
MW-12	5/18/1992	-----	1043.92	-----	1029.1 - 1039.1
MW-12	10/22/1992	6.90	1043.92	1037.02	1029.1 - 1039.1
MW-12	7/12/1993	6.25	1043.92	1037.67	1029.1 - 1039.1
MW-12	8/18/1993	6.54	1043.92	1037.38	1029.1 - 1039.1
MW-12	4/13/1994	-----	1043.92	-----	1029.1 - 1039.1
MW-12	4/15/1994	-----	1043.92	-----	1029.1 - 1039.1
MW-12	4/26/1994	4.80	1043.92	1039.12	1029.1 - 1039.1
MW-12	5/6/1994	5.91	1043.92	1038.01	1029.1 - 1039.1
MW-12	5/18/1994	6.50	1043.92	1037.42	1029.1 - 1039.1
MW-12	6/9/1994	6.65	1043.92	1037.27	1029.1 - 1039.1
MW-12	7/7/1994	6.70	1043.92	1037.22	1029.1 - 1039.1
MW-12	9/1/1994	6.89	1043.92	1037.03	1029.1 - 1039.1
MW-12	9/21/1994	7.01	1043.92	1036.91	1029.1 - 1039.1
MW-12	10/11/1994	7.36	1043.92	1036.56	1029.1 - 1039.1
MW-12	12/27/1994	7.77	1043.92	1036.15	1029.1 - 1039.1
MW-12	1/30/1995	8.17	1043.92	1035.75	1029.1 - 1039.1
MW-12	2/22/1995	8.31	1043.92	1035.61	1029.1 - 1039.1
MW-12	5/23/1995	6.77	1043.92	1037.15	1029.1 - 1039.1
MW-12	6/16/1995	-----	1043.92	-----	1029.1 - 1039.1
MW-12	7/11/1995	-----	1043.92	-----	1029.1 - 1039.1
MW-12	8/30/1995	5.81	1043.92	1038.11	1029.1 - 1039.1

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-12	11/3/1995	5.98	1043.92	1037.94	1029.1 - 1039.1
MW-12	2/9/1996	7.92	1043.92	1036.00	1029.1 - 1039.1
MW-12	3/18/1996	6.14	1043.92	1037.78	1029.1 - 1039.1
MW-12	8/21/1996	7.03	1043.92	1036.89	1029.1 - 1039.1
MW-12	9/24/1996	7.92	1043.92	1036.00	1029.1 - 1039.1
MW-12	11/5/1996	6.59	1043.92	1037.33	1029.1 - 1039.1
MW-12	12/24/1996	7.51	1043.92	1036.41	1029.1 - 1039.1
MW-12	3/27/1997	5.61	1043.92	1038.31	1029.1 - 1039.1
MW-12	5/20/1997	7.00	1043.92	1036.92	1029.1 - 1039.1
MW-12	8/21/1997	6.53	1043.92	1037.39	1029.1 - 1039.1
MW-12	12/17/1997	7.85	1043.92	1036.07	1029.1 - 1039.1
MW-12	3/31/1998	4.37	1043.92	1039.55	1029.1 - 1039.1
MW-12	7/6/1999	7.21	1043.92	1036.71	1029.1 - 1039.1
MW-16	9/10/1991	6.45	1043.77	1037.32	1013.3 - 1018.3
MW-16	10/25/1991	7.36	1043.77	1036.41	1013.3 - 1018.3
MW-16	5/18/1992	----	1043.77	----	1013.3 - 1018.3
MW-16	10/22/1992	----	1043.77	----	1013.3 - 1018.3
MW-16	7/12/1993	6.36	1043.77	1037.41	1013.3 - 1018.3
MW-16	8/18/1993	7.73	1043.77	1036.04	1013.3 - 1018.3
MW-16	4/13/1994	----	1043.77	----	1013.3 - 1018.3
MW-16	4/15/1994	----	1043.77	----	1013.3 - 1018.3
MW-16	4/26/1994	6.56	1043.77	1037.21	1013.3 - 1018.3
MW-16	5/6/1994	5.54	1043.77	1038.23	1013.3 - 1018.3
MW-16	5/18/1994	5.99	1043.77	1037.78	1013.3 - 1018.3
MW-16	6/9/1994	7.09	1043.77	1036.68	1013.3 - 1018.3
MW-16	7/7/1994	8.21	1043.77	1035.56	1013.3 - 1018.3
MW-16	9/1/1994	7.13	1043.77	1036.64	1013.3 - 1018.3
MW-16	9/21/1994	9.06	1043.77	1034.71	1013.3 - 1018.3
MW-16	10/11/1994	7.85	1043.77	1035.92	1013.3 - 1018.3
MW-16	12/27/1994	7.65	1043.77	1036.12	1013.3 - 1018.3
MW-16	1/30/1995	7.76	1043.77	1036.01	1013.3 - 1018.3
MW-16	2/22/1995	7.96	1043.77	1035.81	1013.3 - 1018.3
MW-16	5/23/1995	6.89	1043.77	1036.88	1013.3 - 1018.3
MW-16	6/16/1995	----	1043.77	----	1013.3 - 1018.3
MW-16	7/11/1995	----	1043.77	----	1013.3 - 1018.3
MW-16	8/30/1995	6.36	1043.77	1037.41	1013.3 - 1018.3
MW-16	11/3/1995	6.06	1043.77	1037.71	1013.3 - 1018.3
MW-16	2/9/1996	7.25	1043.77	1036.52	1013.3 - 1018.3
MW-16	3/18/1996	----	1043.77	----	1013.3 - 1018.3
MW-16	8/21/1996	6.83	1043.77	1036.94	1013.3 - 1018.3
MW-16	9/24/1996	8.21	1043.77	1035.56	1013.3 - 1018.3
MW-16	11/5/1996	6.75	1043.77	1037.02	1013.3 - 1018.3
MW-16	12/24/1996	6.43	1043.77	1037.34	1013.3 - 1018.3
MW-16	3/27/1997	6.61	1043.77	1037.16	1013.3 - 1018.3
MW-16	5/20/1997	5.50	1043.77	1038.27	1013.3 - 1018.3

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
MW-16	8/21/1997	6.51	1043.77	1037.26	1013.3 - 1018.3
MW-16	12/17/1997	6.62	1043.77	1037.15	1013.3 - 1018.3
MW-16	3/31/1998	8.57	1043.77	1035.20	1013.3 - 1018.3
MW-16	7/6/1999	8.57	1043.77	1035.20	1013.3 - 1018.3
PZ-1	4/13/1994	6.20	1042.94	1036.74	1029.0 - 1034.0
PZ-1	4/15/1994	11.20	1042.94	1031.71	1029.0 - 1034.0
PZ-1	4/26/1994	12.47	1042.94	1030.47	1029.0 - 1034.0
PZ-1	5/6/1994	4.87	1042.94	1038.07	1029.0 - 1034.0
PZ-1	5/18/1994	7.98	1042.94	1034.96	1029.0 - 1034.0
PZ-1	6/9/1994	12.53	1042.94	1030.41	1029.0 - 1034.0
PZ-1	7/7/1994	9.84	1042.94	1033.10	1029.0 - 1034.0
PZ-1	9/1/1994	----	1042.94	----	1029.0 - 1034.0
PZ-1	9/21/1994	----	1042.94	----	1029.0 - 1034.0
PZ-1	10/11/1994	12.63	1042.94	1030.31	1029.0 - 1034.0
PZ-1	12/27/1994	----	1042.94	----	1029.0 - 1034.0
PZ-1	1/30/1995	----	1042.94	----	1029.0 - 1034.0
PZ-1	2/22/1995	----	1042.94	----	1029.0 - 1034.0
PZ-1	5/23/1995	6.45	1042.94	1036.49	1029.0 - 1034.0
PZ-1	6/16/1995	7.98	1042.94	1034.96	1029.0 - 1034.0
PZ-1	7/11/1995	9.51	1042.94	1033.43	1029.0 - 1034.0
PZ-1	8/30/1995	10.54	1042.94	1032.40	1029.0 - 1034.0
PZ-1	11/3/1995	6.79	1042.94	1036.15	1029.0 - 1034.0
PZ-1	2/9/1996	----	1042.94	----	1029.0 - 1034.0
PZ-1	3/18/1996	----	1042.94	----	1029.0 - 1034.0
PZ-1	8/21/1996	6.16	1042.94	1036.78	1029.0 - 1034.0
PZ-1	9/24/1996	6.89	1042.94	1036.05	1029.0 - 1034.0
PZ-1	11/5/1996	5.55	1042.94	1037.39	1029.0 - 1034.0
PZ-1	12/24/1996	----	1042.94	----	1029.0 - 1034.0
PZ-1	3/27/1997	----	1042.94	----	1029.0 - 1034.0
PZ-1	5/20/1997	5.59	1042.94	1037.35	1029.0 - 1034.0
PZ-1	8/21/1997	6.24	1042.94	1036.70	1029.0 - 1034.0
PZ-1	12/17/1997	6.43	1042.94	1036.51	1029.0 - 1034.0
PZ-1	7/6/1999	6.13	1042.94	1036.81	1029.0 - 1034.0
PZ-2	4/13/1994	6.60	1043.33	1036.73	1028.3 - 1038.7
PZ-2	4/15/1994	11.37	1043.33	1031.96	1028.3 - 1038.7
PZ-2	4/26/1994	11.41	1043.33	1031.92	1028.3 - 1038.7
PZ-2	5/6/1994	5.30	1043.33	1038.03	1028.3 - 1038.7
PZ-2	5/18/1994	8.44	1043.33	1034.89	1028.3 - 1038.7
PZ-2	6/9/1994	11.31	1043.33	1032.02	1028.3 - 1038.7
PZ-2	7/7/1994	10.28	1043.33	1033.05	1028.3 - 1038.7
PZ-2	9/1/1994	----	1043.33	----	1028.3 - 1038.7
PZ-2	9/21/1994	----	1043.33	----	1028.3 - 1038.7
PZ-2	10/11/1994	11.35	1043.33	1031.98	1028.3 - 1038.7
PZ-2	12/27/1994	----	1043.33	----	1028.3 - 1038.7

Table 1

Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Ground Water Elevations

Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
PZ-2	1/30/1995	----	1043.33	----	1028.3 - 1038.7
PZ-2	2/22/1995	----	1043.33	----	1028.3 - 1038.7
PZ-2	5/23/1995	6.87	1043.33	1036.46	1028.3 - 1038.7
PZ-2	6/16/1995	8.43	1043.33	1034.90	1028.3 - 1038.7
PZ-2	7/11/1995	10.58	1043.33	1032.75	1028.3 - 1038.7
PZ-2	8/30/1995	10.44	1043.33	1032.89	1028.3 - 1038.7
PZ-2	11/3/1995	7.21	1043.33	1036.12	1028.3 - 1038.7
PZ-2	2/9/1996	----	1043.33	----	1028.3 - 1038.7
PZ-2	3/18/1996	----	1043.33	----	1028.3 - 1038.7
PZ-2	8/21/1996	6.58	1043.33	1036.75	1028.3 - 1038.7
PZ-2	9/24/1996	7.32	1043.33	1036.01	1028.3 - 1038.7
PZ-2	11/5/1996	6.01	1043.33	1037.32	1028.3 - 1038.7
PZ-2	12/24/1996	----	1043.33	----	1028.3 - 1038.7
PZ-2	3/27/1997	5.36	1043.33	1037.97	1028.3 - 1038.7
PZ-2	5/20/1997	6.05	1043.33	1037.28	1028.3 - 1038.7
PZ-2	8/21/1997	6.24	1043.33	1037.09	1028.3 - 1038.7
PZ-2	12/17/1997	6.86	1043.33	1036.47	1028.3 - 1038.7
PZ-2	3/31/1998	----	1043.33	----	1028.3 - 1038.7
PZ-2	7/6/1999	6.59	1043.33	1036.74	1028.3 - 1038.7
RW-1	4/15/1994	13.70	1045.39	1031.69	1028.3 - 1033.3
RW-1	4/26/1994	14.65	1045.39	1030.74	1028.3 - 1033.3
RW-1	5/6/1994	7.37	1045.39	1038.02	1028.3 - 1033.3
RW-1	5/18/1994	10.46	1045.39	1034.93	1028.3 - 1033.3
RW-1	6/9/1994	17.26	1045.39	1028.13	1028.3 - 1033.3
RW-1	7/7/1994	12.27	1045.39	1033.12	1028.3 - 1033.3
RW-1	9/1/1994	10.39	1045.39	1035.00	1028.3 - 1033.3
RW-1	9/21/1994	----	1045.39	----	1028.3 - 1033.3
RW-1	10/11/1994	17.00	1045.39	1028.39	1028.3 - 1033.3
RW-1	12/27/1994	17.00	1045.39	1028.39	1028.3 - 1033.3
RW-1	1/30/1995	9.73	1045.39	1035.66	1028.3 - 1033.3
RW-1	2/22/1995	----	1045.39	----	1028.3 - 1033.3
RW-1	5/23/1995	8.94	1045.39	1036.45	1028.3 - 1033.3
RW-1	6/16/1995	10.55	1045.39	1034.84	1028.3 - 1033.3
RW-1	7/11/1995	10.36	1045.39	1035.03	1028.3 - 1033.3
RW-1	8/30/1995	18.20	1045.39	1027.19	1028.3 - 1033.3
RW-1	11/3/1995	----	1045.39	----	1028.3 - 1033.3
RW-1	2/9/1996	----	1045.39	----	1028.3 - 1033.3
RW-1	3/18/1996	----	1045.39	----	1028.3 - 1033.3
RW-1	8/21/1996	----	1045.39	----	1028.3 - 1033.3
RW-1	9/24/1996	----	1045.39	----	1028.3 - 1033.3
RW-1	11/5/1996	8.03	1045.39	1037.36	1028.3 - 1033.3
RW-1	12/24/1996	----	1045.39	----	1028.3 - 1033.3
RW-1	3/27/1997	----	1045.39	----	1028.3 - 1033.3
RW-1	5/20/1997	8.09	1045.39	1037.30	1028.3 - 1033.3
RW-1	8/21/1997	8.72	1045.39	1036.67	1028.3 - 1033.3

Table 1

Cornell Farmers Union Cooperative
 Holcombe, Wisconsin
 Terracon Project No. 41885016

Ground Water Elevations


Measured Location	Date	Depth to Ground Water	Reference Elevation	Water Table Elevation	Screened Interval
RW-1	12/17/1997	9.79	1045.39	1035.60	1028.3 - 1033.3
RS-2	8/21/1996	6.70	1045.39	1038.69	1028.3 - 1033.3
RS-2	9/24/1996	-----	1045.39	-----	1028.3 - 1033.3
RS-2	11/5/1996	-----	1045.39	-----	1028.3 - 1033.3
RS-2	12/24/1996	-----	1045.39	-----	1028.3 - 1033.3
RS-2	3/27/1997	12.27	1045.39	1033.12	1028.3 - 1033.3
RS-2	5/20/1997	13.02	1045.39	1032.37	1028.3 - 1033.3
RS-2	8/21/1997	14.01	1045.39	1031.38	1028.3 - 1033.3
RS-2	12/17/1997	13.50	1045.39	1031.89	1028.3 - 1033.3
RS-2	3/31/1998	3.80	1045.39	1041.59	1028.3 - 1033.3
RS-2	7/6/1999	6.52	1045.39	1038.87	1028.3 - 1033.3

Notes: Elevations are referenced to the riser at the UST site located to the southwest w
 Depth to ground water is measured from the top of the riser pipe.
 ----- Data not available

N:\Projects\1988\38885016\GIS REGISTRY DOCS\Packet\016\TABLS.XLS\Ground Water Elevations

HUGHITT STREET

Johnson Property
Parcel # 23206-2842
-50050775



NOTE: THE GROUNDWATER CONTOURS SHOWN ARE BASED UPON INTERPOLATION AND EXTRAPOLATION OF WATER LEVEL DATA OBTAINED FROM THE MONITORING WELLS ON SEPTEMBER 10, 1991. ACTUAL CONDITIONS MAY VARY.



APPROXIMATE SCALE:
1 INCH = 40 FEET
0 20 40

LEGEND

- MONITORING WELL
- TEST BORING
- UNDERGROUND UTILITIES
- POTABLE WELL
- GROUNDWATER CONTOUR

IRVINE AVENUE




FIGURE 2
GROUNDWATER CONTOUR MAP
CORNELL FARMERS UNION CO-OP
HUGHITT STREET & IRVINE AVENUE
HOLCOMBE, WISCONSIN
TERRACON PROJECT NO. 41885016
OCTOBER 29, 1991

Terracon

TABLE 1

ORGANIC VAPOR MONITORING
 CORNELL FARMERS UNION CO-OP
 HOLCOMBE, WISCONSIN
 TERRACON PROJECT NO. 41885016

	<u>MW-1</u>	<u>MW-2</u>	<u>MW-3</u>	<u>MW-4</u>	<u>B-5</u>	<u>B-6</u>	<u>MW-7</u>	<u>MW-8</u>	<u>B-9</u>
Sampling Interval (feet below grade)									
2 1/2 - 4	8	ND	NSR	20	NSR	NSR	NSR	NSR	NSR
5 - 6 1/2	7	4	1	140	1	240	3	20	ND
7 1/2 - 9	1	ND	1	30	1	NA	NSR	11	NSR
10 - 11 1/2	1	ND	1	30	NSR	NA	5	3	1
12 1/2 - 14	3	NSR	ND	38	NA	NA	NSR	4	NSR
15 - 16 1/2	NA	ND	NA	3	NA	NA	2	1	4

Background = less than 1 ppm

All readings are expressed as part per million (ppm)

Headspace analysis employed using an hNu photoionization detector equipped with a 10.2 eV lamp

ND - Not detected at or above 1 ppm


NSR - No sample retrieved

NA - Not applicable

Table 1
Soil Vapor Data
Cornell Farmers Union Cooperative
Holcombe, Wisconsin
Terracon Project No. 41885016

Sample Location	Depth (ft)	Benzene	Toluene	Ethyl Benzene	Total Xylenes	THG
P1 blank	0	< 1.0	< 1.0	< 1.0	< 3.0	< 10.0
P1	4	< 1.0	< 1.0	< 1.0	< 3.0	< 10.0
P2	4	< 1.0	< 1.0	< 1.0	< 3.0	45.7
P3	4	< 1.0	< 1.0	< 1.0	< 3.0	49.8
P4a	4	< 1.0	< 1.0	< 1.0	< 3.0	< 10.0
P4b	4	< 1.0	< 1.0	< 1.0	< 3.0	< 10.0
P5	4.5	< 1.0	1.1	1.54	10.91	269
P6	4	7.80	3.05	< 1.0	9.46	439
P7	4	1.53	2.62	< 1.0	< 3.0	299
P8 blank	0	< 1.0	< 1.0	< 1.0	< 3.0	< 10.0
P8	4.5	19.7	3.31	< 1.0	< 3.0	629

Notes: Concentrations in micrograms per liter
 THG = Total volatile hydrocarbons as gasoline
 < = Less than



SCALE
 1 INCH = 40 FEET
 (APPROXIMATE)

LEGEND

- MW-1 MONITORING WELL
- Ⓜ POTABLE WELL
- TANK EXCAVATION
- P-1 SAMPLING PROBE

FIGURE 2

SITE MAP—MAY 22, 1990
 CORNELL FARMERS UNION COOP
 HOLCOMBE, WISCONSIN
 TERRACON JOB NO. 41885016

NORTH

SOUTH

ELEVATION

1045.0

1040.0

1035.0

1030.0

1025.0

1020.0

1015.0

POTABLE WELL (72 FT)

POTABLE WELL (30 FT)

MW-12 & MW-16

B-13

B-15

B-14

B-11

MW-4

30 INCH DIAMETER STORM SEWER

NOTE: THE STRATIGRAPHIC BOUNDARIES AND WATER TABLE CONFIGURATION ARE BASED UPON INTERPOLATIONS BETWEEN SOIL BORINGS, DATA PROVIDED BY THE CITY OF HOLCOMBE AND WATER LEVELS FROM WELLS OBTAINED ON SEPTEMBER 10, 1991. ACTUAL CONDITIONS MAY VARY.

LEGEND

-  FILL
-  SILTY SAND OR CLAY
-  SAND
-  WATER TABLE

HORIZONTAL SCALE: 1 INCH = 20 FEET
VERTICAL SCALE: 1 INCH = 5 FEET

FIGURE 3

GENERALIZED CROSS-SECTION
CORNELL FARMERS UNION CO-OP
HUGHITT STREET & IRVINE AVENUE
HOLCOMBER, WISCONSIN
TERRACON PROJECT NO. 41885016
OCTOBER 29, 1991


Terracon

Statement of Accurate Legal Descriptions

To the best of my knowledge, the attached property legal descriptions are complete, accurate, and identify those parcels with soil and groundwater impacts originating from the property located at the intersection of Irvine Avenue and Hughitt Street, Holcombe, WI, the former Holcombe Cenex.



Mike Prah
River Country Cooperative



Date



NOVEMBER 30, 2006

Mr. and Mrs. Donald Moga
2033 Wheaton Street
Chippewa Falls, Wisconsin 54729

RE: GIS Registry Off-site Contamination Notification
River County Cooperative (former Cornell Farmers Union Cooperative)
Irvine and Hughitt Streets, Holcombe, WI 54745
WDNR BRRTS # 02-09-000216

Dear Mr. and Mrs. Moga,

Soil and groundwater contamination in the form of petroleum volatile organic compounds (PVOC) originated from a source located on your property, formerly a Cenex gasoline station, located near the southeast corner of Hughitt and Irvine Avenues. The source was removed in 1988; however, the contamination migrated through soil and groundwater onto your property.

Multiple soil and groundwater assessments have been conducted in the area to monitor the impacts and migration of the contamination from 1988 through 1999. In addition, a soil vapor extraction system was installed to remediate soil impacts and reduce groundwater impacts. Soil sampling assessments concluded that residual soil contamination exists at highest concentrations along the remediation system recovery trench along the northern boundary of your property and in then northeastern portion of your property (Figure 2) at depths greater than four feet below ground surface.

The most recent groundwater assessment conducted in July 1999, indicated that benzene concentrations exceeded the 5 µg/L Wisconsin Department of Natural Resources (WDNR) enforcement standard (ES) in monitoring well MW-12, located northwest of your property. The inferred extent of the benzene contaminant plume is included in Figure 2. An overall decrease in PVOC concentrations was observed in MW-12 between the most recent sampling event in July 1999, and the previous sampling event in March 1998.

The environmental consultants who have investigated this contamination have informed me that the soil and groundwater contaminant plumes are stable or receding and will naturally degrade over time.

I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to WDNR that is relevant to this closure request, you should mail that information to:

Wisconsin Department of Natural Resources
Attention: Mr. Patrick Collins
Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002

If this case is closed, all properties within the site boundaries where soil or groundwater contamination exceeds chapter NR 720 generic residual contaminant levels or chapter NR 140 groundwater enforcement standards, respectively, will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil or groundwater contamination above chapter NR 720 residual contaminant levels or chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

In addition, utility or roadwork completed in the vicinity of soil sample location W-10/W-11 may necessitate precautions pertaining to the residual petroleum impacts in the soil.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 715-723-2828.

Sincerely,

A handwritten signature in black ink that reads "Mike Prahl". The signature is written in a cursive, flowing style with a large initial "M".

Mike Prahl



NOVEMBER 30, 2006

Garold M. Johnson
26510 260th Avenue
Holcombe, Wisconsin 54745

RE: GIS Registry Off-site Contamination Notification
River County Cooperative (former Cornell Farmers Union Cooperative)
Irvine and Hughitt Streets, Holcombe, WI 54745
WDNR BRRTS # 02-09-000216

Dear Mr. Johnson,

Soil and groundwater contamination in the form of petroleum volatile organic compounds (PVOC) originated from a source located south of your property located on the northeast corner of Hughitt and Irvine Avenues. The source was removed in 1988; however, the contamination migrated through soil and groundwater onto your property.

Multiple soil and groundwater assessments have been conducted in the area to monitor the impacts and migration of the contamination from 1988 through 1999. In addition, a soil vapor extraction system was installed to remediate soil impacts and reduce groundwater impacts in 1996. Organic vapor readings collected during the advancement of MW-16, which is located on your property, in 1991, were highest at depths greater than five feet below ground surface. Contamination appeared to most prevalent near the water table.

The most recent groundwater assessment conducted in July 1999, indicated that benzene concentrations exceeded the 5 µg/L Wisconsin Department of Natural Resources (WDNR) enforcement standard (ES) in monitoring well MW-12, located on your property. The inferred extent of the benzene contaminant plume is included in Figure 2. An overall decrease in PVOC concentrations was observed in MW-12 between the most recent sampling event in July 1999, and the previous sampling event in March 1998.

The environmental consultants who have investigated this contamination have informed me that the soil and groundwater contaminant plumes are stable or receding and will naturally degrade over time.

I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to WDNR that is relevant to this closure request, you should mail that information to:

Wisconsin Department of Natural Resources
Attention: Mr. Patrick Collins
Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002

If this case is closed, all properties within the site boundaries where soil or groundwater contamination exceeds chapter NR 720 generic residual contaminant levels or chapter NR 140 groundwater enforcement standards, respectively, will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil or groundwater contamination above chapter NR 720 residual contaminant levels or chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

In addition, utility or roadwork completed in the vicinity of soil sample location W-10/W-11 may necessitate precautions pertaining to the residual petroleum impacts in the soil.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 715-723-2828.

Sincerely,

A handwritten signature in black ink that reads "Mike Prah". The signature is written in a cursive, flowing style.

Mike Prah



NOVEMBER 30, 2006

Town of Lake Holcombe
26179 275th Street
Holcombe, Wisconsin 54745

Attention: Mr. Robert E. Bayerl
Town of Lake Holcombe Chairman

RE: GIS Registry Off-site Contamination Notification
River County Cooperative (former Cornell Farmers Union Cooperative)
Irvine and Hughitt Streets, Holcombe, WI 54745
WDNR BRRTS # 02-09-000216

Dear Mr. Bayerl,

Soil and groundwater contamination in the form of petroleum volatile organic compounds (PVOC) originated from a source located south and east of your property located on the southeast corner of Hughitt and Irvine Avenues. The source was removed in 1988; however, the contamination migrated through soil and groundwater onto your property and Irvine Avenue.

Multiple soil and groundwater assessments have been conducted in the area to monitor the impacts and migration of the contamination from 1988 through 1999. In addition, a soil vapor extraction system was installed to remediate soil impacts and reduce groundwater impacts. Soil sampling assessments concluded that residual soil contamination exists at highest concentrations along the remediation system recovery trench along the northern boundary of your property and southern boundary of Irvine Avenue (Figure 2) at depths greater than four feet below ground surface.

The most recent groundwater assessment conducted in July 1999, indicated that benzene concentrations exceeded the 5 µg/L Wisconsin Department of Natural Resources (WDNR) enforcement standard (ES). The inferred extent of the benzene contaminant plume is included in Figure 2. An overall decrease in PVOC concentrations was observed between the most recent sampling event in July 1999, and the previous sampling event in March 1998.

The environmental consultants who have investigated this contamination have informed me that the soil and groundwater contaminant plumes are stable or receding and will naturally degrade over time.

I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure

means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

WDNR will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to WDNR that is relevant to this closure request, you should mail that information to:

Wisconsin Department of Natural Resources
Attention: Mr. Patrick Collins
Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002

If this case is closed, all properties within the site boundaries where soil or groundwater contamination exceeds chapter NR 720 generic residual contaminant levels or chapter NR 140 groundwater enforcement standards, respectively, will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil or groundwater contamination above chapter NR 720 residual contaminant levels or chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located

within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

In addition, utility or roadwork completed in the vicinity of soil sample location W-10/W-11 may necessitate precautions pertaining to the residual petroleum impacts in the soil.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 715-723-2828.

Sincerely,

A handwritten signature in black ink that reads "Mike Prah". The signature is written in a cursive, flowing style.

Mike Prah

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr & Mrs Donald Moga
2033 Wheaton St
Chippewa Falls, WI
54729-1166

2. Article Number
(Transfer from service label)

7005 0390 0001 3480 5759

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Don Moga

 Agent Addressee

B. Received by (Printed Name)

Don Moga

C. Date of Delivery

12/12/06

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.4. Restricted Delivery? (Extra Fee) Yes**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Robert E Bayerl
Town of Lake Holcombe
26179 275th St
Holcombe, WI
54745-4506

2. Article Number
(Transfer from service label)

7005 0390 0001 3480 5742

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Robert E Bayerl

 Agent Addressee

B. Received by (Printed Name)

Robert E Bayerl

C. Date of Delivery

12-10-06

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.4. Restricted Delivery? (Extra Fee) Yes**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Garold M Johnson
26510 260th Ave
Holcombe WI
54745-9644

2. Article Number
(Transfer from service label)

7005 0390 0001 3480 5728

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

Garold Johnson

 Agent Addressee

B. Received by (Printed Name)

GAROLD JOHNSON

C. Date of Delivery

12/11/06

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.4. Restricted Delivery? (Extra Fee) Yes