

**The following site is being submitted for inclusion into the GIS registry:**

- For DNR County and Region list go to:  
g:\pf\pecfa\site\gis\BRRTS County and Region Codes.xls
- To begin, click on cell to the right of; *This is a:*
- Use Tab, ↓ or Pg Down to navigate form. Print & include with file when completed.

This is a: **New Submittal**

BRRTS ID (no dashes): **0309000733**

Comm # (no dashes): 54724132623

County: Chippewa

Region: West Central

Site name: Rihn Fuel Co

Street Address: 1223 Main St

City: Bloomer

Final Closure Date 2001-12-07

Closure Conditions: met

Off-source property contamination? No

(If yes, attach locational data and deed information on pg. 2)

Right-of-way contamination? Yes

Contaminated media: Groundwater

GPS Coordinates (meters in the **WTM91** projection)

Easting (X):

Northing (Y):

Collection Method:

Scale or Resolution: 1:08,000

(1:24,000 scale or finer)

("1:" and comma is default)

402831  
515536

Prepared by:

Submitted by: Cheryl Nelson

Source Property Checklist

- Final Closure Letter
- Copy of the most recent deed, which includes legal description for all properties w/ GW > NR 140 ES
- Where the legal description in the deed(s) refers to a certified survey map or recorded plat map, include those documents
- Parcel ID for all properties w/ GW > NR 140 ES
- General Location Map
- Detailed Location Map showing property boundaries, buildings, MW(s) and/or potable wells etc for properties with GW > NR 140 ES
- Latest Map(s) showing extent or outline of current GW plume (isoconcentrations)
- Map showing GW flow direction
- Latest Table of GW results
- Geologic cross section (if generated as part of the site investigation)
- Statement signed by RP certifying correctness of legal descriptions
- Updated Database



December 07, 2001

Doyle Richards  
Chippewa Cty Forest & Parks Dept  
711 N Bridge St  
Chippewa Falls, WI 54729

COPY

RE: **Final Closure**

**Commerce # 54724-1326-23**                      WDNR BRRTS # 03-09-000733  
Rihm Fuel Co, 1223 Main St, Bloomer

**Four USTs:** One 10,000-gallon & one 4,000-gallon leaded gasoline UST (reg.# 263813, 263815), and one 3,000-gallon unleaded gasoline UST (reg.# 263814) removed in April 1992, and one 4,000-gallon kerosene UST (reg.# 263816) removed in March 1992.

Dear Mr. Richards,

The Wisconsin Department of Commerce (Commerce) PECFA Site Review Section has received all the items required as conditions for closure of the referenced site. Therefore, this site is now listed as "closed" on the Commerce database.

Please be advised, in reference to PECFA reimbursement (if applicable), that no further action was indicated in the conditional closure letter dated June 21, 2001. As per the recently enacted 2001 Budget Bill language, if the site achieved a "no further remedial action" status before August 31, 2001 and the final PECFA claim is submitted more than 120 days after August 31, 2001, interest costs incurred after January 2, 2002 are ineligible.

In addition, it is in your best interest to keep all documentation related to the investigation and remediation of your site. This information may be needed for future property transactions.

If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. If contamination is encountered, appropriate measures must be implemented to assure any residual contamination is managed following all applicable State of Wisconsin regulations and standards.

Thank you for your efforts in protecting Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-5401.

Sincerely,

Shawn A Wenzel  
Hydrogeologist  
Site Review Section

cc: Kevin Accola, Short Elliot & Hendrickson  
Case File



construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or be constructed on this property unless applicable requirements are met.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 7th day of November, 2001.

[When appropriate use the following clause]:

By signing this document, [he/she] acknowledges that [he/she] is duly authorized to sign this document on behalf of Chippewa County

Signature: [Handwritten Signature]

Printed Name: Nathalie M. Bernier

Title: Chippewa County Clerk

Subscribed and sworn to before me this 7th day of November, 2001.

Notary Public, State of Wisconsin  
My Commission: 4118/2004  
[Handwritten Signature] Lisa A. Merrell

This document was drafted by the Wisconsin Department of Commerce.

REPRODUCED FROM  
**USGS BLOOMER QUADRANGLE**

WISCONSIN - CHIPPEWA CO. 7.5 MINUTE SERIES  
 1972- PHOTOINSPECTED 1981





SCALE IN FEET  
 0 500 1000 2000



E:\WASTE\CHIP9706\FBA1

1	03/13/98	SITE INVESTIGATION	RJH	02/01	KEA	03/98			
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK			
					CHIPPEWA COUNTY FORMER RIHN SERVICE STATION		FIGURE 1 SITE LOCATION		PROJ. NO. CHIPC9706 DATE 02/19/01
								1	6



**LEGEND:**

- 987.52 GROUNDWATER ELEVATION CONTOUR  
 CONTOUR INTERVAL= 0.04 FT
- MW-3 RIHN MONITORING WELL LOCATION AND NUMBER  
 WITH WATER ELEVATION AS MEASURED  
 ON 12/22/99.
- MW-2 JILL'S 76 MONITORING WELL LOCATION  
 AND NUMBER
- AS-1 JILL'S 76 AIR SPARGE WELL LOCATION  
 AND NUMBER
- BM BENCHMARK LOCATION
- WM WATER MAIN
- SS SANITARY SEWER
- GAS NATURAL GAS LINE (WISCONSIN GAS)
- PROPERTY LINE
- MH MANHOLE
- L LIGHTPOLE
- HYD HYDRANT
- GV GATE VALVE

DOCUMENT # 631289

DRAWING FILENAME: P:\PROJECTS\CHIPP\CHIPP706.DWG

1	08/14/01	DEED RESTRICTION	RJH	02/01	KEA	02/00				
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK				




CHIPPEWA COUNTY  
 FORMER RIHN SERVICE STATION


FIGURE 1  
 ESTIMATED EXTENT OF GROUNDWATER  
 CONTAMINATION PLUME

PROJ. NO.	1
CHPC9706	
DATE	08/14/01
	1

\*  
\*  
\*  
\*  
\*



FORMER RIHN SERVICE STATION GROUNDWATER MONITORING WELLS				
No.	NORTH	EAST	TOP OF PVC	GROUNDWATER ELEVATION
MW-3	10047.94	9877.77	1000.22	987.54
MW-4	9995.93	9933.00	1001.03	987.41
MW-10	10057.12	9959.96	1001.36	987.68
MW-11	10092.86	9930.47	1002.18	987.69



**LEGEND:**

- 987.52** — GROUNDWATER ELEVATION CONTOUR  
CONTOUR INTERVAL= 0.04 FT
- MW-3 987.54 — RIHN MONITORING WELL LOCATION AND NUMBER  
WITH WATER ELEVATION AS MEASURED  
ON 12/22/99.
- MW-2 — JILL'S 76 MONITORING WELL LOCATION  
AND NUMBER
- AS-1 — JILL'S 76 AIR SPARGE WELL LOCATION  
AND NUMBER
- BM — BENCHMARK LOCATION
- WM — WATER MAIN
- SS — SANITARY SEWER
- GAS — NATURAL GAS LINE (WISCONSIN GAS)
- --- PROPERTY LINE
- MH — MANHOLE
- — LIGHTPOLE
- HYD — HYDRANT
- GV — GATE VALVE

DRAWING FILENAME: 02/09/01  
DRAWING DIRECTORY: F:\WASTE\CHIPR2708  
XREF FILENAME:

1	02/20/01	CASE CLOSURE	RJH	02/01	KEA	02/00				
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK				



CHIPPEWA COUNTY  
FORMER RIHN SERVICE STATION

FIGURE 5  
GROUNDWATER CONTOURS

PROJ. NO. CHIPCS708	5
DATE 02/09/00	6

Table 3  
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																
			MW-1				MW-2				MW-3								
	ES	PAL	10/21/97	12/15/97	8/19/98	4/30/99	10/21/97	12/15/97	8/19/98	4/30/99	10/21/97	12/15/97	8/19/98	6/29/99	12/22/99	4/11/00	7/10/00	10/3/00	1/11/01
GRO (µg/l)	NSE	NSE	670	1,300	530		23,000	15,000	15,000		70	<18	<18	<50	<50	<50	<50	<50	<50
DRO (µg/l)	NSE	NSE	--	2,500	--		--	2,400	--		--	63	--	426	<100	<100	<100	<5.0	<100
PVOCs (µg/l) EPA Method 8020							1250	160	160		<0.1	--	<0.1	<0.2	<0.15	<0.15	<0.15	<0.15	<0.15
Benzene	5.0	0.5	<0.1	--	<0.1		250	--	570		<0.12	--	<0.12	<0.5	<0.5	<0.5	0.545	<0.5	<0.5
Ethylbenzene	700	140	1.7	--	<0.12		650	--	570		<0.17	--	<0.17	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Methyl tert butyl ether	60	12	1.3	--	<0.17		<2.9	--	<1.7		<0.17	--	<0.17	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Toluene	1,000	200	1.9	--	<0.17		1,000	2,500	2,500		0.31	--	<0.17	<0.5	<0.4	<0.4	<0.4	<0.4	0.934
Total Trimethylbenzenes	480	96	78	--	4.32		2,700	2,070	2,070		<0.15	--	<0.15	0.52	<0.4	<0.4	2.063	<0.4	0.885
Total Xylenes	10,000	1,000	7.5	--	<0.16		6,200	--	4,500		<0.16	--	<0.16	<0.5	<0.4	<0.4	9.12	<0.4	4.668
VOCs <sup>1</sup> (µg/l) EPA Method 8021								5.6				<0.14	--	--	--	--	--	--	--
Benzene	5.0	0.5	--	1.3	--		--	5.6	--		--	<0.23	--	--	--	--	--	--	--
n-Butylbenzene	NSE	NSE	--	63	--		--	250	--		--	<0.18	--	--	--	--	--	--	--
sec-Butylbenzene	NSE	NSE	--	12	--		--	<18	--		--	<0.19	--	--	--	--	--	--	--
tert-Butylbenzene	NSE	NSE	--	1.1	--		--	470	--		--	<0.29	--	--	--	--	--	--	--
cis-1,2-Dichloroethene (Isopropyl Ether)	70	7.0	--	0.48	--		89	89	--		--	<0.25	--	--	--	--	--	--	--
Ethylbenzene	700	140	--	0.56	--		--	390	--		--	<0.16	--	--	--	--	--	--	--
Isopropylbenzene	NSE	NSE	--	2.1	--		--	180	--		--	<0.17	--	--	--	--	--	--	--
p-Isopropyltoluene	NSE	NSE	--	4.5	--		--	360	--		--	<0.25	--	--	--	--	--	--	--
Methyl tert Butyl Ether	60	12	--	3.4	--		--	<17	240		--	<0.17	--	--	--	--	--	--	--
Naphthalene	40	8.0	--	6.7	<2.2		300	300	240		--	<0.42	<2.2	--	--	--	--	--	--
n-Propylbenzene	NSE	NSE	--	11	--		--	220	--		--	<0.16	--	--	--	--	--	--	--
Styrene	100	10	--	1.4	--		--	<17	--		--	<0.17	--	--	--	--	--	--	--
Toluene	1,000	200	--	<0.18	--		--	2,500	2,500		--	<0.18	--	--	--	--	--	--	--
Total Trimethylbenzenes	480	96	--	40	--		--	1,900	1,900		--	<0.21	--	--	--	--	--	--	--
Total Xylenes	10,000	1,000	--	0.39	--		--	3,890	3,890		--	<0.29	--	--	--	--	--	--	--
PAHs <sup>1</sup> (µg/l)																			
Acenaphthene	NSE	NSE	<0.29	17	--		15	38	--		<0.29	<0.29	--	--	--	--	--	--	--
Acenaphthylene	NSE	NSE	74	5.4	--		5.1	93	--		<0.46	<0.46	--	--	--	--	--	--	--
Anthracene	3000	600	<0.014	5.5	--		0.65	0.1	--		<0.014	<0.014	--	--	--	--	--	--	--
Benzo(a)Anthracene	NSE	NSE	0.038	1.9	--		0.058	0.13	--		<0.025	<0.025	--	--	--	--	--	--	--
Benzo(b)Fluoranthene	NSE	NSE	<0.037	0.074	--		<0.037	<0.037	--		<0.037	<0.037	--	--	--	--	--	--	--
Benzo(k)Fluoranthene	NSE	NSE	<0.053	0.13	--		<0.053	<0.053	--		<0.053	<0.053	--	--	--	--	--	--	--
Chrysene	0.2	0.02	<0.027		0.64		<0.027	0.51	0.31		<0.027	<0.027	--	--	--	--	--	--	--
Fluoranthene	400	80	0.15	12	--		0.83	0.28	--		<0.044	<0.044	--	--	--	--	--	--	--
Fluorene	400	80	2.7	6.7	--		2.4	3.6	--		<0.028	<0.028	--	--	--	--	--	--	--
1-Methyl Naphthalene	NSE	NSE	110	58	--		13	55	--		<0.20	<0.20	--	--	--	--	--	--	--
2-Methyl Naphthalene	NSE	NSE	110	62	--		2.4	140	--		<0.26	<0.26	--	--	--	--	--	--	--
Naphthalene	40	8.0	20	1.1	--		0.53	160	160		<0.39	<0.39	--	--	--	--	--	--	--
Phenanthrene	NSE	NSE	0.63	7.3	--		0.54	1.3	--		<0.029	<0.029	--	--	--	--	--	--	--
Pyrene	250	50	0.099	8.6	--		0.65	0.16	--		<0.037	0.16	--	--	--	--	--	--	--
Lead (mg/kg)	15	1.5	<1.0	--	--		5.14	--	--		<1.0	--	--	--	--	--	--	--	--

P:\proj\chipc\9706\misc\gwana\res.xls

Table 3 (Continued)  
Groundwater Analytical Results

Analytical Parameters	NR 140 Standards		Well No./Sampling Date																					
	ES	PAL	MW-4										MW-10					MW-11						
			10/21/97	12/15/97	12/19/97	8/19/98	6/29/99	12/22/99	4/11/00	7/10/00	10/3/00	1/11/01	6/29/99	12/22/99	4/11/00	7/10/00	10/3/00	1/11/01	6/29/99	12/22/99	4/11/00	7/10/00	10/3/00	1/11/01
GRO (µg/l)	NSE	NSE	62,000	62,000	--	61,000	49,600	54,600	47,900	38,900	51,900	69,900	5,790	3,190	2,650	2,720	3,540	4,240	<50	<50	<175	<50	<50	<50
DRO (µg/l)	NSE	NSE	--	--	6,500	--	9,750	7,400	6,320	8,370	7,160	9,030	1,060	583	1,250	928	618	1,080	<100	<100	<100	<100	<100	<100
PVOCs (µg/l) EPA Method 8020																								
Benzene	5.0	0.5	1,700	1700	--	980	494	417	439	337	232	266	<4.0	<1.5	<1.5	4.71	3.56	<3.0	<0.2	<0.15	<0.75	<0.15	<0.15	<0.15
Ethylbenzene	700	140	3,400	3400	3400	3,400	2,960	2,820	2,350	2,650	2,680	3,140	256	81.1	61.6	70.3	69.1	79.4	<0.5	<0.5	<2.50	<0.5	<0.5	<0.5
Methyl tert butyl ether	60	12	<34	--	--	<6.8	<30	<15	<7.5	<7.5	<7.5	<7.5	<6.0	<3.0	<3.0	<6.0	<6.0	<6.0	<0.3	<0.3	<1.50	<0.3	<0.3	<0.3
Toluene	1,000	200	22,000	22000	19500	19,500	15,300	17,800	18,000	13,100	14,400	15,300	322	15.8	6.83	30.3	30.3	28.3	<0.5	<0.4	<2.00	<0.4	<0.4	0.682
Total Trimethylbenzenes	480	96	2,850	2850	3040	3,040	3,381	2,824	3,061	3,225	3,215	3,002	517	418.8	438.1	421	421	421	<0.5	<0.4	<2.00	<0.4	<0.4	<0.4
Total Xylenes	10,000	1,000	17,000	17000	17500	17,500	15,090	13,980	17,680	14,360	15,650	15,880	2588	1163	959	986	1060	1167	<0.5	<0.4	<2.00	<0.4	<0.4	<0.4
VOCs <sup>1</sup> (µg/l) EPA Method 8021																								
Benzene	5.0	0.5	1200	1200	--	--	15300	17800	18000	15100	14400	15300	--	--	--	--	--	--	--	--	--	--	--	--
n-Butylbenzene	NSE	NSE	--	710	--	--	3381	2824	3061	3225	3215	3002	--	--	--	--	--	--	--	--	--	--	--	--
sec-Butylbenzene	NSE	NSE	--	<90	--	--	15090	13980	17680	14360	15650	15880	--	--	--	--	--	--	--	--	--	--	--	--
tert-Butylbenzene	NSE	NSE	--	<95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
cis-1,2-Dichloroethene(Isopropyl Ether)	70	7.0	--	<150	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ethylbenzene	700	140	3600	3600	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Isopropylbenzene	NSE	NSE	--	130	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	NSE	NSE	--	870	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Methyl tert Butyl Ether	60	12	--	<85	--	--	890	890	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	40	8.0	1900	1900	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	NSE	NSE	--	400	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Styrene	100	10	--	<85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Toluene	1,000	200	21000	21000	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Trimethylbenzenes	480	96	4080	4080	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes	10,000	1,000	18100	18100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PAHs <sup>1</sup> (µg/l)																								
Acenaphthene	NSE	NSE	<1.5	--	<2.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Acenaphthylene	NSE	NSE	100	--	210	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Anthracene	3000	600	<0.07	--	<0.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(a)Anthracene	NSE	NSE	0.39	--	<0.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(b)Fluoranthene	NSE	NSE	<0.19	--	<0.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Benzo(k)Fluoranthene	NSE	NSE	<0.27	--	<0.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chrysene	0.2	0.02	--	8.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluoranthene	400	80	<0.22	--	<0.44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Fluorene	400	80	<0.14	--	5.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1-Methyl Naphthalene	NSE	NSE	47	--	73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-Methyl Naphthalene	NSE	NSE	110	350	220	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	40	8.0	350	350	630	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Phenanthrene	NSE	NSE	0.98	--	0.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pyrene	250	50	<0.19	--	<0.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead (mg/kg)	15	1.5	2.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ES = ch. NR 140 Wis. Adm. Code Enforcement Standard -- = Not analyzed for  
 PAL = ch. NR 140 Wis. Adm. Code Preventive Action Limit 250 = Exceeds ch. NR 140 Enforcement Standard (ES)  
 NSE = No standard established 850 = Exceeds ch. NR 140 Preventive Action Limit (PAL)  
 BDL = Below laboratory detection limit <sup>1</sup> = VOC list is not complete; VOCs not listed are BDL  
 Compiled by: KEA Checked by: TJB <sup>2</sup> = PAH list is not complete; PAHs not listed are BDL  
 1998/1999 Data Compiled by: KEA Checked by: BLK  
 2000 Data Compiled by: KEA Checked by: DRR 2001 Data Compiled by: DRR Checked by: KEA




P:\proj\chipc9706\misc\gw\aires.xls

**NOTES:**

- ELEVATIONS ARE SHOWN IN REFERENCE TO SITE DATUM.
- FOR THE PURPOSE OF ILLUSTRATING SUBSURFACE CONDITIONS ON THE CROSS SECTIONS, SOME OF THE BORING LOGS HAVE BEEN SIMPLIFIED. FOR A DETAILED DESCRIPTION OF SUBSURFACE CONDITIONS AT INDIVIDUAL BORINGS, REFER TO SOIL BORING LOGS.
- HORIZONTAL DISTANCES ARE MEASURED WITH RESPECT TO THE CENTER OF EACH SOIL BORING LOCATION.
- GROUNDWATER ELEVATIONS ARE BASED ON GROUNDWATER MONITORING WELL WATER LEVEL MEASUREMENTS OBTAINED BY SEH IN 10/97.

**LEGEND**

- ASPHALT
- =SM SILTY SAND
- =SP SAND
- FILL
- 6.5 FID HEADSPACE READINGS EXPRESSED IN INSTRUMENT UNITS
- 5.2
- 4200/ 530 GRO CONC./DRO CONC. (mg/kg) / (mg/kg)



DRAWING FILENAME: P7006972  
DRAWING DIRECTORY: F:\WASTE\CHIPP706  
JOB FILENAME:

NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK
1	02/20/01	CASE CLOSURE	R.H.	02/01	KEA	12/98



**CHIPPEWA COUNTY  
FORMER RIHN SERVICE STATION**

**FIGURE 4  
GEOLOGIC CROSS SECTIONS**

PROJ. NO.	4
CHPP0706	
DATE	02/19/01