

GIS REGISTRY INFORMATION

SITE NAME: UEL Inc (Utility Enterprises LTD)
BRRTS #: 03-09-221315 **FID #** 609123900
COMMERCE # (if appropriate): 54729-6566-20
CLOSURE DATE: 15-Mar-05
STREET ADDRESS: 11320 30th Ave.
CITY: Chippewa Falls

SOURCE PROPERTY LOCATIONAL COORDINATES

(meters in WTM91 projection): X= 406272 Y= 491406

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: SE corner of 113th St. and 30th Ave.

Locational COORDINATES (meters in WTM91 projection): X= 406263 Y= 491323

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: SE corner of 113th St. and 30th Ave.

Locational COORDINATES (meters in WTM91 projection): X= 406263 Y= 491323

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map** which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties**, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)**
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)**
- Isoconcentration map(s), if required for site investigation (SI)** (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present**
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)**
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour**
- Geologic cross-sections, if required for SI.** (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate**
- Copies of off-source notification letters (if applicable)**
- Letter informing ROW owner of residual contamination (if applicable)**(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure**



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002
Telephone 715-684-2914
FAX 715-684-5940
TTY Access via relay - 711

March 15, 2005

Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Subject: **Final Case Closure
Former UEL Property
11320 30th Avenue
Town of Hallie
WDNR BRRTS #: 03-09-221315**

Dear Mrs. Radandt:

On January 13, 2005 the above referenced site was reviewed for closure by the West Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state statutes and rules to maintain consistency in the closure of these cases. On January 18, 2005 you were notified that the site was denied closure. The site was denied closure because it was determined that the additional groundwater monitoring was necessary to insure that chlorinated VOC's which were identified during the site investigation are not present in the groundwater at concentrations above state standards. On February 8, 2005, your consultant submitted the additional sample results which were requested. On February 22, 2005 you were notified that the Closure Committee had granted conditional closure to this case.


On March 14, 2005, the Department received correspondence indicating that you have complied with the conditions of closure. Specifically, the Department received copies of the well abandonment forms and waste disposal documentation. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

This site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715 684-2914 ext.117.

Sincerely,


Patrick J. Collins
Hydrogeologist
Bureau of Remediation & Redevelopment

cc: Eric Oleson, Maxim
Chippewa Concrete Services, 3030 110th Ave, Chippewa Falls, WI 54729
FILE



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002
Telephone 715-684-2914
FAX 715-684-5940

February 22, 2005

Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Subject: **Conditional Case Closure
Former UEL Property
11320 30th Avenue
Town of Hallie
WDNR BRRTS #: 03-09-221315**

Dear Mrs. Radandt:

On January 13, 2005 the above referenced site was reviewed for closure by the West Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state statutes and rules to maintain consistency in the closure of these cases. On January 18, 2005 you were notified that the site was denied closure. The site was denied closure because it was determined that the additional groundwater monitoring was necessary to insure that chlorinated VOC's which were identified during the site investigation are not present in the groundwater at concentrations above state standards. On February 8, 2005, your consultant submitted the additional sample results which were requested.

After careful review of the recently submitted information, it has been determined that the petroleum contamination on the site from the tank and dispenser area appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied.

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm.. Documentation of well abandonment must be submitted to Patick Collins on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources

WASTE AND SOIL PILE REMOVAL

Any remaining waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining waste and/or soil piles have been removed once that work is completed. When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions


have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>]

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715 684-2914 ext.117.

Sincerely,


Patrick J. Collins
Hydrogeologist
Bureau of Remediation & Redevelopment

cc: Eric Oleson, Maxim
Chippewa Concrete Services, 3030 110th Ave, Chippewa Falls, WI 54729
FILE



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Baldwin Service Center
890 Spruce Street
Baldwin, Wisconsin 54002
Telephone 715-684-2914
FAX 715-684-5940

January 18, 2005

Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Subject: **Denial of Case Closure by Committee
Former UEL Property
11320 30th Avenue
Town of Hallie
WDNR BRRTS #: 03-09-221315**

Dear Mrs. Radandt:

On January 13, 2005 the above referenced site was reviewed for closure by the West Central Region Closure Committee. This committee reviews environmental remediation cases for compliance with state statutes and rules to maintain consistency in the closure of these cases. After careful review of your closure request, the closure committee has decided that additional site work is necessary at the above-described site, in order to meet the requirements for site closure.


This site was denied closure because it was determined that the additional groundwater monitoring was necessary to insure that chlorinated VOC's which were identified during the site investigation are not present in the groundwater at concentrations above state standards. Specifically, the closure committee requested that monitoring wells MW-4, 5, 7 and the onsite private well be sampled and analyzed for the full suite of VOC compounds at detection limits which allow us to make a determination as to the results relative to our state standards.

Once this work is complete, the additional information should be submitted to the Department for review. The information will be added to the file for review and your request for closure will be reconsidered.

If there is additional relevant information that was not previously provided to the Department, which you believe might change the Department's closure decision, you may submit that information for our re-evaluation of your closure request.

If you have any questions regarding this letter, please contact me at 715 684-2914, ext. 117.

Sincerely,

A handwritten signature in black ink that reads "Patrick J. Collins". The signature is written in a cursive style with a large initial "P".

Patrick J. Collins
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Eric Oleson, Maxim
FILE

WARRANTY DEED

By Corporation

AMERICAN MATERIALS CORP., FORMERLY EAU CLAIRE SAND AND GRAVEL CO., a Corporation organized and existing under and by Virtue of the laws of the State of Wisconsin, grantor, of Chippewa County, Wisconsin, hereby conveys and warrants to TOWN OF HALLIE, GRANTEE, the following tract of land in CHIPPEWA County, Wisconsin:

A parcel of land in the NE 1/4 of the NW 1/4 of Section 26, Township 28 North, Range 9 West, Town of Hallie, described as follows: Beginning at a point which is 1884.7 feet East of the Northwest corner of Section 26, Township 28 North, Range 9 West; thence South 1 deg. 40' West along the Easterly line of highway, 1259 feet; thence South 87 deg. 11' East to the East line of said NE 1/4 the NW 1/4; thence North along the said East line to the North line of 26-28-9 West; thence West along the North line to point of beginning.

CHIPPEWA COUNTY
ABSTRACT & TITLE CO., INC.
9592+

Tax Parcel No. 22809-2621-0002-0000

Recorded
JULY 19, 2000 AT 08:00AM
Signed: Mary L. Heisler
MARY L. HEISLER
REGISTER OF DEEDS
CHIPPEWA COUNTY, WI
Fee Amount: 110.00
Fee Exempt 77.25-(33)

This land is to be used only for non-profit recreational purposes.

BY ACCEPTANCE OF THIS DEED, THE SPONSOR, FOR ITSELF AND ITS SUCCESSORS AND ASSIGNS, HEREBY COVENANTS AND AGREES NOT TO SELL, LEASE, ASSIGN OR MORTGAGE THE PREMISES HEREIN DESCRIBED WITHOUT THE PRIOR WRITTEN APPROVAL OF THE SECRETARY OF THE DEPT. OF NATURAL RESOURCES, HIS DESIGNEE, OR ANY SUCCESSOR AND THE RIGHTS HEREIN CONVEYED ARE SUBJECT TO THE INTERESTS OF THE STATE UNDER THE LAKE MANAGEMENT GRANT PROGRAM, S. 281.69, STATS., AND NR191, WIS. ADMIN. CODE.

THIS DEED IS TO CORRECT THE WARRANTY DEED RECORDED JUNE 5, 2000 AS DOCUMENT NO. 608774 TO ADD THE RESTRICTIVE PARAGRAPH, and to correct the legal description.

IN WITNESS WHEREOF, the said grantor has caused these presents to be signed by Paul T. Ayres, its President, and countersigned by _____, its Secretary, at Eau Claire Wisconsin, and its corporate seal to be hereunto affixed this 7th day of July, 2000.

AMERICAN MATERIALS CORP.

By: Paul T. Ayres President

By: _____ Secretary


STATE OF WISCONSIN)
)ss.
Eau Claire COUNTY)

Personally came before me this 7th day of July, 2000, Paul T. Ayres, President and _____, Secretary of the above named corporation, to me known to be the persons who executed the foregoing instrument and to me known to be such President and Secretary of said corporation, and acknowledged that they executed the foregoing instrument as such officers as the deed of said corporation, by its authority.



Traci Cynor
Notary Public
Eau Claire County, WI
My Commission: August 11, 2002

This instrument was drafted
Michael H. Forecki, Attorney
Eau Claire, Wisconsin



30TH AV

CHIPPEWA COUNTY LAND RECORDS DEPARTMENT

THIS DRAWING IS A COMPILATION OF RECORDS AS THEY APPEAR IN THE CHIPPEWA COUNTY OFFICES AFFECTING THE AREA SHOWN AND IS TO BE USED ONLY FOR REFERENCE PURPOSES.

30TH AV

30TH AV

13TH ST

15TH ST

16TH ST

540-276

2200-202-04020000

2200-202-00220000

2200-202-763400

Z

LOT 1
CSM 634
509603

2200-202-763400

2200-202-763400

LOT 2
CSM 634
577008

2200-202-763400

604242

2200-202-02000000

2200-202-03750000

LOT 1
CSM 600
67-03

2200-202-700000

670-563

1

2200-202-024000

Z

2

2200-202-024000

608-527

2200-202-04200000

3

2200-202-024000

354-508

2200-202-02400004

4

2200-202-02400004

669-620

2200-202-02400005

5

2200-202-02400005

60504

2200-202-02400007

6

2200-202-02400005

645-140

2200-202-02400008

7

2200-202-02400007

65205

2200-202-02400009

8

2200-202-02400008

65205

2200-202-02400010

9

2200-202-02400009

65205

2200-202-02400011

10

2200-202-02400010

65205

2200-202-02400012

11

2200-202-02400011

509-308

2200-202-02400013

509-308

2200-202-02400014

336-606

2200-202-02400015

2200-202-02400016

LOT A

787-574

2200-202-02400004

640584

2200-202-024000042

HUGHES ADDITION

CHIPPEWA COUNTY LAND RECORDS DEPARTMENT

THIS DRAWING IS A COMPILATION OF RECORDS AS THEY APPEAR IN THE CHIPPEWA COUNTY OFFICES AFFECTING THE AREA SHOWN AND IS TO BE USED ONLY FOR REFERENCE PURPOSES.

2

2

2200-202

2200-202

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1

2200-202-1


2200-202-1

2200-202-1

2200-202-1


2200-202-1

2200-202-1



PROJECT NO.: 3330933
 DATE: 10/27/2003
 DRAWN BY: TT
 REVIEWED BY: EO
 SOURCE: USGS TOPOGRAPHIC MAPS
 QUADRANGLE: CHIPPEWA

FIGURE 1
SITE LOCATION MAP
FORMER UEL FACILITY
JOANNE C. RADANDT
CHIPPEWA COUNTY, WISCONSIN








FIGURE #2
 SITE LAYOUT
 FORMER UEL FACILITY
 JOANNE C. RADANDT
 CHIPPEWA COUNTY, WI

PROJECT #: 3330933
 DATE: 10/27/2003
 DRAWN BY: TT
 REVIEWED BY: EO
 SCALE: 1" = 100'

C:\Maxim_GIS\Projects\3330933\FORMER UEL FACILITY







FIGURE #2
SITE LAYOUT
FORMER UEL FACILITY
JOANNE C. RADANDT
CHIPPEWA COUNTY, WI

PROJECT #: 3330933
DATE: 10/27/2003
DRAWN BY: TT
REVIEWED BY: EO
SCALE: 1" = 100'

C:\Maxim_GIS\Projects\3330933\FORMER UEL FACILITY

MAXIM
TECHNOLOGIES INC.
Wausau, Wisconsin



TABLE #1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS – VOC
UEL FACILITY – SAMPLE DATE: JANUARY 19, 2005
WDOM #54729-6566-20
WDNR BRTS #03-09-221315
MAXIM PROJECT #3331204

ANALYTE (VOC)	MW-4	MW-4 REPORT LIMITS	MW-5	MW-7	P.W	REPORT LIMITS- P.W, 5,7	NR 140 (ES)	NR 140 (PAL)
Benzene	<0.500	0.500	<0.500	<0.500	<0.500	0.500	5	0.5
Bromobenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
Bromodichloromethane	<0.391	0.391	<0.391	<0.391	<0.391	0.391	0.6	0.06
n-Butylbenzene	21.7	5.00	<5.00	<5.00	<5.00	5.00	---	---
sec-Butylbenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
tert-Butylbenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
Carbon Tetrachloride	<0.372	0.372	<0.372	<0.372	<0.372	0.372	5	0.5
Chlorobenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
Chloroethane	<5.00	5.00	<5.00	<5.00	<5.00	5.00	400	80
Chloroform	<0.316	0.316	<0.316	<0.316	<0.316	0.316	6	0.6
Chloromethane	<0.448	0.448	<0.448	<0.448	<0.448	0.448	3	0.3
2-Chlorotoluene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
4-Chlorotoluene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
Dibromochloromethane	<5.00	5.00	<5.00	<5.00	<5.00	5.00	60	6
1,2-Dibromo-3-chloropropane	<0.264	0.264	<0.264	<0.264	<0.264	0.264	0.2	0.02
1,2-Dibromoethane	<0.251	0.251	<0.251	<0.251	<0.251	0.251	0.05	0.005
1,2-Dichlorobenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	600	60
1,3-Dichlorobenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	1250	125
1,4-Dichlorobenzene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	75	15
Dichlorodifluoromethane	<5.00	5.00	<5.00	<5.00	<5.00	5.00	1000	200
1,1-Dichloroethane	<5.00	5.00	<5.00	<5.00	<5.00	5.00	850	85
1,2-Dichloroethane	<0.500	0.500	<0.500	<0.500	<0.500	0.500	5	0.5
1,1-Dichloroethene	<0.500	0.500	<0.500	<0.500	<0.500	0.500	---	---

AS A MUTUAL PROTECTION TO CLIENTS, THE PUBLIC, AND OURSELVES, ALL MAXIM TECHNOLOGIES REPORTS ARE SUBMITTED AS THE CONFIDENTIAL INFORMATION OF CLIENTS, AND AUTHORIZATION FOR PUBLICATION OF STATEMENT, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR PRIOR WRITTEN APPROVAL.



ANALYTE (CONT.) (VOC)	MW-4	MW-4 REPORT LIMITS	MW-5	MW-7	P.W	REPORT LIMITS- P.W, 5, 7	NR 140 (ES)	NR 140 (PAL)
cis-1,2-Dichloroethene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
trans-1,2-1,2- Dichloroethene	<5.00	5.00	<5.00	<5.00	<5.00	5.00	---	---
1,2-Dichloropropane	<0.500	0.500	<0.500	<0.500	<0.500	0.500	5	0.5
1,3-Dichloropropane	<5.0	5.00	<5.00	<5.00	<5.00	5.00	---	---
2,2-Dichloropropane	<5.0	5.00	<5.00	<5.00	<5.00	5.00	---	---
Di-isopropyl ether	<5.0	5.00	<5.00	<5.00	<5.00	5.00	---	---
Ethylbenzene	776	500	<5.00	<5.00	<5.00	5.00	700	140
Hexachlorobutadiene	<10.0	10.0	<10.0	<10.0	<10.0	10.0	---	---
Isopropylbenzene	43.3	5.0	<5.0	<5.0	<5.0	5.0	---	---
p-Isopropyltoluene	<5.0	5.0	<5.0	<5.0	<5.0	5.0	---	---
Methylene chloride	<0.386	0.386	<0.386	<0.386	<0.386	0.386	5	0.5
Methyl tert-butyl ether	<0.290	0.290	<0.290	<0.290	<0.290	0.290	60	12
Naphthalene	265	80.0	<8.00	<8.00	<8.00	8.00	40	8
n-Propylbenzene	114	5.00	<5.00	<5.00	<5.00	5.00	---	---
1,1,2,2-Tetrachloroethane	<0.331	0.331	<0.331	<0.331	<0.331	0.331	0.2	0.02
Tetrachloroethene	<0.500	0.500	<0.500	<0.500	<0.500	0.500	5	0.5
Toluene	1.98	0.5	<0.005	<0.005	<0.005	0.005	1.0 (ppm)	0.2 (ppm)
1,2,3-Trichlorobenzene	<10.0	10.0	<10.0	<10.0	<10.0	10.0	---	---
1,2,4-Trichlorobenzene	<10.0	10.0	<10.0	<10.0	<10.0	10.0	70	14
1,1,1-Trichloroethane	<5.0	5.00	<5.0	<5.0	<5.0	5.0	200	40
1,1,2-Trichloroethane	<0.145	0.145	<0.145	<0.145	<0.145	0.145	5	0.5
Trichloroethene (TCE)	<0.500	0.500	<0.500	<0.500	<0.500	0.500	5	0.5
Trichlorofluoromethane	<5.00	5.00	<5.0	<5.0	<5.0	5.0	---	---
1,2,4 & 1,3,5- Trimethylbenzene	1,902	100	<10.0	<10.0	<10.0	10.0	480	96
Vinyl chloride	<0.217	0.217	<0.217	<0.217	<0.217	0.217	0.2	0.02
Total Xylenes	9.11	0.5	<0.005	<0.005	<0.005	0.005	10 (ppm)	1.0 (ppm)

NOTES: P.W = Private Well --- = No Applicable Standard. All results are in units of parts per billion (ppb). Not including Toluene & Xylenes which are in parts per million (ppm). NS - Indicates not sampled. Bold indicates NR 140 Exceedences. ES = Enforcement Standards, PAL = Preventative Action Limits

AS A MUTUAL PROTECTION TO CLIENTS, THE PUBLIC, AND OURSELVES, ALL MAXIM TECHNOLOGIES REPORTS ARE SUBMITTED AS THE CONFIDENTIAL INFORMATION OF CLIENTS, AND AUTHORIZATION FOR PUBLICATION OF STATEMENT, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR PRIOR WRITTEN APPROVAL.

WORDGROUNDWATERVOCALLOS

TABLE 2 (page 2 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-2					NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Oct-03	May-04	Nov-04	ES	PAL
Relative Elevation (ft)	85.74	85.95	86.28	85.39	85.35		
ANALYTE							
GROs (ppb)	ND	ND	ND	ND	ND	---	---
DROs (ppb)	ND	---	180	---	---	---	---
Lead (ppb)	---	---	---	---	---	15	1.5
Conductivity	0.251	0.156	---	---	---	---	---
pH	7.11	6.35	---	---	---	---	---
Temperature (C)	9.2	9.1	---	---	---	---	---
Dissolved Oxygen (ppm)	3.61	2.95	---	---	---	---	---
VOCs/PVOCs (ppb) ¹							
Benzene	< 0.1	< 0.4	< 0.45	< 0.5	<0.5	5	0.5
Ethylbenzene	< 0.1	< 0.4	< 0.47	< 5	<5	700	140
MTBE	< 1.1	< 0.4	< 0.6	< 0.51	<0.51	60	12
Naphthalene	< 0.7	---	< 0.46	< 8	<8	40	8
Toluene	< 0.1	< 0.5	< 0.61	< 5	<5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.3	< 0.5	< 0.72	< 5	<5	480	96
Total Xylenes	< 0.2	< 0.9	< 0.99	< 5	<5	10,000	1,000

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 3 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-3					NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Dec-03	May-04	Nov-04		
Relative Elevation (ft)	85.62	85.92	85.86	85.36	85.24		
ANALYTE						ES	PAL
GROs (ppb)	ND	ND	ND	ND	ND	---	---
DROs (ppb)	ND	---	---	---	---	---	---
Iron (ppb)	---	---	13,000	---	---	---	---
Lead (ppb)	---	---	---	---	---	15	1.5
Conductivity	0.146	0.114	---	---	---	---	---
pH	6.35	7.12	---	---	---	---	---
Nitrogen (ppm)	---	---	1.3	---	---	---	---
Sulfate (ppm)	---	---	7.2	---	---	---	---
Temperature (C)	10.5	10.4	---	---	---	---	---
Dissolved Oxygen (ppm)	1.19	1.04	---	---	---	---	---
VOCs/PVOCs (ppb) ¹							
Benzene	< 0.1	< 0.4	< 0.45	<0.5	<0.5	5	0.5
Ethylbenzene	< 0.1	< 0.4	< 0.47	<5	<5	700	140
MTBE	< 1.1	< 0.4	< 0.6	<0.51	<0.51	60	12
Naphthalene	< 0.7	---	---	<8	<8	40	8
Toluene	< 0.1	< 0.4	< 0.61	<5	<5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.3	< 0.5	< 0.72	<5	<5	480	96
Total Xylenes	< 0.2	< 0.9	< 0.99	<5	<5	10,000	1,000
PAHs (ppb) 1	---	---	ND	---	---	Variable	Variable

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 4 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-4										NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Oct-02	Feb-03	Oct-03	Dec-03	Feb-04	May-04	Aug-04	Nov-04	ES	PAL
Relative Elevation (ft)	85.21	85.53	85.97	85.98	85.65	85.49	85.09	84.99	84.95	84.85		
ANALYTE												
GROs (ppb)	41,000	30,000	35,000	32,000	37,000	23,000	49,200	25,800	23,200	18,400	---	---
DROs (ppb)	5,900	6,600	11,000	6,800	15,000	---	---	---	---	---	---	---
Iron (ppb)	---	---	---	---	---	280	---	---	---	---	---	---
Lead (ppb)	---	---	---	---	---	---	---	---	---	---	15	1.5
Conductivity	0.124	0.118	---	0.132	0.114	---	---	---	---	---	---	---
pH	7.10	7.11	---	7.19	---	---	---	---	---	---	---	---
Nitrogen (ppm)	---	---	---	---	---	0.8	---	---	---	---	---	---
Sulfate (ppm)	---	---	---	---	---	9.5	---	---	---	---	---	---
Temperature (C)	11	9.6	---	8	8.0	---	---	---	---	---	---	---
Dissolved Oxygen (ppm)	0.41	2.11	---	1.84	2.11	---	---	---	---	---	---	---
VOCs/PVOCs (ppb) ¹												
Benzene	640	420	210	< 150	< 0.45	< 22	28	< 0.5	19.4	12.4	5	0.5
n-Butylbenzene	310	---	---	---	---	---	---	---	---	---	---	---
Ethylbenzene	1,400	1,300	1,300	1,200	1,500	1,400	1,750	1,150	960	900	700	140
MTBE	< 110	< 100	< 20	< 150	< 0.6	< 30	31.8	0.675	27.5	18.1	60	12
Naphthalene	320	---	---	---	1,300	---	547	523	395	124	40	8
n-Propylbenzene	220	---	---	---	---	---	---	---	---	---	---	---
Toluene	11,000	7,400	11,000	8,000	9,200	6,900	10,900	5,890	4,250	2,790	1,000	200
1,2,4- & 1,3,5-TMB	2,290	2,900	3,340	2,770	2,860	2,350	2,696	1,792	1,653	1,273	480	96
Total Xylenes	10,500	9,000	12,500	9,900	11,800	7,900	12,300	8,780	8,780	7,060	10,000	1,000
PAHs (ppb) ¹												
Acenaphthene	---	---	---	---	---	11	---	---	---	---	---	---
Fluorene	---	---	---	---	---	7.6	---	---	---	---	400	80
Methyl-1-naphthalene	---	---	---	---	---	190	---	---	---	---	---	---
Methyl-2-naphthalene	---	---	---	---	---	190	---	---	---	---	---	---
Naphthalene	---	---	---	---	---	420	---	---	---	---	40	8

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 5 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-5					NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Dec-03	May-04	Nov-04		
Relative Elevation (ft)	85.22	85.61	85.51	85.06	84.88		
ANALYTE						<i>ES</i>	<i>PAL</i>
GROs (ppb)	ND	ND	ND	ND	ND	---	---
DROs (ppb)	ND	---	---	---	---	---	---
Iron (ppb)	---	---	ND	---	---	---	---
Lead (ppb)	---	---	---	---	---	15	1.5
Conductivity	0.154	0.117	---	---	---	---	---
pH	6.85	6.92	---	---	---	---	---
Nitrogen (ppm)	---	---	1.7	---	---	---	---
Sulfate (ppm)	---	---	8.1	---	---	---	---
Temperature (C)	8.5	9.2	---	---	---	---	---
Dissolved Oxygen (ppm)	3.11	2.98	---	---	---	---	---
VOCs/PVOCs (ppb)¹							
Benzene	< 0.1	< 0.4	< 0.45	< 0.5	< 0.5	5	0.5
Ethylbenzene	< 0.1	< 0.4	< 0.47	< 5	< 5	700	140
MTBE	< 1.1	< 0.4	< 0.6	< 0.51	< 0.51	60	12
Naphthalene	< 0.7	---	---	< 8	< 8	40	8
Toluene	< 0.1	< 0.4	< 0.61	< 5	< 5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.3	< 0.5	< 0.72	< 5	< 5	480	96
Total Xylenes	< 0.2	< 0.9	< 0.99	< 5	< 5	10,000	1,000
PAHs (ppb)	---	---	ND	---	---	<i>Variable</i>	<i>Variable</i>

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 6 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-6										NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Oct-02	Feb-03	Oct-03	Dec-03	Feb-04	May-04	Aug-04	Nov-04	ES	PAL
Relative Elevation (ft)	84.85	85.15	85.52	85.58	85.23	85.13	84.73	84.63	84.61	84.53		
ANALYTE												
GROs (ppb)	13,000	6,700	4,000	3,300	3,700	870	3,210	1,610	1,360	1,090	---	---
DROs (ppb)	5,100	4,500	2,200	1,100	2,000	---	---	---	---	---	---	---
Iron (ppb)	---	---	---	---	---	130	---	---	---	---	---	---
Lead (ppb)	---	---	---	---	---	---	---	---	---	---	15	1.5
Conductivity	0.215	0.189	---	0.114	0.104	---	---	---	---	---	---	---
pH	7.23	7.19	---	7.11	---	---	---	---	---	---	---	---
Nitrogen (ppm)	---	---	---	---	---	1.3	---	---	---	---	---	---
Sulfate (ppm)	---	---	---	---	---	6.3	---	---	---	---	---	---
Temperature (C)	8.5	9.5	---	8	8.5	---	---	---	---	---	---	---
Dissolved Oxygen (ppm)	0.51	1.13	---	1.21	1.10	---	---	---	---	---	---	---
VOCs/PVOCs (ppb) ¹												
Benzene	< 5	< 20	15	< 25	< 8.9	< 2.2	4.49	< 0.5	1.71	<0.50	5	0.5
n-Butylbenzene	210	---	---	---	---	---	---	---	---	---	---	---
Ethylbenzene	430	150	62	< 25	33	9.1	26.1	20.3	< 5	6.4	700	140
MTBE	< 55	< 20	21	< 25	< 12	< 3	9.72	< 0.51	5.04	0.53	60	12
Naphthalene	220	---	---	---	100	---	64.4	71	49.4	23.3	40	8
n-Propylbenzene	150	---	---	---	---	---	---	---	---	---	---	---
Toluene	500	170	57	< 25	< 12	< 3	< 5	< 5	< 5	<5	1,000	200
1,2,4- & 1,3,5-TMB	1,360	1,180	690	610	680	224	531	256.3	221.2	154.9	480	96
Total Xylenes	4,100	2,200	1,010	670	600	239	763	351	233	156	10,000	1,000
PAHs (ppb) ¹												
Acenaphthene	---	---	---	---	---	1.1	---	---	---	---	---	---
Fluorene	---	---	---	---	---	1	---	---	---	---	400	80
Methyl-1-naphthalene	---	---	---	---	---	24	---	---	---	---	---	---
Methyl-2-naphthalene	---	---	---	---	---	20	---	---	---	---	---	---
Naphthalene	---	---	---	---	---	29	---	---	---	---	40	8

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 7 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

	MW-7					<i>NR 140 Remedial Action Limits</i>	
Date	Jan-02	Apr-02	Dec-03	May-04	Nov-04		
Relative Elevation (ft)	85.41	85.70	85.63	85.18	85.03		
ANALYTE						<i>ES</i>	<i>PAL</i>
GROs (ppb)	ND	ND	ND	ND	ND	---	---
DROs (ppb)	ND	---	---	---	---	---	---
Iron (ppb)	---	---	ND	---	---	---	---
Lead (ppb)	---	---	---	---	---	15	1.5
Conductivity	0.129	0.222	---	---	---	---	---
pH	8.04	7.56	---	---	---	---	---
Nitrogen (ppm)	---	---	1.4	---	---	---	---
Sulfate (ppm)	---	---	7.6	---	---	---	---
Temperature (C)	8.2	8.5	---	---	---	---	---
Dissolved Oxygen (ppm)	2.16	2.18	---	---	---	---	---
VOCs/PVOCs (ppb)¹							
Benzene	< 0.1	< 0.4	< 0.45	< 0.5	<0.5	5	0.5
Ethylbenzene	< 0.1	< 0.4	< 0.61	< 5	<5	700	140
MTBE	< 1.1	< 0.4	< 0.6	< 0.51	<0.51	60	12
Naphthalene	< 0.7	---	---	< 8	<8	40	8
Toluene	< 0.1	< 0.4	< 0.45	< 5	<5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.3	< 0.5	< 0.72	< 5	<5	480	96
Total Xylenes	< 0.2	< 0.9	< 0.99	< 5	<5	10,000	1,000
PAHs (ppb)	---	---	ND	---	---	<i>Variable</i>	<i>Variable</i>

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 8 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-8							NR 140 Remedial Action Limits	
	Jan-02	Apr-02	Oct-02	Feb-03	Dec-03	May-04	Nov-04		
Relative Elevation (ft)	85.81	86.01	86.61	86.66	86.02	85.47	85.42		
ANALYTE								<i>ES</i>	<i>PAL</i>
GROs (ppb)	15,000	ND	20	24	23	ND	ND	---	---
DROs (ppb)	ND	27,000	25,000	11,000	---	---	---	---	---
Iron (ppb)	---	---	---	---	1,100	---	---	---	---
Lead (ppb)	---	---	---	---	---	---	---	15	1.5
Conductivity	0.217	0.208	---	0.129	---	---	---	---	---
pH	7.09	7.18	---	7.09	---	---	---	---	---
Nitrogen (ppm)	---	---	---	---	1.1	---	---	---	---
Sulfate (ppm)	---	---	---	---	6.7	---	---	---	---
Temperature (C)	9.1	8.6	---	8.5	---	---	---	---	---
Dissolved Oxygen (ppm)	3.41	2.65	---	2.72	---	---	---	---	---
VOCS/PVOCs (ppb)¹									
Benzene	< 0.1	< 0.4	< 0.4	< 0.4	< 0.45	< 0.5	<0.5	5	0.5
Ethylbenzene	< 0.1	< 0.4	0.62	< 0.4	< 0.47	< 5	<5	700	140
MTBE	< 1.1	< 0.4	< 0.4	< 0.4	< 0.6	< 0.51	<0.51	60	12
Naphthalene	< 0.7	---	---	---	---	< 8	<8	40	8
Toluene	< 0.1	< 0.4	< 0.4	< 0.4	< 0.61	< 5	<5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.3	< 0.5	0.78	2.2	< 0.72	< 5	<5	480	96
Total Xylenes	< 0.2	< 0.9	1.6	< 0.4	< 0.99	< 5	6.4	10,000	1,000
PAHs (ppb)¹									
Fluoranthene	---	---	---	---	0.086	---	---	400	80
Fluorene	---	---	---	---	0.034	---	---	400	80
Phenanthrene	---	---	---	---	0.052	---	---	---	---

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 9 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-9							NR 140 Remedial Action Limits	
	Feb-03	Oct-03	Dec-03	Feb-04	May-04	Aug-04	Nov-04		
Relative Elevation (ft)	84.57	84.30	84.12	83.82	83.92	83.78	83.72		
ANALYTE								ES	PAL
GROs (ppb)	25,000	28,000	21,000	36,900	51,800	37,600	24,800	---	---
DROs (ppb)	6,600	8,600	---	---	---	---	---	---	---
Iron (ppb)	---	---	20,000	---	---	---	---	---	---
Lead (ppb)	---	---	---	---	---	---	---	15	1.5
Conductivity	0.12	0.214	---	---	---	---	---	---	---
pH	7.32	---	---	---	---	---	---	---	---
Nitrogen (ppm)	---	---	ND	---	---	---	---	---	---
Sulfate (ppm)	---	---	ND	---	---	---	---	---	---
Temperature (C)	8	9	---	---	---	---	---	---	---
Dissolved Oxygen (ppm)	2.11	1.21	---	---	---	---	---	---	---
VOCs/PVOCs (ppb)¹									
Benzene	110	32	< 22	18.5	1.66	10.6	<0.50	5	0.5
Ethylbenzene	1,500	1,600	1,700	2,080	2,390	1,560	1,590	700	140
Isopropylbenzene	84	---	---	---	---	---	---	---	---
Naphthalene	470	740	---	770	778	813	689	40	8
n-Propylbenzene	230	---	---	---	---	---	---	---	---
MTBE	< 61	< 30	< 30	ND	0.549	11.1	0.8	60	12
Toluene	3,900	4,400	2,600	4,270	4,380	3,160	1,980	1,000	200
1,2,4- & 1,3,5-TMB	2,700	3,240	3,350	4,032	4,261	3,408	3,653	480	96
Total Xylenes	9,100	8,400	8,900	12,800	14,400	10,500	9,350	10,000	1,000
PAHs (ppb)¹									
Acenaphthene	---	---	19	---	---	---	---	---	---
Fluorene	---	---	11	---	---	---	---	400	80
Methyl-1-naphthalene	---	---	310	---	---	---	---	---	---
Methyl-2-naphthalene	---	---	280	---	---	---	---	---	---
Naphthalene	---	---	690	---	---	---	---	40	8

ND = Not Detected

--- = not analyzed or no standard

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 10 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	MW-10						NR 140 Remedial Action Limits	
	Oct-03	Dec-03	Feb-04	May-04	Aug-04	Nov-04	ES	PAL
Relative Elevation (ft)	83.18	83.33	82.93	83.13	82.88	82.93		
ANALYTE								
GROs (ppb)	---	ND	ND	ND	ND	ND	---	---
DROs (ppb)	ND	---	---	---	---	---	---	---
Iron (ppb)	---	290	---	---	---	---	---	---
Lead (ppb)	---	---	---	---	---	---	15	1.5
Conductivity	0.197	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	---	---
Nitrogen (ppm)	---	0.63	---	---	---	---	---	---
Sulfate (ppm)	---	5.8	---	---	---	---	---	---
Temperature (C)	9	---	---	---	---	---	---	---
Dissolved Oxygen (ppm)	3.31	---	---	---	---	---	---	---
VOCs/PVOCs (ppb) ¹								
Benzene	0.35	< 0.45	ND	< 0.5	< 0.5	<0.5	5	0.5
Ethylbenzene	< 0.11	< 0.47	ND	< 5	< 5	<5	700	140
Toluene	< 0.2	< 0.61	ND	< 5	< 5	<5	1,000	200
1,2,4- & 1,3,5-TMB	< 0.14	< 0.72	ND	< 5	< 5	<5	480	96
Total Xylenes	< 0.24	< 0.99	ND	< 5	< 5	<5	10,000	1,000
PAHs (ppb) 1	---	ND	---	---	---	---	Variable	Variable

ND = Not Detected

MTBE = methyl-tert-butylether

TMB = trimethylbenzene

Bold italic numbers indicate concentrations above the ES outlined in NR 140.10.

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

TABLE 2 (page 11 of 11)
ANALYTICAL RESULTS - GROUNDWATER
UEL PROPERTY SITE, HALLIE, WISCONSIN - MAXIM #3331204

Date	PW-1				NR 140 Remedial Action Limits	
	Oct-02	Oct-03	Dec-03	Nov-04	ES	PAL
Relative Elevation (ft)	---	---	---	---		
ANALYTE						
GROs (ppb)	ND	ND	ND	ND	---	---
DROs (ppb)	ND	120	---	ND	---	---
PVOCs/VOCs (ppb)¹						
Benzene	ND	ND	ND	<0.5	5	0.5
Ethylbenzene	ND	ND	ND	<5	700	140
MTBE	ND	ND	ND	<0.5	60	12
Naphthalene	ND	ND	ND	<8	40	8
Toluene	ND	ND	ND	<5	1,000	200
1,2,4 & 1,3,5 Trimeth.	ND	ND	ND	<5	480	96
Total Xylenes	ND	ND	ND	<5	10,000	1,000
Chloromethane	ND	0.22	---	---	3	0.3
Methylene chloride	ND	0.12	---	---	5	0.5
Naphthalene	ND	ND	< 0.46	---	40	8
Trichloroethene	ND	0.28	---	---	---	---

ND = not detected

--- = not analyzed or no standard

Bold Italic numbers indicate concentrations above the ES outlined in NR 140.10

Bold numbers indicate concentrations above the PAL outlined in NR 140.10.

PW-1 represents a sample collected from the on-site potable well.

TABLE 3 (page 1 of 5)
ANALYTICAL RESULTS - SOIL (AYRES ASSOCIATES-GEO-PROBES)
UEL PROPERTY SITE, HALLIE, WISCONSIN

	NR720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples									
				GP1S-6	GP1S-8	GP1S-10	GP2S-8	GP2S-10	GP3S-8	GP3S-10	GP4S-8	GP4S-10	MEOH Blank
Boring				GP-1	GP-1	GP-1	GP-2	GP-2	GP-3	GP-3	GP-4	GP-4	---
Depth (feet)				10-12	14-16	18-20	14-16	18-20	14-16	18-20	14-16	18-20	---
GROs (ppm)	100			---	---	---	120	6.4	140	ND	ND	ND	ND
DROs (ppm)	100			ND	2,900	10	620	14	600	ND	ND	ND	---
Total Lead (ppm)	50			---	---	---	0.64	0.62	1	0.63	0.82	0.36	---
VOCs (ppb)													
Benzene	25 ¹	8,500	1,100	< 25	< 25	< 25	73	< 25	31	< 25	< 25	< 25	< 25
n-Butylbenzene				< 25	1,700	< 25	2,100	90	1,200	< 25	< 25	< 25	< 25
sec-Butylbenzene				< 25	180	< 25	430	< 25	480	< 25	< 25	< 25	< 25
tert-Butylbenzene				< 25	410	< 25	160	< 25	190	< 25	< 25	< 25	< 25
Ethylbenzene	2,900	4,600		< 25	< 25	< 25	480	< 25	47	< 25	< 25	< 25	< 25
Isopropylbenzene				< 25	450	< 25	190	< 25	100	< 25	< 25	< 25	< 25
p-Isopropyltoluene				< 25	1,400	< 25	300	< 25	380	< 25	< 25	< 25	< 25
MTBE				< 25	< 25	< 25	< 38	< 25	< 25	< 25	< 25	< 25	< 25
n-Propylbenzene				< 25	< 25	< 25	550	< 25	310	< 25	< 25	< 25	< 25
Tetrachloroethene				46	< 25	< 25	830	68	1,100	54	< 25	< 25	< 25
Toluene	1,500	38,000		< 25	220	< 25	1,200	< 25	210	< 25	< 25	< 25	< 25
1,2,4-TMB		83,000		< 25	400	< 25	3,000	39	1,000	< 25	< 25	< 25	< 25
1,3,5-TMB		11,000		< 25	380	< 25	1,500	< 25	720	< 25	< 25	< 25	< 25
Total Xylenes	4,100	42,000		< 25	138	< 25	7,600	96	210	< 25	< 25	< 25	< 25
PAHs (ppb)													
Acenaphthylene	700			---	94	250	---	---	---	---	---	---	---
Benzo(b)fluoranthene	360,000			---	56	< 0.78	---	---	---	---	---	---	---
Benzo(g,h,i)perylene	6,800,000			---	37	< 0.37	---	---	---	---	---	---	---
Benzo(k)fluoranthene	870,000			---	150	< 0.083	---	---	---	---	---	---	---
Chrysene	37,000			---	310	< 0.34	---	---	---	---	---	---	---
Pyrene	8,700,000			---	210	< 1	---	---	---	---	---	---	---
Naphthalene	400	2,700		< 19	250	< 1.8	890	72	990	< 25	< 25	< 25	< 25

ND = not detected

TMB = trimethylbenzene

MTBE = methyl-tert-butyl-ether

Bold areas indicate soil contaminant concentrations exceed WDNR's RCLs.

Shaded areas indicate soil contaminant concentrations exceed NR 746 Table Values.

NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

TABLE 3 (page 2 of 5)
ANALYTICAL RESULTS - SOIL (AYRES ASSOCIATES GEO-PROBES)
UEL PROPERTY SITE, HALLIE, WISCONSIN

	NR720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples						
				GP5S-7	GP5S-10	GP6S-8	GP6S-10	GP7S-8	GP7S-10	MEOH Blank
Boring				GP-5	GP-5	GP-6	GP-6	GP-7	GP-7	---
Depth (feet)				12-14	18-20	14-16	18-20	14-16	18-20	---
GROs (ppm)	100			ND	ND	ND	ND	ND	ND	ND
DROs (ppm)	100			ND	ND	ND	ND	ND	ND	---
Total Lead (ppm)	50			0.62	0.61	0.72	0.71	0.99	0.99	---
VOCs (ppb)										
Benzene	25 ¹	8,500	1,100	< 25	< 25	< 25	< 25	< 25	< 25	< 25
n-Butylbenzene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
sec-Butylbenzene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
tert-Butylbenzene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
Ethylbenzene	2,900	4,600		< 25	< 25	< 25	< 25	< 25	< 25	< 25
Isopropylbenzene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
p-Isopropyltoluene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
MTBE				< 25	< 25	< 25	< 25	< 25	< 25	< 25
Naphthalene	400	2,700		< 25	< 25	< 25	< 25	< 25	< 25	< 25
n-Propylbenzene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
Tetrachloroethene				< 25	< 25	< 25	< 25	< 25	< 25	< 25
Toluene	1,500	38,000		< 25	< 25	< 25	< 25	< 25	< 25	< 25
1,2,4-TMB		83,000		< 25	< 25	< 25	< 25	< 25	< 25	< 25
1,3,5-TMB		11,000		< 25	< 25	< 25	< 25	< 25	< 25	< 25
Total Xylenes	4,100	42,000		< 25	< 25	< 25	< 25	< 25	< 25	< 25

ND = not detected

TMB = trimethylbenzene

MTBE = methyl-tert-butyl-ether

Bold areas indicate soil contaminant concentrations exceed WDNR's RCLs.

Shaded areas indicate soil contaminant concentrations exceed NR 746 Table Values.

NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

**TABLE 3 (page 3 of 5)
ANALYTICAL RESULTS - SOIL
UEL PROPERTY SITE, HALLIE, WISCONSIN**

	NR720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples					
				MW-1	MW-2	MW-3	MW-4A	MW-4B	MW-5
Boring				MW-1	MW-2	MW-3	MW-4	MW-4	MW-5
Depth (feet)				14	14	15	7	13	14
GROs (ppm)	100			ND	ND	ND	3.9	1,600	ND
DROs (ppm)	100			ND	ND	ND	ND	460	ND
PVOCs (ppb)									
Benzene	25 ¹	8,500	1,100	< 25	< 25	< 25	68	1,300	< 25
Ethylbenzene	2,900	4,600		< 25	< 25	< 25	60	45,000	< 25
MTBE				< 25	< 25	< 25	< 25	< 0.6	< 25
Toluene	1,500	38,000		160	220	110	950	95,000	260
1,2,4-TMB		83,000		< 25	< 25	< 25	< 25	130,000	< 25
1,3,5-TMB		11,000		< 25	< 25	< 25	< 25	41,000	< 25
Total Xylenes	4,100	42,000		< 25	37	< 25	241	303,000	40
PAHs (ppb)									
Methyl-1-naphthalene	23,000			< 20	< 20	< 20	< 20	7,900	< 20
Methyl-2-naphthalene	20,000			< 19	< 19	< 19	< 19	18,000	< 19
Acenaphthene	38,000			< 21	< 21	< 21	< 21	3,300	< 21
Acenaphthylene	700			< 19	64	150	1,300	< 1.7	200
Benzo(a)anthracene	17,000			< 0.7	< 0.7	< 0.7	< 0.7	5.5	< 0.7
Benzo(b)fluoranthene	360,000			< 0.78	2.2	< 0.78	< 0.78	10	< 0.78
Benzo(g,h,i)perylene	6,800,000			< 1.6	< 1.6	< 1.6	< 1.6	10	< 1.6
Dibenzo(ah)anthracene	38,000			< 5	< 5	< 5	< 5	41	< 5
Indeno(1,2,3-cd)pyrene	680,000			< 1.8	< 1.8	< 1.8	< 1.8	3	< 1.8
Pyrene	8,700,000			< 3.5	8.9	< 3.5	11	690	9.9
Naphthalene	400	2,700		< 19	< 19	< 19	< 19	11,000	< 19

ND = not detected

TMB = trimethylbenzene

MTBE = methyl-tert-butyl-ether

Bold areas indicate soil contaminant concentrations exceed WDNR's RCLs.

Shaded areas indicate soil contaminant concentrations exceed NR 746 Table Values.

NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

**TABLE 3 (page 4 of 5)
ANALYTICAL RESULTS - SOIL
UEL PROPERTY SITE, HALLIE, WISCONSIN**

	NR720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples					
				MW-6A	MW-6B	MW-7	MW-8	MW-9A	MW-9B
Boring				MW-6	MW-6	MW-7	MW-8	MW-9	MW-9
Depth (feet)				13	20	14	13	17	23
GROs (ppm)	100			280	15	1.7	20	3	ND
DROs (ppm)	100			34	ND	ND	650	ND	ND
PVOCs (ppb)									
Benzene	25 ¹	8,500	1,100	< 500	< 25	< 25	< 25	< 25	< 25
Ethylbenzene	2,900	4,600		4,000	180	< 25	31	75	< 25
MTBE				< 600	< 25	< 25	< 25	< 25	< 25
Toluene	1,500	38,000		3,200	300	270	110	610	260
1,2,4-TMB		83,000		26,000	1,200	< 25	300	260	< 25
1,3,5-TMB		11,000		8,300	380	< 25	280	130	< 25
Total Xylenes	4,100	42,000		37,700	1,600	40	62	910	40
PAHs (ppb)									
Methyl-1-naphthalene	23,000			< 20	36	< 20	< 20	33	41
Methyl-2-naphthalene	20,000			< 19	84	< 19	< 19	56	78
Acenaphthene	38,000			< 21	< 21	< 21	< 21	< 21	< 21
Acenaphthylene	700			370	230	420	370	< 19	< 19
Benzo(a)anthracene	17,000			< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Benzo(b)fluoranthene	360,000			< 0.78	< 0.78	< 0.78	180	< 0.78	< 0.78
Benzo(g,h,i)perylene	6,800,000			< 1.6	< 1.6	< 1.6	< 1.6	< 1.6	< 1.6
Benzo(k)fluoranthene	870,000			< 0.85	< 0.85	< 0.85	32	< 0.85	< 0.85
Dibenzo(ah)anthracene	38,000			< 5	< 5	< 5	< 5	< 5	< 5
Indeno(1,2,3-cd)pyrene	680,000			< 1.8	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8
Pyrene	8,700,000			12	38	10	470	< 3.5	< 3.5
Phenanthrene	1,800			< 3.8	14	< 3.8	< 3.8	< 3.8	< 3.8
Naphthalene	400	2,700		< 19	46	< 19	< 19	< 19	< 19

ND = not detected

TMB = trimethylbenzene

MTBE = methyl-tert-butyl-ether

Bold areas indicate soil contaminant concentrations exceed WDNR's RCLs.

Shaded areas indicate soil contaminant concentrations exceed NR 746 Table Values.

NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.

TABLE 3 (5 of 5)
ANALYTICAL RESULTS - SOIL
UEL PROPERTY SITE, HALLIE, WISCONSIN

	NR720 Generic RCLs	NR 746 Table 1 Values	NR 746 Table 2 Values	Samples					
				SB-1	SB-1	SB-3	MW-10	MW-10	MEOH Blank
Boring				SB-1	SB-1	SB-3	MW-10	MW-10	---
Depth (feet)				6	15	6	4	11	---
PID (Instrument units)									---
GROs (ppm)	100			5.8	8.6	220	1.7	---	ND
DROs (ppm)	100			ND	ND	---	ND	---	---
PVOCs (ppb)									
Benzene	25 ¹	8,500	1,100	< 25	< 25	< 240	< 25	---	ND
Ethylbenzene	2,900	4,600		170	170	3,100	60	---	ND
MTBE				< 25	< 25	< 290	< 25	---	ND
Naphthalene	400	2,700		150	190	5,300	< 25	---	ND
Toluene	1,500	38,000		170	130	1,900	52	---	ND
1,2,4-TMB		83,000		560	870	19,000	160	---	ND
1,3,5-TMB		11,000		200	290	6,400	60	---	ND
Total Xylenes	4,100	42,000		1,300	1,400	135,600	300	---	ND
PAHs (ppb)									
Methyl-1-naphthalene	1,500	23,000		37	ND	---	ND	ND	---
Methyl-2-naphthalene		20,000		74	ND	---	ND	ND	---
Naphthalene	400	2,700		58	ND	---	ND	ND	---

ND = not detected

TMB = trimethylbenzene


MTBE = methyl-tert-butyl-ether

Bold areas indicate soil contaminant concentrations exceed WDNR's RCLs.

Shaded areas indicate soil contaminant concentrations exceed NR 746 Table Values.

NR 746 Table 1 - Indicators of Residual Petroleum Product in Soil Pores.

NR 746 Table 2 - Protection of Human Health from Direct Contact with Contaminated Soil.



30TH AVENUE
CABLE LINE

SLOPE SLOPE

Village of Lake Hallie Property

MW - 4
11/2004
Benzene = 12.4 ppb
Ethylbenzene = 900 ppb
MTBE = 18.1 ppb
Toulene = 2,790 ppb
Trimethylbenzenes = 1,273 ppb
Total Xylenes = 7,060 ppb
Napthtalene = 124 ppb

MW - 9
11/2004
Ethylbenzene = 1,590 ppb
Toulene = 1,930 ppb
Trimethylbenzenes = 3,653 ppb
Total Xylenes = 9,350 ppb
Napthtalene = 689 ppb

FEILD

113TH STREET

0' 50' 100'



MAXIM
TECHNOLOGIES

Wausau, Wisconsin

HORIZONTAL EXTENT OF
GROUNDWATER CONTAMINATION
FORMER UEL FACILITY
TOWN OF HALLIE, WISCONSIN

PROJECT #: 3331204
DATE: 12/10/2004
DRAWN BY: TT
REVIEWED BY: EO
SCALE: 1" = 100'

C:\Maxim_GIS\Projects\3330933\FORMER UEL FACILITY

TABLE 1

UEL Property Site - MAXIM #3331204 Groundwater Elevation Data

January-02

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	13.10	86.07
MW-2	99.69	13.95	85.74
MW-3	99.36	13.74	85.62
MW-4	97.89	12.68	85.21
MW-5	98.36	13.14	85.22
MW-6	96.63	11.78	84.85
MW-7	98.78	13.37	85.41
MW-8	99.92	14.11	85.81

April-02

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	12.96	86.21
MW-2	99.69	13.73	85.96
MW-3	99.36	13.44	85.92
MW-4	97.89	12.36	85.53
MW-5	98.36	12.75	85.61
MW-6	96.63	11.48	85.15
MW-7	98.78	13.08	85.70
MW-8	99.92	13.91	86.01

July-02

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	13.50	86.19
MW-3	99.36	13.26	86.10
MW-4	97.89	12.24	85.65
MW-5	98.36	12.68	85.68
MW-6	96.63	11.42	85.21
MW-7	98.78	12.96	85.82
MW-8	99.92	13.66	86.26

TABLE 1 -Continued

October-02

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	13.16	86.53
MW-3	99.36	13.20	86.16
MW-4	97.89	11.92	85.97
MW-5	98.36	12.37	85.99
MW-6	96.63	11.11	85.52
MW-7	98.78	12.61	86.17
MW-8	99.92	13.31	86.61

February-03

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	0.00	99.69
MW-3	99.36	13.24	86.12
MW-4	97.89	11.91	85.98
MW-5	98.36	12.36	86.00
MW-6	96.63	11.05	85.58
MW-7	98.78	0.00	98.78
MW-8	99.92	13.26	86.66
MW-9	101.02	16.45	84.57

October-03

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	13.41	86.28
MW-3	99.36	0.00	99.36
MW-4	97.89	12.24	85.65
MW-5	98.36	0.00	98.36
MW-6	96.63	11.40	85.23
MW-7	98.78	0.00	98.78
MW-8	99.92	0.00	99.92
MW-9	101.02	16.72	84.30
MW-10	88.93	5.75	83.18

TABLE 1 -Continued

December - 03

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	13.70	85.99
MW-3	99.36	13.50	85.86
MW-4	97.89	12.40	85.49
MW-5	98.36	12.85	85.51
MW-6	96.63	11.50	85.13
MW-7	98.78	13.15	85.63
MW-8	99.92	13.90	86.02
MW-9	101.02	16.90	84.12
MW-10	88.93	5.60	83.33

February-04

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	0.00	99.69
MW-3	99.36	0.00	99.36
MW-4	97.89	12.80	85.09
MW-5	98.36	0.00	98.36
MW-6	96.63	11.90	84.73
MW-7	98.78	0.00	98.78
MW-8	99.92	0.00	99.92
MW-9	101.02	17.20	83.82
MW-10	88.93	6.00	82.93

May-04

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	99.17
MW-2	99.69	14.30	85.39
MW-3	99.36	14.00	85.36
MW-4	97.89	12.90	84.99
MW-5	98.36	13.30	85.06
MW-6	96.63	12.00	84.63
MW-7	98.78	13.60	85.18
MW-8	99.92	14.45	85.47
MW-9	101.02	17.10	83.92
MW-10	88.93	5.80	83.13

TABLE 1 -Continued

August-04

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	0
MW-2	99.69	14.24	85.45
MW-3	99.36	14.03	85.33
MW-4	97.89	12.94	84.95
MW-5	98.36	13.40	84.96
MW-6	96.63	12.02	84.61
MW-7	98.78	13.65	85.13
MW-8	99.92	14.40	85.52
MW-9	101.02	17.24	83.78
MW-10	88.93	6.05	82.88

November-04

	Elevation of PVC	Depth to Water	GW Elevation
MW-1	99.17	0	0
MW-2	99.69	14.34	85.35
MW-3	99.36	14.12	85.24
MW-4	97.89	13.04	84.85
MW-5	98.36	13.48	84.88
MW-6	96.63	12.10	84.53
MW-7	98.78	13.75	85.03
MW-8	99.92	14.50	85.42
MW-9	101.02	17.30	83.72
MW-10	88.93	6.00	82.93

Notes: MW-1 has not been available for sampling since July 02. The well was destroyed at that time by local traffic.





FIGURE #3
 GROUNDWATER FLOW 11/10/2004
 FORMER UEL FACILITY
 TOWN OF HALLIE, WISCONSIN



Ayres GP3S-8
14' - 16'
Benzene = 31 ppb
Naphthalene = 990 ppb

GRASS
NEW AST

FORMER UST #3



MW-1
NO ELEVATION

FORMER UST #1

FORMER UEL FACILITY

GRAVEL

FORMER UST #2

Ayres GP2S-8
14' - 16'
Benzene = 73 ppb
Total Xylenes = 7600 ppb
Naphthalene = 990 ppb
In Former AST #2

GRAVEL

30TH AVENUE

CABLE LINE

SLOPE

SLOPE

MW - 4A

7'
Benzene = 68 ppb
Acenaphthylene = 1,300 ppb

MW - 4B

13'
GRO = 1,600 ppm
DRO = 460 ppm
Benzene = 1,300 ppb
Ethylbenzene = 45,000 ppb
Toulene = 95,000 ppb
Trimethylbenzenes = 151,000 ppb
Total Xylenes = 303,000 ppb
Naphthalenes = 11,000 ppb

MW - 8

13'
DRO = 650 ppm

MW - 6A

13'
GRO = 280 ppm
Ethylbenzene = 4,000 ppb
Toulene = 3,200 ppb
Total Xylenes = 37,700 ppb

SB - 3

6'
GRO = 220 ppm
EthylBenzene = 3,100 ppb
Toulene = 1,900 ppb
Total Xylenes = 135,600 ppb
Naphthalene = 5,300 ppb

MW-10

113TH STREET

FEILD

0' 50' 100'



MAXIM
TECHNOLOGIES

Wausau, Wisconsin

RESIDUAL SOIL CONTAMINATION
FORMER UEL FACILITY
TOWN OF HALLIE, WISCONSIN

PROJECT #: 3331204
DATE: 12/10/2004
DRAWN BY: TT
REVIEWED BY: EO
SCALE: 1" = 100'

C:\Maxim_GIS\Projects\3330933\FORMER UEL FACILITY

December 9, 2004


Wisconsin Department of Natural Resources
Attn: Mr. Pat Collins
890 Spruce Street
Baldwin, WI 54002

Legal Description Approval
Former Utility Enterprises Property (UEL)
BRRTS #03-09-221315

Dear Mr. Collins,

I have reviewed the GIS Registry Packet, drafted for me by Maxim Technologies, and I hereby state that the legal descriptions attached are included for the correct properties.

Sincerely,

A handwritten signature in black ink that reads "Joanne Radandt". The signature is written in a cursive style with a large initial "J".

Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Cc: Maxim Technologies, Attn: Mr. Eric P. Oleson, 1837 County Highway J, Chippewa Falls, WI 54729

December 9, 2004


Village of Lake Hallie
Attn: Mr. Pete Lehman
13143 30th Avenue
Chippewa Falls, WI 54729

Groundwater (ES) Exceedences Letter
Former Utility Enterprises Property (UEL)
11320 30th Avenue
Village of Lake Hallie, WI
BRRTS #03-09-221315

Dear Mr. Lehman,

I have attached the WDNR Chapter NR 726 Appendix A letter which makes notice to the Village of Lake Hallie of groundwater Enforcement Standard (ES) exceedences on the Village property, specifically, found in an at-grade groundwater monitoring well, MW-9, located on the south side of 30th Avenue, approximately 130 feet to the east of the intersection of 30th Avenue and 113th Street.

Sincerely,



Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Cc: Maxim Technologies, Attn: Mr. Eric P. Oleson, 1837 County Highway J, Chippewa Falls, WI 54729

December 9, 2004


Village of Lake Hallie
Attn: Mr. Pete Lehman
13143 30th Avenue
Chippewa Falls, WI 54729

Public Street (ES) Exceedences Letter
Former Utility Enterprises Property (UEL)
11320 30th Avenue
Village of Lake Hallie, WI
BRRTS #03-09-221315

Dear Mr. Lehman,

I have submitted this written notification letter to you to inform you of groundwater enforcement standard (ES) exceedences in an at-grade groundwater monitoring well, MW-9, located on the south side of 30th Avenue, approximately 130 feet to the east of the intersection of 30th Avenue, and 113th Street. Additionally, soil exceedences that exceeded the NR 720 generic soil standards were noted at approximately 6 feet below the ground surface, in soil boring SB-3. SB-3 is located south of MW-9, approximately 220 feet into the wooded area.

Sincerely,



Mrs. Joanne Radandt
2815 LaSalle Street
Eau Claire, WI 54702

Cc: Maxim Technologies, Attn: Mr. Eric P. Oleson, 1837 County Highway J, Chippewa Falls, WI 54729

MAXIM

TECHNOLOGIES

December 9, 2004

Wisconsin Department of Natural Resources
Attn: Mr. Pat Collins
890 Spruce Street
Baldwin, WI 54002

Subject: **List of Off-Site Properties**
Former Utility Enterprises Property (UEL)
11320 30TH Avenue
Town of Hallie, Wisconsin
BRRTS #03-09-221315
PECFA CLAIM #54729-6566-20
Maxim Project #3331204

Dear Mr. Collins,

Based on our site investigation, and subsequent property ownership review at the Chippewa County Courthouse, Maxim, on behalf of our client, Mrs. Joanne Radandt, has determined that the off-source property affected by residual soil and groundwater contamination exceeding applicable standards is the Village of Lake Hallie, Chippewa County Wisconsin. This property is a wooded, undeveloped parcel, without an address. The Parcel I.D. # is 22809-2621-002-0000.

Sincerely,

MAXIM TECHNOLOGIES



Eric P. Oleson
Sr. Environmental Scientist
Environmental Sciences Department Manager

1837 County Highway J • Chippewa Falls, WI 54729 • Telephone: 715/832-0282 • Fax: 715/832-0541