

GIS REGISTRY INFORMATION

SITE NAME:	Knitters Chevrolet			FID #	
BRRTS #:	03-09-254282			(if appropriate):	
COMMERCE # (if appropriate):	54727-9138-05				
CLOSURE DATE:	June 23, 2003				
STREET ADDRESS:	105 E Chippewa St				
CITY:	Cadott				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	429245 429238	Y =	497415 497427	
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input type="checkbox"/>	Both <input checked="" type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
• IF YES, STREET ADDRESS:	112 West Chippewa St.				
• GPS COORDINATES (meters in WTM91 projection):	X =	429204	Y =	497463	
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
CONTAMINATION IN RIGHT OF WAY:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued					<input checked="" type="checkbox"/>
Copy of most recent deed, including legal description, for all affected properties					<input checked="" type="checkbox"/>
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties					<input checked="" type="checkbox"/>
County Parcel ID number, if used for county, for all affected properties					<input checked="" type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					<input checked="" type="checkbox"/>
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					<input checked="" type="checkbox"/>
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input checked="" type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					<input type="checkbox"/>
GW: Table of water level elevations, with sampling dates, and free product noted if present					<input checked="" type="checkbox"/>
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					<input checked="" type="checkbox"/>
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input checked="" type="checkbox"/>
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)					<input type="checkbox"/>
RP certified statement that legal descriptions are complete and accurate					<input checked="" type="checkbox"/>
Copies of off-source notification letters (if applicable)					<input checked="" type="checkbox"/>
Letter informing ROW owner of residual contamination (if applicable) (public, highway or railroad ROW)					<input checked="" type="checkbox"/>
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure					<input type="checkbox"/>



June 23, 2003

Knitters Chevrolet
Attn: Carmen Muenich
105 E. Chippewa Street
Cadott, WI 54727

RE: **Final Closure**

Commerce # 54727-9138-05 **WDNR BRRTS # 03-09-254282**
Knitters Chevrolet, 105 E Chippewa St, Cadott

Dear Mr. Muenich

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If applicable, the PECFA claim for this site would also be reopened and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 345-5307.

Sincerely,

A handwritten signature in black ink, appearing to read 'Tim Zeichert', written over a horizontal line.

Tim Zeichert
Hydrogeologist
Site Review Section

cc: Kevin E. Accola, Short Elliott Hendrickson, Inc.
Case File

DOCUMENT NO.

492704

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2 -- 1982

INDEXED _____

THIS SPACE RESERVED FOR RECORDING DATA

Clyde Karlen, a/k/a Clyde W. Karlen,

conveys and warrants to William E. Karlen and Donna M. Karlen, husband and wife as survivorship marital property.

Registers Office
Chippewa County, WI } ss.

Received for Record
the 31 day of Oct
A.D. 1990 at 9:30 o'clock a.m.
and recorded in vol. 676
of Records Page 163
Catherine M. Kopycinski
Register

RETURN TO

Citizens State Bank
Box 66, Cadott, WI 54727

the following described real estate in Chippewa County,
State of Wisconsin:

Tax Parcel No: 80th chg.

A parcel contained in Outlot 12 of the Assessor's Outlot Plat to the Village of Cadott, described as follows: Commencing at the intersection of the West line of Main Street and the center of Highway "X", West 150 ft. to point of beginning; thence West 116 ft.; thence South 278 ft.; thence East 116 ft.; thence North 278 ft. to point of beginning. Said parcel contains approximately .74 acres.

AND ALSO

That part of Block 2 of Marriner's First Addition to the Village of Cadott, described as follows: Beginning at the SE corner of said Block 2; and running thence North 95 feet; thence West 128 feet; thence South 95 feet; and thence East 128 feet to the point of beginning.

This deed is given in satisfaction of that certain land contract by and between the parties dated January 1, 1990 and recorded with the Office of the Register of Deeds for Chippewa County, Wisconsin, on January 15, 1990 in Volume 661 of Records, page 19, as document number 486102.

TRANSFER
FEE
\$136.80

This is not homestead property.
(is) (is not)

Exception to warranties: Easements and restrictions of record.

Dated this 30th day of October, 1990.

(SEAL)

Clyde W. Karlen

(SEAL)

Clyde W. Karlen, a/k/a
Clyde Karlen

(SEAL)

(SEAL)

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Lester H. Liptak, Jr., Attorney
Cadott, Wisconsin 54727

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN

Chippewa County, } ss.

Personally came before me this 30th day of
October, 1990, the above named

Clyde W. Karlen, a/k/a
Clyde Karlen

to me known to be the person who executed the foregoing instrument and acknowledge the same.

Junior G. Bateman

Junior G. Bateman
Notary Public Chippewa County, Wis.
My Commission is permanent. (If not, state expiration

date: _____, 19____

*Names of persons signing in any capacity should be typed or printed below their signatures.

Map Legend

Closed Remediation Sites:

- contaminated groundwater 
- contaminated soil 
- groundwater, soil contaminated 
- Offsource, contaminated properties 
- Counties 
- Interstate/US/State Highways 
- River/Streams/Openwater 
- Cities, Towns, Villages 

Center / Pan /  WTM91 coordinates

Zoom_In

Zoom_Out

Identify

Or select a county

Or select city/town/village

Enter a county, city, or village name to search for:



This is a test version of the application.
This version intended for evaluation only. Documentation...

 WTM coordinates: 429245, 497415

C.E.M. RENTAL, LLC

Map Legend

Closed Remediation Sites:

- contaminated groundwater 
- contaminated soil 
- groundwater, soil contaminated 
- Offsource, contaminated properties 
- Counties 
- Interstate/US/State Highways 
- River/Streams/Openwater 
- Cities, Towns, Villages 

Center / Pan /  WTM91 coordinates

Zoom_In

Zoom_Out

Identify

Or select a county

Or select city/town/village

Enter a county, city, or village name to search for:



This is a test version of the application.
This version intended for evaluation only. Documentation...

 WTM coordinates: 429204, 497463


William and Donna Karlen

REPRODUCED FROM
USGS CADOTT QUADRANGLES

WISCONSIN -- CHIPPEWA CO. 7.5 MINUTE SERIES
 1975



SCALE IN FEET
 0 500 1000 2000



E:\WASTE\MUENI\07_02\FIGURE1

1	08/20/02		RJH	07/02				
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK		



**KNITTER'S CHEVROLET
 GIS REGISTRY**

**FIGURE 1
 SITE LOCATION**

PROJ. NO.
 MUENI001.00
 DATE
 08/20/02

1
3

WILLIAM AND DONNA KARLEN
PARCEL #22906-3144-603310200F

MAIN STREET

VFW

MW-1

ESTIMATED EXTENT OF
GROUNDWATER CONTAMINATION

ESTIMATED EXTENT OF
SOIL CONTAMINATION

CHIPPEWA STREET (CTH X)

FORMER FUEL
PUMP LOCATION

HP-3

RUSTIC LANES
BOWLING ALLEY

FORMER 75 GALLON
KEROSENE UST

HP-2

KW-4

HP-1
FORMER 1,000 GALLON
GASOLINE USTS

KW-2

KNITTERS CHEVROLET

B-3

KW-5

CEM RENTALS, INC.

PARCEL #22806-0611-6172-0101
#22806-0611-6172-0102
#22806-0611-6172-0103
#22806-0611-6172-0104
#22806-0611-6172-0130

LEGEND:



GAS LINE



POWER POLE



EXISTING GROUNDWATER MONITORING
WELL LOCATION



HSA SOIL BORING LOCATION



HYDRAULIC PROBE BORING LOCATION

APPROXIMATE PROPERTY BOUNDARY

APPROXIMATE SCALE IN FEET



E:\WASTE\MUENI\0001\JULY_02\GIS_REGISTRY\FIGURE 2

1	8/09/02	GIS REGISTRY	KEA	8/02					
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK			



**KNITTERS CHEVROLET
GIS REGISTRY**

**FIGURE 2
ESTIMATED EXTENT OF SOIL
AND GROUNDWATER
CONTAMINATION**

PROJ. NO.
MUENI0001.00
DATE
8/09/02

2

3

**Table 2
Groundwater Analytical Results**

Analytical Parameters	NR 140 Standards		Well No./Sampling Date										
			MW-1						KW-2				
	ES	PAL	12/11/91	11/13/00	2/13/01	5/24/01	8/14/01	4/18/02	11/13/00	2/13/01	5/24/01	8/14/01	4/18/02
GRO (µg/l) WI DNR	NSE	NSE	--	637	14,300	11,000	10,400	19,800	1,850	1,070	841	585	830
PVOCs (µg/l) EPA Method 8020													
Benzene	5.0	0.5	7,200	--	--	956	1,190	2,350	--	--	76.8	86.8	31.4
Ethylbenzene	700	140	2,900	--	--	1,170	1,490	1,840	--	--	17.5	46.4	25.6
Methyl tert butyl ether	60	12	--	--	--	<6.00	<30.0	<15.0	--	--	<1.50	<0.3	<0.3
Toluene	1,000	200	13,000	--	--	467	608	851	--	--	10.8	35.6	9.16
Total Trimethylbenzenes	480	96	--	--	--	736	1,029	1,168	--	--	29.2	12.92	21.47
Total Xylenes	10,000	1,000	6,500	--	--	2,033	2,586	3,600	--	--	20.99	15.13	22.04
VOCs¹ (µg/l) EPA Method 8021													
Benzene	5.0	0.5	--	955	2,430	--	--	--	224	94.6	--	--	--
n-Butylbenzene	NSE	NSE	--	<15	<75	--	--	--	<15	11	--	--	--
sec-Butylbenzene	NSE	NSE	--	26.2	<75	--	--	--	<15	6.06	--	--	--
Ethylbenzene	700	140	--	612	1,560	--	--	--	107	26.1	--	--	--
Isopropylbenzene	NSE	NSE	--	34.3	<75	--	--	--	<15	6.76	--	--	--
Methylene Chloride	5.0	0.5	--	<39	<195	--	--	--	<39	<3.9	--	--	--
Naphthalene	40	8.0	--	82.7	<400	--	--	--	<80	<8.0	--	--	--
n-Propylbenzene	NSE	NSE	--	87.9	308	--	--	--	<15	11.6	--	--	--
Toluene	1,000	200	--	163	460	--	--	--	52.4	<4.0	--	--	--
Total Trimethylbenzenes	480	96	--	352.2	826	--	--	--	23.8	12.32	--	--	--
Total Xylenes	10,000	1,000	--	819	1,849	--	--	--	76.1	7.61	--	--	--
Lead (µg/l) EPA Method 200.9	15	1.5	<3.0	<1.0	--	--	--	--	<1.0	--	--	--	--
ES = ch. NR 140 Wis. Adm. Code Enforcement Standard PAL = ch. NR 140 Wis. Adm. Code Preventive Action Limit NSE = No standard established -- = Not analyzed for indicated parameter ¹ = VOC list is not complete; VOCs not listed were below the laboratory limit of detection Compiled by: <u>KEA</u> Checked by: <u>BLK</u>													

**Table 2
Groundwater Analytical Results**

Analytical Parameters	NR 140 Standards		Well No./Sampling Date									
			KW-4					KW-5				
	ES	PAL	11/13/00	2/13/01	5/24/01	8/14/01	4/18/02	11/13/00	2/13/01	5/24/01	8/14/01	4/18/02
GRO (µg/l) WI DNR	NSE	NSE	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
PVOCs (µg/l) EPA Method 8020												
Benzene	5.0	0.5	--	--	<0.16	<0.16	<0.31	--	--	<0.16	<0.16	<0.31
Ethylbenzene	700	140	--	--	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5
Methyl tert butyl ether	60	12	--	--	<0.3	<0.3	<0.3	--	--	<0.3	<0.3	<0.3
Toluene	1,000	200	--	--	<0.4	<0.4	<0.3	--	--	<0.4	<0.4	<0.3
Total Trimethylbenzenes	480	96	--	--	<0.4	<0.4	<0.4	--	--	<0.4	<0.4	<0.4
Total Xylenes	10,000	1,000	--	--	<0.4	<0.4	<0.62	--	--	<0.4	<0.4	<0.62
VOCs¹ (µg/l) EPA Method 8021												
Benzene	5.0	0.5	<0.15	<0.15	--	--	--	<0.15	<0.15	--	--	--
n-Butylbenzene	NSE	NSE	<0.15	<0.15	--	--	--	<0.15	<0.15	--	--	--
sec-Butylbenzene	NSE	NSE	<0.15	<0.15	--	--	--	<0.15	<0.15	--	--	--
Ethylbenzene	700	140	<0.5	<0.5	--	--	--	<0.5	<0.5	--	--	--
Isopropylbenzene	NSE	NSE	<0.15	<0.15	--	--	--	<0.15	<0.15	--	--	--
Methylene Chloride	5.0	0.5	<0.39	<0.39	--	--	--	0.92	<0.39	--	--	--
Naphthalene	40	8.0	<0.8	<0.8	--	--	--	<0.8	<0.8	--	--	--
n-Propylbenzene	NSE	NSE	<0.15	<0.15	--	--	--	<0.15	<0.15	--	--	--
Toluene	1,000	200	<0.4	<0.4	--	--	--	<0.4	<0.4	--	--	--
Total Trimethylbenzenes	480	96	<0.4	<0.4	--	--	--	<0.4	<0.4	--	--	--
Total Xylenes	10,000	1,000	<0.4	<0.4	--	--	--	<0.4	<0.4	--	--	--
Lead (µg/l) EPA Method 200.9	15	1.5	<1.0	--	--	--	--	<1.0	--	--	--	--
ES = ch. NR 140 Wis. Adm. Code Enforcement Standard PAL = ch. NR 140 Wis. Adm. Code Preventive Action Limit NSE = No standard established -- = Not analyzed for indicated parameter ¹ = VOC list is not complete; VOCs not listed were below the laboratory limit of detection Compiled by: <u>KEA</u> Checked by: <u>BLK</u>												

P:\proj\mueni\0001\misc\gwanalres-8.5.xls

**Table 1
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date				
					KW-2	B-3			
						10-12	2-4	4-6	6-8
					10/30/00				
GRO (mg/kg)	100	NSE	NSE	NSE	137	--	--	--	<5.50
TOC (mg/kg)	NSE	NSE	NSE	NSE	--	1,890	679	21,100	919
VOCs (mg/kg)									
Benzene	0.0055	NSE	8.5	1.1	<0.1	--	--	--	<0.025
Bromobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Bromodichloromethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
n-Butylbenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
sec-Butylbenzene	NSE	NSE	NSE	NSE	0.484	--	--	--	<0.025
tert-Butylbenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Carbon Tetrachloride	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Chlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Chlorodibromomethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Chloroethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Chloroform	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Chloromethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
o-Chlorotoluene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
p-Chlorotoluene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2-Dibromo-3-chloropropane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2-Dibromoethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,3-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,4-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Dichlorodifluoromethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,1-Dichloroethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2-Dichloroethane	0.0049	NSE	0.6	0.54	<0.1	--	--	--	<0.025
1,1-Dichloroethylene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
cis-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
trans-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2-Dichloropropane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,3-Dichloropropane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date				
					KW-2	B-3			
						10-12	2-4	4-6	6-8
					10/30/00				
VOCs (mg/kg)									
2,2-Dichloropropane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Ethylbenzene	2.9	NSE	4.6	NSE	0.574	--	--	--	<0.025
Hexachlorobutadiene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Isopropylbenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Isopropyl Ether	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
p-Isopropyltoluene	NSE	NSE	NSE	NSE	0.336	--	--	--	<0.025
Methyl tert Butyl Ether	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Methylene Chloride	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Naphthalene	0.4	20,000	2.7	NSE	<0.1	--	--	--	<0.025
n-Propylbenzene	NSE	NSE	NSE	NSE	0.683	--	--	--	<0.025
Tetrachloroethylene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,1,2,2-Tetrachloroethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Toluene	1.5	NSE	33	NSE	<0.1	--	--	--	<0.025
1,2,3-Trichlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2,4-Trichlorobenzene	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,1,1-Trichloroethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,1,2-Trichloroethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Trichloroethylene	NSE	NSE	NSE	NSE	0.776	--	--	--	<0.025
Trichlorofluoromethane	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
1,2,4-Trimethylbenzene	NSE	NSE	83	NSE	0.384	--	--	--	<0.025
1,3,5-Trimethylbenzene	NSE	NSE	11	NSE	0.687	--	--	--	<0.025
Vinyl Chloride	NSE	NSE	NSE	NSE	<0.1	--	--	--	<0.025
Total Xylenes	4.1	NSE	42	NSE	0.626	--	--	--	<0.025
Total Metals (mg/kg)									
Lead	NSE	50	NSE	NSE	3.34	--	--	--	--

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date			
					KW-4	KW-5	HP1	
					8-10	10-12	2-4	6-8
					4/18/02			
GRO (mg/kg)	100	NSE	NSE	NSE	<5.57	<5.71	99.7	<5.54
TOC (mg/kg)	NSE	NSE	NSE	NSE	--	--	--	--
VOCs (mg/kg)								
Benzene	0.0055	NSE	8.5	1.1	<0.025	<0.025	<0.04	0.0771
Bromobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Bromodichloromethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
n-Butylbenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	0.672	<0.025
sec-Butylbenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	0.397	<0.025
tert-Butylbenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Carbon Tetrachloride	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Chlorobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Chlorodibromomethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Chloroethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Chloroform	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Chloromethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
o-Chlorotoluene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
p-Chlorotoluene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2-Dibromo-3-chloropropane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2-Dibromoethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,3-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,4-Dichlorobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Dichlorodifluoromethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,1-Dichloroethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2-Dichloroethane	0.0049	NSE	0.6	0.54	<0.025	<0.025	<0.04	<0.025
1,1-Dichloroethylene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
cis-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
trans-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2-Dichloropropane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,3-Dichloropropane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date			
					KW-4	KW-5	HP1	
					8-10	10-12	2-4	6-8
					4/18/02			
VOCs (mg/kg)								
2,2-Dichloropropane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Ethylbenzene	2.9	NSE	4.6	NSE	<0.025	<0.025	0.229	<0.025
Hexachlorobutadiene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Isopropylbenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Isopropyl Ether	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
p-Isopropyltoluene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Methyl tert Butyl Ether	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Methylene Chloride	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Naphthalene	0.4	20,000	2.7	NSE	<0.025	<0.025	<0.04	<0.025
n-Propylbenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	0.188	<0.025
Tetrachloroethylene	NSE	NSE	NSE	NSE	<0.025	<0.025	0.301	<0.025
1,1,2,2-Tetrachloroethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Toluene	1.5	NSE	38	NSE	<0.025	<0.025	<0.04	<0.025
1,2,3-Trichlorobenzene	NSE	NSE	NSE	NSE	<0.025	0.0366	<0.04	<0.025
1,2,4-Trichlorobenzene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,1,1-Trichloroethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,1,2-Trichloroethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Trichloroethylene	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
Trichlorofluoromethane	NSE	NSE	NSE	NSE	<0.025	<0.025	<0.04	<0.025
1,2,4-Trimethylbenzene	NSE	NSE	83	NSE	<0.025	<0.025	<0.04	<0.025
1,3,5-Trimethylbenzene	NSE	NSE	11	NSE	<0.025	<0.025	1.01	<0.025
Vinyl Chloride	NSE	NSE	NSE	NSE	<0.025	<0.025	0.648	<0.025
Total Xylenes	4.1	NSE	42	NSE	<0.025	<0.025	<0.04	<0.025
Total Metals (mg/kg)								
Lead	NSE	50	NSE	NSE	--	--	3.04	--

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date			
					HP2		HP3	
					2-4	6-8	2-4	6-8
					4/18/02			
GRO (mg/kg)	100	NSE	NSE	NSE	6,300	949	<5.87	14.2
TOC (mg/kg)	NSE	NSE	NSE	NSE	--	--	--	--
VOCs (mg/kg)								
Benzene	0.0055	NSE	8.5	1.1	146	21.1	1.37	2.31
Bromobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Bromodichloromethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
n-Butylbenzene	NSE	NSE	NSE	NSE	30.6	4.8	<0.025	0.129
sec-Butylbenzene	NSE	NSE	NSE	NSE	20.3	2.64	<0.025	0.074
tert-Butylbenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Carbon Tetrachloride	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Chlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Chlorodibromomethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Chloroethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Chloroform	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Chloromethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
o-Chlorotoluene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
p-Chlorotoluene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2-Dibromo-3-chloropropane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2-Dibromoethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2-Dichlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,3-Dichlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,4-Dichlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Dichlorodifluoromethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,1-Dichloroethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2-Dichloroethane	0.0049	NSE	0.6	0.54	<2.00	<0.04	<0.025	<0.025
1,1-Dichloroethylene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
cis-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
trans-1,2-Dichloroethylene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2-Dichloropropane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,3-Dichloropropane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date			
					HP2		HP3	
					2-4	6-8	2-4	6-8
					4/18/02			
VOCs (mg/kg)								
2,2-Dichloropropane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Ethylbenzene	2.9	NSE	4.6	NSE	198	23.5	0.436	0.695
Hexachlorobutadiene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Isopropylbenzene	NSE	NSE	NSE	NSE	18.4	2.26	<0.025	0.0367
Isopropyl Ether	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
p-Isopropyltoluene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Methyl tert Butyl Ether	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Methylene Chloride	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Naphthalene	0.4	20,000	2.7	NSE	17.2	3.19	0.0553	0.07
n-Propylbenzene	NSE	NSE	NSE	NSE	72.7	7.89	0.0534	0.21
Tetrachloroethylene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,1,2,2-Tetrachloroethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Toluene	1.5	NSE	38	NSE	775	93.3	1.47	0.111
1,2,3-Trichlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2,4-Trichlorobenzene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,1,1-Trichloroethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,1,2-Trichloroethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Trichloroethylene	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Trichlorofluoromethane	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
1,2,4-Trimethylbenzene	NSE	NSE	33	NSE	218	34.7	0.306	0.747
1,3,5-Trimethylbenzene	NSE	NSE	11	NSE	81.2	9.93	0.0734	0.214
Vinyl Chloride	NSE	NSE	NSE	NSE	<2.00	<0.04	<0.025	<0.025
Total Xylenes	4.1	NSE	42	NSE	678	64.7	1.484	1.3917

**Table 1 (Continued)
Soil Analytical Results**

Analytical Parameters	Generic RCLs ¹ based on protection of groundwater ³	Generic RCLs ¹ based on direct contact ²	Soil Screening Levels ⁴	Soil Contaminant Concentrations ⁵	Sample Name/Depth (ft)/Date			
					HP2		HP3	
					2-4	6-8	2-4	6-8
					4/18/02			
Total Metals (mg/kg)								
Lead	NSE	50	NSE	NSE	--	3.00	--	--

Notes:
 All analytical results and soil standards are expressed in milligrams per kilogram (mg/kg) which is equivalent to parts per million (ppm)
 NSE = No standard established
 RCL = Residual contaminant level
¹ = Generic RCLs are based on ch. NR 720 Wisconsin Administrative Code
² = RCLs based on human health risk from direct contact (ingestion of soil or inhalation of particulate matter) at non-industrial land use sites
³ = RCLs based on protection of groundwater represent concentrations of contaminants that can remain in soil at a site and not cause a violation of a ch. NR 140 preventive action limit in groundwater
⁴ = Soil screening levels are found in ch. NR746.06 Table 1 and are used to determine whether a site may be closed at the completion of a SI or remedial action
⁵ = Soil contaminant concentrations are found in ch. NR746.06 Table 2 and are used to determine whether a site may be closed at the completion of a SI or remedial action. These concentrations are based on direct contact with soil within 4 feet of the ground surface.
 -- = Not analyzed for indicated parameter
 Compiled by: KEA Checked by: BLK


P:\proj\mueni\0001\misc\soil analytical res-8.5.xls

Table 3
Monitoring Well Construction/Water Level Information

Well Number	Ground Surface Elevation (ft.)	Top of Casing Elevation (ft.)	Top of Screen Elevation (ft.)	Length of Screen (ft.)					
					11/13/00	02/13/01	05/24/01	08/14/01	04/18/02
MW-1	N/A	100.0	87.8	10	88.08	86.73	90.02	89.87	90.49
KW-2	N/A	101.9	91.8	10	89.10	87.76	91.36	90.83	91.44
KW-4	N/A	100.4	93.9	10	89.92	88.31	92.06	91.63	93.15
KW-5	N/A	100.85	93.25	10	90.88	89.80	93.48	93.02	92.72

Note: Elevations are in reference to site datum
N/A = Not available
Compiled by: BLK Checked by:

F:\WASTE\MUENI001\JULY_02\GIS_REGISTRY\FIGURE3




LEGEND:

- GAS LINE
- OVERHEAD POWER LINE
- POWER POLE
- WATER VALVE
- FIRE HYDRANT
- MANHOLE
- STORM DRAIN
- EXISTING GROUNDWATER MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION AS OF 4/18/02
- HYDRAULIC PROBE BORING LOCATION

NOTES:

GROUNDWATER ELEVATION CONTOURS WERE GENERATED USING SURFER SOFTWARE KRINGING METHOD.


GROUNDWATER ELEVATION DATA COLLECTED ON 4/18/02



1	08/20/02	SITE INVESTIGATION WORK PLAN	RJH	07/02				
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK		

	KNITTERS CHEVROLET GIS REGISTRY	FIGURE 3 GROUNDWATER ELEVATION CONTOURS - 4/18/02		PROJ. NO. MUENI001.00	3
				DATE 08/20/02	

I, Carmen Muenich, acting on behalf of C.E.M. Rentals, LLC., assert to the best of my knowledge that the following legal descriptions completely and accurately describe the contaminated property owned and maintained by C.E.M Rentals LLC. and the contaminated property which is owned and operated by William and Donna Karlen, which are applicable to the Wisconsin Department of Natural Resources Bureau of Remediation and Redevelopment Tracking System site number 03-09-254282.



Carmen Muenich
C.E.M. Rentals, LLC.

8/7/02
Date

C.E.M Rentals, LLC. Legal Description: Lots 1, 2, 3 and 4 in Block 1 of Clarke's Addition to the Village of Cadott; and
The West 100 feet of Lot 30 in Block 1 of Clarke's Addition to the Village of Cadott.

Applicable Legal Description of property owned by William and Donna Karlen: That part of Block 2 of Marriner's First Addition to the Village of Cadott, described as follows: Beginning at the SE corner of said Block 2; and running thence North 95 feet; thence West 128 feet; thence South 95 feet; and thence East 128 feet to the point of beginning.



July 26, 2002

RE: Former Knitter's Chevrolet
Closure Request Notification
SEH No. MUENI0001.00 14.00

William & Donna Karlen
Karlen's Service Station
112 W. Chippewa Street
Cadott, WI 54727

Dear Mr. Karlen:

Short Elliott Hendrickson Inc.® (SEH) is submitting this letter, on behalf of Carmen Muenich as notification of the intent to pursue closure at the former Knitter's Chevrolet site. Notification is required by s. NR 726.05(3)(a)(4)(g) Wisconsin Administrative Code.

Groundwater contamination that historically originated at the Knitter's Chevrolet site located at 105 W. Chippewa Street has migrated onto your property at 112 W. Chippewa Street based on groundwater samples collected from the monitoring well (MW-1) located on the southeast corner of your property. The levels of benzene, ethylbenzene, and total trimethylbenzene contamination in the groundwater at MW-1 are above the state groundwater enforcement standards found in chapter NR 140 Wisconsin Administrative Code. However, SEH has investigated this contamination and has concluded that the groundwater contaminant plume is stable or receding as a result of natural processes and will continue to naturally degrade over time. SEH believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in ch. NR 726 and ch. COMM 46. If the referenced site is deemed eligible for closure under ch. COMM 46 Wisconsin Administrative Code, Mr. Carmen Muenich (the site owner) will be requesting that the Wisconsin Department of Commerce (DCOM) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the DCOM will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

We understand your property is a documented LUST site (BRRTS #03-09-000209), which contains petroleum contamination resulting from historic operations at your service station. We also understand that a former petroleum service station was historically located at the VFW site at the northeast corner of the intersection of Main Street and Chippewa Street. Accordingly, groundwater contamination present in MW-1 may be the result of multiple sources. We acknowledge that historic operations at the referenced site may be a limited contributing source of the groundwater contamination observed at monitoring well MW-1 based on the groundwater flow direction determined during the site investigation. However, it is not the intent of Mr. Muenich to remediate offsite groundwater contamination, nor is it likely to be required by DCOM.

DCOM will not review the closure request for the reference site for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact DCOM to provide any technical information that you may have that indicates closure should not be granted for this site. If you would like to submit any information to DCOM that is relevant to the closure request, you should mail that information to:

Dee Zoellner, Hydrogeologist
Wisconsin Department of Commerce
2715 Post Road
Stevens Point, WI 54481-6456

William and Donna Karlen
July 26, 2002
Page 2

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the WDNR's Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was present at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

That part of Block 2 of Marriner's First Addition to the Village of Cadott, described as follows: Beginning at the SE corner of said Block 2; and running thence North 95 feet; thence West 128 feet; thence South 95 feet; and thence East 128 feet to the point of beginning.

Once DCOM makes a decision on the closure request for the reference site, it will be documented in a letter. If DCOM grants closure, you may obtain a copy of the closure letter by submitting a written request to Mr. Muenich, by writing to DCOM at the address given above, or by accessing the WDNR GIS Registry of Closed Remediation Sites online at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter will be included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you have any questions or need more information, you may contact me at:

Kevin E. Accola, CHMM
Short Elliott Hendrickson Inc.
421 Frenette Drive
Chippewa Falls, WI 54729
715.720.6200

Sincerely,

SHORT ELLIOTT HENDRICKSON INC.



Kevin E. Accola, CHMM
Project Manager

BLK/dj/KEA

c: Carmen Muenich
p:\proj\mueni\0001\tr\karlen.j26.doc



July 2, 2002

RE: Former Knitter's Chevrolet
Notification of Contamination in
Right-of-Way
SEH No. MUENI0001.00 14.00

Mr. Bruce Stelzner, Highway Commissioner
Chippewa County Highway Department
801 East Grand Avenue
Chippewa Falls, WI 54729

Dear Mr. Stelzner:

On behalf of Carmen Muenich, Short Elliott Hendrickson Inc. (SEH) is submitting this letter to notify the Chippewa County Highway Department that petroleum contamination exists in the right-of-way (R/W) in a segment of Chippewa Street/CTH X in the Village of Cadott. The petroleum contamination was previously identified in May 2000 during a resurfacing project on CTH X and is adjacent to the former Knitter's Chevrolet site located at 105 Chippewa Street in Cadott, Wisconsin. Mr. Muenich is pursuing closure of the referenced leaking underground storage tank site (BRRTS #03-09-254282) and is providing this letter as notification under the requirements of s. NR 726.05(2)(b)(4) Wisconsin Administrative Code.

The estimated extent of contamination in the R/W is shown on the attached Figure 1, "Estimated Extent of Soil and Groundwater Contamination in R/W". The estimated extent of contamination is based on soil and groundwater samples collected during a Site Investigation for the former Knitter's Chevrolet property, which have demonstrated levels above ch. NR 140 Wisconsin Administrative Code enforcement standards (ES) and ch. NR 746 Wisconsin Administrative Code risk screening criteria. Depth to groundwater is approximately 10 feet below grade at the referenced site.

A notice of petroleum contamination in the R/W is also being sent to the Village of Cadott. If you have any questions or concerns, please contact me at 715.720.6233.

Sincerely,

Brian L. Kent, CHMM
Environmental Scientist

BLK/lS/KEA

Attachment

c. Carmen Muenich

p:\proj\mueni0101\tr\stelzner.row_notjl.doc



July 2, 2002

RE: Former Knitter's Chevrolet
Notification of Contamination in
Right-of-Way
SEH No. MUENI0001.00 14.00

Ms. Sandra Buetow, Clerk
Village of Cadott
110 East Central
P.O. Box 40
Cadott, WI 54727

Dear Ms. Buetow:

On behalf of Carmen Muenich, Short Elliott Hendrickson Inc. (SEH) is submitting this letter to notify the Village of Cadott that petroleum contamination exists in the right-of-way (R/W) in a segment of Chippewa Street/CTH X in the Village of Cadott. The petroleum contamination was previously identified in May 2000 during a resurfacing project on CTH X and is adjacent to the former Knitter's Chevrolet site located at 105 Chippewa Street in Cadott, Wisconsin. Mr. Muenich is pursuing closure of the referenced leaking underground storage tank site (BRRTS #03-09-254282) and is providing this letter as notification under the requirements of s. NR 726.05(2)(b)(4) Wisconsin Administrative Code.

The estimated extent of contamination in the R/W is shown on the attached Figure 1, "Estimated Extent of Soil and Groundwater Contamination in R/W". The estimated extent of contamination is based on soil and groundwater samples collected during a Site Investigation for the former Knitter's Chevrolet property, which have demonstrated levels above ch. NR 140 Wisconsin Administrative Code enforcement standards (ES) and ch. NR 746 Wisconsin Administrative Code risk screening criteria. Depth to groundwater is approximately 10 feet below grade at the referenced site.

A notice of petroleum contamination in the R/W is also being sent to Chippewa County. If you have any questions or concerns, please contact me at 715.720.6233.

Sincerely,

Brian L. Kent, CHMM
Environmental Scientist

BLK/lis/KEA

Attachment

c. Carmen Muenich

p:\proj\mueni0101\tr\butow_row_not.jl.doc