

GIS REGISTRY INFORMATION

SITE NAME:	Mule Hide Manufacturing Co Inc			FID #	
BRRTS #:	03-09-282744			(if appropriate):	
COMMERCE # (if appropriate):	54732-8376-50				
CLOSURE DATE:	March 31, 2004				
STREET ADDRESS:	50 Bridge St				
CITY:	Cornell				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	429176 429103	Y =	521857 521887	
CONTAMINATED MEDIA:	Groundwater	<input type="checkbox"/>	Soil	<input checked="" type="checkbox"/>	Both <input type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes <input type="checkbox"/>		No <input type="checkbox"/>		
• IF YES, STREET ADDRESS:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes <input type="checkbox"/>		No <input checked="" type="checkbox"/>		
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
CONTAMINATION IN RIGHT OF WAY:	Yes <input type="checkbox"/>		No <input checked="" type="checkbox"/>		
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued					X
Copy of most recent deed, including legal description, for all affected properties					X
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties					X
County Parcel ID number, if used for county, for all affected properties					X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					X
Detailed Site Map(s) for all affected properties , showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					X
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					
GW: Table of water level elevations, with sampling dates, and free product noted if present					X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					
Geologic cross-sections, if required for SI. (8.5x14" if paper copy)					X
RP certified statement that legal descriptions are complete and accurate.					X
Copies of off-source notification letters (if applicable)					
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)					
Copy of (soil or land use) deed restriction (s) or deed notice if any required as a condition of closure					



March 31, 2004

Mr. Mike Slavish-Dir Real Estate
Hendricks Development Group
655 3rd St Suite 301
Beloit, WI 53511

RE: **Final Closure**

Commerce # 54732-8376-50 WDNR BRRTS # 03-09-282744
Mule Hide Mfg aka Globe Bldg Materials, 50 Bridge St, Cornell

Dear Mr. Slavish:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 266-0593.

Sincerely,

Brian F. Taylor
Hydrogeologist
Site Review Section

cc: Mr. Trevor Wilson, Ayres Associates
Case File

Parcel 1: Outlot D, Plat of the Village of Cornell, Chippewa County, Wisconsin.

Computer No: 09-213-503

Tax Parcel No: 23106-1733-61590L0D

Parcel 2: A part of Government Lot 12, Section 18, Township 31 North, Range 6 West, City of Cornell, Chippewa County, Wisconsin, described as follows: Beginning at the Southeast corner of said Section 18; thence S88°27'47"W along the South line of the SE¼ of Section 18, 1,039.33 feet; thence N14°20'00"W, 204.33 feet; thence N34°18'29"W, 181.10 feet; thence S81°30'00"W, 93.00 feet; thence N17°30'00"W, 56.90 feet; thence N08°30'00"W, 8.00 feet to a point in the Southerly face of an existing building; thence S81°30'00"W along the Southerly face of an existing building, 1.50 feet to the Southwest corner of said building; thence N08°30'00"W along the Westerly face of an existing building, 44.50 feet to the Northwest corner of said building; thence N81°30'00"E along the Northerly face of an existing building, 1.80 feet; thence N08°30'00"W, 14.50 feet; thence N34°25'00"E, 5.00 feet; thence N10°25'00"W, 11.80 feet; thence N38°00'00"E, 13.20 feet; thence S52°00'00"E, 5.50 feet; thence N38°00'00"E, 2.50 feet; thence N52°00'00"W, 5.50 feet; thence N38°00'00"E, 12.50 feet; thence S52°00'00"E, 5.50 feet; thence N38°00'00"E, 2.50 feet; thence N52°00'00"W, 5.50 feet; thence N38°00'00"E, 11.50 feet; thence N10°48'08"W, 294.42 feet to a point in the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64; thence continuing N10°48'00"W, 33.00 feet; thence N49°59'49"E, 172.61 feet to a point in the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64; thence continuing N49°59'49"E, 84.27 feet; thence N20°50'37"E, 362.22 feet to a point in the North line of Government Lot 12; thence N89°19'14"E along the North line of Government Lot 12, 87.89 feet; thence S10°00'12"E, 444.40 feet to a point in the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64; thence N89°43'28"W along the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 14.24 feet; thence S88°25'49"W along the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 85.15 feet; thence N78°01'55"W along the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 159.83 feet; thence N88°18'07"W along the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 91.90 feet; thence N46°41'37"W along the Northerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 15.03 feet; thence S49°59'49"W, 172.61 feet; thence S10°48'08"E, 33.00 feet to a point in the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64; thence N84°35'47"E along the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 145.61 feet; thence N84°31'27"E along the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 98.55 feet; thence N86°36'01"E along the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 165.10 feet; thence N89°25'45"E along the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 61.95 feet; thence S89°44'25"E along the Southerly right-of-way line of Bridge Street, also known as State Trunk Highway 64, 593.20 feet; thence S08°07'33"E, 111.58 feet; thence N86°48'30"E, 126.30 feet to a point in the Westerly right-of-way line of the former Chicago, St. Paul, Minneapolis and Omaha Railway; thence S18°08'07"E along the Westerly right-of-way line of the former Chicago, St. Paul, Minneapolis and Omaha Railway, 264.53 feet; thence Southeasterly along a 2,718.42 foot radius curve to the right in the Westerly right-of-way line of the former Chicago, St. Paul, Minneapolis and Omaha Railway having a central angle of 04°08'01" and whose long chord bears S16°20'21"E, 196.08 feet to a point in the East line of the SE¼ of said Section 18; thence S00°48'41"W along the East line of the SE¼ of Section 18, 252.59 feet to the point of beginning.

Computer No: 09-213-617

Tax Parcel No: 23106-1844-50120550

Continued on Next Page

Parcel 3: Government Lot 5, Section 19, Township 31 North, Range 6 West, Chippewa County, Wisconsin.

EXCEPT: Land conveyed in Deed recorded in Volume 142 Deeds, page 436; Volume 176 Deeds, page 54; and Volume 176 Deeds, page 277.

Computer No: 09-213-622

Tax Parcel No: 23106-1911-50050002

Parcel 4: Government Lot 6, Section 19, Township 31 North, Range 6 West, Chippewa County, Wisconsin.

EXCEPT: Land conveyed in Deed recorded in Volume 142 Deeds, page 436; Volume 176 Deeds, page 54; and Volume 176 Deeds, page 277.

Computer No: 09-213-625

Tax Parcel No: 23106-1914-50060002


Parcel 5: That part of the NW¼ of the NW¼ of Section 20, Township 31 North, Range 6 West, Chippewa County, Wisconsin lying West of the Railroad Right of Way.

EXCEPT: The South 66 feet of the North 540 feet;

EXCEPT: That parcel lying South of the North 255 feet and North of Disposal Road.

Computer No: 09-213-701



Tax Parcel No: 23106-2022-03750000



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

USGS MAP: CORNELL QUADRANGLE 1973

SCALE 1:24000



NORTH

K: /WASTE/101370US01.DGN

SITE INVESTIGATION
MULE-HIDE MANUFACTURING, INC.
CORNELL, WISCONSIN

DRN. BY: *JGS*
CHK. BY: *JAW*
DATE: AUG 2003




SITE LOCATION MAP

FIGURE

1

08/01/2003 \$PEN\$ D:\WASTE\101370US01.dgn



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

SITE INVESTIGATION
 MULE-HIDE MANUFACTURING, INC.
 CORNELL, WISCONSIN


DRN. BY: *JGS*
 CHK. BY: *TAW*
 DATE: AUG 2003
AYRES
 ASSOCIATES

SITE LAYOUT

FIGURE
 2

K:\WASTE\10137005.DGN

08/01/2003 \$PENS
 D:\WASTE\10137005.dgn



B-11 Approximate soil boring location with identifier.

FIGURE 2-PROPERTY SKETCH
 PROJECT #: 2137-0698 | NOT TO SCALE
 50 BRIDGE STREET
 CORNELL, WISCONSIN

FILE/PATH: J:\FIGURES\62559\BORINGS.CDR
 DATE: 03/12/02
 PREPARED: MLW APPROVED: DAN
 SOURCE: FIGURE FROM EPS REPORT, JULY 1998

**TABLE 4
MULE-HIDE MFG. CO., INC.
GROUND WATER ANALYTICAL RESULTS**

WELL	DATE	DRO (µg/L)	B (µg/L)	E (µg/L)	T (µg/L)	X (µg/L)	1, 2, 4-TMB (µg/L)	1, 3, 5-TMB (µg/L)	MTBE (µg/L)
MW-1	11/05/02	<60	<0.40	<0.50	<0.50	<1.1	<0.50	<0.50	<0.50
	12/26/02	<60	<0.40	<0.40	<0.40	<1.40	<0.50	<0.40	0.49
	03/07/03	<67	<0.40	<0.40	3.4	<0.90	<0.50	<0.40	1.20
	06/06/03	<100	<0.30	<0.60	<0.58	<1.84	<0.66	<0.52	0.82
MW-2	11/05/02	10000*	<0.40	<0.50	0.73	<1.10	1.6	1.2	<0.50
	12/26/02	2,200	<0.40	<0.40	<0.40	<1.40	0.57	<0.40	<0.40
	03/07/03	1,700	<0.40	<0.40	2.3	1.9	1.3	0.59	<0.40
	06/06/03	1,200	<0.30	<0.60	<0.58	<1.84	<0.66	<0.52	<0.58
MW-3	11/05/02	<61	<0.40	<0.50	<0.50	<1.10	<0.50	<0.50	<0.50
	12/26/02	<60	<0.40	<0.40	<0.40	<1.40*	<0.50*	<0.40*	0.68
	03/07/03	<69	<0.40	<0.40	<0.40	<1.40	<0.50	<0.40	1.50
	06/06/03	<100	<0.30	<0.60	<0.58	<1.84	<0.66	<0.52	<0.58
NR 140 ES		NS	5	700	1000	10,000	480		60
NR 140 PAL		NS	0.5	140	200	1000	96		12

17

ABBREVIATIONS AND ACRONYMS

B = Benzene

E = Ethylbenzene

T = Toluene

X = Xylene

MTBE = Methyl tert-butyl ether

1,2,4-TMB = 1,2,4-Trimethylbenzene

1,3,5-TMB = 1,3,5-Trimethylbenzene

NS = No standard established

µg/L = micrograms per liter = parts per billion

 = NR 140 enforcement standard exceedance

0.0 = NR 140 preventive action limit exceedance

* = See laboratory analytical report for data qualifier.

TABLE 5
MULE-HIDE MFG. CO., INC.
POLYNUCLEAR AROMATIC HYDROCARBON GROUND WATER ANALYTICAL RESULTS

WELL	DATE	Acenaphthylene (µg/L)	Fluoranthene (µg/L)	Pyrene (µg/L)	Benzo(a) Pyrene (µg/L)	Benzo(k) fluoranthene (µg/L)	Phenanthrene (µg/L)	1-Methyl naphthalene (µg/L)	Benzo(b) fluoranthene (µg/L)	Fluorene (µg/L)
MW-1	11/05/02	<0.21	<0.0081	0.061	<0.0065	<0.0043	<0.033	<0.094	<0.0047	<0.11
	03/07/03	<0.22	<0.0085	<0.030	<0.0067	<0.0045	<0.035	<0.098	<0.0049	<0.12
	06/06/03	<0.019	<0.013	0.018*	<0.014	<0.019	<0.016	<0.018	<0.013	<0.017
MW-2	11/05/02	<0.21	14	<0.029	0.044	0.41	1.9	<0.094	<0.0047	<0.11
	03/07/03	<0.24	1.4	<0.033	<0.0074	0.26	<0.038	3.3	0.0071	1.6
	06/06/03	0.033*	<0.013	0.045*	<0.014	<0.019	0.21	0.15	<0.013	0.19
MW-3	11/05/02	0.29	<0.0080	<0.029	<0.0064	<0.0042	<0.033	<0.093	<0.0046	<0.11
	03/07/03	<0.22	<0.0085	<0.030	<0.0067	<0.0045	<0.035	<0.098	<0.0049	<0.12
	06/06/03	<0.019	<0.013	<0.017	<0.014	<0.019	<0.016	<0.018	<0.013	<0.017
NR 140 ES		NS	400	250	0.2	NS	NS	NS	0.2	400
NR 140 PAL		NS	80	50	0.02	NS	NS	NS	0.02	80

ABBREVIATIONS AND ACRONYMS

NS = No standard established

µg/L = micrograms per liter = parts per billion

	= NR 140 enforcement standard exceedance
0.0	= NR 140 preventive action limit exceedance

* = See laboratory analytical report for data qualifier.

TABLE 6
MULE-HIDE MFG. CO., INC.
GROUND WATER NATURAL ATTENUATION PARAMETERS

Location	Date	Temperature °C	Dissolved Oxygen ppm	Specific Conductivity	pH	Redox Potential mV
MW-1	3/7/2003	6.1	0.31	370	6.2	186.4
	6/6/2003	7.0	0.60	460	6.5	165.7
MW-2	3/7/2003	11.4	2.90	900	6.3	190.7
	6/6/2003	12.0	2.00	464	7.0	158.0
MW-3	3/7/2003	6.5	0.30	320	5.9	196.5
	6/6/2003	8.0	0.50	325	6.7	149.4

Soil VOC and DRO Results
 ABC
 Cornell, WI

VOC Results are reported in ug/kg
 DRO Results are reported in mg/kg

AST shed
 area
 ↓

Parameters	B-1A 8-10'	B-2A 2-4'	B-2A 8-10'	B-3A 6-8'	B-4A 10-12'	B-6A 6-8'	B-7A 10-12'	B-12A 0-2'	B-14A 2-4'	B-19 8-9'	B-21 12-13'
Vinyl Chloride	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
1,1-Dichloroethene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
t-1,2-Dichloroethene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
1,1-Dichloroethane	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
c-1,2-Dichloroethene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
1,1,1-Trichloroethane	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
1,2-Dichloroethane	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
Trichloroethene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
Tetrachloroethene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
MTBE	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
Benzene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
Toluene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
Ethyl Benzene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
m+p-Xylene	<50	<50	<50	<50	<50	<500	<50	140	<50	<200	6,100
o-Xylene	<50	<50	<50	<50	<50	<500	<50	<100	<50	<200	<2000
1,3,5-Trimethylbenzene	<50	<50	<50	<50	<50	<500	<50	110	<50	<200	4,400
1,2,4-Trimethylbenzene	<250	<50	<50	<50	<50	590	<50	180	<50	<200	16,000
Naphthalene	<250	<250	<250	<250	<250	<2500	<250	<500	<250	<1000	12,000
DRO	<50	<50	<50	<50	<50	1,500	NR	120	NR	300	8,400

NR = Not Requested



TABLE 2
MULE-HIDE MFG. CO., INC.
SOIL ANALYTICAL RESULTS

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	DRO (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	Ethylbenzene (mg/kg)	1,2,4-Trimethyl- (mg/kg)	1,3,5-Trimethyl- (mg/kg)	Naphthalene (mg/kg)
SI1-2	8/13/02	2-4	4	<4.8	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI1-3	8/13/02	4-6	2	<5.0	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI2-1	8/21/02	0-2	13	17	<0.025	0.14	0.27	<0.025	0.063	1.8	1.4	0.24
SI2-6	8/21/02	10-12	4	<4.6	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI3-2	8/21/02	2-4	3	<5.6	<0.025	0.10	0.20	<0.025	0.058	0.24	0.10	0.25
SI3-4	8/21/02	6-8	1	<5.1	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI4-3	8/21/02	4-6	2	<4.5	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI4-6	8/21/02	10-12	5	<4.6	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025
SI5-3	8/21/02	4-6	1	25	<0.025	<0.025	<0.050	<0.025	<0.025	0.035	<0.025	0.089
MW1-2	10/7/02	2.5-4.5	24	<4.7	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	NA
MW2-2	10/7/02	2.5-4.5	12	<4.9	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	NA
MW2-3	10/7/02	5-7	8	780	<0.025	<0.025	0.55	<0.025	0.28	2.3	1.6	<0.024
MW3-4	10/7/02	7.5-9.5	6	<4.7	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	NA
MW3-5	10/7/02	10-12	1	15	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	NA
NR 720 Soil Screening				100	0.0055	1.5	4.1	NS	2.9	NS	NS	NS

-- = Not analyzed

0.0 = Exceeds NR 720 Soil Cleanup Standard

mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)

NR = No response

NS = No standard

< = Less than the detection limit shown

MTBE = Methyl-tert-butyl ether

**TABLE 3
MULE-HIDE MFG. CO., INC.
SOIL ANALYTICAL RESULTS**

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	Acenaphthylene (mg/kg)	Anthracene (mg/kg)	Benzo(a) anthracene (mg/kg)	Benzo(a) pyrene (mg/kg)	Benzo(b) fluoranthene (mg/kg)	Benzo(g,h,i) perylene (mg/kg)	Benzo(k) fluoranthene (mg/kg)	Pyrene (mg/kg)	Fluoranthene (mg/kg)	Phenanthrene (mg/kg)	Ideno(1,2,3-cd) pyrene (mg/kg)
SI1-2	8/13/02	2-4	4	<0.017	<0.0025	<0.00030	0.01	0.012	0.014	0.0047	<0.0031	<0.0010	<0.0029	<0.0016
SI1-3	8/13/02	4-6	2	0.350	<0.0026	0.14	0.23	0.17	0.21	0.072	<0.0033	0.81	0.51	0.2
SI2-1	8/21/02	0-2	13	<0.18	<0.027	0.16	0.15	0.23	<0.016	0.25	<0.034	3.7	<0.031	<0.017
SI2-6	8/21/02	10-12	4	<0.016	<0.0024	0.015	0.022	0.22	<0.0014	0.011	0.12	<0.00096	<0.0028	<0.0015
SI3-2	8/21/02	2-4	3	2.000	<0.029	<0.0035	0.087	0.11	<0.017	<0.012	<0.036	3.3	1.6	<0.018
SI3-4	8/21/02	6-8	1	0.017	<0.0026	<0.00032	<0.00069	0.0022	<0.0015	0.0028	<0.0033	0.0069	<0.0030	<0.0016
SI4-3	8/21/02	4-6	2	0.100	<0.0024	<0.00028	0.0042	<0.00053	<0.0013	<0.00093	<0.0029	<0.00093	<0.0027	<0.0015
SI4-6	8/21/02	10-12	5	<0.016	<0.0024	0.00079	0.0015	0.0014	<0.0014	0.0016	<0.0030	<0.00095	<0.0028	<0.0015
SI5-3	8/21/02	4-6	1	<0.080	<0.012	<0.0014	0.1	0.13	0.13	<0.0047	<0.015	1.1	<0.014	<0.0074
PAH Industrial Generic Soil Levels				360	300000	3.9	0.39	3.9	39	39	30000	40000	390	3.9

-- = Not analyzed

mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)


NR = No response

NS = No standard

< = Less than the detection limit shown

**TABLE 1
GROUND WATER ELEVATIONS
MULE-HIDE MFG. CO., INC.**

		WELL NUMBER		
		MW-1	MW-2	MW-3
Ground Elevation		95.70	101.38	92.99
Top of Casing Elevation		95.52	101.27	92.89
Top of Screen Elevation		91.42	95.35	89.69
Bottom of Screen Elevation		81.42	85.35	79.69
DATE	10/14/2002	89.09	92.68	86.82
	11/5/2002	88.54	92.20	86.36
	12/26/2003	87.74	91.98	86.04
	3/7/2003	87.36	93.13	86.00
	6/6/2003	88.47	92.00	86.41



K2:WASTE/10137006.DGN

GROUND WATER CONTOURS

DRN. BY: *QML* JCS
 CHK. BY: *TP* TAW
 DATE: *AUG 2003*



SITE INVESTIGATION
 MULE-HIDE MANUFACTURING, INC.
 CORNELL, WISCONSIN

FIGURE


4

NOVEMBER 5, 2002

DECEMBER 26, 2002

LEGEND:
 [88.54] GROUND WATER ELEVATION
 -88.0- GROUND WATER CONTOUR

DRAWING WAS PREPARED
 OR REPRODUCTION BY
 IS OTHER THAN EQUIVALENT
 OR COPYING MAY CAUSE
 DATA TO BE LOST OR
 REPRESENTED.




DRAWING WAS PREPARED FOR REPRODUCTION BY OTHER THAN EQUIVALENT COPYING MAY CAUSE DATA TO BE LOST OR PRESENTED.

MARCH 7, 2003

JUNE 6, 2003


LEGEND:

87.36	GROUND WATER ELEVATION
-88.0-	GROUND WATER CONTOUR




CROSS SECTION A-A'

1" = 20' - HORZ
 1" = 6' - VERT



CROSS SECTION B-B'

1" = 20' - HORZ
 1" = 6' - VERT



DRAWING WAS PREPARED FOR REPRODUCTION BY OTHER THAN EQUIVALENT COPYING MAY CAUSE DATA TO BE LOST OR PRESENTED.

October 23, 2003

Ms. Kristi Hammes
Wisconsin Department of Commerce
201 W. Washington Avenue
Madison, WI 53708-8044

Re: Mule-Hide Mfg. Co., Inc.
Cornell, Wisconsin
COMM PECFA No. 54732-8376-50
WDNR BRRTS No. 03-09-282744


Dear Ms. Hammes:

As part of our closure request for the Mule-Hide Mfg. Co., Inc., site in Cornell, Wisconsin, we are providing a copy of the legal description for our property. The legal description for the above mentioned properties is included. We believe these are the most recent and accurate description of the affected properties.

We will be placing our property in Cornell, Wisconsin, on the WDNR GIS registry of closed contaminated sites.

If you have any questions, please contact me at (608) 361-6777.

Sincerely,

A handwritten signature in black ink, appearing to read "Mike Slavish", written over a white background.

Mike Slavish

Enclosures

cc: Trevor A. Wilson (Ayres Associates)