

GIS REGISTRY

Cover Sheet

May, 2009
(RR 5367)

Source Property Information

BRRTS #: 02-10-182832

ACTIVITY NAME: Greenwood Bulk Plant

PROPERTY ADDRESS: 427 South Main Street

MUNICIPALITY: Greenwood

PARCEL ID #: 231.0548.000

CLOSURE DATE: Dec 30, 2009

FID #: 610069460

DATCP #:

COMM #: 54437960027

*WTM COORDINATES:

X: 472643 Y: 476614

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: PARCEL ID #:

ACTIVITY NAME: WTM COORDINATES: X: Y:

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Greenwood Assessor's Plat No. 6**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Plan**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: **Title: Soil Contamination Map**

BRRTS #: 02-10-182832

ACTIVITY NAME: Greenwood Bulk Plant

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: **Title:**

Figure #: **Title:**

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: *This is intended to show the total area of contaminated groundwater.*

Figure #: **Title: Groundwater Contamination Map**

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: **Title: Groundwater Contour Map (February 20, 2007)**

Figure #: **Title: Groundwater Contour Map (August 20, 2007)**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates.

Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: **Title: Geoprobe/Hollow Stem Auger Soil Sample Analytical Results**

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: **Title: Groundwater Analytical Results Summary**

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: **Title: Watertable Elevation Table**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: *If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: *If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.*

Figure #: **Title: Site Plan**

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-10-182832

ACTIVITY NAME: Greenwood Bulk Plant

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters: 2

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 2

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="509 South Main Street"/>	<input type="text" value="231.0600.007"/>	<input type="text" value="472641"/>	<input type="text" value="476577"/>
<input type="text" value="B"/>	<input type="text" value="517 South Main Street"/>	<input type="text" value="231.0600.008"/>	<input type="text" value="472641"/>	<input type="text" value="476537"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

December 30, 2009

Mr. Dennis Schultz
Heartland Cooperative
P.O. Box 260
Dorchester, Wisconsin 54425

SUBJECT: Final Closure, Heartland Cooperative Backus Bulk Plant, 427 South Main Street, Greenwood,
Wisconsin. BRRTS#02-10-182832

Dear Mr. Schultz:

We acknowledge receipt of the items required in our May 19, 2009, conditional closure letter. Based on the submittal of the monitoring well abandonment forms, we have determined that your case is in compliance and has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment. We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-839-3765.

Sincerely,

Gina Keenan
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Jason Powell-METCO
WCR case file



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

May 19, 2009

Mr. Dennis Schultz
Heartland Cooperative
P.O. Box 260
Dorchester, Wisconsin 54425

SUBJECT: Conditional Closure, Heartland Cooperative Backus Bulk Plant, 427 South Main Street, Greenwood, Wisconsin. BRRTS#02-10-182832

Dear Mr. Schultz:

On May 14, 2009, the West Central Region (WCR) Closure Committee reviewed your request for closure of the case described above. The WCR Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. The WCR Closure Committee has determined that the petroleum contamination on the site from the above and underground storage tanks appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells and any remaining soil venting system at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to my attention on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

PURGE WATER, WASTE AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

RIGHT-OF-WAY SOIL AND/OR GROUNDWATER CONTAMINATION

There is residual soil and/or groundwater contamination in a public street or highway right-of-way at this site. Section NR 726.05(2)(a)4, Wis. Adm. Code, requires you to provide written notification of the presence of residual soil (and groundwater contamination, if present) to the clerk of the town and county or municipality where the right-of-way is located and to the municipal department or state agency that maintains the right-of-way. Section NR 726.05(2)(b)4, Wis. Adm. Code, requires you to also provide written notice of the presence of residual groundwater contamination to the owner of any properties that you do not own within this site that do not have soil contamination if they are affected by groundwater contamination. These notifications must include warnings that excavation of potentially contaminated


soil or groundwater may pose inhalation or other direct contact hazards and will require soil and groundwater sampling and analysis, as well as proper storage, treatment, or disposal of any excavated materials, based upon the results of the analysis. Please provide me with a copy of any written notifications that have been sent.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment. We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-839-3765.

Sincerely,



Gina Keenan
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Jason Powell-METCO
WCR case file

NUMBER 448941	RECORDED: <i>July 5</i>	INDEXED TO:	RETURN TO:
	19 <i>94</i> AT <i>1:00 P.M.</i>	<i>pt NW-SW-2-26-2W</i> <i>pt NE-SE 3</i>	Schuster & Campman Nellisville, WI
Vol. <i>529D</i>	<i>Ernie Olsch</i> Register of Deeds, Clark Co., WI		Paid \$ <i>14.00</i> Cash <input type="checkbox"/>
Page <i>363</i>	By _____ Deputy		Chg. \$ _____ Check <input checked="" type="checkbox"/>
			Total \$ <i>14.00</i>

QUITCLAIM DEED

VOL. 529 PAGE 363

Schuster & Campman Nellisville, WI	448941
	RCVD & RECORDED 7/5/94
	AT 1:00 P.M. IN VOL
	529 OF RECDs, PAGE 363
	CLARK CO., WIS. BY
	<i>Ernie Olsch</i>

(reserved for valuation and tax data) (reserved for recording data)

pt 14.00
mk. 129.80

TRANSFER!
\$ 36.30
FEE

Date: JUNE 8, 1994

For valuable consideration, Soo Line Railroad Company ("Grantor"), a corporation under the laws of the State of Minnesota, hereby conveys and quitclaims to Cooperative Services - Clark County ("Grantee"), a cooperative under the laws of the State of Wisconsin, real property in Clark County, State of Wisconsin, described below, together with all hereditaments and appurtenances thereto. The real property is described as follows:

A part of the Northwest quarter of the Southwest quarter of Section 2 in Township 26 North of Range 2 West, City of Greenwood, Clark County, Wisconsin, described as follows:

Beginning at the Southwest corner of Lot 2 of Greenwood Assessors's Plat No. 4; thence North 67 degrees 16 minutes 50 seconds East 178.48 feet; thence South 89 degrees 33 minutes 00 seconds East 65.00 feet; thence South 00 degrees 17 minutes 30 seconds East 106.52 feet; thence South 75 degrees 22 minutes 53 seconds West 237.36 feet, to the east line of Main Street; thence North 00 degrees 17 minutes 30 seconds West 98.00 feet, to the point of beginning

Also a part of the Northeast quarter of the Southeast quarter of Section 3 in the aforesaid Township and Range, described as follows:

Beginning at the Southeast corner of Assessment Lot 69 of Greenwood Assessment Plat; thence South 67 degrees 32 minutes 00 seconds West, on the south line thereof, 600.00 feet; thence South 22 degrees 28 minutes 00 seconds East approximately 175 feet, to the north line of

Assessment Lot 70; thence North 67 degrees 32 minutes 00 seconds East approximately 528 feet, to the Northeast corner thereof; thence North approximately 190 feet, to the point of beginning;

Except beginning at the Northeast corner of said Assessment Lot 70; thence South 67 degrees 32 minutes 00 seconds West, on the north line thereof, 60.00 feet; thence North 22 degrees 28 minutes 00 seconds West 60.00 feet; thence North 67 degrees 32 minutes 00 seconds East approximately 85 feet, to the west line of Main Street; thence South approximately 65 feet, to the point of beginning.

Grantor reserves unto itself, and its successors and assigns, all minerals on or under the surface of the real property (or otherwise accessible from the real property), together with the full right, through its servants, employees, agents, licensees, and appointees, to enter and utilize the real property for the purpose of exploring for, mining, and removing said minerals. Grantor shall at all times exercise these rights in such a manner as not to cause unnecessary damage to the surface of the real property. As used herein, "minerals" is used in its broadest sense and means any naturally occurring substance on or under the surface of the real property (or otherwise accessible from the real property), and it specifically includes, but is not limited to, water, oil, gas, petroleum, coal, peat, sand, gravel, stone, gemstones, and chemical substances.

SOO LINE RAILROAD COMPANY
By: [Signature]
Its: Director Real Estate Development
ATTEST
By: [Signature]
Its: ASSISTANT SECRETARY


STATE OF MINNESOTA
COUNTY OF HENNEPIN

) SS

VOL. 529 PAGE 365

The foregoing quitclaim deed was acknowledged before me
this 8th day of JUNE 1994 by John P. Nail and
Teresa A. Keener respectively the Director Real Estate
Development and Assistant Secretary of Soo Line Railroad
Company, a corporation under the laws of the State of Minnesota, on
behalf of the corporation.

Eric R. Holm
Notary Public



Tax statements for the property
should be sent to Grantee at:

Cooperative Services


414 S. Main St.

Greenwood, WI. 54437

This instrument was drafted by:
Soo Line Railroad Company
Properties Department
P. O. Box 530
Minneapolis, MN 55440

9211-Greenwood, WI-3

-3-



UNPLATTED LANDS

GREENWOOD ASSESSOR'S PLAT NO. 6

ASSESSMENT LOTS 64-77 & 125 OF GREENWOOD
ASSESSMENT PLAT, LOTS 1-9 BLOCK 1 DREW
ADDITON TO CITY OF GREENWOOD,
THE NW1/4-SE1/4, NE1/4-SE1/4, SE1/4-SE1/4
AND A PART OF THE SW1/4-SE1/4 SEC. 3
AND THE NE1/4-NE1/4 SEC. 10,
ALL IN T26N, R2W, CITY OF GREENWOOD,
CLARK COUNTY, WISCONSIN

There are no objections to this assessor's plat with respect to applicable provisions of Sect. 236.15 and 236.20 Wis. Stats.

Certified February 1st, 2002


Barbara M. Parke
Department of Administration

CURVE	RADIUS	CENTRAL ANGLE	CHORD BEARING	CHORD LENGTH	ARC LENGTH	TANGENT BEARING	TANGENT BEARING
A-C	874.90	51°15'40"	N75°21'10"W	756.91	782.75	S79°01'00"W	N49°43'20"W
A-B	-	22°14'46"	N89°51'37"W	337.57	339.70	S79°01'00"W	N78°44'14"W
B-C	-	29°00'54"	N64°13'47"W	438.34	443.05	N78°44'14"W	N49°43'20"W
D-E	774.90	63°02'10"	N81°14'25"W	810.19	852.54	S67°14'30"W	N49°43'20"W
F-G	1432.69	11°58'28"	N75°28'04"W	296.88	299.42	N81°27'18"W	N69°28'50"W

LEGEND

- - Existing 2-3/8" OD Iron Pipe
- - Existing 1-1/2" OD Iron Pipe
- - Existing 1-1/4" OD Iron Pipe
- - Drove 1-1/4" x 30" Iron Pipe
- - Drove 1-1/4" OD x 30" Iron Pipe
- - Drove 1-1/4" OD x 30" Iron Pipe, 1.68 lb/ft. with identification plug
- - Drove 1-1/4" OD x 24" Iron Pipe, 1.68 lb/ft. with identification plug
- - Drove Cotton Gin Spike in pavement

ORIGINAL SCALE 1"=100'



WDNR BRKTS Case #: 02-10-182832


WDNR Site Name: Greenwood Bulk Plant

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.


To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: Dennis Schuttz For Heartland Co-op
(print name and title)


 3-11-09
(signature) (date)

Fuel System Installation Sales, Service, Supplies + General Contracting + Environmental Consulting

TOPO! map printed on 12/19/08 from "wisconsin.tpo" and "Untitled.tpg"
90°36.000' W WGS84 90°35.000' W



TN MN
1 1/2°




Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 10 FEET
GREENWOOD BULK PLANT – GREENWOOD, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

LEGEND: (ALL OF LEGEND IS NOT NECESSARILY DEPICTED ON THIS DRAWING)

- ⊕ MW-4 MONITORING WELL
- ⊕ MW-1 MONITORING WELL (BACKUS BULK PLANT)
- ⊕ MW-2 MONITORING WELL (LAND O LAKES INVESTIGATION)
- ⊕ AMW-1 MONITORING WELL (AYRES ASSOCIATES)
- B-4 BACKUS BULK PLANT SOIL BORING (Underline = HSA Boring)
- 6026 DATCP SAMPLE LOCATION
- ▲ B-11 SITE INVESTIGATION SOIL BORING
- APPROXIMATE SURFACE DRAINAGE DIRECTION
- ← GROUND WATER FLOW DIRECTION
- 1127.70 GROUND WATER ELEVATION
- 1126.0 GROUND WATER CONTOUR
- 76 | 73 | 0.81 GROUND WATER RESULTS
- ┌ TOTAL PESTICIDE CONCENTRATION-ug/L
- ├ AMMONIA NITROGEN-mg/L
- └ NITRATE+NITRITE-mg/L
- NA NOT ANALYZED
- ND NOT DETECTED
- ES ENFORCEMENT STANDARD




MAP SOURCE:
CEDAR CORPORATION
MENOMONIE, WI
AYRES FIELD NOTES (12/98)

0 60 FT
SCALE

FORMER FILLING STATION (1940)
TANK
TANK

HEARTLAND C-STORE SITE
Closed
03-10-105694

K:\WASTE\HEARTLD\10123806.dgn



SITE PLAN

Mod. by METCO, ED. 11/31/08

DRN. BY: GEL US
CHK. BY: JAVZ
DATE: SEPT 2003

AVRES ASSOCIATES

Greenwood Bulk Plant
GREENWOOD, WISCONSIN

FIGURE

2

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

29 JUN 00
K:\WASTE\HEARTLD\10103TAB.dgn

*LEVO
*LEVO
*LEVO
*LEVO

*REFD
*REFD
*REFD
*REFD

*LEVO
*LEVO
*LEVO
*LEVO


*REFD
*REFD
*REFD
*REFD

*LEVO
*LEVO
*LEVO
*LEVO

*REFD
*REFD
*REFD
*REFD

LEGEND:

- MW 1 MONITORING WELL (BACKUS BULK PLANT)
- SOIL BORING
- S-42 EXCAVATION SOIL SAMPLE



0 20

K:\WASTE\HEARTLD\10103TAB.dgn

SITE MAP

DN. BY: JCS
CHK. BY: DLW
DATE: JUNE 2000

AVRES
ASSOCIATES

REMEDIAL ACTION
HEARTLAND COOPERATIVE
GREENWOOD, WISCONSIN

FIGURE
2

LEGEND: (ALL OF LEGEND IS NOT NECESSARILY DEPICTED ON THIS DRAWING)

- ⊕ MW-4 MONITORING WELL
- ⊕ MW-1 MONITORING WELL (BACKUS BULK PLANT)
- ⊕ MW-2 MONITORING WELL (LAND O LAKES INVESTIGATION)
- ⊕ AMW-1 MONITORING WELL (AYRES ASSOCIATES)
- B-4 BACKUS BULK PLANT SOIL BORING (underline = HSA Boring)
- *6026 DATCP SAMPLE LOCATION
- ▲ B-11 SITE INVESTIGATION SOIL BORING
- APPROXIMATE SURFACE DRAINAGE DIRECTION
- ← GROUND WATER FLOW DIRECTION
- 1127.70 GROUND WATER ELEVATION
- 1126.0 GROUND WATER CONTOUR
- 76 | 73 | 0.81 GROUND WATER RESULTS
- ┌ TOTAL PESTICIDE CONCENTRATION-ug/L
- ├ AMMONIA NITROGEN-mg/L
- └ NITRATE-NITRITE-mg/L
- NA NOT ANALYZED
- ND NOT DETECTED
- ES ENFORCEMENT STANDARD



NORTH


0 60FT
SCALE

MAP SOURCE:
CEDAR CORPORATION
MEMONONIE, WI
AYRES FIELD NOTES (12/98)

FORMER FILLING STATION (1940)



10123808.DGN



Area of Soil Contamination
Exceeding NR 720 Soil Cleanup
Standards and/or NR 746 Table
1 Values (Including Smear Zone).

Soil Contamination Map

Mod. Filed by METCO, ED. 11/13/08

DRN. BY: JUS	DATE: SEPT 2003
CHK. BY: AMT	

AVRES ASSOCIATES

Greenwood Bulk Plant
GREENWOOD, WISCONSIN

FIGURE

2

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

Groundwater Contour Map



August 20, 2007

- LEGEND:**
- ⊕ MW-4 MONITORING WELL
 - ⊕ MW-1 MONITORING WELL (BACKUS BULK PLANT)
 - ⊕ MW-2 MONITORING WELL (LAND O LAKES INVESTIGATION)
 - ⊕ AMW-1 MONITORING WELL (AYRES ASSOCIATES)
 - B-4 BACKUS BULK PLANT SOIL BORING
 - SS-4 CONFIRMATION SOIL SAMPLE
 - 6026 DATCP SAMPLE LOCATION
 - ▲ B-11 SITE INVESTIGATION SOIL BORING
 - APPROXIMATE SURFACE DRAINAGE DIRECTION



NORTH

0 50 FT
SCALE



Modified by METCO/BM 10-2-07

DRN. BY: CUL JWS
CHK. BY: [Signature]
DATE: JUNE 2002

AGRICHEMICAL
REMEDIAL ACTION
HEARLAND COOPERATIVE
GREENWOOD, WISCONSIN

AYRES ASSOCIATES



Groundwater Contour Map

February 20, 2007

- LEGEND:**
- ⊕ MW-4 MONITORING WELL
 - ⊕ MW-1 MONITORING WELL (BACKUS BULK PLANT)
 - ⊕ MW-2 MONITORING WELL (LAND O LAKES INVESTIGATION)
 - ⊕ AMW-1 MONITORING WELL (AYRES ASSOCIATES)
 - B-4 BACKUS BULK PLANT SOIL BORING
 - SS-4 CONFIRMATION SOIL SAMPLE
 - *6026 DATCP SAMPLE LOCATION
 - ▲ B-11 SITE INVESTIGATION SOIL BORING
 - APPROXIMATE SURFACE DRAINAGE DIRECTION



0 50FT
SCALE



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

MAP SOURCE: CEDAR CORPORATION
MENSHONIE, WI
AYRES FIELD NOTES (12/98)

Modified by METCO/BW 7-26-07

DRN. BY: QBE JES
CHK. BY: JAYC 2007
DATE: JUNE 2007

AYRES ASSOCIATES

AGRICHEMICAL
REMEDIAL ACTION
HEARTLAND COOPERATIVE
GREENWOOD, WISCONSIN

TABLE 1

GEOPROBE GRO, DRO, AND PVOC SOIL SAMPLE ANALYTICAL RESULTS
 BACKUS BULK PLANT-COOPERATIVE SERVICES
 GREENWOOD, WISCONSIN

Sample Location	Sample Depth	Sample Date	PID (IU)	DRO mg/Kg	GRO mg/Kg	Analytical Compounds (ug/Kg)						
						Benzene	E-Benzene	Toluene	Xylenes	MTBE	1,2,4 TMB	1,3,5 TMB
B-1	7-8'	03/05/98	1636	NA	20	241	256	1560	1120	<44	469	140
B-2	3-4'	03/05/98	13	<10	<10	<31	60	<31	40	<31	<31	<31
B-2	10-11'	03/05/98	12.4	<10	<10	<28	<28	<28	<28	<28	<28	<28
B-3	7-8'	03/05/98	1600	1300	4700	15000	64000	160000	160000	<2800	140000	49000
B-4	3-4'	03/05/98	24	<10	<10	<31	<31	<31	<31	<31	<31	<31
B-4	7-8'	03/05/98	1650	1060	1500	<2800	21000	43000	67000	<2800	56000	17000
B-5	7-8'	03/05/98	2	<10	<10	<28	<28	<28	<28	<28	<28	<28
B-6	3-4'	03/05/98	40	<10	<10	<30	39	56	<30	<30	<30	<30
B-6	10-12'	03/05/98	1500	660	250	330	4600	1900	6900	<280	13000	4200
B-7	3-4'	03/05/98	4	<10	<10	<30	<30	63	<30	<30	<30	<30
B-7	8-12'	03/05/98	24	<10	<10	53	<28	35	<28	<28	<28	<28
B-8	10-12'	03/05/98	6.2	<10	<10	<29	<29	48	<29	<29	<29	<29
B-9	10-12'	03/05/98	22	190	12	<31	<31	<31	<31	<31	<31	<31
B-10	4-6'	03/05/98	208	495	1500	7200	6800	67000	27000	<670	21000	4100
B-10	7-8'	03/05/98	603	<10	<10	85	<25	290	78	<25	44	<25
B-11	6-8'	03/05/98	237	535	550	2400	2200	37000	12000	<570	7300	1700
B-12	5-7'	03/06/98	20	NA	<10	<28	<28	39	<28	<28	<28	<28
B-12	10-12'	03/06/98	47	<5.0	<10	<29	<29	41	<29	<29	<29	<29
B-13	7-8'	03/06/98	4	NA	<10	<28	<28	29	<28	<28	<28	<28
B-13	10-12'	03/06/98	32	<5.0	<10	<30	<30	<30	<30	<30	<30	<30
B-14	6-8'	03/06/98	12	NA	<10	<28	<28	29	<28	<28	<28	<28
B-14	10-12'	03/06/98	18	<5.0	<10	<29	<29	36	<29	<29	<29	<29
B-15	6-8'	03/06/98	0	NA	<10	<27	<27	<27	<27	<27	<27	<27
B-15	10-12'	03/06/98	0	<5.0	<10	<29	<29	29	<29	<29	<29	<29
B-16	6-8'	03/06/98	0	NA	<10	<28	<28	30	<28	<28	<28	<28
B-17	6-8'	03/06/98	8	NA	<10	<28	<28	29	<28	<28	<28	<28
B-18	6-8'	03/06/98	0	NA	<10	<30	<30	31	<30	<30	<30	<30
B-19	6-8'	03/06/98	0	NA	<10	<29	<29	37	<29	<29	<29	<29
B-19	8-10'	03/06/98	28	<5.0	<10	<30	<30	34	<30	<30	<30	<30
B-20	6-8'	03/06/98	5	NA	<10	<29	<29	<29	<29	<29	<29	<29
B-22	4-6'	03/06/98	NA	NA	55	490	920	4190	4190	<310	1860	600

MTBE = Methyl tert butyl ether
 1,2,4 TMB = 1,2,4-Trimethylbenzene
 1,3,5 TMB = 1,3,5-Trimethylbenzene
 E-Benzene = Ethylbenzene

ug/Kg= micrograms per kilogram = ppb = parts per billion
 mg/Kg= milligrams per kilogram = ppm = parts per million
 IU = Instrument Units
 * Additional VOC Detects

(1)=DID NOT CONFIRM
 BY SECOND ANALYSIS

TABLE 2

HOLLOW STEM AUGER GRO, DRO, PVOC, AND LEAD SOIL SAMPLE ANALYTICAL RESULTS
 COOPERATIVE SERVICES
 GREENWOOD, WISCONSIN

Sample Location	Sample Depth	Sample Date	Laboratory ID	PID (IU)	LEAD mg/Kg	GRO mg/Kg	DRO mg/Kg	Analytical Compounds (ug/Kg)						
								Benzene	Toluene	E-Benzene	Xylenes	MTBE	1,2,4 TMB	1,3,5 TMB
B-1	7.5-9.5'	05/13/98	473692	1650	<4.5	260	40	1000	3300	1100	5500	<25	2400	730
B-1	12.5-14.5'	05/13/98	473693	326	<4.4	<5.0	<5.0	46	<25	<25	<75	<25	<25	<25
B-2	7-9'	05/13/98	473694	1320	7.2	1300	720	51000	41000	17000	83000	<250	36000	10000
B-2	19.5-21.5'	05/13/98	473695	72	11	<5.0	<5.0	46	26	88	<75	<25	<25	<25
B-3	7.5-9.5'	05/14/98	473831	0	8.2	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
B-3	15-17'	05/14/98	473832	7.9	5.6	<5.0	<5.0	<25	<25	<25	<75	<25	43	<25
B-4	9.5-11.5'	05/14/98	473829	50.7	<4.9	<5.0	<5.0	29	<25	<25	<75	<25	<25	<25
B-4	17-19'	05/14/98	473830	3.4	9.1	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
B-5	9.5-11.5'	05/15/98	474086	0	11	<5.0	<5.0	<25	<25	<25	<75	<25	49	25
B-5	14.5-16.5'	05/15/98	474087	89.6	11	<5.0	<5.0	<25	<25	<25	<75	<25	<75	<25
B-6	5-7'	05/15/98	474088	1304	11	130	69	700	1900	430	3400	<25	1300	410
B-6	15-17'	05/15/98	474089	827	5.8	7.7	<5.0	32	43	28	93	<25	47	<25
MW-1	7.5-9.5'	05/13/98	473696	0	11	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-1	15-17'	05/13/98	473697	62.8	<4.6	<5.0	<5.0	<25	<25	<25	<35	<25	<25	<25
MW-2	4.5-6.5'	05/13/98	473700	2020	NA	2200	NA	9900	59000	26000	130000	<1500	72000	22000
MW-2	9.5-11.5'	05/13/98	473698	3065	9.6	880	3500	1100	2700	6700	20000	<250	23000	6600
MW-2	19.5-21.5'	05/13/98	473699	500	4.5	1300	3100	4400	16000	13000	65000	<1200	44000	12000
MW-3	9.5-11.5'	05/13/98	473701	18.3	<4.5	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-3	17-19'	05/13/98	473702	7.1	4.2	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-4	4.5-6.5'	05/14/98	473827	0	8.9	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-4	9.5-11.5'	05/14/98	473828	19.2	8.8	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-5	7-9'	05/14/98	473835	0	8.4	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-5	12-14'	05/14/98	473836	18.3	6.7	<5.0	<5.0	<25	<25	<25	<35	<25	<26	<26
MW-6	4.5-6.5'	05/14/98	473834	0	12	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-6	9.5-11.5'	05/14/98	473833	78.6	8	<5.0	<5.0	<25	<25	<25	<35	<25	<25	<25
MW-7	4.5-6.5'	05/14/98	473838	0	6.1	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-7	17-19'	05/14/98	473837	0	8.2	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-8	15-17'	05/15/98	474090	163	6.8	<5.0	<5.0	78	74	61	97	<25	32	<25
MW-8	20-22'	05/15/98	470091	65.3	9.1	<5.0	<5.0	<25	<25	<25	<35	<25	<25	<25
MW-9	10-12'	05/15/98	474092	0	21	<5.0	<5.0	<25	<25	<25	<75	<25	<25	<25
MW-9	15-17'	05/15/98	474093	3392	21	48	17	370	1300	733	3400	<25	1600	430
MW-9	20-22'	05/15/98	474094	2852	8.8	300	150	<2600	7800	4500	19000	<250	8000	2300
MW-10	7.5-9.5'	06/29/98	304820	0	NA	<5.6	<5.6	<28	<28	<28	<84	<28	<28	<28
MW-11	7.5-9.5'	06/29/98	304821	0	NA	<5.5	<5.5	<28	<28	<28	<83	<28	<28	<28
MW-11	15-17'	06/29/98	304822	7.5	NA	<5.8	<5.8	<29	<29	<29	<40	<29	<29	<29
MW-12	7.5-9.5'	06/29/98	304823	1146	NA	844	1910	754	13500	10600	59600	<280	31500	9450
MW-12	17.5-19.5'	06/29/98	304824	860	NA	254	1170	1210	7260	5930	21800	<600	7870	2660
MW-13	12.5-14.5'	06/29/98	304825	0	NA	<5.9	<5.9	<30	<30	<30	<89	<30	<30	<30
MW-13	20-22'	06/29/98	304826	0	NA	<6.2	<6.2	<31	<31	<31	<94	<31	<31	<31

MTBE = Methyl tert butyl ether
 1,2,4 TMB = 1,2,4-Trimethylbenzene
 1,3,5 TMB = 1,3,5-Trimethylbenzene
 Benzene = Ethylbenzene

ug/Kg = micrograms per kilogram = ppb = parts per billion
 mg/Kg = milligrams per kilogram = ppm = parts per million
 IU = Instrument Units
 * Additional VOC Detects

(1) = DID NOT CONFIRM
 BY SECOND ANALYSIS

TABLE 3

HOLLOW STEM AUGER PAH SOIL SAMPLE ANALYTICAL RESULTS
 COOPERATIVE SERVICES
 GREENWOOD, WISCONSIN

Compound	Units of Measure	Location	B - 1	B - 2	B - 6	MW - 1	MW - 2	MW - 5	MW - 6	MW - 8	MW - 9
		Sample Date	05/13/98	05/13/98	05/15/98	05/13/98	05/13/98	05/14/98	05/14/98	05/15/98	05/15/98
		Sample Depth	7.5-9.5'	7-9'	5-7'	15-17'	9.5-11.5'	12-14'	9.5-11.5'	20-22'	15-17'
PAH's											
ACENAPHTHENE	ug/kg		<23	<22	<23	<23	<59	<22	<24	<22	<24
ACENAPHTHYLENE	ug/kg		<23	<22	<23	<23	<100	<22	<24	<22	<24
ANTHRACENE	ug/kg		<23	<22	<23	<23	117	<22	<24	<22	<24
BENZO (a) ANTHRACENE	ug/kg		<3.4	<3.3	<3.4	<3.4	223	<3.3	<3.6	<3.3	<3.5
BENZO (a) PYRENE	ug/kg		<5.7	<5.5	<5.7	<5.7	<5.9	<5.4	<6.0	<5.4	<5.9
BENZO (b) FLUORANTHENE	ug/kg		<4.5	<4.4	<4.6	<4.6	8.9	<4.3	<4.8	<4.4	<4.7
BENZO (k) FLUORANTHENE	ug/kg		<3.4	<3.3	<3.4	<3.4	<5.9	<3.3	<3.6	<3.3	<3.5
BENZO (ghi) PERYLENE	ug/kg		<9.1	<8.8	<9.1	<9.2	9.6	<8.7	<9.6	<8.7	<9.4
CHRYSENE	ug/kg		<34	<33	<34	<34	15	<33	<36	<33	<35
DIBENZO (a,h) ANTHRACENE	ug/kg		<6.8	<6.6	<6.8	<6.9	<12	<6.5	<7.2	<6.5	<7.1
FLUORANTHENE	ug/kg		<23	<22	<23	<23	176	<22	<24	<22	<24
FLUORENE	ug/kg		<23	<22	<23	<23	563	<22	<24	<22	<24
INDENO (1,2,3-cd) PYRENE	ug/kg		<10	<9.9	<10	<10	15	<9.8	<11	<9.8	<11
1-METHYL NAPHTHALENE	ug/kg		170	<2200	<23	<23	3290	<22	<24	<22	63
2-METHYL NAPHTHALENE	ug/kg		215	8560	717	<23	6100	<22	<24	<22	118
NAPHTHALENE	ug/kg		272	8670	830	<29	2580	<27	<30	<27	118
PHENANTHRENE	ug/kg		<45	<44	<46	<46	446	<43	<48	<44	<47
PYRENE	ug/kg		<23	<22	<23	<23	223	<22	<24	<22	<24

PAH = Polynuclear Aromatic Hydrocarbons

TABLE 1
SOIL ANALYTICAL RESULTS
HEARTLAND COOPERATIVE - BACKUS BULK PLANT
GREENWOOD, WISCONSIN

Date	Ayres Sample No.	Sample Depth (feet)	Sample Description	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (ug/kg)	Ethyl-benzene (ug/kg)	Toluene (ug/kg)	Total Xylenes (ug/kg)	MTBE (ug/kg)	1,2,4-Trimethylbenzene (ug/kg)	1,3,5-Trimethylbenzene (ug/kg)
12/27/1999	S-6	12	Bottom confirmation	48	<3.0	<4.1	220	<25	<25	<50	<25	<25	<25
	S-9	10	Sidewall confirmation	40	5.1	<4.5	390	54*	94	48*	<25	<25	<25
	S-11	-	Treatment sample	>1000	460	230	1900	3800	1800	8400	640	4700	1600
	S-12	-	Treatment sample	>1000	350	8.5	1100	3800	<100	6100	480	3300	870
	S-13	9	Sidewall confirmation	800	48	92	86	490	<25	770	33*	640	190
	S-18	12	Bottom confirmation	100	5.7	4.7	390	150	370	280*	<25	72	31*
	S-19	-	Treatment sample	>1000	1100	340	2100	14000	14000	28800	1300	18000	6700
12/28/1999	S-40	12	Bottom confirmation	50	<2.9	<4.2	42	<25	<25	<50	<25	<25	<25
	S-42	9	Sidewall confirmation	800	4.4	30	290	170	230	500	<25	150	39*
	S-46	12	Bottom confirmation	300	<3.0	<4.3	55*	150	100	160	<25	69*	33*
	S-49	-	Treatment sample	>1000	1200	440	1900	8700	13000	23000	1500	14000	6300
	S-50	-	Treatment sample	>1000	18	39	170	200	340	510	<25	270	100
	S-63	10	Bottom confirmation	20	3.8	<3.6	<25	<25	<25	33*	<25	46*	<25
	S-66	9	Sidewall confirmation	>1000	1600	3700	4000	25000	30000	95000	<1300	89000	32000
12/29/1999	S-69	9	Sidewall confirmation	520	<2.7	<3.8	53*	<25	<25	<50	<25	<25	<25
	S-76	-	Treatment sample	>1000	19000	24000	<1300	6600	1800*	21800	<1300	56000.00	27000
	S-78	9	Sidewall confirmation	4	<3.0	7	<25	<25	<25	<50	<25	<25	<25
	S-96	-	Treatment sample	>1000	530	520	2500	7000	940	10,100	710	9800	8400
	S-98	12	Bottom confirmation	200	<3.1	<4.6	73*	200	130	246*	<25	120	49*
	S-100	9	Sidewall confirmation	160	<2.7	7	110	29*	<25	<50	<25	40*	<25
	S-105	7	Sidewall confirmation	>1000	270	29	<100	2100	1100	4800	<100	3200	2900
S-114	8	Sidewall confirmation	>1000	59	6.5	<25	470	30*	880	<25	950	240	
S-116	8	Sidewall confirmation	200	<2.8	<3.8	70	<25	<25	<50	<25	<25	<25	
NR 720 SOIL CLEANUP STANDARDS					100	100	5.5	2900	1500	4100	NS	NS	NS

Designations

- = Not analyzed

= Exceeds NR 720 Soil Cleanup Standard

< = Less than the detection limit shown

* = See analytical results for footnotes

Abbreviations

NR = No response

NS = No standard

MTBE = Methyl-tert-butyl ether

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)

SOIL BORING DATA TABLE FOR GREENWOOD BULK PLANT LUST INVESTIGATION BRRTS# 02-10-182832
BY METCO

SAMPLING CONDUCTED ON OCTOBER 18, 2006

SOIL SAMPLES

Sample Location Number	TMW-1-1	TMW-1-2	TMW-2-1	TMW-2-2	TMW-3-1	TMW-3-2	MEOH BLANK
Sample Depth in Feet	3	12	3	12	3	12	==
Soil Type	SAND GRAVEL	SANDY CLAY	SAND GRAVEL	CLAY	SAND GRAVEL	SANDY CLAY	==
Petroleum Odors	NO	NO	NO	NO	NO	NO	==
Staining	NO	NO	NO	NO	NO	NO	==
Moisture	MOIST	MOIST/WET	MOIST	MOIST/WET	MOIST	MOIST/WET	==
HNU	1	2	4	320	2	6	==
Solids %	92	ns	94.4	ns	95.8	ns	ns
Benzene/ppb	< 25	ns	175	ns	< 25	ns	< 25
Bromobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Bromodichloromethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Bromoform/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
tert-Butylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
sec-Butylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
n-Butylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Carbon Tetrachloride/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Chlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Chloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Chloroform/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Chloromethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
2-Chlorotoluene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
4-Chlorotoluene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2-Dibromo-3-chloropropane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Dibromochloromethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,4-Dichlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,3-Dichlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2-Dichlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Dichlorodifluoromethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2-Dichloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1-Dichloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1-Dichloroethene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
cis-1,2-Dichloroethene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
trans-1,2-Dichloroethene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2-Dichloropropane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
2,2-Dichloropropane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,3-Dichloropropane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Di-isopropyl ether/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
EDB (1,2-Dibromoethane)/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Ethylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Hexachlorobutadiene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Isopropylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
p-Isopropyltoluene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Methylene chloride/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Methyl tert-butyl ether (MTBE)/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Naphthalene/ppb	128	ns	< 25	ns	110	ns	< 25
n-Propylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1,2,2-Tetrachloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1,1,2-Tetrachloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Tetrachloroethene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Toluene/ppb	26.3 "J"	ns	< 25	ns	< 25	ns	< 25
1,2,4-Trichlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2,3-Trichlorobenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1,1-Trichloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,1,2-Trichloroethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Trichloroethene (TCE)/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Trichlorofluoromethane/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
1,2,4-Trimethylbenzene/ppb	37	ns	< 25	ns	< 25	ns	< 25
1,3,5-Trimethylbenzene/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
Vinyl Chloride/ppb	< 25	ns	< 25	ns	< 25	ns	< 25
m&p-Xylene/ppb	53	ns	< 50	ns	< 50	ns	< 50
o-Xylene/ppb	36	ns	< 25	ns	< 25	ns	< 25

NOTE: Bold = detects ns = not sampled
"J" Flag: Analyte detected between LOD and LOQ

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-1

PVC Elevation = 1135.15 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1125.85	9.30	1700	3800	520	<2.5	NS	130	41.3	130
7/6/1998	1126.22	8.93	1200	130	130	<0.8	NS	64	32.5	77
2/28/2000	1126.24	8.91	730	82	35	8.7	NS	8	0.96	4.9
6/5/2000	1127.89	7.26	980	96	190	7.7	NS	25	19.4	28.8
8/14/2000	1125.66	9.49	1100	180	190	11	NS	63	34.9	96
10/30/00	1125.02	10.13	2700	210	310	23	NS	86	45	97
5/17/2001	1126.90	8.25	23	1.8	0.65	<0.40	NS	<0.40	<0.80	<1.10
8/27/2001	1125.56	9.59	2300	200	370	91	<1.0	120	108	205
11/19/2001	1125.73	9.42	31	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
1/30/2002	1125.28	9.87	390	70	41	<2.0	NS	9.1	<4.5	<6.5
3/5/2003	1124.96	10.19	680	140	26	8.4	NS	9.5	3.3	12.8
3/4/2004	1125.52	9.63	180	31	13	4.6	NS	3.6	0.93	3.76
7/29/2004	1125.33	9.82	1000	120	180	7.9	NS	60	33.4	93
11/15/2006	1123.76	11.39	NS	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84
2/20/2007	1123.53	11.62	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1125.18	9.97	NS	0.24	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1126.33	8.82	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Well AMW-2

PVC Elevation = 1133.00 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/4/2003	1124.41	8.59	19	0.85	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2004	1124.61	8.39	<50	<0.14	<0.40	<0.36	NS	<0.36	<0.79	<1.10
11/15/2006	WELL REMOVED									

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-3

PVC Elevation = 1136.88 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1127.93	8.95	99	2.5	<0.85	<0.32	NS	<0.94	3.4	1.2
7/6/1998	1127.88	9.00	190	<4.5	<2.0	<0.25	NS	<0.91	5.6	<1.6
2/28/2000	1127.32	9.56	93	0.59	0.41	0.37	NS	<0.21	1.4	<1.34
6/5/2000	1129.85	7.03	85	1	<0.50	<0.30	NS	<0.50	<1.31	<1.50
5/16/2001	1129.42	7.46	140	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
8/27/2001	1127.20	9.68	180	4.8	3.5	<0.40	NS	1.1	6.4	1.26
11/19/2001	1127.18	9.70	150	2.4	<0.40	0.55	NS	0.76	2.9	<1.4
1/29/2002	1127.10	9.78	62	0.53	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2003	1126.33	10.55	55	0.82	<0.40	<0.40	NS	<0.40	0.51	<1.40
3/4/2004	1126.30	10.58	72	1.8	<0.40	0.61	NS	<0.36	0.52	0.74
11/15/2006	COULD NOT SAMPLE									
2/20/2007	NOT SAMPLED - UNDER FROZEN GRAVEL									
5/17/2007	1126.30	11.46	NS	1.27	0.47	<0.53	NS	0.97	7.36	4.54
8/20/2007	1126.30	11.53	NS	0.49	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Well MW-4

PVC Elevation = 1130.77 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1125.72	5.05	860	220	240	<2.5	NS	32	18.7	45
7/6/1998	1126.07	4.70	1000	130	120	<2.0	NS	10	4.7	14
2/28/2000	1125.92	4.85	<50	<0.26	<0.24	<0.22	NS	<0.21	<1.40	<1.34
8/14/2000	1125.44	5.33	970	230	78	12	NS	18	18.8	26.2
10/30/2000	1124.92	5.85	760	140	21	7.5	NS	9.7	8.9	<1.1
5/17/2001	1126.68	4.09	290	45	37	0.52	2.4	6.8	3.5	8.35
8/27/2001	1125.52	5.25	480	150	51	8.2	NS	8.7	7.5	9
11/19/2001	1125.45	5.32	<16	<0.40	<0.40	<0.40	<1.3	<0.40	<0.90	<1.40
1/30/2002	1125.16	5.61	<16	5.7	0.63	<0.40	<1.3	0.57	<0.90	<1.40
3/5/2003	1124.96	5.81	600	150	72	5.4	NS	48	25	57.7
3/4/2004	1125.63	5.14	<50	<0.14	<0.40	<0.36	NS	<0.36	<0.79	<1.10
7/29/2004	1125.24	5.53	180	61	21	0.58	NS	3.4	3.5	5.37
11/15/2006	1123.76	7.01	NS	0.69	<1	<0.52	NS	<0.78	0.86-1.96	<2.84
2/20/2007	1121.19	9.58	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1124.08	6.69	NS	<0.22	<0.44	<0.53	NS	<0.26	4.55	2.32
8/20/2007	1125.14	5.63	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-5

PVC Elevation = 1133.16 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1125.62	7.54	65	39	11	<0.32	NS	1.6	<0.56	1.6
7/6/1998	1126.07	7.09	<50	1.4	0.34	<0.16	NS	<0.20	0.32	2
2/28/2000	1128.82	4.34	<50	0.42	<0.24	<0.22	NS	<0.21	<1.40	<1.34
6/5/2000	1128.73	4.43	<14	<0.50	<0.50	<0.30	NS	<0.50	<1.0	<1.50
8/14/2000	1126.62	6.54	<14	6.2	<0.50	<0.40	NS	<0.50	<1.0	<1.50
10/30/2000	1124.79	8.37	210	49	<0.40	0.76	NS	<0.40	<0.80	<1.10
5/17/2001	1126.89	6.27	<14	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
8/27/2001	1126.24	6.92	<14	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<1.10
11/19/2001	1126.69	6.47	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
1/29/2002	1125.11	8.05	<16	5.5	0.52	<0.40	NS	<0.40	<0.90	<1.40
3/4/2003	1124.70	8.46	1000	260	33	13	NS	29	34	36.1
3/4/2004	1125.96	7.20	<50	0.42	<0.40	<0.36	NS	<0.36	<0.79	<1.10
7/29/2004	1125.10	8.06	<50	19	0.64	<0.36	NS	1.1	<1.15	<1.10
11/15/2006	1123.72	9.44	NS	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84
2/20/2007	1122.95	10.21	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1123.77	9.39	NS	<0.22	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1126.90	6.26	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Well MW-6

PVC Elevation = 1130.26 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1125.41	4.85	600	2000	1300	<2.5	NS	23	3.3	17
7/6/1998	1125.74	4.52	1500	150	100	<1.8	NS	19	4.53	18
2/28/2000	1125.76	4.50	2700	530	300	12	NS	44	111	169
6/5/2000	1127.08	3.18	620	86	30	9.9	NS	9.5	<1.0	<15.0
8/14/2000	1125.10	5.16	1300	220	67	20	NS	45	16	49
10/30/2000	1124.68	5.58	1500	170	2.9	21	NS	7.5	3.5	15
5/17/2001	1126.04	4.22	1800	140	140	9.9	20	37	4.79	23.1
8/27/2001	1125.04	5.22	1300	180	41	4	NS	13	9.1	26.3
11/19/2001	1125.17	5.09	740	32	0.4	22	<1.3	2.1	1.8	4.1
1/30/2002	1124.76	5.50	740	18	0.49	6.4	<2.6	0.49	<0.90	<1.4
3/5/2003	1124.52	5.74	240	1.4	1	1.4	NS	1.4	<0.90	1.4
3/4/2004	1124.81	5.45	420	0.81	<0.40	14	0.84	0.46	<0.79	<1.10
7/29/2004	1124.78	5.48	1500	140	100	17	NS	35	17.4	43.5
11/15/2006	1122.70	7.56	NS	136	<1	<0.52	NS	1.57	3.7-4.8	9.2-10.04
2/20/2007	1122.47	7.79	NS	187	0.94	<0.52	NS	1.94	2.73-3.10	7.81
5/17/2007	1122.86	7.40	NS	<0.22	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1123.05	7.21	NS	8.6	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRS# 02-10-182832

Well MW-7

PVC Elevation = 1131.62 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1126.52	5.10	<50	5.2	<0.85	<0.32	NS	<0.94	<0.56	<1.1
7/6/1998	1126.92	4.70	<50	0.2	<0.22	<0.16	NS	<0.20	<0.51	0.28
2/28/2000	1126.78	4.84	<50	<0.26	<0.24	<0.22	NS	<0.21	<1.40	<1.34
6/5/2000	1129.16	2.46	<14	<0.50	<0.50	<0.30	NS	<0.50	<1.0	<1.50
5/16/2001	1127.90	3.72	<14	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
8/27/2001	1128.15	3.47	410	53	4.9	25	NS	8.2	2.4	5.2
11/19/2001	1126.18	5.44	190	50	0.82	<0.80	NS	5.5	<1.8	<2.8
01/29/02	1126.12	5.50	<16	1.1	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2003	1125.89	5.73	41	1.1	<0.40	<0.40	NS	0.84	<0.90	<1.40
3/4/2004	1125.73	5.89	310	29	<0.40	3.8	NS	1.3	<0.79	0.52
7/29/2004	1125.96	5.66	<50	4.5	0.83	0.89	NS	1.3	0.62	<1.10
11/15/2006	1131.62	7.12	NS	0.73	<1	<0.52	NS	<0.78	<1.95	<2.84
2/20/2007	1131.62	8.03	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1131.62	7.57	NS	<0.22	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1131.62	7.91	NS	5.9	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Well MW-8

PVC Elevation = 1135.52 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
5/19/1998	1125.88	12.40	3100	520	<i>340</i>	<2.5	NS	260	119	300
7/6/1998	1125.24	13.04	1000	140	89	<3.2	NS	51	42	97
2/28/2000	1126.05	12.23	270	2.2	<0.24	2.2	NS	0.47	<1.40	<1.34
6/5/2000	1127.72	10.56	580	79	57	<3.0	NS	30	42	68.5
8/14/2000	1125.75	9.77	2700	520	<i>270</i>	26	NS	110	158	300
10/30/2000	1125.17	10.35	4000	570	<i>290</i>	21	NS	82	199	370
5/17/2001	1128.94	6.58	700	120	50	2.5	5.8	8.2	15.3	22.9
8/27/2001	1125.64	9.88	2100	390	<i>170</i>	38	NS	66	88	166
11/19/2001	1125.71	9.81	630	130	47	<2.0	13	15	24.7	47
1/30/2002	1125.21	10.31	2700	640	<i>280</i>	<20	68	110	207	370
3/5/2003	1124.73	10.79	2500	450	<i>250</i>	10	NS	54	212	331
3/4/2004	1124.96	10.56	3400	560	<i>280</i>	15	53	59	210	308
7/29/2004	1125.26	10.26	2200	240	120	12	NS	52	84	124
11/15/2006	1123.83	11.69	NS	34	1.18	<0.52	NS	<0.78	2.41-3.51	<2.84
2/20/2007	1123.32	12.20	NS	8.5	0.62	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1124.02	11.50	NS	<i>0.67</i>	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1124.01	11.51	NS	18.6	0.53	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-9

PVC Elevation = 1136.18 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
10/30/2000	FREE PRODUCT - NOT SAMPLED									
5/17/2001	0.12 FEET OF FREE PRODUCT - NOT SAMPLED									
8/27/2001	0.5 OUNCES OF FREE PRODUCT REMOVED - NOT SAMPLED									
11/19/2001	0.5 FEET OF FREE PRODUCT IN CANISTER - NOT SAMPLED									
1/30/2002	0.27 FEET OF FREE PRODUCT - CANISTER FULL OF WATER - NOT SAMPLED									
3/5/2003	0.17 FEET OF FREE PRODUCT - TWO OUNCES OF FREE PRODUCT REMOVED - NOT SAMPLED									
3/4/2004	0.24 FEET OF FREE PRODUCT - CANISTER FULL OF WATER - NOT SAMPLED									
7/29/2004	1126.88	9.30	24000	1600	1300	11	NS	3400	1650	4600
11/15/2006	1124.97	11.21	NS	1590	950	<26	NS	2930	920	3190
2/20/2007	1124.70	11.48	NS	1720	1140	<26	NS	3700	1097	4360
5/17/2007	1124.98	11.20	NS	2070	1140	<26.5	NS	2870	1324	3990
8/20/2007	1124.96	11.22	NS	1770	1290	<26	NS	3800	1412	4190

Well MW-10

PVC Elevation = NM (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/6/1996	NM	NM	86	36	5.7	<0.25	NS	1.5	<0.20	0.38
2/28/2000	NOT SAMPLED									

Well MW-11

PVC Elevation = 1133.84 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/6/1998	1126.02	10.75	240	96	18	<0.25	NS	<0.10	2.61	5.0
2/28/2000	1125.72	11.05	1700	350	52	18	NS	15	2.3	6.9
6/5/2000	1127.40	9.37	<14	2.2	<0.50	<0.30	NS	<0.50	<1.0	<1.50
5/16/2001	1126.69	7.15	230	43	8.6	0.83	<1.0	1.8	0.63	3.1
8/27/2001	1125.34	8.50	1100	250	28	26	NS	4.6	2.95	3.9
11/19/2001	1125.37	8.47	1100	19	<0.40	2.8	NS	<0.40	<0.90	<1.40
1/29/2002	1124.97	8.87	440	190	18	1.4	NS	6.7	0.74	3.3
3/5/2003	1124.69	9.15	1600	480	110	16	NS	28	36	67
3/4/2004	1124.86	8.98	1500	230	56	14	NS	7	7.63	6
7/29/2004	1125.04	8.80	750	110	0.60	1.8	NS	0.52	<0.79	<1.10
11/15/2006	COULD NOT LOCATE									
2/20/2007	COULD NOT LOCATE									
5/17/2007	COULD NOT LOCATE									
8/20/2007	1125.04	9.68	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-12

PVC Elevation = NM (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
7/6/1998	NM	NM	166000	1300	1700	<50	NS	6200	<40	12000

Well MW-13

PVC Elevation = 1140.12 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
2/28/2000	1126.23	13.89	<50	<0.26	<0.24	<0.22	NS	<0.21	<1.40	<1.34
6/5/2000	1131.35	8.77	<14	<0.50	<0.50	<0.30	NS	<0.50	<1.0	<1.50
5/16/2001	1130.08	10.04	<14	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
8/27/2001	1128.21	11.91	<14	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
11/19/2001	1127.88	12.24	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
1/29/2002	1127.61	12.51	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2003	1127.06	13.06	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2004	1127.07	13.05	<50	<0.14	<0.40	<0.36	NS	<0.36	<0.79	<1.10
11/15/2006	1125.48	14.64	NS	<0.17	<1	<0.52	NS	<0.78	1.71-2.81	<2.84
2/20/2007	1126.01	14.11	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99
5/17/2007	1126.44	13.68	NS	<0.22	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	1129.61	10.51	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well MW-14

PVC Elevation = 1128.56 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
3/29/1999	NM	NM	<30	<0.30	<0.20	0.9	NS	<0.20	<0.90	<0.80
2/28/2000	1124.25	4.31	<50	<0.26	<0.24	<0.22	NS	<0.21	<1.40	<1.34
6/5/2000	1125.24	3.32	<14	<0.50	<0.50	<0.30	NS	<0.50	<1.0	<1.50
8/14/2000	1123.71	4.85	<14	<0.50	<0.50	<0.40	NS	<0.50	<1.0	<1.50
10/30/2000	1123.17	5.39	<14	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<1.10
5/16/2001	1124.10	4.46	<14	<0.40	<0.40	<0.40	<1.0	<0.40	<0.80	<1.10
8/27/2001	1123.64	4.92	<14	<0.40	<0.40	<0.40	NS	<0.40	<0.80	<1.10
11/19/2001	1123.86	4.70	<14	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
1/29/2002	1123.46	5.10	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
3/4/2003	1123.19	5.37	<16	<0.40	<0.40	<0.40	NS	<0.40	<0.90	<1.40
4/5/2003	1124.31	4.25	<50	<0.14	<0.40	<0.36	NS	<0.36	<0.79	<1.10
7/29/2004	1123.31	5.25	<50	<0.14	<0.40	<0.36	NS	<0.36	<0.79	<1.10

Well TMW-1

PVC Elevation = NM (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/15/2006	NM	10.29	NS	<i>1.08</i>	3.4	<0.52	NS	0.88	18.1	10.05
2/20/2007	NM	11.73	NS	6	0.49	<0.52	NS	<0.46	2	1.7
5/17/2007	NM	11.12	NS	10.5	1.12	<0.53	NS	0.59	3.67	4.48
8/20/2007	NM	11.36	NS	195	18.7	<0.52	NS	3.4	15.5	13

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Groundwater Analytical Results Summary
 Greenwood Bulk Plant LUST Site BRRTS# 02-10-182832

Well TMW-2

PVC Elevation = NM (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/15/2006	NM	11.18	NS	2350	2160	<26	NS	2780	2270	7760
2/20/2007	COULD NOT SAMPLE									
5/17/2007	DRY									
8/20/2007	DRY									

Well TMW-3

PVC Elevation = NM (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	GRO (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/15/2006	NM	10.91	NS	<8.5	89	<26	NS	<39	231-286	306
2/20/2007	COULD NOT SAMPLE - ICE IN PVC									
5/17/2007	NM	8.88	NS	1.47	<0.44	<0.53	NS	<0.26	<0.67	<1.21
8/20/2007	NM	8.54	NS	<0.47	<0.38	<0.52	NS	<0.46	<1.57	<0.99

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured

Summary of Free Product Levels & Recovery
Greenwood Bulk Plant BRRTS# 02-10-182832

DATE		MW-9	TMW-1	TMW-2	TMW-3	GALS REC./PERIOD	TOT GALS RECOVERED
10/18/2006	Inches of FP	0.75	0	0.5	0	0.01	0.01
	Gals Rec. w/ Bailer	0.01	0	0	0		
	Gals Rec. w/ Absorbent Sock	No Sock	No Sock	No Sock	No Sock		
11/15/2006	Inches of FP	0	0	0	0	0.11	0.12
	Gals Rec. w/ Bailer	0	0	0	0		
	Gals Rec. w/ Absorbent Sock	0.11	No Sock	No Sock	No Sock		
12/14/2006	Inches of FP	0	0	Can	Can	0.17	0.29
	Gals Rec. w/ Bailer	0	0	Not	Not		
	Gals Rec. w/ Absorbent Sock	0.17	No Sock	Access	Access		
1/24/2007	Inches of FP	0	0	Can	Can	0	0.29
	Gals Rec. w/ Bailer	0	0	Not	Not		
	Gals Rec. w/ Absorbent Sock	0	No Sock	Access	Access		
2/20/2007	Inches of FP	0	0	Can	Can	0	0.29
	Gals Rec. w/ Bailer	0	0	Not	Not		
	Gals Rec. w/ Absorbent Sock	0	No Sock	Access	Access		
3/7/2007	Inches of FP	0	0	Can	Can	0	0.29
	Gals Rec. w/ Bailer	0	0	Not	Not		
	Gals Rec. w/ Absorbent Sock	0	No Sock	Access	Access		
4/19/2007	Inches of FP	0	0	Well	0	0	0.29
	Gals Rec. w/ Bailer	0	0	Dry	0		
	Gals Rec. w/ Absorbent Sock	0	No Sock	No Sock	No Sock		
5/17/2007	Inches of FP	0	0	Well	0	0	0.29
	Gals Rec. w/ Bailer	0	0	Dry	0		
	Gals Rec. w/ Absorbent Sock	No Sock	No Sock	No Sock	No Sock		
6/4/2007	Inches of FP	0	0	Well	Can	0	0.29
	Gals Rec. w/ Bailer	0	0	Dry	0		
	Gals Rec. w/ Absorbent Sock	No Sock	No Sock	No Sock	No Sock		
7/19/2007	Inches of FP	0	0	Well	0	0	0.29
	Gals Rec. w/ Bailer	0	0	Dry	0		
	Gals Rec. w/ Absorbent Sock	No Sock	No Sock	No Sock	No Sock		
8/20/2007	Inches of FP	0	0	Well	0	0	0.29
	Gals Rec. w/ Bailer	0	0	Dry	0		
	Gals Rec. w/ Absorbent Sock	No Sock	No Sock	No Sock	No Sock		

Note: - Could not access TMW-2 from December 2006 to March 2007 due to a bailer being stuck in the well
 - Could not access TMW-3 from December 2006 to March 2007 due to an ice obstruction in the PVC casing

**Watertable Elevation Table
GREENWOOD BULK PLANT BRRTS# 02-10-182832
GREENWOOD, WISCONSIN**

	MW-1	AMW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-11	MW-13	TMW-1	TMW-2	TMW-3
pvc	1135.15	1133.00	1126.68	1120.7	1133.16	1130.26	1131.62	1138.28	1136.18	1136.77	1140.12	==	==	==

Date

5/19/1998	1125.85	NI	1127.93	1125.72	1125.62	1125.41	1126.52	1125.88	NI	NI	NI	NI	NI	NI
7/6/1998	1126.22	NI	1127.88	1126.07	1126.07	1125.74	1126.92	1125.24	NI	1126.02	NI	NI	NI	NI
2/28/2000	1126.24	NI	1127.32	1125.92	1128.82	1125.76	1126.78	1126.05	NI	1125.72	1126.23	NI	NI	NI
6/5/2000	1127.89	NI	1129.85	NM	1128.73	1127.08	1129.16	1127.72	NI	1127.40	1131.35	NI	NI	NI
8/14/2000	1125.66	NI	NM	1125.44	1126.62	1125.10	NM	1125.75	NI	NM	1130.08	NI	NI	NI
10/30/2000	1125.02	NI	NM	1124.92	1124.79	1124.68	NM	1125.17	NM	NM	1128.21	NI	NI	NI
5/17/2001	1126.90	NI	1129.42	1126.68	1126.89	1126.04	1127.90	1128.94	NM	1126.69	NM	NI	NI	NI
8/27/2001	1125.56	NI	1127.20	1125.52	1126.24	1125.04	1128.15	1125.64	NM	1125.34	NM	NI	NI	NI
11/19/2001	1125.73	NI	1127.18	1125.45	1126.69	1125.17	1126.18	1125.71	NM	1125.37	1127.88	NI	NI	NI
1/30/2002	1125.28	NI	1127.10	1125.16	1125.11	1124.76	1126.12	1125.21	NM	1124.97	1127.61	NI	NI	NI
3/5/2003	1124.96	1124.41	1126.33	1124.96	1124.70	1124.52	1125.89	1124.73	NM	1124.69	1127.06	NI	NI	NI
3/4/2004	1125.52	1124.61	1126.30	1125.63	1125.96	1124.81	1125.73	1124.96	NM	1124.86	1127.07	NI	NI	NI
7/29/2004	1125.33	NM	NM	1125.24	1125.10	1124.78	1125.96	1125.26	1126.88	1125.04	NM	NI	NI	NI
11/15/2006	1123.76	CNL	CNL	1113.69	1123.72	1122.70	1124.50	1126.59	1124.97	CNL	1125.48	NM	NM	NM
2/20/2007	1123.53	CNL	CNS	1121.19	1122.95	1122.47	1123.59	1123.32	1124.70	CNL	1126.01	NM	NM	NM
5/17/2007	1125.18	CNL	1125.42	1124.08	1123.77	1122.86	1124.05	1124.02	1124.98	CNL	1126.44	NM	DRY	NM
8/20/2007	1126.33	CNL	1125.35	1125.14	1126.90	1123.05	1123.70	1124.01	1124.96	1124.16	1129.61	NM	DRY	NM

Note: Elevations are presented in feet mean sea level (msl).

NM = Not Measured

CNL = Could Not Locate

CNS = Could Not Sample



January 12, 2009

Jeff Hoeper
City of Greenwood – Director of Public Works
102 North Main Street
Greenwood, WI 54437

Notification: Greenwood Bulk Plant (BRRTS # 02-10-182832), Conditional Case Closure Notification

Dear Mr. Hoeper:

On March 7, 2004, Ayres & Associates, Inc. worked in conjunction with the City of Greenwood Public Works Department in an attempt to locate a groundwater monitoring well (MW-10), which appeared to have been paved over during street construction. A damaged flush mount cover, which was installed with the monitoring well, was located. However, the well casing was not located and was likely destroyed during street construction and the well not properly abandoned. You need to understand that in the future the City of Greenwood may be held responsible for any problems associated with monitoring well MW-10 if it creates a conduit for contaminants to enter groundwater. If in the future the lost monitoring well is found, the City of Greenwood will be required to notify the WDNR and to properly abandon the well in compliance with the requirements in ch. NR 141, Wis. Adm. Code, and to submit the required documentation of the abandonment to the WDNR.

Because the lost monitoring well cannot be properly abandoned at this time, it will be listed on the DNR Remediation and Redevelopment GIS Registry.

If you have any questions regarding this matter please contact Gina Keenan of the Department of Natural Resources at (715) 839-3765 or myself at (608) 781-8879.

Sincerely,

A handwritten signature in cursive script that reads "Jason T. Powell".

Jason T. Powell
Staff Scientist

Enclosure: Map

C: Dennis Schultz – Heartland Cooperative Services

LEGEND: (ALL OF LEGEND IS NOT NECESSARILY DEPICTED ON THIS DRAWING)

- ⊕ MW-4 MONITORING WELL
- ⊕ MW-1 MONITORING WELL (BACKUS BULK PLANT)
- ⊕ MW-2 MONITORING WELL (LAND O LAKES INVESTIGATION)
- ⊕ AMW-1 MONITORING WELL (AYRES ASSOCIATES)
- B-4 BACKUS BULK PLANT SOIL BORING (*Underline = HSA Boring*)
- 6026 DATCP SAMPLE LOCATION
- ▲ B-11 SITE INVESTIGATION SOIL BORING
- APPROXIMATE SURFACE DRAINAGE DIRECTION
- ← GROUND WATER FLOW DIRECTION
- 1127.70 GROUND WATER ELEVATION
- 1126.0 GROUND WATER CONTOUR
- 76 | 73 | 0.81 GROUND WATER RESULTS
- TOTAL PESTICIDE CONCENTRATION-ug/L
- AMMONIA NITROGEN-mg/L
- NITRATE+NITRITE-mg/L
- NA NOT ANALYZED
- ND NOT DETECTED
- ES ENFORCEMENT STANDARD






NORTH

0 60FT
SCALE

MAP SOURCE:
CEDAR CORPORATION
MENOMONIE, WI
AYRES FIELD NOTES (12/98)

FORMER FILLING STATION (1940)



IMPROPERLY ABANDONED MONITORING WELL

Missing / Destroyed Monitoring Well Location

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

SITE PLAN

Modified by METCO, ED. 11/31/08

DRN. BY: JCS
CHK. BY: JCS
DATE: SEPT 2003



Greenwood Bulk Plant
GREENWOOD, WISCONSIN

FIGURE

2

S.T.H. "73"

TBM EL=1135.15
TOP OF CASING

IMPROPERLY ABANDONED
MONITORING WELL



[Home](#) | [Help](#) | [Sign In](#)

[Track & Confirm](#) [FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: **7008 0500 0000 8130 6462**
Status: **Delivered**

Your item was delivered at 10:28 AM on January 15, 2009 in
GREENWOOD, WI 54437.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

[Additional Details >](#)

[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email.

[Go >](#)

[Site Map](#)

[Contact Us](#)

[Forms](#)

[Gov't Services](#)

[Jobs](#)

[Privacy Policy](#)

[Terms of Use](#)

[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA



The 2007 Recycled Paper
Award Winner



GreenSource
Environmentally Smart

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="509 South Main Street"/>	<input type="text" value="231.0600.007"/>	<input type="text" value="472641"/>	<input type="text" value="476577"/>
<input type="text" value="B"/>	<input type="text" value="517 South Main Street"/>	<input type="text" value="231.0600.008"/>	<input type="text" value="472641"/>	<input type="text" value="476537"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

COPY

February 6, 2009

Dean & Traci Lindner
509 South Main Street
Greenwood, WI 54437

Dear Mr & Mrs Lindner

Groundwater contamination that appears to have originated on the property located at 427 South Main Street, Greenwood, Wisconsin has migrated onto your property at 509 South Main Street. The levels of Benzene contamination in the groundwater on your property are above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on *your* property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Gina Keenan, Wisconsin Department of Natural Resources – West Central Region Headquarters, P.O. Box 4001, Eau Claire, WI 54702-4001.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS

Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The City of Greenwood has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at P.O. Box 260, Dorchester, WI 54425 or (715) 654-5134 or Gina Keenan, WDNR, P.O. Box 4001, Eau Claire, WI 54702-4001 or (715) 839-3765.

Sincerely,



Dennis Schultz
Heartland Cooperative Services

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

A
PROPERTY

NUMBER
458517

RECORDED: *apid*
1996 AT 9:00 A.M.

INDEXED TO:

RETURN TO:

Vol. 550 B

By *Eugene Oberle*
Register of Deeds, Clark Co., WI

*pt NE-SE-3-26-2 W
pt Acont Lot 70x
Acont Plat - Greenwood*

*Mid. Wis Bank,
P.O. Box 377
Cady, Wis 54421*
Paid \$ *10.00* Cash
Chg. \$ _____ Check
Total \$ *10.00*

Page 376

By _____ Deputy

STATE BAR OF WISCONSIN FORM 1 - 1982
WARRANTY DEED

VOL. 550 PAGE 376

458517

RCVD & RECORDED 4/8/96
AT 9:00 A.M. IN VOL
550 OF RECDs, PAGE 376.
CLARK CO., WIS BY

Eugene Oberle *RD 10, etc*

DOCUMENT NO.

This Deed, made between Susan M. Branstiter,
a single person

Grantor,
and Dean D. Lindner and Traci L. Krultz,
as joint tenants

Witnesseth, That the said Grantor, for a valuable consideration
Dollar and other good and valuable consideration.

conveys to Grantee the following described real estate in Clark
County, State of Wisconsin:

THIS SPACE RESERVED FOR RECORDING DATA
NAME AND RETURN ADDRESS
*Mid. Wis Bank,
P.O. Box 377
Cady, Wis 54421*

TRANSFER
\$ *135.00*
FEE

(Parcel Identification Number)

That part of the NE 1/4 SE 1/4 3, 26, 2 West, described as follows: Beginning at the Southeast corner thereof; thence North 597 feet, more or less, to the intersection of the East line of said forty and the South line of the F. & N.E. Railroad right of way, thence South 154 feet, more or less, to the North line of a driveway running East and West; thence West to the South line of the said right of way of the F. & N.E. Railroad, thence Northwesterly along the said railroad right of way to the place of beginning. ALSO KNOWN AS part of Assessment Lot 70, Assessor's Plat, City of Greenwood, Clark County, Wisconsin.

This is not homestead property.
(*) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging;
And Susan M. Branstiter

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except easements and reservations of record

and will warrant and defend the same.

Dated this 21st day of March, 1996.

(SEAL) *Susan M. Branstiter* (SEAL)
Susan M. Branstiter
(SEAL) _____ (SEAL)

AUTHENTICATION

ACKNOWLEDGMENT

Subscribed and sworn to before me this _____ day of _____, 19____.

STATE OF WISCONSIN

Clark County, 21st day of March, 1996
Personally came before me this _____ the above named
Susan M. Branstiter

TITLE MEMBER STATE BAR OF WISCONSIN
Notary Public

to see, verify to be the person who executed the foregoing instrument and a true and correct copy thereof.

THE INSTRUMENT WAS DRAFTED BY
Attorney Bruce L. Sautelsin
Greenwood, Wis. 54437

Bruce L. Sautelsin
Notary Public Clark County, Wis.

(Signatures may be authenticated on acknowledgment form by the notary.)

My commission expires on _____, 19____.

WARRANTY DEED

STATE BAR OF WISCONSIN
FORM 1 - 1982

Notary Public

25x

32x

494752

STATE BAR OF WISCONSIN FORM 3 - 1982
QUIT CLAIM DEED

VOL. 640 PAGE 098

DOCUMENT NO.

The City of Greenwood,
a Wisconsin Municipality
quit-claims to Dean D. Lindner and Traci L. Lindner,
husband and wife, as survivorship

the following described real estate in Clark County,
State of Wisconsin:

* formerly known as Traci L. Krultz

RECORDED ON 04/04/01
AT 9:00 A.M. IN VOL. 640
OF RECORDS PAGE 98
CLARK COUNTY WI BY
Lita Clazden
Syrette Mueller, Deputy
Pd \$10.00 ct #26269

THIS SPACE RESERVED FOR RECORDING DATA
NAME AND RETURN ADDRESS
BRUCE SAUTEBIN
PO Box 67
GREENWOOD, WI 54437

None
PARCEL IDENTIFICATION NUMBER

The East 7 feet of that part of Assessment Lot 70 of the Greenwood
Assessment Plat described in Volume 550 of Records on Page 376,
located in the City of Greenwood, Clark County, Wisconsin, the east
line of said Assessment Lot being a line 33 feet west of and parallel
with the east line of Section 3 in Township 26 North of Range 2
West.

FEE
\$ 77.25 (13)
EXEMPT

This is not homestead property.
(is) (is not)

Dated this 30th day of September, 19 98

CITY OF GREENWOOD
BY: *Dave Hansen* (SEAL)
Dave Hansen, Mayor
BY: *Lonna Klinke* (SEAL)
Lonna Klinke, Clerk

AUTHENTICATION

Signature(s) _____
authenticated this _____ day of _____, 19 _____

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Bruce L. Sautebin, Attorney
Greenwood, Wisconsin 54437
(Signatures may be authenticated or acknowledged. Both are not
necessary.)

ACKNOWLEDGMENT

State of Wisconsin, } ss.
Clark County }
Personally came before me this 30th day of
September, 19 98, the above named
City of Greenwood by its Mayor,
Dave Hansen and its Clerk,
Lonna Klinke
to me known to be the person(s) who executed the foregoing
instrument and acknowledge the same.
• Bruce L. Sautebin
Notary Public, Clark County, Wis.
My commission is permanent. (If not, state expiration date: _____ 19 _____)

* Names of persons signing in any capacity should be typed or printed below their signatures.

LEGAL DESCRIPTION (property at 509 South Main Street, Greenwood, WI)

That part of the NE1/4 SE ¼ 3, 26, 2 West, described as follows: Beginning at the Southeast corner thereof; thence North 597 feet, more or less, to the intersection of the East line of said forty and the South line of the F. N.E. Railroad right of way, thence South 154 feet, more or less, to the North line of a driveway running East and West; thence West to the South line of the said right of way of the F. & N.E. Railroad, thence Northeasterly along the said railroad right of way to the place of beginning. ALSO KNOWN AS part of Assessment Lot 70, Assessor's Plat, City of Greenwood, Clark County, Wisconsin.

Also:

The East 7 feet of that part of Assessment Lot 70 of the Greenwood Assessment Plat described in Volume 550 of Records on Page 376, located in the City of Greenwood, Clark County, Wisconsin, the east line of said Assessment Lot being a line 33 feet West of and parallel with the East line of Section 3 in Township 26 North of Range 2 West.

February 6, 2009

L.N. Real Estate, LLC
125 West 5th Street, P.O. Box 5550
Winona, MN 55987

To Whom It May Concern:

Groundwater contamination that appears to have originated on the property located at 427 South Main Street, Greenwood, Wisconsin has migrated onto your property at 517 South Main Street. The levels of Benzene contamination in the groundwater on your property are above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on *your* property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Gina Keenan, Wisconsin Department of Natural Resources – West Central Region Headquarters, P.O. Box 4001, Eau Claire, WI 54702-4001.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS

Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The City of Greenwood has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at P.O. Box 260, Dorchester, WI 54425 or (715) 654-5134 or Gina Keenan, WDNR, P.O. Box 4001, Eau Claire, WI 54702-4001 or (715) 839-3765.

Sincerely,



Dennis Schultz
Heartland Cooperative Services

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

U 0829 P 235

State Bar of Wisconsin Form 1-2003
CORRECTION WARRANTY DEED - Property
No. 222

DOC # 554505
Recorded
SEP. 24, 2007 AT 03:00PM

Document Number

Document Name

Lois Hagedorn

THIS CORRECTION DEED, made between Lanoga Corporation, a Minnesota corporation (which acquired title as LN Corporation)

and LN Real Estate LLC, a Washington limited liability company

(“Grantor,” whether one or more),
and _____ (“Grantee,” whether one or more).

LOIS HAGEDORN, CLARK CO REGISTER OF DEEDS

Fee Amount: \$15.00
Fee Exempt 77.25-(3)

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Clark County, State of Wisconsin (“Property”) (if more space is needed, please attach addendum):

Recording Area

Name and Return Address
Kirkpatrick & Lockhart Preston Gates Ellis LLP
Attn: Scott Osborne
925 Fourth Avenue, Suite 2900
Seattle, WA 98104

See Exhibit A.

THIS CORRECTION DEED is being executed and recorded to correct that certain Warranty Deed between Grantor and Grantee dated January 27, 2006, recorded February 02, 2006, as Document No. 541119 (the “Original Deed”), that used an incorrect legal description. The correct legal description attached hereto as Exhibit A shall amend and replace the legal description referred to in the Original Deed.

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except:

Dated June 29, 2007

By: *William P. Brakken* (SEAL)
Name/Title: William P. Brakken, EVP-CFO
_____ (SEAL)
*

_____(SEAL)
*
_____(SEAL)
*

AUTHENTICATION

Signature(s) _____
authenticated on _____

ACKNOWLEDGMENT

STATE OF _____)
_____) ss.
_____ COUNTY)

*
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

Personally came before me on _____,
the above-named _____
to me known to be the person(s) who executed the foregoing
instrument and acknowledged the same.

THIS INSTRUMENT DRAFTED BY:
Scott B. Osborne, Kirkpatrick & Lockhart Preston Gates Ellis LLP
925 Fourth Avenue, Suite 2900, Seattle, WA 98104

*
Notary Public, State of Washington
My Commission (is permanent) (expires: _____)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

WARRANTY DEED


STATE BAR OF WISCONSIN
FORM NO. 1-2003

* Type name below signatures.

STATE OF WA)
) ss.
COUNTY OF King)

I certify that I know or have satisfactory evidence that WILLIAM BRACKEN is the person who appeared before me, and said person acknowledged that he/she signed this instrument, on oath stated that he/she was authorized to execute the instrument and acknowledged it as the EVP-CFO of Lanoga Corporation, a Minnesota corporation, to be the free and voluntary act of such party for the uses and purposes mentioned in the instrument.

Dated: 6-29-07



Jeannette G. Stearns
Notary Public
Print Name JEANNETTE G. STEARNS
My commission expires 12/19/2010

U 0829 P 237

EXHIBIT A

**Legal Description
(Property No. 222)**

Lot 17 Greenwood Assessor's Plat #6, City of Greenwood.

LEGAL DESCRIPTION (property at 517 South Main Street, Greenwood, WI)

Lot 17 Greenwood Assessor's Plat #6, City of Greenwood

OFF-SOURCE
A
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Dean & Traci Lindner
509 South Main Street
Greenwood, WI 54437

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *Traci Lindner*

- Agent
 Addressee

B. Received by (Printed Name)

Traci Lindner

C. Date of Delivery

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

N8527 ST. HWY 73

3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number

(Transfer from service label)

7008 0500 0000 8130 6325

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

OFF-SOURCE
B
PROPERTY

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

L.N. Real Estate, LLC
125 West 5th Street
P.O. Box 5550
Winona, MN 55987

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X *[Signature]*

- Agent
 Addressee

B. Received by (Printed Name)

Russ Brubaker

C. Date of Delivery

2-9-09

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number

(Transfer from service label)

7008 0500 0000 8130 6332

3 Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540



Excellence through experience™

1421 State Road 16 ♦ La Crosse, WI 54601 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

Notification of Contamination within the Right of Way

County: Clark
Highway: State Highway 73
Site Name: Greenwood Bulk Plant
Site Address: 427 South Main Street, Greenwood, WI 54437
BRRTS Number: 02-10-182832
PECFA Number: 54437-9600-27
FID Number: 610068800

Owner's Name: Heartland Cooperative Services
Owner's Address: P.O. Box 260, Dorchester, WI 54425

Consulting Firm: METCO
Consultant Contact: Jason Powell
Consultant Address: 1421 State Road 16, La Crosse, WI 54601
Consultant Phone, Fax and E-mail: (608) 781-8879, (608) 781-8893, jasonp@metcohq.com

Soil contamination? Yes
Depth to contaminated soil: 5 feet
Vertical extent of contaminated soil: (e.g. from 5 feet to 12 feet below ground surface)
Groundwater contamination? Yes
Depth to water table: 5 to 12 feet

Describe the type(s) of contamination present. Petroleum (Gasoline and Diesel)

Brief summary of cleanup activity: Soil Excavation and Natural Attenuation

Attach a current plume map for groundwater contamination
Attach a current plume map for soil contamination

Subject: RE: Notification of Contamination within the Right of Way - Greenwood Bulk Plant
From: "TeBeest, Sharlene - DOT" <sharlene.tebeest@dot.state.wi.us>
Date: Fri, 16 Jan 2009 13:52:33 -0600
To: 'Diana Symitczek' <dianajs@metcohq.com>

Hi Diana, I've received the notification for the Greenwood Bulk Plant, 427 S. Main St, Greenwood WI.
BRRTS # 02-10-182832.

Shar

Sharlene Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation, Bureau of Equity and Environmental Services
Phone: 608-266-1476; Fax: 608-266-7818; Cell: 608-692-4546
Address: WISDOT- BEES; PO Box 7965; Room 451 HFSTB; Madison, WI 53707-7965

-----Original Message-----

From: Diana Symitczek [mailto:dianajs@metcohq.com]
Sent: Monday, January 12, 2009 2:34 PM
To: TeBeest, Sharlene - DOT
Subject: Notification of Contamination within the Right of Way - Greenwood Bulk Plant

----- Original Message -----

Subject: Message from KMBT_420
Date: Mon, 12 Jan 2009 14:53:46 +0000
From: dianajs@metcohq.com
Reply-To: dianajs@metcohq.com
To: dianajs@metcohq.com

--
Diana Symitczek

METCO

1421 State Road 16
La Crosse, WI 54601
608-781-8879
608-781-8893 Fax



January 12, 2009

Jeff Hoepfer
City of Greenwood – Director of Public Works
102 North Main Street
Greenwood, WI 54437

Notification: Greenwood Bulk Plant (BRRTS # 02-10-182832), Conditional Case Closure Notification

Dear Mr. Hoepfer:

I am writing to inform you that soil and groundwater contamination from the Greenwood Bulk Plant site at 427 South Main Street exists within the right of way of South Main Street to the east of the subject property.

As part of the required documentation, you are hereby notified that residual petroleum contamination exists in the soil and groundwater within the right-of-way of South Main Street to the east of the Greenwood Bulk Plant site at 427 South Main Street. Soil and groundwater contamination was found to exist in the area of the removed above ground petroleum storage tanks and has migrated into right of way of South Main Street. Depth to groundwater in this area is approximately 7 to 12 feet below ground surface.

If the contaminated soil or groundwater is encountered during future construction, it may pose inhalation or other direct contact hazards. Any contaminated soil or groundwater encountered will require sampling and analysis, as well as proper storage, treatment, and disposal of any excavated materials. We are enclosing site maps displaying inferred soil groundwater contamination plumes.

If you have any questions, or require more detailed information, please contact me at METCO's La Crosse office (608-781-8879).

Sincerely,

A handwritten signature in black ink that reads "Jason T. Powell".

Jason T. Powell
Staff Scientist

Enclosure: Maps

C: Dennis Schultz – Heartland Cooperative Services

RIGHT-OF-WAY

firm



[Home](#) | [Help](#) | [Sign In](#)

[Track & Confirm](#) [FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 7008 0500 0000 8130 6462
Status: Delivered

Your item was delivered at 10:28 AM on January 15, 2009 in GREENWOOD, WI 54437.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

[Additional Details >](#)

[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

[Site Map](#)
 [Contact Us](#)
 [Forms](#)
 [Gov't Services](#)
 [Jobs](#)
 [Privacy Policy](#)
 [Terms of Use](#)
 [National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.
 No FEAR Act EEO Data
 FOIA

