

GIS REGISTRY

Cover Sheet

March, 2010
(RR 5367)

Source Property Information

BRRTS #: 03-10-001102

CLOSURE DATE: Jan 26, 2010

ACTIVITY NAME: Bar Two

FID #: 610034810

PROPERTY ADDRESS: N8669 Butler RD

DATCP #:

MUNICIPALITY: TN Foster

COMM #: 54493890569

PARCEL ID #: 012.0145.000, 012.0146.000

*WTM COORDINATES:

X: 452848 Y: 473803

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

- Approximate Center Of Contaminant Source
 Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property" form)*

Land Use Controls:

N/A (Not Applicable)

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between non-industrial and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government unit or economic
development corporation was directed to
take a response action)*

Monitoring Wells:

Are all monitoring wells properly abandoned per NR 141? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRS #:	03-10-001102	PARCEL ID #:	012.0145.000, 012.0146.000		
ACTIVITY NAME:	Bar Two	WTM COORDINATES:	X: 452848	Y: 473803	

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Continuing Obligation Cover Letter** (for property owners affected by residual contamination and/or continuing obligations)
- Conditional Closure Letter**
- Certificate of Completion (COC)** (for VPLE sites)

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

- Maps must be no larger than 11 x 17 inches unless the map is submitted electronically.
- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Vicinity Map**
 - Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Map**
 - Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 4 **Title: Area of Excavation & Residual Contamination**

BRRTS #: 03-10-001102

ACTIVITY NAME: Bar Two

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3A Title: Cross Section A - A'

Figure #: 3B Title: Cross Section B - B'

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 5A-5E Title: Groundwater Contours & Estimated Extent of Groundwater Contamination

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 5A-5E Title: Groundwater Contours & Estimated Extent of Groundwater Contamination

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 11 x 17 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1a,1b Title: Site Investigation Soil Analytical Results, Excavation Confirmation Soil Analytical Results

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2a-2m Title: Sampling Results Summary

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 3 Title: Depth to Groundwater and Groundwater Elevations

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-10-001102

ACTIVITY NAME: Bar Two

NOTIFICATIONS

Source Property

Not Applicable

Letter To Current Source Property Owner: If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

Not Applicable

Letter To "Off-Source" Property Owners: Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.

Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters: 1

Return Receipt/Signature Confirmation: Written proof of date on which confirmation was received for notifying any off-source property owner.

Deed of "Off-Source" Property: The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.

Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.

Letter To "Governmental Unit/Right-Of-Way" Owners: Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters:

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)


This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="N8643 Lakeside RD"/>	<input type="text" value="012.0142.000"/>	<input type="text" value="452779"/>	<input type="text" value="473777"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

January 26, 2010

Ms. Mary Riley
N8643 Lakeside Road
Willard, Wisconsin 54493

SUBJECT: Final Closure, Bar Two, N8669 Butler Road, Willard, WI. WDNR BRRTS Activity #03-10-001102

Dear Ms. Riley:

On September 1, 2009, the Department received the monitoring well abandonment forms for this site. Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

GIS Registry

The conditions of case closure set out below in this letter require that this site be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed.
- Groundwater contamination is present above Chapter NR 140 enforcement standards.
- Off-site groundwater contamination.

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Dewatering Permits


The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other

person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/ww/>

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715.839.3765.

Sincerely,

A handwritten signature in black ink, appearing to read "Gina Keenan", with a long horizontal flourish extending to the right.

Gina Keenan
Hydrogeologist
Remediation & Redevelopment Program

cc: Andy Delforge-REI
WCR case file



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

August 5, 2009

Ms. Mary Riley
N8643 Lakeside Road
Willard, Wisconsin 54493

SUBJECT: Conditional Closure, Bar Two, N8669 Butler Road, Willard, WI. WDNR BRRTS Activity #03-10-001102

Dear Ms. Riley:

On August 5, 2009, the West Central Region (WCR) Closure Committee reviewed your request for closure of the case described above. The WCR Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. The WCR Closure Committee has determined that the petroleum contamination on the site from the former underground storage tank appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the requirements of ch. NR 726, Wis. Adm. Code and will be closed if the following conditions are satisfied. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to my attention on Form 3300-005 found at <http://dnr.wi.gov/org/water/dwg/gw/> or provided by the Department of Natural Resources.

PURGE WATER, WASTE AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit the RR Sites Map page at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment. Please be aware that the case may be reopened pursuant to s.

NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-839-3765.

Sincerely,

A handwritten signature in black ink, appearing to read "Gina Keenan". The signature is fluid and cursive, with a large initial "G" and "K".

Gina Keenan
Hydrogeologist
Remediation & Redevelopment Program

cc: REI Consultants
WCR case file

NUMBER 482252	INDEXED TO: Register of Deeds, Clark Co., WI	RETURN TO: <i>JK</i>
Vol. 607D	<i>PT SW NE } 15-26-4W</i> <i>+ NW SE }</i>	
Page 498	Paid \$ _____ Cash <input type="checkbox"/> Chg. \$ _____ Check <input type="checkbox"/> Total \$ 10 Check <input type="checkbox"/>	

482252

WARRANTY DEED

VOL. **607** PAGE **498**

THIS DEED, made between JOHN T. MEYERS, JR.
a single person
Grantor,
and ERNIE'S ROCK DAM SALOON, INC.

RECORDED ON 07/29/99
AT 2:00 P.M. IN VOL. 607
OF RECORDS PAGE 498
CLARK COUNTY WI BY,

John T. Meyers Jr.
at 10.00 AM 7/29

Grantee,
WITNESSETH, That the said Grantor, for valuable consideration
conveys to Grantee the following described real estate in
Clark County, State of Wisconsin:

RETURN TO:
SCHUSTER-CAMPMAN
TITLE & ABSTRACT CO INC
PO Box 65
Clark Co WI 54456

Parcel 1 - Beginning at a point 520 feet West and 56 feet North of the Southeast corner of the SW 1/4 of the NE 1/4 of Section 15-26-4 West, thence South 88°51' West, 225 feet, thence North 1° 09' West, 294 feet, thence North 88°51' East, 481.30 feet to the West line of the Town Road, thence Southwesterly along the West line of the Town Road to the point of beginning, Clark County, Wisconsin; AND Parcel 2 - That part of the SW 1/4 of the NE 1/4 and the NW 1/4 of the SE 1/4 of Section 15-26-4 West, described as follows: Beginning at a point 56 feet North of the intersection of the East and West quarter line and the West boundary of Rock Dam Road, thence West and parallel with the quarter line, 125 feet, thence South 90° 218 feet to the highwater mark of Hay Creek, thence Easterly along Hay Creek to the West boundary of Rock Dam Road, thence North along Rock Dam Road to the place of beginning, Clark County, Wisconsin. Subject to a private driveway easement to provide ingress and egress to the property immediately to the West of the above described property. Said private driveway shall be where the existing driveway is now situated on the above described property.

Tax No: _____

This is not homestead property.
(is) (is not)

TRANSFER
\$ 480.00
FEE

Together with all and singular the hereditaments and appurtenances thereto belonging; warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except: Municipal and zoning ordinances, recorded easements for public utilities, recorded building and use restrictions and covenants, and general taxes levied in the year of closing.

Dated this 9th day of June, 1999.

(SEAL) *John T. Meyers, Jr.* (SEAL)
* _____
* _____
(SEAL) _____ (SEAL)
* _____

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) _____
authenticated this _____ day of _____, 19____.

STATE OF WISCONSIN)
County) ss.

Personally came before me this
9th day of June, 1999
the above named
John T. Meyers, Jr.

TITLE: MEMBER STATE BAR OF WIS.
(IF not, _____
authorized by 5706.06, Stats.)

to me known to be the person(s)
who executed the foregoing
instrument and acknowledged the
same.

THIS INSTRUMENT WAS DRAFTED BY
Attorney Randi L. Othrow

Randi L. Othrow
* *Randi L. Othrow*
Notary Public, Wisconsin
My Commission is permanent. (If
not, state expiration date: _____
9-2-2000)



State Bar No. 01002624
(Signatures may be authenticated
or acknowledged. Both are not
necessary.)

*Names of persons signing in any capacity should be typed or printed below their signatures.

WARRANTY DEED

25 X

32 X



- Layers**
- Visible Active
- Road System
 - Clark County Forest
 - County Forest
 - Access Plan Bunkers / Gates
 - Access Plan County Forest
 - Access Plan Roads / Trails
 - Lakes and Rivers
 - Forest / Rec
 - Zoning District
 - Residential / Rec
 - Zoning District
 - Public Land
 - Municipal Boundaries
 - 40 Lines
 - School Districts
 - Surrounding Counties
 - Rivers and Streams
 - Parcel Labels
 - Parcels
 - Parcel Dimensions
 - Section Boundary
 - FEMA Floodplain
 - FEMA FIRM Panels
 - Highway Right-of-Ways
 - DNR Wetlands
 - USDA Soils Data
 - 2005 Black and White 6 inch Res - City Village
 - 2010 FSA Color
 - 1m Air Photo
 - 2005 Black & White

Zoom In

July 6, 2009

Re: Bar Two
WDNR BRRTS # 03-10-001102
Commerce # 54493-8905-69


Parcel 1 "Beginning at a point 520 feet West and 56 feet North of the Southeast corner of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 15-26-4 West, thence South $88^{\circ}51'$ West, 225 feet, thence North $1^{\circ}09'$ West, 294 feet, thence North $88^{\circ}51'$ East, 481.3 feet to the West line of the Town Road, thence Southwesterly along the West line of the Town Road, thence Southwesterly along the West line of the Town Road to the point of beginning, Clark County Wisconsin; AND

Parcel 2 "That part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 15-26-4 West, described as follows: Beginning at a point 56 feet North of the intersection of the East and West Quarter line and the West boundary of Rock Dam Road, thence West and parallel with the quarter line, 125 feet, thence South $90^{\circ}218'$ feet to the highwater mark of Hay Creek, thence Easterly along Hay Creek to the West boundary of Rock Dam Road, thence North along Rock Dam Road to the place of beginning, Clark County, Wisconsin. Subject to a private driveway easement to provide ingress and egress to the property immediately to the West of the above described property. Said private driveway shall be where the existing driveway is now situated don the above described property.


I have reviewed the above referenced legal description. As Responsible Party for the Bar Two site, I hereby certify that the legal description is correct.

Mary Kuehn-Riley
Mary Kuehn-Riley

Date 7/8/09



CONTOUR INTERVAL 10 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROCK DAM LAKE, WIS.
 NE/4 FAIRCHILD 15' QUADRANGLE
 N4437.5-W9045/7.5
 1979
 DMA 2873 III NE-SERIES V861




REI Engineering, INC.

DRAWING FILE: J:\DRAFTING\4822 BAR TWO.DWG\4822 VICINITY.DWG LAYOUT: LAYOUT1 PLOTTED: JUN 23, 2009 - 10:39AM PLOTTED BY: GREGW

BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	4822	DRAWN BY:	MAH	DATE:	10/9/08
-------------	------	-----------	-----	-------	---------



REI Engineering, INC.


BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

FIGURE 2 :SITE MAP

PROJECT NO. 4822

DRAWN BY: GSW

DATE: 11/6/08




REI Engineering, INC.

BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

FIGURE 4 : AREA OF EXCAVATION & RESIDUAL CONTAMINATION

PROJECT NO.	4822	DRAWN BY:	NAP	DATE:	06/10/09
-------------	------	-----------	-----	-------	----------

DRAWING FILE: J:\DRAFTING\4822 BAR TWO.DWG\4822-X-SECTION A-A'.DWG LAYOUT: SECTION PLOTTED: JUN 23, 2009 - 10:40AM PLOTTED BY: GREW




ORIGINAL MAPPING
 PROVIDED BY AYRES
 ASSOCIATES

BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

FIGURE 3A : CROSS SECTION A-A'

PROJECT No. 4822	DRAWN BY: NAP	DATE: 06/10/09
---------------------	------------------	-------------------


DRAWING FILE: J:\DRAFTING\4822 BAR TWO.DWG\4822-X-SECTION B-B'.DWG LAYOUT: SECTION PLOTTED: JUN 23, 2009 - 10:41AM PLOTTED BY: GREW



ORIGINAL MAPPING PROVIDED BY AYRES ASSOCIATES



BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI



REI Engineering, INC.

BAR TWO
N8669 BUTLER ROAD
WILLARD, WI


FIGURE 5A : GROUNDWATER CONTOURS & ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (05/01/08)

PROJECT NO.

4822

DRAWN BY:
NAP

DATE:
12/02/08




REI Engineering, INC.

BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

FIGURE 5B : GROUNDWATER CONTOURS & ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (08/13/08)

PROJECT NO.	4822	DRAWN BY:	NAP	DATE:	12/02/08
-------------	------	-----------	-----	-------	----------



REI Engineering, INC.

BAR TWO
N8669 BUTLER ROAD
WILLARD, WI


FIGURE 5C : GROUNDWATER CONTOURS & ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (11/21/08)

PROJECT NO.

4822

DRAWN BY:
NAP

DATE:
12/02/08




REI Engineering, INC.

BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

FIGURE 5D : GROUNDWATER CONTOURS & ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (02/25/09)

PROJECT NO.	4822	DRAWN BY:	NAP	DATE:	06/11/09
-------------	------	-----------	-----	-------	----------



REI Engineering, INC.

BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

FIGURE 5E : GROUNDWATER CONTOURS & ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION (05/14/09)

PROJECT NO.

4822

DRAWN BY:
 NAP

DATE:
 06/11/09

TABLE 1a
SITE INVESTIGATION SOIL ANALYTICAL RESULTS
BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

Date-->		5/1/76	5/1/76	5/1/76	5/1/76	5/1/76	5/1/76	5/1/76	5/1/76	5/1/76	5/2/76	5/2/76	5/2/76	5/2/76	5/2/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76	10/21/76
Boring-->		B-1	B-1	B-2	B-2	B-3	B-3	B-4	B-4	B-5	B-5	B-5	B-6	B-6	B-7	B-8	B-8	B-9	B-9	B-10	B-10	B-10	B-11	B-11	B-11
Sample Depth--(Feet)-->		12.5-14.5	20-22	5-7	17.5-19.5	12.5-14.5	17.5-19.5	10-12	17.5-19.5	10-12	20-2	12.5-14.5	17.5-19.5	12.5-14.5	7.5-9.5	15-17	7.5-9.5	15-17	10-12	15-17	10-12	15-17	20-22	22.5-24.5	
Petroleum VOC's (ug/kg)	RCL	Table 1	Table 2																						
Benzene	5.5	8,500	1,100	26,000	68	1,500	570	53	890	4,700	690	3,100	510	340	240	600	3,500	1,100	<25	30	1,300	4,700	64	280	
Ethylbenzene	2,900	4,600	NS	90,000	<25	160	240	120	190	3,000	45	1,300	42	1,300	<24	190	36,000	21,000	<25	35	180	2,800	<25	<25	
Toluene	1,500	38,000	NS	296,000	46	2,000	1,400	85	1,800	11,000	690	10,000	240	3,500	200	1,800	24,000	8,100	<25	69	2,300	14,000	<25	<25	
Xylenes (Total)	4,100	42,000	NS	523,000	<50	860	1,370	590	1,120	16,400	320	7,900	330	8,000	139	1,100	265,000	14,600	<25	200	1,540	16,000	<25	40	
Methyl tert Butyl Ether	NS	NS	NS	<5000	<25	<25	<25	<25	<120	<25	<120	<25	<120	<25	<23	<2500	<120	<25	<25	<25	<250	<250	<25	<25	
1,2,4-Trimethylbenzene	NS	83,000	NS	61,000	<25	<25	98	170	<25	22,000	<25	370	<25	<25	60	69,000	2,000	<25	43	65	2,000	<25	<25		
1,3,5-Trimethylbenzene	NS	11,000	NS	227,000	<25	69	410	500	160	8,200	72	1,800	81	4,500	38	170	203,000	6,200	<25	110	220	5,900	<25	<25	
Naphthalene	NS	2,700	NS	<5000	<25	26	<25	<25	<25	<120	<25	<100	<25	<25	<25	<1200	<25	<25	<25	<25	<250	<25	<25		
1,2-Dichloroethane	NS	NS	540	<5000	<25	<25	<25	<25	<25	<120	<25	<100	<25	<25	<25	<1200	<25	<25	<25	<25	<250	<25	<25		
GRO (mg/kg)	100	NS	NS	6,510	<1	<1	4.2	7.5	4.7	129	3.0	206	2.3	81	1.9	8.3	3,500	417	<1	<1	5.4	45	<1	<1	

Date-->		5/2/76	5/2/76	5/2/76	5/2/76	5/2/76	5/2/76	5/2/76	10/21/76	10/21/76	10/22/76	10/22/76	10/22/76	10/22/76	10/22/76	10/11/76	10/11/76	7/19/01	7/19/01	7/19/01	7/19/01	7/19/01	7/19/01	7/19/01
Boring-->		PWB-1	MW-1	MW-1	MW-2	MW-2	MW-3	MW-3	MW-4	MW-4	MW-5	MW-5	MW-6	MW-6	MW-7	MW-7	HA-1	HB-1	HB-2	HB-2	HB-3	HB-4	HB-5	
Sample Depth--(Feet)-->		15-17	15-17	17.5-19.5	12.5-14.5	17.5-19.5	10-12	17.5-19.5	7.5-9.5	15-17	30-32	35-37	20-22	30-32	12.5-14.5	15-17	6-8	8-10	2-4	2-4	2-4	2-4	2-4	
Petroleum VOC's (ug/kg)	RCL	Table 1	Table 2																					
Benzene	5.5	8,500	1,100	<25	140	78	<25	3,500	40,000	4,500	<25	<25	150	250	<25	<25	<25	100	28,000	<25	14,000	<25	<25	
Ethylbenzene	2,900	4,600	NS	<25	35	73	<25	250	62,000	4,500	<25	<25	65	120	<25	<25	<25	1,900	82,000	120	63,000	<25	<25	
Toluene	1,500	38,000	NS	<25	<25	280	83	4,500	330,000	22,000	<25	<25	61	79	<25	<25	<25	2,900	220,000	180	230,000	<25	<25	
Xylenes (Total)	4,100	42,000	NS	<25	<50	390	81	1,300	349,000	28,700	<25	<25	290	379	<25	<25	<25	13,100	430,000	1,270	530,000	<25	<25	
Methyl tert Butyl Ether	NS	NS	NS	<25	<25	<25	<25	2,500	500	<25	<25	<25	<25	<25	<25	<25	<25	<25	<1900	<25	<950	<25	<25	
1,2,4-Trimethylbenzene	NS	83,000	NS	<25	<25	33	<25	38,000	2,700	<25	<25	<25	34	<25	<25	<25	<25	3,500	47,000	720	110,000	<25	<25	
1,3,5-Trimethylbenzene	NS	11,000	NS	<25	<25	140	<25	160	137,000	<500	<25	<25	62	90	<25	<25	<25	9,500	180,000	1,900	230,000	<25	<25	
Naphthalene	NS	2,700	NS	<25	<25	<25	<25	<2500	<500	<25	<25	<25	<25	<25	<25	<25	<25	1,300	33,000	610	40,000	<25	<25	
1,2-Dichloroethane	NS	NS	540	<25	<25	<25	<25	<2500	<500	<25	<25	<25	<25	<25	<25	<25	<25	<1900	<25	<950	<25	<25		
GRO (mg/kg)	100	NS	NS	<1	<1	2	1	9	2,380	17	<1	<1	<1	<1	<1	<1	<1	120	3,400	30	3,300	<1	<1	

Notes:

- RCL - NR 720 Soil Residual Contaminant Level
- Table 1 - COMM 46 Table 1 Value - Indicates Petroleum Product in Soil Pores
- Table 2 - Direct Contact Standard
- < - Concentration below listed laboratory detection limit
- RCL exceedences are shaded
- NS - No Standard
- Bold - Exceeds RCL
- Outline - Exceeds Table 1
- Italic - Exceeds Table 2

TABLE 2a
 MWI SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

			MWI											
PARAMETER	ES	PAL	Sample Date											
			11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	5/1/08	8/13/08	11/21/08	2/25/09	5/14/09
Detected VOC's (ug/L)														
Benzene	5	0.5	620	597	1,570	1,990	1,910	640	<i>3.374</i>	405	666	2,280	2,200	1,020
Ethylbenzene	700	140	8,760	3,220	1,400	9,400	5,060	4,700	13	1,090	817	1,770	1,680	1,940
Toluene	1000	200	2780	<i>897</i>	<i>379</i>	4,960	<i>744</i>	1,100	14	2930	3020	8270	9870	6490
Xylenes (Total)	10000	1000	16,370	<i>6,100</i>	<i>3,090</i>	67,400	<i>9,790</i>	6,300	761	<i>8180</i>	<i>3930</i>	<i>7860</i>	<i>7450</i>	<i>9960</i>
Trimethylbenzenes (Total)	480	96	19,660	2,282	1,896	69,800	7,100	1,960	523	6340	2090	4810	3182	6810
MTBE	60	12	149	0.298	149	<i>477</i>	<i>15</i>	<i>50</i>	436	<30.0	<30.0	199	118	234
Naphthalene	100	10	NA	NA	NA	NA	NA	NA	NA	569	386	555	505	892
1,2-Dichloroethane	5	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

<= Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2b
 MW2 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

PARAMETER	MW2																
	ES	PAL	Sample Date														
			5/14/96	11/7/96	6/4/97	7/19/01	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	8/13/08	11/21/08	2/25/09	5/14/09
Detected VOC's (ug/L)																	
Benzene	5	0.5	11,400	19,000	15,000	5,600	1,670	1,640	745	1,760	592	1,500	8,538	2,260	1,950	1,820	1,320
Ethylbenzene	700	140	2,660	2,800	2,300	2,800	5,630	3,240	1,120	5,030	269	4,700	3,768	2,620	2,170	2,000	1,480
Toluene	1000	200	25,900	36,200	31,000	30,000	1,650	1,080	260	1,740	535	1,300	11	11,100	5,550	5,270	2,790
Xylenes (Total)	10000	1000	13,580	15,360	14,000	16,300	7,780	4,990	1,494	8,910	2,196	6,300	724	11,950	8,180	8,550	5,290
Trimethylbenzenes (Total)	480	96	2,614	3,750	2,500	3,730	1,413	1,134	273	1,829	516	1,230	325	2,741	2,850	2,888	2,306
MTBE	60	12	<20	<200	<200	<20	75	12	30	24	12	10	47	<6.00	<75.0	<75.0	30.0
Naphthalene	100	10	563	1340	<800	1,000	NA	NA	NA	NA	NA	NA	NA	804	737	674	562
1,2-Dichloroethane	5	0.5	<20	<200	<200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	0.5	<1	<1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2c
 MW4 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW4														
PARAMETER	ES	PAL	Sample Date											
			11/7/96	6/4/97	5/16/04	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	5/1/08	8/13/08
Detected VOC's (ug/L)														
Benzene	5	0.5	<0.2	<0.20	0.44	0.44	0.443	0.443	0.443	0.443	0.20	0.443	<0.310	<0.310
Ethylbenzene	700	140	<0.2	<0.20	0.44	0.44	0.442	0.442	0.442	0.442	0.200	0.442	<0.500	<0.500
Toluene	1000	200	<0.2	<0.20	0.57	0.57	0.568	0.568	0.568	0.568	0.50	0.568	<0.300	<0.300
Xylenes (Total)	10000	1000	<0.6	<0.60	1.48	0.50	1.484	1.484	1.484	1.484	1.48	1.480	<0.980	<0.980
Trimethylbenzenes (Total)	480	96	<1.1	<1.1	1.25	1.25	1.248	1.248	1.248	1.248	0.40	1.248	<0.710	<0.710
MTBE	60	12	<0.2	15	0.298	0.50	0.298	0.298	0.298	0.298	0.30	0.30	<0.300	<0.300
Naphthalene	100	10	<0.8	<0.80	NA	NA	NA	NA	NA	NA	NA	NA	<0.800	<0.800
1,2-Dichloroethane	5	0.5	<0.2	<0.20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	0.5	<1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2d
MWS SAMPLING RESULTS SUMMARY
BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

MWS																
PARAMETER	ES	PAL	Sample Date													
			11/7/96	6/4/97	7/19/01	5/16/04	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	9/26/06	5/1/08	11/21/08	2/25/09	5/14/09
Detected VOC's (ug/L)																
Benzene	5	0.5	2,750	2,600	2,400	1220	758	498	304	798	554	2	638	424	401	259
Ethylbenzene	700	140	1,150	1,200	1,400	28	38	17	8.84	8.84	4.42	6.939	453	376	357	234
Toluene	1000	200	737	1,800	990	647	327	130	49	286	239	22	34.3	21.1	23.8	18.9
Xylenes (Total)	10000	1000	3,075	3,300	3,020	542	260	148.6	63.5	353.5	219.75	341	370	382.4	320	197.4
Trimethylbenzenes (Total)	480	96	8,327	1,410	1,430	220	143	59	25	161	84	147	175.2	180	140.7	83
MTBE	60	12	<20	<10	<20	11	15	4.768	5.96	5.96	2.98	178	<15.0	38.9	47.5	33.9
Naphthalene	100	10	307	360	390	NA	NA	NA	NA	NA	NA	NA	61.6	56.1	40.6	33.5
1,2-Dichloroethane	5	0.5	<20	<10	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	0.5	<1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES - Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2c
 MW6 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW6															
PARAMETER	ES	PAL	Sample Date												
			11/7/96	6/4/97	5/16/04	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	5/1/08	8/13/08	11/21/08
Detected VOC's (ug/L)															
Benzene	5	0.5	<0.2	<0.20	0.44	0.44	<i>1.155</i>	0.443	0.443	0.443	0.20	0.443	<0.310	<0.310	<0.310
Ethylbenzene	700	140	<0.2	<0.20	0.44	0.44	0.442	0.442	0.442	0.442	0.220	0.442	<0.500	<0.500	<0.500
Toluene	1000	200	<0.2	<0.20	0.57	0.57	0.568	0.568	0.568	0.568	0.50	0.568	<0.300	<0.300	<0.300
Xylenes (Total)	10000	1000	<0.6	<0.60	1.484	0.50	1.484	1.484	1.484	2.746	1.48	1.48	<0.680	<0.680	<0.680
Trimethylbenzenes (Total)	480	96	<1.1	<1.1	1.25	1.25	1.248	1.248	1.248	1.248	0.40	1.248	<0.710	<0.710	<0.710
MTBE	60	12	<0.2	11	0.298	0.50	0.298	0.298	0.298	0.298	0.30	0.30	<0.300	<0.300	<0.300
Naphthalene	100	10	<0.8	<0.80	NA	NA	NA	NA	NA	NA	NA	NA	<0.800	<0.800	<0.800
1,2-Dichloroethane	5	0.5	<0.2	<0.20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2f
 MW7 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW7															
PARAMETER	ES	PAL	Sample Date												
			11/7/96	6/4/97	5/16/04	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	5/1/08	8/13/08	11/21/08
Detected VOC's (ug/L)															
Benzene	5	0.5	<0.2	<0.20	0.44	0.44	0.443	0.443	0.443	0.443	0.20	0.443	<0.310	<0.310	<0.310
Ethylbenzene	700	140	<0.2	<0.20	0.44	0.44	0.442	0.442	0.442	0.442	0.20	0.442	<0.500	<0.500	<0.500
Toluene	1000	200	<0.2	<0.20	0.57	0.57	0.568	0.568	0.568	0.568	0.50	0.568	<0.300	<0.300	<0.300
Xylenes (Total)	10000	1000	<0.6	<0.60	1.48	1.48	1.484	1.484	1.484	1.484	0.50	1.484	<0.680	<0.680	<0.680
Trimethylbenzenes (Total)	480	96	<1.1	<1.1	1.25	1.25	1.248	1.248	1.248	1.248	0.40	1.248	<0.710	<0.710	<0.710
MTBE	60	12	<0.2	11	0.30	0.30	0.298	0.298	0.298	0.298	0.50	0.298	<0.300	<0.300	<0.300
Naphthalene	100	10	<0.8	<0.80	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	5	0.5	<0.2	<0.20	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2g
 MW8 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW8			
PARAMETER	ES	PAL	Sample Date
Detected VOC's (ug/L)			7/19/01
Benzene	5	0.5	760
Ethylbenzene	700	140	1,800
Toluene	1000	200	7,400
Xylenes (Total)	10000	1000	8,500
Trimethylbenzenes (Total)	480	96	2,090
MTBE	60	12	<280
Naphthalene	100	10	670
1,2-Dichloroethane	5	0.5	<100
Dissolved Lead (ug/L)	15	1.5	<1.4

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

<= Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2h
 MW9 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW9			
			Sample Date
PARAMETER	ES	PAL	7/19/01
Detected VOC's (ug/L)			
Benzene	5	0.5	77
Ethylbenzene	700	140	44
Toluene	1000	200	130
Xylenes (Total)	10000	1000	<i>1,270</i>
Trimethylbenzenes (Total)	480	96	<i>130</i>
MTBE	60	12	<22
Naphthalene	100	10	110
1,2-Dichloroethane	5	0.5	<8.0
Dissolved Lead (ug/L)	15	1.5	<1.4

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2i
 MW10 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

MW10											
PARAMETER	ES	PAL	Sample Date								
			7/19/01	6/23/05	12/14/05	9/26/06	5/1/08	8/13/08	11/21/08	2/5/09	5/14/09
Detected VOC's (ug/L)											
Benzene	5	0.5	1,100	160	3.43	23	196	225	Dry	Dry	Dry
Ethylbenzene	700	140	<i>420</i>	1.051	0.442	1.269	302	89.6			
Toluene	1000	200	<i>270</i>	2.28	0.568	130	193	1.77			
Xylenes (Total)	10000	1000	<i>1,880</i>	84.908	2.174	23	997	37.56			
Trimethylbenzenes (Total)	480	96	910	79	2.236	31.636	602	69.17			
MTBE	60	12	<55	0.298	0.298	2.832	<i>40.5</i>	4.08			
Naphthalene	100	10	260	NA	NA	NA	110	<i>55.3</i>			
1,2-Dichloroethane	5	0.5	<20	NA	NA	NA	NA	NA			
Dissolved Lead (ug/L)	15	1.5	<1.4	NA	NA	NA	NA	NA			

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

<= Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2j
 MW12 SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

			MW12											
PARAMETER	ES	PAL	Sample Date											
			7/19/01	5/16/04	11/20/04	6/23/05	9/28/05	12/14/05	3/29/06	6/4/06	9/26/06	5/1/08	8/13/08	11/21/08
Detected VOC's (ug/L)														
Benzene	5	0.5	<i>0.63</i>	0.44	0.44	0.443	0.443	0.443	0.443	0.20	0.443	<0.310	<0.310	<0.310
Ethylbenzene	700	140	10	0.44	1.50	0.442	0.442	0.442	0.442	0.20	0.442	<0.500	<0.500	<0.500
Toluene	1000	200	8.3	0.57	0.90	0.568	0.568	0.568	0.568	0.50	0.568	0.723	<0.300	<0.300
Xylenes (Total)	10000	1000	67	1.48	4.4	1.484	1.484	1.484	1.484	0.50	1.484	<0.680	<0.680	<0.680
Trimethylbenzenes (Total)	480	96	39.5	1.25	3.54	1.248	1.248	1.932	12.480	0.40	1.248	<0.710	<0.710	2.51
MTBE	60	12	<1.1	0.30	0.30	0.298	0.298	0.298	0.298	0.50	0.298	<0.300	<0.300	<0.300
Naphthalene	100	10	5.9	NA	NA	NA	NA	NA	NA	NA	NA	<0.800	<0.800	<0.800
1,2-Dichloroethane	5	0.5	<0.40	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	<1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

<= Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 2k
S-1 SAMPLING RESULTS SUMMARY
BAR TWO
N8669 BUTLER ROAD
WILLARD, WI

PARAMETER	S-1							
	ES	PAL	Sample Date					
			6/23/05	5/1/08	8/13/08	11/21/08	2/25/08	5/14/09
Detected VOC's (ug/L)								
Benzene	5	0.5	<i>3.155</i>	<i>1.44</i>	9.27	<0.310	<0.310	45.3
Ethylbenzene	700	140	3.867	0.57	3.11	<0.500	<0.500	23.4
Toluene	1000	200	6.479	<0.300	0.839	<0.300	<0.300	24.9
Xylenes (Total)	10000	1000	35.000	4.11	20.59	<0.980	<0.980	238.9
Trimethylbenzenes (Total)	480	96	28.353	5.27	12.8	<0.710	<0.710	<i>202.6</i>
MTBE	60	12	0.298	<0.300	2.67	<0.300	<0.300	4.86
Naphthalene	100	10	NA	1.76	5.45	<0.800	<0.800	<i>20.0</i>
1,2-Dichloroethane	5	0.5	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

TABLE 21
 BAR POTABLE WELL SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI

			BAR POTABLE								
			Sample Date								
PARAMETER	ES	PAL	7/1/96	7/19/01	6/23/05	9/28/05	3/29/06	6/4/06	9/26/06	8/13/08	5/14/09
Detected VOC's (ug/L)											
Benzene	5	0.5	<0.2	<0.40	0.27	0.50	0.27	0.27	0.15	<0.310	<0.310
Ethylbenzene	700	140	<0.2	<0.40	0.29	0.50	0.29	0.27	0.40	<0.500	<0.500
Toluene	1000	200	<0.2	<0.40	0.25	0.50	0.25	0.05	0.10	<0.300	<0.300
Xylenes (Total)	10000	1000	<0.6	<1.10	0.78	0.50	0.78	0.78	1.00	<0.980	<0.980
Trimethylbenzenes (Total)	480	96	<1.1	<0.80	0.68	0.50	0.68	0.68	0.68	<0.710	<0.710
MTBE	60	12	<0.2	<0.40	0.39	0.50	0.39	0.68	0.68	<0.300	<0.300
Naphthalene	100	10	<0.8	NA	NA	NA	NA	NA	NA	<0.800	<0.800
1,2-Dichloroethane	5	0.5	<0.2	NA	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	NA	NA	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

< = Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

**TABLE 2m
 CAMP POTABLE WELL SAMPLING RESULTS SUMMARY
 BAR TWO
 N8669 BUTLER ROAD
 WILLARD, WI**

			CAMP POTABLE						
PARAMETER	ES	PAL	Sample Date						
			6/23/05	9/28/05	3/29/06	6/4/06	9/26/06	8/13/08	5/14/09
Detected VOC's (ug/L)									
Benzene	5	0.5	0.27	0.50	0.27	0.27	0.15	<0.310	<0.310
Ethylbenzene	700	140	0.29	0.50	0.29	0.29	0.40	<0.500	<0.500
Toluene	1000	200	0.25	0.50	0.25	0.25	0.10	<0.300	<0.300
Xylenes (Total)	10000	1000	0.78	0.50	0.78	0.78	1.00	<0.980	<0.980
Trimethylbenzenes (Total)	480	96	0.68	0.50	0.68	0.68	0.68	<0.710	<0.710
MTBE	60	12	0.39	0.50	0.39	0.68	0.68	<0.300	<0.300
Naphthalene	100	10	NA	NA	NA	NA	NA	<0.800	<0.800
1,2-Dichloroethane	5	0.5	NA	NA	NA	NA	NA	NA	NA
Dissolved Lead (ug/L)	15	1.5	NA	NA	NA	NA	NA	NA	NA

ES = Enforcement Standards

PAL=Preventive Action Limit

NA=Not Analyzed

<= Concentration less than listed detection limit

Bold	Exceeds Enforcement Standard
<i>Italic</i>	Exceeds Preventive Action Limit

**TABLE 3
DEPTH TO GROUNDWATER AND GROUNDWATER ELEVATIONS
BAR TWO
N8669 BUTLER ROAD
WILLARD, WI**

	MW-1	MW-2	MW-3	MW-4	MW-5	MW6	MW7	MW8	MW9	MW10	MW11	MW12	S1
Top of Casing Elevation	100.84	99.55*	100.16	105.74	99.28	99.83	99.69	102.65	96.89	95.64		96.27	99.42
Top of Screen Elevation	88.03	90.31	91.06	96.53	69.10	76.20	93.54	92.30	90.79	76.22		90.07	97.42
Bottom of Screen Elevation	78.03	80.31	81.06	86.53	59.10	66.20	83.54	82.30	80.79	66.22		80.07	87.42
Depth to Water (feet)													
5/14/96	FP	14.76	FP	NI	NI	NI	NI	NI	NI	NI		NI	NI
11/7/96	FP	15.46	FP	16.32	30.47	26.69	8.65	NI	NI	NI		NI	NI
12/31/96	FP	15.84	FP	15.80	30.48	23.15	NM	NI	NI	NI		NI	NI
1/15/97	FP	15.78	FP	15.29	30.40	26.11	NM	NI	NI	NI		NI	NI
1/31/97	FP	16.02	FP	15.80	30.61	26.27	NM	NI	NI	NI		NI	NI
3/4/97	FP	16.37	FP	16.14	30.67	26.50	NM	NI	NI	NI		NI	NI
4/8/97	FP	14.27	FP	8.84	29.35	23.47	NM	NI	NI	NI		NI	NI
6/4/97	FP	15.45	FP	12.90	29.34	24.66	7.50	NI	NI	NI		NI	NI
6/25/97	FP	15.40	FP	14.95	29.37	24.72	7.60	NI	NI	NI		NI	NI
8/26/97	FP	15.55	FP	15.79	29.49	25.01	7.92	NI	NI	NI		NI	NI
7/19/01	FP	15.29	FP	NM	29.06	NM	NM	14.72	13.58	25.63		8.03	NI
7/26/01	14.31	12.15	FP	12.77	29.14	24.31	6.96	14.77	13.13	25.71		8.25	NI
5/16/04	13.61	14.23	Removed	12.37	29.68	25.27	7.89	Removed	Removed	27.81		5.53	Dry
11/20/04	14.31	14.88	During	13.01	30.31	25.91	8.49	During	During	28.50		6.14	Dry
5/1/08	13.57	NM*	Excavation	6.23	28.54	21.30	6.27	Excavation	Excavation	24.49		5.25	NM
8/13/08	14.43	12.39		13.59	NM	24.86	7.77			24.87		6.82	8.50
11/21/08	15.16	13.22		18.15	30.64	26.62	9.25			28.77		8.64	9.71
2/25/09	15.89	13.98		NA	31.09	NA	NA			Dry		NA	Dry
5/14/09	15.89	12.88		10.58	30.93	NA	NA			Dry		12.88	9.11
Groundwater Elevation													
5/14/96	FP	87.92	FP	NI	NI	NI	NI	NI	NI	NI		NI	NI
11/7/96	FP	87.22	FP	89.42	68.81	73.14	91.04	NI	NI	NI		NI	NI
12/31/96	FP	86.84	FP	89.94	68.80	76.68	NM	NI	NI	NI		NI	NI
1/15/97	FP	86.90	FP	90.45	68.88	73.72	NM	NI	NI	NI		NI	NI
1/31/97	FP	86.66	FP	89.94	68.67	73.56	NM	NI	NI	NI		NI	NI
3/4/97	FP	86.31	FP	89.60	68.61	73.33	NM	NI	NI	NI		NI	NI
4/8/97	FP	88.41	FP	96.90	69.93	76.36	NM	NI	NI	NI		NI	NI
6/4/97	FP	87.23	FP	92.84	69.94	75.17	92.19	NI	NI	NI		NI	NI
6/25/97	FP	87.28	FP	90.79	69.91	75.11	92.09	NI	NI	NI		NI	NI
8/26/97	FP	87.13	FP	89.95	69.79	74.82	91.77	NI	NI	NI		NI	NI
7/19/01	FP	87.39	FP	NM	70.22	NM	NM	87.93	83.31	70.01		88.24	NI
7/26/01	86.53	87.40	FP	92.97	70.14	75.52	92.73	87.88	83.76	69.93		88.02	NI
5/16/04	87.23	85.32	Removed	93.37	69.60	74.56	91.80	Removed	Removed	67.83		90.74	Dry
11/20/04	86.53	84.67	During	92.73	68.97	73.92	91.20	During	During	67.14		90.13	Dry
5/1/08	87.27	NM*	Excavation	99.51	70.74	78.53	93.42	Excavation	Excavation	71.15		91.02	NM
8/13/08	86.41	87.16		92.15	NM	74.97	91.92			70.77		89.45	90.92
11/21/08	85.68	86.33		87.59	68.64	73.21	90.44			66.87		87.63	89.71
2/25/09	84.95	85.57		NA	68.19	NA	NA			Dry		NA	Dry
5/14/09	84.95	86.67		95.16	68.35	NA	NA			Dry		83.39	90.31

Abandoned During New Tavern Construction

NM = Not Measured

NI = Not Installed

□ = Elevation above top of screen

92.08 69.31

69.10

*MW2 formerly a pro-top well damaged by snowplow. Cut off, re-surveyed and re-set as a flush mount



FILE COPY

MAILED
6-18-09

Transportation • Municipal • Site Development • GPS
Remediation • Environmental Assessments • Emergency Response • Safety

June 17, 2009

Ernie's Rock Dam Saloon, Inc.
N8669 Butler Road
Willard, WI 54493

Subject: Bar Two
WDNR BRRTS # 03-10-001102
Commerce # 54493-8905-69

To Whom It May Concern:

This letter is to inform you that the above referenced site is being submitted for closure to the Wisconsin Department of Natural Resources (WDNR). Residual soil and groundwater contamination exists on this property described as

Parcel 1 "Beginning at a point 520 feet West and 56 feet North of the Southeast corner of the SW ¼ of the NE ¼ of Section 15-26-4 West, thence South 68°51' West, 225 feet, thence North 1° 09' West, 294 feet, thence North 08°51' East, 481.3 feet to the West line of the Town Road, thence Southwesterly along the West line of the Town Road, thence Southwesterly along the West line of the Town Road to the point of beginning, Clark County Wisconsin; AND

Parcel 2 "That part of the SW ¼ of the NE ¼ and the NW ¼ of the SE ¼ of Section 15-26-4 West, described as follows: Beginning at a point 56 feet North of the intersection of the East and West Quarter line and the West boundary of Rock Dam Road, thence West and parallel with the quarter line, 125 feet, thence South 90° 218 feet to the highwater mark of Hay Creek, thence Easterly along Hay Creek to the West boundary of Rock Dam Road, thence North along Rock Dam Road to the place of beginning, Clark County, Wisconsin. Subject to a private driveway easement to provide ingress and egress to the property immediately to the West of the above described property. Said private driveway shall be where the existing driveway is now situated don the above described property.

This residual soil and groundwater contamination will be recorded with the Wisconsin Department of Natural Resources (WDNR) through a geographic information systems (GIS) listing. This letter is notification to you as owner of the above listed property, and is a requirement of the GIS process.

Ernie's Rock'Dam Saloon, Inc.
June 17, 2009

Soil and groundwater contamination appears to have originated at the subject property at N8669 Butler Road, Willard, WI. The levels of benzene, and xylenes in the soil and benzene, ethylbenzene, toluene, xylenes, trimethylbenzenes, methyl-tert-butyl-ether and naphthalene in the groundwater on the property are above the state soil Residual Contaminant Levels found in chapter NR 720 and groundwater Enforcement Standard levels found in chapter NR 140, Wisconsin Administrative Code. However, the remaining and soil and groundwater contamination does not pose a risk to human health or the environment and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at these sites will meet the requirements for case closure that are found in Chapter NR 726 and Chapter COMM 46, Wisconsin Administrative Code, and REI Engineering, Inc, (REI) will be requesting that the WDNR accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

The WDNR will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that is relevant to this closure request. You should mail that information to: *Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001.*

When this case is closed, the area where the soil contamination exceeds Chapter NR 720 soil standards and groundwater contamination exceeds Chapter NR 140 Enforcement Standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs and NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site.

Once the WDNR makes a decision on the closure request, it will be documented in a letter. When the WDNR grants closure, you may obtain a copy of this letter from REI Engineering, Inc., by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at (715) 675-9784, or *Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001, (715) 839-3765.*

Sincerely,
REI Engineering, Inc.


Andrew R. Delforge, P.G.
Hydrogeologist/Project Manager

CC: Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001
Mary Riley, N8643 Lakeside Road, Willard, WI 54493

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="N8643 Lakeside RD"/>	<input type="text" value="012.0142.000"/>	<input type="text" value="452779"/>	<input type="text" value="473777"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



FILE COPY

MAILED

6-18-09

Transportation • Municipal • Site Development • GPS
Remediation • Environmental Assessments • Emergency Response • Safety

June 17, 2009

Mary Kuehn-Riley
N8643 Lakeside Road
Willard, WI 54493

Subject: Bar Two
WDNR BRRTS # 03-10-001102
Commerce # 54493-8905-69

Dear Mary,

This letter is to inform you that the above referenced site is being submitted for closure to the Wisconsin Department of Natural Resources (WDNR). Residual groundwater contamination originating from the site has flowed off-site onto your property described as

Tax Parcel No. 012.0142.000 – “A parcel of land located in the SW 1/4 of the NE 1/4 and the NW 1/4 of the SE 1/4 of Section 15-26-4 West, described as follows: Beginning at a point 125 feet West and 56 feet North of the intersection of the East and West quarter line and the West boundary of Rock Dam Road, thence continuing West and parallel with the quarter line, 160 feet, thence South at 90 degrees 183 feet to the highwater mark of Hay Creek, thence East along Hay Creek to a point that is 125 feet West of the West boundary of the Rock Dam Road, thence North at 90 degrees, 218 feet to the point of beginning.”

And

Tax Parcel No. 012.0277.000 – “Lot 1 of Barr Estates, a subdivision located in Section 15-26-4 West.”

This groundwater contamination will be recorded with the Wisconsin Department of Natural Resources (WDNR) through a geographic information systems (GIS) listing. This letter is notification to you as owner of the above listed property, and is a requirement of the GIS process.

Groundwater contamination appears to have originated at the subject property at N8669 Butler Road, Willard, WI. The levels of benzene in the groundwater on the property are above the groundwater Enforcement Standard levels found in chapter NR 140, Wisconsin Administrative Code. However, the remaining groundwater contamination does not pose a risk to human health or the environment and will naturally degrade over time. Allowing natural attenuation to complete the cleanup at these sites will meet the requirements for case closure that are found in

Mary Keenan-Riley
June 17, 2009

Chapter NR 726 and Chapter COMM 46, Wisconsin Administrative Code, and REI Engineering, Inc. (REI) will be requesting that the WDNR accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.


The WDNR will not review the closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the WDNR to provide any technical information that is relevant to this closure request. You should mail that information to: *Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001.*

When this case is closed, the area where the soil contamination exceeds Chapter NR 720 soil standards and groundwater contamination exceeds Chapter NR 140 Enforcement Standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil and groundwater contamination above chapter NR 720 RCLs and NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site.

Once the WDNR makes a decision on the closure request, it will be documented in a letter. When the WDNR grants closure, you may obtain a copy of this letter from REI Engineering, Inc., by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at (715) 675-9784, or *Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001, (715) 839-3765.*

Sincerely,
REI Engineering, Inc.



Andrew R. Delforge, P.G.
Hydrogeologist/Project Manager

CC: Gina Keenan, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001

518183

TERMINATION OF DECEDENT'S
PROPERTY INTEREST

Use black ink

DECEDENT'S NAME

Melvin K. Kuehn

ADDRESS OF DECEDENT AT DATE OF DEATH

N8685 County Hwy. G

CITY

Willard

STATE

WI

ZIP

54493

DATE OF DEATH

April 15, 2003

SOCIAL SECURITY NUMBER

392-36-0727

PRESENTATION OF DEATH CERTIFICATE *WOOD CO*

I certify that I have viewed a certified copy of the decedent's death certificate.

Lois Hagdorn

7-24-03

REGISTER OF DEED'S SIGNATURE

DATE

RECORDED ON 7/24/03 ^{KLB}

AT 9:30 A.M. IN VOL. 712

OF RECORDS PAGE 524

CLARK COUNTY WI BY

Lois Hagdorn

CT 18216 Ad # 25
Recording area Ad # 25

Name and return address:
Sautebin Law Office
P.O. Box 67
Greenwood, WI 54437

Interest in property is terminated under (please check appropriate statute):

s. 867.045 which pertains to property in which the decedent was a joint tenant,* had a vendors or mortgagee's interest, or had a life estate. *(You must provide a copy of the document establishing joint tenancy or life estate.)

s. 867.046 which pertains to (1) property of a decedent specified in a marital property agreement, and also to (2) survivorship marital property. (You must provide a copy of the document establishing survivorship marital property.)

(See Attached)

PARCEL IDENTIFICATION NUMBER

Presentation of recorded document establishing joint tenancy, life estate, survivorship marital property, vendor interest, or mortgagee interest in real estate.

This document number is (See Attached), volume _____, page _____ of (check one) Records _____ Deeds _____

This document number is _____, volume _____, page _____ of (check one) Records _____ Deeds _____

Description of the real estate.

Include only the extent of ownership (or vendor or mortgagee's interest) in land at the time of the decedent's death. If the extent of land is exactly the same as on the document, a copy of that document may be attached to describe the real estate. Attach tax bill(s) for year immediately preceding death, if applicable. (See directions.) The legal description of the property and the persons receiving the property are as follows: (if more space is needed, attach pages.) See Attached.

Description of personal property (if any) being transferred.

You may list savings accounts, checking accounts and securities on attached pages. Indicate person(s) receiving property.

DECLARATION: I (We) declare that this document is, to the best of my (our) knowledge and belief, true, correct and complete and is in conformity with the provisions and limitations of the Wisconsin Statutes. (if more space is needed, attach pages.)

Name and address of Person(s) Receiving Property	Relationship to Decedent	Signature (Notarized)	Date
Mary A. Kuehn N8685 County Hwy. G Willard, WI 54493	Spouse	<i>Mary A. Kuehn</i>	7/16/03

This document was drafted by:
(print or type name below)

Attorney Bruce L. Sautebin
Greenwood, WI 54437

STATE OF WISCONSIN, County of Clark

Subscribed and sworn to before me on 7/16/2003 by the above named person(s).

Signature of notary or other person authorized to administer an oath (as per s. 706.06, 706.07)

Print or type name: Bruce L. Sautebin

Title: Notary Public

Date commission expires: Is Permanent

NOTE: SEE DIRECTIONS.
Wisconsin Register of Deeds
Association Form HT-110
Version 1/2001

Termination - Melvin K. Kuehn

Volume 629 Records, Page 326, Document No. 490911

Lots 9 to 11, Block 1, Original Plat of the Unincorporated
Village of Willard, Clark County, WI.

Tax Parcel No. 020.0770.000

Volume 484 Records, Page 525, Document No. 429645

A parcel of land located in the SW 1/4 of the NE 1/4 and the
NW 1/4 of the SE 1/4 of Section 15-26-4 West, described as follows:
Beginning at a point 125 feet West and 56 feet North of the
intersection of the East and West quarter line and the West
boundary of the Rock Dam Road, thence continuing West and
parallel with the quarter line, 160 feet, thence South at 90 degrees,
183 feet to the highwater mark of Hay Creek, thence East along Hay
Creek to a point that is 125 feet West of the West Boundary of the
Rock Dam Road, thence North at 90 degrees, 218 feet to the point
of beginning.

Tax Parcel No. 012.0142.000

Lot 1 of Barr Estates, a subdivision located in Section 15-26-4
West.

Tax Parcel No. 012.0277.000

Volume 536 Records, Page 299, Document No. 451857

NW 1/4 of the SW 1/4 of Section 7-26-3 West.

Tax Parcel No. 020.0137.000