GIS REGISTRY INFORMATION

SITE NAME:	Northland Cranberries-Associates Div		
BRRTS #:	03-27-000669	**FID #** (if appropriate):	
COMMERCE # (if appropriate):	54666-9801-62		
CLOSURE DATE:	11/15/04		
STREET ADDRESS:	N3595 Bennett Pl		
CITY:	Warrens		

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	**X =**	489793	**Y =**	413972		
CONTAMINATED MEDIA:	Groundwater	X	Soil		Both	
OFF-SOURCE GW CONTAMINATION >ES:		**Yes**			**No**	X
• **IF YES, STREET ADDRESS:**						
• **GPS COORDINATES** (meters in WTM91 projection):	**X =**		**Y =**			
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):		**Yes**		**No**	X	
• **IF YES, STREET ADDRESS 1:**						
• **GPS COORDINATES** (meters in WTM91 projection):	**X =**		**Y =**			
CONTAMINATION IN RIGHT OF WAY:		**Yes**		**No**	X	

DOCUMENTS NEEDED

Closure Letter, and any conditional closure letter issued	X
Copy of most recent deed, including legal description, for all affected properties	X
Certified survey map or relevant portion of the recorded plat map (*if referenced in the legal description*) for all affected properties	
County Parcel ID number, *if used for county*, for all affected properties	X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.	X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.	X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	
Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. **If not available, include the latest extent of contaminant plume map.**	X
GW: Table of water level elevations, with sampling dates, and free product noted if present	X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	
Geologic cross-sections, *if required for SI.* (8.5x14' if paper copy)	X
RP certified statement that legal descriptions are complete and accurate	X
Copies of off-source notification letters (if applicable)	
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)	
Copy of (soil or land use) deed restriction(s) or deed notice *if any required as a condition of closure*	

commerce.wi.gov
Wisconsin
Department of Commerce

ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
Jim Doyle, Governor
Cory L. Nettles, Secretary

November 15, 2004

Allen Oleary
Northland Cranberries Inc
800 1st Ave S
PO Box 8020
Wisconsin Rapids, WI 54495-8020

RE: **Final Closure**

Commerce # 54666-9801-62 WDNR BRRTS # 03-27-000669
Northland Cranberries-Associates Div, N3595 Bennett Pl, Warrens

Dear Mr. Oleary:

The Wisconsin Department of Commerce (Commerce) appreciates the additional abandonment documentation that you submitted on September 17, 2004. Please excuse the delay in reviewing the additional data. Commerce has now received the required information indicated in the June 12, 2004 Conditional Case Closure document. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address the residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 264-8766.

Sincerely,

David Swimm
Hydrogeologist
Site Review Section

cc: Charles Gibbons, Lambert-Lee, 10968 Hwy 54 E., Wisconsin Rapids, WI 54494

File Ref: G:\Electronic Mailbox\546\54666\980162\111504_CloseFinal.doc

commerce.wi.gov
Wisconsin
Department of Commerce

ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
Jim Doyle, Governor
Cory L. Nettles, Secretary

June 16, 2004

Allen Oleary
Northland Cranberries Inc
800 1st Ave S
PO Box 8020
Wisconsin Rapids, WI 54495-8020

RE: **Conditional Case Closure**

Commerce # 54666-9801-62 WDNR BRRTS # 03-27-000669
Northland Cranberries-Associates Div, N3595 Bennett Pl, Warrens

Dear Mr. Oleary:

The Wisconsin Department of Commerce (Commerce) has reviewed the additional closure-related information that was submitted by you on June 9, 2004. Commerce appreciates the prompt reply. The additional information complements the data provided in the closure request that was submitted by you and your consultant, Lambert-Lee & Associates, on March 23, 2004. It is understood that residual groundwater contamination remains on-site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following conditions must be satisfied to obtain final closure:

Provide appropriate well abandonment documentation for the monitoring wells at MW-1 through MW-10

This letter serves as your written notice of "no further action". Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement. Costs associated with recording deed notices or other restrictions are not eligible for PECFA reimbursement, and the recording of these notices should not delay the claim submittal process.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 264-8766.

Sincerely,

David Swimm
Hydrogeologist, Site Review Section

cc: Charles Gibbons, Lambert-Lee, 10968 Hwy 54, Wisconsin Rapids, WI 54494

File Ref: G:\Electronic Mailbox\546\54666\980162\061604_ Cond_Close.doc

DOCUMENT NO.

241171

STATE BAR OF WISCONSIN FORM 4 — 1982
GUARDIAN'S DEED

THIS SPACE RESERVED FOR RECORDING DATA

RECEIVED FOR RECORD
Office of Register of Deeds
at 2:30 PM
LYLE V. LARSON, REG.
JACKSON COUNTY, WI
Vol 287 Page 332

AUG 28 1987

RETURN TO Ann E. Reinke
Foley & Lardner Goet
777 East Wisconsin Avenu
Milwaukee, WI 53202

Rolando R. Buan and Alice M. Buan

Douglas Buan and Jennifer Buan, as Guardians of

for a valuable consideration conveys, without warranty, to Northland Cranberries, Inc., a Wisconsin Corporation, Grantee, the following described real estate in Jackson County, State of Wisconsin:

Tax Parcel No:

An eight (8%) per cent interest in and to the real estate described on the attached schedule.

Vol 287 Pg 332

This Deed is given in fulfillment of a land contract dated October 31, 1983, and recorded November 1, 1983, at Vol. 264 of Records, page 375, which land contract was later assigned at Vol. 269 of Records, page 99, all in the office of the Register of Deeds for Jackson County, Wisconsin.

TRANSFER
$ 23.30
FEE

Authority of Guardian: Order to Convey dated August 18, 1987, signed by the Monroe County Circuit Court.

This is not (is) (is not) homestead property.

Dated this 20th day of August, 19 87

Rolando R. Buan (SEAL)
• Rolando R. Buan
Guardian

Alice M. Buan (SEAL)
• Alice M. Buan
Guardian

AUTHENTICATION

Signature(s) Rolando R. Buan and Alice M. Buan
authenticated this 20th day of August, 19 87

• Jay S. Carmichael
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Jay S. Carmichael
CARMICHAEL & MUBARAK, S.C.
Tomah, WI 54660
(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN } ss.
County.
Personally came before me this day of, 19 the above named
to me known to be the person who executed the foregoing instrument and acknowledge the same.

•
Notary Public County, Wis.
My Commission is permanent. (If not, state expiration date: , 19)

•Names of persons signing in any capacity should be typed or printed below their signatures.

Vol 287 page 332 A

EXHIBIT A MASTER DESCRIPTION-MARIPOSA/CRANBERRY ASSOCIATES

The Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4);
The Southwest Quarter of the Southwest Quarter (SW 1/4 SW 1/4);
The Southeast Quarter of the Southwest Quarter (SE 1/4 SW 1/4);
all in Section 4;

Government Lot One (1);
Government Lot Eight (8);
The East One-Half of the Southeast Quarter (E 1/2 of SE 1/4);
all in Section 5;

The East One-Half of the Northeast Quarter (E 1/2 of NE 1/4);
The Northwest Quarter of the Northeast Quarter (NW 1/4 NE 1/4);
The Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4);
The Southeast Quarter of the Southwest Quarter (SE 1/4 SW 1/4);
The East One-Half of the Southeast Quarter (E 1/2 of SE 1/4);
The Southwest Quarter of the Southeast Quarter (SW 1/4 SE 1/4);
all in Section 7;

The East One-Half of the Northeast Quarter (E 1/2 of NE 1/4);
The East One-Half of the Northwest Quarter (E 1/2 of NW 1/4);
The Northwest Quarter of the Northwest Quarter (NW 1/4 NW 1/4);
The Southwest Quarter (SW 1/4);
The Southeast Quarter (SE 1/4);
An undivided 1/2 interest in the West One-Half of the Northeast Quarter (W 1/2 of NE 1/4);
all in Section 8;

The Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4);
The East One-Half of the Northwest Quarter (E 1/2 of NW 1/4);
The Southwest Quarter (SW 1/4);
The Northwest Quarter of the Southeast Quarter (NW 1/4 SE 1/4);
The South One-Half of the Southeast Quarter (S 1/2 of SE 1/4);
all in Section 9;

The West One-Half of the Southwest Quarter (W 1/2 of SW 1/4) in Section 10;

The Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4);
The Northeast Quarter of the Southwest Quarter (NE 1/4 SW 1/4);
The West One-Half of the Southwest Quarter (W 1/2 of SW 1/4); all in Section 14;

All of Section 15;

All of Section 16 except the West One-Half of the Southwest Quarter of the Southwest Quarter (W 1/2 of SW 1/4 of SW 1/4);

The North One-Half of the Northeast Quarter (N 1/2 of NE 1/4);
The Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4);
The Northeast Quarter of the Northwest Quarter (NE 1/4 NW 1/4);
all in Section 17;

The North One-Half of the Northeast Quarter (N 1/2 of NE 1/4);
The Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4);
That part of the Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4) lying East of County Trunk Highway "HH" as now used and located,

Vol 287 page 332B

EXHIBIT A (CONTINUED) MASTER DESCRIPTION-MARIPOSA/CRANBERRY ASSOCIATES

excepting the following described real estate: A part of the South One-Half of the Northeast Quarter (S 1/2 of NE 1/4) of Section 21, Township 20 North, Range 1 East, Jackson County, Wisconsin, more particularly described as follows: Commencing at the Northwest corner of the Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4), thence S2°15'E 320 feet along the West line of said Southeast Quarter of Northeast Quarter (SE 1/4 NE 1/4) to the point of beginning; thence easterly parallel to the North line of said forty 366 feet; thence Southerly 417 feet, thence West parallel to the first course 624 feet, thence Northerly 417 feet; thence Easterly 258 feet to the point of beginning;

The Northeast Quarter of the Northwest Quarter (NE 1/4 NW 1/4) except that part lying West of the old abandoned railroad bed; all in Section 21;

That part of the Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4) and the Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4), Section 22, described as follows: Commencing at the Southwest corner of the Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4) thence South 208.7 feet, thence East 208.7 feet, thence North parallel to the West line 834.8 feet, thence West 208.7 feet, thence South 626.1 feet to the point of beginning, all in Section 22

ALL OF THE PREVIOUSLY DESCRIBED REAL ESTATE IS LOCATED IN TOWNSHIP 20 NORTH, RANGE 1 EAST, TOWN OF BEAR BLUFF, JACKSON COUNTY, WISCONSIN.

TOGETHER WITH ALL FLOWAGE AND DRAINAGE RIGHTS OF RECORD.

EXCEPTING THEREFROM ALL LANDS USED OR DEEDED FOR HIGHWAY PURPOSES.

BEAR BLUFF (S)

T.20N. - R.1E.



• POTABLE WELLS

CRANBERRY ASSOCIATES WEST DIVISION
LEGAL DESCRIPTION

The Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4);
The Southwest Quarter of the Southwest Quarter (SW 1/4 SW 1/4);
The Southeast Quarter of the Southwest Quarter (SE 1/4 SW 1/4);
all in Section 4;

Government Lot One (1);
Government Lot Eight (8);
The East One-Half of the Southeast Quarter (E 1/2 of SE 1/4);
all in Section 5;

The East One-Half of the Northeast Quarter (E 1/2 of NE 1/4);
The Northwest Quarter of the Northeast Quarter (NW 1/4 NE 1/4);
The Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4);
The Southeast Quarter of the Southwest Quarter (SE 1/4 SW 1/4);
The East One-Half of the Southeast Quarter (E 1/2 of SE 1/4);
The Southwest Quarter of the Southeast Quarter (SW 1/4 SE 1/4);
all in Section 7;

The East One-Half of the Northeast Quarter (E 1/2 of NE 1/4);
The East One-Half of the Northwest Quarter (E 1/2 of NW 1/4);
The Northwest Quarter of the Northwest Quarter (NW 1/4 NW 1/4);
The Southwest Quarter (SW 1/4);
The Southeast Quarter (SE 1/4);
all in Section 8;

The Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4);
The East One-Half of the Northwest Quarter (E 1/2 of NW 1/4);
The Southwest Quarter (SW 1/4);
The Northwest Quarter of the Southeast Quarter (NW 1/4 SE 1/4);
The South One-Half of the Southeast Quarter (S 1/2 of SE 1/4);
all in Section 9;

The West One-Half of the Southwest Quarter (W 1/2 of SW 1/4) in Section 10;

The Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4);
The Northeast Quarter of the Southwest Quarter (NE 1/4 SW 1/4);
The West One-Half of the Southwest Quarter (W 1/2 of SW 1/4);
all in Section 14;

All of Section 15;

All of Section 16 except the West One-Half of the Southwest Quarter of the Southwest Quarter (W 1/2 of SW 1/4 of SW 1/4);

The North One-Half of the Northeast Quarter (N 1/2 of NE 1/4);
The Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4);
The Northeast Quarter of the Northwest Quarter (NE 1/4 NW 1/4);
all in Section 17;

The North One-Half of the Northeast Quarter (N 1/2 of NE 1/4);
The Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4);
That part of the Southwest Quarter of the Northeast Quarter (SW 1/4 NE 1/4) lying East of County Trunk Highway "HH" as now used and located;

Excepting the following described real estate: A part of the South One-Half of the Northeast Quarter (S 1/2 of NE 1/4) of Section 21, Township 20 North, Range 1 East, Jackson County, Wisconsin, more particularly described as follows: Commencing at the Northwest corner of the Southeast Quarter of the Northeast Quarter (SE 1/4 NE 1/4), thence S2°15'E 320 feet along the West line of said Southeast Quarter of Northeast Quarter (SE 1/4 NE 1/4) to the point of beginning; thence easterly parallel to the North line of said forty 366 feet; thence Southerly 417 feet, thence West parallel to the first course 624 feet, thence Northerly 417 feet; thence Easterly 258 feet to the point of beginning; the Northeast Quarter of the Northwest Quarter (NE 1/4 NW 1/4) except that part lying West of the old abandoned railroad bed;
all in Section 21;

That part of the Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4) and the Northwest Quarter of the Southwest Quarter (NW 1/4 SW 1/4), Section 22, described as follows: Commencing at the Southwest corner of the Southwest Quarter of the Northwest Quarter (SW 1/4 NW 1/4) thence South 208.7 feet, thence East 208.7 feet, thence North parallel to the West line 834.8 feet, thence West 208.7 feet, thence South 626.1 feet to the point of beginning, all in Section 22.

ALL OF THE PREVIOUSLY DESCRIBED REAL ESTATE IS LOCATED IN TOWNSHIP 20 NORTH, RANGE 1 EAST, TOWN OF BEAR BLUFF, JACKSON COUNTY, WISCONSIN.

TOGETHER WITH ALL FLOWAGE AND DRAINAGE RIGHTS OF RECORD.

EXCEPTING THEREFROM ALL LANDS USED OR DEEDED FOR HIGHWAY PURPOSES.

CRANBERRY ASSOCIATES EAST DIVISION
LEGAL DESCRIPTION

JACKSON COUNTY

Parcel 1:

An undivided one-half interest in and to the West One-half of the Northeast Quarter (W 1/2 - NE 1/4) of Section Eight;

Southeast Quarter of the Northwest Quarter (SE 1/4 - NW 1/4) of Section Seventeen;

Southeast Quarter of the Southeast Quarter (SE 1/4 - SE 1/4) of Section Twenty-one;

North One-half of the Northwest Quarter (N 1/2 - NW 1/4), Southeast Quarter of the Northwest Quarter (SE 1/4 - NW 1/4), Northeast Quarter (NE 1/4), North One-half of the Southeast Quarter (N 1/2 - SE 1/4), Northeast Quarter of the Southwest Quarter (NE 1/4 - SW 1/4), South One-half of the South One-half of the Southwest Quarter (S 1/2 - S 1/2 - SW 1/4) all in Section Twenty-two;

West twenty-six acres of the Northwest Quarter of the Northwest Quarter (NW 1/4 - NW 1/4), West twenty-six acres of the Southwest Quarter of the Northwest Quarter (SW 1/4 - NW 1/4); West twenty-six acres of the Northwest Quarter of the Southwest Quarter (NW 1/4 - SW 1/4) of Section Twenty-three;

North One-half of the Northwest Quarter (N 1/2 - NW 1/4) of Section Twenty-seven; ALL in Township Twenty North, Range One East.

Parcel 2:

Together with easements for ingress and egress covering two existing private roadways, the center lines of which are approximately described as follows:
Section No. 1 - A strip of land 40 feet wide on which is located the existing private road across the N 1/2 - S 1/2 - SW 1/4 of Section 22, Township 20 North, Range 1 East, Town of Bear Bluff, described as follows: Beginning at an iron stake on the south line of the aforesaid tract of land approximately 715 feet west from the SE corner thereof; thence northeasterly approximately 574 feet to an iron stake marking an angle point; thence northerly approximately 298 feet to an iron stake on the north line of said tract about 174 feet west from the NE corner thereof.

Section No. 2 - Beginning at a point on the south 1/16 line approximately 165 feet west from the SE corner of the NE 1/4 - SW 1/4 of the aforesaid Section 22, and in the center of the existing private road; thence easterly along the existing private road, most of which is on a cranberry marsh dike to a bend of the dike northwards which is about 810 feet west of the SE corner of the NE 1/4 - SW 1/4 of the said Section 22, and there terminating. The easement on the section applies only to that portion of the road lying south of the 1/16 line.

ALL OF THE PREVIOUSLY DESCRIBED REAL ESTATE IS LOCATED IN TOWNSHIP 20 NORTH, RANGE 1 EAST, TOWN OF BEAR BLUFF, JACKSON COUNTY, WISCONSIN.

TOGETHER WITH ALL FLOWAGE AND DRAINAGE RIGHTS OF RECORD.

EXCEPTING THEREFROM ALL LANDS USED OR DEEDED FOR HIGHWAY PURPOSES.

STATE OF WISCONSIN
REAL ESTATE PROPERTY TAX BILL FOR 2001
TOWN OF BEAR BLUFF
JACKSON

BILL NUMBER: 24395

IMPORTANT: Correspondence should refer to parcel number.
See reverse side for important information.
Be sure this description covers your property. This description is for property tax bill only and may not be a full legal description.

264/375

SEC. 21, T 20 N, R 01 E ACRES: 40.000
PLAT: N/A-NOT AVAILABLE
BLOCK/CONDO: LOT
NW NE EXC RD R/W VOL2 287 PG2 323

NORTHLAND CRANBERRIES IN
P O BOX 8020
WISC RAPIDS WI 54494

Parcel #: 008/008-0339.0000
Alt. Parcel #:

Assessed Value Land	Ass'd. Value Improvements	Total Assessed Value	Ave. Assmt. Ratio	Net Assessed Value Rate (Does NOT reflect Lottery Credit)	
10,500	3,900	14,400	0.4971		0.03747823
Est. Fair Mkt. Land	Est. Fair Mkt. Improvements	Total Est. Fair Mkt.	A star in this box means unpaid prior year taxes.	School taxes reduced by school levy tax credit	$37.93

Taxing Jurisdiction	2000 Est. State Aids Allocated Tax Dist.	2001 Est. State Aids Allocated Tax Dist.	2000 Net Tax	2001 Net Tax	% Tax Change
STATE OF WISCONSIN				5.79	
JACKSON COUNTY		53,325		233.20	
LOCAL		77,811		28.80	
TOMAH SD 5747		558,531		202.20	
VOC DIST-LA CROSSE		22,685		69.69	
TOTAL OF ALL GPT, PFC, WTL,			312.76		
Total		712,352	312.76	539.68	72.6%
	Lottery & Gaming Credit				
	Net Property Tax		312.76	539.68	72.6%

Make Check Payable to:
DEBORAH STROZEWSKI
TREASURER
N2992 STROZEWSKI PLACE
WARRENS WI 54666

And Second Installment Payment Payable To
CAROL BUE
JACKSON COUNTY TREASURER
307 MAIN ST
BLACK RIVER FALLS WI 54615

Full Payment Due On or Before January 31, 2002
$539.68

First Installment Due On or Before January 31, 2002
$269.84

Second Installment Due On or Before July 31, 2002
$269.84

Net Property Tax 539.68

To receive receipt, enclose a self-addressed stamped envelope with payment stub.

PLEASE RETURN LOWER PORTION WITH REMITTANCE
- PLEASE READ REVERSE SIDE -

FOR TREASURERS USE ONLY
PAYMENT
BALANCE
DATE

TOTAL DUE FOR FULL PAYMENT
Pay By January 31, 2002
▶ $ 539.68
Warning: If not paid by due dates, installment option is lost and total tax is delinquent subject to interest and if applicable, penalty. (See Reverse)

DEBORAH STROZEWSKI
TREASURER
N2992 STROZEWSKI PLACE
WARRENS WI 54666

REAL ESTATE PROPERTY TAX BILL FOR 2001
Bill #: 24395
Parcel #: 008/008-0339.0000
Alt. Parcel #:

Total Due For Full Payment $539.68
Pay to Local Treasurer By Jan 31, 2002

OR PAY INSTALLMENTS OF:

1ST INSTALLMENT	2ND INSTALLMENT
Pay to Local Treasurer	Pay to County Treasurer
$269.84	$269.84
BY January 31, 2002	BY July 31, 2002

☐ Check For Billing Address Change.

NORTHLAND CRANBERRIES IN
P O BOX 8020
WISC RAPIDS WI 54494

FOR TREASURERS USE ONLY
PAYMENT
BALANCE
DATE

LLA # 93169





SITE LOCATION MAP:

NORTHLAND CRANBERRIES, INC.

ASSOCIATES DIVISION

QUADRANGLE LOCATION

Lampert Lee



B.W.F.–Nov 06, 1996, 14:57:29

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
MONITORING WELL / SOIL BORING SITE MAP

DATE:	NOVEMBER 6, 1996
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	B. FEE
DWG. NO.	A-7384-A

POTABLE WELL LOCATION MAP



Farmhouse / Maintenance
Shop Well

S.10° E. 231 feet
from MW-1

Cabin Well

S.68°W. 134 feet
From MW-1

WATER SAMPLING RESULTS
MONITORING WELL NO.1
NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/01/93	09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
GRO(Gasoline Range Organics)	-	-	22.6	2.8	12	13	- -	0.086	N/D	<2.9>	<0.026>	8.6
DRO(Diesel Range Organics	-	-	0.15	6.5	5.5	4.4	- -	0.47	0.34	9.3	0.26	7.2
Lead	0.015	0.0015						**0.028**	**0.026**	**0.2**	N/A	**0.17**
VOLATILE ORGANIC COMPOUNDS												
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<80	<30	**8**	<16	**36.9**	N/D	N/D	N/D	N/D	N/D
Bromocholoromethane	-	-	- -	<40	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromodichloromethane	179	36	- -	<15	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromoform	4.4	0.44	- -	**280**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromobenzene	-	-	- -	<60	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromomethane	-	-	- -	<75	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
n-Butylbenzene	-	-	- -	<30	- -	- -	- -	N/D	N/D	31	N/D	66
tert-Butylbenzene	-	-	- -	<20	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
sec-Butylbenzene	-	-	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Methyl-t-Butyl ether	60	12	<100	<50	<5.0	<14	<100	N/D	N/D	N/D	N/D	N/D
Methylene Chloride	150	15	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Carbon Tetrachloride	5	0.5	- -	<40	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloroethane	400	80	- -	<160	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloromethane	-	-	- -	<160	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
4-Chlorotoluene (p)	-	-	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
2-Chlorotoluene (o)	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chlorobenzene	-	-	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloroform	6	0.6	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dibromochloromethane	215	43	- -	<50	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	- -	<65	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dibromomethane	0.05	0.005	- -	<60	- -	- -	- -	N/D	N/D	N/D	<0.50>	N/D
Dichlorodifluoromethane	1000	200	- -	<260	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,4-Dichlorobenzene	75	15	- -	<45	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichlorobenzene	600	60	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,3-Dichlorobenzene	1250	125	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,3-Dichloropropane	-	-	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichloropropane	5	0.5	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
2,2-Dichloropropane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloroethane	850	85	- -	<75	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloropropene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichloroethane	5	0.5	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
cis-1,3-Dichloropropene	-	-	- -	<55	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
trans-1,3-Dichloropropene	-	-	- -	<80	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
cis-1,2-Dichloroethene	70	7	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloroethene	7	0.7	- -	<55	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
trans-1,2-Dichloroethene	100	20	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dichloromethane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Ethylbenzene	700	140	**631**	**280**	**420**	**340**	**1150**	0.53	N/D	69	<0.24>	**320**
Ethylene Dibromide (EDB)	-	-	- -	<70	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Hexachlorobutadiene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
p-Isopropyltoluene	-	-	- -	44	- -	- -	- -	N/D	N/D	N/D	N/D	170
Isopropylbenzene	-	-	- -	80	- -	- -	- -	N/D	N/D	N/D	N/D	<20>
Isopropyl Ether	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Naphthalene	40	8	- -	<40	- -	- -	**397**	1	N/D	**24**	N/D	**91**
n-Propylbenzene	-	-	- -	<65	- -	- -	- -	N/D	N/D	<8.5>	N/D	<26>
1,1,2,2-Tetrachloroethane	-	-	- -	240	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,1,2-Tetrachloroethane	-	-	- -	<140	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Tetrachloroethene	5	0.5	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Trichlorofluoromethane	-	-	- -	<145	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,3-Trichlorobenzene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,4-Trichlorobenzene	-	-	- -	<125	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,1-Trichloroethane	200	40	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Trichloroethene	5	0.5	- -	<180	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,2-Trichloroethane	0.6	0.06	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,3-Trichloropropane	-	-	- -	<110	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**404**	**220**	**270**	**320**	**333**	1.5	N/D	48	N/D	**120**
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**734**	**1150**	**810**	**920**	**1300**	3.3	N/D	**110**	<0.53>	**330**
Toluene	1000	68.6	**5400**	**1900**	**970**	**660**	**6480**	0.92	N/D	**480**	<0.25>	**1900**
Vinyl chloride	0.2	200	- -	<330	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
m&p-Xylene	620 (1)	124 (1)	**3400**	**4420**	**2800**	**2300**	**5630**	4.1	N/D	**410**	<0.74>	**2000**
o-Xylene/Styrene	10000	1000	**2050**	**2300**	**1600**	[illegible]	[illegible]	[illegible]				

WATER SAMPLING RESULTS

MONITORING WELL NO. 1

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventative Action Limit	SAMPLE DATE								
			10/04/99	04/05/00	07/05/00	04/04/01	11/07/01	5/15/02	10/1/02	4/29/03	10/15/03
			(mg/l)	(mg/l)						(mg/l)	(mg/l)
GRO (Gasolene Range Organics)			16	0.0878							
DRO (Diesel Range Organics)			10	1.69							
Lead	0.015	0.0015	0.12	0.629						0.0804	0.116
VOLITILE ORGANIC COMPOUNDS			(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	N/D	<0.15	<1.50	<37.5	27.3	<15.5	<31.0	<6.20	<62.0
Bromocholoromethane	-	-	N/D	- -	- -	<37.5		<9.5			
Bromodichloromethane	179	36	N/D	<0.13	<1.30	<32.5		<41.5			
Bromoform	4.4	0.44	N/D	- -	- -	<27.5		<35.5			
Bromobenzene	-	-	N/D	<0.15	<1.50	<37.5		<20.5			
Bromomethane	-	-	N/D	- -	- -	<37.5		<28.5			
n-Butylbenzene	-	-	N/D	<0.15	<1.50	<37.5		<18.0			
tert-Butylbenzene	-	-	N/D	<0.15	<1.50	<37.5		<15.5			
sec-Butylbenzene	-	-	N/D	0.598	5.42	<37.5		,16.5			
Methyl-t-Butyl ether	60	12	N/D	<0.3	<3.00	<75.0	<6.0	<15.0	<30.0	<6.00	,60.0
Methylene Chloride	150	15	N/D	<0.39	<3.90	<97.5		<25.5			
Carbon Tetrachloride	5	0.5	N/D	<0.15	<1.50	<37.5		<29.5			
Chloroethane	400	80	N/D	<0.15	<1.50	<37.5		<22.0			
Chloromethane	-	-	N/D	<0.15	<1.50	<37.5		<14.5			
4-Chlorotoluene (p)	-	-	N/D	<0.15	<1.50	<37.5		<15.0			
2-Chlorotoluene (o)	-	-	N/D	<0.15	<1.50	<37.5		<15.0			
Chlorobenzene	-	-	N/D	<0.15	<1.50	<37.5		<15.5			
Chloroform	6	0.6	N/D	<0.14	<1.40	<35.0		<13.5			
Dibromochloromethane	215	43	N/D	<0.15	<1.50	<37.5		<43.5			
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	N/D	<0.25	<2.50	<62.5		<30.5			
Dibromomethane	0.05	0.005	N/D	- -	- -	<37.5		<150.0			
Dichlorodifluoromethane	1000	200	N/D	<0.25	<2.50	<62.5		<23.0			
1,4-Dichlorobenzene	75	15	N/D	<0.15	<1.50	<37.5		<15.0			
1,2-Dichlorobenzene	600	60	N/D	<0.15	<1.50	<37.5		<25.5			
1,3-Dichlorobenzene	1250	125	N/D	<0.15	<1.50	<37.5		<14.5			
1,3-Dichloropropane	-	-	N/D	<0.2	<2.00	<50.0		<33.5			
1,2-Dichloropropane	5	0.5	N/D	<0.15	<1.50	<37.5		<12.5			
2,2-Dichloropropane	-	-	N/D	<0.15	<1.50	<37.5		<75.0			
1,1-Dichloroethane	850	85	N/D	<0.15	<1.50	<37.5		<18.0			
1,1-Dichloropropene	-	-	N/D	- -	- -	<37.5		<15.5			
1,2-Dichloroethane	5	0.5	N/D	<0.15	<1.50	<37.5		<8.5			
cis-1,3-Dichloropropene	-	-	N/D	- -	- -	<32.5		<13.0			
trans-1,3-Dichloropropene	-	-	N/D	- -	- -	<30.0		<12.5			
cis-1,2-Dichloroethene	70	7	N/D	<0.15	<1.50	<37.5		<11.5			
1,1-Dichloroethene	7	0.7	N/D	<0.15	<1.50	<37.5		<19.5			
trans-1,2-Dichloroethene	100	20	N/D	<0.15	<1.50	<37.5		<19.5			
Dichloromethane	-	-	N/D	- -	- -						
Ethylbenzene	700	140	800	0.67	19.9	230	528	515	621	303	607
Ethylene Dibromide (EDB)	-	-	N/D	0.98	<1.20	<30.0		<55.0			
Hexachlorobutadiene	-	-	N/D	<1.00	<10.0	<250.0		<50.0			
p-Isopropyltoluene	-	-	N/D	<0.2	2.7	<50.0		<16.0			
Isopropylbenzene	-	-	<41>	<0.15	2.4	<37.5		<32.0			
Isopropyl Ether	-	-	N/D	<0.25	<2.50	<62.5		<23.0			
Naphthalene	40	8	170	<0.8	<8.00	<200.0		166		61.8	<160
n-Propylbenzene	-	-	<66>	<0.15	<1.50	<37.5		48			
1,1,2,2-Tetrachloroethane	-	-	N/D	<0.13	<1.30	<32.5		<30.5			
1,1,1,2-Tetrachloroethane	-	-	N/D	- -	- -	<37.5		<28.0			
Tetrachloroethene	5	0.5	N/D	<0.15	<1.50	<37.5		<16.0			
Trichlorofluoromethane	-	-	N/D	<1.5	<.15	<37.5		<35.0			
1,2,3-Trichlorobenzene	-	-	N/D	<0.5	<5.00	<125.0		<16.5			
1,2,4-Trichlorobenzene	-	-	N/D	<0.5	<5.00	<125.0		<23.5			
1,1,1-Trichloroethane	200	40	N/D	<0.15	<1.50	<37.5		<21.0			
Trichloroethene	5	0.5	N/D	<0.4	<0.5	<100.0		<18.0			
1,1,2-Trichloroethane	0.6	0.06	N/D	<0.14	<1.40	<35.0		<25.0			
1,2,3-Trichloropropane	-	-	N/D	- -	- -	<75.0		<55.0			
1,3,5-Trimethylbenzene	480 (1)	96 (1)	590	1.11	14.5	96.3	113	157	146	174	216
1,2,4-Trimethylbenzene	480 (1)	96 (1)	540	1.91	28.2	243	453	610	570	571	784
Toluene	1000	68.6	3800	1.24	25	1730	2530	1100	2920	1530	2580
Vinyl chloride	0.2	200	N/D	<0.11	<1.10	<27.5		<10.0			
m&p-Xylene	620 (1)	124 (1)	3600	2.45	105	1220	2670	3110	3060	1810	3110
o-Xylene/Styrene	10000	1000	2100	1.14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

WATER SAMPLE RESULTS

MONITORING WELL NO. 2

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/01/93	09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
GRO(Gasoline Range Organics)	-	-	24.5	32	33	2.5	- -	<.25	N/D	14	N/D	7.5
DRO(Diesel Range Organics	-	-	4.6	8	11	0.8	- -	0.026	<0.093	7.8	<0.14>	3.9
Lead	0.015	0.0015							**0.015**	**0.16**	N/A	**0.19**
VOLATILE ORGANIC COMPOUNDS												
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<80	**280**	**39**	<6.4	**88.3**	N/D	N/D	N/D	N/D	N/D
Bromocholoromethane	-	-	- -	<40	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromodichloromethane	179	36	- -	<15	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromoform	4.4	0.44	- -	**260**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromobenzene	-	-	- -	<60	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Bromomethane	-	-	- -	<75	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
n-Butylbenzene	-	-	- -	140	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
tert-Butylbenzene	-	-	- -	<20	- -	- -	- -	N/D	N/D	200	N/D	51
sec-Butylbenzene	-	-	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Methyl-t-Butyl ether	60	12	<100	<50	<5.0	<5.5	396	N/D	N/D	N/D	N/D	N/D
Methylene Chloride	150	15	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Carbon Tetrachloride	5	0.5	- -	<40	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloroethane	400	80	- -	<160	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloromethane	-	-	- -	<160	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
4-Chlorotoluene (p)	-	-	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
2-Chlorotoluene (o)	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chlorobenzene	-	-	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Chloroform	6	0.6	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dibromochloromethane	215	43	- -	<50	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	- -	<65	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dibromomethane	0.05	0.005	- -	<60	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dichlorodifluoromethane	1000	200	- -	<260	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,4-Dichlorobenzene	75	15	- -	**360**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichlorobenzene	600	60	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,3-Dichlorobenzene	1250	125	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,3-Dichloropropane	-	-	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichloropropane	5	0.5	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
2,2-Dichloropropane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloroethane	850	85	- -	**380**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloropropene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2-Dichloroethane	5	0.5	- -	**170**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
cis-1,3-Dichloropropene	-	-	- -	<55	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
trans-1,3-Dichloropropene	-	-	- -	<80	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
cis-1,2-Dichloroethene	70	7	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1-Dichloroethene	7	0.7	- -	<55	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
trans-1,2-Dichloroethene	100	20	- -	<25	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Dichloromethane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Ethylbenzene	700	140	**889**	<25	**1200**	95	**2380**	N/D	N/D	720	N/D	**480**
Ethylene Dibromide (EDB)	-	-	- -	<70	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Hexachlorobutadiene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
p-Isopropyltoluene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	110
Isopropylbenzene	-	-	- -	90	- -	- -	- -	N/D	N/D	<32>	N/D	44
Isopropyl Ether	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Naphthalene	40	8	- -	**290**	- -	- -	**414**	N/D	N/D	**89**	N/D	**64**
n-Propylbenzene	-	-	- -	180	- -	- -	- -	N/D	N/D	81	N/D	**97**
1,1,2,2-Tetrachloroethane	-	-	- -	240	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,1,2-Tetrachloroethane	-	-	- -	<140	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Tetrachloroethene	5	0.5	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Trichlorofluoromethane	-	-	- -	<145	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,3-Trichlorobenzene	-	-	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,4-Trichlorobenzene	-	-	- -	<125	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,1-Trichloroethane	200	40	- -	<35	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
Trichloroethene	5	0.5	- -	<180	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,1,2-Trichloroethane	0.6	0.06	- -	<30	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
1,2,3-Trichloropropane	-	-	- -	<110	- -	- -	- -	0.61	N/D	N/D	N/D	N/D
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**461**	**360**	**570**	**62**	**485**	N/D	N/D	**330**	N/D	**250**
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**1020**	**1500**	**1700**	**120**	**1900**	<0.17>	N/D	**810**	N/D	**460**
Toluene	1000	68.6	**6600**	**9500**	**12000**	**520**	**24200**	N/D	N/D	**2500**	N/D	**370**
Vinyl chloride	0.2	200	- -	**150**	- -	- -	- -	N/D	N/D	N/D	N/D	N/D
m&p-Xylene	620 (1)	124 (1)	**4030**	**6600**	**3400**	**600**	**9210**	N/D	N/D	**2800**	N/D	**1700**
o-Xylene/Styrene	10000	1000	**2120**	**3300**	[illegible]	[illegible]	[illegible]					

WATER SAMPLING RESULTS

MONITORING WELL NO. 2

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE								
			10/04/99	04/05/00	07/05/00	04/04/01	11/07/01	05/15/02	10/01/02	4/29/03	10/15/03
			(mg/l)	(mg/l)						(mg/l)	(mg/l)
GRO(Gasoline Range Organics)	-	-	13	<0.05							
DRO(Diesel Range Organics	-	-	3.4	0.606							
Lead	0.015	0.0015	**0.16**	**0.4**						**0.0093**	**0.0365**
VOLATILE ORGANIC COMPOUNDS											
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	N/D	<0.15	<15.0	<0.15	<3.20	<1.55	<31.0	<0.31	<0.31
Bromocholoromethane	-	-	N/D	- -	- -						
Bromodichloromethane	179	36	N/D	<0.13	<13.0					<0.83	
Bromoform	4.4	0.44	N/D	- -	- -						
Bromobenzene	-	-	N/D	<0.15	<15.0					<0.41	
Bromomethane	-	-	N/D	- -	- -						
n-Butylbenzene	-	-	N/D	<0.15	<15.0					0.969	
tert-Butylbenzene	-	-	83	<0.15	<15.0					<0.31	
sec-Butylbenzene	-	-	N/D	<0.15	<15.0					<0.33	
Methyl-t-Butyl ether	60	12	N/D	<0.3	<30.0	<0.3	<6.00	<1.50	<30.0	<0.3	<0.3
Methylene Chloride	150	15	N/D	<0.39	**58**					<0.51	
Carbon Tetrachloride	5	0.5	N/D	<0.15	<15.0					<0.59	
Chloroethane	400	80	N/D	<0.15	<15.0					<0.44	
Chloromethane	-	-	N/D	<0.15	<15.0					<0.29	
4-Chlorotoluene (p)	-	-	41	<0.15	<15.0					<0.3	
2-Chlorotoluene (o)	-	-	N/D	<0.15	<15.0					<0.31	
Chlorobenzene	-	-	N/D	N/D	<15.0					<0.27	
Chloroform	6	0.6	N/D	<0.14	<14.0					<0.87	
Dibromochloromethane	215	43	N/D	N/D	<15.0					<0.61	
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	N/D	<0.25	<25.0						
Dibromomethane	0.05	0.005	N/D	N/D	- -					<0.46	
Dichlorodifluoromethane	1000	200	N/D	<0.25	<25.0					<0.3	
1,4-Dichlorobenzene	75	15	N/D	<0.15	<15.0					<0.3	
1,2-Dichlorobenzene	600	60	N/D	<0.15	<15.0					<0.51	
1,3-Dichlorobenzene	1250	125	N/D	<0.15	<15.0					<0.29	
1,3-Dichloropropane	-	-	N/D	<0.2	<20.0					<0.67	
1,2-Dichloropropane	5	0.5	N/D	<0.15	<15.0					<0.25	
2,2-Dichloropropane	-	-	N/D	<0.15	<15.0					<1.50	
1,1-Dichloroethane	850	85	N/D	<0.15	<15.0					<0.36	
1,1-Dichloropropene	-	-	N/D	- -	- -						
1,2-Dichloroethane	5	0.5	N/D	<0.15	<15.0					<0.17	
cis-1,3-Dichloropropene	-	-	N/D	- -	- -						
trans-1,3-Dichloropropene	-	-	N/D	- -	- -						
cis-1,2-Dichloroethene	70	7	N/D	<0.15	<15.0					<0.23	
1,1-Dichloroethene	7	0.7	N/D	<0.15	<15.0					<0.39	
trans-1,2-Dichloroethene	100	20	N/D	<0.15	<15.0					<0.39	
Dichloromethane	-	-	N/D	- -	- -						
Ethylbenzene	700	140	**760**	<0.5	**205**	0.672	126	40.2	**159**	0.817	<0.5
Ethylene Dibromide (EDB)	-	-	N/D	<0.12	<12.0					<1.10	
Hexachlorobutadiene	-	-	N/D	<1.00	<100					<1.00	
p-Isopropyltoluene	-	-	N/D	<0.2	<20.0					<0.32	
Isopropylbenzene	-	-	47	<0.15	21.2					<0.31	
Isopropyl Ether	-	-	N/D	<0.25	<25.0					<0.46	
Naphthalene	40	8	54	<0.8	<80					<0.8	<0.8
n-Propylbenzene	-	-	110	<0.15	<15.0					<0.3	
1,1,2,2-Tetrachloroethane	-	-	N/D	<0.13	<13.0					<0.61	
1,1,1,2-Tetrachloroethane	-	-	N/D	- -	- -						
Tetrachloroethene	5	0.5	N/D	<0.4	<15.0					<0.32	
Trichlorofluoromethane	-	-	N/D	<0.15	<15.0					<0.7	
1,2,3-Trichlorobenzene	-	-	N/D	<0.5	<50.0					<0.33	
1,2,4-Trichlorobenzene	-	-	N/D	<0.5	<50.0					<0.47	
1,1,1-Trichloroethane	200	40	N/D	<0.15	<15.0					<0.42	
Trichloroethene	5	0.5	N/D	<0.15	<40.0					<0.36	
1,1,2-Trichloroethane	0.6	0.06	N/D	<0.14	<14.0					<0.5	
1,2,3-Trichloropropane	-	-	N/D	- -	- -						
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**310**	<0.15	**131**	0.239	**139**	44.2	**112**	1.04	0.448
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**890**	<0.4	**304**	0.413	**377**	**116**	**271**	2.36	0.947
Toluene	1000	68.6	**1800**	<0.4	**82.1**	<0.4	**167**	**106**	**530**	<0.3	<0.3
Vinyl chloride	0.2	200	N/D	<0.11	<11.0					<0.2	
m&p-Xylene	620 (1)	124 (1)	**3500**	0.521	**964**	0.851	**1460**	**355**	**1890**	4.6	<0.62
o-Xylene/Styrene	10000	1000	**1900**	0.354	**717**	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

WATER SAMPLING RESULTS

MONITORING WELL NO. 3

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/01/93	09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/05/00	11/07/01	10/01/02
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)		
GRO(Gasoline Range Organics)	-	-	<0.1	<0.08	<100	<0.01	- -	N/D	N/D	N/D	N/D	N/D	<0.05		
DRO(Diesel Range Organics	-	-	8	<0.1	0.44	<0.097	- -	N/D	N/D	N/D	N/D	N/D	<0.1		
Lead	0.015	0.0015							<2.3>	<.004>	N/A	<.0052>	<.001		
VOLATILE ORGANIC COMPOUNDS															
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.8	<0.6	<1.0	<0.32	<0.5	N/D	N/D	N/D	N/D	- -	<0.15	<0.16	<0.31
Bromocholoromethane	-	-	- -	<0.8	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Bromodichloromethane	179	36	- -	<0.3	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Bromoform	4.4	0.44	- -	<1.1	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Bromobenzene	-	-	- -	<1.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Bromomethane	-	-	- -	<1.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
n-Butylbenzene	-	-	- -	11	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
tert-Butylbenzene	-	-	- -	0.9	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
sec-Butylbenzene	-	-	- -	1.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Methyl-t-Butyl ether	60	12	<0.1	<1.0	<1.0	<0.28	<1.0	N/D	N/D	N/D	N/D	- -	- -		
Carbon Tetrachloride	5	0.5	- -	<0.8	- -	- -	- -	N/D	N/D	N/D	N/D	- -	<0.3	<0.3	<0.3
Chloroethane	400	80	- -	<3.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Chloromethane	-	-	- -	<3.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
4-Chlorotoluene (p)	-	-	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
2-Chlorotoluene (o)	-	-	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Chlorobenzene	-	-	- -	<0.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Chloroform	6	0.6	- -	<0.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Dibromochloromethane	215	43	- -	<1.0	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	- -	<1.3	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Dibromomethane	0.05	0.005	- -	<1.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Dichlorodifluoromethane	1000	200	- -	<5.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,4-Dichlorobenzene	75	15	- -	<0.9	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2-Dichlorobenzene	600	60	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,3-Dichlorobenzene	1250	125	- -	<0.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,3-Dichloropropane	-	-	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2-Dichloropropane	5	0.5	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1-Dichloroethane	850	85	- -	<1.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1-Dichloropropene	-	-	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2-Dichloroethane	5	0.5	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
cis-1,3-Dichloropropene	-	-	- -	<1.1	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
trans-1,3-Dichloropropene	-	-	- -	<1.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
cis-1,2-Dichloroethane	70	7	- -	<0.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1-Dichloroethane	7	0.7	- -	<1.1	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
trans-1,2-Dichloroethane	100	20	- -	<0.5	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Dichloromethane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Ethylbenzene	700	140	<0.1	<0.6	<1.0	<0.34	<1.0	N/D	N/D	N/D	N/D	- -	<0.5	<0.5	<0.5
Ethylene Dibromide (EDB)	-	-	- -	<1.4	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Hexachlorobutadiene	-	-	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
p-Isopropyltoluene	-	-	- -	<1.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Isopropylbenzene	-	-	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Naphthalene	40	8	- -	<0.8	- -	- -	<1.0	N/D	N/D	N/D	N/D	- -	- -		
n-Propylbenzene	-	-	- -	<2.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1,2,2-Tetrachloroethane	-	-	- -	<2.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1,1,2-Tetrachloroethane	-	-	- -	<2.8	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Tetrachloroethene	5	0.5	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Trichlorofluoromethane	-	-	- -	<2.9	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2,3-Trichlorobenzene	-	-	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2,4-Trichlorobenzene	-	-	- -	3.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1,1-Trichloroethane	200	40	- -	<0.7	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
Trichloroethene	5	0.5	- -	<3.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,1,2-Trichloroethane	0.6	0.06	- -	<0.6	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,2,3-Trichloropropane	-	-	- -	<2.2	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
1,3,5-Trimethylbenzene	480 (1)	96 (1)	1.7	18	<1.0	<0.25	<1.0	N/D	N/D	N/D	N/D	- -	<0.15	<0.17	<0.31
1,2,4-Trimethylbenzene	480 (1)	96 (1)	2.7	21	<1.0	<0.38	<1.0	N/D	N/D	N/D	N/D	- -	<0.4	<0.4	<0.4
Toluene	1000	68.6	16.4	6.5	<1.0	<0.27	<1.0	N/D	N/D	N/D	N/D	- -	<0.4	<0.4	<0.3
Vinyl chloride	0.2	200	- -	7.9	- -	- -	- -	N/D	N/D	N/D	N/D	- -	- -		
m&p-Xylene	620 (1)	124 (1)	3.9	6.4	<1.0	<0.59	<1.0	N/D	N/D	N/D	N/D	- -	<0.4	<0.4	<0.62
o-Xylene/Styrene	10000	1000	2.6	6.8	<1.0	<0.29	<1.0	N/D	N/D	N/D	N/D	- -	<0.15	<0.17	<0.3

WATER SAMPLING RESULTS

MONITORING WELL NO. 4

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/01/93	09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	10/04/99	04/05/00	07/05/00	11/07/01	10/01/02
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)		
GRO(Gasoline Range Organics)	-	-	4.6	0.4	3.6	0.24	- -	N/D	N/D	0.2	0.056	0.33	0.31	<0.05	- -		
DRO(Diesel Range Organics	-	-	2	- -	1.1	0.21	- -	N/D	<0.10>	0.29	N/D	0.34	0.63	0.157	- -		
Lead	0.015	0.0015							**0.032**	**0.028**	N/A	**0.013**	**0.016**	**0.00424**			
VOLATILE ORGANIC COMPOUNDS																	
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	**7.4**	<0.6	**15**	<0.32	<0.5	N/D	N/D	<0.26>	N/D	N/D	N/D	<0.15	<0.15	0.17	<0.31
Bromocholoromethane	-	-	- -	<4	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Bromodichloromethane	179	36	- -	<1.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.13	<0.13		
Bromoform	4.4	0.44	- -	<5.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Bromobenzene	-	-	- -	<6.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Bromomethane	-	-	- -	<7.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
n-Butylbenzene	-	-	- -	82	- -	- -	- -	0.7	N/D	26	<1.9>	3.3	7.9	<0.15	<0.15		
tert-Butylbenzene	-	-	- -	8.5	- -	- -	- -	N/D	N/D	5.5	<0.35>	N/D	N/D	<0.15	<0.15		
sec-Butylbenzene	-	-	- -	12	- -	- -	- -	N/D	N/D	2.7	N/D	N/D	<0.52>	<0.15	<0.15		
Methyl-t-Butyl ether	60	12	2.9	<5.0	<1.0	<0.28	7	N/D	N/D	N/D	N/D	N/D	N/D	<0.3	<0.3	<0.3	<0.3
Methylene Chloride	150	15	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.39	<0.39		
Carbon Tetrachloride	5	0.5	- -	<4.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chloroethane	400	80	- -	<16	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chloromethane	-	-	- -	<16	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
4-Chlorotoluene (p)	-	-	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
2-Chlorotoluene (o)	-	-	- -	<3.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chlorobenzene	-	-	- -	<2.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chloroform	6	0.6	- -	<2.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Dibromochloromethane	215	43	- -	<5.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.14	<0.14		
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	- -	<6.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Dibromomethane	0.05	0.005	- -	<6.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.25	<0.25		
Dichlorodifluoromethane	1000	200	- -	27	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
1,4-Dichlorobenzene	75	15	- -	<4.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.25	<0.25		
1,2-Dichlorobenzene	600	60	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,3-Dichlorobenzene	1250	125	- -	<2.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,3-Dichloropropane	-	-	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2-Dichloropropane	5	0.5	- -	<3.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.2	<0.2		
2,2-Dichloropropane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1-Dichloroethane	850	85	- -	<7.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1-Dichloropropene	-	-	- -	<3.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2-Dichloroethane	5	0.5	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
cis-1,3-Dichloropropene	-	-	- -	<5.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
trans-1,3-Dichloropropene	-	-	- -	<8.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
cis-1,2-Dichloroethene	70	7	- -	<2.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
1,1-Dichloroethene	7	0.7	- -	<5.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
trans-1,2-Dichloroethene	100	20	- -	<2.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	N/D	- -		
Dichloromethane	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Ethylbenzene	700	140	10.1	4	3.8	1.9	2.3	N/D	N/D	<0.29>	N/D	N/D	N/D	- -	- -		
Ethylene Dibromide (EDB)	-	-	- -	<7.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5	<0.5	<0.5
Hexachlorobutadiene	-	-	- -	<3	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.12	<0.12		
p-Isopropyltoluene	-	-	- -	11	- -	- -	- -	0.6	N/D	<0.42>	N/D	<0.92>	<0.64>	<1.00	<1.00		
Isopropylbenzene	-	-	- -	35	- -	- -	- -	N/D	N/D	<0.25>	N/D	N/D	N/D	<0.2	<0.2		
Isopropyl Ether	-	-	- -	- -	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Naphthalene	40	8	- -	<4.0	- -	- -	<1.0	1.4	N/D	2	N/D	7.9	N/D	<0.25	<0.25		
n-Propylbenzene	-	-	- -	18	- -	- -	- -	N/D	N/D	3.3	N/D	N/D	N/D	<0.8	<0.8		
1,1,2,2-Tetrachloroethane	-	-	- -	<11	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1,1,2-Tetrachloroethane	-	-	- -	<14	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.13	<0.13		
Tetrachloroethene	5	0.5	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Trichlorofluoromethane	-	-	- -	<14.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2,3-Trichlorobenzene	-	-	- -	<3.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2,4-Trichlorobenzene	-	-	- -	16	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5		
1,1,1-Trichloroethane	200	40	- -	<3.5	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5		
Trichloroethene	5	0.5	- -	<18	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1,2-Trichloroethane	0.6	0.06	- -	<3.0	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4		
1,2,3-Trichloropropane	-	-	- -	<12	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	<0.67>	<0.14	<0.14		
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**98.2**	**105**	**55**	9.1	19.3	1.3	N/D	3.3	2.3	5.4	2.2	<0.15	1.13	<0.17	0.545
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**154**	**121**	**80**	17	61.3	2.8	N/D	N/D	3.1	8.3	4.3	<0.4	1.01	<0.4	2.2
Toluene	1000	200	35.2	23	3.6	0.96	5.6	N/D	N/D	<0.45>	N/D	N/D	<0.39>	<0.4	<0.4	1.41	0.376
Vinyl chloride	0.2	0.02	- -	<33	- -	- -	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.11	<0.11		
m&p-Xylene	620 (1)	124 (1)	30.7	39	24	9.6	11.2	<0.30>	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.4	<0.62
o-Xylene/Styrene	10000	1000	21.2	40	11	6.1	4.7	N/D	N/D	N/D	N/D	N/D	<0.32>	<0.15	<0.15	<0.17	<0.3

WATER SAMPLING RESULTS

MONITORING WELL NO. 5

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/05/00	11/07/01	10/1/02
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)		
GRO(Gasoline Range Organics)	-	-	0.3	<0.100	<0.01	- -	N/D	N/D	N/D	N/D	N/D	<0.05		
DRO(Diesel Range Organics	-	-	0.14	0.63	<0.097	- -	<.11	<0.13>	<0.11>	N/D	N/D	0.27		
Lead	0.015	0.0015					0.009	<.0063>	<.0006>	N/A	N/D	<0.001		
VOLATILE ORGANIC COMPOUNDS														
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	**3.1**	<1.0	<0.32	<0.5	N/D	N/D	N/D	N/D	N/D	<0.15	<0.16	<0.31
Bromocholoromethane	-	-	<0.8	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Bromodichloromethane	179	36	<0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Bromoform	4.4	0.44	**4.9**	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Bromobenzene	-	-	<1.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Bromomethane	-	-	<1.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
n-Butylbenzene	-	-	<5.8	- -	- -	- -	- -	- -	- -	- -	- -	- -		
tert-Butylbenzene	-	-	<0.4	- -	- -	- -	- -	- -	- -	- -	- -	- -		
sec-Butylbenzene	-	-	1.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Methyl-t-Butyl ether	60	12	<1.0	<1.0	<0.28	<1.0	N/D	N/D	N/D	N/D	N/D	<0.3	<0.3	<0.3
Carbon Tetrachloride	5	0.5	<0.8	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Chloroethane	400	80	<3.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Chloromethane	-	-	<3.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
4-Chlorotoluene (p)	-	-	<0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -		
2-Chlorotoluene (o)	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Chlorobenzene	-	-	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Chloroform	6	0.6	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Dibromochloromethane	215	43	<1.0	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<1.3	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Dibromomethane	0.05	0.005	<1.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Dichlorodifluoromethane	1000	200	<5.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,4-Dichlorobenzene	75	15	<0.9	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichlorobenzene	600	60	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,3-Dichlorobenzene	1250	125	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,3-Dichloropropane	-	-	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichloropropane	5	0.5	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloroethane	850	85	<1.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloropropene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichloroethane	5	0.5	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
cis-1,3-Dichloropropene	-	-	<1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -		
trans-1,3-Dichloropropene	-	-	<1.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
cis-1,2-Dichloroethane	70	7	<0.9	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloroethane	7	0.7	<1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -		
trans-1,2-Dichloroethane	100	20	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Dichloromethane	-	-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Ethylbenzene	700	140	17.8	<1.0	<0.34	<1.0	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5	<0.5
Ethylene Dibromide (EDB)	-	-	<1.4	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Hexachlorobutadiene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
p-Isopropyltoluene	-	-	1.4	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Isopropylbenzene	-	-	3.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Naphthalene	40	8	<0.8	- -	- -	1.6	N/D	N/D	N/D	N/D	N/D	- -		
n-Propylbenzene	-	-	<1.3	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1,2,2-Tetrachloroethane	-	-	<2.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1,1,2-Tetrachloroethane	-	-	<2.8	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Tetrachloroethene	5	0.5	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Trichlorofluoromethane	-	-	<2.9	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2,3-Trichlorobenzene	-	-	0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2,4-Trichlorobenzene	-	-	1.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1,1-Trichloroethane	200	40	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -		
Trichloroethene	5	0.5	<3.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,1,2-Trichloroethane	0.6	0.06	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,2,3-Trichloropropane	-	-	<2.2	- -	- -	- -	- -	- -	- -	- -	- -	- -		
1,3,5-Trimethylbenzene	480 (1)	96 (1)	7.4	<1.0	<0.25	<1.0	N/D	N/D	N/D	N/D	N/D	<0.15	<0.17	<0.31
1,2,4-Trimethylbenzene	480 (1)	96 (1)	5.7	<1.0	<0.38	1.4	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.4
Toluene	1000	200	5	<1.0	<0.27	<1.0	N/D	N/D	N/D	N/D	<0.28>	<0.4	<0.4	<0.3
Vinyl chloride	0.2	0.02	<6.6	- -	- -	- -	- -	- -	- -	- -	- -	- -		
m&p-Xylene	620 (1)	124 (1)	58.7	<1.0	<0.59	<1.0	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.62
o-Xylene/Styrene	10000	1000	1.5	<1.0	<0.29	<1.0	N/D	N/D	N/D	N/D	N/D	<0.15	<0.17	<0.3

WATER SAMPLING RESULTS

MONITORING WELL NO. 6

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 09/15/94	08/02/95	11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/05/00
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)
GRO(Gasoline Range Organics)	-	-	<0.1	<0.100	<0.01	- -	N/D	N/D	N/D	N/D	N/D	<0.05
DRO(Diesel Range Organics	-	-	- -	0.11	<0.097	- -	N/D	<0.11>	N/D	N/D	N/D	<0.1
Lead	0.015	0.0015					**0.022**	**0.02**	**0.0092**	N/A	<.0054>	<0.001
VOLATILE ORGANIC COMPOUNDS												
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.6	<1.0	<0.32	<0.5	N/D	N/D	N/D	N/D	N/D	<0.15
Bromocholoromethane	-	-	<0.8	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bromodichloromethane	179	36	<0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bromoform	4.4	0.44	<1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bromobenzene	-	-	<1.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bromomethane	-	-	<1.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
n-Butylbenzene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
tert-Butylbenzene	-	-	<0.4	- -	- -	- -	- -	- -	- -	- -	- -	- -
sec-Butylbenzene	-	-	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
Methyl-t-Butyl ether	60	12	<1.0	<1.0	<0.28	<1.0	N/D	N/D	N/D	N/D	N/D	<0.3
Carbon Tetrachloride	5	0.5	<0.8	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chloroethane	400	80	<3.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chloromethane	-	-	<3.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
4-Chlorotoluene (p)	-	-	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
2-Chlorotoluene (o)	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chlorobenzene	-	-	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
Chloroform	6	0.6	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dibromochloromethane	215	43	<1.0	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<1.3	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dibromomethane	0.05	0.005	<1.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dichlorodifluoromethane	1000	200	<5.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,4-Dichlorobenzene	75	15	<0.9	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2-Dichlorobenzene	600	60	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,3-Dichlorobenzene	1250	125	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,3-Dichloropropane	-	-	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2-Dichloropropane	5	0.5	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1-Dichloroethane	850	85	<1.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1-Dichloropropene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2-Dichloroethane	5	0.5	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
cis-1,3-Dichloropropene	-	-	<1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -
trans-1,3-Dichloropropene	-	-	<1.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
cis-1,2-Dichloroethane	70	7	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1-Dichloroethane	7	0.7	<1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -
trans-1,2-Dichloroethane	100	20	<0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
Dichloromethane	-	-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Ethylbenzene	700	140	<0.6	<1.0	<0.34	<1.0	N/D	N/D	N/D	N/D	N/D	<0.5
Ethylene Dibromide (EDB)	-	-	<1.4	- -	- -	- -	- -	- -	- -	- -	- -	- -
Hexachlorobutadiene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
p-Isopropyltoluene	-	-	<1.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
Isopropylbenzene	-	-	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
Naphthalene	40	8	<0.8	- -	- -	- -	<1.6	N/D	N/D	N/D	N/D	- -
n-Propylbenzene	-	-	<2.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1,2,2-Tetrachloroethane	-	-	<2.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1,1,2-Tetrachloroethane	-	-	<2.8	- -	- -	- -	- -	- -	- -	- -	- -	- -
Tetrachloroethene	5	0.5	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
Trichlorofluoromethane	-	-	<2.9	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2,3-Trichlorobenzene	-	-	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2,4-Trichlorobenzene	-	-	<2.5	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1,1-Trichloroethane	200	40	<0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -
Trichloroethene	5	0.5	<3.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,1,2-Trichloroethane	0.6	0.06	<0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,2,3-Trichloropropane	-	-	<2.2	- -	- -	- -	- -	- -	- -	- -	- -	- -
1,3,5-Trimethylbenzene	480 (1)	96 (1)	<1.1	<1.0	<0.25	<1.0	N/D	N/D	N/D	N/D	N/D	<0.15
1,2,4-Trimethylbenzene	480 (1)	96 (1)	<0.7	<1.0	<0.38	<1.0	N/D	N/D	N/D	N/D	<0.23>	<0.4
Toluene	1000	200	<0.6	<1.0	<0.27	<1.0	N/D	N/D	N/D	N/D	<0.31>	<0.4
Vinyl chloride	0.2	0.02	<6.6	- -	- -	- -	- -	- -	- -	- -	- -	- -
m&p-Xylene	620 (1)	124 (1)	<0.6	<1.0	<0.59	<1.0	N/D	N/D	N/D	N/D	N/D	<0.4
o-Xylene/Styrene	10000	1000	<0.6	<1.0	<0.29	<1.0	N/D	N/D	N/D	N/D	N/D	- -

WATER SAMPLING RESULTS

MONITORING WELL NO. 7

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/04/00	11/07/01	10/1/02	4/29/03	10/15/03
GRO(Gasoline Range Organics)	-	-	(mg/l) 2	(mg/l) - -	(mg/l) N/D	(mg/l) N/D	(mg/l) N/D	(mg/l) N/D	(mg/l) N/D	(mg/l) <0.05			(mg/l)	(mg/l)
DRO(Diesel Range Organics	-	-	1.4	- -	<.11	<0.10>	<0.19>	N/D	N/D	0.198				
Lead	0.015	0.0015				**0.026**	**0.015**	N/A	**0.018**	**0.0359**			**0.0127**	**0.0149**
VOLATILE ORGANIC COMPOUNDS														
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	**14**	**4.1**	N/D	N/D	N/D	N/D	N/D	<0.15	0.2	<0.31	<0.31	<0.31
Bromobenzene	-	-	<3.4	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromochloromethane	-	-	<3.4	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromodichloromethane	179	36	<2.7	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromoform	4.4	0.44	<6.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromomethane	-	-	<2.3	- -	N/D	N/D	N/D	N/D	N/D	- -				
n-Butylbenzene	-	-	36	- -	N/D	N/D	<0.37>	N/D	N/D	- -				
sec-Butylbenzene	-	-	<1.9	- -	N/D	N/D	N/D	N/D	N/D	- -				
tert-Butylbenzene	-	-	<2.8	- -	N/D	N/D	N/D	N/D	N/D	- -				
Carbon Tetrachloride	5	0.5	<5.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chlorobenzene	-	-	<2.3	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloroethane	400	80	<9.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloroform	6	0.6	<5.6	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloromethane	-	-	<2.8	- -	N/D	N/D	N/D	N/D	N/D	- -				
2-Chlorotoluene (o)	-	-	<8.4	- -	N/D	N/D	N/D	N/D	N/D	- -				
4-Chlorotoluene (p)	-	-	<3.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dibromochloromethane	215	43	<5.4	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<5.8	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dibromoethane (EDB)	0.05	0.005	<7.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dibromomethane	0.05	0.005		- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichlorobenzene	600	60	<3.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,3-Dichlorobenzene	1250	125	<5.4	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,4-Dichlorobenzene	75	15	<5.7	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dichlorodifluoromethane	1000	200	<2.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloroethane	850	85	<3.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichloroethane	5	0.5	<3.8	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloroethene	7	0.7	<2.1	- -	N/D	N/D	N/D	N/D	N/D	- -				
cis-1,2-Dichloroethene	70	7	<4.9	- -	N/D	N/D	N/D	N/D	N/D	- -				
trans-1,2-Dichloroethene	100	20	<1.9	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichloropropane	5	0.5	<7.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,3-Dichloropropane	-	-	<4.2	- -	N/D	N/D	N/D	N/D	N/D	- -				
2,2-Dichloropropane	-	-	<9.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloropropene	-	-	<6.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
cis-1,3-Dichloropropene	-	-	<4.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
trans-1,3-Dichloropropene	-	-	<4.0	- -	N/D	N/D	N/D	N/D	N/D	- -				
Ethylbenzene	700	140	56	14.8	N/D	N/D	N/D	N/D	N/D	<0.5	0.689	<0.5	<0.5	<0.5
Hexachlorobutadiene	-	-	<3.6	- -	N/D	N/D	N/D	N/D	N/D	- -				
Isopropylbenzene	-	-	15	- -	N/D	N/D	N/D	N/D	N/D	- -				
p-Isopropyltoluene	-	-	<7.7	- -	N/D	N/D	N/D	N/D	N/D	- -				
Methylene chloride	150	15	<1.9	- -	N/D	N/D	N/D	N/D	N/D	- -				
Naphthalene	40	8	33	**15.2**	N/D	N/D	0.75	N/D	N/D	- -			<0.8	<0.8
n-Propylbenzene	-	-	12	- -	N/D	N/D	N/D	N/D	N/D	- -				
o-Xylene/Styrene	10000	1000	**230**	60.7	N/D	N/D	N/D	N/D	N/D	<0.15	2.65	<0.3	<0.3	<0.3
1,1,1,2-Tetrachloroethane	-	-	<5.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,2,2-Tetrachloroethane	-	-	<3.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
Tetrachloroethene	5	0.5	<4.2	- -	N/D	N/D	N/D	N/D	N/D	- -				
Toluene	1000	200	**380**	47.8	N/D	N/D	N/D	N/D	N/D	<0.4	0.671	<0.3	<0.3	<0.3
1,2,3-Trichlorobenzene	-	-	<3.7	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2,4-Trichlorobenzene	-	-	<2.3	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,1-Trichloroethane	200	40	<3.6	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,2-Trichloroethane	0.6	0.06	<4.3	- -	N/D	N/D	N/D	N/D	N/D	- -				
Trichloroethene	5	0.5	<1.9	- -	N/D	N/D	N/D	N/D	N/D	- -				
Trichlorofluoromethane	-	-	<2.1	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2,3-Trichloropropane	-	-	<3.3	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**92**	35.3	N/D	N/D	<0.41>	N/D	N/D	<0.4	1.83	<0.4	<0.4	<0.4
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**55**	5.5	N/D	N/D	N/D	N/D	N/D	<0.15	0.182	<0.31	<0.31	<0.31
Vinyl chloride	0.2	0.02	<5.5	- -	N/D	N/D	N/D	N/D	N/D	- -				
m&p-Xylene	620 (1)	124 (1)	**320**	67	N/D	N/D	N/D	N/D	N/D	<0.4	1.48	4.26	<0.62	<0.62
Methyl-t-Butyl ether	60	12	<2.6	2.4	N/D	N/D	N/D	N/D	N/D	<0.3	<0.3	<0.3	<0.3	<0.3
Isopropyl Ether	-	-	<2.6	- -	N/D	N/D	N/D	N/D	N/D	- -				

WATER SAMPLING RESULTS

MONITORING WELL NO. 8

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/05/00	11/07/01	10/01/02	4/29/03	10/15/03
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)				(mg/l)
GRO(Gasoline Range Organics)	-	-	6.8	- -	N/D	N/D	N/D	N/D	N/D	<0.05				
DRO(Diesel Range Organics	-	-	0.42	- -	N/D	<0.16>	<0.14>	N/D	N/D	0.128				
Lead	0.015	0.0015			**0.034**	**0.011**	0.0085	N/A	N/D	<0.001				**0.02222**
VOLATILE ORGANIC COMPOUNDS														
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<11	<10	N/D	N/D	N/D	N/D	N/D	<0.15	<0.16	<0.31	<0.31	<0.31
Bromobenzene	-	-	<34	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromochloromethane	-	-	<34	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromodichloromethane	179	36	<27	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromoform	4.4	0.44	<60	- -	N/D	N/D	N/D	N/D	N/D	- -				
Bromomethane	-	-	<23	- -	N/D	N/D	N/D	N/D	N/D	- -				
n-Butylbenzene	-	-	<24	- -	N/D	N/D	N/D	N/D	N/D	- -				
sec-Butylbenzene	-	-	<19	- -	N/D	N/D	N/D	N/D	N/D	- -				
tert-Butylbenzene	-	-	<28	- -	N/D	N/D	N/D	N/D	N/D	- -				
Carbon Tetrachloride	5	0.5	<65	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chlorobenzene	-	-	<55	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloroethane	400	80	<23	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloroform	6	0.6	<90	- -	N/D	N/D	N/D	N/D	N/D	- -				
Chloromethane	-	-	<56	- -	N/D	N/D	N/D	N/D	N/D	- -				
2-Chlorotoluene (o)	-	-	<28	- -	N/D	N/D	N/D	N/D	N/D	- -				
4-Chlorotoluene (p)	-	-	<84	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dibromochloromethane	215	43	<30	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<54	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dibromoethane (EDB)	0.05	0.005	<58	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dibromomethane	0.05	0.005	<75	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichlorobenzene	600	60	<30	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,3-Dichlorobenzene	1250	125	<54	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,4-Dichlorobenzene	75	15	<57	- -	N/D	N/D	N/D	N/D	N/D	- -				
Dichlorodifluoromethane	1000	200	<25	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloroethane	850	85	<35	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichloroethane	5	0.5	<38	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloroethene	7	0.7	<21	- -	N/D	N/D	N/D	N/D	N/D	- -				
cis-1,2-Dichloroethene	70	7	<49	- -	N/D	N/D	N/D	N/D	N/D	- -				
trans-1,2-Dichloroethene	100	20	<1	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2-Dichloropropane	5	0.5	<75	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,3-Dichloropropane	-	-	<42	- -	N/D	N/D	N/D	N/D	N/D	- -				
2,2-Dichloropropane	-	-	<90	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1-Dichloropropene	-	-	<65	- -	N/D	N/D	N/D	N/D	N/D	- -				
cis-1,3-Dichloropropene	-	-	<40	- -	N/D	N/D	N/D	N/D	N/D	- -				
trans-1,3-Dichloropropene	-	-	<40	- -	N/D	N/D	N/D	N/D	N/D	- -				
Ethylbenzene	700	140	130	**273**	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5	<0.5	<0.5	<0.5
Hexachlorobutadiene	-	-	<36	- -	N/D	N/D	N/D	N/D	N/D	- -				
Isopropylbenzene	-	-	<18	- -	N/D	N/D	N/D	N/D	N/D	- -				
p-Isopropyltoluene	-	-	<77	- -	N/D	N/D	N/D	N/D	N/D	- -				
Methylene chloride	150	15	<19	- -	N/D	N/D	N/D	N/D	N/D	- -				
Naphthalene	40	8	<56	**57.8**	N/D	N/D	N/D	N/D	N/D	- -				
n-Propylbenzene	-	-	<43	- -	N/D	N/D	N/D	N/D	N/D	- -			<0.8	<0.8
o-Xylene/Styrene	10000	1000	270	**409**	N/D	N/D	N/D	N/D	N/D	<0.15	<0.17	<0.3	<0.3	<0.3
1,1,1,2-Tetrachloroethane	-	-	<55	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,2,2-Tetrachloroethane	-	-	<35	- -	N/D	N/D	N/D	N/D	N/D	- -				
Tetrachloroethene	5	0.5	<42	- -	N/D	N/D	N/D	N/D	N/D	- -				
Toluene	1000	200	**710**	**1420**	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.3	<0.3	<0.3
1,2,3-Trichlorobenzene	-	-	<37	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2,4-Trichlorobenzene	-	-	<23	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,1-Trichloroethane	200	40	<36	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,1,2-Trichloroethane	0.6	0.06	<43	- -	N/D	N/D	N/D	N/D	N/D	- -				
Trichloroethene	5	0.5	<19	- -	N/D	N/D	N/D	N/D	N/D	- -				
Trichlorofluoromethane	-	-	<21	- -	N/D	N/D	N/D	N/D	N/D	- -				
1,2,3-Trichloropropane	-	-	<33	- -	<0.28	N/D	N/D	N/D	0.87	- -				
1,2,4-Trimethylbenzene	480 (1)	96 (1)	**150**	**286**	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.4	<0.4	<0.4
1,3,5-Trimethylbenzene	480 (1)	96 (1)	**42**	**82.8**	N/D	N/D	N/D	N/D	N/D	<0.15	<0.17	<0.31	<0.31	<0.31
Vinyl chloride	0.2	0.02	<55	- -	N/D	N/D	N/D	N/D	N/D	- -				
m&p-Xylene	620 (1)	124 (1)	**560**	**1170**	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.62	<0.62	<0.62
Methyl-t-Butyl ether	60	12	<26	**22.6**	N/D	N/D	N/D	N/D	N/D	<0.3	<0.3	<0.3	<0.3	<0.3
Isopropyl Ether	-	-	<26	- -	N/D	N/D	N/D	N/D	N/D	- -				

WATER SAMPLING RESULTS

MONITORING WELL NO. 9

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 11/08/95	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	10/04/99	04/05/00	07/05/00	11/07/01	10/01/02
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)			
GRO(Gasoline Range Organics)	-	-	6.8	- -	N/D	N/D	0.072	0.064	0.12	0.084	0.0699			
DRO(Diesel Range Organics	-	-	0.42	- -	<.13	<0.16>	<.22>	<0.17>	0.28	0.11	0.219			
Lead	0.015	0.0015			**0.17**	**0.017**	**0.036**	N/A	N/D	**0.0059**	**0.00425**			
VOLATILE ORGANIC COMPOUNDS														
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<.11	<0.5	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15	<0.16	<0.31
Bromobenzene	-	-	<.34	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Bromochloromethane	-	-	<.34	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Bromodichloromethane	179	36	<.27	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.13	<0.13		
Bromoform	4.4	0.44	<.60	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Bromomethane	-	-	<.23	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
n-Butylbenzene	-	-	2.1	- -	0.6	N/D	4.1	N/D	1.7	<0.18>	0.775	<0.15		
sec-Butylbenzene	-	-	<.19	- -	N/D	N/D	2.4	N/D	3.2	N/D	1.81	<0.15		
tert-Butylbenzene	-	-	<.28	- -	N/D	N/D	<0.46>	N/D	<0.82>	N/D	1.19	<0.15		
Carbon Tetrachloride	5	0.5	<.65	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chlorobenzene	-	-	<.55	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chloroethane	400	80	<.23	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Chloroform	6	0.6	<.90	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.14	<0.14		
Chloromethane	-	-	<.56	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
2-Chlorotoluene (o)	-	-	<.28	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
4-Chlorotoluene (p)	-	-	<.84	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Dibromochloromethane	215	43	<.30	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<.54	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.25	<0.25		
1,2-Dibromoethane (EDB)	0.05	0.005	<.58	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.12	<0.12		
Dibromomethane	0.05	0.005	<.75	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
1,2-Dichlorobenzene	600	60	<.30	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,3-Dichlorobenzene	1250	125	<.54	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,4-Dichlorobenzene	75	15	<.57	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Dichlorodifluoromethane	1000	200	<.25	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.25	<0.25		
1,1-Dichloroethane	850	85	<.35	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2-Dichloroethane	5	0.5	<.38	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1-Dichloroethene	7	0.7	<.21	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
cis-1,2-Dichloroethene	70	7	<.49	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
trans-1,2-Dichloroethene	100	20	<.19	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2-Dichloropropane	5	0.5	<.75	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,3-Dichloropropane	-	-	<.42	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.2	<0.2		
2,2-Dichloropropane	-	-	<.90	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1-Dichloropropene	-	-	<.65	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
cis-1,3-Dichloropropene	-	-	<.40	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
trans-1,3-Dichloropropene	-	-	<.40	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
Ethylbenzene	700	140	<.15	<1.0	N/D	N/D	<0.71>	N/D	N/D	N/D	<0.5	<0.5	<0.5	<0.5
Hexachlorobutadiene	-	-	<.36	- -	N/D	N/D	N/D	N/D	N/D	N/D	<1.00	<1.00		
Isopropylbenzene	-	-	<.18	- -	N/D	N/D	<0.28>	N/D	2.6	N/D	<0.15	<0.15		
p-Isopropyltoluene	-	-	9.5	- -	N/D	N/D	<0.59>	N/D	1.6	N/D	0.5	<0.2		
Methylene chloride	150	15	<.19	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.39	<0.39		
Naphthalene	40	8	<.56	<1.0	N/D	N/D	N/D	N/D	N/D	N/D	<0.8	<0.8		
n-Propylbenzene	-	-	<.43	- -	N/D	N/D	0.93	N/D	2.5	N/D	<0.15	<0.15		
o-Xylene/Styrene	10000	1000	0.66	1.3	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15	<0.17	<0.3
1,1,1,2-Tetrachloroethane	-	-	<.55	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
1,1,2,2-Tetrachloroethane	-	-	<.35	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.13	<0.13		
Tetrachloroethene	5	0.5	<.42	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
Toluene	1000	200	0.51	<1.0	N/D	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.4	<0.3
1,2,3-Trichlorobenzene	-	-	<.37	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5		
1,2,4-Trichlorobenzene	-	-	<.23	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.5	<0.5		
1,1,1-Trichloroethane	200	40	<.36	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,1,2-Trichloroethane	0.6	0.06	<.43	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.14	<0.14		
Trichloroethene	5	0.5	<.19	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4		
Trichlorofluoromethane	-	-	<.21	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.15	<0.15		
1,2,3-Trichloropropane	-	-	<.33	- -	N/D	N/D	N/D	N/D	N/D	N/D	- -	- -		
1,2,4-Trimethylbenzene	480 (1)	96 (1)	5.2	6.3	N/D	N/D	1.6	N/D	1	N/D	<0.4	<0.4	<0.4	1.02
1,3,5-Trimethylbenzene	480 (1)	96 (1)	0.83	6.7	N/D	N/D	1.4	N/D	2	N/D	<0.15	<0.15	2.73	2.13
Vinyl chloride	0.2	0.02	<.55	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.11	<0.11		
m&p-Xylene	620 (1)	124 (1)	<.86	<1.0	N/D	N/D	<1.4>	N/D	<0.83>	N/D	<0.4	<0.4	<0.4	<0.62
Methyl-t-Butyl ether	60	12	<.26	<1.0	N/D	N/D	N/D	N/D	N/D	N/D	<0.3	<0.3	<0.3	<0.3
Isopropyl Ether	-	-	<.26	- -	N/D	N/D	N/D	N/D	N/D	N/D	<0.25	<0.25		

WATER SAMPLING RESULTS

MONITORING WELL NO. 10

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventive Action Limit	SAMPLE DATE 02/20/96	10/15/96	09/30/97	03/23/98	06/23/98	03/30/99	06/28/99	04/05/00	11/07/01	10/01/02
			(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)	(mg/l)		
GRO(Gasoline Range Organics)	-	-	<0.01	- -	N/D	N/D	N/D	N/D	N/D	<0.05		
DRO(Diesel Range Organics	-	-	0.17	- -	N/D	N/D		N/D	N/D	<0.1		
Lead	0.015	0.0015								<0.001		
VOLATILE ORGANIC COMPOUNDS												
	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	**2.2**	**1.3**	N/D	N/D	N/D	N/D	N/D	<0.15	**1.13**	<0.31
Bromobenzene	-	-	<.34	- -	- -	- -	- -	- -	- -	- -		
Bromochloromethane	-	-	<.34	- -	- -	- -	- -	- -	- -	- -		
Bromodichloromethane	179	36	<.27	- -	- -	- -	- -	- -	- -	- -		
Bromoform	4.4	0.44	<.60	- -	- -	- -	- -	- -	- -	- -		
Bromomethane	-	-	<.23	- -	- -	- -	- -	- -	- -	- -		
n-Butylbenzene	-	-	0.48	- -	- -	- -	- -	- -	- -	- -		
sec-Butylbenzene	-	-	<.19	- -	- -	- -	- -	- -	- -	- -		
tert-Butylbenzene	-	-	<.28	- -	- -	- -	- -	- -	- -	- -		
Carbon Tetrachloride	5	0.5	<.65	- -	- -	- -	- -	- -	- -	- -		
Chlorobenzene	-	-	<.55	- -	- -	- -	- -	- -	- -	- -		
Chloroethane	400	80	<.23	- -	- -	- -	- -	- -	- -	- -		
Chloroform	6	0.6	<.90	- -	- -	- -	- -	- -	- -	- -		
Chloromethane	-	-	<.56	- -	- -	- -	- -	- -	- -	- -		
2-Chlorotoluene (o)	-	-	<.28	- -	- -	- -	- -	- -	- -	- -		
4-Chlorotoluene (p)	-	-	<.84	- -	- -	- -	- -	- -	- -	- -		
Dibromochloromethane	215	43	<.30	- -	- -	- -	- -	- -	- -	- -		
1,2-Dibromo-3-chloropropane (DBCP)	0.2	0.02	<.54	- -	- -	- -	- -	- -	- -	- -		
1,2-Dibromoethane (EDB)	0.05	0.005	<.58	- -	- -	- -	- -	- -	- -	- -		
Dibromomethane	0.05	0.005	<.75	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichlorobenzene	600	60	<.30	- -	- -	- -	- -	- -	- -	- -		
1,3-Dichlorobenzene	1250	125	<.54	- -	- -	- -	- -	- -	- -	- -		
1,4-Dichlorobenzene	75	15	<.57	- -	- -	- -	- -	- -	- -	- -		
Dichlorodifluoromethane	1000	200	<.25	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloroethane	850	85	<.35	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichloroethane	5	0.5	<.38	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloroethene	7	0.7	<.21	- -	- -	- -	- -	- -	- -	- -		
cis-1,2-Dichloroethene	70	7	<.49	- -	- -	- -	- -	- -	- -	- -		
trans-1,2-Dichloroethene	100	20	<.19	- -	- -	- -	- -	- -	- -	- -		
1,2-Dichloropropane	5	0.5	<.75	- -	- -	- -	- -	- -	- -	- -		
1,3-Dichloropropane	-	-	<.42	- -	- -	- -	- -	- -	- -	- -		
2,2-Dichloropropane	-	-	<.90	- -	- -	- -	- -	- -	- -	- -		
1,1-Dichloropropene	-	-	<.65	- -	- -	- -	- -	- -	- -	- -		
cis-1,3-Dichloropropene	-	-	<.40	- -	- -	- -	- -	- -	- -	- -		
trans-1,3-Dichloropropene	-	-	<.40	- -	- -	- -	- -	- -	- -	- -		
Ethylbenzene	700	140	1.9	5.8	N/D	N/D	N/D	N/D	N/D	<0.3	0.861	<0.5
Hexachlorobutadiene	-	-	<.36	- -	- -	- -	- -	- -	- -	- -		
Isopropylbenzene	-	-	<.18	- -	- -	- -	- -	- -	- -	- -		
p-Isopropyltoluene	-	-	<0.77	- -	- -	- -	- -	- -	- -	- -		
Methylene chloride	150	15	<.19	- -	- -	- -	- -	- -	- -	- -		
Naphthalene	40	8	<.56	<1.0	N/D	- -	- -	- -	- -	- -		
n-Propylbenzene	-	-	<.43	- -	- -	- -	- -	- -	- -	- -		
o-Xylene/Styrene	10000	1000	2.6	1.9	N/D	N/D	N/D	N/D	N/D	<0.15	0.236	<0.3
1,1,1,2-Tetrachloroethane	-	-	<.55	- -	- -	- -	- -	- -	- -	- -		
1,1,2,2-Tetrachloroethane	-	-	<.35	- -	- -	- -	- -	- -	- -	- -		
Tetrachloroethene	5	0.5	<.42	- -	- -	- -	- -	- -	- -	- -		
Toluene	1000	200	2	1.4	N/D	N/D	N/D	N/D	<0.30>	<0.4	0.413	<0.3
1,2,3-Trichlorobenzene	-	-	<.37	- -	- -	- -	- -	- -	- -	- -		
1,2,4-Trichlorobenzene	-	-	<.23	- -	- -	- -	- -	- -	- -	- -		
1,1,1-Trichloroethane	200	40	<.36	- -	- -	- -	- -	- -	- -	- -		
1,1,2-Trichloroethane	0.6	0.06	<.43	- -	- -	- -	- -	- -	- -	- -		
Trichloroethene	5	0.5	<.19	- -	- -	- -	- -	- -	- -	- -		
Trichlorofluoromethane	-	-	<.21	- -	- -	- -	- -	- -	- -	- -		
1,2,3-Trichloropropane	-	-	<.33	- -	- -	- -	- -	- -	- -	- -		
1,2,4-Trimethylbenzene	480 (1)	96 (1)	1.1	1.7	N/D	N/D	N/D	N/D	N/D	<0.4	<0.4	<0.4
1,3,5-Trimethylbenzene	480 (1)	96 (1)	<.24	<1.0	N/D	N/D	N/D	N/D	N/D	<0.15	<0.17	<0.31
Vinyl chloride	0.2	0.02	<.55	- -	- -	- -	- -	- -	- -	- -		
m&p-Xylene	620 (1)	124 (1)	<.86	6.7	N/D	N/D	N/D	N/D	N/D	<0.4	0.652	<0.62
Methyl-t-Butyl ether	60	12	<.26	<1.0	N/D	N/D	N/D	N/D	N/D	<0.5	<0.3	<0.3
Isopropyl Ether	-	-	<.26	- -	- -	- -						

WATER SAMPLING RESULTS

FARMHOUSE RESIDENCE POTABLE WATER SUPPLY

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventative Action Limit	10/15/96	4/29/03
VOLITILE ORGANIC COMPOUNDS	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	<0.1
Bromobenzene			<0.5	<0.1
Bromodichloromethane	179	36	<0.5	<0.1
Bromoform	4.4	0.44	<0.5	<0.2
Bromomethane			<1.0	<0.1
Carbon Tetrachloride	5	0.5	<0.5	<0.1
Chlorobenzene			<0.5	<0.1
Chloroethane	400	80	<1.0	<0.6
Chloroform	6	0.6	<0.5	<0.1
Chloromethane			<0.5	<0.2
2-Chlorotoluene			<0.5	<0.1
4-Chlorotoluene			<0.5	<0.2
Dibromochloromethane	215	43	<0.5	<0.1
Dibromochloropropane(DBCP)	0.2	0.02	<0.5	<0.3
1,2-Dibromoethane(EDB)			<0.5	<0.1
Dibromomethane	0.05	0.005	<0.5	<0.1
1,2-dichlorobenzene	600	60	<0.5	<0.2
1,3-Dichlorobenzene	1250	125	<0.5	<0.15
1,4-Dichlorobenzene	75	15	<0.5	<0.15
1,1-Dichloroethane	850	85	<0.5	<0.1
1,2-Dichloroethane	5	0.5	<0.5	<0.1
1,1-Dichloroeth(yl)ene	7	0.7	<0.5	<0.1
cis-1,3-Dichloroeth(yl)ene	70	7	<0.5	<0.1
trans-1,2-Dichloroethylene	100	20	<0.5	<0.1
1,2-Dichloropropane	5	0.5	<0.5	<0.1
1,3-Dichloropropane			<0.5	<0.1
2,2-Dichloropropane			<0.5	<0.1
1,1-Dichloropropene			<0.5	<0.2
cis-1,3-Dichloropropene			<0.5	<0.1
trans-1,3-Dichloropropene				<0.1
Ethylbenzene	700	140	<0.5	<0.1
Methylene Chloride			<1.0	<0.25
Styrene	10,000	1,000	<0.5	<0.1
1,1,1,2-Tetrachloroethane			<0.5	<0.1
1,1,2,2-Tetrachloroethane			<0.5	<0.1
Tetrachloroeth(yl)ene	5	0.5	<0.5	<0.1
Toluene	1000	200	<0.5	<0.4
1,2,4-Trichlorobenzene			<0.5	<0.5
1,1,1-Trichloroethane	200	40	<0.5	<0.1
1,1,2-Trichloroethane	0.6	0.06	<0.5	<0.1
Trichloroeth(yl)ene	5	0.5	<0.5	<0.2
1,2,3-Trichloropropane			<0.5	<0.4
Vinyl Chloride	0.2	0.02	<0.2	<0.1
o-Xylene	10,000	1,000	<0.5	<0.1
m-&p-Xylene	620	124	<0.5	<0.4

WATER SAMPLING RESULTS

CABIN RESIDENCE POTABLE WATER SUPPLY

NORTHLAND CRANBERRIES - ASSOCIATES DIVISION

Parameter	Enforcement Standard	Preventative Action Limit	10/15/96	4/29/03	10/15/03
VOLITILE ORGANIC COMPOUNDS	(ug/l)	(ug/l)	(ug/l)	(ug/l)	(ug/l)
Benzene	5	0.5	<0.5	<0.1	<0.1
Bromobenzene			<0.5	<0.1	<0.1
Bromodichloromethane	179	36	<0.5	<0.1	<0.1
Bromoform	4.4	0.44	<0.5	<0.2	<0.2
Bromomethane			<1.0	<0.1	<0.1
Carbon Tetrachloride	5	0.5	<0.5	<0.1	<0.1
Chlorobenzene			<0.5	<0.1	<0.1
Chloroethane	400	80	<1.0	<0.6	<0.6
Chloroform	6	0.6	<0.5	<0.1	<0.1
Chloromethane			<0.5	<0.2	<0.2
2-Chlorotoluene			<0.5	<0.1	<0.1
4-Chlorotoluene			<0.5	<0.2	<0.2
Dibromochloromethane	215	43	<0.5	<0.1	<0.1
Dibromochloropropane(DBCP)	0.2	0.02	<0.5	<0.3	<0.3
1,2-Dibromoethane(EDB)			<0.5	<0.1	<0.1
Dibromomethane	0.05	0.005	<0.5	<0.1	<0.1
1,2-dichlorobenzene	600	60	<0.5	<0.2	<0.2
1,3-Dichlorobenzene	1250	125	<0.5	<0.15	<0.15
1,4-Dichlorobenzene	75	15	<0.5	<0.15	<0.15
1,1-Dichloroethane	850	85	<0.5	<0.1	<0.1
1,2-Dichloroethane	5	0.5	<0.5	<0.1	<0.1
1,1-Dichloroeth(yl)ene	7	0.7	<0.5	<0.1	<0.1
cis-1,3-Dichloroeth(yl)ene	70	7	<0.5	<0.1	<0.1
trans-1,2-Dichloroethylene	100	20	<0.5	<0.1	<0.1
1,2-Dichloropropane	5	0.5	<0.5	<0.1	<0.1
1,3-Dichloropropane			<0.5	<0.1	<0.1
2,2-Dichloropropane			<0.5	<0.1	<0.1
1,1-Dichloropropene			<0.5	<0.2	<0.2
cis-1,3-Dichloropropene			<0.5	<0.1	<0.1
trans-1,3-Dichloropropene				<0.1	<0.1
Ethylbenzene	700	140	<0.5	<0.1	<0.1
Methylene Chloride			<1.0	<0.25	<0.25
Styrene	10,000	1,000	<0.5	**17.6**	**0.46**
1,1,1,2-Tetrachloroethane			<0.5	<0.1	<0.1
1,1,2,2-Tetrachloroethane			<0.5	<0.1	<0.1
Tetrachloroeth(yl)ene	5	0.5	<0.5	<0.1	<0.1
Toluene	1000	200	<0.5	<0.4	<0.4
1,2,4-Trichlorobenzene			<0.5	<0.5	<0.5
1,1,1-Trichloroethane	200	40	<0.5	<0.1	<0.1
1,1,2-Trichloroethane	0.6	0.06	<0.5	<0.1	<0.1
Trichloroeth(yl)ene	5	0.5	<0.5	<0.2	<0.2
1,2,3-Trichloropropane			<0.5	<0.4	<0.4
Vinyl Chloride	0.2	0.02	<0.2	<0.1	<0.1
o-Xylene	10,000	1,000	<0.5	<0.1	<0.1
m-&p-Xylene	620	124	<0.5	<0.4	<0.4

NOTES:

1. GROUNDWATER FLOW BASED ON JANUARY 13, 2004 WATER ELEVATIONS ALTHOUGH PREVIOUS DATA INDICATED FLOW IN THE OPPOSITE DIRECTION.
2. GROUNDWATER SAMPLES COLLECTED FROM MW #1 ON APRIL 29, 2003 AND OCTOBER 13, 2003 ARE THE LATEST DATA AND THE ONLY SAMPLES EXCEEDING PAL AND ES LIMITS.



J.A.B.–Mar 22, 2004, 09:35:15

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
ISOCONTRATION MAP

DATE:	MARCH 19, 2004
LLA #	93–169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A–7384–D–1

Northland Cranberries Associates Division
BRRTS # 03-27-000669

Groundwater Elevations

The depth to groundwater was measured from the top of the PVC monitoring wells

Well No.	PVC Elevation*	9/30/97	3/23/98	6/23/98	3/30/99	4/4/01	11/7/01	5/15/02	10/1/02	4/29/03	10/15/03	1/13/04
MW-1	994.44											
Depth to Groundwater		(11.44)	(12.33)	(11.17)	(11.49)	(11.89)	(12.16)	(10.64)	(11.70)	(11.08)	(12.47)	(13.64)
Groundwater Elevation		983.00	982.11	983.27	982.95	982.55	982.28	983.80	982.74	983.36	981.97	980.80
MW-2	992.76											
Depth to Groundwater		(10.17)	(9.64)	(10.18)	(9.60)	(10.05)	(11.03)	(9.60)	(9.77)	(9.87)	(10.34)	(10.04)
Groundwater Elevation		982.59	983.12	982.58	983.16	982.71	981.73	983.16	982.99	982.89	982.42	982.72
MW-3	996.14											
Depth to Groundwater		(13.29)	(13.18)	(12.89)	(13.07)		(13.84)		(13.21)			(15.01)
Groundwater Elevation		982.85	982.96	983.25	983.07		982.30		982.93			981.13
MW-4	994.79											
Depth to Groundwater		(12.79)	(13.78)	(11.57)	(12.18)		(12.69)		(11.98)			(13.70)
Groundwater Elevation		982.00	981.01	983.22	982.61		982.10		982.81			981.09
MW-5	991.08											
Depth to Groundwater		(8.92)	(8.50)	(9.03)	(8.45)		(10.02)		(8.17)			(9.03)
Groundwater Elevation		982.16	982.58	982.05	982.63		981.06		982.91			982.05
MW-6	995.08											
Depth to Groundwater		(12.25)	(12.15)	(11.78)	(11.91)							(14.98)
Groundwater Elevation		982.83	982.93	983.30	983.17							980.10
MW-7	993.45											
Depth to Groundwater		(11.06)	(10.80)	(10.81)	(10.38)		(11.89)		(10.76)	(10.65)	(12.07)	(11.15)
Groundwater Elevation		982.39	982.65	982.64	983.07		981.56		982.69	982.80	981.38	982.30
MW-8	987.03											
Depth to Groundwater		(5.06)	(4.65)	(5.09)	(4.60)		(6.18)		(3.14)	(4.78)	(5.47)	
Groundwater Elevation		981.97	982.38	981.94	982.43		980.85		983.89	982.25	981.56	
MW-9	991.30											
Depth to Groundwater		(8.85)	(8.67)	(8.76)	(8.28)		(9.40)		(8.17)			(8.53)
Groundwater Elevation		982.45	982.63	982.54	983.02		981.90		983.13			982.77
MW-10	985.75											
Depth to Groundwater		(4.31)	(4.29)	(4.95)	(3.57)		(5.88)		(1.64)			
Groundwater Elevation		981.44	981.46	980.80	982.18		979.87		984.11			



B.W.F.-Nov 06, 1996, 15:24:44

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP

DATE:	NOVEMBER 6, 1996
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	B. FEE
DWG. NO.	A-7384-B



J.A.B.–Mar 22, 2004, 08:51:38

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
MARCH 30, 1999

DATE:	MARCH 19, 2004
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A-7384-C-4



J.A.B.–Mar 22, 2004, 09:09:10

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
NOVEMBER 7, 2001

DATE:	MARCH 19, 2004
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A-7384-C-1



J.A.B.–Mar 22, 2004, 09:01:14

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
OCTOBER 1, 2002

DATE:	MARCH 19, 2004
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A-7384-C-5



J.A.B.–Mar 22, 2004, 09:09:33

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
APRIL 29, 2003

DATE:	MARCH 19, 2004
LLA #	93–169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A–7384–C–6



J.A.B.–Mar 22, 2004, 09:08:41

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
OCTOBER 15, 2003

DATE:	MARCH 19, 2004
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A-7384-C-7



J.A.B.–Mar 19, 2004, 08:26:13

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GROUNDWATER FLOW MAP
JANUARY 13, 2004

DATE:	MARCH 19, 2004
LLA #	93–169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	C. GIBBONS
DWG. NO.	A–7384–C–3



J.A.B.-Nov 13, 1996, 15:43:05

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
EXTENT OF GROUNDWATER CONTAMINATION

DATE:	NOVEMBER 13, 1996
LLA #	93-169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	B. FEE
DWG. NO.	A-7384-C



CROSS SECTION A–A

HORIZONTAL SCALE 1"=40'
VERTICAL SCALE 1"=10'



CROSS SECTION B–B

HORIZONTAL SCALE 1"=40'
VERTICAL SCALE 1"=10'

J.A.B.–Nov 19, 1996, 15:16:46

ESP GROUP, INC.
LAMPERT, LEE & ASSOCIATES

NORTHLAND CRAN., ASSOCIATES DIVISION
GEOLOGIC CROSS SECTIONS

DATE:	NOVEMBER 13, 1996
LLA #	93–169
DRAWN BY:	JIM BRASEL
REVIEWED BY:	B. FEE
DWG. NO.	A–7384–D

CERTIFICATION OF LEGAL DESCRIIPTIONS
OF
NORTHLAND CRANBERRIES, INC.
ASSOCIATES DIVISION

The undersigned representative of Northland Cranberries, Inc, a Wisconsin corporation, does hereby certify that attached hereto is a true and complete copy of legally described lands owned by Northland Cranberries Associates Division and remain in effect as of the date hereof.

Dated this 17th day of January 17, 2003.

Allen B. O'Leary
Director of Environmental Resources
Northland Cranberries, Inc.