



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830
TTY Access via relay - 711

August 7, 2007

Ms. Norma Fulton
242 W. Court St.
New Lisbon, WI 53950

SUBJECT: Final Case Closure
Norma Fulton Property, 1006 S. Adams St., New Lisbon, WI
WDNR BRRTS Activity #: 03-29-000250

Dear Ms. Fulton:

On June 14, 2007, the Department of Natural Resources reviewed your request for closure of the case described above. The West Central Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On June 21, 2007, you were notified that the Closure Committee had granted conditional closure to this case.

On July 25, 2007, the Department received correspondence indicating that you have complied with the requirements of closure. The only condition of closure was the abandonment of the monitoring wells and groundwater extraction wells.


Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at (715) 421-7873

Sincerely,

A handwritten signature in black ink that reads "Dave Rozeboom". The signature is written in a cursive, flowing style.

Dave Rozeboom
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Ron Anderson, METCO, 1421 Hwy 16, La Crosse, WI 54601



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830
TTY Access via relay - 711

June 21, 2007

Norma Fulton
242 W. Court St.
New Lisbon, WI 53950

Subject: Conditional Closure Decision With Requirements to Achieve Final Closure
Norma Fulton Property, 1006 S. Adams St., New Lisbon, WI
WDNR BRRTS Activity # 03-29-000250

Dear Ms. Fulton:

On June 14, 2007, the Department of Natural Resources reviewed your request for closure of the case described above. The West Central Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the area in the vicinity of the former tank basin appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells, soil vapor extraction wells and ground water extraction wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Dave Rozeboom on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with

PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 421-7873.

Sincerely,

A handwritten signature in black ink that reads "Dave Rozeboom". The signature is written in a cursive style with a long horizontal flourish extending to the right.

Dave Rozeboom
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Jason Powell, METCO, 1421 Hwy 16, La Crosse, WI 54601

Purchaser promises to pay when due all taxes and assessments levied on the Property or upon Vendor's interest in it and to deliver to Vendor on demand receipts showing such payment

Purchaser shall keep the improvements on the Property insured against loss or damage occasioned by fire, extended coverage perils and such other hazards as Vendor may require, without co-insurance, through insurers approved by Vendor, in the sum of \$20,000.00 but Vendor shall not require coverage in an amount more than the balance owed under this Contract. Purchaser shall pay the insurance premium when due. The policies shall contain the standard clause in favor of the Vendor's interest and, unless Vendor otherwise agrees in writing, the original of all policies covering the Property shall be deposited with Vendor. Purchaser shall promptly give notice of loss to insurance companies and Vendor. Unless Purchaser and Vendor otherwise agree in writing, insurance proceeds shall be applied to restoration or repair of the Property damaged, provided the Vendor deems the restoration or repair to be economically feasible.

Purchaser covenants not to commit waste nor allow waste to be committed on the Property; to keep the Property in good tenable condition and repair, to keep the Property free from liens superior to the lien of this Contract, and to comply with all laws, ordinances and regulations affecting the Property.

Vendor agrees that in case the purchase price with interest and other moneys shall be fully paid and all conditions shall be fully performed at the times and in the manner above specified, Vendor will on demand, execute and deliver to the Purchaser, a Warranty Deed, in fee simple, of the Property, free and clear of all liens and encumbrances, except any liens or encumbrances created by the act or default of Purchaser, and except:

Purchaser agrees that time is of the essence and (a) in the event of a default in the payment of any principal or interest which continues for a period of 60 days following the specified due date or (b) in the event of a default in performance of any other obligation of Purchaser which continues for a period of 60 days following written notice thereof by Vendor (delivered personally or mailed by certified mail); then the entire outstanding balance under this contract shall become immediately due and payable in full, at Vendor's option and without notice (which Purchaser hereby waives), and Vendor shall also have the following rights and remedies (subject to any limitations provided by law) in addition to those provided by law or in equity: (i) Vendor may, at his option, terminate this Contract and Purchaser's rights, title and interest in the Property and recover the Property back through strict foreclosure with any equity of redemption to be conditioned upon Purchaser's full payment of the entire outstanding balance, with interest thereon from the date of default at the rate in effect on such date and other amounts due hereunder (in which event all amounts previously paid by Purchaser shall be forfeited as liquidated damages for failure to fulfill this Contract and as rental for the Property if Purchaser fails to redeem); or (ii) Vendor may sue for specific performance of this Contract to compel immediate and full payment on the entire outstanding balance, with interest thereon at the rate in effect on the date of default and other amounts due hereunder, in which event the Property shall be auctioned at judicial sale and Purchaser shall be liable for any deficiency; or (iii) Vendor may sue at law for the entire unpaid purchase price or any portion thereof; or (iv) Vendor may declare this Contract at an end and remove this Contract as a cloud on title in a quiet-title action if the equitable interest of Purchaser is insignificant; and (v) Vendor may have Purchaser ejected from possession of the Property and have a receiver appointed to collect any rents, issues or profits during the pendency of any action under (i), (ii) or (iv) above. Notwithstanding any oral or written statements or actions of Vendor, an election of any of the foregoing remedies shall only be binding upon Vendor if and when pursued in litigation and all costs and expenses including reasonable attorneys fees of Vendor incurred to enforce any remedy hereunder (whether abated or not) to the extent not prohibited by law and expenses of title evidence shall be added to principal and paid by Purchaser, as incurred, and shall be included in any judgment.

Upon the commencement or during the pendency of any action of foreclosure of this Contract, Purchaser consents to the appointment to a receiver of the Property, including homestead interest, to collect the rents, issues, and profits of the Property during the pendency of such action and such rents, issues, and profits when so collected shall be held and applied as the court shall direct.

Purchaser shall not transfer, sell or convey any legal or equitable interest in the Property (by assignment of any of Purchaser's rights under this Contract or by option, long-term lease or in any other way) without the prior written consent of Vendor unless either the outstanding balance payable under this Contract is first paid in full or the interest conveyed is a pledge or assignment of Purchaser's interest under this Contract solely as security for an indebtedness of Purchaser. In the event of any such transfer, sale or conveyance without Vendor's written consent, the entire outstanding balance payable under this Contract shall become immediately due and payable in full, at Vendor's option without notice.

Vendor shall make all payments when due under any mortgage outstanding against the Property on the date of this Contract (except for any mortgage granted by Purchaser) or under any note secured thereby, provided Purchaser makes timely payment of the amount then due under this Contract. Purchaser may make such payments directly to the Mortgagee if Vendor fails to do so and all payments so made by Purchaser shall be considered payments made on this Contract.


Vendor may waive any default without waiving other subsequent or prior default of Purchase.

All terms of this Contract shall be binding upon and inure to the benefits of the heirs, legal representatives, successors and assigns of Vendor and Purchaser. (If not an owner of the property the spouse of Vendor for a valuable consideration joins herein to release homestead rights in the subject Property and agrees to join in the execution of the deed to be made in fulfillment hereof.)

Dated this 1st day of May, 1998

Norma J. Fulton (SEAL)
Norma J. Fulton (SEAL)

Daniel C. Medearis (SEAL)
Kathleen M. Medearis (SEAL)



AUTHENTICATION

ACKNOWLEDGMENT

Signature(s)
authenticated this day of 19


State of Wisconsin, Juneau County
Personally came before me this day of May 1998, the above named Norma J. Fulton, Daniel C. Medearis, Kathleen M. Medearis

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not authorized by §706.06, Wis. Stats.)

to me known to be the person who executed the foregoing instrument and acknowledge the same
Ray C. Feldman
Notary Public, Juneau County, Wis
My Commission is permanent (if not, state expiration date)

THIS INSTRUMENT WAS DRAFTED BY
Attorney Ray C. Feldman
P.O. Box 167, Mauston, WI 53948
(Signatures may be authenticated or acknowledged. Both are not necessary)

STREETS



68

82

Omro Sales (Former)

Property Address: 1006 S. Adams St, New Lisbon, WI

Property Owner: Daniel and Kathleen Medearis


Juneau County Parcel ID No.: 698

Deed Recorded: Volume 495, Page 214-215


Geographical Position (WTM91 projection): E 506836, N 377540

Soil and Groundwater Contamination

TOPO! map printed on 02/28/07 from "wisconsin.tpo" and "Untitled.tpg"
90°10.000' W WGS84 90°09.000' W



TN MN
1 1/2°



Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

SITE LOCATION MAP – CONTOUR INTERVAL 20 FEET
OMRO SALES (FORMER) – NEW LISBON, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM

LEGEND

- MW3 MONITORING WELL LOC/
WITH GW ELEVATION
- GWE1 GROUNDWATER EXTRACT
WELL
- P5 PIEZOMETER
- TELEPHONE PEDESTAL
- SANITARY MANHOLE
- POWER POLE WITH LIGHT
- G NATURAL GAS
- FO FIBER OPTICS
- OHE OVERHEAD ELECTRIC
- SVE BUILDING
- - - **Property Line**





FIGURE 1
SITE LAYOUT MAP
NORMA FULTON PROPERTY
NEW LISBON, WISCONSIN



Modified by METCO, ED, 5/21/07

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRTS# 03-29-000250

Well MW-1

PVC Elevation = 892.80 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-90	NM	NM	393	NS	--	240	--	NS	1320	NS	7026
Aug-91	881.78	11.02	56.8	1.56	--	986	--	NS	1790	1.77	19
Jun-92	882.31	10.49	480	NS	NS	255	--	NS	1300	260.5	1075
Nov-92	884.51	8.29	580	NS	NS	200	--	NS	2000	130	900
Mar-93	884.02	8.78	480	NS	NS	230	--	NS	1700	140	850
Aug-93	884.28	8.52	440	NS	NS	240	--	NS	620	181	740
Dec-93	883.17	9.63	240	NS	NS	150	--	NS	360	111	440
Apr-94	883.50	9.30	530	NS	NS	280	--	NS	2000	260	1040
Jul-94	883.62	9.18	22.3	NS	NS	15.7	--	NS	79.9	10.8	55.6
Jan-95	882.71	10.09	108	NS	NS	87.7	--	NS	316	49.3	218
May-95	884.34	8.46	122	NS	NS	81.5	--	NS	396	57.6	330
Jan-96	882.40	10.40	170	NS	NS	150	--	NS	450	120	409
Apr-96	884.51	8.29	30	NS	NS	38	7.6	NS	90	21.7	110
Jul-96	883.73	9.07	140	<3.0	<2.4	--	--	56	590	132	130
Oct-96	881.61	11.19	76	NS	NS	130	--	25	250	115	399
Jan-97	882.89	9.91	70	NS	NS	115	--	NS	237	114	364
Apr-97	883.96	8.84	130	NS	NS	280	--	60	650	268	940
Jun-97	882.78	10.02	110	NS	NS	280	--	20	760	234	1100
Feb-98	882.17	10.63	55	NS	NS	120	7.5	NS	650	81	410
Jul-98	884.94	7.86	58	NS	<1.0	140	--	NS	640	172	760
Apr-99	883.81	8.99	120	NS	NS	300	--	NS	1100	410	1190
Jul-99	883.46	9.34	96	NS	NS	260	--	NS	830	231	830
Oct-99	881.96	10.84	20	NS	NS	55	--	NS	130	48	142
Jan-00	881.76	11.04	12	NS	NS	29	--	2.4	72	19.6	55
Apr-00	883.45	9.35	10	NS	NS	30	2.7	4.6	82	19.6	56
Jul-00	883.15	9.65	35	NS	NS	92	6.8	18	200	87	225
Oct-00	882.29	10.51	3.8	NS	NS	16	0.77	3	53	14.4	43
Jan-01	882.39	10.41	40	NS	<20	140	--	31	530	128	480
Apr-01	885.35	7.45	56	NS	NS	200	--	38	730	217	830
Jul-01	882.58	10.22	100	NS	NS	450	--	140	1300	460	1580
Oct-01	882.52	10.28	40	NS	NS	85	--	19	260	83	235
Jan-02	882.19	10.61	54	NS	NS	130	<4.0	33	440	114	410
Jul-02	882.46	10.34	6	NS	NS	27	2.7	7.4	47	9.41	51
Oct-02	882.73	10.07	28	NS	NS	130	<10	NS	530	119	490
Jan-03	882.07	10.73	26	NS	NS	140	9.5	36	370	138	550
Apr-03	883.66	9.14	57	NS	NS	230	<6.0	45	760	257	1040
Jul-03	882.35	10.45	16	NS	NS	85	3.7	15	190	87	258
Oct-03	881.74	11.06	1.4	NS	NS	12	0.51	0.94	41	8.2	32.8
Jan-04	881.89	10.91	53	NS	NS	290	16	72	1100	213	900
Jul-04	883.38	9.42	6.3	<0.30	<0.90	<0.50	<0.50	3.6	3.7	12.8	39
Oct-04	882.29	10.51	43	NS	NS	190	12	33	710	170	530
Feb-05	883.08	9.72	86	NS	NS	400	7.4	80	1500	350	1430
Apr-05	883.58	9.22	100	NS	NS	450	17	96	1500	403	1670
Jul-05	882.50	10.30	21	NS	NS	150	<8.0	47	590	128	480
Oct-05	881.77	11.03	33	NS	NS	200	<4.0	47	570	167	490
11/1/2006	884.12	8.68	52	NS	NS	299	<10.4	NS	1080	312	1161
1/31/2007	882.52	10.28	22.9	NS	NS	74	<5.2	NS	340	122.5	425
	892.80										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
-- = parameter was not detected

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRS# 03-29-000250

Well MW-2

PVC Elevation = 892.62 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-90	NM	NM	1620	NS	NS	275	--	NS	2340	NS	12370
Aug-91	881.79	10.83	1480	10.4	18.5	1160	--	NS	2230	2	19
Jun-92	882.34	10.28	730	NS	NS	170	10	NS	1100	161	750
Nov-92	884.52	8.10	700	NS	NS	170	--	NS	820	--	540
Mar-93	884.35	8.27	1000	NS	NS	210	--	NS	1550	115	870
Aug-93	884.29	8.33	800	NS	NS	215	--	NS	1250	174	780
Dec-93	883.21	9.41	725	NS	NS	200	--	NS	1200	128	620
Apr-94	883.51	9.11	630	NS	NS	130	--	NS	750	110	420
Jul-94	883.61	9.01	169	NS	NS	46.1	--	NS	131	43.7	129
Jan-95	882.72	9.90	312	NS	NS	90	--	NS	486	68.3	285
May-95	884.32	8.30	115	NS	NS	31.8	--	NS	36.4	17.7	65
Jan-96	882.41	10.21	360	NS	NS	110	--	NS	460	97	337
Apr-96	883.77	8.85	3200	NS	NS	850	<130	NS	4800	710	3400
Jul-96	883.02	9.60	1200	--	5.0*	380	--	<76	1800	268	800
Oct-96	881.48	11.14	1810	NS	NS	445	NS	106	352	214	799
Jan-97	882.28	10.34	505	NS	NS	167	<20	NS	774	172	623
Apr-97	882.78	9.84	1800	NS	NS	440	<20	<80	2600	380	1890
Jun-97	882.76	9.86	2100	NS	NS	620	7.0	<80	3900	450	2680
Feb-98	882.21	10.41	180	NS	NS	80	--	--	360	52	240
Jul-98	884.96	7.66	120	NS	<2.0	43	<45	NS	52	31	82
Oct-98	882.37	10.25	440	NS	NS	230	≤3.6	NS	1500	238	840
Jan-99	882.50	10.12	63	NS	NS	36	--	NS	180	39	121
Apr-99	883.81	8.81	87	NS	NS	45	--	NS	120	35.5	117
Jul-99	883.54	9.08	120	NS	NS	56	--	NS	500	47	200
Oct-99	882.02	10.60	33	NS	NS	15	--	NS	48	10.2	45
Jan-00	881.76	10.86	45	NS	NS	28	--	7.1	87	19.7	85
Apr-00	883.49	9.13	14	NS	NS	7.2	0.95	--	20	6.3	16.9
Jul-00	882.78	9.84	480	NS	NS	300	17	45	1100	235	1100
Oct-00	882.31	10.31	41	NS	NS	29	--	5	150	20	103
Jan-01	882.41	10.21	57	NS	<8.0	35	--	12	120	36.7	107
Apr-01	885.33	7.29	620	NS	NS	380	--	52	2100	272	1450
Jul-01	882.57	10.05	130	NS	NS	91	--	33	500	99	370
Oct-01	882.55	10.07	62	NS	NS	49	13	11	250	41.8	176
Jan-02	882.19	10.43	32	NS	NS	25	24	7.4	100	17.7	81
Jul-02	882.57	10.05	190	NS	NS	190	<10	75	1100	161	760
Oct-02	882.71	9.91	30	NS	NS	32	2.9	NS	140	27.8	101
Jan-03	882.06	10.56	74	NS	NS	71	8.2	14	83	36.5	133
Apr-03	883.65	8.97	140	NS	NS	160	<7.5	37	610	126	620
Jul-03	882.38	10.87	94	NS	NS	130	4.5	22	400	112	460
Oct-03	881.75	10.68	100	NS	NS	130	4.4	4.7	100	98	223
Jan-04	881.94	9.22	130	NS	NS	190	5.1	34	360	133	590
Jul-04	883.40	10.31	22	<0.30	<0.90	10	<0.50	0.89	24	5.3	29
Oct-04	882.31	9.53	98	NS	NS	130	6.1	15	420	72	440
Feb-05	883.09	9.07	150	NS	NS	170	12	28	460	132	570
Apr-05	883.55	10.09	380	NS	NS	530	<20	100	1400	348	1760
Jul-05	882.53	10.82	140	NS	NS	200	13	46	400	138	710
Oct-05	881.80	9.83	49	NS	NS	62	<4.0	13	88	54	180
11/1/2006	882.79	9.83	37	NS	NS	87	<2.6	NS	94	76.6	330
1/31/2007	882.39	10.23	22.4	NS	NS	78	<0.52	NS	59	60.9	240
	892.62										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
-- = parameter was not detected, * = Trip Blank contained 3.4 ug/l 1,2-DCA

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRTS# 03-29-000250

Well MW-3

PVC Elevation = 894.08 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-90	NM	NM	5.86	NS	NS	19.6	--	NS	7.79	NS	104
Aug-91	NM	NM	--	--	--	--	--	NS	--	5.19	--
Jun-92	NM	NM	--	NS	NS	--	--	NS	10	52	15
Nov-92	NM	NM	--	NS	NS	24	--	NS	--	175	155
Mar-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Aug-93	NM	NM	--	NS	NS	3.0	--	NS	2.9	22	11
Dec-93	NM	NM	--	NS	NS	11	15	NS	6.9	74	43
Apr-94	NM	NM	--	NS	NS	--	--	NS	--	56	27
Jul-94	NM	NM	--	NS	NS	11.1	--	NS	--	159.7	95
Jan-95	NM	NM	7.4	NS	NS	1.6	--	NS	2.9	21.1	5.9
May-95	NM	NM	3.55	NS	NS	--	--	NS	--	6.71	2.6
Jan-96	NM	NM	1.1	NS	NS	1.1	--	NS	--	10.5	2.2
Jul-96	NM	NM	5.3	--	--	10	--	11	1.7	77	30
Jan-97	NM	NM	0.2	NS	NS	0.6	--	--	1.3	15.1	4.0
Jul-98	885.06	9.02	0.9	NS	--	3.3	--	NS	2.8	43	8.8
Apr-01	885.40	8.68	--	NS	NS	9.7	9.5	1.2	0.62	114	30.6
Jul-01	882.66	11.42	0.73	NS	<0.40	1	--	2.2	2.7	22.4	3.3
Oct-01	882.62	11.46	0.55	NS	NS	<0.30	0.78	<0.25	0.3	1.04	<0.60
Jan-02	882.29	11.79	<0.40	NS	NS	<0.40	<0.40	<1.3	<0.40	<0.50	<0.90
Jul-04	883.49	10.59	<0.40	NS	<0.90	1.0	<0.50	2.6	3.4	30	3.2
Jul-05	882.56	11.52	<0.40	NS	NS	<0.40	<0.40	NS	0.7	1.27	<0.80
11/1/2006	882.32	11.76	NOT SAMPLED								
1/31/2007	882.52	11.56	NOT SAMPLED								
	894.08										

Well MW-4

PVC Elevation = 893.82 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-90	NM	NM	12.2	NS	--	15.8	--	NS	11.9	NS	81.7
Aug-91	NM	NM	--	--	--	--	--	NS	--	--	--
Jul-92	NM	NM	--	NS	NS	--	--	NS	--	2.9	1.8
Nov-92	NM	NM	--	NS	NS	5.4	--	NS	31.5	26.5	61
Mar-93	NM	NM	--	NS	NS	1.1	--	NS	--	4.9	7.3
Aug-93	NM	NM	--	NS	NS	0.66	--	NS	1.4	4.7	6.9
Dec-93	NM	NM	--	NS	NS	2.5	--	NS	1.5	12.5	24.7
Apr-94	NM	NM	--	NS	NS	0.53	2.8	NS	0.5	4	7.6
Jul-94	NM	NM	--	NS	NS	--	--	NS	--	5.3	4.7
Jan-95	NM	NM	1.7	NS	NS	--	--	NS	--	2.1	2.2
May-95	NM	NM	1.06	NS	NS	--	--	NS	--	1.72	2.7
Jan-96	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-96	NM	NM	--	--	--	--	--	NS	--	3.6	4.0
Jul-98	NM	NM	--	NS	--	--	--	--	--	--	--
Apr-01	885.32	8.50	--	NS	NS	--	--	--	--	--	--
Jul-04	883.39	10.43	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	1.54	<0.80
Jul-05	882.41	11.41	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/2006	882.11	11.71	NOT SAMPLED								
1/31/2007	882.33	11.49	NOT SAMPLED								
	893.82										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
-- = parameter was not detected

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRS# 03-29-000250

Well MW-5

PVC Elevation = 889.56 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Jun-92	NM	NM	98	--	--	440	--	NS	570	510	1130
Nov-92	NM	NM	--	NS	NS	410	--	NS	360	260	800
Mar-93	NM	NM	--	NS	NS	83	--	NS	71	64	120
Aug-93	NM	NM	19	NS	NS	27	--	NS	26	26.4	41
Dec-93	NM	NM	40	NS	NS	33	--	NS	24	14.8	29.7
Apr-94	NM	NM	190	NS	NS	47	--	NS	100	18	70
Jul-94	NM	NM	579	NS	NS	83	--	NS	480	48.2	215
Jan-95	NM	NM	530	NS	NS	72.1	--	NS	240	21.1	144.8
May-95	NM	NM	358	NS	NS	59.9	--	NS	51	14.1	92.1
Jan-96	NM	NM	150	NS	NS	29	--	NS	17	8.8	20.6
Apr-96	NM	NM	170	NS	NS	15	3.8	NS	9.8	2.6	9.3
Jul-96	NM	NM	310	NS	NS	47	9.0	NS	39	14	47
Oct-96	NM	NM	1250	NS	NS	372	NS	<40	1480	226	1391
Jan-97	WELL INACCESSIBLE										
Apr-97	NM	NM	600	NS	NS	18	--	14	39	28	63
Jun-97	NM	NM	400	NS	NS	90	--	12	55	35.5	121
Feb-98	NM	NM	500	NS	NS	140	9.5	22	120	65	187
Jul-98	NM	NM	1200	NS	<10	370	--	NS	700	180	690
Oct-98	NM	NM	790	NS	NS	250	<45	NS	360	192	520
Jan-99	882.29	7.27	370	NS	NS	120	<7.2	NS	95	57	210
Apr-99	883.60	5.96	280	NS	NS	65	<4.7	NS	77	39	123
Jul-99	883.30	6.26	860	NS	NS	170	--	NS	230	99	268
Oct-99	881.60	7.96	600	NS	NS	95	--	NS	100	20	100
Jan-00	881.64	7.92	1700	NS	NS	440	--	62	280	210	590
Apr-00	883.26	6.30	170	NS	NS	85	8	16	23	68.3	190
Jul-00	882.91	6.65	220	NS	NS	496	10	--	49	37.4	89
Oct-00	882.09	7.47	1300	NS	NS	490	--	64	430	272	840
1/1/2001	882.15	7.41	420	NS	NS	160	17	24	110	92	234
4/1/2001	885.06	4.50	150	NS	NS	57	28	<10	38	30.7	73.2
7/1/2001	882.28	7.28	360	NS	<10	73	<28	28	81	72	150
10/1/2001	882.26	7.30	450	NS	NS	140	<7.5	20	67	84	185
1/1/2002	881.95	7.61	1000	NS	NS	340	<20	65	200	197	404
7/1/2002	882.25	7.31	1200	NS	NS	310	<20	75	420	181	910
10/1/2002	882.43	7.13	1200	NS	NS	370	<20	NS	220	247	620
1/1/2003	881.89	7.67	1100	NS	NS	390	28	50	150	269	790
5/1/2003	882.95	6.61	320	NS	NS	140	<3.0	20	30	86	291
7/1/2003	882.14	7.42	420	NS	NS	260	19	47	44	248	541
10/1/2003	881.47	8.09	120	NS	NS	190	15	6.6	37	172	387
1/1/2004	881.68	7.88	11	NS	NS	8.8	0.84	5.7	3.5	8.5	20.6
7/1/2004	NOT ACCESSIBLE - CAR PARKED ON TOP										
10/1/2004	882.02	7.54	970	NS	<45	310	<25	65	210	188	482
2/1/2005	882.80	6.76	760	NS	NS	140	13	27	310	147	430
4/1/2005	883.25	6.31	27	NS	NS	7.4	<0.40	2.1	11	3	14.1
7/1/2005	882.45	7.11	680	NS	NS	230	<8.0	86	220	176	398
10/1/2005	881.49	8.07	630	NS	NS	320	<4.0	60	190	234	660
11/1/2006	881.62	7.94	217	NS	NS	55	<5.2	NS	13.7	30.8-42.8	103.8
1/31/2007	881.77	7.79	199	NS	NS	52	<5.2	NS	17.8	54-66	149.5
	889.56										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
-- = parameter was not detected

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRTS# 03-29-000250

Well P-5

PVC Elevation = 889.56 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-95	NM	NM	0.5	NS	NS	--	--	NS	4.5	--	--
Jan-96	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-96	NM	NM	--	--	--	--	--	NS	--	--	--
Jul-97	NM	NM	--	NS	NS	--	--	--	--	--	--
Jul-04	883.13	6.43	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Jul-05	882.41	7.15	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/2006	882.05	7.51	NOT SAMPLED								
1/31/2007	882.21	7.35	NOT SAMPLED								
	889.56										

Well MW-6

PVC Elevation = 892.84 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Mar-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Aug-93	NM	NM	--	NS	NS	0.9	--	NS	1.7	0.69	2.0
Dec-93	NM	NM	--	NS	NS	--	1.3	NS	--	--	--
Apr-94	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-94	NM	NM	--	NS	NS	--	--	NS	--	1.6	--
Jan-95	NM	NM	--	NS	NS	--	--	NS	--	--	--
Oct-99	881.76	11.08	--	NS	NS	--	0.4	NS	--	--	--
Jul-04	883.13	9.71	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Jul-05	882.19	10.65	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/06	882.02	10.82	NOT SAMPLED								
1/31/07	882.13	10.71	NOT SAMPLED								
	892.84										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 -- = parameter was not detected

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRTS# 03-29-000250

Well MW-7

PVC Elevation = 894.55 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Jun-92	NM	NM	--	--	--	--	--	NS	--	--	--
Nov-92	NM	NM	--	NS	NS	--	--	NS	--	--	--
Mar-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Aug-93	NM	NM	--	NS	NS	--	--	NS	3.3	--	--
Dec-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Apr-94	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-94	NM	NM	--	NS	NS	--	--	NS	--	--	--
Feb-98	NM	NM	--	NS	NS	--	--	--	--	--	--
Jul-04	836.36	58.19	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Jul-05	882.45	12.10	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/2006	884.97	9.58	NOT SAMPLED								
1/31/2007	882.36	12.19	NOT SAMPLED								
	894.55										

Well MW-8

PVC Elevation = 892.66 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Jun-92	NM	NM	1.0	--	--	--	--	NS	3.0	--	1.0
Nov-92	NM	NM	--	NS	NS	--	--	NS	--	--	--
Mar-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Aug-93	NM	NM	--	NS	NS	--	--	NS	0.96	--	--
Dec-93	NM	NM	--	NS	NS	--	--	NS	--	--	--
Apr-94	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-94	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jul-04	883.33	9.33	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Jul-05	882.56	10.10	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/2006	882.24	10.42	NOT SAMPLED								
1/31/2007	882.40	10.26	NOT SAMPLED								
	892.66										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 -- = parameter was not detected

Groundwater Analytical Results Summary
Omro Sales LUST Site BRRTS# 03-29-000250

Well MW-9

PVC Elevation = 890.26 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Apr-94	NM	NM	520	NS	NS	150	--	NS	210	150	450
Jul-94	NM	NM	481	NS	NS	62.3	--	NS	111	39.2	181.3
Jan-95	NM	NM	1150	NS	NS	163	--	NS	154	113.2	415.1
May-95	NM	NM	184	NS	NS	16.5	--	NS	10.8	6.37	24
Jan-96	NM	NM	860	NS	NS	105	--	NS	51.5	63	128
Apr-96	NM	NM	2.7	NS	NS	--	--	NS	--	--	--
Jul-96	NM	NM	520	NS	NS	27	--	NS	24	21	33
Oct-96	NM	-NM	127	NS	NS	3.3	--	--	1.87	--	5.5
Jan-97	NM	NM	16	NS	NS	0.6	--	NS	--	--	--
Apr-97	NM	NM	--	NS	NS	--	--	--	--	--	--
Jun-97	NM	NM	--	NS	NS	--	--	--	--	--	--
Feb-98	NM	NM	--	NS	NS	--	--	--	--	--	--
Jul-98	NM	NM	150	NS	--	10	--	--	10	--	8.5
Oct-98	NM	NM	1300	NS	NS	160	<45	NS	200	95	249
Jan-99	NM	NM	1400	NS	NS	130	<18	NS	110	59	152
Apr-99	883.29	6.97	490	NS	NS	58	<9.4	NS	56	46	70
Jul-99	883.01	7.25	1700	NS	NS	170	--	NS	230	119	286
Oct-99	881.55	8.71	1100	NS	NS	120	--	NS	65	32	95
Jan-00	881.44	8.82	46	NS	NS	20	--	2.6	1	4.7	9.7
Apr-00	883.13	7.13	--	NS	NS	--	--	11	--	--	--
Jul-00	882.40	7.86	--	NS	NS	--	--	--	--	--	--
Oct-00	881.82	8.44	96	NS	NS	9.5	1.1	--	7.7	1.8	6.5
Jan-01	881.90	8.36	21	NS	NS	--	--	--	--	--	--
Apr-01	884.68	5.58	--	NS	NS	--	--	--	--	--	--
Jul-01	881.91	8.35	17	NS	<0.40	2.8	--	--	0.87	--	0.49
Oct-01	881.95	8.31	51	NS	NS	1.1	6.6	<0.50	1.6	1.3	2.16
Jan-02	881.69	8.57	<0.40	NS	NS	<0.40	<0.40	<1.3	<0.40	<0.50	<0.90
Jul-02	881.69	8.57	21	NS	NS	2.2	<0.40	<1.3	<0.40	<0.50	<0.90
Oct-02	882.07	8.19	76	NS	NS	2.0	1.4	NS	0.81	0.8	<0.90
Jan-03	881.62	8.64	0.68	NS	NS	<0.40	<0.40	<1.3	<0.40	<0.50	<0.90
Apr-03	883.29	6.97	<0.30	NS	NS	<0.40	<0.30	<0.60	<0.40	<0.30	<0.70
Jul-03	881.86	8.40	<0.30	NS	NS	<0.40	<0.30	<0.60	<0.40	<0.30	<0.70
Oct-03	881.30	8.96	<0.30	NS	NS	<0.40	<0.30	<0.60	<0.40	<0.30	<0.70
Jan-04	881.55	8.71	<0.30	NS	NS	<0.40	<0.30	<0.60	<0.40	<0.30	<0.70
Jul-04	882.65	7.61	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Oct-04	881.76	8.50	24	NS	NS	0.66	<0.21	<0.90	1.2	<0.60	<0.80
Feb-05	881.55	8.71	33	NS	NS	<0.50	0.33	<0.90	2.1	1.1	5.78
Apr-05	882.98	7.28	0.61	NS	NS	<0.40	<0.40	<1.1	<0.40	<0.40	<0.80
Jul-05	882.10	8.16	500	NS	NS	33	<0.40	NS	31	17.3	64
Oct-05	881.34	8.92	610	NS	NS	130	<4.0	NS	25	26	57
11/1/2006	881.74	8.52	96	NS	NS	3.7	<2.6	NS	6.0	14.6-20.6	7.85
1/31/2007	881.91	8.35	46	NS	NS	3.6	<0.52	NS	4.2	10.6-11.8	8.83
	890.26										

Well MW-10

PVC Elevation = 883.92 (feet) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
Aug-95	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jan-96	NM	NM	--	NS	NS	--	--	NS	--	--	--
Jun-97	NM	NM	--	NS	NS	--	--	--	--	--	--
Jul-04	882.00	1.92	<0.26	NS	NS	<0.50	<0.21	NS	<0.30	<0.60	<0.80
Jul-05	881.75	2.17	<0.40	NS	NS	<0.40	<0.40	NS	<0.40	<0.40	<0.80
11/1/2006	881.16	2.76	<0.47	NS	NS	<0.38	<0.52	NS	<0.59	<1.59	<1.42
1/31/2007	881.37	2.55	<0.47	NS	NS	<0.38	<0.52	NS	<0.59	<1.59	<1.42
	883.92										

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
-- = parameter was not detected.

Groundwater Analytical Results Summary
 Omro Sales LUST Site BRRS# 03-29-000250

Well GWE-1
 PVC Elevation =

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/1/2006	NM	7.26	NOT SAMPLED								
1/31/2007	NM	10.97	NOT SAMPLED								

Well GWE-2
 PVC Elevation =

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/1/2006	NM	8.28	NOT SAMPLED								
1/31/2007	NM	10.71	NOT SAMPLED								

Well GWE-3
 PVC Elevation =

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	EDB (ppb)	1,2 DCA (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)
11/1/2006	NM	8.67	NOT SAMPLED								
1/31/2007	NM	8.73	NOT SAMPLED								

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance. NS = not sampled, NM = Not Measured
 -- = parameter was not detected

ORGANIC VAPOR DATA - SOIL TABLE FOR OMRO SALES BRRTS# 03-29-000250

TABLE 2 - (All concentrations in ppm)

Depth (FEET)	SB1	SB2	SB3	MW1	MW2	MW3	MW4
1							
2	1000	1000	15	10	45	0	25
3							
4	250	1000	10	8	50	0	0
5							
6		1000	35	35	120	25	2.5
7							
8	1000	1000	150	1000	1000	1000	1000
9	EOB	EOB	EOB				
10					1000	1000	1000
11							
12							
13							
14				80	1000		
15				EOB	EOB		
16						EOB	EOB
17							
18							
19							
20							

FIELD AND LABORATORY DATAT - SOILS TABLE FOR OMRO SALES BRRTS# 03-29-000250

TABLE 3

SAMPLE NUMBER	DEPTH (ft)	OVA/OVM (ppm)	TPH (ppm)	BENZENE (ppb)	ETHYL-BENZENES (ppb)	TOLUENE (ppb)	XYLENES (ppb)	OTHER VOC'S (ppb)	
SB1-2	4	250	111	84.6	702	385	955	ND	
SB1-3	6	NA	1280	7210	31200	21700	21440	ND	
SB2-2	4	1000	1330	6210	407	3730	3855	35.8	1,2-DCP
SB2-4	8	1000	595	1260	11200	1700	4570	0.76	PCE
SB3-3	6	35	17.5	57.3	115	42.6	267	ND	
SB3-4	8	150	12.6	ND	6.53	1.31	26.09	ND	
MW1-3	6	35	5.25	ND	3.81	1.82	ND	ND	
MW1-4	8	1000	40.1	1610	6090	1470	3109	ND	
MW2-3	6	120	19.5	28.7	12.6	10.5	41.5	ND	
MW2-4	8	1000	300	431	12500	11000	25890	ND	
MW3-3	6	25	ND	ND	ND	ND	ND	ND	
MW3-4	8	1000	100	282	1360	231	719	ND	
MW4-3	6	2.5	1.31	ND	22.9	2	36.62	ND	
MW4-4	8	1000	293	1560	5440	2480	1920	249	PCE
SPOON WASH	-	-	-	ND	ND	ND	ND	ND	

**GEOPROBE DATA TABLE FOR OMRO SALES INVESTIGATION BRRTS# 03-29-000250
BY METCO**


SAMPLING CONDUCTED ON OCTOBER 17, 2006

SOIL SAMPLES

Sample Location Number	G-1-1	G-1-2	G-2-1	G-2-2	G-3-1	G-3-2	G-4-1	G-4-2	G-5-1	G-5-2	G-6-1	G-6-2	G-7-1	G-7-2	G-8-1	G-8-2	G-9-1	G-9-2	G-10-1	G-10-2	METH BLANK
Sample Depth in Feet	3.5	8	3.5	7	3.5	7.5	3.5	7	3.5	9	3.5	9	3.5	8	3.5	8	3.5	8	3.5	8	==
Soil Type	CLAY	CLAY/ SAND	SAND/ CLAY	SAND	CLAY	CLAY/ SAND	==														
Petroleum Odors	NO	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	NO	NO	NO	NO	NO	YES	NO	YES	==
Petroleum Staining	NO	NO	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	==
Moisture	MOIST	MOIST/ WET	MOIST	MOIST/ WET	MOIST	MOIST/ WET	==														
HNU in Units	3	50	3	3	5	4	2	50	10	500	4	400	9	7	5	5	5	4	5	5	==
Solids %	86.2	78.4	83.9	81.3	69.8	78.9	87.4	80	85.3	84.9	84.1	84.2	87.3	86.7	73.7	83.6	89.8	80.1	73	80.4	ns
Benzene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	87	48	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Ethylbenzene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	136	189	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Methyl-tert-butyl ether/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
Toluene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	179	159	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
1,2,4-Trimethylbenzene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	540	920	29.5	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
1,3,5-Trimethylbenzene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	176	311	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25
m&p-Xylene/ppb	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	520	1100	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50	< 50
o-Xylene/ppb	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	256	610	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25	< 25

METCO

Environmental Consulting, Fuel System Design, Installation and Service



Modified by METCO - WC 3/6/07

LEGEND

- MW3 MONITORING WELL LOCATION WITH GW ELEVATION
- GWE1 GROUNDWATER EXTRACTION WELL
- P5 PIEZOMETER
- ☒ TELEPHONE PEDESTAL
- SANITARY MANHOLE
- ☐☉ POWER POLE WITH LIGHT
- G NATURAL GAS
- FO FIBER OPTICS
- OHE OVERHEAD ELECTRIC
- ☒ SVE BUILDING





FIGURE 1
SITE LAYOUT MAP
 NORMA FULTON PROPERTY
 NEW LISBON, WISCONSIN

Watertable Elevation Table
Omro Sales BRRS# 03-29-000250
New Lisbon, Wisconsin

pvc top (ft) **MW-1** **MW-2** **MW-3** **MW-4** **MW-5** **P-5** **MW-6** **MW-7** **MW-8** **MW-9** **MW-10**
 892.80 892.62 894.08 893.82 889.86 889.56 892.84 894.55 892.66 890.26 883.92

Date	MW-1	MW-2	MW-3	MW-4	MW-5	P-5	MW-6	MW-7	MW-8	MW-9	MW-10
Aug-90	NM	NM	NI								
Aug-91	881.78	881.79	NI								
Jun-92	882.31	882.34	NI								
Nov-92	884.51	884.52	NI								
Mar-93	884.02	884.35	NI								
Aug-93	884.28	884.29	NI								
Dec-93	883.17	883.21	NI								
Apr-94	883.50	883.51	NI								
Jul-94	883.62	883.61	NI								
Jan-95	882.71	882.72	NI								
May-95	884.34	884.32	NI								
Jan-96	882.40	882.41	NI								
Apr-96	884.51	883.77	NI								
Jul-96	883.73	883.02	NI								
Oct-96	881.61	881.48	NI								
Jan-97	882.89	882.28	NI								
Apr-97	883.96	882.78	NI								
Jun-97	882.78	882.76	NI								
Feb-98	882.17	882.21	NI								
Jul-98	884.94	884.96	885.06	NI							
Oct-98	NM	882.37	NM	NI							
Jan-99	NM	882.50	NM	NI	882.29	NI	NI	NI	NI	NI	NI
Apr-99	883.81	883.81	NM	NI	883.60	NI	NI	NI	NI	883.29	NI
Jul-99	883.46	883.54	NM	NI	883.30	NI	NI	NI	NI	883.01	NI
Oct-99	881.96	882.02	NM	NI	881.60	NI	881.76	NI	NI	881.55	NI
Jan-00	881.76	881.76	NM	NI	881.64	NI	NM	NI	NI	881.44	NI
Apr-00	883.45	883.49	NM	NI	883.26	NI	NM	NI	NI	883.13	NI
Jul-00	883.15	882.78	NM	NI	882.91	NI	NM	NI	NI	882.40	NI
Oct-00	882.29	882.31	NM	NI	882.09	NI	NM	NI	NI	881.82	NI
Jan-01	882.39	882.41	NM	NI	882.15	NI	NM	NI	NI	881.90	NI
Apr-01	885.35	885.33	885.40	885.32	885.06	NI	NM	NI	NI	884.68	NI
Jul-01	882.58	882.57	882.66	NM	882.26	NI	NM	NI	NI	881.91	NI
Oct-01	882.51	882.55	882.62	NM	882.26	NI	NM	NI	NI	881.95	NI
Jan-02	882.19	882.19	882.29	NM	881.95	NI	NM	NI	NI	881.69	NI
Jul-02	882.46	882.57	NM	NM	882.25	NI	NM	NI	NI	881.69	NI
Oct-02	882.73	882.71	NM	NM	882.43	NI	NM	NI	NI	882.07	NI
Jan-03	882.07	882.06	NM	NM	881.89	NI	NM	NI	NI	881.62	NI
Apr-03	883.66	883.65	NM	NM	NM	NI	NM	NI	NI	883.29	NI
May-03	NM	NM	NM	NM	882.95	NI	NM	NI	NI	NM	NI
Jul-03	882.35	882.38	NM	NM	882.14	NI	NM	NI	NI	881.86	NI
Oct-03	881.74	881.75	NM	NM	881.47	NI	NM	NI	NI	881.30	NI
Jan-04	881.89	881.94	NM	NM	881.68	NI	NM	NI	NI	881.55	NI
Jul-04	883.38	883.40	883.49	883.39	NM	883.13	883.13	836.36	883.33	882.65	882.00
Oct-04	882.29	882.31	NM	NM	882.02	NM	NM	NM	NM	881.76	NM
Feb-05	883.08	883.09	NM	NM	882.80	NM	NM	NM	NM	881.55	NM
Apr-05	883.58	883.55	NM	NM	883.25	NM	NM	NM	NM	882.98	NM
Jul-05	882.50	882.53	882.56	882.41	882.45	882.41	882.19	882.45	882.56	882.10	881.75
Oct-05	881.77	881.80	NM	NM	881.49	NM	NM	NM	NM	881.34	NM
11/1/2006	884.12	882.79	882.32	882.11	881.92	882.05	882.02	884.97	882.24	881.74	881.16
1/31/2007	882.52	882.39	882.52	882.33	882.07	882.21	882.13	882.36	882.40	881.91	881.37

represented in feet mean sea level (msl).
 NI = Not Measured



LEGEND

- MW3 MONITORING WELL LOCATION WITH GW ELEVATION
- GWE1 GROUNDWATER EXTRACTION WELL
- P5 PIEZOMETER
- TELEPHONE PEDESTAL
- SANITARY MANHOLE
- POWER POLE WITH LIGHT
- NATURAL GAS
- FIBER OPTICS
- OVERHEAD ELECTRIC
- SVE BUILDING





FIGURE 1
SITE LAYOUT MAP
NORMA FULTON PROPERTY
NEW LISBON, WISCONSIN



LEGEND


- MW3 MONITORING WELL LOC/ WITH GW ELEVATION
- GWE1 GROUNDWATER EXTRACT WELL
- P5 PIEZOMETER
- ☒ TELEPHONE PEDESTAL
- SANITARY MANHOLE
- ☒ POWER POLE WITH LIGHT
- G— NATURAL GAS
- FO— FIBER OPTICS
- OHE— OVERHEAD ELECTRIC
- ☒ SVE BUILDING
- - - - - property lines



FIGURE 1
SITE LAYOUT MAP
 NORMA FULTON PROPERTY
 NEW LISBON, WISCONSIN

TRUMAN STREET

ROOSEVELT STREET



KEY

- ◆ MONITORING WELL / SOIL BORING
- SOIL BORING

A |-----| A' LOCATION OF CROSS SECTION SHOWN ON FIGURE 4




10 0 10
SCALE IN FEET

FIGURE 3
SOIL BORINGS AND
MONITORING WELL LOCATIONS


MSA MID-STATE ASSOCIATES, INC.

Environmental Services Division
1230 South Boulevard • Baraboo • Wisconsin
21901003



KEY:

-  SAND & GRAVEL
-  SAND
-  SILTY SAND
-  SILTY CLAY



HORIZONTAL SCALE 1"=10'
VERTICAL SCALE 1"=5'

FIGURE 4
GEOLOGIC CROSS SECTION

DISCLAIMER: INFORMATION BETWEEN SOIL BORINGS IS INTERPOLATED BASED ON AVAILABLE DATA. ACTUAL CONDITIONS BETWEEN SOIL BORINGS ARE UNKNOWN.

MSA MID-STATE ASSOCIATES, INC.
Environmental Services Division
1230 South Boulevard • Baraboo • Wisconsin
21901004

WDNR BRRTS Case #: 03-29-000250

WDNR Site Name: Omro Sales (Former)

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: Marilyn Peak - Loan Adm. Supervisor
(print name/title)

Marilyn Peak 3-19-07
(signature) (date)

COPY

April 30, 2007

Daniel and Kathleen Medearis
110 Center Street
Camp Douglas, WI 54618

Dear Mr. & Mrs. Medearis,

Groundwater contamination exists on your property located at 1006 South Adams Street, New Lisbon, Wisconsin. The source of this groundwater contamination appears to have originated from former petroleum underground storage tank systems that existed on your property.

Since I (Norma Fulton c/o Marilyn Peak) am the "responsible party" for the contamination on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The levels of Benzene contamination in the groundwater on your property are above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources ("WDNR") accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to David Rozeboom, Wisconsin Department of Natural Resources, 473 Griffith Avenue, Wisconsin Rapids, WI 54494.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS

Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The City of New Lisbon has a community owned and operated water system which supplies potable water to your property. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact Mr. Rozeboom at either the WDNR address noted above or (715) 421-7800.

Sincerely,



Norma Fulton

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

LEGAL DESCRIPTION (property at 1006 South Adams Street, New Lisbon, WI)

All of Block 5 (consisting of Lots 1 through 5) of Valley View Subdivision to the City of New Lisbon.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

aniel and Kathleen Medearis
0 Center Street
amp Douglas, WI 54618

COMPLETE THIS SECTION ON DELIVERY

- A. Signature Agent
 Addressee
X Kathy Medearis
- B. Received by (Printed Name) C. Date of Delivery
Kathy Medearis 5-19-7
- D. Is delivery address different from item 1? Yes
 No
If YES, enter delivery address below:

- Service Type
- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
(Transfer from service label)

7004 2890 0000 6942 6876

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540



Excellence through experience™

2956 Airport Road ♦ La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

April 10, 2007

Geoff Nokes
Canadian National Railway Company
17641 South Ashland
Homewood, IL 60430

Notification: Omro Sales Former Site (WDNR # 03-29-000250), Conditional Case Closure Notification

Dear Mr. Nokes,

I am writing on behalf of Ms. Norma Fulton (C/O Marilyn Peak) to inform you that groundwater contamination from the Omro Sales Former site, located at 1006 S Adams Street, New Lisbon, WI, exists within Canadian National Railroad right of way.

A Case Summary and Close Out Request is being submitted to the Wisconsin Department of Natural Resources for the Omro Sales Former site. Case closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken. As part of the required closure documentation, you are hereby notified that residual Benzene contamination exceeding the NR140 Enforcement Standards (ES) exists in groundwater within Canadian National Railroad right-of-way to the east of the of the Omro Sales Former site. Groundwater contamination was found to exist in the area of the former tank bed and appears to be migrating toward the east. Depth to groundwater in this area ranges from approximately 7-9 feet and smear zone contamination (caused by a fluctuating watertable) exists at approximately 7-9 feet below ground surface.

If the contaminated soil or groundwater is encountered during future construction, it may pose inhalation or other direct contact hazards. Any contaminated soil or groundwater encountered will require sampling and analysis, as well as proper storage, treatment, and disposal of any excavated materials. We are enclosing a site map displaying an inferred groundwater contamination plume and a table of groundwater analytical results.

If you have any questions, or require more detailed information, please contact me at METCO's La Crosse office (608-781-8879).

Sincerely,

Jason T. Powell
Staff Scientist

Enclosure: Maps and Tables

c: Marilyn Peak – Client



COPY

Excellence through experience™

2956 Airport Road ♦ La Crosse, WI 54630 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

March 22, 2007

City of New Lisbon
232 W Pleasant Street
New Lisbon, Wisconsin 53950

Notification: Omro Sales (Former) LUST Site (BRRTS # 03-29-000250), Conditional Case Closure
Notification

To Whom It May Concern:

I am writing to inform you that groundwater contamination from the Omro Sales (Former) site, located at 1006 S. Adams Street, New Lisbon, WI exists within the right of way of U.S. Highway 12 (State Highway 16).

As part of the required documentation, you are hereby notified that residual petroleum contamination exists within the right-of-way of U.S. Highway 12 (State Highway 16) to the southwest of the Omro Sales (Former) site. Soil and groundwater contamination was found to exist in the area of the removed underground petroleum storage tanks and dispensers. Groundwater contamination has migrated to the southwest into the right of way of U.S. Highway 12 (State Highway 16). Depth to groundwater in this area is approximately 4.5 to 9 feet below ground surface.

If the contaminated soil or groundwater is encountered during future construction, it may pose inhalation or other direct contact hazards. Any contaminated soil or groundwater encountered will require sampling and analysis, as well as proper storage, treatment, and disposal of any excavated materials. We are enclosing site maps displaying inferred soil and groundwater contamination plumes.

If you have any questions, or require more detailed information, please contact me at METCO's La Crosse office (608-781-8879).

Sincerely,

Jason T. Powell
Staff Scientist

Enclosure: Maps

Diana Symitczek

From: TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]
Sent: Friday, March 23, 2007 6:11 PM
To: 'Diana Symitczek'
Subject: RE: Notification of Contamination within the Right of Way - Omro Sales

Thank you Diana,

I've received your notification for the Omro sales site BRRTS # 03-29-000250. Please keep a copy of this e-mail for your file. It is the only confirmation you will receive.

Have a good weekend!

Shar
Shar Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation Division of Transportation Systems Development
Bureau of Equity and Environmental Services Phone (608) 266-1476; Fax (608) 266-7818;
Cell (608) 692-4546
e-mail: sharlene.tebeest@dot.state.wi.us
<<mailto:sharlene.tebeest@dot.state.wi.us>>

-----Original Message-----

From: **Diana Symitczek** [<mailto:dianaajs@metcohq.com>]
Sent: Thursday, March 22, 2007 1:34 PM
To: 'DOT - Sharlene TeBeest'
Subject: Notification of Contamination within the Right of Way - Omro Sales

Diana Symitczek
METCO
2956 Airport Road
La Crosse, WI 54603
608-781-8879
608-781-8893 Fax