

GIS REGISTRY INFORMATION

SITE NAME:	Village Of Wonewoc			FID #	
BRRTS #:	03-29-213879			(if appropriate):	
COMMERCE # (if appropriate):	53968-9999-00				
CLOSURE DATE:	March 21, 2003				
STREET ADDRESS:	100 Block Of Center St				
CITY:	Wonewoc				
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	X =	502000	Y =	353279	
CONTAMINATED MEDIA:	Groundwater	<input checked="" type="checkbox"/>	Soil	<input type="checkbox"/>	Both <input type="checkbox"/>
OFF-SOURCE GW CONTAMINATION >ES:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
• IF YES, STREET ADDRESS:					
• GPS COORDINATES (meters in WTM91 projection):	X =	501971 501982	Y =	353275 353272	
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	
• IF YES, STREET ADDRESS 1:					
• GPS COORDINATES (meters in WTM91 projection):	X =		Y =		
CONTAMINATION IN RIGHT OF WAY:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	
<u>DOCUMENTS NEEDED</u>					
Closure Letter, and any conditional closure letter issued					X
Copy of most recent deed, including legal description, for all affected properties					X
Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties					X
County Parcel ID number, if used for county, for all affected properties					<input type="checkbox"/>
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.					X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.					X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)					X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)					<input type="checkbox"/>
Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.					X
GW: Table of water level elevations, with sampling dates, and free product noted if present					X
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)					X
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour					<input type="checkbox"/>
Geologic cross-sections, if required for SI. (8.5x14' if paper copy)					X
RP certified statement that legal descriptions are complete and accurate					<input type="checkbox"/>
Copies of off-source notification letters (if applicable)					X
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)					X
Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure					<input type="checkbox"/>



March 21, 2003

Ed Decot
Village of Wonewoc
PO Box 37
Wonewoc, WI 53968

RE: **Final Closure**

Commerce # 53968-9999-00 **WDNR BRRTS # 03-29-213879**
Village Of Wonewoc, 100 Block of Center St., Wonewoc

Dear Ms. Decot:

The Wisconsin Department of Commerce (Commerce) has received all items required for closure of the site referenced above. This site is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination.

It is in your best interest to keep all documentation related to the environmental activities at your site. If residual contamination is encountered in the future, appropriate measures must be implemented to ensure that it is managed following all applicable regulations. If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 261-5404.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gena M. Larson', written over a horizontal line.

Gena M. Larson
Hydrogeologist
Site Review Section

cc: William Hentges, Vierbicher Associates, Inc.
Case File



ENVIRONMENTAL & REGULATORY SERVICES
BUREAU OF PECFA
P.O. Box 8044
Madison, Wisconsin 53708-8044
TDD #: (608) 264-8777
Fax #: (608) 267-1381
www.commerce.state.wi.us
Scott McCallum, Governor
Philip Edw. Admin, Acting Secretary

December 10, 2001

Jeff Lankey
Village of Wonewoc
PO Box 37
Wonewoc, WI 53968

RE: Conditional Case Closure

Commerce # 53968-9999-00 **WDNR BRRTS #03-29-213879**
Wonewoc Center Street Site, 100 Block of Center Street, Wonewoc, WI

One 1,000 and one 500-gallon leaded gasoline UST's, and one 500-gallon kerosene UST removed August and September 1998

Dear Mr. Lankey:

On October 24, 2001, the Wisconsin Department of Commerce (Commerce) PECFA Site Review Section received the additional information requested. It is understood that residual soil and groundwater contamination remains on-site. Using the standards established in the NR 700 series, Wisconsin Administrative Code (Wis. Adm. Code), Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following conditions must be satisfied to obtain final closure:

- The clerk of the town and county, or village or city where the right-of way is located, and the municipal department or state agency that is responsible for maintaining the 100 block of Center Street must be notified, in writing, of the existence of soil and groundwater contamination above NR 720 Residual Contaminant Levels (RCLs) and NR 140 enforcement standards, respectively, beneath the Center Street right-of-way. Please copy Commerce with the notification sent to the municipality/owner.
- A restriction must be placed on the down-gradient property deed (where G-10 and G-11 are located) addressing residual petroleum impacts to groundwater. For case closure Commerce will need a copy of the deed Notice of Contamination to Property containing the County Register of Deeds' recording information for the residual impacts to groundwater. **Attach the *Isoconcentration Map for Benzene* from the May 30, 2001 LUST Investigation Report and the Geoprobe Data Table of groundwater sampling data from the February 14, 2000 geoprobe project located in the same May 30, 2001 report.** Enclosed is an example of a "Notice of Contamination to Property" for your use. If you wish to modify the language, submit a copy to this office for approval prior to recording. If an

electronic copy of the "Notice of Contamination to Property" is desired, you may contact Commerce and a copy will be forwarded to you.

Please note: As of November 1, 2001, you may elect to have this site recorded on the Wisconsin Department of Natural Resources' (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites in lieu of filing a groundwater use restriction. The GIS Registry is a database listing all closed remediation sites and is available to the public via the Internet. For more information regarding the registration process, including fee and documentation requirements, refer to the enclosed GIS Registry information. At this time the GIS Registry is only available for sites with residual groundwater contamination.

- Proper abandonment of all monitoring wells (MW-1, MW-2, P-3, and MW-4 through MW-7) in accordance with NR 141.25 requirements must be completed and appropriate forms must be submitted to Commerce.

Residual petroleum contaminated soil above NR 720 RCLs remains beneath Center Street. Based on laboratory analyses, the majority of residual soil contamination remains at a depth of five feet below ground surface (bgs). The aerial extent of residual soil contamination most likely extends to the south and west of the southern edge of the excavation. Detected soil contamination above NR 720 RCLs includes concentrations of Gasoline Range Organics (GRO) and Diesel Range Organics (DRO) ranging from 1,500 to 1,800 µg/L and 250 to 660 µg/L, respectively. Also, xylene concentrations as high as 126,000 µg/L, and ethylbenzene concentrations as high as 27,000 µg/L remain beneath Center Street.

Petroleum contaminated groundwater above NR 140 enforcement standards also exists on site below Center Street, and extends to the west onto the down-gradient property. Monitoring well MW-2, located at the west edge of the property along Center Street, contains benzene levels as high as 14 µg/L.

Thank you for your efforts in the clean up and protection of Wisconsin's environment. When the necessary information is received, Commerce will issue a final closure letter. If you have any questions regarding this letter, feel free to contact me at (608) 261-5404.

Sincerely,



Gena M. Larson
Hydrogeologist
PECFA Site Review Section

cc: Jason Powell, METCO
Case file

STATE OF WISCONSIN
REGISTER'S OFFICE
JUNEAU COUNTY

ss

No.

1596 9

To All To Whom These Presents Shall Come:

I, Christie L. Bender, Register of Deeds of the County of
Juneau, in the State of Wisconsin, do hereby certify that the annexed copy of

Quit Claim Deed

has been compared by me with the records of the original in this office

in Volume 342 of Records on Pages 342-346

and that the same is a correct transcript therefrom and of the whole thereof.

In Testimony Whereof I have hereunto set
my hand and affixed my official seal, at my
office in the City of Mauston, this 6th
day of June A.D., 20 02

Christie L. Bender

Register of Deeds

Deputy Register of Deeds

INDEXED

NOV 01 1985

935 a. J.L. and Recorder
in Vol. 342 of Records Page
342-346
Richard K. Kelle
Register of Deeds

Resolution Dated
Authorization No. February 27, 1985

DEED NO. 85784

THE GRANTOR, CHICAGO AND NORTH WESTERN TRANSPORTATION COMPANY, a Delaware corporation, whose principal office is located at 175 N. Canal Street, Chicago, Illinois, for the consideration of ONE HUNDRED FIFTY-SIX THOUSAND AND NO/100 DOLLARS (\$156,000.00), conveys and quitclaims to STATE OF WISCONSIN, DEPARTMENT OF NATURAL RESOURCES of Madison, Wisconsin, GRANTEE, all interest in the following described real estate situated in the Counties of Sauk and Juneau, and the State of Wisconsin, to wit:

All interest of the Chicago and North Western Transportation Company in the following described real estate in Sauk and Juneau Counties in Wisconsin. The real estate consists of an abandoned railroad grade and includes all bridges, trestles and culverts located on and in the railroad grade described as beginning at Mile Post 191.9 in Section 9, Township 12 North, Range 4 East, Sauk County, Wisconsin and running in a Northwesterly direction through the following:

Township 12 North, Range 4 East, Town of Reedsburg, Sauk County, Wisconsin

- Section 9: West Half of the Northeast Quarter
North Half of the Northwest Quarter
- Section 4: South Half of the Southwest Quarter
- Section 5: East Half of the Southeast Quarter
Northwest Quarter of the Southwest Quarter
Northeast Quarter of the Southwest Quarter
South Half of the Northwest Quarter
Northwest Quarter of the Northwest Quarter
- Section 6: Southeast Quarter of the Northeast Quarter
North Half of the Northeast Quarter

Township 13 North, Range 4 East, Town of Winfield, Sauk County, Wisconsin

- Section 31: Southwest Quarter of the Southeast Quarter
East Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter
Southwest Quarter of the Northwest Quarter

Township 13 North, Range 3 East, Town of La Valle, Sauk County, Wisconsin

- Section 36: East Half of the Northeast Quarter
Northwest Quarter of the Northeast Quarter
- Section 25: Southwest Quarter of the Southeast Quarter
East Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter
South Half of the Northwest Quarter
Northwest Quarter of the Northwest Quarter
- Section 26: North Half of the Northeast Quarter
North Half of the Northwest Quarter

- Section 27: Northeast Quarter
South Half of the Northeast Quarter
Northwest Quarter of the Northwest Quarter
- Section 28: Northeast Quarter of the Northeast Quarter
- Section 21: South Half of the Southeast Quarter
Northwest Quarter of the Southeast Quarter
North Half of the Southwest Quarter
West Half of the Northwest Quarter
- Section 20: Northeast Quarter of the North East Quarter
- Section 17: East Half of the Southeast Quarter
East Half of the Northeast Quarter
Northwest Quarter of the Northeast Quarter
- Section 8: Southwest Quarter of the Southeast Quarter
East Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter
Southwest Quarter of the Northwest Quarter
- Section 7: East Half of the Northeast Quarter
Northwest Quarter of the Northeast Quarter
- Section 6: Southwest Quarter of the Southeast Quarter
South Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter

Township 13 North, Range 2 East, Town of Woodland, Sauk County, Wisconsin

- Section 1: Northeast Quarter of the Southeast Quarter
South Half of the Northeast Quarter
East Half of the Northwest Quarter
Northwest Quarter of the Northwest Quarter
- Section 2: North half of the Northeast Quarter

Township 14 North, Range 2 East, Town of No. swoc, Juneau County, Wisconsin

- Section 35: South Half of the Southeast Quarter
Northwest Quarter of the Southeast Quarter
Northeast Quarter of the Southwest Quarter
East Half of the Northwest Quarter
- Section 26: South Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter
- Section 27: Northeast Quarter of the Southeast Quarter
South Half of the Northeast Quarter
Northwest Quarter of the Northeast Quarter
North Half of the Northwest Quarter
- Section 22: South Half of the Southwest Quarter
- Section 21: East Half of the Southeast Quarter
Northwest Quarter of the Southeast Quarter
Southwest Quarter of the Northeast Quarter
East Half of the Northwest Quarter
- Section 16: East Half of the Southwest Quarter
Northwest Quarter

DEED NO. 85784
Resolution Dated
Authorization No. February 27, 1985

Section 9: Southwest Quarter
East Half of the Northwest Quarter

Section 4: East Half of the Southwest Quarter
Government Lot 11
Government Lot 6
Government Lot 3
Government Lot 4

Township 15 North, Range 2 East, Town of Plymouth, Juneau
County, Wisconsin

Section 33: South Half of the Southwest Quarter
Northwest Quarter of the Southwest Quarter
West Half of the Northwest Quarter

The end point is at the South line of Section 28/29 of Town-
ship 15 North, Range 2 East.

Also:

Township 15 North, Range 2 East, Town of Plymouth, Juneau
County, Wisconsin

Section 29: Part of the Northeast Quarter of the North-
east Quarter, including the railroadgrade
beginning at a point 400 feet South of the
intersection with State Highway 80/82 and
then continue Northerly to an end point
which is the North line of said Section 29.

Section 32: East Half of the Northeast Quarter
Northwest Quarter of Northeast Quarter

Including any interest in all reversionary parcels included
in the above description.

STATE TRANSFER
TAX PAID

\$322.80
Juneau Co.


Subject to:

- (1) An easement for a fiber optic communication system to U S Telecom, Inc. (now U S Sprint) by instrument dated December 19, 1985, bearing Deed No. 84654.
- (2) Roads and highways, if any.
- (3) Rights of any government agency, public or quasi-public utilities to occupy said premises for the use and maintenance of existing conduits, sewers, drains, water mains, gas lines, electric power lines, and other utilities, whether or not of record.
- (4) Building lines, building and liquor restrictions.
- (5) Zoning and building laws or ordinances.

By the acceptance of this conveyance, the Grantee, for itself and/or its heirs, successors, transferees and assigns, hereby agrees to take all steps necessary, at no expense to Grantor, to comply with any and all governmental requirements relating to land platting and use.

This conveyance is made upon the express condition that the Grantor will not pay any taxes or special assessments which may be due or delinquent upon the real estate hereinabove described.

Grantor certifies that the subject property may and shall, if released from the liens of the Mortgage Indenture and Deed of Trust, Assignments of Leases and Rents, Security Agreements and Financing Statements A and B dated as of June 29, 1983 by Grantor and Midwestern Railroad Properties, Incorporated, to Continental Illinois National Bank and Trust Company of Chicago and The First National Bank of Chicago, as Co-Agents, be automatically released from the lien of the Consolidated Mortgage, dated as of January 15, 1984, as supplemented and amended, by Grantor to American National Bank and Trust Company of Chicago, as Trustee, pursuant to Article Nine, Section 14 thereof.



DATED this 12th day of October, 1988.

Signed, Sealed and Delivered in Presence of:

[Signature]
[Signature]

CHICAGO AND NORTH WESTERN TRANSPORTATION COMPANY

By [Signature]
ROBERT W. Mickey, Vice President

Attest [Signature]
J. J. Stourac, Secretary

STATE OF ILLINOIS)
) SS
COUNTY OF C O O K)

I, RICHARD S. KENNERLEY, a Notary Public duly commissioned and qualified in and for the County and State aforesaid, DO HEREBY CERTIFY that ROBERT W. MICKEY and J. J. STOURAC, to me personally known and known to me to be, respectively, Vice President and Assistant Secretary of CHICAGO AND NORTH WESTERN TRANSPORTATION COMPANY, a Delaware corporation, and the identical persons whose names are subscribed to the foregoing instrument, appeared before me this day in person, and being first duly sworn by me, severally acknowledged to me that they are, respectively, Vice President and Assistant Secretary of said corporation; that as such officers they signed, sealed and delivered said instrument in behalf of said corporation by authority and order of its Board of Directors, as the free and voluntary act and deed of said corporation, and as their own free and voluntary act; that the seal affixed to said instrument is the seal of said corporation; and that said corporation executed said instrument for the uses and purposes therein set forth.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal as such Notary Public, at Chicago, Illinois, this 12th day of October, 1983.

Richard S. Kennerley
Notary Public, in and for the County
of Cook, in the State of Illinois
RICHARD S. KENNERLEY


My Commission Expires: November 8, 1988

This instrument was prepared by Chicago and North Western Transportation Company, 165 North Canal Street, Chicago, Illinois 60606.

STATE OF WISCONSIN
REGISTER'S OFFICE ss
JUNEAU COUNTY

No. 157618

To All To Whom These Presents Shall Come:

I, Christie L. Bender, Register of Deeds of the County of
Juneau, in the State of Wisconsin, do hereby certify that the annexed copy of

Warranty Deed
has been compared by me with the records of the original in this office

in Volume 382 of Records on Page 499
and that the same is a correct transcript therefrom and of the whole thereof.

In Testimony Whereof I have hereunto set
my hand and affixed my official seal, at my
office in the City of Mauston, this 6th
day of June A.D., 2002

Christie L. Bender
Register of Deeds

Deputy Register of Deeds

INDEXED

DOCUMENT NO. 311944

WARRANTY DEED
STATE BAR OF WISCONSIN FORM 2-1962

THIS SPACE RESERVED FOR INCLUDING DATA
Vol. 382 Page 499
Register's Office)
Juneau County Wis.) SS
Received for Record

APR 29 1992

3 P M. and Recorder
in Vol. 382 of Records Page
499
Frederick Kelly

RETURN TO
90 Title 9A679 10th

Norbert Talg, a/k/a Norbert C. Talg and Fern V. Talg,
his wife

conveys and warrants to State of Wisconsin (Department of
Natural Resources)

for a valuable consideration Five Hundred and no/100
(\$500.00) Dollars

the following described real estate in Juneau County,
State of Wisconsin:

Tax Parcel No: _____

Those parts of Lots 4, 5 and 6 and the South half of Lot 3 in Block 14,
Village of Wonevoc, lying Southwesterly of a line parallel with and distant 50
feet southwesterly measured at right angles from the centerline of the main
track of the Chicago and Northwestern Railway Company, once located but now
removed.

STATE TRANSFER
TAX PAID
\$150

This _____ homestead property.
(is) (is not)

Exception to warranties:

Dated this *April 10th* day of *April*, 19*92*

Norbert Talg (SEAL) _____ (SEAL)
Norbert Talg
Fern V. Talg (SEAL) _____ (SEAL)
Fern V. Talg

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Department of Natural Resources


(Signatures may be authenticated or acknowledged. Both
are not necessary.)

ACKNOWLEDGMENT



STATE OF WISCONSIN

Juneau County
Personally came before me on *10th* day
April 19*92* before me
Norbert Talg, a/k/a Norbert C. Talg
and Fern V. Talg, his wife

to me known to be the person(s) who executed the
foregoing instrument and acknowledge the same.
John W. Brady
John W. Brady
Notary Public Juneau County, Wis.
My Commission is permanent.



*Names of persons signing in any capacity should be typed or printed below their signatures.



530

547

545.1

549

548

551

550

552

531

395

218

220

222

224

226

227

302

303

304

305

306

307

308

310

311

312

313

314

315

316

317

318

398

166

167

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

163

163.1

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

154

153

152

151

150

149

148

147

146

145

144

143

142

141

140

139

138

137

136

135

134

133

132

131

130

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

154

153

152

151

150

149

148

147

146

145

144

143

142

141

140

139

138

137

136

135

134

133

132

131

130

20

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168


169

170

146

147

148



WTM coordinates: 502000, 353279

WTM coordinates: 501971, 353275

WTM coordinates: 501982, 353272

PARCEL No. 315
OWNER: WDNR

PARCEL No. 314
(400 BIKE TRAIL)
OWNER: WDNR


VIERBICHER
 ASSOCIATES
 Committed to Quality Service Since 1976
 PARCEL No. 315
 OWNER: WDNR

400 Viking Drive • P.O. Box 379
 Reedsburg, WI 53959
 Phone: 608-524-6468 • Fax: 608-524-8218

ISOCONCENTRATION MAP FOR BENZENE
VILLAGE OF WONEWOC
WONEWOC, WISCONSIN

SCALE: 1 INCH = 40 FEET

DATE: 2-24-00
 JOB NO.: W-00-00

METCO




LEGEND

- GEOPROBE BORING LOCATION
- ⬇️ PHASE IV OVER-EXCAVATION SAMPLE LOCATION CONDUCTED ON (9/3/98)
- ⊕ MONITORING WELL LOCATION
- AREA OF REMOVED UST
- WATERLINE
- NATURAL GAS
- SANITARY OR STORM SEWER
- FIBER OPTIC
- BURIED ELECTRIC

NOTE: INFORMATION IS BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

NOTE: DEPTH TO GROUNDWATER RANGES FROM APPROXIMATELY 3-6 FEET BELOW GROUND SURFACE

NOTE: THE PRESENTED ISOCONCENTRATION LINES REPRESENT LEVELS OF BENZENE AT THE WATER-TABLE ON DECEMBER 29, 2000



GROUNDWATER SAMPLING DATA TABLE FOR THE VILLAGE OF WONEWOC LUST INVESTIGATION
BY METCO

WELL SAMPLING CONDUCTED ON SEPTEMBER 21, 2000

ROUND 1

Well Name	MW-1	MW-2	P-3	MW-4	MW-5	MW-6	MW-7	DUPLICATE/MW-1	TRIP BLANK
Sampling Round	1	1	1	1	1	1	1	1	1
Ground Level Elevation In Feet (Site Specific)	93.75	98.75	98.7	100.11	95.78	95.79	96.75	==	==
PVC Casing Elevation In Feet (Site Specific)	98.27	98.45	98.26	99.7	95.57	95.32	69.19	==	==
Waterable Elevation In Feet (Site Specific)	95.42	94.74	96.6	96.86	93.11	93.05	93.43	==	==
Depth to Groundwater In Feet	2.85	3.71	1.66	2.81	2.46	2.27	2.76	==	==
Amount Purged In Gallons	5	5	25	5	5	5	5	==	==
Time to Purge In Minutes	10	10	20	10	10	10	10	==	==
Purged Dry?	No	No	No	No	No	No	No	==	==
Petroleum Odors	No	Yes	No	No	No	No	No	==	==
Petroleum Sheens	No	No	No	No	No	No	Slight	==	==
Color	Brown	Brown	Clear	Brown	Brown	Tan/Grey	Grey	==	==
Turbidity (high, medium, low, clear)	High	High	Clear	High	High	Medium	High	==	==
DO	1.23	1.85	1.19	2.89	1.35	4.41	0.01	==	==
Temp	19.5	22.5	22.5	10.7	17.3	14.9	10.7	==	==
pH	6.97	6.01	6.9	7.02	7.17	7.10	6.96	==	==
Diesel Range Organics/ppb	<18	70	<18	<18	<18	<18	<18	<18	==
Gasoline Range Organics/ppb	<14	500	<14	<14	20	<14	<14	<14	<14
Dissolved Lead/ppb	<1.2	<1.2	<1.2	<1.2	<1.2	1.2	1.8	<1.2	==
Dissolved Iron/ppb	<12.4	83.6	4700	<12.4	<12.4	<12.4	12.7	<12.4	==
1-Methylnaphthalene/ppb	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	==
2-Methylnaphthalene/ppb	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	==
Acenaphthene/ppb	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	==
Acenaphthylene/ppb	<0.28	2.1	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	==
Anthracene/ppb	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	==
Benzo(a)anthracene/ppb	0.14	0.013	<0.011	<0.011	0.021	<0.011	0.016	<0.011	==
Benzo(a)pyrene/ppb	<0.12	<0.012	<0.012	<0.012	0.085	0.018	0.025	<0.012	==
Benzo(b)fluoranthene/ppb	0.037	0.029	<0.016	0.018	0.098	0.038	0.38	<0.016	==
Benzo(g,h,i)perylene/ppb	0.096	<0.049	<0.049	<0.049	0.17	0.080	0.05	<0.049	==
Benzo(k)fluoranthene/ppb	<0.014	<0.014	<0.014	<0.014	0.056	<0.014	<0.014	<0.014	==
Chrysene/ppb	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	==
Dibenz(a,h)anthracene/ppb	0.28	<0.090	<0.090	<0.090	<0.090	<0.090	<0.090	0.12	==
Fluoranthene/ppb	<0.033	<0.033	<0.033	0.037	0.20	0.048	0.04	<0.033	==
Fluorene/ppb	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	==
Indeno(1,2,3-cd)pyrene/ppb	<0.041	<0.041	<0.041	<0.041	<0.041	<0.041	<0.041	<0.041	==
Naphthalene/ppb	<0.30	0.75	<0.30	<0.30	0.34	<0.30	<0.30	<0.30	==
Phenanthrene/ppb	<0.059	<0.059	<0.059	<0.059	<0.059	<0.059	<0.059	<0.059	==
Pyrene/ppb	0.18	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	==
1,1,1-Trichloroethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,1,2-Trichloroethane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
1,1,2-Trichloroethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
1,1-Dichloroethane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
1,1-Dichloroethane/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,3-Trichlorobenzene/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trichlorobenzene/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2,4-Trimethylbenzene	<0.20	1.6	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
1,2-Dibromo-3-chloropropane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dibromoethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dichlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dichloroethane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
cis-1,2-Dichloroethane/ppb	<0.40	10	<0.40	<0.40	0.89	<0.40	<0.40	<0.40	<0.40
trans-1,2-Dichloroethane/ppb	<0.80	4.0	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
1,2-Dichloropropane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,3,5-Trimethylbenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
1,3-Dichlorobenzene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
1,3-Dichloropropane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
1,4-Dichlorobenzene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
2,2-Dichloropropane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
2-Chlorotoluene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
4-Chlorotoluene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Benzene/ppb	<0.10	20	<0.10	<0.10	2.5	<0.10	<0.10	<0.10	<0.10
Bromobenzene/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Bromodichloromethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
n-Butylbenzene/ppb	<0.40	3.3	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
sec-Butylbenzene/ppb	<0.30	0.91	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
tert-Butylbenzene/ppb	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Carbon tetrachloride/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Chlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Chlorodibromomethane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Chloroethane/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloromethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Dichlorodifluoromethane/ppb	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Dilseopropyl ether/ppb	<0.10	3.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Ethylbenzene/ppb	<0.10	32	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Hexachlorobutadiene/ppb	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60	<0.60
Isopropyltoluene/ppb	<0.10	4.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
p-Isopropyltoluene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Methyl tert-butyl ether/ppb	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1	<1.1
Methylal chloride/ppb	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
Naphthalene/ppb	<0.70	2.0	<0.70	<0.70	<0.70	<0.70	<0.70	<0.70	<0.70
n-Propylbenzene/ppb	<0.30	8.8	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Tetrachloroethene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Toluene/ppb	<0.10	4.1	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Trichloroethene/ppb	<0.30	0.32	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30
Trichlorofluoromethane/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Vinyl chloride/ppb	<0.40	11	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
m & p-Xylene/ppb	<0.20	8.8	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
o-Xylene/ppb	<0.10	35	<0.10	<0.10	0.45	<0.10	<0.10	<0.10	<0.10
Nitrate + Nitrite as Nitrogen/ppm	5.77	0.460	<0.05	3.1	2.40	2.57	<0.08	6.27	==
Total Sulfate/ppm	12.8	20.8	23.1	8.61	13.6	7.20	<3.50	25.7	==

GROUNDWATER SAMPLING DATA TABLE FOR THE VILLAGE OF WONEWOC LUST INVESTIGATION
BY METCO

WELL SAMPLING CONDUCTED ON DECEMBER 28, 2000

	ROUND 2							DUPLICATE/MW-1		TRIP BLANK	
	MW-1	MW-2	P-3	MW-4	MW-5	MW-6	MW-7	2	2	2	2
Well Name	MW-1	MW-2	P-3	MW-4	MW-5	MW-6	MW-7				
Sampling Round	2	2	2	2	2	2	2				
Ground Level Elevation in Feet (Site Specific)	98.75	98.75	98.7	100.11	95.78	95.79	96.75				
PVC Casing Elevation in Feet (Site Specific)	98.27	98.45	98.26	99.7	95.57	95.32	69.19				
Waterable Elevation in Feet (Site Specific)	94.52	93.85	96.49	92.84	92.01	92.32	92.35				
Depth to Groundwater in Feet	3.75	4.57	1.77	6.80	3.56	3.00	3.84				
Amount Purged in Gallons	5	5	10	5	5	5	5				
Time to Purge in Minutes	10	10	20	10	10	10	10				
Purged Dry?	No	No	No	No	No	No	No				
Petroleum Odors	No	Slight	No	No	No	No	Slight				
Petroleum Sheens	No	No	No	No	No	No	No				
Color	Orange	Orange	Clear	Tan	Brown	Tan	Dark Grey				
Turbidity (high, medium, low, clear)	High	High	Low	High	High	High	High				
DO	0.3	0.36	2.7	2.4	0.46	0.32	0.44				
Temp	10.6	8.7	7	9.3	8.6	9.4	11.7				
pH	7.11	7.08	7.5	7.39	7.28	7.33	7.24				
Diesel Range Organics/ppb	==	65	==	==	==	==	==				
Gasoline Range Organics/ppb	14	500	14	14	26	14	14				
Dissolved Iron/ppb	<12	2430	4000	<12	<12	<12	46.2				
1-Methylnaphthalene/ppb	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29				
2-Methylnaphthalene/ppb	<0.32	<0.32	<0.32	<0.32	2.8	<0.32	<0.32				
Acenaphthene/ppb	<0.32	2.8	<0.32	<0.32	<0.32	<0.32	<0.32				
Acenaphthylene/ppb	<0.28	2.2	<0.28	<0.28	<0.28	<0.28	<0.28				
Anthracene/ppb	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060				
Benzo(a)anthracene/ppb	<0.011	0.012	<0.011	0.092	0.021	0.018	0.012				
Benzo(a)pyrene/ppb	<0.012	0.018	<0.012	0.014	0.072	0.035	0.029				
Benzo(b)fluoranthene/ppb	<0.016	0.037	<0.016	<0.016	0.11	0.053	0.33				
Benzo(g,h,i)perylene/ppb	<0.049	<0.049	<0.014	<0.049	0.11	0.054	<0.049				
Benzo(k)fluoranthene/ppb	<0.014	<0.014	<0.014	<0.014	<0.014	<0.014	<0.014				
Chrysene/ppb	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051				
Dibenz(a,h)anthracene/ppb	<0.090	<0.090	<0.090	<0.090	<0.090	<0.090	<0.090				
Fluoranthene/ppb	<0.033	0.059	<0.033	<0.033	<0.033	0.067	0.039				
Fluorene/ppb	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14				
Indeno(1,2,3-cd)pyrene/ppb	<0.041	<0.041	<0.041	<0.041	0.062	<0.041	<0.041				
Naphthalene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30	<0.30				
Phenanthrene/ppb	<0.059	0.11	<0.059	0.14	0.31	<0.059	<0.059				
Pyrene/ppb	<0.083	<0.083	<0.083	<0.083	<0.083	0.095	0.11				
Benzene/ppb	<0.40	14	<0.40	<0.40	<0.40	<0.40	<0.40				
Ethylbenzene/ppb	<0.40	45	<0.40	<0.40	<0.40	<0.40	<0.40				
Methyl tert-butyl ether/ppb	<0.40	9.5	<0.40	<0.40	<0.40	<0.40	<0.40				
Toluene/ppb	<0.40	3.0	<0.40	<0.40	<0.40	<0.40	<0.40				
1,2,4-Trimethylbenzene/ppb	<0.40	0.42	<0.40	<0.40	<0.40	<0.40	<0.40				
1,3,5-Trimethylbenzene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40				
m & p Xylene/ppb	<0.70	2.2	<0.70	<0.70	<0.70	<0.70	<0.70				
o-Xylene/ppb	<0.40	5.2	<0.40	<0.40	<0.40	<0.40	<0.40				
Nitrate + Nitrite as Nitrogen/ppm	6.40	0.62	<0.08	3.53	1.54	2.87	<0.08				
Total Sulfate/ppm	37.6	14.1	30.7	12.6	37.6	26.3	7.43				

GROUNDWATER CONTOUR
MAP ROUND 1 (9/21/00)

VILLAGE OF WONEWOC
WONEWOC, WISCONSIN

SCALE
1 INCH = 40 FEET


DATE: 10/28/00
DRAWN BY: [unintelligible]
CHECKED BY: [unintelligible]




NOTE: INFORMATION IS BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.
NOTE: VERTICAL DATA IS REFERENCED TO AN ILLINOIS BENCHMARK ASSUMED ELEVATION 100 FEET

LEGEND

- GEOPROBE BORING LOCATION
- ◇ PHASE IV OVER-EXCAVATION SAMPLE LOCATION CONDUCTED 08/19/00
- MONITORING WELL LOCATION
- ▭ AREA OF REMOVED UST
- WATERLINE
- NATURAL GAS
- SANITARY OR STORM SEWER
- FIBER OPTIC
- BURIED ELECTRIC





**CROSS SECTION
MAP CLOSE UP**
VILLAGE OF WONEWOC
WONEWOC, WISCONSIN

SCALE
1 INCH = 25 FEET
DATE: 11/14/94
BY: J. J. ...

METCO
300 N. ...

NOTE: INFORMATION IS BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

LEGEND

- GEOPROBE BORING LOCATION
- ▲ PHASE IV OVER-EXCAVATION SAMPLE LOCATION CONDUCTED ON 10/3/93
- ⊕ MONITORING WELL LOCATION
- AREA OF REMOVED JUST
- WATERLINE
- NATURAL GAS
- SANITARY OR STORM SEWER
- FIBER OPTIC
- BURIED ELECTRIC

CROSS SECTION	
VILLAGE OF WOHLEWOC	
PROJECT NO.	W01000001
DATE	09/15/98
SCALE	1" = 10'
DESIGNED BY	CUJ

HORIZONTAL SCALE: 1" = 25 FEET
 VERTICAL SCALE: 1" = 5.25 FEET
 NOTE: INFORMATION IS BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.
 NOTE: VERTICAL DATA IS REFERENCED TO A HIGH-SITE BENCHMARK ASSUMED ELEVATION = 100 FEET.
 SOIL SAMPLE RESULTS ARE PRESENTED IN PAGES PER MILLION (PPM).
 GROUNDWATER RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB).
 ROUND 2 GROUNDWATER SAMPLING WAS CONDUCTED ON 12/28/00.
 GROUNDWATER FLOW IS GENERALLY TOWARD THE SOUTHWEST

PHASE IV OVER-EXCAVATION SAMPLE LOCATION CONDUCTED ON (9/3/98)
 GEOPROBE BORING LOCATION
 MONITORING WELL LOCATION
 SOIL BORING SAMPLE LOCATION

GEOPROBE SOIL SAMPLE LOCATION
 WATER TABLE

SAND AND GRAVEL FILL MATERIAL FROM SEPTEMBER 1998 SOIL OVER-EXCAVATION PROJECT

BLACK, ORGANIC RICH, SILTY SAND

GRAYISH GREEN TO TAN TO BROWN TO ORANGE VERY FINE TO COARSE GRAINED SAND TO SILTY SAND

BROWN TO GREEN TO GRAY SILT TO SILTY SAND

GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS

GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS


GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS

GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS

GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS

GRAPHE RANGE ORGANICS
 POLYCYCLIC AROMATIC HYDROCARBONS
 BENZENE
 TOLUENE
 ETHYL BENZENE
 METHYL TERT-BUTYL ETHER
 TETRAHYDROTHIOPHENES
 XYLENES
 DIETHYLBENZENE
 BENZENE
 ETHYL BENZENE
 TOLUENE
 METHYL TERT-BUTYL ETHER
 POLYCYCLIC AROMATIC HYDROCARBONS

A
 SOUTHWEST
 NORTHEAST



MW-6 ROUND 2 0.40 B 0.40 E 0.40 T 0.80 TMB 0.15 B(b) 0.067 F 0.059 F	G-1-W 0.26 DRO 4.3 E 4.3 T 0.57-0.67 TMB 4.04 X	MW-2 ROUND 2 5.00 GRO 14.8 B 9.5 T 3.0 T 0.40-0.82 TMB 0.06 B(b) 0.037 F 0.059 F	P-3 ROUND 2 10.40 B 10.40 E 10.40 TMB 10.80 TMB 0.1 X	G-8-W 6.60 GRO 15 E 19 TMB 6.0 T 9 X 33.8 X	G-2-W 8.40 DRO 14.00 GRO 12 E 12 TMB 6.9 TMB 33.8 X	MW-4 ROUND 2 14.00 GRO 10.40 B 10.40 T 10.80 TMB 0.1 X	MW-1 ROUND 2 0.40 B 0.40 E 0.40 T 0.80 TMB 0.04 B(a) 0.04 B(a)
---	---	--	--	--	--	---	--

VILLAGE of WONEWOC

P.O. Box 37 • Wonewoc, WI 53968-0037
PH: (608)464-3114 • FAX: (608)464-7425

July 19, 2002

Bruce Fredrickson
Systems Planning and Operations
Wisconsin Department of Transportation
1681 2nd Avenue South
Wisconsin Rapids, WI 54495

Re: Conditional Case Closure
Commerce # 53968-9999-00 WDNR BRRTS # 03-29-213879
Wonewoc Center Street Site, 100 Block of Center Street, Wonewoc, WI

Dear Bruce,

The Village of Wonewoc is seeking to obtain closure on a soil and water contamination site within the village limits. The site is located in the 100 block of Center Street, within the right of way of state highway 33.

Soil and groundwater contamination above NR 720 Residual Contaminant Levels and NR 140 enforcement standards exists on the site. However, the Wisconsin Department of Commerce has determined that the site does not pose a significant threat to the environment or to human health, and no further investigation or remedial action will be taken.

The Village of Wonewoc is currently in the process of having this site listed on the Wisconsin Department of Natural Resources' Geographic Information System Registry of Closed Remediation Sites. This letter is being sent to inform you of the action being taken.

If you have any questions or comments regarding this issue, please direct them to Franklin R. Brey, PE, Vierbicher Associates, Inc., 400 Viking Drive, P.O. Box 379, Reedsburg, WI 53959. Frank can also be reached at (608)524-6468.

Sincerely,



Ed Decot
President, Village of Wonewoc

Cc: Gena Larson – Wisconsin Department of Commerce
Frank Brey – Vierbicher Associates, Inc.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

DNR
 Richard steffes
 PO Box 7921
 Madison, WI
 53707-7921

2. Article Number

(Transfer from service label)

70000520 0015 3909 4926

COMPLETE THIS SECTION ON DELIVERY

A. Signature

 X *John J. Elmer* Agent
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

 J. Elmer, Jr.
 JUN 10 2002
 Yes
 No
 If YES, enter delivery address below:

3. Service Type

-
- Certified Mail
-
- Express Mail
-
-
- Registered
-
- Return Receipt for Merchandise
-
-
- Insured Mail
-
- C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

April 26, 2002

Village of Wonewoc
200 West Street
Wonewoc, WI 53968

Department of Natural Resources
Richard Steffes
Natural Resources Real Estate Director
Bureau of Facilities & Lands
P.O. Box 7921
Madison, WI 53707-7921

Dear Mr. Steffes,

Groundwater contamination that appears to have originated in the 100 Block of Center Street (Highway 33) right of way, near the American Legion Hall in the Village of Wonewoc, has migrated onto your property identified as parcel no. 314 and parcel no. 315, 400 State Bike Trail, in the Village of Wonewoc, Juneau County, Wisconsin. The level of benzene contamination in the groundwater on your property is above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed the Village that this groundwater contaminant plume is stable or receding and will naturally degrade over time. We believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code. The Village will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination.

The Department of Commerce will not review this closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may

have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to this closure request, you should mail that information to: Gena M. Larson, Environmental & Regulatory Services Bureau of PECFA, 201 West Washington Ave., P.O. Box 8044, Madison, WI 53708-8044.

As a part of this closure, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be made available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to contact the Drinking Water program within the Department of Natural Resources, to determine if there is a need for special well construction standards.

Once the Department makes a decision on this closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me through The Village of Wonewoc, 200 West Street, Wonewoc, WI 53968, phone 608-464-3114, or you may contact Gena Larson at Environmental & Regulatory Services Bureau of PECFA, 201 West Washington Ave., P.O. Box 8044, Madison, WI 53708-8044, phone 608-261-5404.

Sincerely,

Ed Decot
President, Village of Wonewoc