GIS REGISTRY INFORMATION

SITE NAME:	PDM Bridge		
BRRTS #:	02-37-548017	**FID # (if appropriate):** 737042570	
COMMERCE # (if appropriate):			
CLOSURE DATE:	01/11/2007		
STREET ADDRESS:	3526 Sherman Street		
CITY:	Town of Stettin		
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):	**X=** 545244	**Y=** 497693	

CONTAMINATED MEDIA:	Groundwater		Soil		Both	X
OFF-SOURCE GW CONTAMINATION >ES:		**Yes**		X **No**		
OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):		**Yes**		X **No**		
CONTAMINATION IN RIGHT OF WAY:		**Yes**		X **No**		

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter or denial letter issued	X
Copy of any maintenance plan referenced in the final closure letter.	
Copy of (soil or land use) deed notice *if any required as a condition of closure*	
Copy of most recent deed, including legal description, for all affected properties	X
Certified survey map or relevant portion of the recorded plat map (*if referenced in the legal description*) for all affected properties	X
County Parcel ID number, *if used for county*, for all affected properties	X
Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.	X
Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.	X
Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)	X
Tables of Latest Soil Analytical Results (no shading or cross-hatching)	X
Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. **If not available, include the latest extent of contaminant plume map.**	
GW: Table of water level elevations, with sampling dates, and free product noted if present	
GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)	
SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour	
Geologic cross-sections, *if required for SI.* (8.5x14' if paper copy)	
RP certified statement that legal descriptions are complete and accurate	X
Copies of off-source notification letters (if applicable)	
Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)	

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wausau Office
5301 Rib Mountain Drive
Wausau, Wisconsin 54401
Telephone 715-359-4522
FAX 715-355-5253
TTY Access via relay - 711

January 11, 2006

BRRTS #02-37-548017
FID # 737042570

FILE COPY

MR JOHN GRZYBOWSKI
PDM BRIDGE
2800 MELBY STREET
EAU CLAIRE WI 54703

Subject: Final Closure, PDM Bridge, 3526 Sherman Street, Town of Stettin, Wisconsin

Dear Mr. Grzybowski:

On November 8, 2006, the Wisconsin Department of Natural Resources (Department) reviewed your request for closure of the case described above. The Regional Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On November 14, 2006 you were notified that conditional closure was granted to this case.

On December 7, 2006 and January 5, 2007 Michelle Williams (Reinhart Boerner Van Deuren) submitted the abandonment documentation. It has been documented that monitoring well MW-6 could not be located and abandoned. Please note if you should locate the well in the future, properly abandon it and submit documentation to the Department.

Based on the correspondence provided, it appears that your case has been completed to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. **The Department considers this case closed and no further investigation, remediation or other action is required at this time.**

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit http://dnr.wi.gov/org/aw/rr/gis/index.htm If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s.NR 812.09(4)(w) Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

I appreciate the efforts you have taken to restore the environment at the site. Please contact me at 715-359-6514 if you have any questions regarding this letter.

Sincerely,

Lisa Gutknecht

Lisa Gutknecht
Bureau for Remediation & Redevelopment

c: Michelle L. Williams, Reinhart Boerner Van Deuren
Bill Evans, WDNR – Eau Claire (via e-mail)

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

WISCONSIN
DEPT. OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wausau Office
5301 Rib Mountain Drive
Wausau, Wisconsin 54401
Telephone 715-359-4522
FAX 715-355-5253
TTY Access via relay - 711

November 14, 2006

BRRTS #02-37-548017
FID # 737042570

FILE COPY

MR JOHN GRZYBOWSKI
PDM BRIDGE
2800 MELBY STREET
EAU CLAIRE WI 54703

Subject: Conditional Closure Decision with Requirements to Achieve Final Closure, PDM Bridge, 3526 Sherman Street, Town of Stettin, Wisconsin

Dear Mr. Grzybowski:

On November 8, 2006, the Wisconsin Department of Natural Resources (Department) reviewed your request for closure of the case described above. The Department reviews environmental cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Department has determined that the petroleum, volatile organic compounds and polynuclear aromatic hydrocarbon contamination on the site appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the requirements of ch. NR726, Wisconsin Administrative Code and will be closed if the following condition is satisfied.

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

When the above condition has been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit http://maps.dnr.state.wi.us/brrts.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

I appreciate the efforts you have taken to restore the environment at the site. Please contact me at 715-359-6514 if you have any questions regarding this letter.

Sincerely,

Lisa Gutknecht

Lisa Gutknecht
Bureau for Remediation & Redevelopment

c: Michelle L. Williams, Reinhart Boerner Van Deuren

1269649
PITT DES MOINES/HARTWIG MFG
REGISTER'S OFFICE
MARATHON COUNTY, WI
MAR 13 2002 1:26 PM

Michael J. Sydow

REGISTER

Document Number

STATE BAR OF WISCONSIN FORM 6 - 2000

SPECIAL WARRANTY DEED

This Deed, made between Pitt-Des Moines, Inc., a Pennsylvania corporation, and Pitt-Des Moines, Inc., a Pennsylvania corporation, as successor by merger to Hartwig Mfg. Corp., a Wisconsin corporation ("Grantor"), and Steel Bridges, LLC, a Delaware limited liability company ("Grantee").

Grantor, for a valuable consideration, conveys to Grantee the following described real estate in Marathon County, State of Wisconsin (the "Property"):

SEE ATTACHED EXHIBIT "A" for Property Description

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances, arising by, through or under Grantor, except and subject to any and all municipal, use and zoning ordinances, rules and regulations, all taxes, assessments and governmental charges levied but not yet due and payable, gas, oil, mineral and mining rights, rights of way and easements, covenants, conditions, reservations and restrictions heretofore granted, excepted, or reserved or recited in prior instruments of record (but without intending to re-impose same) and to easements for sewers and utilities as the same now or may be hereafter installed and to all matters of record and the Permitted Exceptions set forth on Exhibit "B" attached hereto and incorporated herein.

Recording Area

Name and Return Address
Stephen C. Ellis, Esquire
Arter & Hadden, LLP
925 Euclid Avenue, Suite 1100
Cleveland, OH 44115

191106
#21 pd ck
M-10812

37.076.4.2907.332.0990: ✓ SW NW
37.076.4.2907.331.0998 ✓ SW NE & S½ NW
Parcel Identification Number (PIN)
This is not homestead property.

Dated this 7th day of March, 2002, to be effective March 13th, 2002.

GRANTOR:
Pitt Des Moines, Inc., a Pennsylvania corporation

By: R. A. Byers
Name: Richard A. Byers
Title: Vice President of Finance and Treasurer

TRANSFER
$8,095.00
FEE

AUTHENTICATION

Signature(s) _____ authenticated this 13th day of March, 2002.

*
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, ___ authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY:
Marnie S. Schock, Esquire
Buchanan Ingersoll Professional Corporation
One Oxford Centre, 20th Floor
301 Grant Street
Pittsburgh, PA 15219-1410

(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF TEXAS)
)ss.
County of MONTGOMERY)

Personally came before me this 7th day of March, 2002, the above-named Richard A. Byers known to me to be the Vice President of Finance and Treasurer of Pitt-Des Moines, Inc., a Pennsylvania corporation, who executed on behalf of such corporation the foregoing instrument and acknowledged the same.

Brenda Moody
Notary Public, State of TEXAS
My Commission Expires 10-8-04

BRENDA MOODY NOTARY PUBLIC STATE OF TEXAS EXPIRES 10-08-2004

*Names of persons signing in any capacity must be typed or printed below their signatures.

EXHIBIT "A"
PROPERTY DESCRIPTION

PARCEL 1:

PARCELS 1 AND 2, OF CERTIFIED SURVEY MAP RECORDED JUNE 25, 1976, IN VOLUME 4 OF CERTIFIED SURVEY MAPS OF MARATHON COUNTY, WISCONSIN, PAGE 227, AS DOCUMENT NUMBER 697787, BEING A PART OF THE SOUTHWEST 1/4 OF THE NORTHEAST 1/4, AND THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 33, TOWNSHIP 29 NORTH, RANGE 7 EAST, AND OTHER LANDS BEING A PART OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 33, TOWNSHIP 29 NORTH, RANGE 7 EAST, TOWN OF STETTIN, MARATHON COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE CENTER OF SAID SECTION; THENCE N. 0°06'15 W. 22.03 FEET TO A PARKER KALON NAIL; THENCE N. 0°42'57" W. 100.16 FEET TO A PARKER KALON NAIL AND THE POINT OF BEGINNING: THENCE S. 85°55'51" W. 1328.01 FEET; THENCE S. 85°54'19" W. 717.21 FEET; THENCE S. 89°21'16" W. 504.34 FEET TO A POINT 105.00 FEET EASTERLY OF THE WEST 1/4 CORNER OF SAID SECTION; THENCE N. 0°15'34" W. 679.45 FEET; THENCE S. 88°33'13" E. 270.92 FEET; THENCE S. 88°31'37" E. 946.91 FEET; THENCE S. 88°31'34" E. 1093.00 FEET; THENCE S. 83°16'45" E. 233.32 FEET; THENCE S. 83°16'39" E. 161.15 FEET; THENCE ON THE ARC OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 2864.79 FEET, A CHORD DISTANCE OF 725.16 FEET, AND AN ARC LENGTH OF 727.11 FEET; THENCE N. 85°09'46" E. 167.15 FEET; THENCE S. 0°49'07" E. 330.75 FEET; THENCE S. 85°55'49" W. 1053.00 FEET TO THE POINT OF BEGINNING. 076.4.2907.331.0998 SW NE & S1/2 NW

PARCEL 1 AT THE SOUTHWEST CORNER CONTAINS LANDS BETWEEN MEANDER LINE AND THE TRUE PROPERTY CORNER WHICH FALLS WITHIN THE LITTLE RIB RIVER. 076.4.2907.332.0990 SW NW

PARCEL 2

PART OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 SECTION 33, TOWNSHIP 29 NORTH, RANGE 7 EAST, IN THE TOWN OF STETTIN, MARATHON COUNTY, WISCONSIN BOUNDED BY A LINE DESCRIBED AS FOLLOWS:

COMMENCING AT THE CENTER OF SAID SECTION AND POINT OF BEGINNING: THENCE S. 89°21'16" W. ALONG THE SOUTH LINE OF SAID NORTHWEST 1/4 378.76 FEET; THENCE N. 85°46'00" E. 379.40 FEET TO THE WEST LINE OF SAID NORTHWEST 1/4; THENCE S. 00°06'15" E. ALONG SAID LINE, 22.03 FEET TO THE POINT OF BEGINNING.

076.4.2907.331.0998
SW NE & S1/2 NW

THE ABOVE LEGAL DESCRIPTIONS FOR PARCELS 1 AND 2 ARE BASED UPON A SURVEY MAP PREPARED BY HARRY B. WARDEN OF AYRES ASSOCIATES, CERTIFIED ON MARCH 7, 2002, BEING JOB NO. 43011709.

EXHIBIT "B"

PERMITTED ENCUMBRANCES

1. Liens or deferred charges not shown on the tax roll for installations and connections of water and sewer laterals, mains and service pipes.

2. Rights or claims of parties in possession not shown by the public records.

3. Easements or servitudes apparent from an inspection of the Property and any variation in location or dimensions, conflict with lines of adjoining property, encroachments, projections or other matters which might be disclosed by an accurate survey of the Property.

4. Easements or claims of easements not shown by the public records.

5. Any lien, or right to a lien, for services, labor, or materials heretofore or hereafter furnished imposed by law and not shown by the public records.

6. Taxes for the year 2002 and any subsequent years.

7. Special taxes or assessments, if any, not yet due and payable.

8. Utility Easement granted to Wisconsin Valley Electric Co. recorded on November 10, 1931, in Reel/Volume 252, Image/Page 101, as Document No. 2948142.

9. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on November 1, 1950, in Reel/Volume 366, Image/Page 337, as Document No. 432474.

10. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on December 4, 1956, in Reel/Volume 422, Image/Page 226, as Document No. 485193.

11. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on January 18, 1968, in Reel/Volume 31, Image/Page 545, as Document No. 588019.

12. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on May 3, 1968, in Reel/Volume 38, Image/Page 196, as Document No. 590877.

13. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded in Reel/Volume 44, Image/Page 39, as Document No. 593528.

14. Right of Way contained in instrument recorded on October 3, 1968, in Reel/Volume 50, Image/Page 99, as Document No. 596270.

15. Right of Way contained in instrument recorded on January 8, 1969, in Reel/Volume 56, Image/Page 132, as Document No. 599001.

16. Right of Way contained in instrument recorded on March 17, 1969, in Reel/Volume 59, Image/Page 425, as Document No. 600707.

17. Right of Way contained in instrument recorded on March 17, 1969, in Reel/Volume 59, Image/Page 439, as Document No. 600715.

18. Right of Way contained in instrument recorded on March 17, 1969, in Reel/Volume 59, Image/Page 441, as Document No. 600716.

19. Right of Way contained in instrument recorded on March 25, 1969, in Reel/Volume 60, Image/Page 229, as Document No. 601019.

20. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on January 14, 1971, in Reel/Volume 105, Image/Page 535, as Document No. 622250.

21. Transmission Line Easement granted to Wisconsin Public Service Corporation recorded on February 18, 1971, in Reel/Volume 107, Image/Page 448, as Document No. 623119.

22. Storm Sewer Easement recorded on May 12, 1983, in Reel/Volume 362, Image/Page 1135, as Document No. 802663.

23. Covenants, conditions, reservations, restrictions and/or easements contained in instrument recorded on March 12, 1992 in Reel/Volume 582, Image/Page 1059, as Document No. 962329.

24. Easement Assignment from Wisconsin Public Service Corporation to American Transmission Company LLC recorded on January 2, 2001 as Document No. 1222944.

25. Title to any equipment, fixtures, appliances, tanks, machinery or installations, except such as is finally determined to be part of the Property, determination of which shall not be part of the obligation of the company.

26. Rights of tenants under unrecorded leases.

27. Rights of the railroad company servicing the railroad siding, if any, located on Property in and to the ties, rails and other properties constituting said railroad siding or in and to the use thereof.

28. Rights of the State of Wisconsin, Division of Highways, pursuant to that Deed dated April 16, 1969 and recorded on April 18, 1969, in Reel/Volume 62, Image/Page 68 stating, "No rights of access shall accrue between the right of way of the highway, currently designated as Highway 29, and all of the abutting remaining property of the owner."

29. All matters relating to Parcel 1 and Parcel 2 as set forth in the survey map recorded June 25, 1976 in Volume 4 of certified survey maps of Marathon County, Wisconsin as Document No. 697787, Page 227.

30. Any portion of the Property used for highway purposes.

31. Limitation of access to Highway 29 as to the Property. NOTE: No License or easement to cross the railroad right-of-way abutting the Property was found.

32. All rights of any Railroad to any tracks, ties, crossings, switches or signals, if any located on the Property or accessing the Property and other properties constituting railroad or in and to the use thereof.

33. Rights of the public, if any, in that portion of the Property which lies below the normal highwater mark of Little Rib River.

34. Rights of others over and across the snowmobile trail as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

35. Encroachment of buildings along the South line of the Property over a 40 foot wide Transmission Line Easement and 20 foot set back line as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

36. Encroachment of most Easterly building over a Transmission Line Easement as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

37. Encroachment of building over a 30 foot wide Storm Sewer Easement as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

38. Possible encroachment of parking stalls into the Wisconsin Central LTD. Railroad right-of-way as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

39. Encroachment of the most Westerly building over the 36" Corrugated Metal Storm Pipe as shown on the survey prepared by Ayres Associates, certified March 7, 2002, as Job No. 43011709.

40. All matters relating to the Property as set forth on the survey map prepared by Harry B. Warden of Ayres Associates, certified March 7, 2002, as Job No. 43011709.

41. All matters set forth in the Title Commitment from the Lawyers Title Insurance Corporation dated January 28, 2002, as Commitment No. 191106, and all amendments and revisions thereto.

1037

697787

PART OF THE SE 1/4 OF THE NW 1/4 AND PART OF THE SW 1/4 OF THE NE 1/4, ALL IN SECTION 33, TOWNSHIP 29 NORTH, RANGE 7 EAST, TOWN OF STETTIN, MARATHON COUNTY, WISCONSIN



Description Over

5539

HARTWIG MANUFACTURING CORPORATION

I hereby certify that I have surveyed and mapped by order of Hartwig Manufacturing Corporation, land being parts of the SW 1/4 of the NE 1/4, and the SE 1/4 of the NW 1/4 of Section 33, Township 29 North, Range 7 East, Marathon County, Wisconsin, described as follows:

Parcel 1: Commencing at the center of said Section 33; thence N0° 54'W, 122.22 feet to the Northerly line of the Chicago and Northwestern Railway right-of-way, being the point of beginning; thence S85° 46'W, 1,328.54 feet along said Northerly railway right-of-way; thence N0° 36' 30"W, 587.57 feet to the Southerly right-of-way line of new STH "29"; thence S88° 43'E, 1093.00 feet along said Southerly highway right-of-way; thence S83° 21'E, 394.17 feet along said Southerly highway right-of-way; thence along the arc of a curve to the left, being the Southerly highway right-of-way, having a chord bearing of S87° 54'E; a length of 722.63 feet, a radius of 2864.79 feet and a central angle of 13° 44'; thence N84° 38'E, 167.15 feet along said Southerly highway right-of-way; thence S1° 27'E, 330.80 feet to the Northerly line of the aforementioned Chicago and Northwestern Railway right-of-way; thence S85° 46'W along said Northerly railway right-of-way 1053.00 feet to the point of beginning.

Parcel 2: Commencing at the center of said Section 33, also being the point of beginning; thence N0° 54'W, 22.06 feet to the Southerly right-of-way line of said railway; thence S85° 46'W along said railway Southerly right-of-way 379.40 feet; thence N89° 06'E, 378.76 feet to the point of beginning; and that I have fully complied with the provisions of Section 236.34, Wisconsin Statutes.

Donald D. Frisque

6/21/76 D. D. Frisque S-1218

WISCONSIN
DONALD D. FRISQUE
S-1218
Wausau Wis.
LAND SURVEYOR

69787

Register's Office, Marathon County, Wis.
Received for Record this ..... day of ..... A. D. 19.....
at ..... o'clock ..... M and recorded in Vol. ..... of Certified Survey Maps on Page .....
Register

AM 11 31



USGS MAP: WAUSAU WEST QUADRANGLE
1993

SCALE 1:24000

1 0 1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

NORTH

PHASE II ENVIRONMENTAL
SITE ASSESSMENT
PDM BRIDGE
3526 SHERMAN STREET
WAUSAU , WISCONSIN

DRN. BY: JGS
CHK. BY: TAW
DATE: OCT 2001

AYRES ASSOCIATES

LOCATION MAP

FIGURE
1

PEN
10/10/01
D:\WASTE\10130814.dgn
DGN LEVEL

*LEV12 *LEV09 *LEV06 *LEV03
*REF12 *REF09 *REF06 *REF03
*LEV11 *LEV08 *LEV05 *LEV02
*REF11 *REF08 *REF05 *REF02
*LEV10 *LEV07 *LEV04 *LEV01
*REF10 *REF07 *REF04 *REF01

K:/WASTE/10130814.DGN

K:/WASTE/
1013085.DGN

SITE MAP

DRN. BY: JGS
CHK. BY: TAW
DATE: OCT 2001

AMRES
ENVIRONMENTAL SERVICES

PHASE II ENVIRONMENTAL
SITE ASSESSMENT
PDM BRIDGE
3526 SHERMAN STREET
WAUSAU, WISCONSIN

FIGURE
2

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

$PENS
10/12/01
K:\WASTE\1013085.dgn
DGN LEVEL

*REF0 *REF1 *REF2 *REF3 *REF4 *REF5 *REF6 *REF7 *REF8 *REF9
*LEV0 *LEV1 *LEV2 *LEV3 *LEV4 *LEV5 *LEV6 *LEV7 *LEV8 *LEV9

TABLE 2
GROUND WATER ANALYTICAL RESULTS
PDM BRIDGE--WAUSAU PHASE II

Well	Date	Dissolved Arsenic (µg/L)	Dissolved Cadmium (µg/L)	Dissolved Chromium (µg/L)	Dissolved Copper (µg/L)	Dissolved Lead (µg/L)	1, 2, 4-TMB (µg/L)	Acetone (µg/L)	Chloroform (µg/L)	Chloromethane (µg/L)	Chloroethane (µg/L)	Toluene (µg/L)	Total Xylenes (µg/L)	Tetra-hydrofuran (µg/L)	Methyl Ethyl Ketone (µg/L)
MW-1	9/27/01	<10	<0.42	<0.61	<2.9	<1.4	0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-1D	9/27/01	<10	<0.42	<0.61	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-2	9/28/01	<10	<0.42	<0.61	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-3	9/28/01	16.3/<0.99[1]	<0.42	4.2	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	0.36***	<0.14	<0.36	<3.2	<2.8
MW-4	9/28/01	<10	<0.42	4.2	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-6	9/28/01	<10	<0.42	<0.61	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-8	9/28/01	<10	<0.42	1.8***	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	0.38***	<0.14	<0.36	<3.2	<2.8
MW-9	9/27/01	<10	<0.42	1.1***	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-10	9/27/01	<10	<0.42	<0.61	<2.9	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
MW-11	9/28/01	<10	<0.42	1.8***	<2.9	<1.4	<0.11	10	<0.16***	<0.40	0.38***	<0.14	<0.36	300*	450*
	10/16/01	--	--	--	--	--	<0.11	<3.7	<0.16	0.42**	<0.30	<0.14	<0.36	<3.2	3.2***
MW-12	9/28/01	<10	<0.42	1.6***	3.1***	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
Paint Room (WS-1)	9/27/01	--	--	--	225	38.4	<0.14	<3.7	0.1***	0.27***	<0.11	0.35***	0.36***	<3.2	<2.8
	10/16/01	--	--	--	631	36.9	<0.11	<3.7	<0.16	<0.40	<0.30	1.3***	<0.36	<3.2	<2.8
Main Building (WS-2)	9/27/01	--	--	--	<2.9	<1.4	<0.14	<3.7	0.1***	<0.080	<0.11	<0.16	<0.25	<3.2	<2.8
	10/16/01	--	--	--	7.3***	<1.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
Non-Contact Coolant	10/16/01	--	--	--	121	36.4	<0.11	<3.7	<0.16	<0.40	<0.30	<0.14	<0.36	<3.2	<2.8
NR 140 ES		50	5	100	1300	15	180		6	3	400	1000	10000	10	90
NR 140 PAL		5	0.5	10	130	1.5	96		0.6	0.3	80	200	1000	50	460

ABBREVIATIONS AND ACRONYMS

1,2,4-TMB = 1,2,4-Trimethylbenzene

-- = Not analyzed

µg/L = Micrograms per liter = parts per billion

FOOTNOTES

= NR 140 Enforcement Standard exceedance

= NR 140 Preventive Action Limit exceedance

[1] = Lower value represents sample reanalysis using EPA Method 7060

*Suspected PVC contamination from well repair

** Compound was found in the trip blank

*** Value between limit of detection and limit of quantitation

TABLE 1
SOIL PROBE SOIL AND GROUND WATER ANALYTICAL RESULTS
PDM BRIDGE--WAUSAU PHASE II

Sample location	Refueling area	Refueling area	Refueling area	Former UST	Former UST	Former UST	Shot fill area	Shot fill area	Outdoor shot	Outdoor shot (TCLP)	Background		
Date	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01	2-Oct-01		
Sample ID	B1-4	Water 1	B2-5	B3-4	Water 2	B4-4	B5-2	B5-5	Hopper	Hopper	Background		
Sample Depth (inches)	6 to 8	Water Table	8 to 10	6 to 8	Water Table	6 to 8	2 to 4	8 to 10	Grab	Grab	0 to 2	NR 720.11 Direct Contact	
FID response (i.u.s.)	80	--	25	2	--	60	60	31	--	--	--	Standards for Industrial Sites	
Arsenic	--	--	--	--	--	--	<0.57	<0.63	<0.52	--	0.84*	1.6	
Barium	--	--	--	--	--	--	25.7	21.8	1690	<100 (mg/L)	35.5	NS	
Cadmium	--	--	--	--	--	--	0.071*	0.091*	0.89	--	0.11	510	
Chromium	--	--	--	--	--	--	8.8	10.4	39.3	<5.0 (mg/L)	10.4	200	
Lead	--	--	--	--	--	--	2.8	2.4	7.2	<5.0 (mg/L)	5.8	500	
Selenium	--	--	--	--	--	--	1.4	0.75*	0.72*	--	0.91*	NS	
Silver	--	--	--	--	--	--	<0.077	<0.085	<0.070	--	<0.078	NS	
Mercury	--	--	--	--	--	--	0.014*	<0.0072	<0.0060	--	0.02	NS	
Acetone	--	--	--	--	--	--	0.3**	--	--	--	--	NS	
Methylene Chloride	--	--	--	--	--	--	0.055**	--	--	--	--	NS	
Trichlorofluoromethane	--	--	--	--	--	--	0.028	--	--	--	--	NS	
												NR 720.09 Standards	NR 140 GW Standards
DRO	<3.2	<0.021	<3.4	<3.2	<21	<3.2	--	--	--	--	--	100	NS
GRO	<1.1	<0.014	<1.1	--	--	--	--	--	--	--	--	100	NS
Benzene	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	0.0055	ES 5, PAL 0.5
Ethylbenzene	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	2.9	ES 700,PAL 140
Toluene	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	1.5	ES 1000,PAL 200
Total Xylenes	<0.025	<0.0011	<0.025	<0.025	<1.1	<0.025	--	--	--	--	--	4.1	ES 10000,PAL 1000
MTBE	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	NS	ES 60,PAL 12
1,2,4-TMB	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	NS	ES 480, PAL 96
1,3,5-TMB	<0.025	<0.00040	<0.025	<0.025	<0.40	<0.025	--	--	--	--	--	NS	
												Generic Soil Levels	NR 140 GW Standards
1-Methylnaphthylene	--		--	<0.019	<0.19	0.3	--	--	--	--	--	70000	NS
2-Methylnaphthylene	--		--	<0.018	<0.20	0.54	--	--	--	--	--	40000	NS
Acenaphthylene	--		--	1.4	<0.21	0.31	--	--	--	--	--	0.7 / 360	NS
Benzo(a)anthracene	--		--	<0.00067	<0.003	0.0039	--	--	--	--	--	3.9	NS
Benzo(a)pyrene	--		--	<0.0025	<0.0064	0.0048*	--	--	--	--	--	0.39	ES 0.2 PAL 0.02
Benzo(b)fluoranthene	--		--	<0.00075	<0.0052	0.0056	--	--	--	--	--	3.9	ES 0.2 PAL 0.02
Benzo(g,h,I)perylene	--		--	<0.0016	<0.017	0.0059	--	--	--	--	--	39	NS
Benzo(k)fluoranthene	--		--	<0.00087	<0.0051	0.003	--	--	--	--	--	39	NS
Pyrene	--		--	<0.0034	0.05*	0.14	--	--	--	--	--	30000	ES 250 PAL 50

-- = Not analyzed
= Exceeds NR 720 Soil Cleanup Standard or Industrial Direct Contact Standard or NR 140 ground water standards
< = Less than the detection limit shown
= Exceeds Non-Industrial Direct Contact Standard or NR 140 ground water standard
ug/L = Micrograms per liter, equivalent to parts per billion (ppb)
TMB = Trimethylbenzene
NR = No response
mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)
i.u.s. = Instrument units
NS = No standard

Soils are reported in mg/kg
Water is reported in ug/L
ES = NR 720 Enforcement Standard
PAL = NR 720 Preventive Action Limit

"" = Results not received
MTBE = Methyl-tert-butyl ether
* = Value between limit of detection & limit of quantitation
** = Detected in method blank

J:\dlj\011120b1.xls

TABLE 1 (Cont.)
SOIL PROBE SOIL AND GROUND WATER ANALYTICAL RESULTS
PDM BRIDGE–WAUSAU PHASE II

Sample location	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former LUST	Former LUST	Former LUST	Former LUST	Former LUST	Former LUST		
Date	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01		
Sample ID	B6-2	B6-4	B6W	B7-3	B7-5	B7W	B8-2	B8-4	B8W	B9-2	B9-4	B9W	NR 720.11 Direct	
Sample Depth (inches)	2 to 4	6 to 8	Water Table	4 to 6	8 to 10	Water Table	2 to 4	6 to 8	Water Table	2 to 4	6 to 8	Water Table	Contact Standards	NR 140 Ground
FID response (i.u.s.)	1	150	–	4	30	–	1	>1000	–	17	60	–	for Industrial Sites	Water Standards
Arsenic	<0.56	0.70*	<7.5	<0.47	0.75*	<7.5	0.48*	<0.31	<7.5	<0.43	<0.53	<7.5	1.6	ES 50, PAL 5
Barium	18.60	50.60	300	60.30	19.20	428	11.20	11.30	681	42.30	19.10	740	NS	ES 2000, PAL 400
Cadmium	0.25	0.39	<0.35	0.43	0.28	1.6	0.25	0.23	0.88*	0.36	0.25	1.4	510	ES 5, PAL 0.5
Chromium	10.00	19.00	5.50	14.40	12.90	14.8	9.40	8.60	18.4	12.30	12.60	26	200	ES 100, PAL 10
Lead	2.50	4.90	3.5*	60.30	2.10	103	1.70*	1.50	5.5	273.00	2.90	28.20	500	ES 15, PAL 1.5
Selenium	0.57*	1.00	<3.0	0.70*	0.65*	<3.0	0.75	0.40*	<3.0	0.87	0.31*	<3.0	NS	ES 50, PAL 10
Silver	<0.075	<0.059	<0.64	<0.064	<0.070	<0.64	<0.055	<0.042	<0.64	<0.058	<0.072	<0.64	NS	ES 50, PAL 10
Mercury	0.0084*	0.016*	<0.14	0.0096*	<0.0071	<0.14	<0.0065	<0.0069	<0.14	0.010*	<0.0070	<0.14	NS	ES 2, PAL 0.2
Methylene Chloride	<0.020	<0.022	<0.80	<0.020	<0.023	<0.80	<0.020	1.90*	<0.80	<0.020	<0.023	<4.0	NS	ES 5, PAL 0.5
													NR 720.09 Standards	NR 140 GW Standards
Napthalene	<0.015	<0.016	<0.20	<0.015	<0.017	<0.20	<0.015	9	23	<0.015	<0.017	2.3*	NS	ES 40, PAL 8
n-Propylbenzene	<0.0095	<0.010	<0.23	<0.0096	<0.011	<0.23	<0.0097	8.0	18	<0.0097	<0.011	20	NS	NS
Benzene	<0.0053	<0.0057	<0.12	<0.0053	<0.0061	<0.12	<0.0054	<0.29	<0.12	<0.0054	<0.0060	<0.60	0.0055	ES 5, PAL 0.5
Ethylbenzene	<0.0042	<0.0046	<0.14	<0.0042	<0.0049	<0.14	<0.0043	1.1	7.5	<0.0043	<0.0048	<0.70	2.9	ES 700,PAL 140
Toluene	<0.0063	<0.0068	<0.14	<0.0064	<0.0073	<0.14	<0.0065	<0.35	1.7	<0.0065	<0.0072	<0.70	1.5	ES 1000,PAL 200
Total Xylenes	<0.0193	<0.0207	<0.36	<0.0193	<0.0221	<0.36	<0.0194	172	1350	<0.0194	<0.0220	12.8	4.1	ES 10000,PAL 1000
MTBE	<0.012	<0.013	<0.16	<0.012	<0.013	<0.16	<0.012	<0.64	<0.16	<0.012	<0.013	<0.80	NS	ES 60,PAL 12
1,2,4-TMB	<0.0053	<0.0057	<0.11	<0.0053	0.0073	<0.11	<0.0054	250	870	0.011*	0.022	87	NS	ES 480, PAL 96
1,3,5-TMB	<0.0053	<0.0057	<0.12	<0.0053	<0.0061	<0.12	<0.0054	91	330	<0.0054	<0.0060	1.2*	NS	
n-Butylbenzene	<0.0063	<0.0068	<0.10	<0.0064	<0.0073*	<0.10	<0.0065	34	48	<0.0065	<0.0072	12	NS	NS
sec-Butylbenzene	<0.013	<0.014	<0.10	<0.013	<0.015	<0.10	<0.013	5.3	8.7	<0.013	<0.014	8	NS	NS
Chloroethane	<0.011	<0.011	<0.30	<0.011	<0.012	<0.30	<0.011	<0.59	1*	<0.011	<0.012	<1.5	NS	ES 400,PAL 80
Chloroform	<0.0063	<0.0068	<0.16	<0.0064	<0.0073	<0.16	<0.0065	<0.35	0.19*	<0.0065	<0.0072	<0.80	NS	ES 6.0,PAL 0.6
Chloromethane	<0.0095	<0.010	<0.40	<0.011	<0.011	<0.40	<0.0097	<0.53	0.51*	<0.0097	<0.011	2.5*	NS	ES 3.0,PAL 0.3
Isopropylbenzene	<0.016	<0.017	<0.22	<0.016	<0.018	<0.22	<0.016	2.2	7.4	<0.016	<0.018	6.8	NS	NS
p-Isopropyltoluene	<0.0042	<0.0046	<0.10	<0.0042	<0.0049	<0.10	<0.0043	4.1	8.7	<0.0043	<0.0048	2.8	NS	NS

– = Not analyzed
< = Less than the detection limit shown
ug/L = Micrograms per liter, equivalent to parts per billion (ppb)
mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)
= Exceeds NR 720 Soil Cleanup Standard or Industrial Direct Contact Standard or NR 140 ground water standards
= Exceeds Non-Industrial Direct Contact Standard or NR 140 ground water standard
TMB = Trimethylbenzene
i.u.s. = Instrument units
NR = No response
NS = No standard

Soils are reported in mg/kg
Water is reported in ug/L
ES = NR 720 Enforcement Standard
PAL = NR 720 Preventive Action Limit

"" = Results not received
MTBE = Methyl-tert-butyl ether
* = Value between limit of detection and limit of quantitation
** = Detected in method blank

TABLE 1 (Cont.)
SOIL PROBE SOIL AND GROUND WATER ANALYTICAL RESULTS
PDM BRIDGE–WAUSAU PHASE II

Sample location	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former Drainfield	Former LUST	Former LUST	Former LUST	Former LUST	Former LUST	Former LUST		
Date	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01	16-Oct-01		
Sample ID	B6-2	B6-4	B6W	B7-3	B7-5	B7W	B8-2	B8-4	B8W	B9-2	B9-4	B9W	NR 720.11 Direct	
Sample Depth (inches)	2 to 4	6 to 8	Water Table	4 to 6	8 to 10	Water Table	2 to 4	6 to 8	Water Table	2 to 4	6 to 8	Water Table	Contact Standards	NR 140 Ground
FID response (i.u.s.)	1	150	–	4	30	–	1	>1000	–	17	60	–	for Industrial Sites	Water Standards
Arsenic	<0.56	0.70*	<7.5	<0.47	0.75*	<7.5	0.48*	<0.31	<7.5	<0.43	<0.53	<7.5	1.6	ES 50, PAL 5
Barium	18.60	50.60	300	60.30	19.20	428	11.20	11.30	681	42.30	19.10	740	NS	ES 2000, PAL 400
Cadmium	0.25	0.39	<0.35	0.43	0.28	1.6	0.25	0.23	0.88*	0.36	0.25	1.4	510	ES 5, PAL 0.5
Chromium	10.00	19.00	5.50	14.40	12.90	14.8	9.40	8.60	18.4	12.30	12.60	26	200	ES 100, PAL 10
Lead	2.50	4.90	3.5*	60.30	2.10	103	1.70*	1.50	5.5	273.00	2.90	28.20	500	ES 15, PAL 1.5
Selenium	0.57*	1.00	<3.0	0.70*	0.65*	<3.0	0.75	0.40*	<3.0	0.87	0.31*	<3.0	NS	ES 50, PAL 10
Silver	<0.075	<0.059	<0.64	<0.064	<0.070	<0.64	<0.055	<0.042	<0.64	<0.058	<0.072	<0.64	NS	ES 50, PAL 10
Mercury	0.0084*	0.016*	<0.14	0.0096*	<0.0071	<0.14	<0.0065	<0.0069	<0.14	0.010*	<0.0070	<0.14	NS	ES 2, PAL 0.2
Methylene Chloride	<0.020	<0.022	<0.80	<0.020	<0.023	<0.80	<0.020	1.90*	<0.80	<0.020	<0.023	<4.0	NS	ES 5, PAL 0.5
													NR 720.09 Standards	NR 140 GW Standards
Napththalene	<0.015	<0.016	<0.20	<0.015	<0.017	<0.20	<0.015	9	23	<0.015	<0.017	2.3*	0.4 ■ 110	ES 40, PAL 8
n-Propylbenzene	<0.0095	<0.010	<0.23	<0.0096	<0.011	<0.23	<0.0097	8.0	18	<0.0097	<0.011	20	NS	NS
Benzene	<0.0053	<0.0057	<0.12	<0.0053	<0.0061	<0.12	<0.0054	<0.29	<0.12	<0.0054	<0.0060	<0.60	0.0055	ES 5, PAL 0.5
Ethylbenzene	<0.0042	<0.0046	<0.14	<0.0042	<0.0049	<0.14	<0.0043	1.1	7.5	<0.0043	<0.0048	<0.70	2.9	ES 700,PAL 140
Toluene	<0.0063	<0.0068	<0.14	<0.0064	<0.0073	<0.14	<0.0065	<0.35	1.7	<0.0065	<0.0072	<0.70	1.5	ES 1000,PAL 200
Total Xylenes	<0.0193	<0.0207	<0.36	<0.0193	<0.0221	<0.36	<0.0194	172	1350	<0.0194	<0.0220	12.8	4.1	ES 10000,PAL 1000
MTBE	<0.012	<0.013	<0.16	<0.012	<0.013	<0.16	<0.012	<0.64	<0.16	<0.012	<0.013	<0.80	NS	ES 60,PAL 12
1,2,4-TMB	<0.0053	<0.0057	<0.11	<0.0053	0.0073	<0.11	<0.0054	250	870	0.011*	0.022	87	NS	ES 480, PAL 96
1,3,5-TMB	<0.0053	<0.0057	<0.12	<0.0053	<0.0061	<0.12	<0.0054	91	330	<0.0054	<0.0060	1.2*	NS	
n-Butylbenzene	<0.0063	<0.0068	<0.10	<0.0064	<0.0073*	<0.10	<0.0065	34	48	<0.0065	<0.0072	12	NS	NS
sec-Butylbenzene	<0.013	<0.014	<0.10	<0.013	<0.015	<0.10	<0.013	5.3	8.7	<0.013	<0.014	8	NS	NS
Chloroethane	<0.011	<0.011	<0.30	<0.011	<0.012	<0.30	<0.011	<0.59	1*	<0.011	<0.012	<1.5	NS	ES 400,PAL 80
Chloroform	<0.0063	<0.0068	<0.16	<0.0064	<0.0073	<0.16	<0.0065	<0.35	0.19*	<0.0065	<0.0072	<0.80	NS	ES 6.0,PAL 0.6
Chloromethane	<0.0095	<0.010	<0.40	<0.011	<0.011	<0.40	<0.0097	<0.53	0.51*	<0.0097	<0.011	2.5*	NS	ES 3.0,PAL 0.3
Isopropylbenzene	<0.016	<0.017	<0.22	<0.016	<0.018	<0.22	<0.016	2.2	7.4	<0.016	<0.018	6.8	NS	NS
p-Isopropyltoluene	<0.0042	<0.0046	<0.10	<0.0042	<0.0049	<0.10	<0.0043	4.1	8.7	<0.0043	<0.0048	2.8	NS	NS

– = Not analyzed
< = Less than the detection limit shown
ug/L = Micrograms per liter, equivalent to parts per billion (ppb)
mg/kg = Milligrams per kilogram, equivalent to parts per million (ppm)

= Exceeds NR 720 Soil Cleanup Standard or Industrial Direct Contact Standard or NR 140 ground water standards
= Exceeds Non-industrial Direct Contact Standard or NR 140 ground water standard

TMB = Trimethylbenzene
i.u.s. = Instrument units
NR = No response
NS = No standard

Soils are reported in mg/kg
Water is reported in ug/L
ES = NR 720 Enforcement Standard
PAL = NR 720 Preventive Action Limit

"" = Results not received
MTBE = Methyl-tert-butyl ether
* = Value between limit of detection and limit of quantitation
** = Detected in method blank

J:\dlj\011120b1.xls



WATER SUPPLY WELL

B4 SOIL BORING SAMPLE

MW4 MONITORING WELL

NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

K:/WASTE/101308A7.DGN

SOIL BORING AND WELL LOCATION MAP

DRN. BY: JDS
CHK. BY: TAM
DATE: AUG 2001

AYRES ASSOCIATES

PHASE II ENVIRONMENTAL
SITE ASSESSMENT
PDM BRIDGE
3526 SHERMAN STREET
WAUSAU, WISCONSIN

FIGURE
3

PEN
10/8/01
D:\WASTE\101308a7.dgn
DGN LEVEL

CERTIFICATION

On behalf of the Responsible Party, PDM Bridge, for any remediation of the Property at 3526 Sherman Street in Stettin, Wisconsin, I, John Grzybowski, do hereby certify that to the best of my knowledge the legal description of the Property included is complete and accurate.

John Grzybowski

10/23/06
Date