

GWURR Package Cover Sheet

Site Name O + H Feed

Site Address 118 Redwood St., Edgar, WI 54426

BRRTS # 03-37-000607 Date of Closure Decision 12/10/98

Parcel I.D./Tax Parcel # Marathon Co. # 37.121.4.2805.072.9968

Groundwater Use Restriction

Location map

Detailed site map

Groundwater flow/isoconcentration maps

Geologic cross sections

Latest table(s) of analytical results (soil results included only if soil deed restriction is incorporated into groundwater use restriction document)

Closure letter(s)

9/22/04 Note the deed restriction lists the parcel number as #37.121.4.2805.072.9968. But looking at the parcel map from the Marathon County website (page 5 of this packet) the actual parcel described in the deed restriction seems to be parcel number 121.2805.073.1099.

DOCUMENT NUMBER

DOCUMENT TITLE
GROUNDWATER USE RESTRICTION

1159501
OH FEED/PUBLIC
REGISTER'S OFFICE
MARATHON COUNTY, WI 12-29-1998 04:29 PM

Michael J. Sydow
REGISTER

Shirley Kurth

NAME & RETURN ADDRESS

CROOKS, LOW & CONNELL, S.C.
531 WASHINGTON STREET, BOX 1184
WAUSAU, WI 54402-1184

ch 14 -

37.121.4.2805.072.9968 ✓ *N¹/₂ SW*

Parcel Identification Number (PIN)

This information must be completed by submitter: *document title, name & return address* and *PIN* (if required). Other information such as the granting clauses, legal description, etc. may be placed on this first page of the document or may be placed on additional pages of the document. NOTE: Use of this cover page adds one page to your document and \$2.00 to the recording fee

DECLARATION OF RESTRICTIONS

1159501
OH FEED/PUBLIC

In Re: Part of Block 11 in the original plat of the Village of Edgar located in the Southwest 1/4 of Section 7, Township 28 North, Range 5 East, in the Village of Edgar, Marathon County, Wisconsin more particularly described as follows: Commencing at the Northwest corner of said Block 11 bounded by the South right-of-way line of Redwood Street on the North and the East right-of-way line of Third Street on the West; thence East along said South right-of-way line of Redwood Street 480.00 feet to the point of beginning; thence continuing along said South right-of-way line of Redwood Street 60.00 feet to the Northeast corner of said Block 11; thence South along the East line of said Block 11 100.00 feet; thence West parallel with the South right-of-way line of Redwood Street 60.00 feet; thence North parallel with said East line of Block 11 100.00 feet to the point of beginning.

STATE OF WISCONSIN)
)SS
COUNTY OF MARATHON)

WHEREAS, O & H Feed & Food, Inc. is the owner of the above-described property.

WHEREAS, one or more petroleum discharges have occurred at this property. Petroleum contaminated groundwater above NR 140 enforcement standards exists on this property which is located at 118 Redwood Street, Edgar, Wisconsin

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct additional soil or groundwater remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 is restricted by ch. NR 811 and ch. NR 812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by, the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. Upon receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this groundwater use restriction is no longer binding.

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 29th day of December, 1998.

O & H Feed & Food, Inc.

BY: Norbert Untiedt
NORBERT UNTIEDT, President

BY: Du Wayne Untiedt
DU WAYNE UNTIEDT, Vice-President

Subscribed and sworn to before me this
29th day of December, 1998.


J. B. Connell
JAMES B. CONNELL, Notary Public
Marathon County, Wisconsin
My Commission is permanent.

DRAFTED BY:
JAMES B. CONNELL
ATTORNEY AT LAW
531 WASHINGTON ST.
P.O. BOX 1184
WAUSAU, WI 54402-1184
(FROM A FORM PREPARED
BY THE WISCONSIN DEPARTMENT
OF NATURAL RESOURCES.)

1159501
OH FEED/PUBLIC



Village of Edgar Parcels



- Legend**
- Municipal Boundary
 - Parcels
 - Parcel ID
 - Parcel Annotation
 - County House Number
 - Property Hooks
 - Section Lines/Numbers
 - Road Names

Scale: 1" = 250 feet

9/22/2004 10:35:29 AM.

DISCLAIMER: The information and depictions herein are for informational purposes and Marathon County-City of Wausau specifically disclaims accuracy in this reproduction and specifically admonishes and advises that if specific and precise accuracy is required, the same should be determined by procurement of certified maps, surveys, plats, Flood Insurance Studies, or other official means. Marathon County-City of Wausau will not be responsible for any damages which result from third party use of the information and depictions herein or for use which ignores this warning.

DRAFTER: LMS

APPROVED:


CHECKED:

DRAWING: 03

FILE NO.: 0333

PRJCT NO.: W124901

DWG DATE: 01AUG91



SOURCE: USGS 7.5 Minute Topographic Map, EDGAR, WISCONSIN Quadrangle, 1981




SITE LOCATION MAP

O&H FEED AND FOOD
EDGAR, WISCONSIN

FIGURE


1



O & H FEED & FOOD COMPANY
 118 REDWOOD STREET
 EDGAR, WISCONSIN

FIGURE 1 : SITE VICINITY MAP

PROJECT NO.	#0809	DRAWN BY:	TAW	DATE:	6/7/96
-------------	-------	-----------	-----	-------	--------



O & H FEED & FOOD COMPANY
118 REDWOOD STREET
EDGAR, WISCONSIN

FIGURE 2 : SITE MAP

PROJECT NO.


#0609

DRAWN BY:

TAW

DATE:

6/7/98



O & H FEED & FOOD COMPANY
118 REDWOOD STREET
EDGAR, WISCONSIN

FIGURE 3 : GROUNDWATER CONTOUR MAP (12/18/97)

PROJECT NO.

#0609

DRAWN BY:

TAW


DATE:

3/17/98

LEGEND

0 50
SCALE : 1" = 50'

- ⊕ - MONITORING WELL
- ⊙ - UTILITY POLE
- ⊘ - LIGHT POLE
- ⊘/— - OVERHEAD UTILITIES
- ⊘/— - UNDERGROUND ELECTRICAL
- ⊘/— - UNDERGROUND GAS
- ⊠ - CATCH BASIN
- ⊠ - HYDRANT
- ⊕ - MANHOLE
- ⊕ - OPEN GRATE MANHOLE
- ⊕ - FORMER UST EXCAVATION
- ⊕ - BENZENE LEVELS IN GROUNDWATER > 10.0 (ppb)
- ⊕ - BENZENE LEVELS IN GROUNDWATER > 100 (ppb)
- ⊕ - BENZENE LEVELS IN GROUNDWATER > 1,000 (ppb)
- NS - NOT SAMPLED
- ND - NOT DETECTED



F:\DRAFTING\0609-0-H\09\03.DWG

O & H FEED & FOOD COMPANY
118 REDWOOD STREET
EDGAR, WISCONSIN

FIGURE 11: ESTIMATED EXTENT OF BENZENE CONTAMINATION IN GROUNDWATER (ppb) (12/18/97)

PROJECT NO. #0609	DRAWN BY: TAW	DATE: 3/17/98
----------------------	------------------	------------------

DRAFTER: ELS

APPROVED:


CHECKED: JL

DRAWING: 10

FILE NO.: 0333

PRJCT NO.: W124901


DWG DATE: 30/JAN/92



GARAGE

REDWOOD STREET

1ST STREET



A'
● MW-7

FORMER LOCATION OF
1500-GALLON DIESEL UST

FORMER LOCATION OF
1000-GALLON GASOLINE UST

● MW-1

● MW-2

● MW-3

B
● MW-4

● MW-5

B'
● MW-6

LEGEND

MW-1 ● MONITORING WELL LOCATION

FORMER UST EXCAVATION

A — A' GEOLOGIC CROSS-SECTION





GEOLOGIC CROSS-SECTION LOCATION MAP

O&H FEED AND FOOD
EDGAR, WISCONSIN

FIGURE

3





GEOLOGIC CROSS SECTION B-B'

O&H FEED & FOOD
EDGAR, WISCONSIN

FIGURE

5

Table 3a

**GROUNDWATER
ANALYSIS
O and H FEED
MW1
EDGAR, WI**

Parameter	ES	PAL	Units	MW1							
				9/10/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	35	35	X	X	X	X	X	X
Toluene	343	68.6	µg/l	X	X	X	X	X	X	X	X
Ethylbenzene	700	140	µg/l	3	X	X	X	X	X	X	X
Xylene	620	124	µg/l	13	X	X	X	X	X	1	X
MTBE	60	12	µg/l	X	X	X	X	X	X	X	X
1,3,5-Trimethylbenzene			µg/l	5	X	X	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	14	X	X	X	X	X	X	X
Naphthalene	40	8	µg/l	X	X	NA	X	NA	NA	NA	NA
DRO			µg/l	X	NA	NA	100	NA	NA	NA	NA
GRO			µg/l	X	X	X	X	NA	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	0.0036	NA	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NA	16*	NA	0.08
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NA	1.3	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NA	11	NA	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NA	47	66.2	44.77
Conductivity			µS/cm	NA	NA	NA	NA	NA	326	174	111
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	3.2	5	0.96
pH				NA	NA	NA	NA	NA	6.5	7.1	7.01
ORP			mv	NA	NA	NA	NA	NA	81.2	90.7	-43.1

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered

-  NR140 ES exceeded
-  NR140 PAL exceeded
- ns - Not Sampled
- NA - Not Analyzed

Table 3b

GROUNDWATER
ANALYSIS
O and H FEED
MW2
EDGAR, WI

Parameter	ES	PAL	Units	MW2							
				9/10/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	1,900	450	310	X	57.2	78	31	87
Toluene	343	68.6	µg/l	1,700	17	23	X	2.25	8	X	3
Ethylbenzene	700	140	µg/l	160	X	X	X	6.16	5	X	18
Xylene	620	124	µg/l	1,600	6.6	X	X	X	10	1	X
MTBE	60	12	µg/l	X	NA	NA	X	X	X	X	4
1,3,5-Trimethylbenzene			µg/l	52	14	X	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	290	22	X	X	X	6	1	X
Naphthalene	40	8	µg/l	NA	38	X	X	NA	NA	NA	NA
DRO			µg/l	NA	NA	NA	X	NA	NA	NA	NA
GRO			µg/l	1,300	600	750	X	NA	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	0.0018	NA	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NA	140*	NA	100
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NA	X	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NA	12	NA	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NA	43.2	58.6	46.01
Conductivity			µS/cm	NA	NA	NA	NA	NA	662	822	822
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	2	2	0.77
pH				NA	NA	NA	NA	NA	6.5	6.3	6.59
ORP			mv	NA	NA	NA	NA	NA	-69.5	-71.7	-96.8

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered


-  NR140 ES exceeded
-  NR140 PAL exceeded
- ns - Not Sampled
- NA - Not Analyzed

Table 3c

GROUNDWATER
ANALYSIS
O and H FEED
MW3
EDGAR, WI

Parameter	ES	PAL	Units	MW3							
				9/10/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	68	2,400	2,300	7,400	4,988	4,000	3,000	1,400
Toluene	343	68.6	µg/l	X	35	78	130	158	120	77	67
Ethylbenzene	700	140	µg/l	X	2.5	X	54	58.3	42	31	21
Xylene	620	124	µg/l	4	12.5	X	100	64.2	91	41	31
MTBE	60	12	µg/l	X	NA	X	14	X	X	X	10
1,3,5-Trimethylbenzene			µg/l	X	7.9	X	32	X	29	20	X
1,2,4-Trimethylbenzene			µg/l	X	13	X	15	X	36	7	X
Naphthalene	40	8	µg/l	NA	73	73	61	125	NA	NA	NA
DRO			µg/l	X	NA	NA	400	1,335	NA	NA	NA
GRO			µg/l	X	190	3,900	8,000	8,300	NA	6,300	NA
Dissolved Lead	15	1.5	µg/l	X	0.0013	NA	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NA	52*	NA	X
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NA	X	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NA	13	NA	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NA	43.7	52.9	46.56
Conductivity			µS/cm	NA	NA	NA	NA	NA	528	645	551
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	4	4.1	0.54
pH				NA	NA	NA	NA	NA	6.4	6.4	6.35
ORP			mv	NA	NA	NA	NA	NA	49.2	13.5	4.3

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered


-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3d

GROUNDWATER
ANALYSIS
O and H FEED
MW4
EDGAR, WI

Parameter	ES	PAL	Units	MW4							
				12/13/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	3	320	170	110	80.2	41	8	1
Toluene	343	69	µg/l	X	1.7	X	X	1.8	X	X	X
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	X
Xylene	620	124	µg/l	3	X	X	X	X	X	X	X
MTBE	60	12	µg/l	X	X	X	X	X	X	X	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	X
Naphthalene	40	8	µg/l	NA	18	X	X	X	NA	NA	NA
DRO			µg/l	NA	NA	NA	200	310	NA	NA	NA
GRO			µg/l	X	46	270	100	130	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	0.00242	NA	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NA	4.7*	NA	X
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NA	0.0018	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NA	0.012	NA	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NA	44.1	53	46.84
Conductivity			µS/cm	NA	NA	NA	NA	NA	368	46.9	393
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	3.3	2.1	0.76
pH				NA	NA	NA	NA	NA	6.5	6.4	6.54
ORP			mv	NA	NA	NA	NA	NA	59.8	126.5	-15.2

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered

-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3e

GROUNDWATER
ANALYSIS
O and H FEED
MW5

Parameter	ES	PAL	Units	MW5							
				12/13/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	370	46	46	26	20.7	21	29	40
Toluene	343	69	µg/l	X	X	X	X	X	X	X	X
Ethylbenzene	700	140	µg/l	X	X	X	X	X	X	X	X
Xylene	620	124	µg/l	35	X	X	X	X	X	X	X
MTBE	60	12	µg/l	X	X	X	X	X	X	X	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	37	X	X	X	X	X	X	X
Naphthalene	40	8	µg/l	NA	X	NA	X	X	NA	NA	NA
DRO			µg/l	NA	NA	NA	200	275	NA	NA	NA
GRO			µg/l	1,000	X	X	X	51.5	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	0.00287	NA	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NA	24*	NA	X
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NA	2.5	NA	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NA	14	NA	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NA	43.6	53.3	46.17
Conductivity			µS/cm	NA	NA	NA	NA	NA	333	423	4
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NA	2.3	2.1	0.78
pH				NA	NA	NA	NA	NA	6.4	6.3	6.58
ORP			mv	NA	NA	NA	NA	NA	23.5	127.2	-45.5

Notes:

ES - NR140 Enforcement Standard

PAL - NR140 Preventive Action Level

X - Concentration below Detection Limit

* - Iron samples not field filtered



NR140 ES exceeded

NR140 PAL exceeded

NS - Not Sampled

NA - Not Analyzed

Table 3f

GROUNDWATER
ANALYSIS
O and H FEED
MW6
EDGAR, WI

Parameter	ES	PAL	Units	MW6							
				12/13/91	2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	X	X	X	X	NS	X	NS	X
Toluene	343	69	µg/l	X	X	X	X	NS	X	NS	X
Ethylbenzene	700	140	µg/l	X	X	X	X	NS	X	NS	X
Xylene	620	124	µg/l	X	X	X	X	NS	X	NS	X
MTBE	60	12	µg/l	X	X	X	X	NS	X	NS	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	NS	X	NS	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	NS	X	NS	X
Naphthalene	40	8	µg/l	NA	X	NA	X	NS	NA	NS	NA
DRO			µg/l	NA	NA	NA	300	NS	NA	NS	NA
GRO			µg/l	300	X	X	X	NS	NA	NS	NA
Dissolved Lead	15	1.5	µg/l	X	0.0018	NA	X	NS	NA	NS	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NA	NS	120	NS	X
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NA	NS	3	NS	NA
Sulfate	250	125	mg/l	NA	NA	NA	NA	NS	23	NS	NA
Field Analyses											
Temperature			°F	NA	NA	NA	NA	NS	46.9	NS	45.56
Conductivity			µS/cm	NA	NA	NA	NA	NS	167	NS	162
Dissolved Oxygen			mg/l	NA	NA	NA	NA	NS	5.1	NS	1.01
pH				NA	NA	NA	NA	NS	6.4	NS	6.12
ORP			mv	NA	NA	NA	NA	NS	168.5	NS	21.1

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered

-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3g

GROUNDWATER
ANALYSIS
O and H FEED
MW7
EDGAR, WI

Parameter	ES	PAL	Units	MW7						
				2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	NS	X	X	NS	1	NS	15
Toluene	343	69	µg/l	NS	X	X	NS	X	NS	X
Ethylbenzene	700	140	µg/l	NS	X	X	NS	X	NS	X
Xylene	620	124	µg/l	NS	NA	X	NS	X	NS	X
MTBE	60	12	µg/l	NS	3.1	X	NS	X	NS	X
1,3,5-Trimethylbenzene			µg/l	NS	X	X	NS	X	NS	X
1,2,4-Trimethylbenzene			µg/l	NS	X	X	NS	X	NS	X
Naphthalene	40	8	µg/l	NS	NA	X	NS	NA	NS	NA
DRO			µg/l	NS	NA	X	NS	NA	NS	NA
GRO			µg/l	NS	X	X	NS	NA	NS	NA
Dissolved Lead	15	1.5	µg/l	NS	NA	X	NS	NA	NS	NA
Iron	0.3	0.15	mg/l	NS	NA	NA	NS	280	NS	X
Nitrate-Nitrogen	10	2	mg/l	NS	NA	NA	NS	3.6	NS	NA
Sulfate	250	125	mg/l	NS	NA	NA	NS	8	NS	NA
Field Analyses										
Temperature			°F	NS	NA	NA	NS	42.9	NS	47.02
Conductivity			µS/cm	NS	NA	NA	NS	302.0	NS	410
Dissolved Oxygen			mg/l	NS	NA	NA	NS	5.2	NS	0.63
pH				NS	NA	NA	NS	6.3	NS	6.31
ORP			mv	NS	NA	NA	NS	111.0	NS	6.0

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- *- Iron samples not field filtered

-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3h
GROUNDWATER
ANALYSIS
O and H FEED
MW8
EDGAR, WI

Parameter	ES	PAL	Units	MW8						
				2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	X	X	X	NS	X	NS	X
Toluene	343	69	µg/l	26	X	X	NS	X	NS	X
Ethylbenzene	700	140	µg/l	X	X	X	NS	X	NS	X
Xylene	620	124	µg/l	X	X	X	NS	X	NS	X
MTBE	60	12	µg/l	X	X	X	NS	X	NS	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	NS	X	NS	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	NS	X	NS	X
Naphthalene	40	8	µg/l	X	NA	X	NS	NA	NS	NA
DRO			µg/l	NA	NA	100	NS	NA	NS	NA
GRO			µg/l	X	X	X	NS	NA	NS	NA
Dissolved Lead	15	1.5	µg/l	0.0016	NA	X	NS	NA	NS	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NS	1.2*	NS	NA
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NS	2.1	NS	NA
Sulfate	250	125	mg/l	NA	NA	NA	NS	31	NS	NA
Field Analyses										
Temperature			°F	NA	NA	NA	NS	43.8	NS	46.17
Conductivity			µS/cm	NA	NA	NA	NS	150.0	NS	259
Dissolved Oxygen			mg/l	NA	NA	NA	NS	4.8	NS	0.52
pH				NA	NA	NA	NS	6.2	NS	6.29
ORP			mv	NA	NA	NA	NS	44.8	NS	5.0

Notes:

ES - NR140 Enforcement Standard
 PAL - NR140 Preventive Action Level
 X - Concentration below Detection Limit
 *- Iron samples not field filtered


 NR140 ES exceeded
 NR140 PAL exceeded
 NS - Not Sampled
 NA - Not Analyzed

Table 3i
GROUNDWATER
ANALYSIS
O and H FEED
MW9
EDGAR, WI

Parameter	ES	PAL	Units	MW9						
				2/11/93	3/17/95	4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	X	X	X	NS	X	NS	X
Toluene	343	69	µg/l	8	X	X	NS	X	NS	X
Ethylbenzene	700	140	µg/l	X	X	X	NS	X	NS	X
Xylene	620	124	µg/l	X	X	X	NS	X	NS	X
MTBE	60	12	µg/l	X	X	X	NS	X	NS	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	NS	X	NS	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	NS	X	NS	X
Naphthalene	40	8	µg/l	X	NA	X	NS	NS	NS	NA
DRO			µg/l	NA	NA	100	NS	NS	NS	NA
GRO			µg/l	X	X	X	NS	NS	NS	NA
Dissolved Lead	15	1.5	µg/l	0.0068	NA	X	NS	NS	NS	NA
Iron	0.3	0.15	mg/l	NA	NA	NA	NS	3.6*	NS	X
Nitrate-Nitrogen	10	2	mg/l	NA	NA	NA	NS	4.9	NS	NA
Sulfate	250	125	mg/l	NA	NA	NA	NS	23	NS	NA
Field Analyses										
Temperature			°F	NA	NA	NA	NS	43.7	NS	46.42
Conductivity			µS/cm	NA	NA	NA	NS	152	NS	146
Dissolved Oxygen			mg/l	NA	NA	NA	NS	3.7	NS	0.57
pH				NA	NA	NA	NS	6.1	NS	6.18
ORP			mv	NA	NA	NA	NS	174.9	NS	30.6

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- * - Iron samples not field filtered

-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3j

**GROUNDWATER ANALYSIS
O and H FEED
MW10
EDGAR, WI**

Parameter	ES	PAL	Units	MW10				
				4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	X	X	X	X	X
Toluene	343	69	µg/l	X	X	X	X	X
Ethylbenzene	700	140	µg/l	X	X	X	X	X
Xylene	620	124	µg/l	X	X	X	X	X
MTBE	60	12	µg/l	X	X	X	X	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X
Naphthalene	40	8	µg/l	X	X	NA	NA	NA
DRO			µg/l	X	211	NA	NA	NA
GRO			µg/l	X	X	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	176*	NA	37*
Nitrate-Nitrogen	10	2	mg/l	NA	NA	X	NA	NA
Sulfate	250	125	mg/l	NA	NA	17	NA	NA
Field Analyses								
Temperature			°F	NA	NA	44.4	51.6	47.80
Conductivity			µS/cm	NA	NA	490.0	476.0	409
Dissolved Oxygen			mg/l	NA	NA	3.2	2.5	1.16
pH				NA	NA	6.4	6.3	6.45
ORP			mv	NA	NA	-27.2	-17.1	-38.0

Notes:

- ES - NR140 Enforcement Standard
- PAL - NR140 Preventive Action Level
- X - Concentration below Detection Limit
- * - Iron samples not field filtered


-  NR140 ES exceeded
-  NR140 PAL exceeded
- NS - Not Sampled
- NA - Not Analyzed

Table 3k

GROUNDWATER ANALYSIS
O and H FEED
MW11
EDGAR, WI

Parameter	ES (ppb)	PAL (ppb)	Units	MW11				
				4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	µg/l	X	X	X	X	X
Toluene	343	69	µg/l	X	X	X	X	X
Ethylbenzene	700	140	µg/l	X	X	X	X	X
Xylene	620	124	µg/l	X	X	X	X	X
MTBE	60	12	µg/l	X	X	X	X	X
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X
Naphthalene	40	8	µg/l	X	X	NA	NA	NA
DRO			µg/l	X	172	NA	NA	NA
GRO			µg/l	X	X	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	NA	NA	NA	NA
Iron	0.3	0.15	mg/l	NA	NA	180*	NA	61
Nitrate-Nitrogen	10	2	mg/l	NA	NA	X	NA	NA
Sulfate	250	125	mg/l	NA	NA	18	NA	NA
Field Analyses								
Temperature			°F	NA	NA	43.3	56.7	49.68
Conductivity			µS/cm	NA	NA	821	1,038	874
Dissolved Oxygen			mg/l	NA	NA	3.2	2.4	1.12
pH				NA	NA	6.4	6.2	6.39
ORP			mv	NA	NA	-50.7	-60.6	-76.1

Notes:

ES - NR140 Enforcement Standard
PAL - NR140 Preventive Action Level
X - Concentration below Detection Limit
*- Iron samples not field filtered


 NR140 ES exceeded
 NR140 PAL exceeded
NS - Not Sampled
NA - Not Analyzed

Table 3I

GROUNDWATER ANALYSIS
O and H FEED
MW12
EDGAR, WI

Parameter	ES (ppb)	PAL (ppb)	Units	MW12				
				4/22/96	11/18/96	6/3/97	9/10/97	12/18/97
Benzene	5	0.5	Units	1,600	39.4	680	28	110
Toluene	343	68.6	µg/l	X	X	9	X	X
Ethylbenzene	700	140	µg/l	X	X	X	X	X
Xylene	620	124	µg/l	X	X	X	X	X
MTBE	60	12	µg/l	X	X	X	X	2
1,3,5-Trimethylbenzene			µg/l	X	X	X	X	X
1,2,4-Trimethylbenzene			µg/l	X	X	X	X	X
Naphthalene	40	8	µg/l	1.5	X	NA	NA	NA
DRO			µg/l	400	228	NA	NA	NA
GRO			µg/l	1,900	72.6	NA	X	NA
Dissolved Lead	15	1.5	µg/l	X	NA	NA	NA	NA
Iron	0.3	0.15	µg/l	NA	NA	NA	NA	NA
Nitrate-Nitrogen	10	2	mg/l	NA	NA	X	NA	NA
Sulfate	250	125	mg/l	NA	NA	7	NA	NA
Field Analyses			mg/l					
Temperature				NA	NA	44.3	53.0	48.25
Conductivity			°F	NA	NA	497.0	619.0	512
Dissolved Oxygen			µS/cm	NA	NA	3.6	2.0	0.77
pH			mg/l	NA	NA	6.2	6.2	6.30
ORP			mv	NA	NA	38.4	-18.2	-27.0

Notes:

ES - NR140 Enforcement Standard

PAL - NR140 Preventive Action Level

X - Concentration below Detection Limit

*- Iron samples not field filtered

	NR140 ES exceeded
--	-------------------

	NR140 PAL exceeded
--	--------------------

NS - Not Sampled

NA - Not Analyzed



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott Humrickhouse, Regional Director

Wausau Office
5301 Rib Mountain Drive
Wausau, WI 54401
TELEPHONE 715-359-4522
FAX 715-355-5253

December 11, 1998

BRRTS: 03-37-000607

Mr. Norbert Untiedt
118 Redwood Street
Edgar, WI 54426

FILE COPY

SUBJECT: Case Closure
O & H Feed
118 Redwood Street, Edgar, WI

Dear Mr. Untiedt:

On August 13, 1991, the Department of Natural Resources provided a notice to you that the degree and extent of petroleum contamination at the above-named site was required to be investigated and remediated. We have since been informed that the required investigation and remediation has been accomplished. On December 10, 1998, the site was reviewed by the West Central Regional Close Out Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code.

Based on the investigative and remedial documentation provided to the Department, there is groundwater contamination remaining at the site. The groundwater contamination is above the NR 140 groundwater standards. The groundwater contaminant plume appears to be stable and there is evidence that natural attenuation is remediating the contamination. Closure under NR 726.05(2)(b), Wis. Adm. Code has been requested and the closure committee has approved this closure with the following conditions.


The Department requires that the monitoring wells that were installed during the investigation and remedial activities be properly abandoned in accordance with Administrative Code NR 141.25. Documentation substantiating proper abandonment (Form 3300-5W) should be forwarded to me at the above address.

A groundwater use restriction which meets the requirements of NR 726.05(8)(am), Wis. Adm. Code, must be recorded with the County Register of Deeds within 30 days. Once the Department has received documentation that the restriction has been recorded and all other conditions for closure have been met, the case will be considered closed. I have included a copy of a model groundwater use restriction for your use.

The case may be reopened pursuant to s. NR 726.05(2)(b)2-5 or NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that natural attenuation is no longer an effective remedial action; or if contamination on the site poses a threat to public health, safety, or welfare of the environment.

If you have additional relevant information which was not formerly provided to the Department, and which you feel would significantly impact the Department's closure decision, you may submit that information for our re-evaluation of case closure. The Department appreciates the actions you have undertaken to restore the environment. If you have any questions, please feel free to call me at (715) 359-1777.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael MacDonald", written over a light blue horizontal line.

Michael MacDonald - Hydrogeologist
Remediation and Redevelopment Program

Enclosure

cc: David Larsen - REI with enclosure