

**Source Property Information**

BRRTS #:	03-37-000624	Closure Date:	April 27, 2009
ACTIVITY NAME:	Cloverbelt Coop Services (Former)	FID#:	737154880
PROPERTY ADDRESS:	1202 1st St	DATCP#:	
MUNICIPALITY:	Wausau	COMM#:	54401-2605-02
PARCEL ID#:	291-2907-252-0992		

**\*WTM Coordinates:**

X:	549158	Y:	499294
----	--------	----	--------

*\*Coordinates are in WTM83, NAD83 (1991)*

**WTM Coordinates Represent:**

- Approximate Center of Contaminant Source
- Approximate Source Parcel Center

**Please check as appropriate:** (BRRTS Action Code)

**Contaminated Media:**

- |   |  |
|---|--|
| <input checked="" type="checkbox"/> <u>Groundwater</u> Contamination > ES (236) | <input checked="" type="checkbox"/> <u>Soil</u> Contamination > *RCLs or **SSRCL (232) |
| <input type="checkbox"/> Groundwater Contamination in ROW                       | <input type="checkbox"/> Soil Contamination in ROW                                     |
| <input checked="" type="checkbox"/> Off-Source Contamination                    | <input type="checkbox"/> Off-Source Contamination                                      |

*(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")*

*(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")*

**Land Use Controls:**

- |   |   |
|---|---|
| <input type="checkbox"/> Soil: maintain industrial zoning (220) | <input type="checkbox"/> Cover or Barrier (222)             |
| <input type="checkbox"/> Structural Impediment (224)            | <input type="checkbox"/> Vapor Mitigation (226)             |
| <input type="checkbox"/> Site-Specific Condition (228)          | <input type="checkbox"/> Maintain Liability Exemption (230) |

*(note: soil contaminant concentrations between residential and industrial levels)*

*(note: maintenance plan for groundwater or direct contact)*

*(note: local government or economic development corporation)*

**Monitoring wells properly abandoned? (234)**

- Yes       No       N/A

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-37-000624

PARCEL ID #: 291-2907-252-0992

ACTIVITY NAME: Cloverbelt Property

WTM COORDINATES: X: 549085 Y: 499258

**CLOSURE DOCUMENTS** (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter
- Maintenance Plan (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter
- Certificate of Completion (COC) for VPLE sites

**SOURCE LEGAL DOCUMENTS**

**Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.

*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*

**Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).

Figure #: Title: Marathon County - City of Wausau IMS

**Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

**MAPS** (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

**Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.

*Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.*

Figure #: 1 Title: Site Location Map

**Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: 2 Title: Site Plan View

**Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.

Figure #: 3 Title: Extent of Soil Contamination

BRRTS #: 03-37-000624

ACTIVITY NAME: Cloverbelt Property

**MAPS (continued)**

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: Test Hole Locations with Cross Section Lines

Figure #: 4a thru 4e Title: Geologic Cross Section A - A' thru E - E'

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

*Note: This is intended to show the total area of contaminated groundwater.*

Figure #: 4 Title: Extent of Groundwater Contamination

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 5 Title: Potentiometric Surface - 3/29/08

Figure #: 6 Title: Potentiometric Surface - 6/20/08

**TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))**

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.  
*Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.*

Table #: 2 & 2 & 2 Title: Soil Sample Lab Results & Post Remediation Soil Data & Test Hole Lab Results

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 1 Title: Groundwater Sample Laboratory Analytical Results

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: Groundwater Sample Laboratory Analytical Results

**IMPROPERLY ABANDONED MONITORING WELLS**

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.  
*Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.*

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

*Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.*

Figure #: Title:

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-37-000624

ACTIVITY NAME: Cloverbelt Property

**NOTIFICATIONS**

**Source Property**

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

**Off-Source Property**

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.  
*Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.*

**Number of "Off-Source" Letters: 1**

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.  
*Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.*
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

**Number of "Governmental Unit/Right-Of-Way Owner" Letters:**

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="1010 North First Street, Wausau"/>	<input type="text" value="291-2907-264-0998"/>	<input type="text" value="549117"/>	<input type="text" value="499304"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
2715 Post Road  
Stevens Point, Wisconsin 54481-  
TTY: Contact Through Relay  
Fax: (715) 345-5269  
Jim Doyle, Governor  
Richard J. Leinenkugel, Secretary

April 27, 2009

Larsen Cooperative  
Attn: Tim Wenzel  
PO Box 308  
New London WI 54961

RE: **Final Closure**

**Commerce # 54401-2605-02-A DNR BRRTS # 03-37-000624**  
Cloverbelt Coop Services (Former), 1202 1st St, Wausau

Dear Mr. Wenzel:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This site is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil and groundwater contamination. To review all sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable State regulations and standards.

Depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Costs for sampling and excavation activities conducted after case closure are not eligible for PECFA reimbursement. However, if it is determined that any undisturbed remaining petroleum contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If this case is reopened, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility. It is in your best interest to keep all documentation related to environmental activities at your site.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in cursive script that reads "Dee Lance".

Dee Lance  
Senior Hydrogeologist  
~~Site Review Section~~

cc: Joe Ramcheck, Endeavor Environmental Services, Inc



ENVIRONMENTAL & REGULATORY SERVICES DIVISION  
BUREAU OF PECFA  
2715 Post Road  
Stevens Point, Wisconsin 54481-  
TTY: Contact Through Relay  
Fax: (715) 345-5269  
Jim Doyle, Governor  
Richard J. Leinenkugel, Secretary

April 10, 2009

Larsen Cooperative  
Attn: Tim Wenzel  
PO Box 308  
New London WI 54961

RE: **Conditional Case Closure**

**Commerce # 54401-2605-02-A DNR BRRTS # 03-37-000624**  
Cloverbelt Coop Services (Former), 1202 1st St, Wausau

Dear Mr. Wenzel:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Endeavor Environmental Services, Inc, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

**The following condition must be satisfied to obtain final closure:**

- All monitoring wells must be properly abandoned within 60 days and the appropriate documentation forwarded to Commerce at the letterhead address within 120 days of the date of this letter. Noncompliance with the abandonment requirement and deadline can result in enforcement action and financial penalties.

Information submitted with your closure request will be included on the Department of Natural Resources (DNR) GIS Registry of Closed Remediation Sites. All sites on the Registry can be viewed via the Remediation and Redevelopment (RR) Sites Map at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because residual contamination remains at the time of case closure, if you intend to construct or reconstruct a potable well on this property, you must get prior DNR approval.

All current and future owners and occupants of the property need to be aware that excavation of contaminated soil may pose a hazard. Special precautions may be needed to prevent inhalation, ingestion or dermal contact with the residual contamination when it is removed. If soil is excavated, the property owner at the time of excavation must have the soil sampled and analyzed to determine if residual contamination remains. If sampling confirms that contamination is present, the property owner at the time of excavation must determine whether the material would be considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. Costs for sampling and excavation activities conducted after the date of this letter are not eligible for PECFA reimbursement.

Depending on site-specific conditions, construction over contaminated materials may result in vapor migration into enclosed structures or along newly placed underground utility lines. The potential for vapor inhalation and mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days from the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 342-3802.

Sincerely,

A handwritten signature in cursive script that reads "Dee Lance".

Dee Lance  
Senior Hydrogeologist  
~~Site Review Section~~

cc: Mark Love, Endeavor Environmental Services, Inc

State Bar of Wisconsin Form 1-2003  
WARRANTY DEED

1396762  
TOMORROW VALLEY/CF DEVELOPMENT  
REGISTER'S OFFICE  
MARATHON COUNTY, WI  
DEC 17 2004 4:26 PM

Document Number

Document Name

THIS DEED, made between TOMORROW VALLEY COOPERATIVE SERVICES, a Wisconsin cooperative association, successor in interest by merger with Cloverbelt Cooperative Services, a Wisconsin cooperative association, ("Grantor," whether one or more), and CF DEVELOPMENT, INC., a Wisconsin corporation

*Michael J. Sydon*

REGISTER

\_\_\_\_\_  
("Grantee," whether one or more).

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in MARATHON County, State of Wisconsin ("Property") (if more space is needed, please attach addendum):

Recording Area

Name and Return Address  
CF Development, Inc.  
3636 Skytop Road  
McFarland, WI 53538

See Attached Exhibit "A"

TRANSFER  
\$ 1,005.00  
FEE

Chg. RATE 17.00 - Plus 1005.00 for TT

37-291-4-2907-252-0992

Parcel Identification Number (PIN)

This is not homestead property.  
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except: any municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and general taxes levied in the year of closing.

Dated December 15 2004

TOMORROW VALLEY COOPERATIVE SERVICES, a Wisconsin cooperative association, successor in interest by merger with Cloverbelt Cooperative Services, a Wisconsin cooperative association

Larry J. Eisentraut (SEAL) \_\_\_\_\_ (SEAL)  
\* Larry J. Eisentraut \* \_\_\_\_\_  
\_\_\_\_\_  
(SEAL) \_\_\_\_\_ (SEAL)  
\* \_\_\_\_\_ \*

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) \_\_\_\_\_  
authenticated on \_\_\_\_\_

STATE OF WISCONSIN )  
) ss.  
MARATHON COUNTY )

TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not, \_\_\_\_\_  
authorized by Wis. Stat. § 706.06)

Personally came before me on 12-15-04,  
the above-named \_\_\_\_\_ as  
of TOMORROW VALLEY COOPERATIVE SERVICES  
to me known to be the person(s) who executed the foregoing  
instrument and acknowledged the same.

THIS INSTRUMENT DRAFTED BY:  
Patrick C. Rowe, Attorney at Law

Janet Nebeker  
\* Janet Nebeker \*  
Notary Public, State of Wisconsin  
My Commission (is permanent) (expires: 9-4-05)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

WARRANTY DEED

© 2003 STATE BAR OF WISCONSIN

FORM NO. 1-2003

\* Type name below signatures.

Exhibit "A"  
Legal Description

Those parts of the Northwest quarter (NW ¼) of the Southwest quarter (SW ¼) and of the Southwest quarter (SW ¼) of the Northwest quarter (NW ¼), all in Section twenty-five (25), and those parts of Government Lot five (5) and of Government Lot six (6), both in Section twenty-six (26), all in Township twenty-nine (29) North, Range seven (7) East (or those parts of said NW ¼ of SW ¼ and of said SW ¼ of NW ¼ of said Section 25, in case the calls of the description of the premises hereinafter particularly set forth would locate the said premises entirely within the boundaries of said Section 25), in the City of Wausau, Marathon County, Wisconsin, described as follows:

Commencing at a point of intersection of the Northerly and Westerly boundary line of the right of way of the "West Side Main Track" of the Chicago, Milwaukee & St. Paul Railway Company, with a line running due East and West and passing through a point 95.6 feet Northerly from the Northwest corner of Block 15 of McIndoe and Shuter's Addition to Wausau, in the Westerly line of said Block 15 extended, (the said point through which the said East and West line passes being at the present time marked by an iron rod or stake set midway between the rails of a railroad spur track running approximately East and West); thence running due West from said point of intersection and place of beginning to a point located a distance of 339.4 feet West of the said intersection of the Easterly side of said Block 15, extended, with said line running due East and West; thence running due North a distance of 350 feet; thence running due East to the Westerly boundary line of the right of way of the main line of the Chicago, Milwaukee & St. Paul Railway Company; thence running in a Southeasterly direction along the Westerly and Southerly boundary line of said right of way of the said main line to the point of intersection of said Westerly and Southerly boundary line of the said main line with the Northerly boundary line of the right of way of the "West Side Main Track" of said Chicago, Milwaukee & St. Paul Railway Company; thence running in a Southwesterly direction along the Northerly side of the right of way of said "West Side Main Track", to the said place of beginning; excepting that part thereof included in Certified Survey Map No. 3912 recorded in the office of the Register of Deeds for Marathon County, Wisconsin, in Volume 14 of Certified Survey Maps on page 210.

AND

That part of the Southwest quarter (SW ¼) of the Northwest quarter (NW ¼) of Section twenty-five (25), and part of Government Lot five (5) of Section twenty-six (26), all in Township twenty-nine (29) North, Range seven (7) East, in the City of Wausau, Marathon County, Wisconsin, described as follows:

Commencing at the Northwest corner of Block 15 of McIndoe and Shuter's Addition to the City of Wausau, Marathon County, Wisconsin, running North on the West line thereof extended, 129.7 feet to an iron pipe midway between the rails of the spur track of the Chicago, Milwaukee, St. Paul & Pacific Railroad Company; thence South 83° 16' West, 339.4 feet to a 1 ½ inch iron pipe; thence North 6° 59' West along the Easterly line of a parcel described in Volume 503 of Deeds, page 193, recorded in the office of the Register of Deeds for Marathon County, Wisconsin, a distance of 275.0 feet to a 1 inch iron rod marking the place of beginning; continuing thence North 6° 59' West, 75.0 feet to a concrete post located 3 feet below the ground and monumented by a ¾ inch x 1 ½ inch iron bar; thence North 81° 55' East, 261.3 feet to a point on the Southwesterly right-of-way line of the Chicago,

Milwaukee, St. Paul & Pacific Railroad Company right-of-way; thence Northerly along said right-of-way line to a point of intersection with the Southerly line of Bridge Street; thence West along the Southerly line of said Bridge Street to the East bank of the Wisconsin River; thence Southerly along the East bank of the Wisconsin River to a point of intersection with a line which bears South 83° 16' West from the aforementioned point of beginning; thence North 83° 16' East along the Northerly line of a parcel described in Volume 503 of Deeds on page 193, recorded in said Register's office, approximately 162 feet to the point of beginning; excepting that part thereof included in Certified Survey Map No. 3912 recorded in said Register's office in Volume 14 of Certified Survey Maps on page 210.

AND

That part of the Northwest quarter (NW ¼) of the Southwest quarter (SW ¼) of Section twenty-five (25), Township twenty-nine (29) North, Range seven (7) East, in the City of Wausau, Marathon County, Wisconsin, described as follows:

Beginning at an iron set on the West line of Block 15 of McIndoe and Shuter's Addition to the City of Wausau extended Northerly 52.03 feet North of the Northwest corner of said Block 15 to the Northwesterly line of the 40 foot right of way of the main spur track of the Chicago, Milwaukee, St. Paul & Pacific Railroad Company, being the place of beginning; thence Northeasterly 150 feet, more or less, along the Northwesterly line of said railroad's 40 foot right of way to the point where it intersects the center line of said railroad's spur track which runs approximately East and West; thence Westerly along the center line of said East and West spur track 125 feet, more or less, to an iron at the intersection of said center line of said spur track and the West line of said Block 15 of said McIndoe and Shuter's Addition, extended Northerly 128.7 feet, from the Northwest corner of said Block 15; thence continuing Westerly along the center line of said East and West spur track 94.2 feet to an iron set in the center of said East and West spur track; thence Southerly, at a right angle, a distance of 65.2 feet to an iron; thence Southeasterly at an angle right of 135° 12', a distance of 61.37 feet to an iron set at the Northwesterly line of said railroad's 40 foot right of way; thence Northeasterly along the Northwesterly line of said railroad's 40 foot right of way to the place of beginning; also

The perpetual right to travel on and over a piece or parcel of land twenty-two (22) feet wide East and West by thirty-five (35) feet long North and South and adjoining the above described premises on the West, the North line of this parcel being seven (7) feet South of the center of said railroad's East and West spur track; also

A perpetual right of way, in common with the owner or owners of the adjoining property to the West of the premises first hereinabove described, for all purposes of ingress and egress, with vehicles or otherwise, from First Street to said twenty-two (22) by thirty-five (35) foot parcel last above described, which right of way is over, upon, and across the land lying immediately West and Southwest of the property first hereinabove described.

AND

That part of Certified Survey Map No. 3912 recorded in the office of the Register of Deeds for Marathon County, Wisconsin, in Volume 14 of Certified Survey Maps on page 210; being a part of Government Lot five (5) in Section twenty-six (26), and part of the Southwest quarter (SW ¼) of the Northwest quarter (NW ¼) of Section twenty-five (25), all in Township twenty-


839561

nine (29) North, Range seven (7) East, in the City of Wausau, Marathon County, Wisconsin, described as follows:

Commencing at the Northwest corner of Block 15, McIndoe and Shuter's Addition, City of Wausau; thence South  $87^{\circ} 18' 06''$  West, 24.22 feet; thence the following 3 courses: North  $8^{\circ} 17' 24''$  West, 271.04 feet; thence South  $87^{\circ} 45' 42''$  West, 203.64 feet; thence North  $35^{\circ} 35' 06''$  West, 82.40 feet; thence North  $54^{\circ} 24' 54''$  East, 15 feet to the point of beginning; thence South  $54^{\circ} 24' 54''$  West, 31 feet; thence South  $83^{\circ} 1'$  West, 46.68 feet; thence North  $6^{\circ} 59'$  West, 45.12 feet; thence North  $83^{\circ} 16'$  East, to the Easterly line of that parcel of land described in Certified Survey Map recorded in said Register's office in Volume 14 of Certified Survey Maps on page 210; and thence South  $8^{\circ} 44' 42''$  East to the point of beginning.



# Marathon County-City of Wausau IMS



- Legend**
- Municipal Boundary
  - Parcels
  - Parcel ID
  - Parcel Annotation
  - Property Hooks

Scale: 1" = 200 feet

2/4/2009 11:41:34 AM.

DISCLAIMER: The information and depictions herein are for informational purposes and Marathon County-City of Wausau specifically disclaims accuracy in this reproduction and specifically admonishes and advises that if specific and precise accuracy is required, the same should be determined by procurement of certified maps, surveys, plats, Flood Insurance Studies, or other official means. Marathon County-City of Wausau will not be responsible for any damages which result from third party use of the information and depictions herein or for use which ignores this warning.

## CERTIFICATION OF LEGAL DESCRIPTION

**Parcel Identification Number:** 291-2907-252-0992

**Site Address:** 1202 North First Street, Wausau, Wisconsin 54403

### Legal Description

Please See Attached Exhibit A

### Certification

I Tim R. Wenzel certify that the legal description provided on the attached Warranty Deed is complete and accurate to the best of my knowledge. The legal description correctly describes the parcel affected by petroleum soil and groundwater contamination for which conditional case closure is being requested.

A portion of the City of Wausau parcel map for the area of the site has also been attached.

This statement is in conjunction with the Wisconsin Department of Commerce GIS Registry Packet, PUB-RR-688.

Signature

Title

Date

Tim R. Wenzel  
Controller / Office Manager  
2-13-2009



**Approx Map Scale**  
1" = 300'

Note: This map is intended for advisory purposes only. Areas shown on the map have been approximated and not surveyed.

**Figure 1**  
**Site Location Map**  
**Cloverbelt Coop Services (Former)**  
**Wausau, Wisconsin**





- LEGEND
- MONITORING WELL
  - PIEZOMETER
  - RAILROAD TRACKS
  - APPROXIMATE PROPERTY LINES






FIGURE 2  
 SITE PLAN VIEW  
 CLOVERBELT COOP SERVICES (FORMER)  
 WAUSAU, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 70'	1 OF 1	PD8940.45.2.14	2/16/09	A	SVD	76		




**FIGURE 3**  
 EXTENT OF SOIL CONTAMINATION  
 EXCEEDING NR 720 RCL's  
 CLOVERBELT COOP SERVICES (FORMER)  
 WAUSAU, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 70'	1 OF 1	P08940.45.3.14	2/16/09	A	SVD	76		



**WEST CENTRAL ENVIRONMENTAL CONSULTANTS**


PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau  
**FIGURE 3: Test hole locations with cross section lines.**



**WEST CENTRAL  
ENVIRONMENTAL  
CONSULTANTS**

PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau


FIGURE 4a: Geologic cross section A-A' based on drilling logs.




**WEST CENTRAL  
ENVIRONMENTAL  
CONSULTANTS**

PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau

FIGURE 4b: Geologic cross section B-B' based on drilling logs.




WEST CENTRAL ENVIRONMENTAL CONSULTANTS PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau  
 FIGURE 4c: Geologic cross section C-C' based on drilling logs.



**WEST CENTRAL  
ENVIRONMENTAL  
CONSULTANTS**

PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau  
 FIGURE 4d: Geologic cross section D-D' based on drilling logs.



WEST CENTRAL  
ENVIRONMENTAL  
CONSULTANTS

PROJECT No. 91-263-50 Cloverbelt Co-op, Wausau

FIGURE 4e: Geologic cross section E-E' based on drilling logs.

LEGEND

- ⊕ MONITORING WELL
- ⊕ PIEZOMETER
- ++++ RAILROAD TRACKS
- FORMER AIR SPARGE WELL
- ▲ FORMER VAPOR EXTRACTION WELL
- - - APPROXIMATE PROPERTY LINES
- EXTENT OF GROUNDWATER CONTAMINATION EXCEEDING NR140 ENFORCEMENT STANDARDS





FIGURE 4  
EXTENT OF GROUNDWATER CONTAMINATION  
EXCEEDING NR140 ES  
CLOVERBELT COOP SERVICES (FORMER)  
WAUSAU, WISCONSIN

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 70'	1 OF 1	P08940.45.4.1	02/13/09	A	JMR	76		



**LEGEND**

- ⊕ MONITORING WELL
- ⊕ PIEZOMETER
- ++++ RAILROAD TRACKS
- FORMER AIR SPARGE WELL
- ▲ FORMER VAPOR EXTRACTION WELL
- - - APPROXIMATE PROPERTY LINES
- NS NOT SURVEYED
- NM NOT MEASURED DUE TO SITE CONDITIONS
- POTENTIOMETRIC SURFACE CONTOUR IN FEET ABOVE MEAN SEA LEVEL
- ↖ FLOW DIRECTION

**FIGURE 5**  
**POTENTIOMETRIC SURFACE**  
**( 3/29/08 )**  
**CLOVERBELT COOP SERVICES (FORMER)**  
**WAUSAU, WISCONSIN**

SCALE	SHEET NO.	DWG NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 70'	1 OF 1	P08940.45.5.1	02/13/09	A	SVD	76	JR	



2280-B SALSCHIEDER COURT, GREEN BAY, WI 54313

LEGEND

- ⊕ MONITORING WELL
- ⊕ PIEZOMETER
- ++++ RAILROAD TRACKS
- FORMER AIR SPARGE WELL
- ▲ FORMER VAPOR EXTRACTION WELL
- - - - APPROXIMATE PROPERTY LINES
- NS NOT SURVEYED
- NM NOT MEASURED DUE TO SITE CONDITIONS
- POTENTIOMETRIC SURFACE CONTOUR IN FEET ABOVE MEAN SEA LEVEL
- FLOW DIRECTION




FIGURE 6  
 POTENTIOMETRIC SURFACE  
 (6/20/08)  
 CLOVERBELT COOP SERVICES (FORMER)  
 WAUSAU, WISCONSIN

SCALE	SHEET NO.	DWC NO.	DATE	SIZE	DRWN BY	FILE	REVISED	APP'D
1" = 70'	1 DF 1	P08940.45.61	02/13/09	A	SVD	76	JR	

Table 2  
Soil Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services (Former)  
Wausau, Wisconsin

Sample ID	Sample Date	Sample Interval (ft bgs)	PID (ppm eq)	Benzene	Ethyl-benzene	Toluene	Total Xylenes	Naphthalene	1,2,4-TMB	1,3,5-TMB	MTBE
S-3	8/3/2004	8.5	10	<b>818</b>	634	526	1,439	38.4	665	240	<25
S-4	8/3/2004	10	181	<b><i>21,600</i></b>	<b><i>45,700</i></b>	<1,000	<b><i>164,000</i></b>	<b><i>18,300</i></b>	<b><i>113,000</i></b>	<b><i>39,400</i></b>	<1,000
S-5	8/3/2004	10	150	<b>3,130</b>	<b><i>14,400</i></b>	<2,000	<b><i>56,390</i></b>	<b><i>9,820</i></b>	<b><i>47,600</i></b>	<b><i>17,200</i></b>	<2,000
S-6	8/4/2004	9.0	262	<b>1,210</b>	<b>3,600</b>	1,290	<b>14,170</b>	<b>4,160</b>	13,500	4,630	<100
S-8	8/4/2004	7.5	12	<b>149</b>	1,380	123	<b>4,855</b>	1,540	5,350	1,490	<25
S-10	8/4/2004	9.5	35	<b>5,160</b>	<b>9,560</b>	<b>2,710</b>	<b>45,830</b>	<b>7,100</b>	30,000	<b>11,800</b>	<400
S-11	8/4/2004	8.0	338	<b>2,170</b>	2,680	<400	<b>63,500</b>	<b>14,200</b>	59,700	<b>18,700</b>	<400
S-12	8/4/2004	7.5	327	<b>4,410</b>	<b>22,600</b>	<b>2,240</b>	<b>88,600</b>	<b>22,300</b>	77,800	<b>23,000</b>	<1,000
S-13	8/4/2004	8.0	101	<b>1,230</b>	<b>8,240</b>	<b>1,650</b>	<b>31,240</b>	<b>7,230</b>	30,800	9,530	<400
S-14	8/4/2004	8.0	226	<b>44,800</b>	<b>221,000</b>	<b>34,600</b>	<b>856,000</b>	<b>61,200</b>	<b>507,000</b>	<b>137,000</b>	<10,400
NR 720.09 RCLs				5.5	2,900	1,500	4,100	NS	NS	NS	NS
NR 746.06 Table 1 (free product indicator)				8,500	4,600	38,000	42,000	2,700	83,000	11,000	NS
NR 746.06 Table 2 (direct contact standard)				1,100	NS	NS	NS	NS	NS	NS	NS

Notes:

All concentrations reported in parts per billion

**Bold value** represents an exceedence of NR720 generic residual contaminant levels

*Italicized value* represents an exceedence of the WDNR NR746 Table 1 free product indicator levels

bgs: below ground surface

ppm eq: part per million equivalent

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

NA: not analyzed/not applicable

NS: no standard

WDNR: Wisconsin Department of Natural Resources

Table 2 (continued)  
 Post-Remediation Soil Analytical Data Summary  
 Tomorrow Valley Cooperative  
 Wausau, Wisconsin  
 STS Project No. 22167WA

Parameter	Groundwater RCL	Non-Industrial Direct Contact RCL	EXCAVATED									
			B-101(1)	B-101(2)	B-102(1)	B-102(2)	B-103(1)	B-103(2)	B-104(1)	B-104(2)	B-105(1)	
			0-2' Depth	2-4' Depth								
<b>PVOCs</b>												
Benzene	5.5*	1,100'	26000	21000	4600	17000	2100	4800	1300	1200		<25
Ethylbenzene	2900*		110000	150000	5900	47000	640	1300	260	310		<25
MTBE			<500	<500	<25	<130	<25	<25	<25	<25		<25
Toluene	1500*		190000	240000	2800	15000	1400	1200	690	160		<25
1,2,4-Trimethylbenzene			400000	530000	5600	91000	1100	1000	620	510		<25
1,3,5-Trimethylbenzene			130000	160000	2000	30000	1200	870	310	300		<25
Xylenes (Total)	4100*		800000	1100000	20000	180000	3100	5000	1600	1400		<75
<b>PAH's</b>												
Acenaphthene	38,000	900,000	130	<130	<13	<130	<13	<13	35	140		<13
Acenaphthylene	700	18,000	<100	<100	17	<100	15	18	110	250		<10
Anthracene	3,000,000	5,000,000	120	160	54	<110	37	26	240	270		<11
Benzo (a) Anthracene	17,000	88	170	<100	78	210	180	220	680	740		<10
Benzo (a) Pyrene	48,000	8.8	<170	<170	90	210	190	310	670	740		<17
Benzo (b) Fluoranthene	360,000	88	<240	<240	230	310	420	640	1300	1200		<24
Benzo (ghi) Perylene	6,800,000	1,800	220	<100	140	260	280	370	600	430		<10
Benzo (k) Fluoranthene	870,000	880	<370	<370	<37	<370	<37	<37	<37	<370		<37
Chrysene	37,000	8,800	200	<100	100	290	270	250	800	770		<10
Dibenzo (a,h) Anthracene	38,000	8.8	<100	<100	78	<100	110	160	240	<100		<10
Fluoranthene	500,000	600,000	220	120	90	380	150	210	1100	1400		<10
Fluorene	100,000	600,000	310	400	<11	<110	20	16	140	250		<11
Ideno (1,2,3-cd) Pyrene	680,000	88	140	<130	110	190	220	330	520	390		<13
1-Methyl Naphthalene	23,000	1,100,000	11000	23000	300	670	310	94	770	110		<10
2-Methyl Naphthalene	20,000	600,000	21000	43000	500	900	510	120	1100	<170		<17
Naphthalene	400	20,000	22000	47000	290	1100	350	100	680	140		<10
Phenanthrene	1,800	18,000	660	670	220	430	230	160	1100	1400		<12
Pyrene	8,700,000	500,000	300	160	130	380	220	210	1300	1500		<13

All units in micrograms per kilogram (µg/kg)

Source: NR 720= \*

Source: DNR Interim PAH Guide= +

Source: NR 746= '

Groundwater RCL Exceedance=

**Bold**

Non-Industrial Direct Contact RCL Exceedance=

Table 2 (Continued)  
 Post-Remediation Soil Analytical Data Summary  
 Tomorrow Valley Cooperative  
 Wausau, Wisconsin  
 STS Project No. 22167WA

Parameter	Groundwater RCL	Non-Industrial Direct Contact RCL	B-106(1)	B-106(2)	B-107(1)	B-107(2)	B-108(1)	B-108(2)	B-109(1)	B-109(2)	B-110(1)
			0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth
<b>PVOCs</b>											
Benzene	5.5*	1,100'	14000	14000	450	33	1600	830	1000	3400	170
Ethylbenzene	2900*		12000	15000	540	<25	610	420	2200	8000	80
MTBE			<25	<25	<25	<25	<25	<25	<25	<130	<25
Toluene	1500*		9000	5000	2300	<25	1200	310	3000	7000	170
1,2,4-Trimethylbenzene			16000	20000	1200	<25	3600	4700	18000	35000	2100
1,3,5-Trimethylbenzene			5400	6500	430	<25	2700	3000	12000	41000	1500
Xylenes (Total)	4100*		22000	20000	4100	<75	3500	4500	8700	12000	430
<b>PAH's</b>											
Acenaphthene	38,000	900,000	40	110	<13	<13	420	<130	2800	<130	<13
Acenaphthylene	700	18,000	53	310	20	46	170	1200	<100	<100	<10
Anthracene	3,000,000	5,000,000	78	590	28	48	520	540	1900	370	<11
Benzo (a) Anthracene	17,000	88	170	1200	100	120	480	2100	310	580	22
Benzo (a) Pyrene	48,000	8.8	210	1100	110	130	600	2400	250	660	29
Benzo (b) Fluoranthene	360,000	88	400	1700	230	280	1200	4000	600	670	120
Benzo (ghi) Perylene	6,800,000	1,800	210	720	120	78	550	1600	210	770	61
Benzo (k) Fluoranthene	870,000	880	<37	<37	<37	<37	<370	<370	<370	820	<37
Chrysene	37,000	8,800	220	1200	120	120	600	2100	350	650	83
Dibenzo (a,h) Anthracene	38,000	8.8	86	290	33	20	140	620	<100	240	20
Fluoranthene	500,000	600,000	240	2400	130	250	580	2200	460	1100	67
Fluorene	100,000	600,000	66	320	16	14	630	<110	3300	1100	280
Ideno (1,2,3-cd) Pyrene	680,000	88	160	620	89	69	470	1500	210	650	55
1-Methyl Naphthalene	23,000	1,100,000	1400	320	350	<10	1200	380	11000	6000	850
2-Methyl Naphthalene	20,000	600,000	2500	330	480	<17	1200	240	11000	8000	890
Naphthalene	400	20,000	2000	390	320	<10	710	340	4200	3700	510
Phenanthrene	1,800	18,000	520	3300	300	180	1300	620	5100	1900	570
Pyrene	8,700,000	500,000	300	2800	130	250	800	2500	1100	1100	250

All units in micrograms per kilogram (µg/kg)

Source: NR 720= \*

Source: DNR Interim PAH Guide= +

Source: NR 746= '

Groundwater RCL Exceedance=

**Bold**

Non-Industrial Direct Contact RCL Exceedance=

Table 2 (Continued)  
 Post-Remediation Soil Analytical Data Summary  
 Tomorrow Valley Cooperative  
 Wausau, Wisconsin  
 STS Project No. 22167WA

Parameter	Groundwater RCL	Non-Industrial Direct Contact RCL	B-110(2)	B-111(1)	B-111(2)	B-112(1)	B-112(2)	B-113(1)	B-113(2)	B-114(1)	B-114(2)
			2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth
<b>PVOCs</b>											
Benzene	5.5*	1,100'	<b>1300</b>	<25	540	<25	<25	<25	<25	<25	<25
Ethylbenzene	2900*		3900	<25	67	<25	<25	<25	<25	<25	<25
MTBE			<250	<25	<25	<25	<25	<25	<25	<25	<25
Toluene	1500*		2100	28	160	<25	<25	<25	<25	<25	<25
1,2,4-Trimethylbenzene			100000	30	100	<25	<25	<25	<25	<25	<25
1,3,5-Trimethylbenzene			120000	<25	82	<25	<25	<25	<25	<25	<25
Xylenes (Total)	4100*		33000	<75	370	<75	<75	<75	<75	<75	<75
<b>PAH's</b>											
Acenaphthene	38,000	900,000	<130	<13	<13	<13	<13	<13	<13	<13	<13
Acenaphthylene	700	18,000	210	<10	<10	<10	<10	<10	<10	<10	14
Anthracene	3,000,000	5,000,000	170	<11	17	<11	<11	<11	<11	<11	<11
Benzo (a) Anthracene	17,000	88	<b>450</b>	20	<b>120</b>	<10	<10	<10	<10	<10	39
Benzo (a) Pyrene	48,000	8.8	<b>440</b>	20	<b>170</b>	<17	<17	<17	<17	<17	<b>41</b>
Benzo (b) Fluoranthene	360,000	88	<b>390</b>	31	<b>370</b>	<24	<24	<24	<24	<24	58
Benzo (ghi) Perylene	6,800,000	1,800	380	17	160	<10	<10	<10	<10	<10	20
Benzo (k) Fluoranthene	870,000	880	400	<37	<37	<37	<37	<37	<37	<37	<37
Chrysene	37,000	8,800	440	22	130	<10	<10	<10	<10	<10	47
Dibenzo (a,h) Anthracene	38,000	8.8	<100	<10	<b>61</b>	<10	<10	<10	<10	<10	<10
Fluoranthene	500,000	600,000	740	15	130	<10	<10	<10	<10	<10	64
Fluorene	100,000	600,000	<110	<11	<11	<11	<11	<11	<11	<11	<11
Ideno (1,2,3-cd) Pyrene	680,000	88	<b>320</b>	<13	<b>150</b>	<13	<13	<13	<13	<13	19
1-Methyl Naphthalene	23,000	1,100,000	110	20	34	<10	<10	<10	<10	<10	<10
2-Methyl Naphthalene	20,000	600,000	<170	33	52	<17	<17	<17	<17	<17	<17
Naphthalene	400	20,000	1100	21	30	<10	<10	<10	<10	<10	<10
Phenanthrene	1,800	18,000	520	37	92	<12	<12	<12	<12	<12	19
Pyrene	8,700,000	500,000	770	16	120	<13	<13	<13	<13	<13	65

All units in micrograms per kilogram (µg/kg)

Source: NR 720= \*

Source: DNR Interim PAH Guide= +

Source: NR 746= \*

Groundwater RCL Exceedance=

**Bold**

Non-Industrial Direct Contact RCL Exceedance=

Table 2 (Continued)  
 Post-Remediation Soil Analytical Data Summary  
 Tomorrow Valley Cooperative  
 Wausau, Wisconsin  
 STS Project No. 22167WA

Parameter	Groundwater RCL	Non-Industrial Direct Contact RCL	B-115(1)	B-115(2)	B-116(1)	B-116(2)	B-117(1)	B-117(2)	B-118(1)	B-118(2)	B-119(1)
			0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth
<b>PVOCs</b>											
Benzene	5.5*	1,100'	<25	<25	<b>1400</b>	190	<b>10000</b>	<b>4200</b>	<25	730	240
Ethylbenzene	2900*		<25	<25	2300	530	17000	10000	<25	200	150
MTBE			<25	<25	<25	<25	<130	<250	<25	<25	<25
Toluene	1500*		<25	<25	390	78	6800	4100	<25	260	230
1,2,4-Trimethylbenzene			<25	<25	2400	1300	16000	21000	<25	180	120
1,3,5-Trimethylbenzene			<25	<25	1300	470	10000	12000	<25	170	100
Xylenes (Total)	4100*		<75	<75	5100	1700	29000	20000	<75	570	420
<b>PAH's</b>											
Acenaphthene	38,000	900,000	<13	<13	22	<350	<350	<130	<13	20	<13
Acenaphthylene	700	18,000	<10	<10	110	<100	<100	<100	<10	28	22
Anthracene	3,000,000	5,000,000	<11	<11	100	<110	<110	<110	<11	38	31
Benzo (a) Anthracene	17,000	88	13	<10	<b>1100</b>	160	880	140	13	<b>170</b>	<b>140</b>
Benzo (a) Pyrene	48,000	8.8	<17	<17	<b>2000</b>	200	1500	<170	<17	<b>210</b>	<b>150</b>
Benzo (b) Fluoranthene	360,000	88	33	<24	<b>3600</b>	410	3000	<240	<24	<b>440</b>	<b>370</b>
Benzo (ghi) Perylene	6,800,000	1,800	<10	<10	1700	100	1200	100	<10	160	120
Benzo (k) Fluoranthene	870,000	880	<37	<37	<b>2300</b>	<370	<370	<370	<37	160	<37
Chrysene	37,000	8,800	11	<10	1500	180	910	130	<10	250	210
Dibenzo (a,h) Anthracene	38,000	8.8	<10	<10	<b>880</b>	<100	<b>590</b>	<100	<10	<b>74</b>	<b>58</b>
Fluoranthene	500,000	600,000	10	<10	1000	200	<100	170	14	290	220
Fluorene	100,000	600,000	<11	<11	27	<110	<110	<110	<11	24	16
Ideno (1,2,3-cd) Pyrene	680,000	88	<13	<13	<b>1800</b>	<130	<b>1200</b>	<130	<13	<b>150</b>	<b>110</b>
1-Methyl Naphthalene	23,000	1,100,000	<10	<10	89	<100	110	<100	<10	50	75
2-Methyl Naphthalene	20,000	600,000	<17	<17	130	<170	<170	<170	<17	65	100
Naphthalene	400	20,000	<10	<10	110	100	<100	120	<10	51	58
Phenanthrene	1,800	18,000	<12	<12	330	120	310	<120	14	190	180
Pyrene	8,700,000	500,000	<13	<13	910	200	610	<130	15	260	230

All units in micrograms per kilogram (µg/kg)

Source: NR 720= \*

Source: DNR Interim PAH Guide= +

Source: NR 746= '

Groundwater RCL Exceedance=

**Bold**

Non-Industrial Direct Contact RCL Exceedance=

Table 2 (Continued)  
 Post-Remediation Soil Analytical Data Summary  
 Tomorrow Valley Cooperative  
 Wausau, Wisconsin  
 STS Project No. 22167WA

Parameter	Groundwater RCL	Non-Industrial Direct Contact RCL	B-119(2)	B-120(1)	B-120(2)	B-121	B-122	B-123	MW-16(2)	MW-16(4)
			2-4' Depth	0-2' Depth	2-4' Depth	0-2' Depth	0-2' Depth	0-2' Depth	2-4' Depth	7.5'-9.5' Depth
<b>PVOCs</b>										
Benzene	5.5*	1,100'	110	<25	910	170	1800	840	44	<9.0
Ethylbenzene	2900*		72	<25	1000	<130	5500	1400	60	77
MTBE			<25	<25	<130	<130	<500	<500	<22	<22
Toluene	1500*		69	31	780	1400	4300	2800	236	51
1,2,4-Trimethylbenzene			90	31	6100	5800	66000	44000	138	39
1,3,5-Trimethylbenzene			59	<25	3600	7700	40000	39000	73	21
Xylenes (Total)	4100*		220	85	5600	1900	42000	15000	365	<19
<b>PAH's:</b>										
	+	+								
Acenaphthene	38,000	900,000	<13	<13	<13	<13	<130	15000	--	--
Acenaphthylene	700	18,000	84	13	32	21	<100	<500	--	--
Anthracene	3,000,000	5,000,000	91	14	42	34	4300	13000	--	--
Benzo (a) Anthracene	17,000	88	240	51	240	41	1400	710	--	--
Benzo (a) Pyrene	48,000	8.8	240	49	280	53	940	<850	--	--
Benzo (b) Fluoranthene	360,000	88	300	56	530	64	1000	<1200	--	--
Benzo (ghi) Perylene	6,800,000	1,800	110	22	230	39	760	<500	--	--
Benzo (k) Fluoranthene	870,000	880	160	<37	240	52	730	<1900	--	--
Chrysene	37,000	8,800	270	51	330	57	1200	<500	--	--
Dibenzo (a,h) Anthracene	38,000	8.8	56	<10	120	<10	300	<500	--	--
Fluoranthene	500,000	600,000	470	78	260	52	1400	790	--	--
Fluorene	100,000	600,000	32	<11	17	15	4100	27000	--	--
Ideno (1,2,3-cd) Pyrene	680,000	88	110	20	210	31	690	<650	--	--
1-Methyl Naphthalene	23,000	1,100,000	11	12	140	36	27000	120000	--	--
2-Methyl Naphthalene	20,000	600,000	<17	18	190	54	37000	120000	--	--
Naphthalene	400	20,000	13	13	140	50	17000	17000	--	--
Phenanthrene	1,800	18,000	280	51	230	44	7400	47000	--	--
Pyrene	8,700,000	500,000	440	88	270	72	4100	3700	--	--

All units in micrograms per kilogram (µg/kg)

Source: NR 720= \*

Source: DNR Interim PAH Guide= +

Source: NR 746= \*

Groundwater RCL Exceedance= **Bold**

Non-Industrial Direct Contact RCL Exceedance=





Table 1  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services (Former)  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
MW-1	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
7/28/1992	320	57	25	—	138	ND	1	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	670	8.25
11/18/1992	210	20	9.8	190	70	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	340	8.64
2/17/1993	18	14	7	27	62	9	ND	—	—	—	—	—	—	—	—	—	—	—	—	ND	280	8.97
5/18/1993	ND	ND	37	300	75	17	2.9	—	—	—	—	—	—	ND	0.04	0.14	ND	ND	ND	—	—	7.60
8/18/1993	518	56.2	18.4	720	212.5	34.9	1.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.30
11/10/1993	231	16.2	10	243	97.8	—	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	2	8.41
2/16/1994	140	6.6	3.7	110	42.9	—	ND	—	—	—	—	—	—	ND	<0.028	<0.02	ND	ND	ND	—	270	9.33
5/18/1994	55	2.5	1.9	7.6	0	—	—	—	—	—	—	—	—	ND	—	0.18	ND	0.14	0.086	—	100	8.15
8/17/1994	410	47	21	490	181	—	ND	—	—	—	—	—	—	ND	0.02	0.043	0.33	ND	ND	—	—	8.24
11/10/1994	190	18	12	230	92	—	ND	—	—	—	—	—	—	ND	0.049	0.09	0.75	0.045	ND	—	0.12	8.44
2/28/1995	190	8.9	6.2	200	102	15	ND	—	—	—	—	—	—	0.012	0.035	0.047	ND	0.12	ND	2	—	9.23
5/17/1995	110	16	6.4	59	23	—	16	—	—	—	—	—	—	ND	0.007	0.032	0.19	0.014	ND	ND	—	8.30
8/10/1995	220	52	17	400	152	—	ND	—	—	—	—	—	—	ND	ND	ND	ND	0.012	ND	ND	—	7.85
11/8/1995	160	51	55	380	173	—	12	—	—	—	—	—	—	ND	0.002	0.004	ND	0.006	ND	4	—	8.11
2/14/1996	280	29	17	442	202	—	3.9	—	—	—	—	—	—	—	—	—	—	—	—	—	3300	—
6/5/1996	281	44.7	18.7	369.17	138.9	26.9	9.63	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	3.12	—
4/21/1997	82.1	2.95	4.04	19.63	8.8	5.62	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—
7/28/1997	397	52.2	23.5	576.9	196.3	28.1	<10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4/23/1998	527	73.4	65.7	747.3	263.7	27.6	<10.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.57
8/12/1998	630	63.7	76.9	954.7	346	63	<20.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.15
11/19/1998	291	11.7	23.5	367	138.8	22.3	<10.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.91
5/20/1999	544	116	42	941	328	68	<9.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.45
11/29/1999	151	2.4	7.2	198	99	30	4.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	193	<4.6	9.7	359	175	17	7.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	332	45	29	577	237	41	7.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	188	<2.50	4.76	449.43	225.3	15.2	<1.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.81
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.49
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.79
9/19/2005	Monitoring well PVC damaged - No sample could be collected																				8.46	
3/29/2008	20.3	<0.54	<0.67	4.8	<1.80	1.5 <sup>a</sup>	<0.61	<0.93	<0.89	2.1	<0.67	3.8	<0.45	—	—	—	—	—	—	—	—	8.36
6/20/2008	9.97	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.55
NR 140 ES	5	700	1,000	10,000	480	40	80	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
MW-2	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
7/28/1992	180	170	47	260	406	31	25	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	67	9.39
11/18/1992	50	54	17	330	384	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	390	9.77
2/17/1993	1.8	2.5	ND	7.5	9.3	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	ND	1800	10.09
5/18/1993	95	84	25	220	303	—	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.56
8/18/1993	232	152	ND	549.8	452	39	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	—	9.39
11/10/1993	104	89.6	27.1	289	367.2	—	392	—	—	—	—	—	—	ND	<1.01	<1.01	—	<2.0	<20.2	—	—	9.48
2/16/1994	110	110	28	450	420	—	9	—	—	—	—	—	—	ND	12	12	17	5.3	<0.88	—	3500	10.41
5/18/1994	210	130	31	511	0	—	—	—	—	—	—	—	—	ND	10	11	ND	ND	2.7	—	140	9.16
8/17/1994	18	15	9	42	50	—	ND	—	—	—	—	—	—	4	15	13	160	10	14	—	1.4	9.23
11/10/1994	170	94	40	280	275	—	ND	—	—	—	—	—	—	1.7	12	11	120	5.2	ND	—	0.7	9.5
2/28/1995	150	120	31	395	430	25	ND	—	—	—	—	—	—	ND	25	36	—	4.6	ND	8	—	10.35
5/17/1995	250	82	28	220	216	—	ND	—	—	—	—	—	—	ND	1.1	1.4	1.6	0.3	ND	ND	—	9.41
8/10/1995	150	74	29	1.5	185	—	120	—	—	—	—	—	—	ND	3.7	5.6	ND	2.6	ND	2	—	8.92
11/8/1995	120	87	24	270	302	—	81	—	—	—	—	—	—	ND	0.93	2.1	ND	1	ND	44	—	9.18
2/14/1996	120	85	23	349	306	—	7.4	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	—
6/5/1996	172	79.8	42.7	312.68	323.8	15.1	42.2	—	—	—	—	—	—	<0.16	1.81	2.2	<0.03	<0.11	<0.06	<1	132	—
4/21/1997	294	78.9	25.3	568.8	381	21.5	<10	—	—	—	—	—	—	<0.16	2.44	2.16	<0.03	<0.11	1.96	—	—	—
7/28/1997	222	88.1	38.3	448.6	404.9	38.9	<10	—	—	—	—	—	—	<0.03	0.765	1.01	<0.04	<0.04	<0.04	—	—	—
4/23/1998	124	50.4	18.3	296.8	274.2	15.3	<5.00	—	—	—	—	—	—	<0.03	0.56	0.54	<0.04	0.27	<0.04	—	—	8.47
8/12/1998	164	79.9	28.4	465.4	366.2	<0.05	<10.0	—	—	—	—	—	—	<0.03	0.33	0.203	<0.04	<0.04	<0.04	—	—	9.2
11/19/1998	133	46.9	<20.0	393.3	285.4	6.99	<20.0	—	—	—	—	—	—	<0.03	2.01	1.9	<0.04	1.12	<0.04	—	—	8.98
5/20/1999	82	37	12	181.8	184	52	<2.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.35
11/29/1999	96	33	13	305	262	65	<3.1	—	—	—	—	—	—	<0.020	<0.014	<0.056	<0.061	<0.068	<0.12	—	—	—
1/23/2001	110	44	15	367	278	30	32	—	—	—	—	—	—	<0.020	<0.013	<0.055	<0.059	<0.066	<0.11	—	—	—
7/9/2001	74	42	12	193	167	17	23	—	—	—	—	—	—	<0.020	<0.013	<0.055	<0.059	<0.066	<0.11	—	—	—
12/15/2004	82.8	10.7	8.96	230.62	197.0	9.37	<1.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.49
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.56
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.66
9/27/2005	113	10.7	13.1	317	209.7	15.4	<1.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.45
3/29/2008	33.2	6.3	3.7	132	119	9.1	<0.61	<0.93	2.3	6.3	3.4	19.5	<0.45	—	—	—	—	—	—	—	—	9.33
6/20/2008	96.3	15.7	15.2	284.5	206.5	18.1	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.40
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*Italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-3	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
7/28/1992	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	260	10.01	
11/18/1992	<b>17</b>	2.5	ND	—	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.37
2/17/1993	2.3	ND	ND	—	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	ND	1000	10.66	
5/18/1993	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.31
8/18/1993	1.7	2.4	ND	—	—	ND	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	—	—	10.06
11/10/1993	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	—	2	10.16
2/16/1994	ND	ND	ND	1	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	450	10.93
5/18/1994	1.3	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1100	9.88
8/17/1994	1.2	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9.97
11/10/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3.2	10.11
2/28/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	10.87
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	10.06
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	ND	0.023	0.028	ND	0.025	ND	ND	—	—	9.68
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	ND	0.006	0.012	ND	0.008	ND	ND	—	—	9.83
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	0.177	0.089	<0.03	0.276	<0.06	<1	2000	—	—
4/21/1997	2.36	<1	<1	8.48	—	0.408	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	—
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	<0.03	0.061	0.11	<0.03	<0.11	<0.06	—	—	—	—
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<0.05	<1.00	—	—	—	—	—	—	<0.03	<0.06	<0.03	<0.04	<0.04	<0.04	—	—	—	7.99
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.73
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.23
11/29/1999	0.66	<0.6	<0.6	2.9	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	<0.21	<0.23	<0.22	3.8	5.1	<0.40	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.62
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.7
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.54
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.27
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	—	8.17
6/20/2008	<0.31	<0.5	1.02	1.54	<0.71	0.86	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.22
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	NS

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*Italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethane	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-4	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
7/28/1992	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	190	9.58	
11/18/1992	ND	ND	ND	2.9	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	180	10.15	
2/17/1993	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	180	10.21
5/18/1993	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.08
8/18/1993	1.6	1.6	ND	5.2	—	8.9	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	—	9.32	
11/10/1993	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	2	9.94	
2/16/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	250	10.27
5/18/1994	ND	ND	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140	9.64
8/17/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.2	9.64
11/10/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.12	9.58
2/23/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	10.01
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	9.59
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	9.7
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	9.29
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	24.1	—	
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.09
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.2
11/19/1998	8.6	<1.00	<1.00	<1.00	—	1.92	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.27
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.86
11/29/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1/23/2001	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.46
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.78
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.47
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.58
3/29/2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.96
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.8	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.43
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*Italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMSs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
MW-5	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
6/16/1993	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	ND	0.41	0.6	ND	1	ND	—	ND	7.71
8/18/1993	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	—	8.36
11/10/1993	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	—	3	8.8
2/16/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	9.39
5/18/1994	ND	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	8.38
8/17/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	8.53
11/10/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	0.13	8.29
2/28/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8.66
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8.15
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8.6
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	7.95
6/5/1996	<0.5	<1	<1	<1	—	<0.06	<1	—	—	—	—	—	—	<0.32	<0.14	<0.08	<0.06	<0.22	<0.06	<1	15.5	—
4/21/1997	<0.5	<1	<1	<1	—	<0.06	<1	—	—	—	—	—	—	<0.32	<0.14	<0.08	<0.06	<0.22	<0.12	—	—	—
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.64
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.03
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	1.14	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.72
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.52
11/23/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.82
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.03
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.19
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.55
3/29/2008	<0.41	<0.54	<0.67	<2.53	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	7.90
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.88
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)		
MW-6	Top of Well Screen (msl):				Length of Well Screen: 10 feet																			
6/16/1993	ND	ND	ND	—	—	ND	ND	—	—	—	—	—	—	ND	0.71	0.52	ND	0.62	ND	—	440	10.05		
8/18/1993	210	7.2	2.6	23.4	—	ND	1.1	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	ND	—	—	10.59	
11/10/1993	<b>58.5</b>	ND	ND	—	—	—	8.3	—	—	—	—	—	—	ND	ND	ND	ND	ND	ND	ND	—	ND	10.99	
2/16/1994	340	1.5	ND	2.7	—	—	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	260	12.11	
5/18/1994	ND	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	290	11.18	
8/17/1994	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.026	10.03	
11/10/1994	150	1.8	1	1.2	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.032	11.34	
2/28/1995	70	1.1	2.3	2.9	—	—	18	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	12.06	
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	10.36
8/10/1995	1.4	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	7.15
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	10.35
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	6.25	—	—	
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	—	
7/28/1997	3.14	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.85
8/12/1998	15.3	<1.00	<1.00	<1.00	—	2.1	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.85
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.36
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.88
11/29/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	20	<0.23	0.3	0.6	<0.44	2.6	0.73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.3
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.7
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.5
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.24
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	—	—	8.58
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.39
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	—	—
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	—	—

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

- Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
 Italicized values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether
- ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-7	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
6/16/1993	550	ND	86	2169	--	130	ND	--	--	--	--	--	--	ND	ND	ND	ND	ND	ND	--	ND	7.46	
8/18/1993	676	666	85.3	2075.3	--	295	2.9	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.98
11/10/1993	371	367	80	1860	--	--	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	9	8.74	
2/16/1994	420	280	72	1800	--	--	12	--	--	--	--	--	--	--	--	--	--	--	--	--	ND	10.2	
5/18/1994	600	450	82	2552	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	65	8.67	
8/17/1994	580	440	540	2800	--	--	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	0.021	8.63	
11/10/1994	520	440	110	2400	--	--	ND	--	--	--	--	--	--	--	--	--	--	--	--	--	0.039	9.08	
2/28/1995	340	220	58	1700	--	--	67	--	--	--	--	--	--	--	--	--	--	--	--	ND	--	10.11	
5/17/1995	530	470	78	2200	--	--	ND	--	--	--	--	--	--	--	--	--	--	--	--	ND	--	8.82	
8/10/1995	370	280	66	1500	--	--	ND	--	--	--	--	--	--	--	--	--	--	--	--	2	--	7.51	
11/8/1995	550	320	80	1500	--	--	42	--	--	--	--	--	--	--	--	--	--	--	--	6	--	7.23	
6/5/1996	362	260	31.1	1652.4	--	72.5	<20	--	--	--	--	--	--	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	32.7	--	
4/21/1997	351	256	38.2	1849.1	--	74.8	<25	--	--	--	--	--	--	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	--	--	--	
7/28/1997	440	341	66.5	2147	--	190	<20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
4/23/1998	269	217	<50.0	1470	--	56.5	<50.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.17	
8/12/1998	408	327	44.7	2111.1	--	191	<20.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.88	
11/19/1998	350	205	<100.0	2050	--	<100.0	<100.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.72	
5/20/1999	362	220	31	1321	--	136	<9.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.55	
11/29/1999	411	340	60	2260	987	181	<46	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
1/23/2001	332	280	43	1730	705	153	17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
7/9/2001	222	65	16	814	--	55	7.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/15/2004	320	150	22.2	1510.8	788	56.5	<3.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.16	
3/22/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.33	
6/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.42	
9/27/2005	318	86.2	21	1541.6	648	99	<3.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.46	
3/29/2008	466	373	46.9	1988	852	132	<3.0	<4.6	7.5	50	19	95.1	4.2 <sup>p</sup>	--	--	--	--	--	--	--	--	6.68	
6/20/2008	5.66	1.48	1.15	19.80	13.63	1.87	<0.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.08	
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	

<sup>p</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 --: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
MW-8/9R	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
6/16/1993	4300	2200	3200	9000	---	470	ND	---	---	---	---	---	---	ND	ND	ND	ND	ND	ND	---	290	8.5
8/18/1993	7050	2620	4670	11730	---	509	5.9	---	---	---	---	---	---	ND	ND	ND	ND	ND	ND	10.5	---	9.78
11/10/1993	2450	1050	2040	4480	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	---	12	10.22
2/16/1994	5100	1200	720	4600	---	---	12	---	---	---	---	---	---	---	---	---	---	---	---	---	370	11.36
5/18/1994	5000	1900	5400	8800	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	57	9.26
8/17/1994	5100	2000	2900	7800	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	220	0.22	11.2
11/10/1994	5800	2200	5700	11000	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	---	0.006	10.65
2/28/1995	6100	880	520	5600	---	270	ND	---	---	---	---	---	---	---	---	---	---	---	---	7	---	11.33
5/17/1995	3500	1200	2100	5200	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	ND	---	10.49
8/10/1995	3000	1500	640	5700	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	14	---	9.66
11/8/1995	2800	1300	550	5800	---	---	<500	---	---	---	---	---	---	---	---	---	---	---	---	8	---	9.74
2/14/1996	1900	410	170	1730	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	ND	---	---
6/5/1996	1975	556	196	3215	---	189	<125	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4/21/1997	1948	<100	<100	1284	---	135	<100	---	---	---	---	---	---	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	25	---
7/28/1997	2568	1080	560	4168	---	256	<20	---	---	---	---	---	---	<0.16	<0.07	0.111	<0.03	<0.11	<0.06	---	---	---
4/23/1998	1250	121	119	1232	---	<100	<100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.83
8/12/1998	2355	978	228	3224	---	247	<20.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.98
11/19/1998	1820	118	<100.0	1087	---	<100.0	<100.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.81
5/20/1999	1220	198	57	1176	---	100	<9.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.00
11/29/1999	1810	194	40	409	191	<140	<46	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1/23/2001	1100	240	23	358	183	18	15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7/9/2001	590	336	16	571	---	68	<1.8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
12/15/2004	6300	1330	224	4919	1592	158	<30.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.84
3/22/2005	5040	1290	215	4540	1715	192	<30.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.78
6/27/2005	4110	1470	286	4809	1604	180	<15.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.60
9/19/2005	3480	1260	256	4156	1310	268	<15.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8.20
3/29/2008	812	1110	158	2755	1081	266	<3.0	<4.6	9.2	74.8	21.6	180	<2.2	---	---	---	---	---	---	---	---	8.90
6/20/2008	13.7	22.9	3.23	72.27	25.03	6.44	2.16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7.36
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*Italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 --- not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
MW-9	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
6/16/1993	1200	1300	320	5700	---	300	ND	---	---	---	---	---	---	ND	ND	0.24	ND	1	3	---	220	10.68
8/18/1993	842	902	246	5380	---	211	ND	---	---	---	---	---	---	---	---	---	---	---	---	1.7	---	10.83
11/10/1993	1040	757	208	3200	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	---	6	11.22
2/16/1994	1400	840	170	3500	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	---	ND	12.11
5/18/1994	1500	1400	350	5090	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	67	11.60
8/17/1994	1200	1100	720	4500	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	32	0.032	11.37
11/10/1994	1200	830	290	3300	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	---	0.01	11.55
2/28/1995	945	800	220	7970	---	170	ND	---	---	---	---	---	---	---	---	---	---	---	---	5	---	12.07
5/17/1995	1800	780	210	3400	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	3	---	12.00
8/10/1995	670	710	150	2900	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	8	---	11.54
11/8/1995	820	680	89	2800	---	---	55	---	---	---	---	---	---	---	---	---	---	---	---	5	---	11.14
2/14/1996	1100	950	160	3850	---	---	ND	---	---	---	---	---	---	---	---	---	---	---	---	4500	---	---
6/5/1996	797	672	120	2955	---	---	<100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4/21/1997	1218	708	101	3613	---	180	<100	---	---	---	---	---	---	---	---	---	---	---	---	---	5.63	---
7/28/1997	1042	897	110	3645	---	245	<50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4/23/1998	593	670	<100	2911	---	153	<100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.42
8/12/1998	1825	760	160	3006	---	208	<50.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.21
11/19/1998	1850	756	<250.0	3395	---	<250.0	<250.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.35
5/20/1999	1620	862	115	3158	---	285	<9.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.17
11/29/1999	1520	1080	125	4020	1661	438	<23	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1/23/2001	1020	837	71	2940	1165	26	34	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
7/9/2001	683	893	69	3080	---	338	23	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
12/15/2004	1300	622	100	2351.9	823	120	<15.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.47
3/22/2005	1290	565	64.7	2056.1	836	195	<15.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.83
6/27/2005	1930	689	153	2000.3	640	128	<6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.45
9/19/2005	2150	581	139	1664	444	186	<6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.42
3/29/2008	1170	844	107	2178	642	232	<6.1	<9.3	<8.9	71.3	21.7	175	7.3 <sup>a</sup>	---	---	---	---	---	---	---	---	12.26
6/20/2008	19.5	17.7	2.73	53.57	19.84	5.48	1.51	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.29
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 --- not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-10	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
1/4/1995	ND	ND	ND	ND	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	9.97
2/28/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	9.99
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	7.72
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	6.82
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	7.4
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	12.4	—	—
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	—
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.23
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.08
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.61
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.7
11/29/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	0.44	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	Unable to sample - well was bent																				7.39		
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.78
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.2
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.34
3/29/2008	Unable to sample - well was bent																				—		
6/20/2008	Unable to sample - well was bent																				—		
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	—
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	—

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-11	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
1/4/1995	ND	ND	ND	ND	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	11.03
2/28/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	11.25
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	11.2
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	10.89
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	10.35
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.32	<0.14	<0.08	<0.06	<0.22	<0.12	<1	2.8	—	
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5/20/1999	2.2	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11/29/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	0.44	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7/9/2001	0.37	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3/29/2008	Unable to keep surface runoff out of well																						
4/10/2008	<0.41	<0.54	<0.67	<2.53	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	NA	NA	NA	NA	NA	NA	NA	NA	NA	
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

- Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether
- ND: no detection  
 — not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-12	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
1/4/1995	ND	ND	ND	3.2	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	15.26
2/28/1995	ND	1.1	1.3	2.4	—	—	44	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	15.67
5/17/1995	ND	ND	ND	1.2	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	15.45
8/10/1995	24	1.3	2.3	2.7	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	15.03
11/8/1995	ND	1.7	ND	4.1	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	14.58
2/14/1996	ND	ND	ND	2	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	—
6/5/1996	<0.5	<1	2.99	<1	—	0.284	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	0.295	<1	2.56	—	—
4/21/1997	<0.5	<1	<1	<1	—	0.233	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	—
7/28/1997	<0.5	<1	<1	<1	—	1.4	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.49
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	2.13	<1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.38
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.39
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.3
11/29/1999	0.59	<0.6	1.2	<1.7	<2.6	<2.8	0.96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	0.83	<0.23	<0.22	1.6	<0.44	0.41	0.43	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	0.88	<0.23	<0.22	0.66	—	0.76	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.61
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15.1
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.65
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	—	14.68
6/20/2008	1.77	<0.50	1.34	<0.98	<0.71	0.86	2.71	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15.52
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
<b>MW-13</b>	<b>Top of Well Screen (msl):</b>				<b>Length of Well Screen: 10 feet</b>																		
1/4/1995	ND	ND	ND	ND	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	15.33
2/28/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	15.62
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	12.00
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	11.75
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	12.91
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	31.7	—	
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—	
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.6	
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14.41	
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.74	
11/29/1999	<0.5	<0.6	7.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.02	
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.27	
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.81	
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.07	
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	11.54	
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.6	
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
**Bold value** represents exceedance of NR 140 enforcement standard  
*Italicized values* represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-14	Top of Well Screen (msl):				Length of Well Screen: 10 feet																		
4/23/1998	85.6	157	11.7	603	—	19.8	<10.0	—	—	—	—	—	—	—	<0.03	<0.06	<0.03	<0.04	<0.04	1.06	—	—	9.67
6/12/1998	99.6	158	<20	622	—	41.7	<20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8/12/1998	79.3	146	14	548	—	8.64	<10.0	—	—	—	—	—	—	—	<0.03	<0.06	<0.03	<0.04	<0.04	<0.04	—	—	9.41
11/19/1998	78.5	123	<50.0	538	—	44.3	<50.0	—	—	—	—	—	—	—	<0.03	<0.06	0.18	<0.04	<0.04	<0.04	—	—	9.64
5/20/1999	132	167	17	595.6	—	102	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.47
11/29/1999	73	150	14	567	245	106	<2.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	180	162	21	599	155	102	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	229	212	24	710	—	116	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	158	162	12.2	266.3	42.1	50.3	<3.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.90
3/22/2005	354	306	27.9	388.9	55.4	118	<1.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.30
6/27/2005	526	414	41.1	585.3	59.5	163	<1.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.70
9/19/2005	623	379	47.6	627	70.7	184	<3.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.81
3/29/2008	Unable to keep runoff out of well																						
4/10/2008	81.4	20.2	9.0	112	16.9	67.3	<0.61	18.7	8.0	23.4	2.9	62.4	<0.45	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.60
6/20/2008	468	189	41.7	521.5	33.9	75.6	24.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.58
NR 140 ES	5	700	1,000	10,000	480	40	80	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion

**Bold value** represents exceedance of NR 140 enforcement standard

*Italicized values* represent exceedance of NR 140 preventive action limits

ft bgs: feet below ground surface

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

ND: no detection

— not analyzed/not applicable

NS: no standard

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

Table 1 (continued)  
Groundwater Sample Laboratory Analytical Results  
Cloverbelt Cooperative Services  
Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	Butylbenzene	Isopropylbenzene	p-Isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)	
MW-15																							
Top of Well Screen (msl):				Length of Well Screen: 10 feet																			
8/12/1998	<0.500	<1.00	<1.00	<1.00		<1.00	<1.00	--	--	--	--	--	--	--	<0.03	<0.06	<0.03	<0.04	<0.04	<0.04	--	--	14.5
11/19/1998	<0.500	<1.00	<1.00	<1.00		<1.00	<1.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.63
5/20/1999	<0.5	<0.6	<0.6	<2.2		<2.8	<0.92	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.52
11/29/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	<0.4	<0.091	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7/9/2001	<0.21	<0.23	<0.22	<0.44		<0.4	<0.091	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.82
3/22/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15.18
6/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.8
9/19/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.72
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	--	--	--	--	--	--	--	--	--	15.75
6/20/2008	3.7	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.67
MW-16																							
Top of Well Screen (msl):				Length of Well Screen: 10 feet																			
1/23/2001	<0.19	<0.13	<0.11	<0.3	<0.23	<0.082	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/25/2001	<0.21	<0.23	<0.22	<0.44	<0.44		<0.091	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
7/9/2001	<0.21	<0.23	<0.22	<0.44	<0.44	<0.4	<0.091	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
3/22/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.2
6/27/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.61
9/19/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.22
3/29/2008	3.8	<0.54	<0.67	2.6	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	--	--	--	--	--	--	--	--	--	14.16
6/20/2008	1.44	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.85
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS	13.98
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS	

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion

**Bold value** represents exceedance of NR 140 enforcement standard

*italicized values* represent exceedance of NR 140 preventive action limits

ft bgs: feet below ground surface

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

ND: no detection

-- not analyzed/not applicable

NS: no standard

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	Butylbenzene	Isopropylbenzene	p-isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
PZ-1	Top of Well Screen (msl):				Length of Well Screen: 10 feet																	
1/4/1995	ND	1.8	ND	7.8	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	2	—	11.42
2/28/1995	ND	ND	ND	ND	—	—	14	—	—	—	—	—	—	—	—	—	—	—	—	2	—	11.53
5/17/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	ND	—	11.55
8/10/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.22
11/8/1995	ND	ND	ND	ND	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.13
6/5/1996	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	<1	4.42	—
4/21/1997	<0.5	<1	<1	<1	—	<0.03	<1	—	—	—	—	—	—	<0.16	<0.07	<0.04	<0.03	<0.11	<0.06	—	—	—
7/28/1997	<0.5	<1	<1	<1	—	<1	<1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4/23/1998	<0.50	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8/12/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.07
11/19/1998	<0.500	<1.00	<1.00	<1.00	—	<1.00	<1.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.73
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.89
11/29/1999	<0.5	<0.6	7.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.83
1/23/2001	<0.21	<0.23	<0.22	<0.44	<0.44	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/15/2004	<0.31	<0.5	<0.3	<0.92	<0.71	<0.8	<0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3/22/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.08
6/27/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.41
9/19/2005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.01
3/29/2008	<0.41	<0.54	<0.67	<2.63	<1.80	<0.74	<0.61	<0.93	<0.89	<0.59	<0.67	<0.81	<0.45	—	—	—	—	—	—	—	—	10.96
6/20/2008	<0.31	<0.50	<0.30	<0.98	<0.71	<0.80	<0.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.98
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

\* Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion

**Bold value** represents exceedance of NR 140 enforcement standard

*Italicized values* represent exceedance of NR 140 preventive action limits

ft bgs: feet below ground surface

TMB: trimethylbenzene

MTBE: methyl tert-butyl ether

ND: no detection

—: not analyzed/not applicable

NS: no standard

NR: Natural Resources

ES: Enforcement Standard

PAL: Preventive Action Limit

Table 1 (continued)  
 Groundwater Sample Laboratory Analytical Results  
 Cloverbelt Cooperative Services  
 Wausau, Wisconsin

Sample Date	Benzene	Ethylbenzene	Toluene	Total Xylenes	Total TMBs	Naphthalene	MTBE	n-butylbenzene	sec-Butylbenzene	isopropylbenzene	p-isopropyltoluene	n-Propylbenzene	Tetrachloroethene	Anthracene	Benzo (a) Pyrene	Benzo (b) Fluoranthene	Chrysene	Fluoranthene	Fluorene	Dissolved Lead	Total Lead	GW Depth (ft bgs)
<b>ASW-1</b>																						
2/28/1995	1.9	1.2	ND	79	—	ND	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.16
5/17/1995	2.1	1.3	1.9	93	—	—	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	ND	9.95
5/20/1999	6	<0.6	2.5	447	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.18
11/29/1999	2.5	<0.6	4	409	58	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	0.46	<0.23	1.2	242	46.2	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	9	4.6	<4.4	315	—	<8.0	<1.8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>ASW-2</b>																						
2/28/1995	160	410	77	7300	—	120	ND	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11.53
5/17/1995	ND	ND	ND	ND	—	ND	1.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8.98
5/20/1999	1640	222	68	1114	—	238	<9.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7.76
11/29/1999	948	294	82	2530	686	359	<46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	1230	73	36	365	84	150	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	831	328	57	1790	—	259	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>VEW-1</b>																						
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.08
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>VEW-2</b>																						
5/20/1999	556	213	36	1899	—	324	<9.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4.54
11/29/1999	673	218	55	2010	820	252	<46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1/23/2001	277	66	19	869	352	158	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	486	197	29	1780	—	281	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>MH-1</b>																						
5/20/1999	<0.5	<0.6	<0.6	<2.2	—	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.77
11/30/1999	<0.5	<0.6	<0.6	<1.7	<2.6	<2.8	<0.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7/9/2001	<0.21	<0.23	<0.22	<0.44	—	<0.4	<0.091	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
NR 140 ES	5	700	1,000	10,000	480	40	60	NS	NS	NS	NS	NS	5	3000	0.2	0.2	0.2	400	400	15	NS	NS
NR 140 PAL	0.5	140	200	1,000	96	8	12	NS	NS	NS	NS	NS	0.5	600	0.02	0.02	0.02	80	80	1.5	NS	NS

<sup>a</sup> Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit

Note: All concentrations reported in parts per billion  
 Bold value represents exceedance of NR 140 enforcement standard  
*italicized* values represent exceedance of NR 140 preventive action limits  
 ft bgs: feet below ground surface  
 TMB: trimethylbenzene  
 MTBE: methyl tert-butyl ether

ND: no detection  
 —: not analyzed/not applicable  
 NS: no standard  
 NR: Natural Resources  
 ES: Enforcement Standard  
 PAL: Preventive Action Limit

## Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

**NOTICE: Completion of this form is mandatory** for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="1010 North First Street, Wausau"/>	<input type="text" value="291-2907-264-0998"/>	<input type="text" value="549117"/>	<input type="text" value="499304"/>
<input type="text" value="B"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

February 12, 2009

CF Development Corp.  
3636 Skytop Road  
McFarland, Wisconsin 53538

**Re: Notification of Residual Contamination**  
**Cloverbelt Coop Services (Former)**      **WDNR BRRTS No. 02-37-271735**  
**1202 North First Street**                      **COMM No. 54401-2605-02-A**  
**Wausau, Wisconsin 54401**  
**Endeavor Project No. P08940.45**

This letter is being sent to you as the current owner of the above referenced property located at 1202 North First Street (PIN#291-2907-252-0992). Environmental monitoring performed at the property has shown that groundwater contamination exceeding ch. NR 140 enforcement standards, and residual soil contamination exceeding NR 720 generic residual contaminant levels (RCL) for protection of groundwater remain on the property. Site closure is being requested at this time, and in accordance with the requirements of s. NR 726.05 (2) (b) 4, and (3) (a) 4.g., the following information is being provided.

The level of gasoline range organics (GRO), diesel range organics (DRO), benzene, ethylbenzene, toluene and total xylenes contamination in the soil on your property are above generic RCLs. The levels of benzene and naphthalene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, our environmental consultant, Endeavor Environmental Services, Inc. has informed me that the groundwater contaminant plume is stable or receding and will naturally degrade over time and that the soil contaminant plume has been defined and the remaining contamination will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.”

The Wisconsin Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Wisconsin Department of Commerce that is relevant to this closure request, you should mail that information to:

Ms. Dee Lance  
Wisconsin Department of Commerce  
Site Review Section  
2725 Post Road  
Stevens Point, Wisconsin 54481-6456


If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards and soil contamination exceeds site-specific RCLs will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil or groundwater contamination above regulatory or site-specific standards existed at the time that the case was closed. This GIS Registry will be available to the general public on Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm><http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's Drinking Water and Groundwater Program. The well-construction application, form 3300-254, may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, you may contact me by mail at P.O. Box 308, New London, Wisconsin, 54961 or by phone at (920) 982-1111, or you may contact Ms. Dee Lance-Wisconsin Department of Commerce at (715) 342-3802.

Sincerely,



Tim Wenzel  
Larsen Cooperative  
Responsible Party

SOURCE  
PROPERTY


UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Endeavor Environmental Serv., Inc.  
2280-B Salscheider Court  
Green Bay, WI 54313



SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"><li>Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired.</li><li>Print your name and address on the reverse so that we can return the card to you.</li><li>Attach this card to the back of the mailpiece, or on the front if space permits.</li></ul>	A. Signature <input type="checkbox"/> Agent <i>[Signature]</i> <input type="checkbox"/> Addressee	
	B. Received by (Printed Name)	C. Date of Delivery <i>2/19</i>
j. Article Addressed to:	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
CF Development Corp. 3636 Skytop Road McFarland, WI 53538	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.	
2. Article Number (Transfer from service label)	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	
PS Form 3811, February 2004	7007 2680 0001 2296 4828 Domestic Return Receipt	
	102595-02-M-1540	

February 12, 2009

Marathon County Development Corp.  
200 Washington Street  
Wausau, Wisconsin 54403

**Re: Off-site Notification of Residual Contamination**  
**Cloverbelt Coop Services (Former) WDNR BRRTS No. 02-37-271735**  
**1202 North First Street COMM No. 54401-2605-02-A**  
**Wausau, Wisconsin 54401**  
**Endeavor Project No. P08940.45**

This letter is being sent to you as the current owner of the property located at 1010 North First Street (PIN# 291-2907-264-0998), which adjoins the above referenced property. Environmental monitoring performed on the above referenced property has shown that groundwater contamination exceeding ch. NR 140 enforcement standards, and residual soil contamination exceeding NR 720 generic residual contaminant levels (RCL) for protection of groundwater remain on the property. Site closure is being requested at this time, and in accordance with the requirements of s. NR 726.05 (2) (b) 4, and (3) (a) 4.g., the following information is being provided.

Groundwater petroleum contamination has migrated from the above referenced property onto your property located at 1010 North First Street. The levels of benzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, our environmental consultant, Endeavor Environmental Services, Inc. has informed me that the groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 Wisconsin Administrative Code, and I will be requesting that the Wisconsin Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.”

Since the source of the identified groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this soil contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. To obtain a copy of the Department of Natural Resources’ publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, you may visit <http://www.dnr.state.wi.us/org/aw/rr/archives/pubs/RR589.pdf> or call 608-267-3859.

The Wisconsin Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Wisconsin Department of Commerce that is relevant to this closure request, you should mail that information to:

Ms. Dee Lance  
Wisconsin Department of Commerce  
Site Review Section  
2725 Post Road  
Stevens Point, Wisconsin 54481-6456


If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards and soil contamination exceeds site-specific RCLs will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where soil or groundwater contamination above regulatory or site-specific standards existed at the time that the case was closed. This GIS Registry will be available to the general public on Department of Natural Resources' internet web site.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm><http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to obtain approval from a regional water supply specialist in DNR's Drinking Water and Groundwater Program. The well-construction application, form 3300-254, may be accessed through the GIS Registry web address in the preceding paragraph.

If you need more information, you may contact me by mail at P.O. Box 308, New London, Wisconsin, 54961 or by phone at (920) 982-1111, or you may contact Ms. Dee Lance-Wisconsin Department of Commerce at (715) 342-3802.

Sincerely,



Tim Wenzel  
Larsen Cooperative  
Responsible Party

OFF-SOURCE  
A  
PROPERTY

UNITED STATES POSTAL SERVICE

13 FEB 2009 PM 1:11

First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. 6-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Endeavor Environmental Services, Inc.  
2280-B Salscheider Court  
Green Bay, WI 54313

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Marathon County Development Corp.  
200 Washington Street  
Wausau, WI 54403

2. Article Number  
(Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X *Sarah Dombrowski*

- Agent  
 Addressee

B. Received by (Printed Name)

*Sarah Dombrowski*

C. Date of Delivery

*2-18*

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type

- Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

7007 2680 0001 2296 4811

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540



DOC# 1485229

State Bar of Wisconsin Form 1-2003  
WARRANTY DEED

919715

Document Number

Document Name

*Michael J. Sydow*

THIS DEED, made between HENDRICKS COMMERCIAL PROPERTIES, LLC, a Wisconsin limited liability company  
("Grantor," whether one or more),  
and MARATHON COUNTY DEVELOPMENT CORPORATION  
("Grantee," whether one or more).

Grantor, for a valuable consideration, conveys to Grantee the following described real estate, together with the rents, profits, fixtures and other appurtenant interests, in Marathon County, State of Wisconsin ("Property") (if more space is needed, please attach addendum):

Lot two (2) of Certified Survey Map No. 5761 recorded in the office of the Register of Deeds for Marathon County, Wisconsin, in Volume 21 of Certified Survey Maps on page 79; being a part of the Northwest quarter (NW ¼) of the Southwest quarter (SW ¼) of Section twenty-five (25); part of Block F of Stewart, Manson & Parcher's Addition to Wausau; and part of Government Lots five (5) and six (6) in Section twenty-six (26), all in Township twenty-nine (29) North, Range seven (7) East, in the City of Wausau, Marathon County, Wisconsin; subject to easements of record.

Recording Area

Name and Return Address Ch 11.00 T.T. CR. 2250  
MARATHON City Development Corp  
200 Washington St  
Wausau WI 54403

291-2907-264-0998 / GL #5+6 #7040

Parcel Identification Number (PIN)

This is not homestead property.  
(is) (is not)

Grantor warrants that the title to the Property is good, indefeasible in fee simple and free and clear of encumbrances except: any municipal and zoning ordinances and agreements entered under them, recorded easements for the distribution of utility and municipal services, recorded building and use restrictions and covenants, and general taxes levied in the year of closing.

Dated July 31, 2007

HENDRICKS COMMERCIAL PROPERTIES, LLC,  
a Wisconsin limited liability company

TRANSFER

\$2,250 <sup>00/100</sup>  
FEE  
(SEAL)

(SEAL) \_\_\_\_\_

\* Kenneth A. Hendricks

(SEAL) \_\_\_\_\_

\* Diane M. Hendricks

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) \_\_\_\_\_

STATE OF WISCONSIN )  
MARATHON- Rock COUNTY ) ss.

authenticated on \_\_\_\_\_

\*  
TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not, \_\_\_\_\_  
authorized by Wis. Stat. § 706.06)

Personally came before me on July 27, 2007,  
the above-named Kenneth A. Hendricks + Diane M. Hendricks  
of HENDRICKS COMMERCIAL PROPERTIES, LLC  
to me known to be the person(s) who executed the foregoing  
instrument and acknowledged the same.

THIS INSTRUMENT DRAFTED BY:

Attorney Patrick C. Rowe

Ken A. Hoff

\*  
Notary Public, State of Wisconsin  
My Commission (is-permanent) (expires: 9-28-08)



(Signatures may be authenticated or acknowledged. Both are not necessary.)

NOTE: THIS IS A STANDARD FORM. ANY MODIFICATIONS TO THIS FORM SHOULD BE CLEARLY IDENTIFIED.

WARRANTY DEED

© 2003 STATE BAR OF WISCONSIN

FORM NO. 1-2003-1


\* Type name below signatures.

919715

5761

**CERTIFIED SURVEY MAP**

PART OF THE NW 1/4 - SW 1/4 & ALSO BLKS 15 & 16 & VACATED SECOND ST.  
BETWEEN SAID BLKS, IN McINDOE & SHUTER'S ADD., AND ALSO PART OF BLOCK F OF  
STEWART MANSON & PARCHER'S ADD., SECTION 25,  
AND ALSO PARTS OF GOVT  
LOTS 5 & 6 IN SEC. 26, ALL IN T29N,  
R7E, CITY OF WAUSAU,  
MARATHON COUNTY,  
WISCONSIN




WISCONSIN  
DONALD D. FRISQUE  
S-1218  
Wausau Wis.  
LAND SURVEYOR  
1/18/90



NORTH REFERENCED TO THE  
SOUTH LINE OF BLKS. 15 & 16,  
McINDOE & SHUTER'S ADD.  
BRNG. N 89°05' E

**LEGEND**

- (R) RECORD
- EXISTING 1" IRON PIPE
- EXISTING 2" IRON PIPE
- ▲ SET P.K. MAX.
- B.O.W.-NO MON. SET



**HENDRICKS REAL ESTATE  
PROPERTIES**

HENDRICKS REAL ESTATE PROPERTIES

I hereby certify that I have surveyed and mapped by order of Brian Sneed, a parcel of land being a part of the NW 1/4 - SW 1/4, and also Blks. 15 and 16 and vacated Second St. between said Blks. in McIndoe and Shuter's Add., and Lots 6 and 7 and also parts of lots 3, 4, 5, and 8 of Block F of Stewart Manson and Parcher's Add., all in section 25; and also parts of Govt. lots 5 and 6 in Section 26; all in T29N, R7E, City of Wausau, Marathon County, Wisconsin, described as follows:

Commencing at the SW corner of said block 15, also being the Point of Beginning;

Thence N 89° 05' E, along the South line of said blocks 15 and 16, 546.36 feet, to the SE corner of said block 16; thence N 1° 14' W, along the East line of said block 16, 348.75 feet, to the Southerly Right-of-Way of the C.M. St. P. & P. Railroad spur track; thence along said spur track Right-of-Way, the following 12 courses; N 73° 23' W, 28.48 feet; N 76° 37' W, 61.13 feet; N 83° 19' W, 46.44 feet; N 87° 18' W, 50.00 feet; S 85° 45' 20" W, 50.00 feet; S 80° 08' W, 50.00 feet; S 77° 42' W, 50.00 feet; S 70° 32' W, 50.00 feet; S 64° 42' W, 50.00 feet; S 60° 38' W, 50.00 feet; S 55° 27' W, 50.00 feet; S 50° 29' W, 45.70 feet, to the West line of said block 15; thence S 1° 13' E, along said West line, 246.30 feet, to the Point of Beginning, and also;

Beginning at the NW corner of said Block 15, McIndoe and Shuters Addition, running thence N 1° 13' W, on the West boundary line of said block 15 extended, 63.20 feet; thence S 40° 01' W, 62.70 feet; thence N 51° 01' W, 60.91 feet; thence N 6° 17' W, 65.61 feet to a point midway between the rails of a spur track of the Chicago, Milwaukee, St. Paul and Pacific Railroad; thence S 83° 16' W, along said spur track, 245.43 feet; thence N 6° 59' W, 275.0 feet; thence S 83° 16' W, 162.0 feet to the meander line of the East Bank of the Wisconsin River; thence S 4° 01' 41" E, along said meander line, 513.67 feet; thence N 88° 44' E, 415.53 feet to the Westerly line of a spur track of the Chicago, Milwaukee, St. Paul and Pacific Railroad; thence along the arc of a curve to the right, the main chord of which bears N 31° 59' E, 104.30 feet to the intersection of the Westerly line of the said spur track with the North line of First Street; thence N 88° 40' E, along the North line of said First Street, 56.25 feet to the point of beginning.

It is the intent of this description to include all that land which lies between the above mentioned meander line and the Wisconsin River, and to exclude all that part of First Street lying within the above description and also exclude all that part of the second mentioned Chicago, Milwaukee, St. Paul and Pacific Railroad Company curved spur track Right-of-Way lying within said description, and also subject to easements and roadways of record, and that I have fully complied with the provisions of Section 236.34 Wisconsin Statutes.



*Chg. \$12.00  
Becher Hoppe*

*Donald D. Frisque*  
1/18/90 Donald D. Frisque S-1218  
Becher-Hoppe, Inc.  
P.2 of 2.

REGISTERS OFFICE  
Marathon County, Wis.  
Received for Record this \_\_\_\_\_  
day of \_\_\_\_\_ A.D. 19  
at \_\_\_\_\_ o'clock \_\_\_\_\_  
in P.M. of \_\_\_\_\_  
A.D. 19  
*Charles E. Hoppe*  
Recorder

90 JAN 19 AM 11 18

918715

*1001-8 Bk 15  
1001-8 Bk 16  
McIndoe  
1/16/97  
K&L*