

GIS REGISTRY INFORMATION

SITE NAME: Guaerke's Tire and Auto
BRRTS #: 03-37-099610 **FID # (if appropriate):** 737170280
COMMERCE # (if appropriate): 54411-9374-09
CLOSURE DATE: 06/28/2006
STREET ADDRESS: 909 Pine Street
CITY: Athens

SOURCE PROPERTY Locational COORDINATES (meters in WTM91 projection): X= 513790 Y= 505774

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: 900 Pine Street

Locational COORDINATES (meters in WTM91 projection): X= 513827 Y= 505789

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

Locational COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of most recent deed, including legal description, for all affected properties X
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties X
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) X
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. X
- GW: Table of water level elevations, with sampling dates, and free product noted if present X
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) X
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour X
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) X
- RP certified statement that legal descriptions are complete and accurate X
- Copies of off-source notification letters (if applicable) X
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW) X
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure NA
- Copy of any maintenance plan referenced in the deed restriction. NA



DIVISION OF PUBLIC HEALTH

Jim Doyle
Governor

1 WEST WILSON STREET
P O BOX 2659
MADISON WI 53701-2659

Helene Nelson
Secretary

State of Wisconsin
Department of Health and Family Services

608-266-1251
FAX: 608-267-2832
dhfs.wisconsin.gov

April 27, 2006

Micheal and Debbie Gauerke
909 Pine Street
Athens, WI 54411

Subject: Foundation Venting System

Dear Mr. and Mrs. Gauerke:

I was encouraged to hear that the Departments of Natural Resources and Commerce are considering closing the case involving petroleum contamination around your home. I was asked if it would be safe to discontinue use of the foundation venting system. Although the source of petroleum contamination has been addressed, it is my suggestion is that the system be left in place.

You have spent a great deal of time over many years working to address contamination problems on your property. By closing this case, the agencies believe it is unlikely that unhealthy conditions can return to your home. However, at every site there is the potential for some of the contamination to have been missed. If in the future you notice petroleum odors entering the air in your basement, please contact the agencies right away. A recurring petroleum odor may, indicate a health threat is present and warrant additional action.

The last major activities you took to address the source of the problem and prevent vapor from entering the home appears to have been successful. It is likely that one added benefit of operating the ventilation or *sub-slab depressurization* system is that radon levels in your air was also reduced. In your area it is not uncommon to find indoor air radon levels above the 4 pico Curries per liter level recommended. I have included two radon test kits with this letter for you to use (voluntary). I suggest that you turn the system off for a week and collect a radon sample during that period. While waiting for the results, collect another week long sample after the system has been turned back on. If the system is working properly, radon levels should be lower when it is operating. The results of these tests are only sent to the homeowner, but I would be interested hearing the results if you have a chance to give me a call.

If you have questions about this letter, radon in general, or if I can be of help in another way, please give me a call at (608) 267-3732. Thank you.

Sincerely,

Chuck Warzecha
Health Hazard Evaluation
Bureau of Environmental and Occupational Health

Cc: Brian Taylor – Department of Commerce, Madison
Dave Rozeboom - Department of Natural Resources, Wisconsin Rapids



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830
TTY Access via relay - 711

June 28, 2006

Mike and Deb Guaerke
909 Pine Street
Athens, WI 54411

SUBJECT: Final Case Closure By Project Manager With Conditions Met
Guaerke's Tire and Auto, 909 Pine Street, Athens, WI
WDNR BRRTS Activity #: 03-37-099610

Dear Mr. and Mrs. Guaerke:

On March 9, 2006, your site as described above was reviewed for closure by the Department of Natural Resources. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 20, 2006, you were notified that conditional closure was granted to this case.

On May 16, 2006, the Department received correspondence indicating that you have complied with the conditions of closure. The only condition of closure was monitoring well abandonment. Based on the correspondence and data provided, it appears your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains in the area in the vicinity of the former pump island, adjacent to Pine Street, as indicated in the information submitted to the Department of Natural Resources. If soil in these specific locations is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. All current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm> If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional

water supply specialist. This form can be obtained on-line at the web address listed above.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 421-7873.

Sincerely,

A handwritten signature in black ink that reads "Dave Rozeboom". The signature is fluid and cursive, with a long horizontal stroke at the end.

Dave Rozeboom
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Hollie DePuydt, Northern Environmental, 330 South 4th Avenue, Park Falls, WI 54552
Brian Taylor, Commerce



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830
TTY Access via relay - 711

April 20, 2006

Mike and Deb Guarke
909 Pine Street
Athens, WI 54411

Subject: Conditional Closure Decision With Requirements to Achieve Final Closure
Guarke's Tire & Auto, 909 Pine St., Athens, Wisconsin
WDNR BRRTS Activity # 03-37-099610

Dear Mr. and Mrs. Guarke:

On March 9, 2006, the Wisconsin Department of Natural Resources reviewed your request for closure of the case described above. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination on the site from the area in the vicinity of the former pump island appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to Dave Rozeboom on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

The Department strongly recommends continued operation of the vapor mitigation system to prevent the possible reoccurrence of petroleum vapors entering through the foundation. The system will also serve as a radon mitigation system if continuously operated.


When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 421-7873.

Sincerely,

A handwritten signature in black ink that reads "Dave Rozeboom". The signature is fluid and cursive, with the first name "Dave" being larger and more prominent than the last name "Rozeboom".

Dave Rozeboom
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Leonard Frahm, 808 Pine Street, Athens, WI 54411
Hollie DePuydt, Northern Environmental, 330 S. 4th Ave., Park Falls, WI 54552
Brian Taylor, Commerce

Document Number

Warranty Deed

1133387
FRAHM/GAUERKE
REGISTER'S OFFICE
MARATHON COUNTY, WI 05-06-1998 02:04 PM

LEONARD FRAHM, JR. a/k/a LEONARD E. FRAHM, JR. and GLORIA FRAHM, each individually and as husband and wife, Grantors, convey and warrant to MICHAEL R. GAUERKE and DEBORAH L. GAUERKE, husband and wife, as survivorship marital property, Grantees, for One Dollar (\$1.00) and other good and valuable consideration the following described real estate in Marathon County, State of Wisconsin:

Michael J. Sydow REGISTER

That part of the Southeast Quarter (SE1/4) of the Northeast Quarter (NE1/4) of Section One (1), Township Twenty-nine (29) North, Range Three (3) East, described as follows:

Beginning at a point on the Range line between Ranges 3 and 4 East, 40 feet and 6 inches North of the Southeast corner of the South 20 acres of the North 30 acres of said SE1/4 of NE1/4 running thence West 387 feet, thence North, parallel with the Range line, 150 feet; thence East 387 feet to the Range line; thence South along the Range line 150 feet to the place of beginning; excepting any portion thereof used for road or highway purposes.

Return To:

Mike Gauerke
909 Pine St
Athens, WI 54411

Check 10.00 + 450.00

102.4.0903.011.9937

This deed is given in full and complete satisfaction of a land contract dated August 9, 1985 and recorded January 24, 1986 as Document No. 843695 in Volume 417 of Micro-Records on pages 467-468 in the office of the Register of Deeds, Marathon County, Wisconsin.

This is not homestead property.

Exceptions to warranties: conditions, covenants, reservations, restrictions, ordinances and easements of record or by use and any liens or encumbrances created by the act or default of grantees.

Dated this 25 day of November, 1997.

Leonard Frahm Jr

(SEAL)

Gloria Frahm

(SEAL)

*LEONARD FRAHM, JR. a/k/a LEONARD E. FRAHM, JR. *GLORIA FRAHM

ACKNOWLEDGMENT

TRANSFER

STATE OF WISCONSIN }

} ss.

Lincoln County }

\$ 450.00

FFF

Personally came before me this 25 day of November, 1997 the above named Leonard Frahm, Jr. a/k/a Leonard E. Frahm, Jr. and Gloria Frahm to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Robin A. Grenfell

Notary Public, Lincoln County, WI.


My commission expires: 5/10/98

THIS INSTRUMENT WAS DRAFTED BY

Atty. Gerald D. Stange

Adapted from State Bar of Wisconsin Form 2-1982

C:\OFFICE\WPWIN\WPDOS\RE\DEEDS\FRAHML.WD



1133387
FRAHM/GAUERKE

REAL ESTATE PAYMENT RECEIPT
MARATHON COUNTY

1/23/2006
TAX YEAR: 2005

LISA CZECH
VILLAGE OF ATHENS
PO BOX 220
ATHENS, WI 54411

Total Tax: \$1,089.82
Less Lottery Credit Claimed: \$82.17
Less Tax Paid: \$1,007.65
Balance Due: \$0.00

Legal Description
SEC 01-29-03
PT OF SE 1/4 NE 1/4
PT OF S 20 ACRES OF N 30
ACRES OF SD FORTY - COM
40.5' N OF SE COR THRF W

Parcel Number: 10229030119937 *PIW number*
Bill Number: 82
Physical Address: 909 PINE ST

MICHAEL GAUERKE
909 PINE ST
ATHENS, WI 54411-0000

Land Assessment: \$21,000.00
Improvement Assessment: \$24,000.00
Total Assessment: \$45,000.00
EFMV: \$49,200.00
Special Assessments: \$0.00
MFL/FCL: \$0.00
Acreage: 0

Receipt Date	Operator	Check #	Batch #	Tax Paid	Refund	Other	Total Paid
Receipt Number	Paid By						
1/23/2006	LC	17896	14	\$1,007.65	\$0.00	\$0.00	\$1,007.65
388	MICHAEL GAUERKE						

**LIST OF ADDRESSES FOR OFF-SOURCE PROPERTIES AFFECTED BY
RESIDUAL SOIL OR GROUNDWATER CONTAMINATION**

Gauerke's Tire & Auto Sales

BRRTS# 03-37-099610

soil

groundwater

Heartland Cooperative Services
900 Pine Street
Athens WI 54411

YES

YES


BOOK	STATE NO	F	YEAR	LIST OF TAXABLE REAL ESTATE IN THE VILLAGE OF ATHENS		KEY TO CODES
	37-102	79	2005	AGG. RATIO: .9141 NET TAX RATE (Optional):		
COMPUTER NUMBER	SCHCOCL	VOL/PAGE - REG. DEEDS		TOTAL ACRES OF DESC.		
PARCEL NUMBER	DIST.					
NAME & ADDRESS				SEC. TN. RANGE DESCRIPTION OF PROPERTY		
01	2904-062-9989 0196	1000 PINE ST				
	44. 62904. 5. 11. .	SEC 06-29-04				
	FRED REDMANN	PT OF FRL NW 1/4				
	GERMAINE A REDMANN	SELY 50' ABND RR R/W ACROSS				
	1000 PINE ST	FRL NW 1/4 ALSO S 125' THRF				
	ATHENS WI 54411	EX E 450'				
		M594-891				
		2.325				
01	2904-062-9985 0198	700 PINE ST				
	44. 82904. 5. 15. .	SEC 06-29-04				
	GARY S RAUEN	PT OF FRL NW 1/4				
	700 PINE ST	LOT #1 OF CSM VOL 19 PG 55				
	PO BOX 71	(#5187)				
	ATHENS WI 54411	M491-168 1188242 1194531				
		1255209				
		.620				
01	2904-062-9984 0198	704 PINE ST				
	44. 82904. 5. 18. .	SEC 06-29-04				
	DAVID GUDEN	PT OF FRL NW 1/4				
	PO BOX C	LOT #2 OF CSM VOL 19 PG 55				
	ATHENS WI 54411	(#5107)				
		M367-61				
		.420				
01	2904-062-9983 0196	405 JENSEN ST				
	44. 62904. 5. 17. .	SEC 06-29-04				
	DONALD W OTTEN	PT OF NW FRL 1/4 - LOT 1				
	SUSAN C OTTEN	CSM VOL 22 PG 123 (#6045)				
	405 JENSEN ST	INCL PCL BEG AT SE COR OF				
	ATHENS WI 54411	SD CSM W 155.22' S 20'				
		E 155.22 N 20 TO BEG.				
		M757-862				
		.610				
5						
01	2904-062-9981 0196	900 PINE ST				
	44. 62904. 5. 19. .	SEC 06-29-04				
	HEARTLAND COOPERATIVE SERVICES	PT OF NW FRL 1/4 - LOT 2				
	P O BOX 260	CSM VOL 32 PG 30 (#8262)				
	DORCHESTER WI 54425	M714-1318 1127860				
		3.630				
01	2904-062-9980 0196	808 PINE ST				
	44. 62904. 5. 20. .	SEC 06-29-04				
	LEONARD FRAHM JR	PT OF NW FRL 1/4 - LOT 1				
	GLORIA J FRAHM	CSM VOL 32 PG 30 (#8262)				
	TODD FRAHM	M500-96				
	808 PINE ST	.720				
	ATHENS WI 54411					
01	2904-062-9978 0198	808 PINE ST				
	44. 62904. 5. 21. .	SEC 06-29-04				
	LEONARD E FRAHM JR	PT OF NW FRL 1/4 - LOT 2				
	GLORIA J FRAHM	CSM VOL 34 PG 162 (#8804)				
	808 PINE ST	M758-427 M758-729				
	ATHENS WI 54411	1.537				
9						

Land on east side of Hwy 97 (Pine St)

NO OF PARCELS TOTALS

VILLAGE OF ATHENS


Zoning Map



Prepared by:
 Mid-America Planning Services, Inc.
 621 North Sherman Avenue
 Madison, WI 53704
 (800) 249-2514
 May 1995

LEGEND	
R-1 Single Family Residential District	B-2 Highway Commercial District
R-2 Single Family Residential District	I-1 Industrial District
R-3 Multiple Family Residential District	C-1 Conservancy District
R-D Rural Development District	R-MH Mobile Home District
B-1 General Commercial District	MW Municipal Well Recharge Area Overlay District
	□ Well Site

▲ NORTH



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, ATHENS, WISCONSIN, 1981 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

Northern Environmental SM

Hydrologists • Engineers • Surveyors • Scientists

330 South 4th Avenue, Park Falls, Wisconsin 54552

Phone: 800-498-3913 Fax: 715-762-1844

WISCONSIN • MICHIGAN • ILLINOIS • IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

SITE LOCATION
& LOCAL TOPOGRAPHY

GAUERKE'S TIRE AND AUTO
909 PINE STREET
ATHENS,
WISCONSIN


DATE: 11/28/05

DRAWN BY: NLB

TASK NUMBER: XXX

PROJECT NUMBER: GTA04-2200-0784

FIGURE 1



PLISCH STREET

PINE STREET

MW-3S
MW-3D

MW-6

MW-4

MW-5


MW-12

PZ-10

STORAGE BUILDING

GARAGE
HOUSE

- LEGEND:
- UNDERGROUND GAS LINE
 - OVERHEAD TELEPHONE
 - OVERHEAD ELECTRIC
 - FIBER OPTIC
 - TELEPHONE PEDASTAL
 - MW-4 ◆ MONITORING WELL LOCATION
 - RW-1 ◆ RECOVER WELL LOCATION
 - PZ-1 ◆ PIEZOMETER LOCATION
 - UTILITY POLE
 - PROPERTY BOUNDARY
 - SUMP LOCATIONS



Northern Environmental

Hydrologists • Engineers • Surveyors • Scientists
330 South 4th Avenue, Park Falls, Wisconsin 54552
Phone: 800-498-3913 Fax: 715-762-1844

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

LAYOUT, SOIL BORING,
MONITORING WELL, &
PIEZOMETER LOCATIONS

GAUERKE'S TIRE AND AUTO
909 PINE STREET
ATHENS,
WISCONSIN

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs							
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
MW-1	02/05/97	Yes	<50	279	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0
	08/18/97	Yes	<100	<100	---	<0.21	---	<0.21	<0.21	---	<0.48	<0.54	<0.56
	12/04/98	Yes	<50	---	---	<0.13	---	<0.22	<0.16	---	<0.20	<0.58	<0.23
	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	03/14/02	Yes	---	---	---	<0.43	---	<0.49	<0.49	<0.067	<0.63	0.52	<1.5
	04/29/04	Yes	---	---	---	<0.14	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	<0.13	<1.11	<2
MW-2	02/05/97	Yes	23200	3780	5.51	3381	<100	1118	<100	194	7050	1450	5795
	08/18/97	Yes	19300	1800	<1.0	3000	---	1100	<18	320	5000	1670	4600
	12/04/98	Yes	1200	---	---	990	---	800	<5.0	230	2100	1590	3100

Note:

VOCs = Volatile Organic Compounds

GRO = Gasoline Range Organic

DRO = Diesel Range Organic

MTBE = Methyl Tert-Butyl Ether

µg/L = micrograms per liter

<x = not detected above laboratory detection limit of x

NE = Not established by Wisconsin Administrative Code

5.51 = WDNR Preventive Action Limit Exceeded

3381 = WDNR Enforcement Standard Exceeded

"J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)

--- = Not analyzed

ND = Not Detected

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs							
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
MW-3S	02/05/97	Yes	221	997	<1.0	7.38	<1.0	8.19	<1.0	0.58	25.2	8.69	35.3
	08/18/97	Yes	840	810	---	43	---	37	3.6	---	6.4	66.3	33
	12/04/98	Yes	12000	---	---	2300	---	470	<8.0	---	1900	372	2000
	12/28/00	Yes	13000	---	---	321	---	546	93.2	---	122	1143	2220
	03/14/02	Yes	---	---	---	82	---	49	<4.9	26	32	164	370
	04/27/05	Yes	---	---	---	160	---	79	<0.23	---	23	107	150
	10/20/05	Yes	---	---	---	109	---	26	<0.11	---	3.2	46	40.5
MW-3D	02/05/97	Yes	416	118	1.8	83	12.2	34.6	2.04	5.0	23.8	9.8	41.1
	08/18/97	Yes	820	190	<1.0	440	<4.4	88	4.2	---	4.7	19.5	27
	12/04/98	Yes	3300	---	---	380	<2.5	390	<2.5	---	86	303	440
	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	03/14/02	Yes	---	---	---	29	---	19	<0.49	17	13	52	140
	04/27/05	Yes	---	---	---	<0.25	---	0.96	<0.23	---	0.19"J"	<0.44	0.79"J"
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	<0.13	<1.11	<2

Note:

- VOCs = Volatile Organic Compounds
- GRO = Gasoline Range Organic
- DRO = Diesel Range Organic
- MTBE = Methyl Tert-Butyl Ether
- µg/L = micrograms per liter
- <x = not detected above laboratory detection limit of x
- NE = Not established by Wisconsin Administrative Code
- 5.51 = WDNR Preventive Action Limit Exceeded
- 3381 = WDNR Enforcement Standard Exceeded
- "J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)
- = Not analyzed
- ND = Not Detected

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs						Trimethylbenzenes	Xylenes
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene		
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
MW-4	02/05/97	Yes	159	229	<1.0	<0.5	<1.0	2.34	<1.0	2.03	<1.0	22.72	4.95
	08/18/97	Yes	<100	---	---	<0.21	---	<0.21	<0.21	---	<0.48	0.47	<0.56
	12/04/98	Yes	<50	---	---	<0.13	---	<0.22	<0.16	---	<0.20	<0.51	<0.23
	12/28/00	Yes	1820	---	---	19.3	---	17.1	4.5	---	ND	34.14	8.87
	03/14/02	Yes	---	---	---	14	---	51	<4.9	<0.067	6.8	39	31
	04/29/04	Yes	---	---	---	3.3	---	0.73"J"	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	18	---	42	<14	---	2.9	18	19
	04/27/05	Yes	---	---	---	10	---	8.1	<8.3	---	0.46	1.3	2.5
	10/20/05	Yes	---	---	---	12	---	11	<0.11	---	<0.13	<1.11	1.1
MW-5	02/05/97	Yes	<50	587	---	<0.5	<1.0	<1.0	<1.0	<1.0	4.21	1.33	3.27
	08/18/97	Yes	<100	<100	<1.0	<0.21	---	<0.21	<0.21	---	<0.48	<0.59	<0.56
	12/04/98	Yes	<50	---	---	<0.13	---	<0.22	<0.16	---	<0.20	<0.51	<0.23
	01/03/01	Yes	<100	---	---	2.6	---	<0.4	<0.47	---	1.1"J"	<1.03	<1.4
MW-6	02/05/97	Yes	85	697	<1.0	2.06	<1.0	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0
	08/18/97	Yes	<100	<100	---	5.0	---	<0.21	<0.21	---	0.55	0.66	1.9
	12/04/98	Yes	93	---	---	0.38	---	<0.22	<0.32	---	<0.20	0.61	1.0

Note:

VOCs = Volatile Organic Compounds

GRO = Gasoline Range Organic

DRO = Diesel Range Organic

MTBE = Methyl Tert-Butyl Ether

µg/L = micrograms per liter

<x = not detected above laboratory detection limit of x

NE = Not established by Wisconsin Administrative Code

5.51 = WDNR Preventive Action Limit Exceeded

3381 = WDNR Enforcement Standard Exceeded

"J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)

--- = Not analyzed

ND = Not Detected

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs							
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
MW-11	06/18/97	Yes	<50	<0.23	<0.89	<0.31	---	<0.38	<0.14	---	<0.39	<0.65	<1.1
	08/18/97	Yes	<100	---	---	<0.21	---	<0.21	<0.21	---	<0.48	<0.59	<0.56
	12/04/98	Yes	<50	---	---	<0.13	---	<0.22	<0.16	---	<0.20	0.40	<0.35
	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	03/14/02	Yes	---	---	---	<0.43	---	<0.49	<0.49	<0.067	<0.63	<1.14	<1.5
	04/29/04	Yes	---	---	---	<0.14	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	30	<1.11	<2
MW-12	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	03/14/02	Yes	---	---	---	<0.43	---	<0.49	<0.49	<0.067	<0.63	<1.14	<1.5
	04/29/04	Yes	---	---	---	<0.14	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	<0.13	<1.11	<2

Note:

VOCs = Volatile Organic Compounds

GRO = Gasoline Range Organic

DRO = Diesel Range Organic

MTBE = Methyl Tert-Butyl Ether

µg/L = micrograms per liter

<x = not detected above laboratory detection limit of x

NE = Not established by Wisconsin Administrative Code

5.51 = WDNR Preventive Action Limit Exceeded

3381 = WDNR Enforcement Standard Exceeded

"J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)

— = Not analyzed

ND = Not Detected

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs							
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
PZ-1	03/27/98	Yes	4700	2.1	---	510	<2.5	310	2.5	76	180	510	1000
	05/07/98	Yes	---	---	---	510	---	410	<4.3	---	56	730	1100
	12/04/98	Yes	3900	---	---	200	---	410	<2.5	58	11	377	300
PZ-10	12/04/98	Yes	<50	---	---	<0.10	<0.25	<0.25	<0.25	<0.10	11	<0.20	<0.25
	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	03/14/02	Yes	---	---	---	<0.43	---	<0.49	<0.49	<0.067	<0.63	<1.14	<1.5
	04/29/04	Yes	---	---	---	<0.14	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	<0.13	<1.11	<2
RW-1	12/28/00	Yes	3850	---	---	163	---	195	9.76	---	378	368.4	1130
	04/29/04	Yes	---	---	---	<0.14	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	<0.44	<0.39
	10/20/05	Yes	---	---	---	2.77	---	1.6	<0.11	---	<0.13	2.16	1.2

Note:

VOCs = Volatile Organic Compounds

GRO = Gasoline Range Organic

DRO = Diesel Range Organic

MTBE = Methyl Tert-Butyl Ether

µg/L = micrograms per liter

<x = not detected above laboratory detection limit of x

NE = Not established by Wisconsin Administrative Code

5.51 = WDNR Preventive Action Limit Exceeded

3381 = WDNR Enforcement Standard Exceeded

"J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)

--- = Not analyzed

ND = Not Detected

Table 4, Groundwater Analytical Results (GRO, DRO, Lead, and VOCs), Gauerke's Tire and Auto, Athens, Wisconsin

Well Number	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results (µg/L)										
			GRO	DRO	Lead	VOCs							
						Benzene	1,2-Dichloroethane	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes
WDNR Preventive Action Limit (PAL) (µg/L)			NE	NE	1.5	0.5	0.5	140	12	8	200	96	1000
WDNR Enforcement Standard (ES) (µg/L)			NE	NE	15	5	5	700	60	40	1000	480	10000
SUMP 1	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	04/29/04	Yes	---	---	---	0.20"J"	---	<0.40	<0.36	---	<0.36	<0.79	<1.10
	10/26/04	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	0.46"J"	<0.39
	04/27/05	Yes	---	---	---	<0.25	---	<0.22	<0.23	---	<0.11	0.28"J"	<0.39
	10/20/05	Yes	---	---	---	0.96	---	<0.5	<0.11	---	<0.13	<1.11	<2
SUMP 2	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
	04/29/04	Yes	---	---	---	3.5	---	6.4	<0.36	---	<0.36	4.93"J"	7.7
	10/26/04	Yes	---	---	---	1.3	---	1.4	<0.23	---	0.29"J"	2.31"J"	2.6
	04/27/05	Yes	---	---	---	1.3	---	1.7	<0.23	---	0.14"J"	4.87	5.1
	10/20/05	Yes	---	---	---	<0.12	---	<0.5	<0.11	---	<0.13	1.2"J"	<2
EFFLUENT	12/28/00	Yes	ND	---	---	ND	---	ND	ND	---	ND	ND	ND
NEW SUMP	04/27/05	Yes	---	---	---	9.4	---	4.2	<0.23	---	5.3	9.4	17
	10/20/05	Yes	---	---	---	22	---	13	<0.11	---	13	18.1	31

Note:

VOCs = Volatile Organic Compounds

GRO = Gasoline Range Organic

DRO = Diesel Range Organic

MTBE = Methyl Tert-Butyl Ether

µg/L = micrograms per liter

<x = not detected above laboratory detection limit of x

NE = Not established by Wisconsin Administrative Code

5.51 = WDNR Preventive Action Limit Exceeded

3381 = WDNR Enforcement Standard Exceeded

"J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)

--- = Not analyzed

ND = Not Detected

Table 5, Groundwater Analytical Results (PAHs), Gauerke's Tire and Auto, Athens, Wisconsin

Well ID	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results																	
			PAHs (µg/L)																	
			1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
WAC Preventive Action Limit (PAL) (µg/L)	NE	NE	NE	NE	600	NE	0.02	0.02	NE	NE	0.02	NE	80	80	NE	8	NE	50		
WAC Enforcement Standard (ES) (µg/L)	NE	NE	NE	NE	3000	NE	0.2	0.2	NE	NE	0.2	NE	400	400	NE	40	NE	250		
MW-1	02/05/97	Yes	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	03/14/02	Yes	<0.095	<0.096	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	<0.067	<0.036	<0.13
	04/29/04	Yes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10/26/04	Yes	<0.33	<0.32	<0.34	<0.70	<0.039	<0.045	<0.033	<0.10	<0.12	<0.050	<0.042	<0.13	<0.083	<0.063	<0.063	<0.41	<0.031	<0.045
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01
MW-2	02/05/97	Yes	57	121	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	167	ND	ND
MW-3S	02/05/97	Yes	0.742	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.583	ND	ND
	03/14/02	Yes	18	13	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	26	<0.036	<0.13
	04/27/05	Yes	9.3	12	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	0.52	<0.062	21	0.15	<0.044
	10/20/05	Yes	1.3	1.2	0.020*J*	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	0.026*J*	<0.015	2.1	0.033*J*	<0.01
MW-3D	02/05/97	Yes	1.18	1.85	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	ND
	03/14/02	Yes	11	7	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	17	<0.036	<0.13
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01
MW-4	02/05/97	Yes	1.42	4.37	ND	ND	ND	ND	ND	ND	ND	ND	0.05	ND	ND	ND	ND	2.03	ND	ND
	03/14/02	Yes	<0.095	<0.096	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	<0.067	<0.036	<0.13
	04/29/04	Yes	0.039*J*	0.027*J*	<0.017	0.062	<0.019	<0.011	0.020*J*	<0.012	0.017*J*	<0.018	<0.013	<0.015	<0.012	<0.016	<0.020	<0.023	<0.015	<0.016
	10/26/04	Yes	3.6	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	0.98*J*	<0.030	<0.044
	04/27/05	Yes	2	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	0.097*J*	0.11*J*
	10/20/05	Yes	1.7	<0.021	0.023*J*	0.012*J*	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	0.032*J*	<0.015	0.21	0.027*J*	<0.01

Note:

- PAHs = Polycyclic Aromatic Hydrocarbons
- µg/L = micrograms per liter
- NE = Not Established by Wisconsin Administrative Code (WAC) Chapter NR 140
- *J* = Analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)
- = Not analyzed or no results available
- 26 = WAC Preventive Action Limit Exceeded
- 167 = WAC Enforcement Standard Exceeded
- <x = Not detected above laboratory limit of x
- ND = Not Detected
- *D* = Analyte value from diluted analysis or surrogate result not applicable due to sample dilution

Table 5, Groundwater Analytical Results (PAHs), Gauerke's Tire and Auto, Athens, Wisconsin

Well ID	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results																	
			PAHs (µg/L)																	
			1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
WAC Preventive Action Limit (PAL) (µg/L)	NE	NE	NE	NE	600	NE	0.02	0.02	NE	NE	0.02	NE	80	80	NE	8	NE	50		
WAC Enforcement Standard (ES) (µg/L)	NE	NE	NE	NE	3000	NE	0.2	0.2	NE	NE	0.2	NE	400	400	NE	40	NE	250		
MW-6	02/05/97	Yes	0.098	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	06/18/97	Yes	—	—	<0.70	<0.48	<0.046	<0.023	—	—	—	—	—	—	—	—	—	—	—	
	03/14/02	Yes	<0.095	<0.096	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	<0.067	<0.036	<0.13
	04/29/04	Yes	<0.018	<0.017	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.016	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017
	10/26/04	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01
MW-12	03/14/02	Yes	<0.095	<0.096	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	<0.067	<0.036	<0.13
	04/29/04	Yes	<0.018	<0.017	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.016	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017
	10/26/04	Yes	<0.33	<0.32	<0.34	<0.71	<0.039	<0.045	<0.033	<0.10	<0.12	<0.050	<0.042	<0.13	<0.083	<0.064	<0.064	<0.41	<0.031	<0.045
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01
PZ-10	03/14/02	Yes	<0.095	<0.096	<0.053	<0.16	<0.024	<0.03	<0.022	<0.036	<0.087	<0.067	<0.022	<0.036	<0.053	<0.025	<0.03	<0.067	<0.036	<0.13
	04/29/04	Yes	<0.018	<0.017	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.016	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017
	10/26/04	Yes	<0.33	<0.32	<0.34	<0.71	<0.039	<0.045	<0.033	<0.10	<0.12	<0.050	<0.042	<0.13	<0.083	<0.064	<0.064	<0.41	<0.031	<0.045
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01
RW-1	04/29/04	Yes	<0.018	<0.017	<0.018	<0.019	<0.020	<0.012	<0.014	<0.013	<0.016	<0.019	<0.014	<0.016	<0.013	<0.017	<0.021	<0.024	<0.016	<0.017
	10/26/04	Yes	<0.80	<0.78	<0.82	<1.7	<0.095	<0.11	<0.080	<0.24	<0.30	<0.12	<0.10	<0.32	<0.20	<0.16	<0.16	<1.0	<0.075	<0.11
	04/27/05	Yes	<0.80	<0.78	<0.82	<1.7	<0.095	<0.11	<0.080	<0.24	<0.30	<0.12	<0.10	<0.32	<0.20	<0.16	<0.16	<1.0	<0.075	<0.11
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.012	<0.012	<0.008	<0.009	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	0.054**	<0.011	<0.01

Note:

- PAHs = Polycyclic Aromatic Hydrocarbons
- µg/L = micrograms per liter
- NE = Not Established by Wisconsin Administrative Code (WAC) Chapter NR 140
- "J" = Analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)
- = Not analyzed or no results available
- 26 = WAC Preventive Action Limit Exceeded
- 167 = WAC Enforcement Standard Exceeded
- <x = Not detected above laboratory limit of x
- ND = Not Detected
- "D" = Analyte value from diluted analysis or surrogate result not applicable due to sample dilution

Table 5, Groundwater Analytical Results (PAHs), Gauerke's Tire and Auto, Athens, Wisconsin

Well ID	Date Sampled	QC Hold Time Met	Relevant and Significant Analytical Results																	
			PAHs (µg/L)																	
			1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
WAC Preventive Action Limit (PAL) (µg/L)	NE	NE	NE	NE	600	NE	0.02	0.02	NE	NE	0.02	NE	80	80	NE	8	NE	50		
WAC Enforcement Standard (ES) (µg/L)	NE	NE	NE	NE	3000	NE	0.2	0.2	NE	NE	0.2	NE	400	400	NE	40	NE	250		
SUMP 1	04/29/04	Yes	<0.018	0.019*J	0.055*J	<0.019	0.037*J	0.20	0.25	0.16	0.31	0.14	0.17	0.082	0.21	0.048*J	0.15	0.032*J	0.059	0.22
	10/26/04	Yes	<0.32	<0.31	<0.33	<0.70	<0.038	<0.044	<0.032	<0.099	<0.12	<0.049	<0.041	<0.13	<0.082	<0.063	<0.063	<0.40	<0.030	<0.044
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	0.058*J	0.048*J	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	0.12*J	<0.062	<0.062	<0.40	0.083*J	0.13*J
	10/20/05	Yes	0.023*J	0.028*J	0.056	<0.012	0.047	0.12	0.18	0.32	0.17	0.1	0.22	0.022*J	0.26	0.068	0.12	0.037*J	0.093	0.21
SUMP 2	04/29/04	Yes	0.10	0.065	0.025*J	0.036*J	0.083	0.19	0.25	0.15	<0.016	0.14	0.17	<0.016	0.29	0.037*J	<0.021	0.61*D	0.18	0.23
	10/26/04	Yes	<0.64	<0.62	<0.66	<1.4	0.13	0.71	0.46	0.40	1.1	0.35	0.49	0.75	1.2	0.53	0.53	<0.80	0.36	0.94
	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	0.59*J	<0.030	<0.044
	10/20/05	Yes	0.042*J	0.087	<0.016	0.012*J	<0.013	<0.012	<0.008	0.009*J	<0.01	<0.009	<0.011	<0.009	<0.011	<0.015	<0.015	0.2	0.018*J	<0.01
NEW SUMP	04/27/05	Yes	<0.32	<0.31	<0.33	<0.69	<0.038	<0.044	<0.032	<0.098	<0.12	<0.049	<0.041	<0.13	<0.081	<0.062	<0.062	<0.40	<0.030	<0.044
	10/20/05	Yes	<0.018	<0.021	<0.016	<0.012	<0.013	<0.012	<0.008	<0.009	<0.01	<0.009	<0.11	<0.009	<0.011	<0.015	<0.015	<0.028	<0.011	<0.01

Note:

- PAHs = Polycyclic Aromatic Hydrocarbons
- µg/L = micrograms per liter
- NE = Not Established by Wisconsin Administrative Code (WAC) Chapter NR 140
- *J = Analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)
- = Not analyzed or no results available
- 26 = WAC Preventive Action Limit Exceeded
- 167 = WAC Enforcement Standard Exceeded
- <x = Not detected above laboratory limit of x
- ND = Not Detected
- *D = Analyte value from diluted analysis or surrogate result not applicable due to sample dilution

Table 1, Remedial Excavation Soil Field Screening Results, Gauerke's Tire and Auto, Athens, Wisconsin

Sample Label	Depth (feet)	Sample Location	Date Collected	PID Headspace Analysis		
				Time Collected	Time Analyzed	PID Response (iui)
S1	3	Landfill	12/10/2003	0739	0844	6
S2	4	Landfill	12/10/2003	0747	0844	5
S3	6	Landfill	12/10/2003	0758	0845	6
S4	6	Landfill	12/10/2003	0801	0845	6
S5	8	Landfill	12/10/2003	0815	0846	7
S6	9	Landfill	12/10/2003	0828	0847	7
S7	7	Landfill	12/10/2003	0842	0908	16
S8	4	West Wall	12/10/2003	0857	0941	6
S9*	6	West Wall	12/10/2003	0858	0942	27
S10*	2	North Wall	12/10/2003	0859	0943	6
S11	4	North Wall	12/10/2003	0900	0943	4
S12	6	North Wall	12/10/2003	0901	0944	5
S13	2	East Wall	12/10/2003	0902	0944	5
S14*	4	East Wall	12/10/2003	0903	0945	5
S15	6	East Wall	12/10/2003	0904	0945	5
S16	8	Landfill	12/10/2003	940	1021	6
S17	5	Landfill	12/10/2003	1015	1126	4
S18	7	Landfill	12/10/2003	1020	1126	6
S19	10	Landfill	12/10/2003	1052	1127	5
S20	7	Landfill	12/10/2003	1055	1127	79
S21*	6	Landfill	12/10/2003	1110	1128	118
S22	3	Landfill	12/10/2003	1118	1215	9
S23	8	Landfill	12/10/2003	1122	1215	79
S24	2	East Wall	12/10/2003	1149	1216	13
S25*	4	East Wall	12/10/2003	1150	1217	68
S26*	6	East Wall	12/10/2003	1151	1217	41
S27*	6	West Wall	12/10/2003	1152	1219	12
S28*	7	Landfill	12/10/2003	1229	1316	124
S29	6	Landfill	12/10/2003	1236	1317	41
S30	7	Landfill	12/10/2003	1242	1318	122
S31	6	Landfill	12/10/2003	1315	1351	93
S32	7	Landfill	12/10/2003	1325	1352	41
S33	7	Landfill	12/10/2003	1334	1354	36
S34	7	Landfill	12/10/2003	1344	1506	46
S35	6	Landfill	12/10/2003	1423	1507	97
S36	7	Landfill	12/11/2003	0729	0853	46
S37	8	Landfill	12/11/2003	0730	0908	52
S38	7	Landfill	12/11/2003	0731	0908	88
S39	8	Landfill	12/11/2003	0732	0909	52
S40	7	Landfill	12/11/2003	0742	0909	49
S41	7	Landfill	12/11/2003	0752	0910	90

NOTE:

- PID = Photoionization Detector
 iui = instrument units as isobutylene
 * = submitted for laboratory analysis

Table 1, Remedial Excavation Soil Field Screening Results, Gauerke's Tire and Auto, Athens, Wisconsin

Sample Label	Depth (feet)	Sample Location	Date Collected	PID Headspace Analysis		
				Time Collected	Time Analyzed	PID Response (iui)
S42*	2	East Wall	12/11/2003	0755	0910	132
S43	4	East Wall	12/11/2003	0756	0911	16
S44*	6	East Wall	12/11/2003	0757	0911	80
S45	8	Landfill	12/11/2003	0810	0912	97
S46	7	Landfill	12/11/2003	0842	0912	45
S47*	2	South Wall	12/11/2003	0843	0914	6
S48	4	South Wall	12/11/2003	0844	0914	4
S49*	6	South Wall	12/11/2003	0845	0915	3
Basement	11	Below Basement	12/11/2003	1200	1231	11

NOTE:

- PID = Photoionization Detector
 iui = instrument units as isobutylene
 * = submitted for laboratory analysis

Table 2, Remedial Excavation Soil Analytical Results, Gauerke's Tire and Auto, Athens, Wisconsin


Sample Number	Sample Depth (fbg)	Date Sampled	Relevant and Significant Analytical Results							
			PVOCs plus Naphthalene(µg/kg)							
			Benzene	Ethylbenzene	MTBE	Naphthalene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes
WAC Chapter NR 720 RCLs			5.5	2900	NE	NE	1500	NE	NE	4100
NR 746/WDCComm 46 Table 2 Values			1100	NE	NE	NE	NE	NE	NE	NE
NR 746/WDCComm 46 Table 1 Values			8500	4600	NE	2700	38000	83000	11000	42000
S9	6	12/10/03	<25	<25	<25	190	<25	890	680	1680
S10	2	12/10/03	<25	<25	<25	<25	<25	<25	<25	<75
S14	4	12/10/03	<25	<25	<25	<25	<25	<25	<25	<75
S21	6	12/10/03	<100	3100	580	2200	430	8000	3400	8700
S25	4	12/10/03	<200	6300	470	5300	<200	19000	8400	13400
S26	6	12/10/03	670"J"	16000	2100	11000	22000	46000	15000	81000
S27	6	12/10/03	<25	<25	<25	<25	<25	<25	<25	<75
S28	7	12/10/03	<62	2600	440	1700	1600	7800	2800	9600
S42	2	12/11/03	<2000	16000	<2000	37000	22000	420000	140000	430000
S44	6	12/11/03	2000	7700	1000	4100	18000	23000	8000	42000
S47	2	12/11/03	<25	<25	<25	<25	<25	<25	<25	<75
S49	6	12/11/03	<25	<25	<25	<25	<25	<25	<25	<75
Basement	11	12/11/03	1300	18000	640"J"	3000	570"J"	21000	8800	24000

Note: PVOCs = Petroleum Volatile Organic Compounds
 MTBE = Methyl Tert-Butyl Ether
 mg/kg = milligrams per kilogram
 µg/kg = micrograms per kilogram
 NE = Not Established by Wisconsin Administrative Code (WAC) Chapter NR 720 or NR 746/WDCComm (Wisconsin Department of Commerce)
1700 = WAC Chapter NR 720 Residual Contaminant Level (RCL) Exceeded
S21 = sample submitted to confirm that soil being removed was petroleum contaminated
 NR = Natural Resources
 <x = Not detected above laboratory detection limit of x
 "J" = analyte detected between laboratory Limit of Detection (LOD) and Limit of Quantitation (LOQ)
 fbg = feet below grade

LEGEND

- ⊕ MONITORING WELL
- GEOPROBE BORING LOCATION
- ⊕ SOIL BORING LOCATION
- ⊕ ESA SOIL BORING
- FORMER UST CAVITY

DRAWING NO. 97.0050R41
 DRAWN BY: KMA
 9/15/97
 CHECKED BY: [Signature]
 9/24/97
 APPROVED BY: [Signature] 9/24/97



Fluid Management
 A Division of  **ENVIROGEN, Inc.**



**Soil Boring/Monitoring
 Well Configuration
 Gauerke's Tire & Auto Site
 Athens, Wisconsin**

FIGURE NO.
4.1

THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.



LEGEND:

- ESTIMATED EXTENT OF REMEDIAL EXCAVATION
- - - - - SUB-SLAB DEPRESSURIZATION PIPING
- S32▲ SOIL SAMPLE SUBMITTED FOR FIELD ANALYSIS
- S49△ SOIL SAMPLE SUBMITTED FOR LABORATORY ANALYSIS

BUILDING

PINE STREET

SUMP 1

SUMP 2

BASEMENT
NEW SUMP

EXHAUST

PROPERTY LINE

▲ S10
▲ S11
▲ S12

S1▲ S3▲
 S2▲ S5▲
 S4▲ S7▲
 S6▲ S17▲
 S16▲ S18▲
 S20▲ S19▲
 S22▲ S21△
 S23▲ S28△
 S27△ S29▲
 S30▲ S31▲
 S33▲ S32▲
 S34▲
 S35▲
 S38▲ S36▲
 S37▲
 S39▲
 S45▲ S41▲ S40▲
 S46▲

▲ S13
△ S14
▲ S15

▲ S24
△ S25
△ S26

△ S42
▲ S43
△ S44

△ S47
▲ S48
△ S49

Northern Environmental

Hydrologists • Engineers • Surveyors • Scientists
330 South 4th Avenue, Park Falls, Wisconsin 54552
Phone: 800-498-3913 Fax: 715-762-1844

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

EXTENT OF REMEDIAL EXCAVATION, SUMP LOCATIONS & SUB-SLAB DEPRESSURIZATION SYSTEM LAYOUT

GAUERKE'S TIRE AND AUTO
909 PINE STREET
ATHENS,
WISCONSIN

DATE: 11/28/05

DRAWN BY: NLB

TASK NUMBER: XXX

PROJECT NUMBER: GTA04-2200-0784


FIGURE 3

LEGEND

- ⊕ MONITORING WELL
- () GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
- (NM) NOT MEASURED
- FORMER UST CAVITY
- ▭ FORMER PUMP ISLAND

HYDRAULIC GRADIENT = 0.05 ft/ft

DRAWING NO. 97.0050R61
 DRAWN BY: KMA
 CHECKED BY: [Signature]
 APPROVED BY: [Signature]




Fluid Management
 A Division of **ENVIROGEN, Inc.**

Potentiometric Surface
(2/5/97)
Gauerke's Tire & Auto Site
Athens, Wisconsin

FIGURE NO.
6.1


THE INTERPRETATIONS IN THIS FIGURE ARE BASED ON KNOWN POINTS IN TIME AND SPACE AND ARE INTEGRAL TO A WRITTEN REPORT AND SHOULD BE REVIEWED IN THAT CONTEXT.



Estimated extent of Residual Soil Contamination

Estimated extent of Residual Groundwater Contamination

- LEGEND:
- UNDERGROUND GAS LINE
 - OVERHEAD TELEPHONE
 - OVERHEAD ELECTRIC
 - FIBER OPTIC
 - TELEPHONE PEDASTAL
 - MW-4 ◊ MONITORING WELL LOCATION
 - RW-1 ◊ RECOVER WELL LOCATION
 - PZ-1 ● PIEZOMETER LOCATION
 - UTILITY POLE
 - PROPERTY BOUNDARY
 - SUMP LOCATIONS



PLISCH STREET

PINE STREET


MW-6

MW-5

PZ-1

MW-12

PZ-10



▲ Northern Environmental
 Hydrologists • Engineers • Surveyors • Scientists
 330 South 4th Avenue, Park Falls, Wisconsin 54552
 Phone: 800-498-3913 Fax: 715-762-1844

LAYOUT, SOIL BORING,
 MONITORING WELL, &
 PIEZOMETER LOCATIONS


WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

GAUERKE'S TIRE AND AUTO
 909 PINE STREET
 ATHENS,
 WISCONSIN


This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

DATE: 11/28/05 DRAWN BY: NLB TASK NUMBER: XXX PROJECT NUMBER: STA04-2200-0784 FIGURE 2

DRAWING NO. 97.0050R4B
 DRAWN BY: PAO 8/11/97
 CHECKED BY: [Signature] 8/21/97
 APPROVED BY: [Signature] 9/15/97



PLAN VIEW



LEGEND

- SAMPLE INTERVAL
- SCREENED INTERVAL
- GROUNDWATER TABLE (6/18/97)
- () BENZENE CONCENTRATION IN ppb
- 5.5 ISOCONCENTRATION CONTOUR

NOTE: THE NR720 GENERIC SOIL STANDARD FOR BENZENE IS 5.5 ppb.

ALL SAMPLES WERE METHANOL-PRESERVED. THE OFFICIAL WDNR WET-WEIGHT REPORTING LIMIT FOR THOSE SAMPLES IS 25 ppb. ALL VALUES ARE REPORTED IN DRY WEIGHT.



SCALE
 HORIZONTAL: 1" = 20'
 VERTICAL: 1" = 5'

Soil Benzene Distribution
Cross-Section A-A'
 (1/28/97)
 Gauerke's Tire & Auto Site
 Athens, Wisconsin

APPROVED BY: *AM* 9/14/97

CHECKED BY: *AM*

DRAWN BY: *AM*

PAO 8/12/97


DRAWING NO. 97.0050R49

PAO 8/12/97


DRAWN BY: *AM*

CHECKED BY: *AM*

APPROVED BY: *AM* 9/14/97



PLAN VIEW



LEGEND

- SAMPLE INTERVAL
- SCREENED INTERVAL
- GROUNDWATER TABLE (6/18/97)
- () BENZENE CONCENTRATION IN ppb
- 5.5 ISOCONCENTRATION CONTOUR

NOTE: THE NR720 GENERIC SOIL STANDARD FOR BENZENE IS 5.5 ppb.

ALL SAMPLES WERE METHANOL-PRESERVED. THE OFFICIAL WDNR WET-WEIGHT REPORTING LIMIT FOR THESE SAMPLES IS 25 ppb. ALL VALUES ARE REPORTED IN DRY WEIGHT.



SCALE
 HORIZONTAL: 1" = 20'
 VERTICAL: 1" = 5'

**Soil Benzene Distribution
 Cross-Section B-B'
 (1/28/97)
 Gauerke's Tire & Auto Site
 Athens, Wisconsin**

Gauerke's Tire & Auto Sales

909 Pine Street, Athens, Wisconsin

(WDNR# 03-37-099610) (PECFA# 54411-9374-09)

I, LEONARD E. FRANK JR. (please print) hereby certify that the legal description attached to this statement is complete and accurate for all of the properties within or partially within the contaminated site's boundaries that have groundwater contamination that exceeds ch. NR 140 enforcement standards and /or soil contamination that exceeds ch. NR 720 residual contaminant levels at the time closure is requested.

Signed by Responsible Party:

Len Frank

Date:

1/22/06

Gauerke's Tire & Auto Sales
909 Pine Street, Athens, Wisconsin
(WDNR# 03-37-099610) (PECFA# 54411-9374-09)

I, Mike Gauerke ^{to the best of my knowledge} (please print) hereby certify that the legal description attached to this statement is complete and accurate for all of the properties within or partially within the contaminated site's boundaries that have groundwater contamination that exceeds ch. NR 140 enforcement standards and /or soil contamination that exceeds ch. NR 720 residual contaminant levels at the time closure is requested.

Signed by Responsible Party: Mike Gauerke Date: 1/25/06

February 02, 2006
(GTA04-2200-0784)

Heartland Cooperative Services
Post Office Box 260
Dorchester, Wisconsin 54425

RE: Department of Natural Resources off-source property contamination letter

Dear Heartland Cooperative Services:

Groundwater contamination that appears to have originated on the property located at 909 Pine Street, Athens, Wisconsin has migrated onto your property at 900 Pine Street, Athens, Wisconsin. The level of benzene contamination in the groundwater on your property is above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726 and chapter NR 746 if this site is eligible for closure under chapter NR 746, Wisconsin Administrative Code, and I will be requesting that the Department of Natural Resources accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address: <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

The Department of Natural Resources will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Natural Resources that is relevant to this closure request, you should mail that information to: David Rozeboom, 473 Griffith Avenue Wisconsin Rapids WI 54494-7859

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 909 Pine Street, Athens, Wisconsin or 715-257- 7808 ~~7850~~ or you may contact Wisconsin Department of Natural Resources, David Rozeboom at 473 Griffith Avenue, Wisconsin Rapids, WI 54494-7859, 715-421-7873.

Sincerely,
Gauerke's Tire & Auto Sales



Mike Gauerke

Hollie DePuydt

From: TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]
Sent: Thursday, February 02, 2006 5:45 PM
To: 'Hollie DePuydt'
Subject: RE: Notification of Contamination within Right-of-Way-Gauerke's

Thank you Hollie, I've received your notification for the Gauerke's Tire & Auto Sales site.

Please keep a copy of this e-mail for your file. It is the only confirmation you will receive.

-----Original Message-----

From: Hollie DePuydt [mailto:hdepuydt@northernenvironmental.com]
Sent: Thursday, February 02, 2006 4:36 PM
To: sharlene.tebeest@dot.state.wi.us
Subject: Notification of Contamination within Right-of-Way-Gauerke's

Hollie DePuydt

From: Hollie DePuydt [hdepuydt@northernenvironmental.com]
Sent: Thursday, February 02, 2006 4:36 PM
To: 'sharlene.tebeest@dot.state.wi.us'
Subject: Notification of Contamination within Right-of-Way-Gauerke's
Attachments: Figure 2.jpg

County: Marathon
Highway: State Highway 97
Site Name: Gauerke's Tire & Auto Sales
BRRTS Number: 03-37-099610
PECFA Number: 54411-9374-09
DNR FID Number: 737170280
Owner's Name: Mike and Deb Gauerke
Contact: Leonard Frahm Jr.
Owner's Address: 909 Pine Street, Athens, WI 54411
Consulting Firm: Northern Environmental Technologies, Inc.
Consultant Contact: Hollie DePuydt
Consultant Address: 330 South 4th Avenue, Park Falls Wisconsin 54552
Consultant Phone: 715-762-1544
Consultant Fax: 715-762-1844
Consultant Email: hdepuydt@northernenvironmental.com
Soil Contamination: Yes
Groundwater Contamination: Yes
Depth to Water Table: 5-11 feet below grade
Type of Contamination Present: Petroleum volatile organic compounds and naphthalene
Summary of Clean-Up Activity: Remedial excavation of soil, sub-slab depressurization system and natural attenuation

Hollie M. DePuydt

Technician II
715-762-1544
hdepuydt@northernenvironmental.com



330 South 4th Avenue

Park Falls, Wisconsin 54552

Phone: 715-762-1544 Toll Free: 800-498-3913

Fax: 715-762-1844

Notice: This e-mail message and any attachments are solely for the confidential use of the intended recipient. If you are not the intended recipient, please do not read this message or any attachments, and please do not distribute or act in reliance on this message. If you have received this message by mistake, please notify us immediately by return e-mail and promptly delete this message and any attachments from your computer system. Client and work product privileges are not waived by the transmission of this message. Northern Environmental Technologies, Inc.

February 8, 2006
(GTA04-2200-0784)

Village of Athens
Post Office Box 220
Athens, Wisconsin 54411

RE: Notification of Contamination within Right-of-Way, Plisch Street, Athens, Wisconsin

Dear Village of Athens:

Northern Environmental Technologies, Incorporated (Northern Environmental), on behalf of Gauerke's Tire & Auto Sales, would like to notify the Village of Athens of groundwater contamination exceeding Wisconsin Administrative Code chapter NR 140 enforcement standards within Plisch Street right-of-way. The enclosed figure illustrates the location of the contamination.

Please feel free to contact Northern Environmental at (715) 762-1544 or the Wisconsin Department of Natural Resources, David Rozeboom at (715) 421-7873 if there are any questions or comments.

Sincerely,

**Northern Environmental
Technologies, Incorporated**



Hollie M. DePuydt
Technician II



Timothy J. McCormick
District Director

HMD/dak