

GWURR Package Cover Sheet

Site Name Toro Co

Site Address 200 Sime Ave., Tomah, WI 54660


BRRTS # 03-42-000124 <sup>PD</sup> Date of Closure Decision 1/14/99

Parcel I.D./Tax Parcel # Monroe Co. # 286-570-002-1010

- Groundwater Use Restriction
- Location map
- Detailed site map
- Groundwater flow/isoconcentration maps
- Geologic cross sections
- Latest table(s) of analytical results (soil results included only if soil deed restriction is incorporated into groundwater use restriction document)
- Closure letter(s)

480904.625000 X

390298.9687500 Y



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Scott A. Humrickhouse, Regional  
Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TDD 715-839-2786

January 14, 1999

DNR ID #03-42-000124  
Monroe County

Mr. Mike O'Connor  
The Toro Company  
8111 Lyndale Avenue South  
Bloomington, MN 55420-1196

**SUBJECT: THE TORO COMPANY- Tomah**  
Conditional Closure Approval

Dear Mr. O'Connor:

On October 16, 1988, the Department of Natural Resources provided a notice to you that the degree and extent of petroleum contamination at the above-referenced site was required to be investigated and remediated. We have since been informed that the required investigation and remediation has been accomplished to the extent practicable.

On January 14, 1999, the above-named site was reviewed by the West Central Region Closeout Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code.

Based on the investigative and remedial documentation provided to the Department, it appears that the petroleum soil and groundwater contamination at the above-referenced site has been remediated to the extent practicable. Therefore, the Department considers the case "conditionally closed," having determined that no further action is necessary on the site at this time if the following conditions are met:

1. Due to the fact that the latest groundwater analytical results indicate exceedances of chapter NR 140, Wisconsin Administrative Code, enforcement standards on the above-referenced property, a groundwater use restriction which meets the requirements of section NR 726.05(8)(am), Wis. Adm. Code, must be recorded with the County Register of Deeds within 30 days of the effective date of this letter.
2. The Department's closure approval is also contingent on the proper abandonment of the groundwater monitoring wells associated with this site, in accordance with ch. NR 141, Wis. Adm. Code.

A copy of the model deed restriction is enclosed for your information. After the deed restriction has been drafted, please send or fax it to me and I will have it reviewed by Department legal staff. Following our review I will contact you to let you know how to proceed. You will then be required to file it with the County Register of Deeds and provide this office with a notarized copy within 15 days after the County Register of Deeds returns the deed restriction to you.



Quality Natural Resources Management  
Through Excellent Customer Service



To document that condition 2, above, has been complied with, you must submit to the Department a copy of the completed Well/Drillhole/Borehole Abandonment Forms 3300-5B (Revised 8-89) once this task has been completed.

Upon receipt of the recorded deed restriction and the completed well abandonment forms, the Department will assign a final closure status to this site. The deed restriction may be amended in the future with the approval of DNR if conditions change at the site and the residual contamination is remediated.

I appreciate your concern and cooperation in this matter. Should you have additional questions related to this matter, please feel free to contact me at (715) 839-1604.


Sincerely,



Wendy Anderson  
Engineer

enc. model water use deed restriction

c: Larry Berndt, Wenck Associates, Inc., 360 N. Robert Street, Suite 414, St. Paul, MN 55101



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor  
George E. Meyer, Secretary  
Scott A. Humrickhouse, Regional  
Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TDD 715-839-2786

April 19, 1999

BRRTS #03-42-000124  
Monroe County

Mr. Mike O'Connor  
The Toro Company  
8111 Lyndale Avenue South  
Bloomington, MN 55420-1196

SUBJECT: *THE TORO COMPANY - Tomah*  
Final Case Closure


Dear Mr. O'Connor:

On January 14, 1999, the above-named site was reviewed by the West Central Region Closeout Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code.

Based on the investigative and remedial documentation which you provided to the Department, the Department granted conditional closure status to the site, contingent upon your placement of a deed restriction on the property and properly abandonment of all monitoring wells. On April 19, 1999, the Department received a copy of the recorded deed restriction. In addition, the condition of closure requiring proper monitoring well abandonment have also been met, as documented in correspondence received from Wenck Associates, Inc. on February 26, 1999. Therefore, the Department considers the case "closed," having determined, pursuant to ch. NR 726, Wis. Adm. Code, that no further action is necessary at the site.

I appreciate your concern and cooperation in this matter. If you should have additional questions related to this matter please feel free to contact me at (715) 839-1604.

Sincerely,

  
Wendy Anderson  
Engineer

c: Lori Huntoon, Dept. of Commerce, P.O. Box 7838, Madison, WI 53707-7838  
Dale Ziege, RR/3  
FILE  
Larry Berndt, Wenck Associates, Inc., 360 North Robert Street, Suite 414, St. Paul, MN 55101

Quality Natural Resources Management  
Through Excellent Customer Service



474458

Document Number

GROUNDWATER USE RESTRICTION

RECORDS VOL 282 PAGE 680

[Legal Description of the Property]

A parcel of land located in the Frac. NE¼-NW¼ and in the SE¼-Frac. NW¼, Sec. 3, T17N-R1W, City of Tomah, Monroe County, Wisconsin described as follows: Commencing at the N¼ corner of said Sec. 3; thence 50°57'37"W along the east line of said Frac. NE¼-NW¼, a distance of 551.02 feet to the Northeast corner of lands as described in Vol. 241 Deeds, Page 162, being the Point of Beginning; thence continuing 50°57'37"W along the east line of said Frac. NW¼, a distance of 935.35 feet to the north right-of-way line of Toro Street; thence N78°55'02"W along said north line, a distance of 1242.91 feet to the east right-of-way line of Sime Ave.; thence N1°00'19"E along said east line, a distance of 709.63 feet to the Northwest corner of said Vol. 241 Deed, Page 162; thence S89°22'50"E along the north line of said lands, a distance of 1223.03 feet to the Point of Beginning.

REGISTER'S OFFICE  
County of Monroe, Wis.  
Received for record this 11  
day of Mar A.D., 19 99  
at 1:50 o'clock P M.  
ilcky Dutton Registers

12<sup>00</sup> Chiff Ret McCabst  
Recording Area

Name and Return Address

Zamansky Professional Association  
3901 IDS Tower  
80 South Eighth Street  
Minneapolis, MN 55402

PAGE 2 REV  
10 MO. CO. REG. CO.

Parcel ID Number: 286-570-002-1010

Declaration of Restrictions

STATE OF MINNESOTA )  
 ) SS.  
COUNTY OF HENNEPIN )

WHEREAS, The Toro Company is the owner of the above described property.

WHEREAS, leaks of heating oil from underground storage tanks previously located on the described property have resulted in contamination of groundwater exceeding the enforcement standards prescribed in Chapter NR 140, Wisconsin Administrative Code. The leaking storage tanks were located in an area to the north of the building located on the property.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct additional groundwater or soil remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140, Wis. Adm. Code groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. 809, Wis. Adm. Code is restricted by ch. NR 811, Wis. Adm. Code and ch. NR 812, Wis. Adm. Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW, THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific prohibitions or requirements are applicable and to obtain Department approval, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. Upon receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein may be extinguished. If the Department determines that the restrictions may be extinguished, an affidavit may be recorded to give notice that this groundwater use restriction is no longer binding.

March

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 5th day of ~~February~~, 1999.

By signing this document, J. Lawrence McIntyre acknowledges that he is duly authorized to sign this document on behalf of The Toro Company.

Signature: *J. Lawrence McIntyre*

Printed Name: J. Lawrence McIntyre

Title: Vice President, Secretary, General Counsel


Subscribed and sworn to before me

this 5th day of March, 1999.

*Cathryn J. Nelson*


Notary Public, State of Minnesota

My commission ends Jan 31, 2000




This document was drafted by  
Zamansky Professional Association  
3901 IDS Tower  
80 South Eighth Street  
Minneapolis, MN 55402

**Figure 1**  
The Toro Company, Tomah, Wisconsin



Microsoft Expedia  
**Streets98**

0 mi 0.5 1 1.5



FILE TORO-48.DWG  
 DATE 12-16-98 O.D.M.C.



GRAPHIC SCALE IN FEET

LEGEND

- MW-1 MONITORING WELL
- RW-1 RECOVERY WELL
- PW-1 PIEZOMETER WELL

THE TORO COMPANY - TOMAH, WISCONSIN

Hydrogeologic Investigation - Well  
 Location (Phase II)

COPYRIGHT




**Wenck**

Wenck Associates, Inc. 1800 Pioneer Creek Center P.O. BOX 428  
 Environmental Engineers Maple Plain, MN 55359-0428

DEC. 1998

Figure 5



**LEGEND**

- 950.0— WATER LEVEL CONTOUR
- - - - - INFERRED WATER LEVEL
- GROUNDWATER FLOW DIRECTION

SCALE: 1" = 200'



THE TORO COMPANY - TOMAH, WISCONSIN

1989 Prepumping Groundwater Elevations, MLF

**Wenck**  
 Wenck Associates, Inc. 1800 Pioneer Creek Center P.O. BOX 428  
 Environmental Engineers Maple Plain, MN 55359-0428

DEC. 1998

Figure 3

Post Pumping conditions the same



7-UP BUILDING

MW-200

82.63  
MW-7

PALLET FACTORY

x

RW-2

85.18  
MW-4

SIME AVENUE

MW-3

RW-5

REMEDIAL WELL

TORO RELEASE AREA

TORO COMPANY

EMPLOYEE PARKING

TRAILER PARKING

MW-1  
85.77

DEEDED TO CITY

CHICAGO, MILWAUKEE, ST. PAUL, AND PACIFIC RAILROAD

LEGEND

- MW-1 MONITORING WELL
- RW-1 RECOVERY WELL



GRAPHIC SCALE IN FEET

FILE TORO-4.DWG  
DATE 12-16-98 M: OLM

THE TORO COMPANY - TOMAH, WISCONSIN

Groundwater Flow Direction (May 1998)




**Wenck**  
Wenck Associates, Inc.  
Environmental Engineers  
1800 Pioneer Creek Center P.O. BOX 428  
Maple Plain, MN 55359-0428

DEC. 1998

Figure 9

abandoned  
 MW-6  
 0  
 CULLIGAN



SIME AVENUE

CHICAGO, MILWAUKEE, ST. PAUL, AND PACIFIC RAILROAD

WELL	DATE	TOTAL VOC CONCENTRATION ug/L
MW-1	10-24-91	0
MW-2	10-24-91	1207
MW-3	10-24-91	10141
MW-4	10-24-91	150
MW-5	10-24-91	0
MW-6	10-24-91	0
PW-1	10-24-91	0
PW-2	10-24-91	0
PW-3	10-24-91	0
PW-4	10-24-91	24
RW-2	02-25-92	4.3
RW-3	02-25-92	31.4
RW-4	02-25-92	0
REMEDIAL WELL	02-25-92	105.88



- LEGEND
- MW-1 MONITORING WELL
  - PW-1 RECOVERY WELL
  - PW-1 PIEZOMETER WELL

FILE TOROGW.DWG  
 DATE 02-16-98 M-DLM

THE TORO COMPANY TOMAH, WISCONSIN  
 Extent of Groundwater Impacts  
 1992

**Wenck**  
 Wenck Associates, Inc.  
 Environmental Engineers  
 1800 Pioneer Creek Center, P.O. Box 428  
 Maple Plain, MN 55359-0428

02-16-98  
 Figure 6



**Table 3**  
**The Toro Company, Tomah, Wisconsin**  
**Monitoring Wells Monitoring Data (Groundwater)**

Sample ID	Sampling Date	Petroleum Volatile Organic Compounds (PVOC)								Detected Petroleum Aromatic Hydrocarbons								Total PAHs (ug/l)
		Benzene (ug/l)	Toluene (ug/l)	Ethyl benzene (ug/l)	Xylene (ug/l)	1,3,5-trimethylbenzene (ug/l)	1,2,4-trimethylbenzene (ug/l)	Methyl-tert-butyl ether (ug/l)	Diesel Range Organics (ug/l)	Naphthalene (ug/l)	Acenaphthylene (ug/l)	Acenaphthene (ug/l)	1-Methyl-naphthalene (ug/l)	2-Methyl-naphthalene (ug/l)	Fluoranthene (ug/l)	Fluorene (ug/l)	Phenanthrene (ug/l)	
WDNR ES		5	343	700	620					40								
WDNR PAL		0.5	68.6	140	124					8					400	80		
FP-3	5/3/94	NA	NA	NA	NA	NA	NA	NA	134	NA	NA	NA	NA	NA	NA	NA	NA	NA
FP-4	5/3/94	NA	NA	NA	NA	NA	NA	NA	249	NA	NA	NA	NA	NA	NA	NA	NA	NA
FP-8	5/6/94	NA	NA	NA	NA	NA	NA	NA	287	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1 Upgraded	4/20/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/20/93	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/28/93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	2/7/94	ND	0.46	0.78	1.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/2/94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/10/94	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/11/95	ND	ND	ND	ND	ND	ND	ND	ND	0.06 (a)	ND	ND	ND	ND	ND	ND	ND	ND
	12/18/95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/16/96	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/1/97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/30/97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1/29/98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
5/21/98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-2	9/28/90	ND	2.2	ND	9.7	ND	ND	ND	NA	ND	NA	NA	NA	NA	NA	NA	NA	0
	6/25/91	2		24	102	ND	ND	ND	NA	185	NA	NA	NA	NA	NA	NA	NA	185
	10/24/91	ND	12	63	266	86	411	ND	NA	291	NA	NA	NA	NA	NA	NA	NA	291
	3/31/92	2.8	4.9	67.7	229.5	91.7	338	ND	NA	762	NA	NA	NA	NA	NA	NA	NA	762
MW-3	9/28/90	ND	11	ND	28.4	ND	ND	ND	NA	ND	NA	NA	NA	NA	NA	NA	NA	0
	1/28/91	15	173	ND	415	204	229	ND	NA	558	NA	NA	NA	NA	NA	NA	NA	558
	6/25/91	16	166	39	340	ND	ND	ND	NA	500	NA	NA	NA	NA	NA	NA	NA	500
	10/24/91	ND	1096	124	1813	ND	2166	ND	NA	1082	NA	NA	NA	NA	NA	NA	NA	1082
	3/31/92	2.8	42	74.2	170	84.1	341	ND	NA	77	NA	NA	NA	NA	NA	NA	NA	77
10/28/93	ND	ND	ND	113.2	32.3	106	ND	NA	427	180	ND	802	833	ND	16.7	157	2415.7	
SB-5 Fuhrman See Fig 4's	4/6/89	5.6	16	15	20	22	7.9	NA	NA	42	NA	NA	NA	NA	NA	NA	NA	42
SB-5A Fuhrman See Fig 4's	4/6/89	251	219	619	114	133	187	NA	NA	69	NA	NA	NA	NA	NA	NA	NA	69
MW-4 Downgraded	9/28/90	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NA	NA	NA	NA	NA	NA	0
	6/25/91	ND	ND	ND	ND	ND	ND	ND	NA	ND	NA	NA	NA	NA	NA	NA	NA	0
	10/24/91	7	6	16	11	5	11	ND	NA	94	NA	NA	NA	NA	NA	NA	NA	94
	3/31/92	4.9	1.7	51.1	29	20.4	24.7	ND	NA	195	NA	NA	NA	NA	NA	NA	NA	195
	4/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/28/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/7/94	ND	ND	0.67	1.49	ND	0.47	ND	NA	1.45	ND	ND	ND	ND	ND	ND	ND	1.45
	5/2/94	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/10/94	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
	2/9/95	ND	ND	ND	ND	ND	ND	ND	0.192 (a)	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/11/95	ND	ND	ND	ND	ND	ND	ND	0.050 (a)	ND	ND	ND	ND	ND	ND	ND	ND	ND
12/18/95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
10/16/96	ND	ND	ND	ND	ND	ND	ND	0.05	0.5	ND	ND	0.5	0.5	0.19	0.2	0.3	2.19	
4/1/97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	
7/1/97	ND	ND	ND	ND	ND	ND	ND	0.46	ND	ND	ND	ND	ND	ND	ND	ND	0	
10/30/97	ND	ND	0.68	ND	ND	0.37	ND	0.041	ND	ND	ND	ND	ND	0.043	ND	0.049	0.092	
1/29/98	ND	ND	ND	ND	ND	ND	ND	0.87	ND	ND	ND	0.81	0.81	ND	ND	0.45	2.07	
5/21/98	ND	ND	ND	ND	ND	ND	ND	0.23	ND	1.5	0.048	ND	ND	0.054	ND	0.23	1.852	
MW-7 Downgraded	4/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/28/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/7/94	ND	ND	ND	ND	ND	ND	ND	NA	5.78	ND	0.674	ND	3.36	ND	0.145	0.472	9.959
	5/2/94	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/10/94	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
	2/9/95	ND	ND	ND	ND	ND	ND	ND	0.120 (a)	ND	ND	ND	ND	ND	ND	ND	ND	ND
	5/11/95	ND	ND	ND	ND	ND	ND	ND	0.040 (a)	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/18/95	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/16/96	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/1/97	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/1/97	ND	ND	ND	ND	ND	ND	ND	0.15	ND	ND	ND	ND	ND	ND	ND	ND	0
10/30/97	ND	ND	ND	ND	ND	ND	ND	55	ND	ND	ND	ND	ND	ND	ND	ND	0	
2/9/98	ND	ND	ND	ND	ND	ND	ND	0.094	ND	ND	ND	ND	ND	ND	ND	ND	0	
5/21/98	ND	ND	ND	ND	ND	ND	0.38	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	
MW-200	4/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RW-2	4/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/20/93	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RW-3	3/31/92	2.8	7.2	20.6	127.7	19.7	175	ND	NA	225	NS	NS	NS	NS	NS	NS	NS	225
	7/20/93	ND	ND	ND	ND	36.9	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes: TABLE PRESENTS DETECTED COMPOUNDS ONLY.  
 ND = Not Detected above the method detection limit.  
 NS = Not Sampled  
 Red indicates results by M.L. Fuhrman, BEFORE REMEDIATION  
 Black represents results DURING ACTIVE REMEDIATION  
 Blue represents results AFTER REMEDIATION  
 (a) Detection in trip blank.