

**GIS REGISTRY INFORMATION**

**SITE NAME:** MEYER INDUSTRIES THOMAS & BETTS  
**BRRTS #:** 02-48-205212 **FID #** 648020230  
**COMMERCE # (if appropriate):**  
**CLOSURE DATE:** December 21, 2004  
**STREET ADDRESS:** W8020 150TH AVE  
**CITY:** HAGER CITY 54014

**SOURCE PROPERTY GPS COORDINATES** (meters in WTM91 projection): X= 319,269 Y= 461,223

**CONTAMINATED MEDIA:** Groundwater  Soil  Both

**OFF-SOURCE GW CONTAMINATION >ES:**  Yes  No

**IF YES, STREET ADDRESS 1:**

**GPS COORDINATES** (meters in WTM91 projection): X= Y=

**OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL):**  Yes  No

**IF YES, STREET ADDRESS 1:**

**GPS COORDINATES** (meters in WTM91 projection): X= Y=

**CONTAMINATION IN RIGHT OF WAY:**  Yes  No

**DOCUMENTS NEEDED:**

- Closure Letter, and any conditional closure letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Scott Humrickhouse, Regional Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TTY 715-839-2786

December 21, 2004

FID #648020230  
BRRTS #02-48-205212  
RR/CORR

Mr. Greg Fleming  
Thomas & Betts Corporation  
P.O. Box 126  
W8020 150th Ave  
Hager City, WI 54014-8073

Subject: Final Case Closure By Closure Committee of Meyer Industries - Thomas & Betts,  
W8020 150th Ave, Hager City, Wisconsin

Dear Mr. Fleming:

On April 30, 2004 your request for closure of the case described above was reviewed by the West Central Region (WCR) closure committee. The WCR closure committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On August 18, 2004 you were notified that the WCR closure committee had granted conditional closure to this case.

On December 17, 2004 the Department received correspondence indicating that you have properly abandoned on-site groundwater monitoring wells and therefore have complied with the condition of closure. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Remediation and Redevelopment Program considers this case closed.

The Hager City well casing pipe depth restriction area will remain in effect at this time. The Department's contact regarding the status of the well casing pipe depth restriction area will be Tim Hanson. Tim is the Department's Water Supply Specialist located in our West Central Region Headquarters office in Eau Claire. His phone number is (715) 839-3773. Please contact Tim after you have results from the sampling planned for next spring.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry due to groundwater contamination exceeding ch. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.


We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 839-1603.

Sincerely,



Joseph Traynor, P.G.  
Remediation and Redevelopment Program  
West Central Region

cc: Michael Geiger - Thomas & Betts Corporation  
Rick Kubler - Gray, Plant, Mooty, Mooty & Bennett  
Martin Wangenstein, Bay West, Inc.  
Larry Gilbertson - Division of Health  
Michele Mohn - Pierce County Health Dept.  
Larry Schaefer - WCR  
Tim Hanson - WCR  
Bill Evans - WCR  
Well Casing Restriction Area Residents



## State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor  
Scott Hassett, Secretary  
Scott Humrickhouse, Regional Director

West Central Region Headquarters  
1300 W. Clairemont Avenue  
PO Box 4001  
Eau Claire, Wisconsin 54702-4001  
Telephone 715-839-3700  
FAX 715-839-6076  
TTY 715-839-2786

August 18, 2004

FID #648020230  
BRRTS #02-48-205212  
RR/CORR

Mr. Greg Fleming  
Thomas & Betts Corporation  
P.O. Box 126  
W8020 150th Ave  
Hager City, WI 54014-8073

Subject: Conditional Case Closure of Meyer Industries - Thomas & Betts, W8020 150th Ave,  
Hager City, Wisconsin

Dear Mr. Fleming:

On April 30, 2004, your request for closure of the case described above was reviewed by the West Central Region (WCR) closure committee. The WCR closure committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the WCR closure committee has determined that the chlorinated solvent contamination on the site from the Meyer Industries - Thomas & Betts facility appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following condition is satisfied:

### MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. This does not include the shallow former water supply wells that have been used for monitoring purposes. As I have discussed with your consultants, these former water supply wells need to be preserved for future monitoring related to the potential modification of the well casing restriction area. Documentation of well abandonment must be submitted to me on Form 3300-5B found at [www.dnr.state.wi.us/org/water/dwg/gw/](http://www.dnr.state.wi.us/org/water/dwg/gw/) or provided by the Department of Natural Resources


When the monitoring wells have been abandoned, please provide me a letter with the well abandonment documentation. A final case closure letter will then be issued and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment Soil GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

Please note that this letter does not affect the June 26, 1997 consent order, or the Hager City Special Well Casing Pipe Depth Requirement Area. The Department will be responding to your proposals regarding modifications to the well casing restriction area in separate correspondence.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 839-1603.

Sincerely,



Joseph E. Traynor, P.G.  
Remediation and Redevelopment Program  
West Central Region

cc: Michael Geiger - Thomas & Betts Corporation  
Rick Kubler - Gray, Plant, Mooty, Mooty & Bennett  
Martin Wangenstein, Bay West, Inc.  
Larry Gilbertson - Division of Health  
Michele Mohn - Pierce County Health Dept.  
Larry Schaefer - WCR  
Tim Hanson - WCR  
Bill Evans - WCR  
Well Casing Restriction Area Residents

Vol. 174 p. 371

Express Mail  
DEC 23 1991  
RECORD DEPT. A

DEED

THIS INDENTURE, Made by ITT CORPORATION, (formerly International Telephone and Telegraph Corporation), a corporation duly organized and existing under and by virtue of the laws of the State of Delaware, Grantor, hereby quitclaims to PL INDUSTRIES, INC., a corporation duly organized and existing under and by virtue of the laws of the State of New Jersey, Grantee, for the sum of One Dollar and other good and valuable consideration, the following tracts of land in Pierce County, State of Wisconsin:

The Southeast Quarter (SE1/4) of Northwest Quarter (NW1/4) lying South and West of Railroad. EXCEPT the South 220 feet of the West 468 feet, and EXCEPT the South 220 feet of the East 792 feet;

The Northeast Quarter (NE1/4) of the Northwest Quarter (NW1/4) lying South and West of the Railroad, running diagonally Northwesterly and Southeasterly through said forty;

The Southwest Quarter (SW1/4) of the Northeast Quarter (NE1/4) EXCEPT Railroad Right-of-way; and

The Southwest Quarter (SW1/4) of the Northwest Quarter (NW1/4) lying South and Easterly of U.S. Highway "63".

A parcel of land located in the NE1/4 of SE1/4 of Section 2, T24N, R18W, described as follows: Commencing at the E1/4 corner of Said Sec. 2, thence S. 0°58' W. 33.00 feet along the Section line to the point of beginning, thence S. 0°58' W. 904.15 feet to the Burlington & Northern Railroad r/w, thence N. 51°33'30" W. 1490.55 feet along said railroad r/w line, thence S. 88°54' E. 1182.92 feet along the Southerly r/w line of a town road to the place of beginning.

Also, a parcel of land located in N1/2 of SE1/4, and in Gov. Lot 3, Sec. 2, T24N, R18W, described as follows: Commencing at the E1/4 corner of said Sec. 2, thence N. 88°54' W. 2647.10 feet along the quarter sec. line and S. 0°22' W. 22.00 feet to the point of beginning, thence S. 0°22' W. 683.22 feet; thence S. 88°38' E. 220.00 feet, thence S. 0°22' W. 600.00 feet, thence S. 88°49' E. 1080.17 feet; thence S. 0°04' E. 693.00 feet; thence S. 88°31' E. 718.82 Feet; thence N. 46°15'45" E. 28.18 feet; thence N. 2°59'30" E. 220.84 feet; thence N. 1°02'30" E. 1043.41 feet; thence N. 48°32' W. 354.00 feet; thence N. 51°33'30" W. 775.00 feet; thence N. 88°54' W. 1190.50 feet to the point of beginning.

Subject to easements of record. Subject to easements for roadways as now laid out and travelled.

Subject to easements in Volume 229, Page 280 (Document No. 190420), Volume 90, Page 586 (Document No. 256465) and Volume 237, Page 94 (Document No. 195181) of Pierce County, Wisconsin Records.

All of the above being in Section 2, Township 24 North, Range 18 West.

The conveyance herein is made without covenant or warranty (express or implied) on the part of the grantor.

TRANSFER  
\$ 5,325<sup>00</sup>  
EEB




## B3 – Parcel Identification Number

### Two Parcels:

- #030224180241U39
- #030224180213U22

### Geographic Position:

- 319131, 46136T
- x = 319,269, y = 461,223




SCALE 1:24 000  
 1 MILE  
 CONTOUR INTERVAL 20 FEET

SOURCE:  
 USGS 7.5 MINUTE  
 TOPOGRAPHIC  
 RED WING, MN/WI  
 QUADRANGLE

MINN.  
 QUADRANGLE LOCATION

ENGR'G G.S.	DATE		BAY WEST Inc. ENVIRONMENTAL SERVICES ST. PAUL, MN
DRAWN K.M.	8/23/95		
REV.		PROJECT NAME MEYER INDUSTRIES- HAGER CITY, WI	
TITLE SITE LOCATION MAP			
DWG. NO.	95236A1	SCALE	FIGURE # B4A



0 250' 500'  
SCALE IN FEET

**LEGEND:**  
 - - - - - PROPERTY LINE  
 7956 STREET ADDRESS NUMBER

ENGR'G	M.W.	DATE
DRAWN	K.M.	11/11/99
REV.		8/1/03



**BAY WEST Inc.**  
 ENVIRONMENTAL SERVICES  
 ST. PAUL, MN

PROJECT NAME MEYER INDUSTRIES- HAGER CITY

TITLE SITE MAP

DWG. NO. 9404070-B4A SCALE 1"=500' FIGURE # B4B



## B6A -- MEYER INDUSTRIES TCE Monitoring Well Analytical Summary

Date	Well Number								TCE Reporting Limit
	MW-1S	MW-2S	MW-3S	MW-4S	MW-4I	MW-4D	MW-5S	MW-6S	
May-93	1.4	2.1	NS	NS	NS	NS	NS	NS	1.0
August-93	ND	3.8	NS	NS	NS	NS	NS	NS	2.0
February-94	ND	2.9	ND	NS	NS	NS	NS	NS	1.0
February-95	ND	3.2	ND	3.5	5.0	ND	NS	ND	1.0
March-95	NS	NS	NS	8.9	7.0	ND (1.0)	1.4	ND (ND)	1.0
September-95	NS	2.7	NS	4.0	5.0	ND (ND)	2.5	ND (ND)	1.0
March-96	ND	3.7	ND	4.3	2.8	ND	2.4 (2.9)	ND	1.0
April-97	ND	3.0	ND	7.0	2.0	ND	3.0	ND	1.0
April-98	ND	2.8	ND	4.9	2.4	ND	4.3	ND	1.0
April-99	ND	1.2	ND	1.6	ND (ND)	ND	5.3	ND	1.0
April-00	ND	1.9	ND	ND	ND (ND)	ND	5.2	ND	1.0
October-00	NS	NS	NS	NS	NS	NS	3.6	NS	1.0
April-01	ND	ND	NS	1.4	ND (ND)	ND	2.5	NS	1.0
April-02	ND	ND	NS	ND	ND (ND)	ND	2.0	NS	1.0
April-03	NS	NS	NS	NS	NS	NS	ND	NS	1.0

### Notes:

Concentrations in  $\mu\text{g/L}$

Detections above the Preventative Action Limit (PAL) are shown in italics.

Detections above the Enforcement Standard (ES) are shown in bold.

ND = Not Detected above Reporting Limit of 1.0  $\mu\text{g/L}$ , NS = Not Sampled, (1.0) = Duplicate Sample

Toluene was detected in MW-1S at a concentration of 1.4  $\mu\text{g/L}$  in the May 1993 sampling event

Toluene was detected in MW-4S at a concentration of 1.0  $\mu\text{g/L}$  in the February 1995 sampling event

tert-Butylbenzene was detected in MW-5S at a concentration of 8.5  $\mu\text{g/L}$  in the April 1998 sampling event

Residential Well TCE Analytical Summary

Residential Well Address	May - Aug. 94	Oct-94	Aug-95	Mar-96	Dec-96	Apr-97	Aug. - Sep. 97	Oct-97	Nov-97	Apr-98	Oct-98	Apr-99	Oct-99	Apr-00	Apr-01	Apr-02	Oct.-Dec. 02	Apr-03	Oct-04
N 1447 790th St.	NS	ND	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS
N 1413 790th St.	NS	ND	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS
N 1357 790th St.	NS	ND	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS
W 7974 150th St.	NS	ND	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS
W 7996 150th St.(shallow)	ND	NS	ND	NS	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	WA	NS
W 7996 150th (deep)	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	ND <sup>2</sup>	ND	NS
W 7990 150th St.(shallow)	0.7	NS	1.4	1.3	NS	3.0	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	NS
W 7990 150th St. (deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7982 150th St.	ND	NS	ND	ND	NS	ND	NS	1.1	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS
W 7968 150th St.	ND	NS	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7956 150th St. (shallow)	8.8 / 9.6	NS	6.8	5.3	NS	NS	NS	3.8	NS	2.2	NS	1.5	NS	1.1 [1.0]	1	ND	NS	NS	NS
W 7956 150th St. (deep)	NI	NI	NI	NI	NI	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7953 150th St.(shallow)	NS / 9.2	NS	11.0	11.0	NS	12	NS	NS	NS	6.1	NS	2.7	NS	1.4	1.4	2.8	NS	2.1[2.0]	ND <sup>2</sup>
W 7953 150th St.(deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7950 150th St. (shallow)	4.6 / 5.1	NS	2.0	1.3	NS	3.0	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	NS
W 7950 150th St. (deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND[ND]	NS
W 7944 150th St. (shallow)	3.1 / 2.2	NS	1.3 [1.4]	ND	NS	2.0	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	NS
W 7944 150th St. (deep)	NI	NI	NI	NI	NI	NI	2.1/1.1*	1.8	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7938 150th St. (shallow)	4.0 / 4.0	NS	2.9	2.1	NS	3.0	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	NS
W 7938 150th St.(deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND [ND]	ND	ND	ND	ND	NS	ND	NS
W 7932 150th St. (shallow)	4.0 / 4.4	NS	2.4	2.0	NS	3.0	NS	NS	NS	1.1	NS	ND	NS	ND	ND	ND	NS	NS	NS
W 7932 150th St. (deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND [ND]	ND	ND	ND	ND	NS	ND	NS
W 7914 150th St.	ND	NS	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND [ND]	ND	ND [ND]	NS	NS	NS
W 7946 140th St.(shallow)	NS / 9.4	NS	13 [13]	8.2[8.2]	9.7	15	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	WA	NS
W 7946 140th St.(deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND[ND]	NS
W 7949 140th St. (shallow)	NS / 2.0	NS	3.5	6.3	NS	15	NS	NS	NS	9.6	NS	1.1	NS	1.8	1.4	2.7	NS	4.7	ND [ND]
W 7949 140th St. (deep)	NI	NI	NI	NI	NI	NI	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	NS
W 7975 140th St.	NS / ND	NS	ND	ND	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND [ND]	ND	NS	NS	NS
W 7954 140th St.(deep)	NI	NI	NI	NI	NI	NI	NI	NI	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS
W 7902 150th St.	ND	NS	ND	NS	NS	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND [ND]	ND	NS	NS	NS

Notes:

Detections above the Preventative Action Limit (PAL) are shown in *italics*.

Detections above the Enforcement Standard (ES) are shown in **bold**.

ND - Not Detected Above Reporting Limit; NS - Not Sampled; NI - Not Installed; WA - Well Abandoned (sealed) therefore not sampled

[1.4] - Duplicate Sample, 4.0 / 4.4 - Results for two separate sampling rounds

\* denotes results from two separate sampling events conducted in August and September 1997

<sup>1</sup> p - Isopropyl toluene detected in the April 2002 sampling event at 2 ug/L; not detected in the Oct 2002 sampling event

<sup>2</sup> Bromodichloromethane (4.8 ug/L) and chloroform (16 ug/L) detected in Oct. 2004 sampling event; neither compound believed to be attributed to Thomas & Betts operations

**Table B6C**  
**MEYER INDUSTRIES**  
**Soil Boring Laboratory Analytical Results**

Soil Boring Number	Interval (ft)	Date Sampled	Analytes				
			Trichloroethene	Toluene	Ethyl Benzene	Xylene	Benzene
SB-4	54-55'	1-Feb-95	ND	ND	ND	ND	ND
SB-5	45-47'	31-Jan-95	ND	ND	ND	ND	ND
SB-6	49-50'	2-Feb-95	ND	ND	ND	ND	ND
SB-7 *	3-4'	2-Feb-95	ND	180	120	1500	ND
SB-7	24-26'	2-Feb-95	ND	ND	ND	ND	ND
SB-8	23-25	6-Jul-95	ND	ND	ND	ND	ND
SB-8	38-40'	6-Jul-95	ND	ND	ND	ND	ND
SB-9	3-5'	6-Jul-95	ND	ND	ND	ND	ND
SB-9	35-37'	6-Jul-95	ND	ND	ND	ND	ND
SB-10	13-15'	6-Jul-95	ND	ND	ND	ND	ND
SB-10	35-37'	6-Jul-95	ND	ND	ND	ND	ND
SB-11	3-5'	6-Jul-95	ND	ND	ND	ND	ND
SB-11	35-37'	6-Jul-95	ND	ND	ND	ND	ND
SB-12	18-20'	6-Jul-95	ND	ND	ND	ND	ND
SB-12	38-40'	6-Jul-95	ND	ND	ND	ND	ND
WDR Clean-up Criteria (per NR 720.09 2 b)			UD	1.5	2.9	4.1	0.0055

Note:

All Values reported in ppm (mg/kg).


ND-Not detected above the laboratory analytical detection limit.

UD-Clean-up criteria not defined.



\* SB-7 also contained .054 ppm of trichlorofluoromethane in the 24-26 foot interval.  
 Detection of this analyte believed to be attributed to laboratory contamination.

TABLE B6F  
Paint Building Soil Removal/Excavation Analytical Summary


SAMPLE NUMBER	SAMPLE DESCRIPTION	DETECTED COMPOUNDS (VOCs)
NW-2'	Paint Building - west excavation Northwest corner of excavation. 2 feet below grade. post-excavation sample	Chloromethane 0.29 mg/kg
SE-4'	Paint Building - west excavation Southeast corner of excavation. 4 feet below grade. post-excavation sample	Chloromethane 0.30 mg/kg Trichloroethene 0.07 mg/kg
NW-6'	Paint Building - east excavation Northwest corner of excavation. 6 feet below grade. post-excavation sample	Chloromethane 0.24 mg/kg Butylbenzene, sec- 0.06 mg/kg Ethylbenzene 0.06 mg/kg Toluene 0.09 mg/kg Trichloroethene 0.06 mg/kg m,p-Xylene 0.71 mg/kg o-Xylene 0.25 mg/kg TPH (DRO) 20 mg/kg
SE-6'	Paint Building - east excavation Southeast corner of excavation. 6 feet below grade. post-excavation sample	Chloromethane 0.28 mg/kg
soil pile - 1	Grab sample of soil pile generated from excavation/removal activities. Collected from east end of pile.	Butylbenzene, sec- 0.43 mg/kg Butylbenzene, tert- 0.14 mg/kg Chloromethane 0.22 mg/kg Ethylbenzene 1.5 mg/kg Isopropylbenzene 0.06 mg/kg Toluene 5.0 mg/kg Trichloroethene 0.08 mg/kg 1,3,5-Trimethylbenzene 0.19 mg/kg m,p-Xylene 16 mg/kg o-Xylene 5.6 mg/kg
soil pile - 2	Grab sample of soil pile generated from excavation/removal activities. Collected from west end of pile.	Chloromethane 0.22 mg/kg Butylbenzene, sec- 0.29 mg/kg Butylbenzene, tert- 0.08 mg/kg Ethylbenzene 0.85 mg/kg Toluene 2.3 mg/kg 1,3,5-Trimethylbenzene 0.10 mg/kg m,p-Xylene 6.4 mg/kg o-Xylene 1.6 mg/kg



**LEGEND:**  
 ▲ HEADSPACE SAMPLE LOCATION  
 ● ANALYTICAL SAMPLE LOCATION



ENGR'G M.W.	DATE		BAY WEST Inc. ENVIRONMENTAL SERVICES ST. PAUL, MN
DRAWN K.M.	6/6/95		
REV.	7/23/96		
PROJECT NAME MEYER INDUSTRIES - HAGER CITY, WI			
TITLE SAMPLE LOCATION MAP			
DWG. NO.	95225B2	SCALE	1"=5'
		FIGURE #	



## Excavation Cavity Analytical Results Summary


Laboratory	Field ID	Sample Location	Collection Date	Analytical Method	Detected Compounds
En Chem	L-50N 80W-B	Area L, 6-7 ft. b.g.	10/27/1998	SW846 8260B	ND
En Chem	L-80N 90W-S	Area L, 4 ft. b.g.	10/27/1998	SW846 8260B	ND
En Chem	P-10N 50E-B	Area P, 6-10 ft. b.g.	10/28/1998	SW846 8260B	ND
En Chem	P-20N 50E-B	Area P, 6-10 ft. b.g.	10/28/1998	SW846 8260B	ND
En Chem	P-60N 90E-B	Area P, 6-10 ft. b.g.	10/29/1998	SW846 8260B SW846 8082	77 ug/kg - Xylene ND
En Chem	S-35N 130E-B	Area S, 1-3 ft. b.g.	10/29/1998	SW846 8260B	ND
En Chem	P-45N 100E-B	Area P, 6-7 ft. b.g.	10/30/1998	SW846 8260B SW846 8082	29 ug/kg - Toluene 100 ug/kg - Aroclor 1260
En Chem	R-10N 190E-B	Area R, 15 ft. b.g.	11/2/1998	SW846 8260B	ND
En Chem	R-0N 200E-B	Area R, 15 ft. b.g.	11/2/1998	SW846 8260B	ND
En Chem	Area R 50N170E	Area R, 10 ft. b.g.	11/3/1998	SW846 8260B	ND
En Chem	Area R 30N180E	Area R, 10 ft. b.g.	11/3/1998	SW846 8260B	110 ug/kg - 1,2,4 Trimethylbenzene
En Chem	Area 1 105N360E	Area 1, 10 ft. b.g.	11/11/1998	SW846 8260B	ND
En Chem	Area 3A 184N476E	Area 3, 10 ft. b.g.	11/12/1998	SW846 8260B	ND
En Chem	Area 3B 170N495E	Area 3, 10 ft. b.g.	11/13/1998	SW846 8260B	ND
En Chem	Area 3C 210N500E	Area 3, 10 ft. b.g.	11/13/1998	SW846 8260B	ND
En Chem	Area 3D 204N475E	Area 3, 10 ft. b.g.	11/13/1998	SW846 8260B	ND
En Chem	Area 3 190N 450E	Area 3, 10 ft. b.g.	11/17/1998	SW846 8260B	ND
En Chem	Area 9 125N 505E	Area 9, 12 ft. b.g.	11/17/1998	SW846 8260B	ND

ND = No Compounds Detected

Methylene Chloride was detected in several samples. This is attributed to cross-contamination from the methanol preservative added by Enchem.


ug/kg = micrograms per kilogram (parts per billion)

"190N, 450E" refers to sample grid coordinates




**LEGEND:**

- ⊙ MONITORING WELL/SOIL BORING LOCATION
- ▲ SOIL BORING LOCATION



ENGR'G E.B.	DATE		BAY WEST Inc. ENVIRONMENTAL SERVICES ST. PAUL, MN
DRAWN K.M.	9/29/98		
REV.	1/26/98		
PROJECT NAME MEYER INDUSTRIES- HAGER CITY			
TITLE GEOPHYSICAL SURVEY AREA MAP			
DWG. NO. 94470B26	SCALE 1"=100'	FIGURE # 2	




**B8: MEYER INDUSTRIES**  
**Well Completion and Water Level Data**

		MW-1S	MW-2S	MW-3S	MW-4S	MW-4I	MW-4D	MW-5S	MW-6S
Date of Installation		May-93	May-93	Feb-94	Feb-95	Feb-95	Feb-95	Feb-95	Feb-95
TOC Elev.	(ft NGVD)	719.90	721.21	714.08	729.39	728.99	729.51	721.26	729.65
Grade Elev.	(ft NGVD)	717.8	719.4	712.4	727.1	727.0	727.2	718.9	727.2
TOS Elev.	(ft NVGD)	679.9	679.1	678.1	674.9	646.5	622.0	675.3	680.2
BTOS Elev.	(ft NVGD)	669.9	669.1	668.1	664.9	641.5	617.0	665.3	670.2
Well Dia.	(inches)	2	2	2	2	2	2	2	2
DTW (4/26/00)	(ft btoc)	48.82	50.10	42.68	58.31	57.94	58.45	50.18	58.52
WL Elev. (4/26/00)	(ft NGVD)	671.08	671.11	671.40	671.08	671.05	671.06	671.08	671.13
DTW (10/09/00)	(ft btoc)	49.05	46.75	42.60	55.95	58.54	58.83	50.47	59.08
WL Elev. (10/09/00)	(ft NGVD)	670.85	674.46	671.48	673.44	670.45	670.68	670.79	670.57
DTW (4/16/01)	(ft btoc)	47.40	48.87	42.00	57.75	56.42	56.93	49.38	57.12
WL Elev. (4/16/01)	(ft NGVD)	672.50	672.34	672.08	671.64	672.57	672.58	671.88	672.53
DTW (4/15/02)	(ft btoc)	48.72	50.00	42.65	58.17	57.80	58.31	50.15	58.42
WL Elev. (4/15/02)	(ft NGVD)	671.18	671.21	671.43	671.22	671.19	671.20	671.11	671.23
DTW (4/23/03)	(ft btoc)	48.87	49.65	42.25	57.84	57.46	57.95	49.79	58.07
WL Elev. (4/23/03)	(ft NGVD)	671.03	671.56	671.83	671.55	671.53	671.56	671.47	671.58


Notes:

TOC=Top-of-casing  
TOS=Top-of-screen, BOS=Bottom-of-screen  
DTW=Depth to water table  
BTOC=Below top of casing  
WL Elev.=Water level elevation  
NGVD=National Geodetic Vertical Datum



- LEGEND:**
- PROPERTY LINE
  - MONITORING WELL LOCATION
  - MONITORING WELL NEST LOCATION
  - 7956 STREET ADDRESS NUMBER
  - GROUNDWATER CONTOUR— APRIL 2003
  - 671.00 GROUNDWATER CONTOUR ELEVATION— APRIL 2003
  - (671.83) GROUNDWATER ELEVATION AT MONITORING WELL— APRIL 2003

ENGR'G M.W.	DATE		<b>BAY WEST Inc.</b> ENVIRONMENTAL SERVICES ST. PAUL, MN
DRAWN K.M.	11/11/99		
REV.	8/1/03		
PROJECT NAME		MEYER INDUSTRIES— HAGER CITY	
TITLE		GROUNDWATER CONTOUR MAP— APRIL 2003	
DWG. NO.	9404070-B58	SCALE	1"=500'
		FIGURE # B9B	



**LEGEND:**



APPROXIMATE ZONE OF XYLENE, TOLUENE, AND ETHYLBENZENE IMPACTED SOIL

(2.1) TCE CONCENTRATION in ug/L (APRIL 2003)

WA= WELL ABANDONED

NS= NOT SAMPLED

ND= NOT DETECTED

S= SHALLOW

D- DEEP



GROUND WATER TABLE

**NOTES:**

FORMER RESIDENTIAL WELL COMPLETION DEPTHS WERE ESTIMATED, ACTUAL DEPTHS ARE UNKNOWN.

SURFACE TOPOGRAPHY ESTIMATED FROM U.S.G.S TOPOGRAPHIC MAP



HORIZONTAL SCALE



VERTICAL SCALE

ENGR'G M.W.	DATE		BAY WEST Inc. ENVIRONMENTAL SERVICES ST. PAUL, MN
DRAWN K.M.	7/31/95		
REV.	8/1/03		
PROJECT NAME		MEYER INDUSTRIES-- HAGER CITY, WI	
TITLE		INFERRED TCE PLUME PROFILE (APRIL, 2003)	
DWG. NO.	94470XS-03	SCALE	FIGURE #B11B

**B12 – Statement Signed by the Responsible Party**

To the best of my knowledge, the legal description for the Meyer Industries Facility, Hager City, Wisconsin, provided and attached to this document, are complete and accurate.

OM P. CHOPRA

Thomas & Betts Corporation Representative

CORPORATE DIRECTOR OF ENV. AFFAIRS

Title

Signature

Om Chopra

Date

May 13, 2004