

Source Property Information

BRRTS #:	02-62-120902	Closure Date:	April 23, 2008
ACTIVITY NAME:	Mondovi Coop Bulk Plant	FID#:	662061290
PROPERTY ADDRESS:	120 W Birch St	DATCP#:	
MUNICIPALITY:	Strum	COMM#:	54770-9232-20
PARCEL ID#:	61-181-434-0000		

***WTM Coordinates:**

X:	409313	Y:	454051
----	--------	----	--------

**Coordinates are in WTM83, NAD83 (1991)*

WTM Coordinates Represent:

- Approximate Center of Contaminant Source
- Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

- | | |
|---|--|
| <input checked="" type="checkbox"/> <u>Groundwater</u> Contamination > ES (236) | <input checked="" type="checkbox"/> <u>Soil</u> Contamination > *RCLs or **SSRCL (232) |
| <input checked="" type="checkbox"/> Groundwater Contamination in ROW | <input type="checkbox"/> Soil Contamination in ROW |
| <input checked="" type="checkbox"/> Off-Source Contamination | <input type="checkbox"/> Off-Source Contamination |

(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")

(note: for list of impacted off-source properties see attached list of "Impacted Off-Source Property")

Land Use Controls:

- | | |
|---|---|
| <input type="checkbox"/> Soil: maintain industrial zoning (220) | <input type="checkbox"/> Cover or Barrier (222) |
| <input type="checkbox"/> Structural Impediment (224) | <input type="checkbox"/> Vapor Mitigation (226) |
| <input type="checkbox"/> Site-Specific Condition (228) | <input type="checkbox"/> Maintain Liability Exemption (230) |

(note: soil contaminant concentrations between residential and industrial levels)

(note: maintenance plan for groundwater or direct contact)

(note: local government or economic development corporation)

Monitoring wells properly abandoned? (234)

- Yes No N/A

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 02-62-120902

PARCEL ID #: 61-181-434-0000

ACTIVITY NAME: Mondovi Coop Equity Assn Bulk Plant

WTM COORDINATES: X: 409315 Y: 454052

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title:**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Site Plan**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 3 & 4 **Title: Phase I & Phase II Soil Excavation and Confirmation Soil Sample Location Maps**

BRRTS #: 02-62-120902

ACTIVITY NAME: Mondovi Coop Equity Assn Bulk Plant

MAPS (continued)

Geologic Cross-Section Map: A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 3 Title: Cross Section A-A'

Figure #: 4 Title: Cross Section B-B'

Groundwater Isoconcentration Map: For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 3 Title: Benzene Isoconcentration Contours

Groundwater Flow Direction Map: A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 2 Title: Groundwater Contours October 6, 2005

Figure #: Title:

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

Soil Analytical Table: A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 1 & 1 Title: Soil Analytical Results & Excavated Soil Sample Results

Groundwater Analytical Table: Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 Title: Groundwater Analytical Results

Water Level Elevations: Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 Title: Monitoring Well information

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.
Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

Not Applicable

Site Location Map: A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: Title:

Well Construction Report: Form 4440-113A for the applicable monitoring wells.

Deed: The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

Notification Letter: Copy of the notification letter to the affected property owner(s).

BRRTS #: 02-62-120902

ACTIVITY NAME: Mondovi Coop Equity Assn Bulk Plant

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
Note: Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.
Number of "Off-Source" Letters: 1
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).
Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="206 Birch Street, Strum"/>	<input type="text" value="181-00448-0000"/>	<input type="text" value="409292"/>	<input type="text" value="454059"/>
<input type="text" value="B"/>	<input type="text" value="205 Birch Street, Strum"/>	<input type="text" value="181-00072-0000"/>	<input type="text" value="409281"/>	<input type="text" value="454083"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



April 23, 2008

George Rude
Countryside Cooperative
514 E Main St
PO Box 250
Durand, WI 54736-0250

RE: **Final Closure**

Commerce # 54770-9232-20-A DNR BRRTS # 02-62-120902
Mondovi Bulk Plant Strum, 120 W Birch St, Strum

Dear Mr. Rude:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Department of Natural Resources (DNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual contamination. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable state and federal regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 345-5307.

Sincerely,

Tim Zeichert
Senior Hydrogeologist
Site Review Section

cc: Dennis Johnson, Ayres Associates



ENVIRONMENTAL & REGULATORY SERVICES DIVISION
BUREAU OF PECFA
2715 Post Road
Stevens Point, Wisconsin 54481
TDD #: (608) 264-8777
Fax #: (715) 345-5269
Jim Doyle, Governor
Jack L. Fischer, A.I.A., Secretary

January 02, 2008

George Rude
Countryside Cooperative
514 E Main St
PO Box 250
Durand, WI 54736-0250

RE: **Conditional Case Closure**

Commerce # 54770-9232-20-A DNR BRRTS # 02-62-120902
Mondovi Bulk Plant Strum, 120 W Birch St, Strum

Dear Mr. Rude:

The Wisconsin Department of Commerce (Commerce) has reviewed the request for case closure prepared by your consultant, Ayres Associates, for the site referenced above. It is understood that residual soil and groundwater contamination remains on site. Commerce has determined that this site does not pose a significant threat to the environment and human health. No further investigation or remedial action is necessary.

The following condition must be satisfied to obtain final closure:

- All seven monitoring wells and the recovery well must be properly abandoned. The appropriate documentation must be forwarded to the letterhead address.

This letter serves as your written notice of "no further action." Timely filing of your final PECFA claim (if applicable) is encouraged. If your claim is not received within 120 days of the date of this letter, interest costs incurred after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 345-5307.

Sincerely,

A handwritten signature in black ink, appearing to read "Tim Zeichert". The signature is stylized and somewhat cursive, with a long horizontal line extending to the right.

Tim Zeichert
Senior Hydrogeologist
Site Review Section

cc: Gary J. Swiatko, Ayres Associates

~~4~~

366386

Document Number

WARRANTY DEED

VOL. 701 PAGE 410

Rose Ottum Register
OFFICE OF REGISTER OF DEEDS
Trempealeau County, WI

Rec. For Record MAR 07 2005
at 10:00 O'Clock a M.
Vol 701 of Records
Page 410

Rose Ottum Register

Countryside Cooperative, successor in interest of Mondovi
Coop Equity Association, Grantor, warrants and conveys to Garry
Hageness, Grantee, for good and valuable consideration, the
following described real estate in Trempealeau County, State of
Wisconsin:

See Attached Legal Description

THIS SPACE RESERVED FOR RECORDING DATA

TRANSFER
10.50
EEB

RETURN TO: Weld, Riley, Prens & Ricci
PO Box 1030
\$13.00 E.C. 54702

This is not homestead property.
Exceptions to warranties: Easements and restrictions of record.

Tax Parcel No. 61-181-434-0000

Dated this 23rd day of FEBRUARY, 2005.

COUNTRYSIDE COOPERATIVE


By: *Greg Krueger*
Greg Krueger, President

By: *Gary Lecheler* Secretary
Gary Lecheler, Secretary

STATE OF WISCONSIN)
)ss.
)
COUNTY)

Personally came before me this 23rd day of February, 2005, Greg Krueger, President and Gary Lecheler, Secretary, of the above-named Cooperative, to me known to be the persons who executed the foregoing instrument, and to me known to be such President and Secretary of said Cooperative, and acknowledged that they executed the foregoing instrument as such officers as the deed of said Cooperative, by its authority.

Douglas L. Bauer
Notary Public, State of Wisconsin
My commission is permanent/expires 4/2/06



THIS INSTRUMENT WAS DRAFTED BY:
G. Scott Nicastro - Lawyer
State Bar #1012238
Weld, Riley, Prens & Ricci, S.C.
P O Box 1030
Eau Claire, WI 54702-1030

LEGAL DESCRIPTION

That part of the NW¼ of the NE¼ of Section 19-24-8 West, bounded and described as follows: Commencing at the intersection of the West line of Fifth Avenue North (Church Street) and the Southeasterly line of Birch (Albion) Street; thence Southwesterly along said Southeasterly line of Birch Street a distance of 179 feet to the point of beginning of the parcel of land herein described;

thence continuing Southwesterly along said Southeasterly line of Birch Street a distance of 106 feet, more or less, to a point on a line drawn at right angles to the centerline of the main track of the Chicago and North Western Transportation Company (formerly the Chicago, St. Paul, Minneapolis and Omaha Railway Company), as said main track is now located, at a point thereon distant of 250 feet Southwesterly from its intersection with the West line of said Fifth Avenue North; thence Southeasterly along said last described right angle line a distance of 93.95 feet, more or less, to a point distant 9 feet Northwesterly, measured radially, from the centerline of Chicago and North Western Transportation Company (formerly Chicago, St Paul, Minneapolis and Omaha Railway Company) Spur Track I.C.C. No. 12, as said spur track is now located; thence Northeasterly parallel with said spur track center line a distance of 107 feet, more or less, to a point on a line drawn at right angles to the Southeasterly line of said Birch Street through the point of beginning; thence Northwesterly along said last described right angle line a distance of 93 feet, more or less, to the point of beginning. Subject to highways, easements and rights of way of records.

Statement


The legal description and deed sent to Ayres Associates, describing the contaminated property at 120 W Birch Street, Strum, Wisconsin, is complete and accurate.

George W. Rude

George Rude
General Manager
Countryside Cooperative
514 East Main Street
Durand, WI 54736

6/17/06


Date



NOTE: THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

USGS MAP: STRUM QUADRANGLE 1973

SCALE 1:24000



DATE: 1/18/01
 FILED: J.E. SCHMIDT
 CDEN: NAS
 C: J. SORATKO
 DATE: NOV 2007


MONDOVI CO-OP EQUITY ASSOCIATION
 STRUM BULK PLANT
 STRUM, WISCONSIN

AVRES
 ASSOCIATES
 Eau Claire, Wisconsin


LOCATION MAP

FIGURE NO.
1

SEVENTH AVENUE



SIXTH AVENUE




LEGEND:

- B-1 DRILLED SOIL BORING
- HA-2 HAND AUGER BORING
- ⊕ MW-1 MONITORING WELL

SITE PLAN

BIRCH STREET

BENCHMARK:
BLACK TAG BOLT
ASSUMED EL. = 100.00



HIGLEY OIL BULK PLANT

TREMPEALEAU CO. HWY. SHOP

FIELDER'S CHOICE DISTRIBUTION CENTER (NORTH AMERICAN FLY LTD.)

VACANT LOT


THE AD DELITE

DRG. BY: JLE PKC/D
 CHK. BY: JST/RT
 DATE: FEBRUARY 1999
AVES ASSOCIATES

SITE INVESTIGATION -
 MONDOVI COOP
 EQUITY ASSOCIATION -
 STRUM BULK PLANT
 STRUM, WISCONSIN

FIGURE

2



LEGEND:

● B-1	DRILLED SOIL BORING
■ HA-2	HAND AUGER BORING
⊕ MW-1	MONITORING WELL
⊙ S-2	HEADSPACE SCREENING SAMPLE
⊙ L-1	LABORATORY SAMPLE
⊙ SP-1	STOCKPILE SAMPLE



PHASE I SOIL EXCAVATION
AND CONFIRMATION SOIL

DR. BY/AL
CHK. BY/FM
DATE/JANUARY 2000

REMEDIAL ACTION
COUNTRYSIDE COOPERATIVE
(FORMERLY MONDOVI CO-OP
FERTILITY ASSOCIATION)

FIGURE


3



THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY MEANS OTHER THAN EQUIVALENT COLOR COPYING MAY CAUSE SOME DATA TO BE LOST OR MISREPRESENTED.

SEVENTH AVENUE

SIXTH AVENUE



LEGEND:

- B-1 DRILLED SOIL BORING
- HA-2 HAND AUGER BORING
- ⊕ MW-1 MONITORING WELL
- ▲ S-44 CONFIRMATION SOIL SAMPLE

K:\WASTE\008154.DGN


PHASE II SOIL EXCAVATION
AND CONFIRMATION SOIL SAMPLE
LOCATION PLAN

DRN. BY: HLE
CHK. BY: FJM
DATE: JANUARY 2006
AVRES
ASSOCIATES

REMEDIAL ACTION
COUNTRYSIDE COOPERATIVE
(FORMERLY MONDOVI CO-OP
EQUITY ASSOCIATION)
STURM BULK PLANT
STURM, WISCONSIN

FIGURE

4





DRAWING WAS PREPARED
FOR REPRODUCTION BY
OTHER THAN EQUIVALENT
COPYING MAY CAUSE
DATA TO BE LOST OR
PRESENTED.

d:\7ML\F\1008154.dgn

4/27/2006

F:\wrt.tbl



CROSS SECTION A-A'

NOTE:
GW ELEVATIONS MEASURED
ON DECEMBER 1, 1997

LEGEND:	
FID	FLAME IONIZATION DETECTOR (I.U.)
GRO	GASOLINE RANGE ORGANICS (mg/kg)
DRO	DIESEL RANGE ORGANICS (mg/kg)



DR. BYLINE
CHK. BYLINE
DATE FEBRUARY 1998
AVRES ASSOCIATES

SITE INVESTIGATION
MONDOVI COOP
EQUITY ASSOCIATION-
STRUM BULK PLANT
STRUM, WISCONSIN

FIGURE

3

HORIZ.
ERT.



CROSS SECTION B-B'

OWN. BYLINE: 12/6
 DR. BYLINE: 12/6
 DATE: FEBRUARY 1998
 AVRES ASSOCIATES

NOTE:
 GW ELEVATIONS MEASURED
 ON DECEMBER 1, 1997


LEGEND:

FID	FLAME IONIZATION DETECTOR (I.U.)
GRO	GASOLINE RANGE ORGANICS (mg/kg)
DRO	DIESEL RANGE ORGANICS (mg/kg)

SITE INVESTIGATION
 MONDOVI COOP
 EQUITY ASSOCIATION-
 STRUM BULK PLANT
 STRUM, WISCONSIN

FIGURE
 4

HORIZ.
 ERT.



LEGEND:

- B-1 DRILLED SOIL BORING
- HA-2 HAND AUGER BORING
- ⊕ MW-1 MONITORING WELL
- ⊕ <0.14 BENZENE CONCENTRATION-ug/L (4-5-05)
- ⊕ <0.14 BENZENE CONCENTRATION-ug/L (10-6-05)
- 2000- ISOCONCENTRATION CONTOUR (4-5-05)

BENZENE ISOCONCENTRATION CONTOURS

DRN. BY:	gbl	JOS
CHK. BY:	WZ	CJS
DATE:		MAR 2006




PROGRESS REPORT
 COUNTRYSIDE COOPERATIVE
 (FORMERLY MONDOVI CO-OP
 EQUITY ASSOCIATION)
 STRUM BULK PLANT
 STRUM, WISCONSIN

FIGURE

3

1. DRAWING WAS PREPARED
 IN COLOR. REPRODUCTION BY
 ANY OTHER THAN EQUIVALENT
 OR COPYING MAY CAUSE
 2. DATA TO BE LOST OR
 MISREPRESENTED.



VACANT LOT

9\"/>

12\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>

9\"/>


9\"/>

9\"/>

9\"/>

LEGEND:

- B-1 DRILLED SOIL BORING
- HA-2 HAND AUGER BORING
- ⊕ MW-1 MONITORING WELL
- 80.96 GROUND WATER ELEVATION
- 80.9- GROUND WATER CONTOUR




GROUND WATER CONTOURS
OCTOBER 6, 2005

DRN. BY: GLL JCS
CHK. BY: GLL JCS
DATE: MAR 2005
AVRES ASSOCIATES

PROGRESS REPORT
COUNTRYSIDE COOPERATIVE
(FORMERLY MONDOVI CO-OP
EQUITY ASSOCIATION)
STRUM BULK PLANT
STRUM, WISCONSIN

FIGURE



THIS DRAWING WAS PREPARED IN COLOR. REPRODUCTION BY ANY OTHER THAN EQUIVALENT OR COPYING MAY CAUSE THE DATA TO BE LOST OR MISREPRESENTED.

TABLE 1
SOIL ANALYTICAL RESULTS
MONDOVI CO-OP EQUITY ASSOCIATION - STRUM BULK PLANT
STRUM, WISCONSIN

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Ethyl-benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	1,2,4-Trimethylbenzene (mg/kg)	1,3,5-Trimethylbenzene (mg/kg)	1,2-DCA (mg/kg)	Lead (mg/kg)	
HA-1	7/7/1997	2-4	310	2900	9100	<1.2	<1.2	<1.2	5.1	<1.2	28	22	<1.2	42.4	
		4-6	NR	-	-	-	-	-	-	-	-	-	-	-	-
		6-8	NR	-	-	-	-	-	-	-	-	-	-	-	-
		8-10	16	-	-	-	-	-	-	-	-	-	-	-	-
		10-12	28	-	-	-	-	-	-	-	-	-	-	-	-
		12-14	52	-	-	-	-	-	-	-	-	-	-	-	-
		14-16	380	-	-	-	-	-	-	-	-	-	-	-	-
16-18	>1000	4500	1700	<2.5	12	3.8	99	<2.5	140	45	<2.5	18.0			
HA-2	7/7/1997	2-4	NR	-	-	-	-	-	-	-	-	-	-	-	
		4-6	NR	-	-	-	-	-	-	-	-	-	-	-	
		6-8	NR	-	-	-	-	-	-	-	-	-	-	-	
		8-10	>1000	1400	1400	<1.2	10	11	85	<1.2	63	20	<1.2	5.89	
		10-12	>1000	-	-	-	-	-	-	-	-	-	-	-	-
		12-14	>1000	-	-	-	-	-	-	-	-	-	-	-	-
		14-16	>1000	-	-	-	-	-	-	-	-	-	-	-	-
16-18	>1000	1100	640	<1.2	27	42	189	<1.2	100	33	<1.2	7.28			
HA-3	7/7/1997	2-4	NR	-	-	-	-	-	-	-	-	-	-	-	
		4-6	NR	-	-	-	-	-	-	-	-	-	-	-	
		6-8	NR	-	-	-	-	-	-	-	-	-	-	-	
		8-10	20	-	-	-	-	-	-	-	-	-	-	-	
		10-12	28	-	-	-	-	-	-	-	-	-	-	-	
12-14	42	<1.0	<1.4	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	0.70		
HA-4	7/7/1997	2-4	NR	-	-	-	-	-	-	-	-	-	-	-	
		4-6	6.4	-	-	-	-	-	-	-	-	-	-	-	
		6-8	180	-	-	-	-	-	-	-	-	-	-	-	
		8-10	>1000	2000	850	<2.5	42	86	284	<2.5	140	44	<2.5	4.71	
10-12	>1000	-	-	-	-	-	-	-	-	-	-	-	-		
NR 720.09 Soil Cleanup Standard				100	100	5.5	1,500	2,900	4,100	NS	NS	NS	4.9	NS	

ABBREVIATIONS AND DESIGNATIONS

- = Not analyzed

☐ = Exceeds NR 720 Soil Cleanup Standard

< = Less than the detection limit shown

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram

NK = No response

NS = No standard

1,2-DCA = 1,2-Dichloroethane

MTBE = Methyl-tert-butyl ether

TABLE 1 (Cont.)
SOIL ANALYTICAL RESULTS
MONDOVI CO-OP EQUITY ASSOCIATION - STRUM BULK PLANT
STRUM, WISCONSIN

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Ethyl-benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	1,2,4-Trimethylbenzene (mg/kg)	1,3,5-Trimethylbenzene (mg/kg)	1,2-DCA (mg/kg)	Lead (mg/kg)
HA-4 (cont.)	7/7/1997	12-14	>1000	-	-	-	-	-	-	-	-	-	-	-
		14-16	>1000	-	-	-	-	-	-	-	-	-	-	-
		16-18	>1000	1400	990	<1.2	27	48	183	<1.2	99	31	<1.2	2.82
HA-5	7/7/1997	2-4	NR	-	-	-	-	-	-	-	-	-	-	-
		4-6	NR	-	-	-	-	-	-	-	-	-	-	-
		6-8	170	-	-	-	-	-	-	-	-	-	-	-
		8-10	>1000	1500	1200	<2.5	<2.5	<2.5	106	<2.5	98	34	<2.5	8.22
		10-12	>1000	-	-	-	-	-	-	-	-	-	-	-
		12-14	>1000	800	700	<1.2	<1.2	2.0	54	<1.2	55	20	<1.2	28.3
B-1	8/6/1997	2.5-4.5	1.0	-	-	-	-	-	-	-	-	-	-	-
		5-7	2.7	-	-	-	-	-	-	-	-	-	-	-
		7.5-9.5	570	-	-	-	-	-	-	-	-	-	-	-
		10-12	10,800	-	-	-	-	-	-	-	-	-	-	-
		12.5-14.5	18,200	480	330	<1.2	7.0	18	105	<1.2	38	16	<1.2	9.26
		15-17	9,100	73	9.8	<0.12	1.0	1.2	10.7	<0.12	4.8	1.3	<0.12	7.83
B-2	8/6/1997	2.5-4.5	NR	-	-	-	-	-	-	-	-	-	-	-
		5-7	NR	-	-	-	-	-	-	-	-	-	-	-
		7.5-9.5	NR	-	-	-	-	-	-	-	-	-	-	-
		10-12	3720	49	220	<0.25	<0.25	<0.25	<0.50	<0.25	13	5.0	<0.25	2.83
		12.5-14.5	3602	-	-	-	-	-	-	-	-	-	-	-
		15-17	11,000	76	32	<0.10	<0.10	<0.10	<0.20	<0.10	2.7	1.3	<0.12	7.83
B-3	8/6/1997	2.5-4.5	NR	-	-	-	-	-	-	-	-	-	-	-
		5-7	5	<1.3	<1.4	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	1.37
		7.5-9.5	NR	-	-	-	-	-	-	-	-	-	-	-
		10-12	3	-	-	-	-	-	-	-	-	-	-	-
		12.5-14.5	4.5	-	-	-	-	-	-	-	-	-	-	-
		15-17	3	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025
NR 720.09 Soil Cleanup Standard				100	100	5.5	1,500	2,900	4,100	NS	NS	NS	4.9	NS

ABBREVIATIONS AND DESIGNATIONS

- = Not analyzed

☐ = Exceeds NR 720 Soil Cleanup Standard

< = Less than the detection limit shown

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram

NR = No response

NS = No standard

1,2-DCA = 1,2-Dichloroethane

MTBE = Methyl-tert-butyl ether

TABLE 1 (Cont.)
SOIL ANALYTICAL RESULTS
MONDOVI CO-OP EQUITY ASSOCIATION - STRUM BULK PLANT
STRUM, WISCONSIN

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Ethyl-benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	1,2,4-Trimethylbenzene (mg/kg)	1,3,5-Trimethylbenzene (mg/kg)	1,2-DCA (mg/kg)	Lead (mg/kg)	
B-4	8/6/1997	2.5-4.5	0.8	-	-	-	-	-	-	-	-	-	-	-	
		5-7	1.0	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	1.6	-	-	-	-	-	-	-	-	-	-	-	
		10-12	1.2	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	1.8	<1.3	<1.4	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	1.99
		15-17	1.1	<1.3	<1.4	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	1.99
MW-1	8/6/1997	2.5-4.5	1.0	-	-	-	-	-	-	-	-	-	-	-	
		5-7	0.8	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	4.0	-	-	-	-	-	-	-	-	-	-	-	
		10-12	NR	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	0.6	-	-	-	-	-	-	-	-	-	-	-	
		15-17	4,630	170	140	<0.25	<0.25	<0.25	<0.50	<0.25	2.3	0.4	<0.25	1.85	
17.5-19.5	8,300	3.4	<1.6	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	2.04		
MW-2	8/6/1997	2.5-4.5	2.0	-	-	-	-	-	-	-	-	-	-	-	
		5-7	1.5	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	0.3	-	-	-	-	-	-	-	-	-	-	-	
		10-12	1.4	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	1410	-	-	-	-	-	-	-	-	-	-	-	
		15-17	17,000	7500	4200	<5.0	120	230	800	<5.0	440	130	<5.0	9.89	
17.5-19.5	470	9.6	2.7	<0.025	0.14	0.16	0.69	<0.025	0.47	0.12	<0.025	2.24			
MW-3	8/6/1997	2.5-4.5	1.2	-	-	-	-	-	-	-	-	-	-	-	
		5-7	23.0	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	0.8	-	-	-	-	-	-	-	-	-	-	-	
		10-12	25.5	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	0.3	-	-	-	-	-	-	-	-	-	-	-	
		15-17	570	2.1	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	2.34
17.5-19.5	1,100	43	<1.5	0.59	0.47	1.8	3.16	<0.025	0.94	0.28	<0.025	2.53			
NR 720.09 Soil Cleanup Standard				100	100	5.5	1,500	2,900	4,100	NS	NS	NS	4.9	NS	

ABBREVIATIONS AND DESIGNATIONS

- = Not analyzed

☐ = Exceeds NR / ZU Soil Cleanup Standard

< = Less than the detection limit shown

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram

NR = No response

NS = No standard

1,2-DCA = 1,2-Dichloroethane

MTBE = Methyl-tert-butyl ether

TABLE 1 (Cont.)
SOIL ANALYTICAL RESULTS
MONDOVI CO-OP EQUITY ASSOCIATION - STRUM BULK PLANT
STRUM, WISCONSIN

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Ethyl-benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	1,2,4-Trimethylbenzene (mg/kg)	1,3,5-Trimethylbenzene (mg/kg)	1,2-DCA (mg/kg)	Lead (mg/kg)	
MW-4	10/20/1997	2.5-4.5	3.3	-	-	-	-	-	-	-	-	-	-	-	
		5-7	1.0	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	1.1	-	-	-	-	-	-	-	-	-	-	-	
		10-12	0.4	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	0.6	-	-	-	-	-	-	-	-	-	-	-	
		15-17	0.7	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	1.76
		17.5-19.5	0.5	<1.3	<1.6	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	1.57	
MW-5	10/20/1997	2.5-4.5	0.2	-	-	-	-	-	-	-	-	-	-	-	
		5-7	NR	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	0.3	-	-	-	-	-	-	-	-	-	-	-	
		10-12	0.6	<1.3	<1.4	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	1.29
		12.5-14.5	0.1	-	-	-	-	-	-	-	-	-	-	-	
		15-17	0.5	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	1.27
MW-6	10/20/1997	2.5-4.5	5.2	-	-	-	-	-	-	-	-	-	-	-	
		5-7	NR	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	NR	-	-	-	-	-	-	-	-	-	-	-	
		10-12	NR	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	1.2	-	-	-	-	-	-	-	-	-	-	-	
		15-17	554	9.8	260	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	2.14
		17.5-19.5	80	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	1.03	
MW-7	10/20/1997	2.5-4.5	0.8	-	-	-	-	-	-	-	-	-	-	-	
		5-7	0.6	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	0.6	-	-	-	-	-	-	-	-	-	-	-	
		10-12	0.9	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	0.9	-	-	-	-	-	-	-	-	-	-	-	
		15-17	0.6	<1.3	<1.4	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	1.18
		17.5-19.5	2.5	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	1.15	
NR 720.09 Soil Cleanup Standard				100	100	5.5	1,500	2,900	4,100	NS	NS	NS	4.9	NS	

ABBREVIATIONS AND DESIGNATIONS

- = Not analyzed

☐ = Exceeds NR 720 Soil Cleanup Standard

< = Less than the detection limit shown

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram

NK = No response

NS = No standard

1,2-DCA = 1,2-Dichloroethane

MTBE = Methyl-tert-butyl ether

TABLE 1 (Cont.)
SOIL ANALYTICAL RESULTS
MONDOVI CO-OP EQUITY ASSOCIATION - STRUM BULK PLANT
STRUM, WISCONSIN

Boring	Date	Sample Depth (feet)	FID Response (i.u.s.)	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Ethyl-benzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	MTBE (mg/kg)	1,2,4-Trimethylbenzene (mg/kg)	1,3,5-Trimethylbenzene (mg/kg)	1,2-DCA (mg/kg)	Lead (mg/kg)	
MW-8	10/20/1997	2.5-4.5	0.8	-	-	-	-	-	-	-	-	-	-	-	
		5-7	0.2	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	0.6	-	-	-	-	-	-	-	-	-	-	-	
		10-12	0.7	-	-	-	-	-	-	-	-	-	-	-	
		12.5-14.5	0.2	<1.3	<1.4	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	<0.647
		15-17	0.4	<1.3	<1.5	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	1.35
MW-8R	12/1/1997	2.5-4.5	1.3	-	-	-	-	-	-	-	-	-	-	-	
		5-7	0.9	-	-	-	-	-	-	-	-	-	-	-	
		7.5-9.5	NR	-	-	-	-	-	-	-	-	-	-	-	-
		10-12	0.7	-	-	-	-	-	-	-	-	-	-	-	-
		12.5-14.5	1.3	-	-	-	-	-	-	-	-	-	-	-	-
		15-17	1.0	<1.3	<1.6	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025	<0.025	<0.025	<0.025	-
NR 720.09 Soil Cleanup Standard				100	100	5.5	1,500	2,900	4,100	NS	NS	NS	4.9	NS	

ABBREVIATIONS AND DESIGNATIONS

- = Not analyzed

☐ = Exceeds NR 720 Soil Cleanup Standard

< = Less than the detection limit shown

i.u.s. = Instrument units

mg/kg = Milligrams per kilogram

NK = No response

NS = No standard

1,2-DCA = 1,2-Dichloroethane

MTBE = Methyl-tert-butyl ether

**TABLE 1
EXCAVATED SOIL SAMPLE RESULTS
COUNTRYSIDE COOPERATIVE--STRUM BULK PLANT**

PHASE I SCREENING SAMPLES (used to guide soil removal)

Sample Number	Date	Sample Location	Sample Depth (feet)	FID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethyl-benzene (mg/Kg)	1,3,5 Trimethyl-benzene (mg/Kg)	PAHs (mg/Kg)
S-1	5/11/98		6	1.2	no	--	--	--	--	--	--	--	--	--	--
S-2	5/11/98	SE	8	700	slight	--	--	--	--	--	--	--	--	--	--
S-3	5/11/98	SE bottom	15	>1000	yes	--	--	--	--	--	--	--	--	--	--
S-4	5/11/98	SE bottom/sidewall	15	>1000	yes	--	--	--	--	--	--	--	--	--	--
S-5	5/11/98	center	8	160	yes	--	--	--	--	--	--	--	--	--	--
S-6	5/11/98	center	9	300	yes	--	--	--	--	--	--	--	--	--	--
S-7	5/11/98	NW bottom	10	660	yes	--	--	--	--	--	--	--	--	--	--

PHASE I CONFIRMATION SAMPLES (representative of soil left in place)

Sample Number	Date	Sample Location	Sample Depth (feet)	FID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethyl-benzene (mg/Kg)	1,3,5 Trimethyl-benzene (mg/Kg)	PAHs (mg/Kg)
L-1	5/11/98	S sidewall	8	>1000	yes	62	170	<0.12	0.56	<0.12	1.1	<0.12	6.2	2.7	--
L-2	5/11/98	SE bottom	17	20	slight	27	15	<0.025	<0.025	<0.025	<0.025	<0.025	0.21	0.071	--
L-3	5/11/98	E sidewall	15	1	no	<1.6	<1.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-4	5/11/98	NE sidewall	12	0.4	no	<1.4	<1.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-5	5/11/98	center floor	17	1	no	<1.7	<1.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-6	5/11/98	N sidewall	12	>1000	yes	40	7.2	<0.025	0.05	<0.025	0.193	<0.025	1.2	0.32	--
L-7	5/11/98	N floor	17	940	yes	33	32	<0.025	0.031	<0.025	0.193	<0.025	0.84	0.25	--
L-8	5/11/98	NE bottom	17	820	slight	3.2	3	<0.025	<0.025	<0.025	<0.025	<0.025	0.073	<0.025	--
L-9	5/11/98	NW bottom	17	42	yes	<1.4	2.6	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-10	5/12/98	SW bottom	17	1	slight	<1.5	<1.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-11	5/12/98	W sidewall	14	5.4	no	<1.5	<1.3	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
L-12	5/11/98	SW sidewall	14	>1000	yes	36	17	<0.025	0.13	0.046	0.8	<0.025	1.8	0.55	--

PHASE I "STOCKPILE" SAMPLES (representative of soil hauled to biopile)

Sample Number	Date	Sample Location	Sample Depth (feet)	FID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethyl-benzene (mg/Kg)	1,3,5 Trimethyl-benzene (mg/Kg)	PAHs (mg/Kg)
SP-1	5/11/98	SE	8	700	yes	250	420	<0.50	<0.50	<0.50	<0.50	<0.50	6.3	3.6	--
SP-2	5/11/98	center	14	>1000	yes	69	220	<1.2	2.1	<1.2	12.8	<1.2	10	4.4	--
SP-3	5/11/98	bottom	15	>1000	yes	150	300	<1.2	2.2	<1.2	16.1	<1.2	22	6.6	--
NR 720 Soil Cleanup Standards						100	100	0.005	2.9	1.5	4.1	NS	NS	NS	--

☐ = Exceeds NR 720 Soil Cleanup Standards
PAHs = Polynuclear Aromatic Hydrocarbons

NPD = No PAHs detected -- = Not analyzed NS = No standard
SPD = Some PAHs detected : See lab report for specific analytes and concentrations

**TABLE 1 (Cont.)
EXCAVATED SOIL SAMPLE RESULTS
COUNTRYSIDE COOPERATIVE--STRUM BULK PLANT**

PHASE II SCREENING SAMPLES (used to guide soil removal)

Sample Number	Date	Sample Location	Sample Depth (feet)	PID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethyl-benzene (mg/Kg)	1,3,5 Trimethyl-benzene (mg/Kg)	PAHs (mg/Kg)
S-1	9/2/99	Below gas tank	2	560	no	--	--	--	--	--	--	--	--	--	--
S-2	9/2/99	Below gas tank	6	539	slight	--	--	--	--	--	--	--	--	--	--
S-3	9/2/99	Below gas tank	4	572	yes	--	--	--	--	--	--	--	--	--	--
S-4	9/2/99	NE side of ex.	14	680	yes	--	--	--	--	--	--	--	--	--	--
S-5	9/2/99	NE side of ex.	17	530	yes	--	--	--	--	--	--	--	--	--	--
S-6	9/2/99	NE side of ex.	19	537	yes	--	--	--	--	--	--	--	--	--	--
S-7	9/2/99	NE side of ex.	18	634	yes	--	--	--	--	--	--	--	--	--	--
S-8	9/2/99	NE side of ex.	18	480	yes	--	--	--	--	--	--	--	--	--	--
S-9	9/2/99	East side of ex.	10	271	yes	--	--	--	--	--	--	--	--	--	--
S-10	9/2/99	NE side of ex.	19	431	yes	--	--	--	--	--	--	--	--	--	--
S-12	9/2/99	Middle of the ex.	15	659	yes	--	--	--	--	--	--	--	--	--	--
S-13	9/2/99	Middle of the ex.	20	431	yes	--	--	--	--	--	--	--	--	--	--
S-14	9/2/99	SE side of ex.	10	65	slight	--	--	--	--	--	--	--	--	--	--
S-15	9/2/99	Middle of the ex.	20	713	yes	--	--	--	--	--	--	--	--	--	--
S-16	9/2/99	Mid south side of ex.	20	557	yes	--	--	--	--	--	--	--	--	--	--
S-17	9/2/99	South side of ex.	6	799	yes	--	--	--	--	--	--	--	--	--	--
S-18	9/2/99	Middle of the ex.	20	391	yes	--	--	--	--	--	--	--	--	--	--
S-19	9/2/99	Middle of the ex.	22	366	yes	--	--	--	--	--	--	--	--	--	--
S-20	9/3/99	South side of ex.	12	733	yes	--	--	--	--	--	--	--	--	--	--
S-21	9/3/99	South side of ex.	12	102	no	--	--	--	--	--	--	--	--	--	--
S-22	9/3/99	West side of ex.	12	1000	yes	--	--	--	--	--	--	--	--	--	--
S-28	9/3/99	Mid west side of ex.	12	824	yes	--	--	--	--	--	--	--	--	--	--
S-29	9/3/99	Southwest side of ex.	10	850	yes	--	--	--	--	--	--	--	--	--	--
S-30	9/3/99	West side of ex.	8	193	yes	--	--	--	--	--	--	--	--	--	--
S-31	9/3/99	Mid west side of ex.	17	468	yes	--	--	--	--	--	--	--	--	--	--
S-37	9/3/99	North side of ex.	12	688	yes	--	--	--	--	--	--	--	--	--	--
S-38	9/3/99	North side of ex.	15	703	yes	--	--	--	--	--	--	--	--	--	--
S-39	9/3/99	North side of ex.	16	744	yes	--	--	--	--	--	--	--	--	--	--
S-40	9/3/99	North side of ex.	16	840	yes	--	--	--	--	--	--	--	--	--	--
S-41	9/3/99	NW side of ex.	10	5.0	no	--	--	--	--	--	--	--	--	--	--
S-42	9/3/99	North side of ex.	10	6.0	yes	--	--	--	--	--	--	--	--	--	--
S-45	9/3/99	NW side of ex.	19	707	yes	--	--	--	--	--	--	--	--	--	--
S-46	9/3/99	North side of ex.	19	737	yes	--	--	--	--	--	--	--	--	--	--
S-48	9/3/99	West side of ex.	12	766	yes	--	--	--	--	--	--	--	--	--	--
S-49	9/3/99	West side of ex.	16	895	yes	--	--	--	--	--	--	--	--	--	--
S-54	9/3/99	NE side of ex.	15	613	yes	--	--	--	--	--	--	--	--	--	--

☐ = Exceeds NR 720 Soil Cleanup Standards
PAHs = Polynuclear Aromatic Hydrocarbons

NPD = No PAHs detected

-- = Not analyzed NS = No standard

SPD = Some PAHs detected : See lab report for specific analytes and concentrations

**TABLE 1 (Cont.)
EXCAVATED SOIL SAMPLE RESULTS
COUNTRYSIDE COOPERATIVE--STRUM BULK PLANT**

PHASE II CONFIRMATION SAMPLES (representative of soil left in place)

Sample Number	DATE	Sample Location	Sample Depth (feet)	PID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethylbenzene (mg/Kg)	1,3,5 Trimethylbenzene (mg/Kg)	PAHs (mg/Kg)
S-11	9/2/99	East sidewall	10'	8	no	<3.9	<2.6	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-23	9/3/99	South sidewall	12	47	no	<4.1	<2.8	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-24	9/3/99	South bottom	20	630	yes	150	1700	<0.50	<0.50	<0.50	18	<0.50	<0.025	<0.025	--
S-25	9/3/99	East sidewall	12	79	no	<4.0	<2.6	<0.025	<0.025	<0.025	<0.025	<0.025	3.4	10	NPD
S-26	9/3/99	SE sidewall	12	29	no	<3.9	<2.8	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-27	9/3/99	SE bottom	20	40	no	<3.9	<2.7	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-32	9/3/99	SW sidewall	12	4	slight	75	<2.9	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	NPD
S-34	9/3/99	SW bottom	22	644	slight	<4.4	3.4	<0.025	0.13	<0.025	0.28	<0.025	<0.025	<0.025	--
S-36	9/7/99	NE sidewall	12	1	no	<4.2	<2.7	<0.025	<0.025	<0.025	<0.025	<0.025	0.2	0.055	SPD
S-43	9/7/99	North sidewall	12	9	no	<4.0	<2.6	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-44	9/7/99	North sidewall	12	80	no	<3.7	<2.7	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-47	9/7/99	Bottom middle	20	683	yes	820	4000	12	100	180	540	<0.025	<0.025	<0.025	--
S-50	9/7/99	SW sidewall	12	3	no	<4.1	<2.7	<0.025	<0.025	<0.025	<0.025	5.3	250	74	SPD
S-51	9/7/99	West sidewall	12	1	no	<3.9	<2.6	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
S-52	9/7/99	NW bottom	21	696	yes	180	670	0.64	14	30	74	<0.025	<0.025	<0.025	--
S-53	9/7/99	NW sidewall	12	22	no	<3.9	<2.6	<0.025	<0.025	<0.025	<0.025	0.92	39	12	SPD
S-55	9/7/99	NE bottom	22	63	no	<4.0	<3.0	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	--
NR 720 Soil Cleanup Standards						100	100	0.005	2.9	1.5	4.1	NS	NS	NS	NS

PHASE II "STOCKPILE" SAMPLES (representative of soil hauled to biopile)

Sample Number	DATE	Sample Location	Sample Depth (feet)	PID Response (i.u.s)	Odor	DRO (mg/Kg)	GRO (mg/Kg)	Benzene (mg/Kg)	Ethyl-benzene (mg/Kg)	Toluene (mg/Kg)	Total Xylene (mg/Kg)	MTBE (mg/Kg)	1,2,4 Trimethylbenzene (mg/Kg)	1,3,5 Trimethylbenzene (mg/Kg)	PAHs (mg/Kg)
S-3	9/2/99	Below gas tank	4	572	yes	2300	3800	67	88	360	510	9.6	220	75	--
S-18	9/2/99	Middle of excav.	20	391	yes	430	1400	<0.5	2.9	<0.5	8	4.3	20	64	--
S-28	9/3/99	Mid west side of ex.	12	824	yes	1300	2100	<2.0	25	31	203	<2.0	140	48	--
S-31	9/3/99	West side of ex.	17	468	yes	3300	720	<2.0	52	46	280	4	190	63	--
S-33	9/3/99	SW side of ex.	20	225	yes	5700	4700	<2.5	91	120	480	8.7	270	85	--
S-35	9/3/99	North side of ex.	8	318	yes	5600	1300	<1.0	<1.0	<1.0	51	<1.0	59	77	--
NR 720 Soil Cleanup Standards						100	100	0.005	2.9	1.5	4.1	NS	NS	NS	NS

☐ = Exceeds NR 720 Soil Cleanup Standards
PAHs = Polynuclear Aromatic Hydrocarbons

NPD = No PAHs detected

-- = Not analyzed

NS = No standard

SPD = Some PAHs detected : See lab report for specific analytes and concentrations

**TABLE 2
GROUND WATER ANALYTICAL RESULTS
COUNTRYSIDE COOPERATIVE - STRUM BULK PLANT**

Locallon	Date	GRO (µg/L)	DRO (µg/L)	B (µg/L)	E (µg/L)	T (µg/L)	X (µg/L)	MTBE (µg/L)	1,2,4- TMB (µg/L)	1,3,5- TMB (µg/L)	N (µg/L)	1,2-DCA (µg/L)	Dissolved Lead (µg/L)
MW-1	8/19/1997	3,000*	7,400*	2.5*	<1.0	12	<10.0	<1.0	130	90	14	<1.0	5
	8/19/97 (dup.)	2,400*	8,500*	2.0*	<1.0	5.5	<5.0	<1.0	110	85	<5.5	<1.0	1
	12/1/1997	2,100*	4,800*	3.6	0.30*	2.9	<1.9	22	42	35	--	--	--
	MW-1 (aband. 9/3/99)	9/27/1999	--	--	--	--	--	--	--	--	--	--	--
MW-2	8/19/1997	23,000*	8,700*	100*	1,100	6,800	9000	<50	2,000	480	680*	<50	4
	12/1/1997	20,000*	5,300*	270	1,000	5,000	4800	<10	1,100	280	--	--	--
	9/27/1999	3,600	3,000	47	210	450	464	<0.88	210	49	21	--	--
	1/7/2000	3,600	2,000	140	300	520	636	4.3	210	53	130	--	--
	3/23/2000	3,600	1,600	60	260	660	550	<1.1	190	51	99	--	--
	6/13/2000	3,900*	3,900*	58	100	1,200	910	<15	94	48	26	--	--
	9/13/2000	5,000	2,700	95	250	2,200	760	5.5	160	52	110	--	--
	3/9/2001	4,000	1,700	13	310	630	673	6.3	240	56	--	--	--
	3/21/2002	750	3,300	12	37	66	110	1.1	11	3.1	20	--	--
	9/11/2002	660	1,800	1.8	12	36	47	<1.0	9.3	4.2	--	--	--
	3/3/2003	620*	1200*	1.9	6.1	8.2	18	<0.40	20	8.9	15	--	--
	8/22/2003	670	3,500	3.9	13	110	51	1.7	8.5	5.7	--	--	--
	3/1/2004	470	1,900	2.9	10	35	56	1.5	9.7	4.8	12	--	--
	9/27/2004	640	4,700	4.8	17	160	76	0.83	6.3	3.6	--	--	--
	4/5/2005	210	1,400	<0.14	2.7	11	17.9	1.3	3.2	1.4	1*	--	--
	10/6/2005	1,200	1,600	9.2	68	460	254.0	0.59	14	4.6	--	--	--
12/29/2006	--	--	--	6.9	170	470	780.0	0.93	78	16	77	--	--
7/2/2007	--	--	1	44	12	89.0	0.78	11	4.2	21	--	--	
MW-3 Interim ground water sampling point	8/19/1997	34,000*	3900*	250*	1,900	10,000	11,500	<100	1,800	350	<550	<100	11
	12/1/1997	32,000*	380*	280*	2,200	5,500*	10,600	<20	2,300	590	--	--	--
	12/1/97 (dup.)	29,000*	2500*	260	2,100	5,300*	10,100	<20	2,100	550	--	--	--
	8/5/98	32,000	5300	190	2,000	6,000	9,900	<20	2,000	500	--	--	--
	2/10/99	32,000	2500	90	1,800	6,800	8,100	110	1,700	420	--	--	--
	9/27/1999	40,000	5,500	180	2,100	9,600	10,800	<22	1,900	480	270	--	--
	1/7/2000	35,000	6600	3,400	1,500	7,700	7,900	38	1,400	360	470	--	--
	3/23/2000	31,000	6,500	4,300	2,000	7,900	10,000	<22	1,900	480	550	--	--
	6/13/2000	31,000*	4,200*	5,100	1,800	8,500	9,100	<60	1,600	330	450	--	--
	6/13/00 (dup.)	30,000*	3,700*	4,200	1,800	7,400	8,900	<60	1,700	340	410	--	--
	9/13/2000	42,000	4,200	7,200	2,300	12,000	11,600	5.5	1,700	420	590	--	--
	3/9/2001	44,000	3,900	8,100	2,000	6,500	9,500	<80	1,800	390	--	--	--
	3/21/2002	33,000	3,300	7,200	1,900	5,900	8,900	<80	1,900	490	360	--	--
	9/11/2002	36,000	3,300	8,600	1,700	6,800	8,300	<100	1,800	460	--	--	--
	3/3/2003	42000*	4600*	8,800	1,900	6,200	9,000	<20	1,900	460	550	--	--
	8/22/2003	44,000	7,600	10,000	1,800	7,600	8,800	<58	1,900	520	--	--	--
	4/5/2004	49,000	5,500	14,000	1,500	7,700	7,100	42*	1,800	480	470	--	--
	9/27/2004	48,000	5,700	14,000	1,400	6,600	6,900	<45	2,000	550	--	--	--
	4/5/2005	42,000	5,500	8,000	1,800	8,500	7,800	<18	1,700	470	460	--	--
	10/6/2005	42,000	5,200	5,400	1,700	9,000	7,800	29	2,300	620	--	--	--
12/29/2006	--	--	3,200	1,800	15,000	9,000	37*	2,100	520	540	--	--	
7/2/2007	--	--	2,400	1,900	12,000	9,200	<45	2,300	600	650	--	--	
MW-4	10/28/1997	<30*	<28*	<0.30	<0.20	<0.20	<0.80	<0.20	<0.60	<0.30	<1.1	<0.20	<1
	12/1/1997	<30	<27	<0.20	<0.30	<0.20	<0.90	<0.20	<0.30	<0.30	--	--	--
	9/27/1999	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.42	--	--
	1/7/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	3/23/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	6/13/2000	<14	<31	<0.50	<0.50	<0.50	<1.5	<0.30	<0.5	<0.5	<1.0	--	--
	9/14/2000	<14	<19	<0.50	<0.50	<0.50	<1.5	<0.4	<0.5	<0.5	<1.0	--	--
	3/9/2001	<14	<26	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	9/18/2001	<14	<21	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	3/21/2002	<16	<26	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<0.28	--	--
	9/11/2002	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	--	--	--
	3/3/2003	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<1.3	--	--
	8/22/2003	<50	<100	<0.30	<0.60	<0.58	<1.84	<0.58	<0.66	<0.52	--	--	--
	3/1/2004	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--
	9/27/2004	<50	<96	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--
	4/5/2005	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--
10/6/2005	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
7/2/2007	--	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
NR 140 ES	NS	NS	5	700	1,000	10,000	60	480	100	5	15		
NR 140 PAL	NS	NS	0.5	140	200	1,000	12	96	10	0.5	1.5		

ABBREVIATIONS AND ACRONYMS

GRO = Gasoline range organics
DRO = Diesel range organics
B = Benzene
E = Ethylbenzene
T = Toluene
X = Total xylenes

DESIGNATIONS

1,2,4 - TMB = 1,2,4-Trimethylbenzene
1,3,5 - TMB = 1,3,5-Trimethylbenzene
N = Naphthalene
1,2-DCA = 1,2-Dichloroethane
µg/L = Micrograms per kilogram
MTBE = Methyl tert-butyl ether
NS = No standard

-- = Not analyzed
< = Less than detection limit shown

0.0 = Exceedance of NR 140 Ground Water Quality Preventive Action Limits (PAL)

0.0 = Exceedance of NR 140 Ground Water Quality Enforcement Standards (ES)

ES and PAL exceedance for 1,2,4 TMB and 1,3,5 TMB is combined total for both compounds.

FOOTNOTES

* = See the analytical results for specific notes on this constituent

**TABLE 2 (Cont.)
GROUND WATER ANALYTICAL RESULTS
COUNTRYSIDE COOPERATIVE - STRUM BULK PLANT**

Location	Date	GRO (µg/L)	DRO (µg/L)	B (µg/L)	E (µg/L)	T (µg/L)	X (µg/L)	MTBE (µg/L)	1,2,4- TMB (µg/L)	1,3,5- TMB (µg/L)	N (µg/L)	1,2-DCA (µg/L)	Dissolved Lead (µg/L)
MW-5	10/28/1997	<30	110	<0.30	<0.20	<0.20	<0.80	<0.20	<0.60	<0.30	<1.1	<0.20	<1
	12/1/1997	<30	<27	<0.20	<0.30	<0.20	<0.90	<0.20	<0.30	<0.30	--	--	--
	9/27/1999	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.42	--	--
	1/7/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	3/23/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	6/13/2000	<14	<28	<0.50	<0.50	<0.50	<1.5	<0.30	<0.5	<0.5	<1.0	--	--
	9/13/2000	<14	<19	<0.50	<0.50	<0.50	<1.5	<0.40	<0.50	<0.50	<1.0	--	--
	3/9/2001	<14	<25	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	9/18/2001	<14	<21	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	3/21/2002	<16	<22	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<0.27	--	--
	9/11/2002	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	--	--	--
	3/3/2003	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<1.3	--	--
	8/22/2003	<50	<100	<0.30	<0.60	<0.58	<1.84	<0.58	<0.66	<0.52	--	--	--
	3/1/2004	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--
	9/27/2004	<50	<94	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--
	4/5/2005	<50	--	<0.14	<0.40	<0.36	<1.10	0.36	<0.39	<0.40	<0.47	--	--
	10/6/2005	<50	<94	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--
10/6/2005	<50	<94	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
7/2/2007	--	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
MW-6 Interim ground water sampling point	10/28/1997	6,400*	5200*	18*	360	280	1580	<4.0	680	260	280	<4.0	1
	12/1/1997	4,500*	2400*	7.0*	220	140	770	11	440	190	--	--	--
	8/5/98	4,900	3700	6.0	330	130	720	17	420	210	--	--	--
	2/10/99	10,000	3000	45	1,000	550	2100	60	1,000	290	--	--	--
	9/27/1999	7,200	3,700	<1.0	490	140	750	<0.88	520	190	<0.42	--	--
	1/7/2000	9,100	5700	<1.3	790	310	1380	<1.1	810	260	370	--	--
	1/7/2000(dup.)	7,900	5400	<2.6	850	190	1145	24	630	250	380	--	--
	3/23/2000	10,000	4,000	<2.6	970	210	1410	<2.2	870	270	390	--	--
	6/13/2000	6,100*	4,300*	<10	870	170	1000	11	800	220	360	--	--
	9/13/2000	5,300	3,100	<25	490	150	980	<20	680	170	270	--	--
	3/9/2001	9,800	2,300	<8.0	790	420	1790	<8.0	930	230	--	--	--
	3/21/2002	9,600	2,700	<20	1,100	340	2490	<20	1,200	320	240	--	--
	9/11/2002	7,100	3,000	88	510	310	1430	<20	890	240	--	--	--
	3/3/2003	7400*	4100*	<20	650	140	966	<20	920	230	360	--	--
	8/22/2003	9,400	6,100	<1.5	780	360	1650	11	980	250	--	--	--
	3/1/2004	12,000	5,000	3	1000	730	2570	22	1,100	290	420	--	--
	3/1/2004(dup.)	11,000	--	5.6	1000	710	2560	23	1,100	280	--	--	--
	9/27/2004	7,100	4,400	1.9	480	110	1230	6	760	200	--	--	--
	4/5/2005	15,000	5,500	<1.4	1300	770	3700	29	1,300	340	460	--	--
	4/5/05(dup.)	14,000	--	<1.4	1100	880	3300	21	1,200	300	--	--	--
10/6/2005	5,300	3200	4.0	210	55	690	13	730	220	--	--	--	
12/29/2006	--	--	2.3	480	280	1580	12	920	240	260	--	--	
Duplicate	12/29/2006	--	--	2.8	780	430	2500	13	1,000	260	350	--	--
Duplicate	7/2/2007	--	--	<0.69	740	360	1930	16	880	240	300	--	--
Duplicate	7/2/2007	--	--	1.7	530	210	1540	10	950	250	--	--	--
MW-7	10/28/1997	200*	110	<0.30	<0.20	2.7	<0.80	<0.20	<0.60	0.5*	<1.1	<0.20	<1
	10/28/97(dup.)	210*	96	<0.30	<0.20	2.4	<0.80	<0.20	<0.60	<0.30	<1.1	<0.20	--
	12/1/1997	160*	<27	<0.20	<0.30	1.9	<1.5	<0.20	0.3*	<0.30	--	--	--
	9/27/99 (dup.)	350	580	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.42	--	--
	1/7/2000	<50	590	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	3/23/2000	<50	490	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--
	6/13/2000	<14	<30	<0.50	<0.50	<0.50	<1.5	<0.30	<0.5	<0.5	<1.0	--	--
	9/13/2000	<50	<19	<0.50	<0.50	<0.50	<1.5	<0.40	<0.50	<0.50	<1.0	--	--
	3/9/2001	<14	<26	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	9/18/2001	210	<21	<0.40	<0.40	<0.40	<1.1	<0.40	<0.40	<0.40	--	--	--
	3/21/2002	<23	<16	<0.40	<0.40	<0.40	<1.4	<0.40	<0.40	<0.40	<23	--	--
	9/11/2002	250	75	<0.40	0.53	<0.40	<1.4	<0.40	<0.50	<0.40	--	--	--
	3/3/2003	90	93	<0.40	<0.40	0.79	<1.4	<0.40	<0.50	<0.40	<1.3	--	--
	8/22/2003	<50	460	<0.30	<0.60	<0.58	<1.84	<0.58	<0.66	<0.52	--	--	--
	3/1/2004	<50	500	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--
9/27/2004	360	370	<0.14	0.44	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
4/5/2005	<50	460	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
10/6/2005	<50	420	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
7/2/2007	--	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
MW-8 (aband 12/1/97)	10/28/1997	<30	<28*	<0.30	<0.20	<0.20	<0.80	<0.20	<0.60	<0.30	<1.1	<0.20	<1
	12/1/1997	<30	<27	<0.20	<0.30	<0.20	<0.90	<0.20	<0.30	<0.30	--	--	--
NR 140 ES	NS	NS	5	700	1,000	10,000	60	480	100	5	15		
NR 140 PAL	NS	NS	0.5	140	200	1,000	12	96	10	0.5	1.5		

ABBREVIATIONS AND ACRONYMS

GRO = Gasoline range organics
DRO = Diesel range organics
B = Benzene
E = Ethylbenzene
T = Toluene
X = Total xylenes

DESIGNATIONS

1,2,4 - TMB = 1,2,4-Trimethylbenzene
1,3,5 - TMB = 1,3,5-Trimethylbenzene -- = Not analyzed <= Less than detection limit shown
N = Naphthalene
1,2-DCA = 1,2-Dichloroethane
µg/L = Micrograms per kilogram
MTBE = Methyl tert-butyl ether
NS = No standard

0.0 = Exceedance of NR 140 Ground Water Quality Preventive Action Limits (PAL)
0.0 = Exceedance of NR 140 Ground Water Quality Enforcement Standards (ES)

ES and PAL exceedance for 1,2,4 TMB and 1,3,5 TMB is combined total for both compounds.

FOOTNOTES

* = See the analytical results for specific notes on this constituent

**TABLE 2 (Cont.)
GROUND WATER ANALYTICAL RESULTS
COUNTRYSIDE COOPERATIVE - STRUM BULK PLANT**

Locallon	Date	GRO (µg/L)	DRO (µg/L)	B (µg/L)	E (µg/L)	T (µg/L)	X (µg/L)	MTBE (µg/L)	1,2,4- TMB (µg/L)	1,3,5- TMB (µg/L)	N (µg/L)	1,2-DCA (µg/L)	Dissolved Lead (µg/L)	
MW-8R	9/27/1999	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.42	--	--	
	1/7/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--	
	3/23/2000	<50	<100	<0.26	<0.24	<0.21	<1.34	<0.22	<0.86	<0.54	<0.89	--	--	
	6/13/2000	<14	<26	<0.50	<0.50	<0.50	<1.5	<0.30	<0.5	<0.5	<1.0	--	--	
	9/13/2000	<14	<19	<0.5	<0.5	<0.5	<1.5	<0.4	<0.5	<0.5	<1.0	--	--	
	3/21/2002	<16	<26	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<0.26	--	--	
	9/11/2002	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	--	--	--	
	3/3/2003	<16	--	<0.40	<0.40	<0.40	<1.4	<0.40	<0.5	<0.40	<1.3	--	--	
	8/22/2003	<50	<100	<0.30	<0.60	<0.58	<1.84	<0.58	<0.66	<0.52	--	--	--	
	3/1/2004	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
	9/27/2004	<50	<95	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
	4/5/2005	<50	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	<0.47	--	--	
	10/6/2005	<50	120	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	
	12/29/2006	Well was not able to be located												
	7/2/2007	Well was not able to be located												
8/13/2007	--	--	<0.14	<0.40	<0.36	<1.10	<0.36	<0.39	<0.40	--	--	--	--	
Recovery Well	9/27/1999	26,000	3,800	4,300	710	5,100	4900	<11	1,200	320	150	--	--	
	1/7/2000	26,000	5900	5,700	750	3,500	3,600	40	1,200	370	290	--	--	
	3/23/2000	13,000	5,900	3,200	480	480	1184	<5.5	720	240	150	--	--	
	6/13/2000	19000*	3,200*	7,900	890	1,900	2560	<60	860	210	140	--	--	
	9/13/2000	22,000	3,700	8,200	1,200	2,900	4300	<20	1,000	300	240	--	--	
	3/9/2001	28,000	2,900	8,100	1,300	2,300	4090	18	1,100	330	--	--	--	
	9/18/2001	9,600	3,600	1,600	370	370	2100	<20	640	280	--	--	--	
	3/21/2002	11,000	2,000	2,300	760	860	2900	<20	910	290	93	--	--	
	9/11/2002	3,300	1,200	360	240	63	710	<4.0	260	70	--	--	--	
	3/3/2003	12000*	2800*	3,300	430	1300	2480	<20	660	190	200	--	--	
	8/22/2003	5,000	3,600	890	240	300	860	<5.8	330	110	--	--	--	
	3/1/2004	13,000	4,300	3,600	600	540	2580	13	830	260	220	--	--	
	9/27/2004	3,900	2,500	710	270	210	454	3.1	330	84	--	--	--	
	4/5/2005	11,000	3,100	2,700	720	1500	2090	9.3*	650	160	210	--	--	
	10/6/2005	3,700	1,700	290	340	29	620	6.6	490	120	--	--	--	
12/29/2006	--	--	0.36*	0.70*	<0.36	<1.1	<0.36	0.40*	<0.40	<0.47	--	--		
7/2/2007	--	--	93	100	15	228	3	140	29	34	--	--		
NR 140 ES	NS	NS	5	700	1,000	10,000	60	480	100	5	15			
NR 140 PAL	NS	NS	0.5	140	200	1,000	12	96	10	0.5	1.5			

ABBREVIATIONS AND ACRONYMS
 GRO = Gasoline range organics
 DRO = Diesel range organics
 B = Benzene
 E = Ethylbenzene
 T = Toluene
 X = Total xylenes

1,2,4 - TMB = 1,2,4-Trimethylbenzene
 1,3,5 - TMB = 1,3,5-Trimethylbenzene
 N = Naphthalene
 1,2-DCA = 1,2-Dichloroethane
 µg/L = Micrograms per kilogram
 MTBE = Methyl tert-butyl ether
 NS = No standard

DESIGNATIONS

-- = Not analyzed
 <= Less than detection limit shown
 0.0 = Exceedance of NR 140 Ground Water Quality Preventive Action Limits (PAL)
 0.0 = Exceedance of NR 140 Ground Water Quality Enforcement Standards (ES)
 ES and PAL exceedance for 1,2,4 TMB and 1,3,5 TMB is combined total for both compounds.

FOOTNOTES

* = See the analytical results for specific notes on this constituent

**TABLE 1
MONITORING WELL INFORMATION
COUNTRYSIDE COOPERATIVE - STRUM BULK PLANT**

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-8R
GROUND SURFACE	98.60	97.61*	97.84	99.58	97.63*	96.96	98.67	96.10	96.44
TOP OF CASING	101.10	97.31*	97.50	101.98	97.37*	96.51	98.18	96.07	95.84
TOP OF SCREEN	86.83	83.95*	85.82	87.43	82.82*	84.84	87.08	84.22	83.99
BOTTOM OF SCREEN	76.83	73.95*	75.82	77.43	72.82*	74.74	77.08	74.22	73.99
GROUND WATER ELEVATIONS									
8/12/1997	82.56	82.25	82.12	NI	NI	NI	NI	NI	NI
8/19/1997	82.55	82.23	82.12	NI	NI	NI	NI	NI	NI
10/28/1997	82.11	81.79	81.72	82.34	81.66	80.99	81.46	80.33	NI
12/1/1997	81.72	81.41	81.35	81.95	81.31	80.62	81.12	80.02	79.14
8/5/1998	82.16	81.81	81.73	82.39	81.70	80.96	81.46	--	--
2/10/1999	80.83	80.57	80.50	81.06	80.47	79.90	80.37	--	--
9/27/1999	--	81.99	81.89	82.64	81.88	81.11	81.59	--	79.52
1/7/2000	--	80.89	80.83	81.38	80.76	80.14	80.61	--	78.79
3/23/2000	--	80.84	80.81	81.27	80.72	80.18	80.62	--	78.91
6/13/2000	--	82.23	82.08	82.51	82.02	81.52	81.89	--	79.87
9/13/2000	--	82.22	82.08	82.70	82.06	81.31	81.80	--	79.8
3/9/2001	--	80.55	80.49	80.99	80.43	79.88	80.33	--	78.62
9/18/2001	--	82.22	82.02	82.72	82.03	81.23	81.73	--	79.64
3/21/2002	--	81.83	81.80	82.18	81.75	81.29	81.64	--	80.13
9/11/2002	--	82.63	81.82	82.47	81.81	81.08	81.56	--	79.55
3/3/2003	--	80.71	80.67	81.21	80.62	80.04	80.44	--	78.75
8/22/2003	--	81.35	81.36	81.88	81.19	80.53	80.99	--	78.99
3/1/2004	--	80.21	81.71	80.64	80.23	79.64	80.06	--	78.44
9/27/2004	--	82.67	81.90	82.53	81.85	81.12	81.61	--	79.58
4/5/2005	--	82.96	82.18	82.46	82.01	81.68	81.99	--	80.59
10/6/2005	--	81.70	81.66	82.23	81.60	80.96	81.39	--	79.53
12/29/2006	--	80.91	80.95	81.28	80.65	80.12	80.56	--	--
7/2/2007		81.49	81.40	81.93	81.20	80.55	81.03	--	NM

NOTES

- MW-1 Abandoned September 3, 1999
- MW-8 abandoned on December 1, 1997
- MW-3 Surface area flooded on March 1, 2004
- Ground water elevations based on temporary benchmark (BM) - elevation assumed @ 100 ft.
- BM = Black tag bolt on fire hydrant

ABBREVIATIONS

- NI=Not Installed
- *=Well lowered and resurveyed

Impacted Off-Source Property Information

Form 4400-246 (R 3/08)

This fillable form is intended to provide a list of information that must be submitted for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request (Section H). The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #:

ACTIVITY NAME:

ID	Off-Source Property Address	Parcel Number	WTM X	WTM Y
<input type="text" value="A"/>	<input type="text" value="206 Birch Street, Strum"/>	<input type="text" value="181-00448-0000"/>	<input type="text" value="409292"/>	<input type="text" value="454059"/>
<input type="text" value="B"/>	<input type="text" value="205 Birch Street, Strum"/>	<input type="text" value="181-00072-0000"/>	<input type="text" value="409281"/>	<input type="text" value="454083"/>
<input type="text" value="C"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="D"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="E"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="F"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="G"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="H"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text" value="I"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



Dedicated to Service...Committed to Success...

514 East Main Street
PO Box 250
Durand WI 54736
(715) 672-8947 Fax (715) 672-5131
1-800-236-7585
<http://www.countrysidecoop.com>
E-Mail: info@countrysidecoop.com

April 13, 2006

Garry Hageness
N51974 County Road D
Strum, WI 54770

Re: Residual Contamination

Dear Mr. Hageness:

Groundwater contamination that appears to have originated on the property located at 208 West Birch Street has migrated onto your property, at 206 Birch Street. The chemical compounds benzene, ethylbenzene, toluene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultant who has investigated this contamination has informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter Comm 46, Wisconsin Administrative Code, and I will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address: <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

The Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department Commerce that is relevant to this closure request, you should mail that information to:

Mr. Shawn Wenzel
Wisconsin Department of Commerce
200 W. Washington Avenue
P.O. Box 8044
Madison, WI 53708-8044

Garry Hageness
April 13, 2006
Page 2 of 2

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' Internet website. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and contact the Drinking Water program within the Department of Natural Resources to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at Countryside Cooperative, 514 East Main Street, P.O. Box 250, Durand, WI 54736, (telephone no. 715-672-8947), or you may contact Shawn Wenzel at the address shown above (telephone no. 608-261-5401).

Sincerely,

Countryside Cooperative



George Rude
General Manager



Dedicated to Service...Committed to Success...

514 East Main Street
PO Box 250
Durand WI 54736
(715) 672-8947 Fax (715) 672-5131
1-800-236-7585
<http://www.countrysidecoop.com>
E-Mail: info@countrysidecoop.com

April 12, 2006

Barbara Tumm
205 Birch Street
Strum, WI 54770

Re: Residual Contamination

Dear Ms. Tumm:

Groundwater contamination that appears to have originated on the property located at ~~100~~ West Birch Street has migrated onto your property, 205 Birch Street. The chemical compounds 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultant who has investigated this contamination has informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter Comm 46, Wisconsin Administrative Code, and I will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address: <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

The Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department Commerce that is relevant to this closure request, you should mail that information to:

Mr. Shawn Wenzel
Wisconsin Department of Commerce
200 W. Washington Avenue
P.O. Box 8044
Madison, WI 53708-8044

Barbara Tumm
April 12, 2006
Page 2 of 2

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' Internet website. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.


Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and contact the Drinking Water program within the Department of Natural Resources to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at Countryside Cooperative, 514 East Main Street, P.O. Box 250, Durand, WI 54736, (telephone no. 715-672-8947), or you may contact Shawn Wenzel at the address shown above (telephone no. 608-261-5401).

Sincerely,

Countryside Cooperative



George Rude
General Manager

OFF-SOURCE
B
PROPERTY

7003 1010 0000 2000 6452 7350

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

Ayres Associates - 645 Birch St Strum, WI

Postage	\$.63
Certified Fee	2.40
Return Receipt Fee (Endorsement Required)	1.85
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 4.88

APR 25 PM 2006 64703

Sent To: *Ms. Barbara Tumm*
 Street, Apt. No., or PO Box No.: *205 Birch St*
 City, State, ZIP+4: *Strum, WI 54770*

PS Form 3800, June 2002 See Reverse for Instructions

OFF-SOURCE
A
PROPERTY

7003 1010 0000 2000 6452 7343

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

Ayres Associates - 645 Birch St Strum, WI

Postage	\$.63
Certified Fee	2.40
Return Receipt Fee (Endorsement Required)	1.85
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 4.88

APR 25 PM 2006 64703

Sent To: *Garry Hageness*
 Street, Apt. No., or PO Box No.: *NS1974 Co. Rd. D*
 City, State, ZIP+4: *Strum, WI 54770*

PS Form 3800, June 2002 See Reverse for Instructions

RIGHT-OF-WAY

7003 1010 0000 2000 6452 7326

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

Ayres Associates - 645 Birch St Strum, WI

Postage	\$.63
Certified Fee	2.40
Return Receipt Fee (Endorsement Required)	1.85
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 4.88

APR 25 PM 2006 64703

Sent To: *David Berge / Director of Public Works*
 Street, Apt. No., or PO Box No.: *202 5th ave. South*
 City, State, ZIP+4: *Strum, WI 54770*

PS Form 3800, June 2002 See Reverse for Instructions

DOCUMENT NO.

294819

STATE BAR OF WISCONSIN FORM 2 - 1982

WARRANTY DEED

THIS SPACE RESERVED FOR RECORDING DATA

VOL. 419 PAGE 381

OFFICE OF REGISTER OF DEEDS
Trempealeau County, WI

Rec. for Record OCT 26 1995

at 9:30 O'Clock A.M.

Vol 419 of Records Page 381

Janet Peterson Register

David L. Schroeder a/k/a David J. Schroeder
a/k/a David Schroeder and Sharon J.
Schroeder, his wife

conveys and warrants to
Barbara L. Tumm, a single person

the following described real estate in
County, State of Wisconsin:

TREMPEALEAU

RETURN TO
ATA 1212 Brackett Ave
1000 Pl. Eau Claire, WI 54601

Tax Parcel No: 61-181-72-0000

Lot 4 of Block 8, of the Original Plat of the Village of Strum,
Wisconsin.

TRANSFER
\$161.20 FEB

This is is homestead property.
(is) (~~is not~~)

Exception to warranties:

Easements, covenants and restrictions of record.

Dated this 18 day of October, 1995

Sharon J. Schroeder (SEAL)

* Sharon J. Schroeder (SEAL)

David L. Schroeder (SEAL)

* David L. Schroeder a/k/a
David J. Schroeder a/k/a
David Schroeder (SEAL)

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by Subsec. 706.08, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

MICHAEL J. VINOPAL

ATTORNEY AT LAW
(Signatures may be authenticated or acknowledged. Both are not necessary.)

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
TREMPEALEAU County,)
Personally came before me this 18th day of
October, 1995 the above named

David L. Schroeder a/k/a
David J. Schroeder a/k/a
David Schroeder
Sharon J. Schroeder
to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

* DAVID M. DEESE
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration date):
SEPT. 1, 1996

* Names of persons signing in any capacity should be typed or printed below their signatures.



Dedicated to Service... Committed to Success...

514 East Main Street
PO Box 250
Durand WI 54736
(715) 672-8947 Fax (715) 672-5131
1-800-236-7585
<http://www.countrysidecoop.com>
E-Mail: info@countrysidecoop.com

April 12, 2006

David Berge
Director of Public Works
202-5th Avenue South
P.O. Box 25
Strum, WI 54770-0025

Re: Residual Contamination

To Whom It May Concern:

Groundwater contamination that appears to have originated on the property located at ~~200~~ West Birch Street has migrated onto your property, the right-of-way of Birch Street. 1, 2, 4-trimethylbenzene and 1, 3, 5-trimethylbenzene contamination in the groundwater on your property are above the state groundwater enforcement standards found in chapter NR 140, Wisconsin Administrative Code. However, the environmental consultant who has investigated this contamination has informed me that this groundwater contaminant plume is stable or receding and will naturally degrade over time. I believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter Comm 46, Wisconsin Administrative Code, and I will be requesting that the Department of Commerce accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the Department will not be requiring any further investigation or cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required. For further information on the requirements of section 292.13, Wisconsin Statutes, you may obtain a copy of the Department of Natural Resources' publication #RR-589, Fact Sheet 10: Guidance for Dealing with Properties Affected by Off-Site Contamination, by accessing the following web address: <http://dnr.wi.gov/org/aw/rr/archives/pubs/RR589.pdf>.

The Department of Commerce will not review my closure request for at least 30 days after the date of this letter. As an affected property owner, you have a right to contact the Department to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the Department of Commerce that is relevant to this closure request, you should mail that information to:

Mr. Shawn Wenzel
Wisconsin Department of Commerce
200 W. Washington Avenue
P.O. Box 8044
Madison, WI 53708-8044

David Berge
April 12, 2006
Page 2 of 2

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds chapter NR 140 groundwater enforcement standards will be listed on the Department of Natural Resources' geographic information system (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above chapter NR 140 enforcement standards was found at the time that the case was closed. This GIS Registry will be available to the general public on the Department of Natural Resources' Internet website.


Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and contact the Drinking Water program within the Department of Natural Resources to determine if there is a need for special well construction standards.

Once the Department makes a decision on my closure request, it will be documented in a letter. If the Department grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at Countryside Cooperative, 514 East main Street, P.O. Box 250, Durand, WI 54736, (telephone no. 715-672-8947), or you may contact Shawn Wenzel at the address shown above (telephone no. 608-261-5401).

Sincerely,

Countryside Cooperative



George Rude
General Manager