

GIS REGISTRY INFORMATION

SITE NAME: Whitehall City Garage
BRRTS #: 03-62-000670 **FID # (if appropriate):**
COMMERCE # (if appropriate): 54773-9442-31
CLOSURE DATE: 19-May-2006
STREET ADDRESS: 18460 Kelley Street
CITY: Whitehall

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 415158 Y= 433514

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties
- County Parcel ID number, if used for county, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure
- Copy of any maintenance plan referenced in the deed restriction.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

May 19, 2006

Mr. Lynn Johnson, City Administrator
City of Whitehall
P.O. Box 155
Whitehall, WI 54773

SUBJECT: Final Closeout with Conditions Satisfied of Petroleum Contamination Cleanup
at Whitehall City Garage, DNR #03-62-000670

Dear Mr. Johnson:

On July 14, 1998, your site as described above was reviewed for closure by the Department of Natural Resources. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On August 7, 1998, you were notified that conditional closure was granted to this case.

On May 19, 2006, the Department received correspondence indicating that you have complied with the conditions of closure. A groundwater use restriction was recorded noting the presence of residual contaminated groundwater and soil at the Whitehall City Garage property. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

FUTURE EXCAVATION OF RESIDUAL CONTAMINATED SOIL

Residual soil contamination remains near the south edge of the property adjacent to Kelley Street as indicated in the information submitted to the Department of Natural Resources. If soil in this specific location is excavated in the future, the property owner at the time of excavation will be required to sample and analyze the excavated soil to determine whether the contamination still remains. All current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard at the time of excavation. **Special precautions may need to be taken during excavation activities to prevent a direct contact health threat to humans.** Based upon the results of sample analysis, the current owner will also have to properly store, treat, or dispose of any excavated materials, in accordance with state and federal laws.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry and you intend to construct or reconstruct a well, you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4) (w). To obtain approval, Form 3300-254

needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.


Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates the steps taken by the City of Whitehall to address the environmental contamination at this property and to help protect human health and the environment. If you have any questions about this letter please feel free to call me at 715-839-3824.

Sincerely,

A handwritten signature in black ink, appearing to read "E. Kramer", written in a cursive style.

Eileen Kramer, P.H.
Hydrogeologist
Remediation & Redevelopment Program



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott A. Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TDD 715-839-2786

August 7, 1998

COPY

Mr. Lynn Johnson
City of Whitehall
P.O. Box 155
Whitehall, WI 54773

Subject: Petroleum Contamination Cleanup at City Garage, DNR #03-62-000670
PECFA #54773-9442-31, **Case Closeout Approved**


Dear Mr. Johnson:

On November 6, 1991, the Department of Natural Resources provided a notice to you that the degree and extent of petroleum contamination at the above-named site was required to be investigated and remediated. We have since been informed that the required work has been completed. On July 14, 1998, the above-named site was reviewed by the West Central Region Closeout Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code. Based on the documentation provided to the Department, it appears that the petroleum contamination at the above-named site has been addressed in compliance with the requirements of chs. NR 700 to 724, Wis. Adm. Code. Therefore, the Department considers the case "closed," having determined that no further action is necessary to protect human health or the environment.

However, due to the presence of residual contamination remaining in the soil and the groundwater at the site, a condition of the closeout is that the owner complete, sign and record a groundwater use restriction for the property within 60 days after receipt of this letter. For your convenience, I am enclosing a generic form for the notification. Site specific information should be inserted and a draft returned to me for DNR review. Following DNR review, the final draft is to be filed by the property owner with the County Register of Deeds. To document that this condition has been met, the property owner must submit to the DNR a copy of the recorded deed notification, with the recording information stamped on it.

The Department appreciates the actions you have undertaken to protect human health and the environment. If you have any questions, please feel free to call me at (715) 839-3824.

Sincerely,



Eileen Kramer
Hydrogeologist

c: Ken Shimko, Alliance Environmental




Quality Natural Resources Management
Through Excellent Customer Service






SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929



UTM GRID AND 1973 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET




QUADRANGLE LOCATION

WH5ITLDC

FIGURE 1
 SITE LOCATION MAP
 CITY OF WHITEHALL GARAGE
 WHITEHALL, WISCONSIN

PROJECT NO.	PREPARED BY
C701	TGD
DATE	REVIEWED BY
11/7/97	TAM





TANK LEGEND

#1	- 1000 GALLON UNLEADED GAS
#2	- 1000 GALLON UNLEADED GAS
#3	- 1000 GALLON DIESEL
#4	- 1000 GALLON WASTE OIL

LEGEND

●	ASP-2	AIR SPARGE POINT
◆	VRW-1	VAPOR RECOVERY WELL
*	SB-6	SOIL BORING
⊗	MW-4	MARKER WELL
□	TANK #1	UNDERGROUND STORAGE TANK (REMOVED)
□		REMEDIATION BUILDING
✕-✕		FENCE
↓		GRASS AREA

KELLY STREET




FIGURE 2
TANK INVESTIGATION
SAMPLING LOCATIONS
CITY OF WHITEHALL GARAGE
WHITEHALL, WISCONSIN

PROJECT NO. C701	PREPARED BY TGD	
DATE 11/21/97	REVIEWED BY TAM	

TANKSAMP

Table 1a
Ground Water Analytical Results
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No: C701

MW-1

	ES	2/12/93	6/11/93	6/11 dup	9/9/93	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98	
MTBE	60	<1.0	<1.0	<1.0	NS	<1.0	<1.0	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	NS	NS	NS	<1.0
Benzene	5	<1.0	<0.2	0.22	NS	<1.0	<0.2	ND	<0.5	<0.5	<0.5	<0.5	NS	<0.5	NS	<0.5	NS	NS	NS	NS	NS	<0.5
Toluene	343	<0.8	<0.5	<0.5	NS	<1.0	<0.8	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	NS	NS	NS	<1.0
Ethylbenzene	700	<0.2	<0.2	<0.2	NS	<1.0	<0.2	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	NS	NS	<1.0
Xylenes (Total)	620	<1.0	<0.8	<0.8	NS	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	NS	NS	<1.0
1,2,4 Tri-Methyl Benzene	NA	<0.8	<0.8	<0.8	NS	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	NS	NS	<1.0
1,3,5 Tri-Methyl Benzene	NA	<0.8	<0.8	<0.8	NS	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	NS	NS	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	NS	<50	NS	NS	NS	NS	NS	<50

MW-2

	ES	2/12/93	6/11/93	9/9/93	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98	
MTBE	60	<1.0	<1.0	NS	<1.0	<1.0	ND	<2.0	<2.0	<2.0	<2.0	NS	<0.5	ND	<2.0	<2.0	NS	NS	NS	NS	<1.0
Benzene	5	<1.0	<0.2	NS	<1.0	<0.2	ND	<0.5	<0.5	<0.5	<0.5	NS	<1.0	ND	<0.5	<0.5	NS	NS	NS	NS	<0.5
Toluene	343	<0.8	<0.5	NS	<1.0	<0.8	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	ND	<2.0	<2.0	NS	NS	NS	NS	<1.0
Ethylbenzene	700	<0.2	<0.2	NS	<1.0	<0.2	ND	<1.0	<1.0	<1.0	<1.0	NS	<2.0	ND	<1.0	<1.0	NS	NS	NS	NS	<1.0
Xylenes (Total)	620	<1.0	<0.8	NS	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	ND	<1.0	<1.0	NS	NS	NS	NS	<1.0
1,2,4 Tri-Methyl Benzene	NA	<0.8	<0.8	NS	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	ND	<1.0	<1.0	NS	NS	NS	NS	<1.0
1,3,5 Tri-Methyl Benzene	NA	<0.8	<0.8	NS	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	ND	<1.0	<1.0	NS	NS	NS	NS	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<1.0	NS	<50	NS	NS	NS	NS	NS	<50

All parameters in ug/l (parts per billion)

ND = No Detect

ES = Enforcement Standard

NS = Not Sampled

7/10/95 - Turned on the soil vapor extraction system

7/25/95 - Turned on the air sparge system

3/22/96 - Switch from ASP-2 to ASP-1

6/25/96 - Turned system off

15 = Exceeds Enforcement Standard

Table 1b
Ground Water Analytical Results
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No: C701

MW-3

	ES	2/12/93	6/11/93	9/9/93	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	120	44	11	<1.0	250	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	<1.0	<1.0	<1.0
Benzene	5	73	14	5.1	<1.0	110	ND	<0.5	<0.5	<0.5	<0.5	NS	<0.5	NS	<0.5	NS	NS	<0.5	<0.5	<0.5
Toluene	343	1.6	<0.5	<0.5	<1.0	7.9	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	<1.0	<1.0	<1.0
Ethylbenzene	700	<0.2	<0.2	<0.2	<1.0	<0.2	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	<1.0	<1.0	<1.0
Xylenes (Total)	620	1.9	<0.8	<0.8	16	1.6	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	<1.0	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	<0.8	<0.8	<0.8	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	<1.0	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	<0.8	<0.8	<0.8	<1.0	<0.8	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	<1.0	<1.0	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	NS	<50	NS	NS	<50	<50	<50

MW-4

	ES	2/12/93	6/11/93	9/9 DUP	9/10/93	12/13/93	7/25/95	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	NS	<1.0	<1.0	<1.0	<1.0	NS	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	NS	<1.0	<1.0
Benzene	5	NS	0.28	0.84	0.9	<1.0	NS	ND	<0.5	<0.5	<0.5	<0.5	NS	<0.5	NS	<0.5	NS	NS	NS	<0.5	<0.5
Toluene	343	NS	<0.5	<0.5	<0.5	<1.0	NS	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	NS	NS	NS	<1.0	<1.0
Ethylbenzene	700	NS	<0.2	<0.2	<0.2	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	<1.0	<1.0
Xylenes (Total)	620	NS	<0.8	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	NS	<0.8	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	NS	<0.8	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	NS	NS	NS	<1.0	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	NS	<50	NS	NS	NS	<50	<50

All parameters in ug/l (parts per billion)

ND = No Detect

ES = Enforcement Standard

NS = Not Sampled

7/10/95 - Turned on the soil vapor extraction system

7/25/95 - Turned on the air sparge system

3/22/96 - Switch from ASP-2 to ASP-1

6/25/96 - Turned system off

15 = Exceeds Enforcement Standard

Table 1c
Ground Water Analytical Results
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No: C701

MW-5

	ES	2/12/93	6/11/93	9/9/93	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	NS	5.9	22	150	NS	263	643	1000	1490	620	NS	647	NS	1390	483.3	217	19.2	2.44	< 1.0
Benzene	5	NS	<0.2	<0.2	<1.0	NS	4	0.58	<5.0	14.7	11.7	NS	4.35	NS	11.1	<0.5	0.7	<0.5	<0.5	<0.5
Toluene	343	NS	<0.5	0.59	<1.0	NS	ND	<2.0	<20.0	<20.0	<20.0	NS	<2.0	NS	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	700	NS	<0.2	<0.2	<1.0	NS	ND	<1.0	<10.0	<10.0	<10.0	NS	<1.0	NS	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0
Xylenes (Total)	620	NS	<0.8	<0.8	<1.0	NS	ND	<1.0	<10.0	<10.0	<10.0	NS	<1.0	NS	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	NS	<0.8	<0.8	<1.0	NS	ND	<1.0	<10.0	<10.0	<10.0	NS	<1.0	NS	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	NS	<0.8	<0.8	<1.0	NS	ND	<1.0	<10.0	<10.0	<10.0	NS	<1.0	NS	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	320	NS	684	243	94.3	<50	<50	<50

MW-6

	ES	6/11/93	9/9/DUP	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	<0.1	<0.1	<1.0	NS	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	<2.0	<1.0	NS	<1.0	<1.0
Benzene	5	<0.2	<0.2	<1.0	NS	ND	<0.5	<0.5	<0.5	<0.5	NS	<0.5	NS	<0.5	<0.5	<0.5	NS	<0.5	<0.5
Toluene	343	<0.5	<0.5	<1.0	NS	ND	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	<2.0	<1.0	NS	<1.0	<1.0
Ethylbenzene	700	<0.2	<0.2	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	NS	<1.0	<1.0
Xylenes (Total)	620	<0.8	<0.8	3.5	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	NS	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	NS	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	NS	<1.0	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	NS	<50	53.9	<50	NS	<50	<50

All parameters in ug/l (parts per billion)

ND = No Detect

ES = Enforcement Standard

NS = Not Sampled

7/10/95 - Turned on the soil vapor extraction system

7/25/95 - Turned on the air sparge system

3/22/96 - Switch from ASP-2 to ASP-1

6/25/96 - Turned system off

15 = Exceeds Enforcement Standard

Table 1d
 Ground Water Analytical Results
 City of Whitehall Garage
 Whitehall, Wisconsin
 Alliance No: C701

MW-7

	ES	6/11/93	9/9/93	12/13/93	7/25/94	8/25/94	1/18/95	6/12/95	7/17/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	<1.0	<1.0	<1.0	NS	ND	<2.0	<2.0	7.5	3.97	NS	11.3	NS	7.69	5.87	5.6	<1.0	<1.0	<1.0
Benzene	5	<0.2	<0.2	<1.0	NS	ND	<0.5	<0.5	<0.5	<0.5	NS	<0.5	NS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Toluene	343	<0.5	<0.5	<1.0	NS	1.4	<2.0	<2.0	<2.0	<2.0	NS	<2.0	NS	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	700	<0.2	<0.2	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Xylenes (Total)	620	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	<0.8	<0.8	<1.0	NS	ND	<1.0	<1.0	<1.0	<1.0	NS	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
GRO	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	NS	<50	<50	<50	<50	<50	<50

ASP-1

	ES	6/25/94	1/18/95	6/12/95	7/17/95	7/25/95	8/25/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	19	<2.0	148	152	NS	NS	92.4	NS	19.2	33.6	52.1	<1.0	<1.0	NS	<1.0	<1.0
Benzene	5	1.7	26.5	49.4	56.3	NS	NS	63.4	NS	30.3	11.5	11.5	<0.5	<0.5	NS	<0.5	<0.5
Toluene	343	1.2	2.3	<10.0	<10.0	NS	NS	<2.0	NS	<2.0	10.2	6.43	<1.0	<1.0	NS	<1.0	<1.0
Ethylbenzene	700	ND	<2.0	6.1	<5.0	NS	NS	2.71	NS	<1.0	6.43	3.84	<1.0	<1.0	NS	<1.0	<1.0
Xylenes (Total)	620	1.2	4.24	<5.0	<5.0	NS	NS	4.38	NS	<1.0	8.33	8.25	<1.0	<1.0	NS	<1.0	<1.0
1,2,4 Tri-Methyl Benzene	NA	ND	22.4	<5.0	<5.0	NS	NS	<1.0	NS	1.05	<1.0	1.34	<1.0	<1.0	NS	<1.0	<1.0
1,3,5 Tri-Methyl Benzene	NA	ND	5.12	<5.0	<5.0	NS	NS	<1.0	NS	<1.0	1.18	<1.0	<1.0	<1.0	NS	<1.0	<1.0
GRO	NA	NS	278	613	785	76.9	<50	NS	<50	<50							

All parameters in ug/l (parts per billion)

ND = No Detect

ES = Enforcement Standard

NS = Not Sampled

7/10/95 - Turned on the soil vapor extraction system

7/25/95 - Turned on the air sparge system

3/22/96 - Switch from ASP-2 to ASP-1

6/25/96 - Turned system off

15 = Exceeds Enforcement Standard

Table 1e
Ground Water Analytical Results
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No: C701

ASP-2

	ES	8/25/94	1/18/95	6/12/95	7/17/95	7/25/95	8/25/95	9/27/95	10/9/95	12/15/95	2/7/96	3/12/96	5/22/96	8/15/96	4/11/97	1/29/98	4/8/98
MTBE	60	24	<20.0	NS	<20.0	NS	NS	NS	<2.0	<2.0	NS	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
Benzene	5	224	54	NS	454	NS	NS	NS	<0.5	<0.5	NS	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Toluene	343	1010	357	NS	757	NS	NS	NS	<2.0	<2.0	NS	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
Ethylbenzene	700	224	146	NS	314	NS	NS	NS	<1.0	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Xylenes (Total)	620	997	1210	NS	2192	NS	NS	NS	11.03	1.66	NS	<1.0	<1.0	1.6	1.3	1.3	<1.0
1,2,4 Tri-Methyl Benzene	NA	105	182	NS	980	NS	NS	NS	33.5	2.18	NS	<1.0	<1.0	1.9	1.1	1.1	<1.0
1,3,5 Tri-Methyl Benzene	NA	301	<10.0	NS	303	NS	NS	NS	2.44	<1.0	NS	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
GRO	NA	NS	<50	NS	<50	55.5	<50	<50	<50	<50							

All parameters in ug/l (parts per billion)

ND = No Detect

ES = Enforcement Standard

NS = Not Sampled

7/10/95 - Turned on the soil vapor extraction system

7/25/95 - Turned on the air sparge system

3/22/96 - Switch from ASP-2 to ASP-1

6/25/96 - Turned system off

15 = Exceeds Enforcement Standard

Table 6
CONFIRMATION GROUND WATER SAMPLING RESULTS
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No: C701

8/4/97

Parameter	ES	GP-11	GP-13
Benzene	5	< 50.0	< 0.5
Ethylbenzene	700	1750	< 1.0
MTBE	60	< 100	< 1.0
Toluene	343	9320	1.07
1,2,4-Trimethylbenzene		4,110	213
1,3,5-Trimethylbenzene		963	< 1.0
Xylenes	620	16,130	47.3
GRO		43,400	1,220

All units ug/l

ES = Enforcement Standard

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

 = Enforcement Standard Exceedence

Table 5
 CONFIRMATION SOIL SAMPLING RESULTS
 City of Whitehall Garage
 Whitehall, Wisconsin
 Alliance No. C701

Post-remedial
 soil - PPM

8.4.97

Parameter	ES	GP-11:12-14'	GP-11:16-18'	GP-12:12-14'	GP-12:16-18'	GP-13:12-14'	GP-13:16-18'	GP-14:10-12'	GP-14:16-18'	GP-15:12-14'	GP-15:16-18'
Benzene	0.0055	< 0.027	< 0.026	< 0.026	< 2.505	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
Toluene	1.5	< 0.027	< 0.026	< 0.026	< 2.505	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
Ethylbenzene	2.9	< 0.027	< 0.026	< 0.026	< 2.505	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
Xylenes	4.1	< 0.027	< 0.026	< 0.026	21.502	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
1,2-Dichloroethane	0.0049	< 0.027	< 0.026	< 0.026	< 2.505	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
GRO	100	< 0.027	< 0.026	< 0.026	724	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
DRO	100	181	< 0.026	16.1	354	5.23	12.2	< 0.027	< 0.026	< 0.027	< 0.027
Methylene Chloride		< 0.027	< 0.026	< 0.026	3.148	< 0.027	< 0.026	< 0.027	0.038	0.127	0.131
Trichlorofluoromethane		< 0.027	< 0.026	< 0.026	< 2.505	< 0.027	< 0.026	< 0.027	0.028	< 0.027	< 0.027
Chloromethane		0.042	< 0.026	0.031	2.881	< 0.027	0.031	< 0.027	< 0.026	< 0.027	< 0.027
n-Butylbenzene		< 0.027	< 0.026	0.089	34.484	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
1,3,5-Trimethylbenzene		< 0.027	< 0.026	< 0.026	18.846	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027
1,2,4-Trimethylbenzene		< 0.027	< 0.026	< 0.026	56.659	< 0.027	< 0.026	< 0.027	< 0.026	< 0.027	< 0.027

All units in mg/kg

ES = Enforcement Standard


GRO = Gasoline Range Organics

DRO = Diesel Range Organics


15 = Enforcement Standard Exceedance

Ground water ~ 15'

NR 720 generic RCL Exceedance



KELLY STREET



LEGEND	
+	GP-12 GEOPHONE LOCATION
⊗	MW-4 MONITOR WELL
□	TANK IN UNDERGROUND STORAGE TANK REMOVED
□	RENOVATION BUILDING
✕-✕	FENCE
↓	GRASS AREA
⊘	REMAINDERS GROUND WATER CONTAMINATION

As of 8/4/97

FIGURE 10 PRESENT GROUND WATER ENFORCEMENT STANDARD EXCEEDANCES CITY OF WHITEHALL GARAGE WHITEHALL, WISCONSIN		
PROJECT NO. C701	PREPARED BY TGD	
DATE 11/7/97	REVIEWED BY TAM	

POVESE

Table 2a: Ground Water Measurement Data
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No. 3000701

LEGEND:

NA = Not Available

NM = Not Measured

* = These wells not installed at this date

Well	7/24/92		2/12/93		6/11/93		9/9/93		12/13/93		
	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	18.60	799.30	18.55	799.35	16.53	801.37	24.05	793.85	17.55	800.35
MW-2	821.48	22.45	799.03	22.43	799.05	20.39	801.09	27.78	793.70	21.47	800.01
MW-3	818.46	19.28	799.18	19.25	799.21	17.17	801.29	23.40	795.06	18.13	800.33
MW-4	817.90	*	*	*	*	16.24	801.66	24.35	793.55	17.20	800.70
MW-5	818.89	*	*	*	*	17.76	801.13	24.40	794.49	18.75	800.14
MW-6	821.22	*	*	*	*	20.10	801.12	24.48	796.74	21.14	800.08
MW-7	818.60	*	*	*	*	17.70	800.90	26.40	792.20	18.73	799.87
ASP-1	NA	*	*	*	*	*	*	*	*	*	*
ASP-2	NA	*	*	*	*	*	*	*	*	*	*

Well	1/12/95		6/12/95		7/17/95		7/25/95		8/25/95		
	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	18.01	799.89	17.88	800.02	18.31	799.59	18.23	799.67	17.54	800.36
MW-2	821.48	21.93	799.55	21.78	799.70	22.20	799.28	22.07	799.41	21.45	800.03
MW-3	818.46	18.65	799.81	18.55	799.91	18.98	799.48	18.92	799.54	18.19	800.27
MW-4	817.90	17.68	800.22	17.58	800.32	18.01	799.89	17.96	799.94	17.23	800.67
MW-5	818.89	19.22	799.67	19.12	799.77	19.54	799.35	19.47	799.42	18.77	800.12
MW-6	821.22	21.61	799.61	21.50	799.72	21.90	799.32	21.80	799.42	21.13	800.09
MW-7	818.60	19.21	799.39	19.07	799.53	19.50	799.10	19.41	799.19	18.74	799.86
ASP-1	NA	20.67	NA	20.60	NA	21.02	NA	20.95	NA	18.10	NA
ASP-2	NA	18.52	NA	NA	NA	22.30	NA	NA	NA	20.25	NA

Table 2b: Ground Water Measurement Data
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No. 3000701

LEGEND:

NA = Not Available

NM = Not Measured

* = These wells not installed at this date

		9/11/95		9/27/95		10/16/95		11/7/95		12/14/95	
Well	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	17.04	800.86	20.00	797.90	17.33	800.57	19.49	798.41	17.81	800.09
MW-2	821.48	20.96	800.52	21.26	800.22	21.03	800.45	21.40	800.08	21.73	799.75
MW-3	818.46	17.67	800.79	18.00	800.46	17.11	801.35	18.14	800.32	18.53	799.93
MW-4	817.90	16.70	801.20	16.99	800.91	16.53	801.37	17.16	800.74	17.50	800.40
MW-5	818.89	18.26	800.63	18.00	800.89	18.19	800.70	18.70	800.19	19.05	799.84
MW-6	821.22	20.66	800.56	20.95	800.27	20.96	800.26	21.08	800.14	21.43	799.79
MW-7	818.60	18.24	800.36	18.58	800.02	19.01	799.59	NA	NA	19.02	799.58
ASP-1	NA	19.72	NA	18.35	NA	20.15	NA	20.20	NA	20.55	NA
ASP-2	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.05	NA

		12/15/95		2/6/96		3/12/96		4/10/96		5/22/96	
Well	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	17.84	800.06	18.01	799.89	18.31	799.59	17.39	800.51	17.75	800.15
MW-2	821.48	21.76	799.72	21.92	799.56	22.24	799.24	20.23	801.25	21.63	799.85
MW-3	818.46	18.53	799.93	18.69	799.77	19.04	799.42	18.03	800.43	18.41	800.05
MW-4	817.90	17.54	800.36	NA	NA	17.57	800.33	17.16	800.74	17.46	800.44
MW-5	818.89	19.08	799.81	19.24	799.65	19.56	799.33	18.35	800.54	18.95	799.94
MW-6	821.22	21.47	799.75	21.59	799.63	21.93	799.29	20.84	800.38	21.32	799.90
MW-7	818.60	19.06	799.54	19.18	799.42	19.54	799.06	18.54	800.06	18.95	799.65
ASP-1	NA	20.56	NA	20.63	NA	21.04	NA	NA	NA	NA	NA
ASP-2	NA	18.40	NA	NA	NA	24.22	NA	NA	NA	18.39	NA

Table 2c: Ground Water Measurement Data
City of Whitehall Garage
Whitehall, Wisconsin
Alliance No. 3000701

LEGEND:


NA = Not Available

NM = Not Measured

* = These wells not installed at this date

		6/13/96		8/15/96	
Well	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	17.58	800.32	18.01	799.89
MW-2	821.48	21.44	800.04	21.94	799.54
MW-3	818.46	18.27	800.19	18.71	799.75
MW-4	817.90	17.35	800.55	17.68	800.22
MW-5	818.89	18.59	800.30	19.24	799.65
MW-6	821.22	21.11	800.11	21.65	799.57
MW-7	818.60	18.79	799.81	19.23	799.37
ASP-1	NA	NA	NA	20.85	NA
ASP-2	NA	NA	NA	NA	NA

		3/17/97		4/11/97	
Well	Meas. pt (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)	Depth to water (ft)	Groundwater Elev. (MSL)
MW-1	817.90	NM	NA	NM	NA
MW-2	821.48	NM	NA	NM	NA
MW-3	818.46	19.31	799.15	18.27	800.19
MW-4	817.90	NM	NA	NM	NA
MW-5	818.89	19.75	799.14	18.72	800.17
MW-6	821.22	NM	NA	NM	NA
MW-7	818.60	19.71	798.89	18.64	799.96
ASP-1	NA	NA	NA	NM	NA
ASP-2	NA	NA	NA	NA	NA



LEGEND

- ASP-2 AIR SPARGE POINT
- ◆ VRW-1 VAPOR RECOVERY WELL
- * SB-6 SOIL BORING
- ⊗ MW-4 (800.00') MARKER WELL (ELEVATION)

□ TANK #1 UNDERGROUND STORAGE TANK (REMOVED)

□ REMEDIATION BUILDING

✕✕✕ FENCE

↓ GRASS AREA

--- EQUIPOTENTIAL LINES

KELLY STREET




FIGURE 4
GROUND WATER CONTOUR MAP
FOR AUGUST 15, 1996
CITY OF WHITEHALL GARAGE
WHITEHALL, WISCONSIN

PROJECT NO.
C701

PREPARED BY
TGD


DATE
11/21/97

REVIEWED BY
TAM



Alliance
Environmental
Consultants, Inc.

GVCONTR



LEGEND

- ASP-2 AIR SPARGE POINT
- ◆ VRW-1 VAPOR RECOVERY WELL
- * SB-6 SOIL BORING
- ⊗ MW-4 MARKER WELL
- TANK #1 UNDERGROUND STORAGE TANK (REMOVED)
- REMEDIATION BUILDING
- ✕-✕ FENCE
- ∨ GRASS AREA

**APPENDIX A
PLAN OF CROSS SECTION
CITY OF WHITEHALL GARAGE
WHITEHALL, WISCONSIN**

PROJECT NO. C701	PREPARED BY TGD	 Alliance Environmental Consultants, Inc.
DATE 1/21/97	REVIEWED BY TAM	

PLAN 000

WEST

EAST

A

A'

WHITEHALL
CITY GARAGE

SB-3

MW-5

MW-6

MW-1

ROAD BED

SAND FILL

FINE SAND

CLAY LENSE

FINE TO MED. SAND

TANK
BASIN
FILLED


LEGEND



WELL SCREEN



GROUNDWATER LEVEL



APPENDIX A
GEOLOGIC CROSS-SECTION
OF A - A'
CITY OF WHITEHALL GARAGE
WHITEHALL, WISCONSIN

PROJECT NO.
C701

PREPARED BY
TGD

DATE


REVIEWED BY



Alliance
Environmental
Consultants, Inc.


SOUTH

NORTH



LEGEND

 WELL SCREEN
 GROUNDWATER LEVEL



APPENDIX A
 GEOLOGIC CROSS-SECTION
 OF B - B'
 CITY OF WHITEHALL GARAGE
 WHITEHALL, WISCONSIN

PROJECT NO. C701	PREPARED BY TGD	 Alliance Environmental Consultants, Inc.
DATE 11/7/97	REVIEWED BY BAS	

CS00

375621

Document Number

GROUNDWATER USE RESTRICTION

VOL. 742 PAGE 535

Rose Ottum Register
OFFICE OF REGISTER OF DEEDS
Trempealeau County, WI

Rec. For Record MAY 16 2006
at 10:10 O'Clock a M.
Vol 742 of Records
Page 535

Rose Ottum Register

Recording Area

Name and Return Address
City of Whitehall
Lynn Johnson, Administrator
18620 Hobson St., P.O. Box 155
Whitehall, WI 54773

\$15.00chg

Declaration of Restrictions

In Re: Whitehall City Garage
18460 Kelley Street
Whitehall, WI 54773

Vol. 102D/216

All of Lots Five and Six in Block Sixteen of the Original Plat of the Village of Whitehall, not heretofore deeded to the Green Bay & Western Railway Company. Being the South part of said Lots. Bounded on the North by a line eighty feet south of the center of the main track of said railway.

Part NW-SE and SW-SE
Section 23, T22N-R8W

STATE OF WISCONSIN)
) ss
COUNTY OF TREMPLEALEAU)

291-00277-0000

Parcel Identification Number (PIN)

WHEREAS, the City of Whitehall is the owner of the above-described property.

WHEREAS, one or more Petroleum Hydrocarbon discharges have occurred at this property. Petroleum contamination exists at this property as described below:

A limited volume of petroleum hydrocarbon contaminated groundwater above Wisconsin Administrative Code NR 140 Enforcement Standards exists along the south edge of the property adjacent to Kelley Street. This area had concentrations as described below:

Benzene	Less than 50 ug/l (ppb)
Ethylbenzene	1750 ug/l
Toluene	9320 ug/l
Total Xylenes	16130 ug/l

RECEIVED
MAY 19 2006
DNR-WCH

Soil contamination was also measured at the same location as described below:

Benzene	Less than 2.505 mg/kg (ppm)
Diesel Range Organics	354 mg/kg
Gasoline Range Organics	724 mg/kg
Total Xylenes	21.502 mg/kg
Toluene	Less than 2.505 mg/kg
Ethylbenzene	Less than 2.50 mg/kg

Note that these concentrations were encountered at a depth of 12-18 feet below ground surface and are not widespread

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further groundwater or soil remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater contamination exceeding NR 140 groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality does not comply with drinking water standards in NR 809 is restricted by NR 811 and NR 812, Wis. Adm. Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, attached to a copy of the Department's written determination, may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Lynn Johnson, City Administrator asserts that he is duly authorized to sign this document on behalf of the City of Whitehall.

RECEIVED
MAY 19 2006
DNR-WCHA


IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions this 16 day of May, 2006.

Signature *[Handwritten Signature]*
Lynn Johnson, City Administrator

Subscribed and sworn to before me

This 16 day of May, 2006

Lori Yshaw
Notary Public, State of Wisconsin
Commission expires 1-25-09



This document was drafted by the City of Whitehall, based on a model deed restriction provided by the Wisconsin Department of Natural Resources.

RECEIVED
MAY 19 2006
DNR-WCH