

**The following site is being submitted for inclusion into the GIS registry:**

- To begin, click on cell to the right of; *This is a:*
- Use Tab, ↓ or Pg Down to navigate form. Print & include with file when completed.

This is a:	New Submittal
BRRTS ID (no dashes):	0362180957
Comm # (no dashes):	54612173310
County:	Trempealeau
Region:	West Central
Site Name:	Pat's Country Market
Street Address:	310 S Nelson Drive
City:	Arcadia
Final Closure Date:	2003-02-25
Closure Conditions:	met
Off-source property contamination? (If yes, attach locational data and deed information on pg. 2)	No
Right-of-way contamination?	No
Contaminated media:	Groundwater and soil
<b>GPS Coordinates (meters in the <b>WTM91</b> projection)</b>	
Easting (X):	402429
Northing (Y):	420685
Collection Method:	DNR Web Site
Scale or Resolution:	1:
(1:24,000 scale or finer)	
Prepared by:	D. Swimm
Submitted by:	D. Swimm

**Source Property Checklist**

- Final Closure Letter
- The most recent deed including legal descriptions, for all properties within or partially within the contaminated site boundaries w/ Soil > NR 720 RCL and/or GW > NR 140 ES
- A certified surveyed map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map
- Parcel ID for all properties w/ Soil > NR 720 RCL and/or GW > NR 140 ES
- General Location Map
- Detailed Location Map showing property boundaries, buildings, MW(s), soil borings and/or potable wells etc for properties w/ Soil > NR 720 RCL and/or GW > NR 140 ES
- Latest Map(s) showing extent or outline of current GW and/or Soil contamination plume
- Latest Table of GW and/or Soil results
- Map showing GW flow direction
- A table of the previous 4 water level elevation measurements
- Geologic cross section (if generated as part of the site investigation)
- Statement signed by RP certifying correctness of legal descriptions
- ROW Notification



February 25, 2003

N Pat Nelson  
Pat & Sons LTD  
310 S Nelson Dr  
Arcadia, WI 54612-1733

RE: **Final Closure**

**Commerce # 54612-1733-10**      **WDNR BRRTS # 03-62-180957**  
Pat's Country Market, 310 S Nelson Dr, Arcadia

Two 10,000-gallon unleaded gasoline and 10,000-gallon diesel USTs and associated system components removed on December 1, 1998

Dear Mr. Nelson:

The Wisconsin Department of Commerce (Commerce) has received all the items required for closure as stated in the September 25, 2002 conditional closure document. This site is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address the residual groundwater contamination.

It is in your best interest to keep all documentation related to the environmental activities at your site. If residual contamination is encountered in the future, appropriate measures must be implemented to assure that it is managed following all applicable regulations. If future site conditions indicate that any remaining contamination poses a threat, and subsequent information indicates a need to reopen this case, any original claim under the PECFA fund would also reopen and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (608) 264-8766.

Sincerely,

A handwritten signature in black ink, appearing to read 'D. Swimm', written in a cursive style.

David Swimm  
Hydrogeologist  
Site Review Section

cc: Jeremy Reynolds, METCO  
Michael C. Meyer, Attorney

254539

VOL. 318 PAGE 160

This Deed, made between Pat & Sons, Ltd., a Wisconsin corporation, and Neil P. Nelson and Florence Nelson, husband and wife, Grantor, and Lawrence J. Normann and Karen Normann, husband and wife, as survivorship marital property, Grantee.

Witnesseth, That the said Grantor, for a valuable consideration of Sixty-four Thousand Five Hundred Dollars, conveys to Grantee the following described real estate in Trempealeau County, State of Wisconsin:

OFFICE OF REGISTER OF DEEDS  
Trempealeau County, WI  
Rec. for Record JAN 6 1987  
at 9:30 O'Clock a M.  
Vol 318 of Records Page 160  
Grant Peterson Register

RETURN TO

Arc. Realty

Tax Parcel No: .....

All of Lot 1 of Trempealeau County Certified Survey Map Number 114 and all of Lot 2 of Trempealeau County Certified Survey Map Number 114 excepting the South 307.50 feet thereof. Certified Survey Map Number 114 is found in Volume 1 Certified Survey, page 114, Register of Deeds, Trempealeau County, Wisconsin.

TRANSFER

\$ 193.50  
FEE PA

This is not homestead property.  
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging; And Pat & Sons, Ltd. and Neil P. Nelson and Florence Nelson warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except existing highways, easements and rights of way as well as all federal, state and municipal laws and regulations affecting land use, and will warrant and defend the same.

Dated this 30th day of December, 1986.

Neil P. Nelson (SEAL)  
Neil P. Nelson  
Florence Nelson (SEAL)  
Florence Nelson

Pat & Sons, Ltd.  
Neil P. Nelson President (SEAL)  
Neil P. Nelson, President  
Kim Nelson Secretary (SEAL)  
Kim Nelson, Secretary

AUTHENTICATION

Signature(s) .....

authenticated this ..... day of ....., 19.....

TITLE: MEMBER STATE BAR OF WISCONSIN  
(If not, authorized by § 708.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY  
Attorney Bruce J. Brovold

(Signatures may be authenticated or acknowledged. Both are not necessary.)

\*Name of persons signing in any capacity should be typed or printed below their signatures.

ACKNOWLEDGMENT

STATE OF WISCONSIN

Trempealeau County, ss.

Personally came before me this 30th day of December, 1986 the above named Pat & Sons, Ltd., by Neil P. Nelson, as President, and Kim Nelson, as Secretary, Neil P. Nelson and Florence Nelson, individually, to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Richard G. Kraskow  
Richard G. Kraskow  
Notary Public Trempealeau County, Wis.  
My Commission is permanent (if not, state expiration date: March 6, 1988.)

DOCUMENT NO.

238442

VOL. 382 PAGE 743

STATE BAR OF WISCONSIN--FORM 1  
WARRANTY DEED  
THIS SPACE RESERVED FOR RECORDING DATA

THIS DEED, made between Neil P. Nelson a/k/a Neil Patrick Nelson a/k/a Pat Nelson and Florence J. Nelson, his wife Grantor  
and Pat & Sons, Ltd., a Wisconsin corporation Grantee

OFFICE OF REGISTER OF DEEDS  
TREMPEALEAU COUNTY, WIS.  
REC. FOR RECORD NOV 2- 1982  
AT 10:40 O'CLOCK A. M.  
VOL. 382 OF RECORDS PAGE 743  
Neil Hogge REGISTER  
Janet Peterson, Deputy

Witnesseth, That the said Grantor, for a valuable consideration One Dollar and other good and valuable consideration conveys to Grantee the following described real estate in Trempealeau County, State of Wisconsin:

RETURN TO  
Sub 4-a  
Tax Key No. \_\_\_\_\_

Lots 2 and 4 of Certified Survey Map Number 114, recorded in the office of the Register of Deeds for Trempealeau County, Wisconsin, in Volume 1 of Certified Survey Maps on page 114.

Subject to a Mortgage to the State Bank of Arcadia dated February 13, 1975, and recorded in the office of the Register of Deeds for Trempealeau County, Wisconsin on February 14, 1975, in Volume 216 of Records on page 112.

TRANSFER  
\$ 360.00 Fee

This is not homestead property.  
(is) (is not)

Together with all and singular the hereditaments and appurtenances thereunto belonging; And Neil P. Nelson a/k/a Neil Patrick Nelson a/k/a Pat Nelson, et al warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except existing easements, restrictions and rights-of-way of record

and will warrant and defend the same.

Dated this 1st day of September, 19 82.

\_\_\_\_\_  
(SEAL)  
\_\_\_\_\_  
(SEAL)  
\_\_\_\_\_

Neil Patrick Nelson (SEAL)  
\_\_\_\_\_  
Neil Patrick Nelson  
Florence J. Nelson (SEAL)  
\_\_\_\_\_  
Florence J. Nelson

AUTHENTICATION

Signatures authenticated this 1st day of September, 19 82

William N. Koslo  
\_\_\_\_\_  
William N. Koslo

TITLE MEMBER STATE BAR OF WISCONSIN  
(If not, \_\_\_\_\_  
authorized by § 706.06, Wis. Stats.)

This instrument was drafted by  
William N. Koslo

ACKNOWLEDGMENT

STATE OF WISCONSIN

\_\_\_\_\_  
County. } ss.  
Personally came before me, this \_\_\_\_\_ day of \_\_\_\_\_  
the above named \_\_\_\_\_

to me known to be the person \_\_\_\_\_ who executed the foregoing instrument and acknowledged the same.

Notary Public \_\_\_\_\_ County, Wis.  
My Commission is permanent. (If not, state expiration date: \_\_\_\_\_, 19 \_\_\_\_.)

(Signatures may be authenticated or acknowledged. Both are not necessary.)

\*Names of persons signing in any capacity must be typed or printed below their signatures.

lx

267586

VOL. 347

PAGE 592

AFFIDAVIT

OFFICE OF REGISTER OF DEEDS  
Trempealeau County, WI

Rec. for Record MAY 02 1990

at 10:00 O'Clock A. M.

Vol. 347 of Records Page 592

*Grant Peterson* Register

STATE OF WISCONSIN] SS.  
TREMPEALEAU COUNTY]


I, Martin E. Halvorsen, Registered Land Surveyor, S - 1302 hereby depose and say that I am a land surveyor registered in the State of Wisconsin and that I have surveyed and mapped Trempealeau County Certified Map on page 114, volume I of Certified Maps and that on such map I show the East line of Lot 3 as 550.43 ft. when in fact it should read 532.80 ft. and the East line of Lot 2 as 435.80 ft. when in fact it should read 433.45 ft. Therefore the East line of Lots 3 and 2 bearing N 00° 36' 00" W is shown as 1130.75 ft. when in fact it should read 1110.77 ft.

That I make this affidavit for the purpose of correcting said survey map and for no other purpose.

*Martin E. Halvorsen*  
Martin E. Halvorsen

Subscribed and sworn to before me on

this 2nd day of May 1990.



Notary Public, Trempealeau County, Wi.

My Commission expires Jan. 2, 1993

Drafted By: Martin E. Halvorsen

Stock No. 26273

OFFICE OF REGISTER OF DEEDS  
TREMPEALEAU COUNTY, WIS.

REC. FOR RECORD JUL 21 1982

AT 8:05 O'CLOCK A.M.

Certified Survey  
VOL 1 OF RECORDS PAGE 114

Neil Halvorsen REGISTER

Affidavit  
V. 347 p. 592  
5-2-90

CERTIFIED SURVEY MAP


MAP NO. 114

PART OF THE SE 1/4 SE 1/4 AND THE NE 1/4 SE 1/4, SECTION 33  
T 21 N - R 9 W ARCADIA TOWNSHIP TREMPEALEAU CO. WI.

OWNER: NEIL P. NELSON ARCADIA, WISCONSIN

0 200' 400' 600'

SCALE: 1" = 200'



DESCRIPTION

A tract of land located in the SE 1/4 SE 1/4 and the NE 1/4 SE 1/4 of Section 33, T 21 N R 9 W, Township of Arcadia, Trempealeau County Wisconsin described as follows:

Commencing at the Southeast corner of said Section 33, thence N 89° 58' 46" W, along the South line of said section, 137.28 ft. Thence N 00° 36' 00" W, 495.85 ft. and the point of beginning of this described tract. Thence continuing N 00° 36' 00" W, 1130.75 ft. to the Southerly right of way of S.T.H. 95. Thence S 80° 35' 00" W, along said right of way, 133.58 ft. Thence S 00° 36' 00" E, 577.50 ft. Thence S 80° 35' 00" W, 716.00 ft. Thence N 00° 36' 00" W, 327.50 ft. Thence S 80° 35' 00" W, 167.00 ft. Thence N 00° 36' 00" W, 21.00 ft. Thence S 80° 35' 00" W, 16.00 ft. Thence N 00° 36' 00" W, 229.00 ft. to the Southerly right of way of S.T.H. 95. Thence S 80° 35' 00" W, along said right of way, 85.10 ft. Thence S 40° 53' 00" W, 102.40 ft. to the Easterly right of way of S.T.H. 93. Thence S 00° 26' 00" E along said right of way, 627.80 ft. Thence continuing S 00° 09' 00" E, along said right of way, 244.80 ft. Thence N 89° 51' 00" E, 1179.85 ft. and the point of beginning of this tract.

This tract contains 763,445 square feet, more or less.  
This tract contains 17.526 acres, more or less.

SURVEYORS CERTIFICATE

I, Martin E. Halvorsen, registered Wisconsin land surveyor, do hereby certify that by order of and under the owners direction, Neil P. Nelson, have surveyed and mapped the property described. The plat shown on this sheet is a true and correct representation of the exterior boundaries of the surveyed land and that I have complied with the provisions of Chapter 236.34 of the Wisconsin statutes to the best of my knowledge and belief.

*Martin E. Halvorsen*


Martin E. Halvorsen, RLS  
June 30, 1982






Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Commerce, or its successor, issue a determination that the restrictions set forth in this covenant are no longer required. That property owner shall provide any and all necessary information to the Department in order for the Department to be able to make a determination. Upon receipt of such a request, the Department shall determine whether or not the restrictions contained herein can be extinguished. Conditions under which a restriction may be extinguished will be determined in accordance with the site specific standards, rules and laws for this property. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this restriction, or portions of this restriction are no longer binding. Any restriction placed upon this property shall not be extinguished without the Department's written determination.

IN WITNESS WHEREOF, the owner of the property has executed this document, this 15<sup>th</sup> day of January, 2003.

Signature: 

Printed Name: Edward G. Strahs, President of  
Convenience Store Investments, Inc.,  
General Partner

Subscribed and sworn to before me  
this 15<sup>th</sup> day of January, 2003.

  
Julie M. Herrick

Notary Public, State of Wisconsin  
My commission expires on October 23, 2005

This document was drafted by:

Thomas E. Reinhart, Attorney at Law  
P. O. Box 2107  
La Crosse, WI 54602-2107



346901

2

VOL. 608 PAGE 551


IN WITNESS WHEREOF, the owner of the property has executed this document, this 15<sup>th</sup> day of January, 2003.

Signature:



Printed Name: Edward G. Strahs, President of  
Convenience Store Investments, Inc.,  
General Partner

Subscribed and sworn to before me  
this 15<sup>th</sup> day of January, 2003.



Julie M. Herrick  
Notary Public, State of Wisconsin  
My commission expires on October 23, 2005

This document was drafted by:

Thomas E. Reinhart, Attorney at Law  
P. O. Box 2107  
La Crosse, WI 54602-2107



### Map Legend

- Closed Remediation Sites 
- Sites with offsource contamination 
- Counties 
- Interstate/US/State Highways 
- Local Roads 
- River/Streams/Openwater 
- Cities, Towns, Villages 
- Topographic Maps 

Center / Pan /  WTM91 coordinates

Zoom\_In

Zoom\_Out

Identify

Or select a county

Or select city/town/village

Enter a county, city, or village name to search for:

Not all Closed Remediation Sites are shown  
Parcel boundaries are approximations only. Please see document

 WTM coordinates: 402429, 420685


*WTM coordinates for Former Pat's  
Country Market -*

*FIN # 201-1068-10*

MONITORING WELL  
NOT ABANDONED

STATE HIGHWAY 95

MW-2 not  
abandoned



**LEGEND**

---	WATER LINE	PA-1 - 83 PPM GRD AT 6-8 FEET BELOW SURFACE.
---	SEWER LINE	S-1 - 100 PPM GRD AT 12"
---	NATURAL GAS LINE	S-2 - ND DRD AT 12"
---	BURIED ELECTRIC	S-3 - ND GRD/PVOC AT 12"
---	OVERHEAD ELECTRIC	S-4 - ND GRD/PVOC AT 12"
---	PHONE LINE	S-5 - ND GRD/0.030 PPM BENZENE AT 12"
---		S-6 - 300 PPM GRD/46 PP XYLENES AT 12"
---		S-7 - ND DRD AT 3'
---		S-8 - ND DRD AT 3'
---		S-9 - ND DRD AT 3'
---		S-10 - ND DRD AT 3'

♣ - PHASE 2 PROPERTY ASSESSMENT SAMPLE  
 ▲ - GEOPROBE BORING LOCATION  
 ● - MONITORING WELL LOCATION  
 ● - HAND SAMPLING LOCATION DURING REMOVAL

**SITE LAYOUT MAP**

PAT'S COUNTRY MARKET  
ARCADIA, WISCONSIN

SCALE: 1 INCH = 40 FEET

DRIVEN BY: J. P. COFF  
DATE: 10-10-07  
JOB NO. 07-001

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

NOTE: THE UNDERGROUND UTILITY LINES SHOWN ON THE MAPS ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES.

Printed Scale: 1" = 60'

**GROUNDWATER SAMPLING DATA TABLE FOR PAT'S COUNTRY MARKET  
BY METCO**

**GROUNDWATER SAMPLING CONDUCTED ON FEBRUARY 6, 2002**

**SAMPLES TAKEN FROM G-13, G-14 & G-15**

Borehole Name	G-13-W	G-14-W	G-15-W	TRIP BLANK
Approximate Depth to Water in Feet (BGS)	32	32	32	==
Petroleum Odors	No	No	No	==
Petroleum Sheens	No	No	No	==
<b>Benzene/ppb</b>	<0.40	<0.40	<0.40	<0.40
<b>Ethylbenzene/ppb</b>	<0.40	<0.40	<0.40	<0.40
<b>Methyl tert-butyl ether/ppb</b>	<0.40	<0.40	<0.40	<0.40
<b>Toluene/ppb</b>	<0.40	<0.40	<0.40	<0.40
<b>1,2,4-Trimethylbenzene/ppb</b>	<0.50	<0.50	<0.50	<0.50
<b>1,3,5-Trimethylbenzene/ppb</b>	<0.40	<0.40	<0.40	<0.40
<b>m &amp; p-Xylene/ppb</b>	<0.90	<0.90	<0.90	<0.90
<b>o-Xylene/ppb</b>	<b>0.95</b>	<0.50	<b>0.60</b>	<0.50
<b>Diesel Range Organics/ppb</b>	<b>27</b>	<21	<21	==
<b>1-Methylnaphthalene/ppb</b>	==	==	<0.22	==
<b>2-Methylnaphthalene/ppb</b>	==	==	<0.23	==
<b>Acenaphthene/ppb</b>	==	==	<0.22	==
<b>Acenaphthylene/ppb</b>	==	==	<b>0.39</b>	==
<b>Anthracene/ppb</b>	==	==	<0.042	==
<b>Benzo(a)anthracene/ppb</b>	==	==	<0.0035	==
<b>Benzo(a)pyrene/ppb</b>	==	==	<0.0074	==
<b>Benzo(b)fluoranthene/ppb</b>	==	==	<0.0060	==
<b>Benzo(g,h,i)perylene/ppb</b>	==	==	<0.020	==
<b>Benzo(k)fluoranthene/ppb</b>	==	==	<0.0059	==
<b>Chrysene/ppb</b>	==	==	<0.035	==
<b>Dibenzo(a,h)anthracene/ppb</b>	==	==	<0.050	==
<b>Fluoranthene/ppb</b>	==	==	<0.010	==
<b>Fluorene/ppb</b>	==	==	<0.11	==
<b>indeno(1,2,3-cd)pyrene/ppb</b>	==	==	<0.020	==
<b>Naphthalene/ppb</b>	==	==	<0.24	==
<b>Phenanthrene/ppb</b>	==	==	<b>0.052</b>	==
<b>Pyrene/ppb</b>	==	==	<0.042	==

GROUNDWATER SAMPLING DATA TABLE FOR PAT'S COUNTRY MARKET LUST INVESTIGATION  
BY METCO

WELL SAMPLING CONDUCTED ON APRIL 25, 2001

ROUND 3

Well Name	MW-1	MW-2	MW-3	MW-4	MW-5	P-6	DUPLICATE	TRIP BLANK
Sampling Round	3	3	3	3	3	3	3	3
Ground Level Elevation in Feet (Site Specific)	782.71	785.58	784.61	782.13	782.87	782.88	==	==
PVC Casing Elevation in Feet (Site Specific)	782.31	785.03	784.09	781.69	782.41	782.57	==	==
Watertable Elevation in Feet (Site Specific)	754.75	752.42	754.07	756.67	752.09	752	==	==
Depth to Groundwater in Feet	27.56	32.61	30.02	25.02	30.32	30.57	==	==
Amount Purged in Gallons	10	5	5	7.5	2.5	20	==	==
Time to Purge in Minutes	15	10	10	15	5	20	==	==
Purged Dry?	NO	NO	NO	NO	YES	NO	==	==
Petroleum Odors	NONE	NONE	NONE	NONE	NONE	NONE	==	==
Petroleum Sheens	NONE	NONE	NONE	NONE	NONE	NONE	==	==
Color	OLIVE	OLIVE/BROWN	OLIVE/BROWN	BROWN	BROWN	BROWN	==	==
Turbidity (high, medium, low, clear)	MEDIUM	HIGH	HIGH	HIGH	MEDIUM	LOW	==	==
DO (mg/l)	0.54	0.15	0.04	0.57	1.33	3.77	==	==
Temp ( C)	13	11.5	12.3	12	12	12	==	==
pH	7.55	7.77	7.55	7.47	7.73	7.87	==	==
<b>Benzene/ppb</b>	<b>0.66</b>	<0.33	<0.33	<0.33	<0.33	<0.33	<b>0.71</b>	<0.33
Ethylbenzene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
Methyl tert-butyl ether/ppb	<b>4</b>	<0.33	<0.33	<0.33	<b>3.1</b>	<0.33	<b>4</b>	<0.33
Toluene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
1,2,4-Trimethylbenzene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
1,3,5-Trimethylbenzene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
m & p-Xylene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
o-Xylene/ppb	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
<b>Gasoline Range Organics/ppb</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>	<b>&lt;33</b>
Acenaphthylene/ppb	==	<0.067	==	<0.067	<0.067	<0.067	==	==
Acenaphthene/ppb	==	<0.20	==	<0.20	<0.20	<0.20	==	==
Anthracene/ppb	==	<0.012	==	<0.012	<0.012	<0.012	==	==
Benzo (a) Anthracene/ppb	==	<0.0047	==	<0.0047	<0.0047	<0.0047	==	==
Benzo (b) Fluoranthene/ppb	==	<0.0033	==	<0.0033	<0.0033	<0.0033	==	==
Benzo (k) Fluoranthene/ppb	==	<0.011	==	<0.011	<0.011	<0.011	==	==
Benzo (g,h,i) Perylene/ppb	==	<0.017	==	<0.017	<0.017	<0.017	==	==
Benzo (a) Pyrene/ppb	==	<0.0043	==	<0.0043	<0.0043	<0.0043	==	==
Chrysene/ppb	==	<0.14	==	<0.14	<0.14	<0.14	==	==
Dibenzo (a,h) Anthracene/ppb	==	<0.023	==	<0.023	<0.023	<0.023	==	==
Fluoranthene/ppb	==	<0.04	==	<0.04	<0.04	<0.04	==	==
Fluorene/ppb	==	<0.029	==	<0.029	<0.029	<0.029	==	==
Indeno (1,2,3-cd) Pyrene/ppb	==	<0.09	==	<0.09	<0.09	<0.09	==	==
1-Methyl Naphthalene/ppb	==	<0.12	==	<0.12	<0.12	<0.12	==	==
2-Methyl Naphthalene/ppb	==	<0.087	==	<0.087	<0.087	<0.087	==	==
Naphthalene/ppb	==	<0.057	==	<0.057	<0.057	<0.057	==	==
Phenanthrene/ppb	==	<0.0037	==	<0.0037	<0.0037	<0.0037	==	==
Pyrene/ppb	==	<0.067	==	<0.067	<0.067	<0.067	==	==
<b>Sulfate-Filtered/ppm</b>	<b>37</b>	<b>67</b>	<b>82</b>	<b>44</b>	<b>43</b>	<b>14</b>	<b>35</b>	==
<b>Nitrate + Nitrite Nitrogen/ppm</b>	<b>0.74</b>	<b>0.02</b>	<b>0.02</b>	<b>&lt;0.01</b>	<b>0.02</b>	<b>0.15</b>	<b>0.32</b>	==
<b>Iron/ppm</b>	<b>&lt;6.7</b>	<b>61</b>	<b>190</b>	<b>&lt;6.7</b>	<b>&lt;6.7</b>	<b>&lt;6.7</b>	<b>&lt;6.7</b>	==

GROUNDWATER SAMPLING DATA TABLE FOR PAT'S COUNTRY MARKET LUST INVESTIGATION  
BY METCO

WELL SAMPLING CONDUCTED ON APRIL 11, 2000

ROUND 2


Well Name	MW-1	MW-2	MW-3	MW-4	MW-5	P-6	DUPLICATE	TRIP BLANK
Sampling Round	2	2	2	2	2	2	2	2
Ground Level Elevation in Feet (Site Specific)	782.71	785.58	784.61	782.13	782.87	782.88	==	==
PVC Casing Elevation in Feet (Site Specific)	782.31	785.03	784.09	781.69	782.41	782.57	==	==
Watertable Elevation in Feet (Site Specific)	756.54	753.77	755.45	758.45	753.58	753.46	==	==
Depth to Groundwater in Feet	25.77	31.26	28.64	23.24	28.83	29.11	==	==
Amount Purged in Gallons	5	5	5	5	5	5	==	==
Time to Purge in Minutes	10	10	10	10	10	10	==	==
Purged Dry?	No	No	No	No	Yes	Yes	==	==
Petroleum Odors	None	None	None	None	None	None	==	==
Petroleum Sheens	None	None	None	None	None	None	==	==
Color	Brown	Green	Gray	Green	Green	Gray	==	==
Turbidity (high, medium, low, clear)	High	High	High	High	High	High	==	==
Diesel Range Organics/ppb	<26	<26	<26	<26	<26	<26	<26	==
Gasoline Range Organics/ppb	55	<14	<14	<14	<14	<14	<14	<14
Lead/ppb	==	==	==	<1.2	<1.2	<1.2	==	==
DO (mg/l)	4.10	3.74	4.34	4.30	4.62	4.27	==	==
pH	6.17	7.40	7.26	7.06	7.47	7.55	==	==
1,1,1-Trichloroethane/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
1,1,2,2-Tetrachloroethane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
1,1,2-Trichloroethane/ppb	==	==	==	<0.20	<0.20	<0.20	==	==
1,1-Dichloroethane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
1,1-Dichloroethene/ppb	==	==	==	<0.90	<0.90	<0.90	==	==
1,2,3-Trichlorobenzene/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
1,2,4-Trichlorobenzene/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
1,2,4-Trimethylbenzene/ppb	<0.50	<0.50	<0.50	<0.20	<0.20	<0.20	<0.50	<0.50
1,2-Dibromo-3-Chloropropane/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
1,2-Dibromoethane(EDB)/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
1,2-Dichlorobenzene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
1,2-Dichloroethane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
cis-1,2-Dichloroethene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
trans-1,2-Dichloroethene/ppb	==	==	==	<0.80	<0.80	<0.80	==	==
1,2-Dichloropropane/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
1,3,5-Trimethylbenzene/ppb	<0.50	<0.50	<0.50	<0.30	<0.30	<0.30	<0.50	<0.50
1,3-Dichlorobenzene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
1,3-Dichloropropane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
1,4-Dichlorobenzene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
2,2-Dichloropropane/ppb	==	==	==	<0.20	<0.20	<0.20	==	==
2-Chlorotoluene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
4-Chlorotoluene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Benzene/ppb	37	<0.50	<0.50	<0.10	<0.10	<0.10	<0.50	<0.50
Bromobenzene/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
Bromodichloromethane/ppb	==	==	==	<0.20	<0.20	<0.20	==	==
n-Butylbenzene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
sec-Butylbenzene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
tert-Butylbenzene/ppb	==	==	==	<0.10	<0.10	<0.10	==	==
Carbon Tetrachloride/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Chlorobenzene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Chlorobromomethane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
Chloroethane/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
Chloroform/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
Chloromethane/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Dichlorodifluoromethane/ppb	==	==	==	<0.50	<0.50	<0.50	==	==
Diisopropyl Ether/ppb	==	==	==	<0.10	<0.10	<0.10	==	==
Ethylbenzene/ppb	<0.50	<0.50	<0.50	<0.10	<0.10	<0.10	<0.50	<0.50
Hexachlorobutadiene/ppb	==	==	==	<0.60	<0.60	<0.60	==	==
Isopropylbenzene/ppb	==	==	==	<0.10	<0.10	<0.10	==	==
p-Isopropyltoluene/ppb	==	==	==	<0.20	<0.20	<0.20	==	==
Methyl tert-butyl ether/ppb	19	<0.30	<0.30	<1.1	1.2	<1.1	<0.30	<0.30
Methylene chloride (Dichloromethane)/ppb	==	==	==	<1.9	<1.9	<1.9	==	==
Naphthalene/ppb	==	==	==	<0.70	<0.70	<0.70	==	==
n-Propylbenzene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Tetrachloroethene/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
Toluene/ppb	<0.50	<0.50	<0.50	<0.10	<0.10	0.43	<0.50	<0.50
Trichloroethene/ppb	==	==	==	<0.30	<0.30	<0.30	==	==
Trichlorofluoromethane/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
Vinyl chloride/ppb	==	==	==	<0.40	<0.40	<0.40	==	==
m & p-Xylene/ppb	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0
o-Xylene/ppb	<0.50	<0.50	<0.50	<0.10	<0.10	<0.10	<0.50	<0.50
1-Methyl Naphthalene/ppb	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	==
2-Methyl Naphthalene/ppb	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	==
Acenaphthene/ppb	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	==
Acenaphthylene/ppb	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	==
Anthracene/ppb	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	==
Benzo (a) Anthracene/ppb	<0.011	<0.011	<0.011	0.017	0.020	0.062	<0.011	==
Benzo (a) Pyrene/ppb	<0.012	<0.012	<0.012	<0.012	0.041	0.29	<0.012	==
Benzo (b) Fluoranthene/ppb	<0.016	0.016	<0.016	<0.016	0.021	0.12	<0.016	==
Benzo (ghi) Perylene/ppb	<0.049	<0.049	<0.049	<0.049	<0.049	0.091	<0.049	==
Benzo (k) Fluoranthene/ppb	<0.014	<0.014	<0.014	<0.014	<0.014	0.048	<0.014	==
Chrysene/ppb	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	==
Dibenzo (a,h) Anthracene/ppb	<0.090	<0.090	<0.090	<0.090	<0.090	<0.090	<0.090	==
Fluoranthene/ppb	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	==
Fluorene/ppb	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	==
Indeno (1,2,3-cd) Pyrene/ppb	<0.041	<0.041	<0.041	<0.041	<0.041	0.045	<0.041	==
Naphthalene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30	0.36	<0.30	==
Phenanthrene/ppb	<0.059	<0.059	<0.059	<0.059	<0.059	0.099	<0.059	==
Pyrene/ppb	<0.083	0.42	<0.083	<0.083	<0.083	1.0	<0.083	==
Iron/ppm	<12.4	<12.4	<12.4	<12.4	<12.4	<12.4	<12.4	==
Nitrate + Nitrite Nitrogen/ppm	5.34	<0.0800	<0.0800	1.20	<0.0800	<0.0800	<0.0800	==
Sulfate-Filtered/ppm	37.7	68.6	76.6	41.1	44.4	22.3	75.4	==

GROUNDWATER SAMPLING DATA TABLE FOR PAT'S COUNTRY MARKET LUST INVESTIGATION  
BY METCO

WELL SAMPLING CONDUCTED ON SEPTEMBER 30, 1999

ROUND 1

Well Name	MW-1	MW-2	MW-3	DUPLICATE	TRIP BLANK
Sampling Round	1	1	1	1	1
Ground Level Elevation in Feet (Site Specific)	782.71	785.58	784.61	==	==
PVC Casing Elevation in Feet (Site Specific)	782.31	785.03	784.09	==	==
Water Table Elevation in Feet (Site Specific)	761.43	758.3	760.34	==	==
Depth to Groundwater in Feet	20.88	26.73	23.75	==	==
Amount Purged in Gallons	13	7	5	==	==
Time to Purge in Minutes	15	10	10	==	==
Purged Dry?	No	No	No	==	==
Petroleum Odors	No	No	Yes	==	==
Petroleum Sheens	No	No	Yes	==	==
Color	Light Tan	Tan/Grey	Grey/Green	==	==
Turbidity (high, medium, low, clear)	Medium	Medium	High	==	==
Diesel Range Organics/ppb	<26	<26	430	490	==
Gasoline Range Organics/ppb	230	<30	46	83	<30
Lead/ppb	<1	<1	<1	<1	==
DO (mg/l)	0.61	0.86	0.29	==	==
Temp ( C )	14.4	11.2	12.9	==	==
1,1,1,2-Tetrachloroethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,1,1-Trichloroethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,1,2,2-Tetrachloroethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,1,2-Trichloroethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,1-Dichloroethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,1-Dichloroethene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,1-Dichloropropane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,2,3-Trichlorobenzene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40
1,2,3-Trichloropropane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,2,4-Trichlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,2,4-Trimethylbenzene/ppb	0.70	<0.60	6.3	13	<0.60
1,2-Dibromo-3-Chloropropane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dibromoethane(EDB)/ppb	<0.40	<0.40	<0.40	<0.40	<0.40
1,2-Dichlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
1,2-Dichloroethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,2-Dichloropropane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
1,3,5-Trimethylbenzene/ppb	0.80	<0.30	8.9	11	<0.30
1,3-Dichlorobenzene/ppb	<0.40	<0.40	<0.40	<0.40	<0.40
1,3-Dichloropropane/ppb	<0.60	<0.60	<0.60	<0.60	<0.60
1,4-Dichlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
2,2-Dichloropropane/ppb	<0.50	<0.50	<0.50	<0.50	<0.50
2-Chlorotoluene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
4-Chlorotoluene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Benzene/ppb	140	<0.30	31	32	<0.30
Bromobenzene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Bromochloromethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Bromodichloromethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Bromofom/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Bromomethane/ppb	<0.90	<0.90	<0.90	<0.90	<0.90
Carbon tetrachloride/ppb	<0.40	<0.40	<0.40	<0.40	<0.40
Chlorobenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Chlorodibromomethane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Chloroethane/ppb	<0.80	<0.80	<0.80	<0.80	<0.80
Chloroform/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Chloromethane/ppb	<0.90	<0.90	<0.90	<0.90	<0.90
cis-1,2-Dichloroethene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
cis-1,3-Dichloropropane/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Dibromomethane/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Dichlorodifluoromethane/ppb	<1.2	<1.2	<1.2	<1.2	<1.2
Diisopropyl ether/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Ethylbenzene/ppb	<0.20	<0.20	44	34	<0.20
Hexachlorobutadiene/ppb	<0.60	<0.60	<0.60	<0.60	<0.60
Isopropylbenzene/ppb	0.70	<0.20	2.3	2.5	<0.20
m&p-Xylene/ppb	4.0	<0.30	51	50	<0.30
Methyl-tert-butyl ether/ppb	32	<0.20	<0.20	<0.20	<0.20
Methylene chloride (Dichloromethane)/ppb	<0.50	<0.50	<0.50	<0.50	<0.50
n-Butylbenzene/ppb	<0.30	<0.30	0.40	0.50	<0.30
n-Propylbenzene/ppb	<0.20	<0.20	0.30	0.70	<0.20
Naphthalene/ppb	<1.1	<1.1	1.9	2.5	<1.1
o-Xylene/ppb	<0.50	<0.50	130	160	<0.50
p-Isopropyltoluene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
sec-Butylbenzene/ppb	<0.20	<0.20	1.5	1.6	<0.20
Styrene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
tert-Butylbenzene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Tetrachloroethene/ppb	<0.60	<0.60	<0.60	<0.60	<0.60
Toluene/ppb	<0.20	<0.20	2.1	2.9	<0.20
trans-1,2-Dichloroethene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
trans-1,3-Dichloropropene/ppb	<0.20	<0.20	<0.20	<0.20	<0.20
Trichloroethene/ppb	<0.30	<0.30	<0.30	<0.30	<0.30
Trichlorofluoromethane/ppb	<0.60	<0.60	<0.60	<0.60	<0.60
Vinyl chloride/ppb	<0.50	<0.50	<0.50	<0.50	<0.50
1-Methyl Naphthalene/ppb	<0.17	<0.17	<0.17	<0.17	==
2-Methyl Naphthalene/ppb	<0.19	<0.19	<0.19	<0.19	==
Acenaphthene/ppb	<0.15	<0.15	<0.15	<0.15	==
Acenaphthylene/ppb	<0.16	<0.16	<0.16	<0.16	==
Anthracene/ppb	<0.035	<0.035	<0.035	<0.035	==
Benzo (a) Anthracene/ppb	<0.0045	<0.0045	<0.0045	<0.0045	==
Benzo (a) Pyrene/ppb	<0.012	<0.012	<0.012	<0.012	==
Benzo (b) Fluoranthene/ppb	<0.0092	<0.0092	<0.0092	0.01	==
Benzo (ghi) Perylene/ppb	<0.026	<0.026	<0.026	<0.026	==
Benzo (k) Fluoranthene/ppb	<0.0096	<0.0096	<0.0096	<0.0096	==
Chrysene/ppb	<0.036	<0.036	<0.036	<0.036	==
Dibenzo (a,h) Anthracene/ppb	<0.12	<0.12	<0.12	<0.12	==
Fluoranthene/ppb	<0.0053	<0.0053	<0.0053	<0.0053	==
Fluorene/ppb	<0.078	<0.078	<0.078	<0.078	==
Indeno (1,2,3-cd) Pyrene/ppb	<0.026	<0.026	<0.026	<0.026	==
Naphthalene/ppb	<0.16	<0.16	2.5	3.2	==
Phenanthrene/ppb	<0.095	<0.095	<0.095	<0.095	==
Pyrene/ppb	<0.032	0.15	<0.032	<0.032	==
Iron/ppm	<0.020	<0.020	0.363	0.300	==
Nitrate + Nitrite Nitrogen/ppm	2.84	<0.14	0.160	0.190	==
Sulfate-Filtered/ppm	30.5	55.6	77.9	76.0	==



STATE HIGHWAY 95

**LEGEND**

---	WATER LINE	PA-1 - 83 PPM GRO AT 6-8 FEET BELOW SURFACE
---	SEWER LINE	S-1 - 00 PPM DRG AT 12"
---	NATURAL GAS LINE	S-2 - ND DRG AT 12"
---	BURIED ELECTRIC	S-3 - ND GRO/PVOC AT 12"
---	OVERHEAD ELECTRIC	S-4 - ND GRO/PVOC AT 12"
---	PHONE LINE	S-5 - ND GRO/0.030 PPM BENZENE AT 12"
---		S-6 - 390 PPM GRO/46 PP XYLENES AT 12"
---		S-7 - ND DRG AT 3"
---		S-8 - ND DRG AT 3"
---		S-9 - ND DRG AT 3"
---		S-10 - ND DRG AT 3"

◆ - PHASE 2 PROPERTY ASSESSMENT SAMPLE  
 ▲ - GEOPROBE BORING LOCATION  
 ● - MONITORING WELL LOCATION  
 ● - HAND SAMPLING LOCATION DURING REMOVAL

GROUND WATER  
 CONTOUR MAP ROUND #3  
 PAT'S COUNTRY MARKET  
 ARCADIA, WISCONSIN

SCALE:  
 1 INCH = 40 FEET

DATE: 8/1/00  
 DRAWN BY: JVC/ST  
 JOB NO. 98-00-000

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.


NOTE: THE UNDERGROUND UTILITY LINES SHOWN ON THE MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES.

NOTE: VERTICAL DATA IS PRESENTED IN FEET MEAN SEA LEVEL (MSL).

NOTE: WATERABLE MEASUREMENTS TAKEN ON APRIL 25, 2001 (ROUND 3).

NOTE: GROUNDWATER SAMPLE RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB). ONLY DIESEL RANGE ORGANICS (DRO), GASOLINE RANGE ORGANICS (GRO), PAH, AND VOC RESULTS EXCEEDING RFAO ENFORCEMENT STANDARDS (ESI) OR PREVENTIVE ACTION LIMITS (PAL) ARE PRESENTED.

Printed Scale: 1" = 60'



ROUND 2  
NO DETECT DRO, GRO  
12 MTBE  
0.020 BENZO(A)PYRENE  
0.040 BENZO(B)FLUORANTHENE  
ROUND 3  
NO DETECT GRO, PAH  
31 PPS MTBE

ROUND 2  
NO DETECT DRO, GRO, VOC  
0.29 BENZO(A)PYRENE  
0.2 BENZO(B)FLUORANTHENE  
ROUND 3  
NO DETECT GRO, PVOC, PAH

ROUND 1  
NO DETECT  
GRO, PVOC, DRO, PAH  
ROUND 2  
NO DETECT  
DRO, GRO/PVOC, PAH  
ROUND 3  
NO DETECT GRO, PVOC, PAH

ROUND 1  
40 PPS DRO  
40 PPS GRO  
31 PPS BENZENE  
88 PPS XYLENES  
ROUND 2  
NO DETECT  
DRO, GRO, PVOC, PAH  
ROUND 3  
NO DETECT  
GRO, PVOC, PAH

ROUND 1  
140 PPS DRO  
140 PPS BENZENE  
NO DETECT  
ROUND 2  
55 PPS GRO  
37 PPS BENZENE  
9 PPS MTBE  
ROUND 3  
0.86 PPS BENZENE (0.71 PPS IN DUPLICATES)  
4.0 PPS MTBE

ROUND 2  
NO DETECT  
DRO, GRO, VOC, PAH  
ROUND 3  
NO DETECT  
GRO, PVOC, PAH

NOTE: BASED ON LABORATORY RESULTS ON THE THREE "SOURCE" WELLS (MW-1, MW-2, AND MW-3), IT APPEARS THAT THE WATER TABLE WAS PREVIOUSLY SLIGHTLY IMPACTED, BUT CURRENTLY DOES NOT INDICATE A SIGNIFICANT MIGRATING "PLUME". THUS NO PLUME IS DRAWN TO SHOW THE AREA OF GROUNDWATER CONTAMINATION. THIS LACK OF DETECTS IN THE LAST 2 ROUNDS IS LIKELY ATTRIBUTABLE TO "NATURAL ATTENUATION" AND/OR A DROP IN WATERLEVEL.

LEGEND	
--- WATER LINE	PAH - 85 PPM GRO AT 6-8 FEET BELOW SURFACE.
--- SEWER LINE	S-1 - 100 PPM DRO AT 12'
--- NATURAL GAS LINE	S-2 - ND, DRO AT 12'
--- BURIED ELECTRIC	S-3 - ND, GRO/PVOC AT 12'
--- OVERHEAD ELECTRIC	S-4 - ND, GRO/0.030 PPM BENZENE AT 12'
--- PHONE LINE	S-5 - 390 PPM GRO/146 PP XYLENES AT 12'
◆ - PHASE 2 PROPERTY ASSESSMENT SAMPLE	S-7 - ND, DRO AT 3'
▲ - GEOPROBE BORING LOCATION	S-8 - ND, DRO AT 3'
● - MONITORING WELL LOCATION	S-9 - ND, DRO AT 3'
○ - HAND SAMPLING LOCATION DURING REMOVAL	S-10 - ND, DRO AT 3'

**GROUNDWATER CONTAMINATION MAP**

PAT'S COUNTRY MARKET  
ARCADIA, WISCONSIN

SCALE: 1" = 60 FEET

DRAWN BY: JUCCT  
DATE: 8-10-00  
JOB NO: 110-190-0007

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

NOTE: THE UNDERGROUND UTILITY LINES SHOWN ON THE MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES.

NOTE: VERTICAL DATA IS PRESENTED IN FEET MEAN SEA LEVEL (MSL).


NOTE: ROUND 1 SAMPLES COLLECTED ON SEPTEMBER 30, 1999.

NOTE: ROUND 2 SAMPLES COLLECTED ON APRIL 1, 2000.

NOTE: ROUND 3 SAMPLES COLLECTED ON APRIL 25, 2001.

NOTE: MW-4, MW-5, AND P-6 WERE NOT INSTALLED UNTIL AFTER ROUND 1 WAS COLLECTED.

NOTE: GROUNDWATER SAMPLE RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB), ONLY DIESEL RANGE ORGANICS (DRO), GASOLINE RANGE ORGANICS (GRO), PAH, AND VOC RESULTS EXCEEDING M940 ENFORCEMENT STANDARDS (ES) OR PREVENTIVE ACTION LIMITS (PAL) ARE PRESENTED.




NOTE: BASED ON LABORATORY RESULTS ON THE THREE "SOURCE" WELLS (MW-1, MW-2, AND MW-3), IT APPEARS THAT THE WATERTABLE WAS PREVIOUSLY SLIGHTLY IMPACTED, BUT CURRENTLY DOES NOT INDICATE A SIGNIFICANT MIGRATING "PLUME". THIS NO PLUME IS DRAWN TO SHOW THE AREA OF GROUNDWATER CONTAMINATION. THIS LACK OF DETECTS IN THE LAST 2 ROUNDS IS LIKELY ATTRIBUTABLE TO "NATURAL ATTENUATION" AND/OR A DROP IN WATERLEVEL.

**LEGEND**

--- WATER LINE	PA-1 - 83 PPM GRO AT 6-8 FEET BELOW SURFACE.
--- SEWER LINE	S-1 - 100 PPM GRO AT 12"
--- NATURAL GAS LINE	S-2 - ND GRO AT 12"
--- BURIED ELECTRIC	S-3 - ND GRO/PVOC AT 12"
--- OVERHEAD ELECTRIC	S-4 - ND GRO/PVOC AT 12"
--- PHONE LINE	S-5 - ND GRO/0.030 PPM BENZENE AT 12"
	S-6 - 350 PPM GRO/46 PP XYLENES AT 12"
	S-7 - ND GRO AT 3"
	S-8 - ND GRO AT 3"
	S-9 - ND GRO AT 3"
	S-10 - ND GRO AT 3"

▲ - PHASE 2 PROPERTY ASSESSMENT SAMPLE  
 ▲ - GEOPROBE BORING LOCATION  
 ● - MONITORING WELL LOCATION  
 ● - HAND SAMPLING LOCATION DURING REMOVAL



NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

NOTE: THE UNDERGROUND UTILITY LINES SHOWN ON THE MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES.

NOTE: VERTICAL DATA IS PRESENTED IN FEET MEAN SEA LEVEL (MSL)

NOTE: ROUND 1 SAMPLES COLLECTED ON SEPTEMBER 30, 1999.


NOTE: ROUND 2 SAMPLES COLLECTED ON APRIL 11, 2000.

NOTE: ROUND 3 SAMPLES COLLECTED ON APRIL 25, 2001.

NOTE: MW-4, MW-5, AND P-6 WERE NOT INSTALLED UNTIL AFTER ROUND 1 WAS COLLECTED.

NOTE: GROUNDWATER SAMPLE RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB), ONLY DIESEL RANGE ORGANICS (DRO), GASOLINE RANGE ORGANICS (GRO), PAH, AND VOC RESULTS EXCEEDING DRINKING WATER ACTION LEVELS (DWAL) OR PREVENTIVE ACTION LIMITS (PAL) ARE PRESENTED.

Printed Scale: 1" = 40'



HORIZONTAL SCALE: 1 INCH = 40 FEET  
 VERTICAL SCALE: 1 INCH = 10 FEET

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

SOIL SAMPLE RESULTS ARE PRESENTED IN PARTS PER MILLION (PPM).

GROUNDWATER RESULTS ARE PRESENTED IN PARTS PER BILLION (PPB).

ROUND 3 GROUNDWATER SAMPLING WAS CONDUCTED ON 4/25/01


GROUNDWATER FLOW IS GENERALLY TOWARD THE NORTH-NORTHWEST

VERTICAL DATA IS PRESENTED IN FEET MEAN SEA LEVEL (MSL)

- ◆ - PHASE 2 PROPERTY ASSESSMENT BORING LOCATION
- - GEOPROBE BORING LOCATION
- - MONITORING WELL LOCATION
- ◆ - PHASE 2 PROPERTY ASSESSMENT SAMPLE
- - GEOPROBE SOIL SAMPLE LOCATION
- - SOIL BORING SAMPLE LOCATION
- ▽ - WATERTABLE

- DRO - DIESEL RANGE ORGANICS
- GRO - GASOLINE RANGE ORGANICS
- PAH - POLYNUCLEAR AROMATIC HYDROCARBONS
- B - BENZENE
- E - ETHYL BENZENE
- MTBE - METHYL TERT-BUTYL ETHER
- T - TOLUENE
- TMS - TRIMETHYLBENZENES
- X - XYLENES
- N - NAPHTHALENE

- [Pattern] SAND AND GRAVEL/FILL MATERIAL
- [Pattern] TAN TO BROWN TO GRAY TO GREEN VERY FINE TO COARSE GRAINED SAND TO SILTY SAND
- [Pattern] TAN TO BROWN TO GRAY SILT/CLAY TO SANDY SILT TO SILTY SAND



NOTE: BASED ON LABORATORY RESULTS ON THE THREE "SOURCE" WELLS (MW-1, MW-2, AND MW-3), IT APPEARS THAT THE WATERTABLE WAS PREVIOUSLY SLIGHTLY IMPACTED, BUT CURRENTLY DOES NOT INDICATE A SIGNIFICANT MIGRATING PLUME. THIS NO PLUME IS DRAWN TO SHOW THE AREA OF GROUNDWATER CONTAMINATION. THIS LACK OF DETECTS IN THE LAST 2 ROUNDS IS LIKELY ATTRIBUTABLE TO "NATURAL ATTENUATION" AND/OR A DROP IN WATERLEVEL.

Printed scale: 1"=40'

WDNR BRRTS Case #: 03-62-180957

WDNR Site Name: Pat's Country Market

**Geographic Information System (GIS) Registry of Closed Remediation Sites**

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party: V PAT NELSON  
(print name/title)

Pat Nelson 5-31-07  
(signature) (date)