

GIS REGISTRY INFORMATION

SITE NAME: La Farge Coop -- Former Bishop Property

BRRTS #: 02-63-001516 **FID #: 663047880**

COMMERCE # (if appropriate): 54639-9999-31

CLOSURE DATE: 02/05/2008

STREET ADDRESS: N. Mill St., Hwy 131 N.

CITY: La Farge

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 468196 Y= 344930

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: Outlots 32 and 40, La Farge

GPS COORDINATES (meters in WTM91 projection): X= 468202 Y= 344959

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: Outlots 32 and 40, La Farge

GPS COORDINATES (meters in WTM91 projection): X= 468202 Y= 344959

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter. NA
- Copy of (soil or land use) deed notice *if any required as a condition of closure*
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map *(if referenced in the legal description)* for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, *if required for SI*. (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

February 5, 2008

Randy Dahlen
Heartland Country Co-op
405 S. Main St.
Westby, WI 54667-1311

SUBJECT: Final Case Closure
La Farge Co-op – Former Bishop Property
N. Mill St./Hwy. 131 N., La Farge, WI
WDNR BRRTS Activity #: 02-63-001516

Dear Mr. Dahlen:

On December 13, 2007, the Department of Natural Resources West Central Region Closure Committee reviewed your request for closure of the case described above. The West Central Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On December 20, 2007, you were notified that the Closure Committee had granted conditional closure to this case.

On January 25, 2008, the Department received correspondence indicating that you have complied with the requirements of closure. Conditions of closure included monitoring well abandonment; purge water, waste and/or soil pile removal; notification of residual soil and groundwater contamination in a public right-of-way; notification of residual groundwater contamination on off-source property, and listing of the site on the GIS Registry for soil and groundwater.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wisconsin Administrative Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

GIS Registry

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry, visit our web-based mapping application, RR Sites Map, at: <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. Because your property is listed on the GIS Registry due to remaining contamination, if you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR

812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at (715) 839-3748.

Sincerely,



Mae Willkom
Hydrogeologist
Bureau for Remediation & Redevelopment

cc: Jason Powell, METCO
Bonnie Risen
Brian Taylor, Dept. of Commerce (via e-mail)
Fortress Bank of Westby, Commercial Loan Dept., 100 N. Main St., Westby, WI 54667



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

December 20, 2007

Randy Dahlen
Heartland Country Co-op
405 S. Main St.
Westby, WI 54667-1311

Subject: Conditional Closure Decision,
With Requirements to Achieve Final Closure
La Farge Co-op – Former Bishop Property,
N. Mill St./Hwy. 131 N., La Farge, Wisconsin
WDNR BRRTS Activity # 02-63-001516

Dear Mr. Dahlen:

On December 13, 2007, the Department of Natural Resources West Central Region Closure Committee reviewed your request for closure of the case described above. The West Central Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the petroleum contamination in the vicinity of several former above-ground storage tanks and a pump house that were located on the property appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me, Mae Willkom, on Form 3300-005 found at <http://www.dnr.state.wi.us/org/water/dwg/forms/3300005.pdf> or provided by the Department of Natural Resources.

PURGE WATER, WASTE, AND SOIL PILE REMOVAL

Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Soil disposal documentation was received with the closure request. If any purge water, waste and/or soil piles remain, please send appropriate documentation regarding their treatment or disposal.

RIGHT-OF-WAY SOIL AND/OR GROUNDWATER CONTAMINATION

There is residual soil and/or groundwater contamination in a public street or highway right-of-way at this site. Section NR 726.05(2)(a)4, Wis. Adm. Code, requires you to provide written notification of the presence of residual soil (and groundwater contamination, if present) to the clerk of the town and county or municipality where the right-of-way is located and to the municipal department or state agency that maintains the right-of-way. These notifications must include warnings that excavation of potentially contaminated soil or extraction of contaminated

groundwater may pose inhalation or other direct contact hazards and will require soil and groundwater sampling and analysis, as well as proper storage, treatment, or disposal of any excavated materials, based upon the results of the analysis. A copy of a written notification to the Village of La Farge was received with the closure request.

Section NR 726.05(2)(b)4, Wis. Adm. Code, requires you to also provide written notice of the presence of residual groundwater contamination to the owner of any properties that you do not own within this site that do not have soil contamination if they are affected by groundwater contamination. Copies of written notifications to the Village of La Farge and to Bonnie Risen were received with the closure request.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry, visit our web-based mapping application, RR Sites Map, at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 839-3748.

Sincerely,



Mae E. Willkom
Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosure

cc: Bonnie Risen
Jason Powell, METCO
Brian Taylor, via e-mail

X 423587
Document Number

**PERSONAL
REPRESENTATIVE'S DEED**

Leona J. Chadwick, as Personal Representative of the estate of Anthony A. Bishop, a/k/a Tony Bishop ("Decedent"), for a valuable consideration conveys without warranty to Bonnie J. Risen, Grantee, the following described real estate in Vernon County, State of Wisconsin (hereinafter called the "Property"):

Part of the SE 1/4 of the NW 1/4 of Section 28, Township 13 North, Range 2 West, Village of LaFarge, described as follows: Beginning at a point 348 feet North of the point of intersection of the North line of Main Street with the West line of Mill Street; thence West at right angles with Mill Street to the railroad right of way; thence North along the East edge of said railroad right of way 100 feet; thence East to the West line of Mill Street; thence South along said West line 100 feet to the point of beginning. Also known as part of Outlot 31 and 40 in Section 29, Township 13 North, Range 2 West of the Assessor's Plat of the Village of LaFarge, an unrecorded plat.

423587
Recorded Vernon County, WI
Register of Deeds Office
KONNA SPAETH, REGISTER

06/15/2005
08:30 AM

1100 pl.

Recording Area
Name and Return Address

Attorney George C. Wilbur
104 W. Main Street
P.O. Box 127
LaFarge, WI 54639

146-415-0000
(Parcel Identification Number)
146-415-0000

This Deed is given in satisfaction of a Mortgage recorded in Volume 528, at Page 570, as Document Number 388295, and revised by Affidavit of Correction recorded in Volume 548, at Page 228, as Document Number 392405.

TRANSFER
\$ 6.00
FEE

Personal Representative by this deed does convey to Grantee all of the estate and interest in the Property which the Decedent had immediately prior to Decedent's death, and all of the estate and interest in the Property which the Personal Representative has since acquired.

Dated this 8th day of March, 2005.

Leona J. Chadwick
*Leona J. Chadwick Personal Representative

Personal Representative

AUTHENTICATION

Signature(s) _____
authenticated this _____ day of _____, _____
signature _____
type or print name _____

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY
Attorney George C. Wilbur
LaFarge, WI 54639

ACKNOWLEDGMENT

STATE OF WISCONSIN
JEFFERSON COUNTY
Personally came before me this 8th day of March, 2005, the above named Leona J. Chadwick, as Personal Representative of the Estate of Anthony Bishop a/k/a Tony Bishop, to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

Debra K. Koppa
signature
type or print name Debra K. Koppa

Notary Public Jefferson County, Wisconsin.
My commission is permanent. (If not, state expiration date: January 20, 2008)

*Names of persons signing in any capacity should be typed or printed below their signatures.

No
5th

433212

Document Number

QUIT CLAIM DEED

The Hatton Family LLC, a Wisconsin Limited Liability Company, quit-claims to Bonnie J. Risen, the following described real estate in Vernon County, State of Wisconsin:

Part of the SE 1/4 of the NW 1/4 of Section 29, Township 13 North, Range 2 West, Village of LaFarge, described as follows: Beginning at a point 348 feet North of the point of intersection of the North line of Main Street with the West line of Mill Street; thence West at right angles with Mill Street to the railroad right of way; thence North along the East edge of said railroad right of way 100 feet; thence East to the West line of Mill Street; thence South along said West line 100 feet to the point of beginning. Also known as part of Outlot 31 and 40 in Section 29, Township 13 North, Range 2 West of the Assessor's Plat of the Village of LaFarge, an unrecorded plat.

433212
Recorded Vernon County, WI
Register of Deeds Office
KONNA SPAETH, REGISTER

10/05/2006
08:30 AM

11.00 pd

Recording Area
Name and Return Address

Attorney George C. Wilbur
P.O. Box 127
LaFarge, WI 54639

encl.

FEE
77.25 (3)
EXEMPT

146-415-0000
(Parcel Identification Number)

This Quit Claim Deed is given pursuant to the terms of the Land Contract between the parties, recorded as Document Number 427148, at the Vernon County Register of Deeds. Said contract provides that if the environmental clean up of the subject property by the Wisconsin Department of Natural Resources (DNR) is not completed to the satisfaction of the Purchaser by October 1, 2006, then the Purchaser will quit claim the property back to Vendor, Vendor keeps the \$500.00 initial payment and the said Land Contract becomes null and void. The Purchaser, The Hatton Family LLC, hereby declares that said condition has not been met and quit claims the property back to the Vendor, and acknowledges that said Land Contract is null and void. Vendor, Bonnie J. Risen, by acceptance and recording of this deed, also acknowledges that said Land Contract is null and void

This is not homestead property. Dated this day of October 1, 2006.

Hatton Family LLC, Purchaser

David L. Hatton

By: David Hatton, LLC Managing Member

AUTHENTICATION

Signature(s) _____

authenticated this ____ day of _____, 19__.

signature _____

type or print name _____

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED
Attorney George C. Wilbur
104 W. Main Street
LaFarge, WI 54639

ACKNOWLEDGMENT

STATE OF WISCONSIN
VERNON COUNTY


Personally came before me this 26th day of September, 2006, the above-named ~~to me known to be the person(s)~~ who executed the foregoing instrument and acknowledge the same.

George C. Wilbur

signature _____
type or print name George C. Wilbur

Notary Public County, _____
My commission is permanent. (If not, state expiration date: _____ 19__.)

Names of persons signing in any capacity should be typed or printed below their signatures.



NUMBER
207952

This Indenture, Made by Roger K. Andrew and His wife, Betty E. Andrew

grantor of Vernon County, Wisconsin, hereby conveys and warrants to
The Village of La Farge, a Municipal Corporation of La FARGE, Vernon County, Wisconsin
grantee of La Farge, Vernon County, Wisconsin, for
the sum of Two Hundred Twelve and 35/100- - - Dollars

the following tract of land in Vernon County, State of Wisconsin:

Lot Thirty-Two (32), of the Assessor's Map of Section Twenty-Nine (29); and that part of Lot Forty (40) of the Assessor's Map of Section Twenty-Nine (29), commencing at the northeast corner of said lot forty (40), thence west to the east boundary of the former railroad right-of-way thence South on said East boundary to the northwest corner of Lot Thirty-One (31) of the Assessor's Map of said Section Twenty-Nine (29), thence East to the West boundary of Mill Street, thence North to the place of commencement; all in Section Twenty-Nine (29), Township Thirteen (13) North Range Two (2) West, in the Village of La Farge, Vernon County, Wisconsin.

the grantors assume the 1955 taxes against said premises.

It is the understanding and agreement of the parties hereto, that certain water, flowing from a well situated north of the above property, may be diverted on the lands herein conveyed, and through a culvert running through the built up former right of way of the railroad, and onto lands on the west side thereof owned by the grantors herein.


IN WITNESS WHEREOF, the said grantors have hereunto set their hands and seals this 7th

day of April, A. D. 19 55

Roger K. Andrew (SEAL)
Roger K. Andrew
Betty E. Andrew (SEAL)
Betty E. Andrew (SEAL)
(SEAL)

Signed and Sealed in Presence of

Ralph L. Freeze
Ralph L. Freeze
Isabelle E. Freeze
Isabelle E. Freeze



STATE OF WISCONSIN, }
Vernon County, } ss.

Personally came before me, this 7th day of April, A. D. 19 55

the above named Roger K. Andrew and his wife, Betty E. Andrew

to me known to be the person who executed the foregoing instrument and acknowledged the same.

Received for Record this 17 day of

May A. D. 19 55, at 10 o'clock A. M.

Ralph L. Freeze
Ralph L. Freeze



Front Page

Vernon


VILLAGE OF LA FARGE
105 W. Main St.
P.O. Box 37
La Farge, WI 54639

34.00 AC.

MILWAUKEE ST.

CHICAGO ST.

W. DE JEANS
ADDITION
46



SECTION 29

16 18 R
15 18 P

1 2
3 4

30 R
17
18
19
20
21

NORTH ST.
22
25 24 23

2
3
4
5
6
7
8
9
10
11
12

16 R
27
26
16 R

SCHOOL ST.
6 5 4 3 2 1
7 8 9 10 11 12

2
3
4
5
6
7
8
9
10
11
12

29
7.80 AC.

HIGHLAND ST.
6 5 4 3 2 1
7 8 9 10 11 12

26
5

8
9 10 11 12
7 8 9 10 11 12

PENN ST.
6 5 4 3 2 1
7 8 9 10 11 12

6 5 4 3 2 1
7 8 9 10 11 12

MAIN ST.
6 5 4 3 2 1
7 8 9 10 11 12

LA FARGE ST.
6 5 4 3 2 1
7 8 9 10 11 12

6 5 4 3 2 1
7 8 9 10 11 12

6 5 4 3 2 1
7 8 9 10 11 12

6 5 4 3 2 1
7 8 9 10 11 12

6 5 4 3 2 1
7 8 9 10 11 12

SUMMER ST.
1 2 3 4
5 6 7 8
9 10 11 12

ST. 1 2 3 4 5 6 7 8 9 10 11 12

2 3 4 5 6 7 8 9 10 11 12

SPRING ST.
1 2 3 4 5 6 7 8 9 10 11 12

SILVER ST.
6 5 4 3 2 1
7 8 9 10 11 12


STATE ST.
2 3 4 5 6 7 8 9 10 11 12

PEARL ST.
1 2 3 4 5 6 7 8 9 10 11 12


ST. 1 2 3 4 5 6 7 8 9 10 11 12

ST. 1 2 3 4 5 6 7 8 9 10 11 12

TOPOI map printed on 09/27/07 from "wisconsin.tpo" and "Untitled.tpg"
90.65000° W NAD27 90.63333° W



SITE LOCATION MAP – CONTOUR INTERVAL 20 FEET
LA FARGE COOP AST – LA FARGE, WI
SEAMLESS USGS TOPOGRAPHIC MAPS ON CD-ROM



SITE LAYOUT MAP

LA FARGE CO-OP AST

METCO

1215 W. WISCONSIN ST.
MILWAUKEE, WI 53233
TEL: 414-224-1111
FAX: 414-224-1112

LA FARGE, WISCONSIN

DRAWN BY: J.P.
DATE: 8/24/08
JOB NO.: R-05-278
C427


- - GEOPROBE BORING LOCATION - SCHROER HARDWOOD LMBR
- ⊙ - SOIL BORING LOCATION - SCHROER HARDWOOD LMBR
- ▲ - HAND SAMPLE BORING LOCATION - SCHROER HARDWOOD LMBR
- - GEOPROBE BORING LOCATION - LAFARGE COOP AST
- ▲ - HAND SAMPLE BORING LOCATIONS - LAFARGE COOP AST
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- - - - - WATER
- SEWER
- OVERHEAD ELECTRIC
- TELEPHONE
- — — — — PROPERTY LINE

NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.




SOIL EXCAVATION MAP CLOSE UP	
LA FARGE CO-OP AST	
	LA FARGE, WISCONSIN <small>DRAWN BY JP/ED DATE 6/24/98, 8/9/05 JOB NO. 9-99-276 C-427</small>




- - GEOPROBE BORING LOCATION - SCHROER HARDWOOD LMBR
- - GEOPROBE BORING LOCATION - LAFARGE COOP AST
- ▲ - HAND SAMPLE BORING LOCATIONS - LAFARGE COOP AST
- ⊙ - MONITORING WELL LOCATION
- ◆ - EXCAVATION SOIL SAMPLE LOCATION

- - - - - WATER
- — — — — SEWER
- — — — — OVERHEAD ELECTRIC
- — — — — TELEPHONE
- — — — — PROPERTY LINE



NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.



Groundwater Analytical Results Summary Table
La Farge Co-op AST BRRTS# 02-63-001516

Well MW-3

PVC Elevation = 794.952 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	NM	NM	NOT SAMPLED							
12/18/1996	NM	NM	NOT SAMPLED							
2/28/2001	789.102	5.85	9.4	7.9	6.8	1.2	0.79	6.43	5.6	580
5/29/2001	790.262	4.69	1.3	5.2	0.48	NS	0.69	9.5	5.28	170
11/26/2001	789.402	5.55	<i>0.62</i>	2.4	0.82	NS	<0.33	1.27	3.12	490
6/29/2005	788.632	6.32	1.6	0.89	<0.11	NS	<0.13	5.3	2.3	NS
11/8/2005	788.192	6.76	2.9	<0.5	<0.11	NS	<0.13	13.7	4.7-5.0	NS
2/7/2006	788.792	6.16	5.1	3.7	<0.11	NS	1.95	62.7	22.13	NS
5/8/2006	789.252	5.70	<i>0.50</i>	<1	<0.52	NS	<0.78	<1.95	<2.84	NS
8/9/2006	788.302	6.65	<i>3.20</i>	2.78	<0.52	NS	0.88	11.56	4.84	NS

Well P-4

PVC Elevation = 795.113 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	NM	NM	NOT SAMPLED							
12/18/1996	NM	NM	NOT SAMPLED							
2/28/2001	788.843	6.27	<0.33	<0.33	<0.33	<0.057	<0.33	<0.66	<0.66	<33
5/29/2001	789.803	5.31	<i>0.52</i>	<0.33	<0.33	NS	0.52	1.33	0.74-1.07	<33
11/26/2001	789.133	5.98	<0.33	<0.33	<0.33	NS	<0.33	<0.66	<0.66	<33
6/29/2005	788.483	6.63	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<1.9	NS
11/8/2005	788.133	6.98	NOT SAMPLED							
2/7/2006	788.753	6.36	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0	NS
5/8/2006	788.993	6.12	NOT SAMPLED							
8/9/2006	788.223	6.89	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84	NS

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance.

Groundwater Analytical Results Summary Table
La Farge Co-op AST BRRTS# 02-63-001516

Well MW-5

PVC Elevation = 797.513 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	787.948	9.565	347	153	<4.0	351	45	393	344	5860
12/18/1996	788.403	9.11	<20	<20	<30	560	<20	30-465	<50	122000
2/28/2001	788.683	8.83	230	130	<3.3	170	24	196	160	2500
5/29/2001	789.533	7.98	120	100	2.9	200	7.4	227	125	1700
11/26/2001	789.633	7.88	260	99	6.1	400	10	197	97	2000
6/29/2005	788.393	9.12	84	56	5.2	1730	2.2	105.9	43	NS
11/8/2005	787.943	9.57	16	24	<0.11	258	1.5	107	26.5	NS
2/7/2006	788.663	8.85	7.6	17.8	<0.11	33	1.29	88.9	16.56	NS
5/8/2006	789.413	8.10	7.8	14.9	<0.52	3.3	1.46	29.8	82.5	12.73
8/9/2006	788.493	9.02	16.2	26.7	<0.52	183	0.98	76.2	19.08	NS

Well MW-6

PVC Elevation = 795.093 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	787.773	7.32	<0.2	<0.2	<0.2	<0.8	<0.2	<1.1	<0.6	<30
12/18/1996	788.338	6.755	<0.2	<0.2	<0.3	<0.78	<0.2	<0.7	0.3-0.12	<30
2/28/2001	788.323	6.77	<0.33	<0.33	<0.33	<0.057	<0.33	<0.66	<0.66	<33
5/29/2001	789.443	5.65	<i>0.51</i>	<0.33	<0.33	NS	0.52	1.18	0.72-1.05	<33
11/26/2001	788.573	6.52	<0.33	<0.33	<0.33	NS	<0.33	<0.66	<0.66	<33
6/29/2005	787.933	7.16	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<1.9	NS
11/8/2005	787.553	7.54	NOT SAMPLED							
2/7/2006	788.153	6.94	NOT SAMPLED							
5/8/2006	788.343	6.75	NOT SAMPLED							
8/9/2006	787.633	7.46	NOT SAMPLED							

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance.

Groundwater Analytical Results Summary Table
La Farge Co-op AST BRRTS# 02-63-001516

Well MW-7

PVC Elevation = 793.656 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)	
9/17/1996	787.116	6.54	<0.2	<0.2	<0.2	<0.8	<0.2	<1.1	<0.6	<30	
12/18/1996	787.666	5.99	<0.2	<0.2	<0.3	<0.78	<0.2	<0.7	0.3-0.8	<30	
2/28/2001	788.016	5.64	<0.33	<0.33	<0.33	<0.057	<0.33	<0.66	<0.66	<33	
5/29/2001	788.796	4.86	<i>0.52</i>	<0.33	<0.33	NS	0.52	1.14	0.72-1.05	<33	
11/26/2001	788.406	5.25	<0.33	<0.33	<0.33	NS	<0.33	<0.66	<0.66	<33	
6/29/2005	787.916	5.74	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<1.9	NS	
11/8/2005	787.396	6.26	NOT SAMPLED								
2/7/2006	788.016	5.64	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0	NS	
5/8/2006	788.326	5.33	NOT SAMPLED								
8/9/2006	787.536	6.12	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84	NS	

Well MW-8

PVC Elevation = 794.151 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)	
9/17/1996	786.861	7.29	<0.2	<0.2	0.6	<0.8	<0.2	<1.1	<0.6	<30	
12/18/1996	787.316	6.835	<0.2	<0.2	<0.3	<0.78	<0.2	<0.7	<0.5	<30	
2/28/2001	787.781	6.37	<0.33	<0.33	<0.33	<0.057	<0.33	<0.66	<0.66	<33	
5/29/2001	788.671	5.48	<i>0.52</i>	<0.33	<0.33	NS	0.53	1.14	0.72-1.05	<33	
11/26/2001	788.261	5.89	<0.33	<0.33	<0.33	NS	<0.33	<0.66	<0.66	<33	
6/29/2005	787.221	6.93	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<1.9	NS	
11/8/2005	786.981	7.17	NOT SAMPLED								
2/7/2006	787.761	6.39	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0	NS	
5/8/2006	787.711	6.44	NOT SAMPLED								
8/9/2006	787.051	7.10	<0.17	<1	<0.52	NS	4	<1.95	<2.84	NS	

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance.

Groundwater Analytical Results Summary Table
La Farge Co-op AST BRRTS# 02-63-001516

Well MW-9

PVC Elevation = 798.802 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	789.042	9.76	<0.2	<0.2	<0.2	3.3	<0.2	28-32	12.3	97
12/18/1996	789.397	9.405	<0.2	<0.2	<0.3	<0.78	<0.2	<0.7	<0.5	<30
2/28/2001	789.312	9.49	<0.33	<0.33	<0.33	0.79	<0.33	22-22.33	13.44	110
5/29/2001	791.232	7.57	0.7	5.2	<0.33	NS	0.77	89	38.1	240
11/26/2001	789.542	9.26	0.35	0.38	<0.33	NS	0.41	57.3	21.62	180
6/29/2005	789.392	9.41	<0.12	<0.5	<0.11	NS	<0.13	18-18.53	11	NS
11/8/2005	789.252	9.55	NOT SAMPLED							
2/7/2006	789.522	9.28	<0.12	<0.5	<0.11	NS	<0.13	4.7+5.23	6.2+6.5	NS
5/8/2006	790.512	8.29	NOT SAMPLED							
8/9/2006	789.262	9.54	<0.17	<1	<0.52	NS	<0.78	8.5-9.6	<2.84	NS

Well MW-10

PVC Elevation = 799.953 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
9/17/1996	788.338	11.615	<0.2	<0.2	<0.2	<0.8	<0.2	<1.1	<0.6	<30
12/18/1996	788.788	11.165	<0.2	<0.2	<0.3	<0.78	<0.2	<0.7	<0.5	<30
2/28/2001	789.023	10.93	<0.33	<0.33	<0.33	<0.057	<0.33	<0.66	<0.66	<33
5/29/2001	790.903	9.05	0.64	<0.33	<0.33	NS	0.77	1.15	0.73-1.06	<33
11/26/2001	789.363	10.59	<0.33	<0.33	<0.33	NS	<0.33	<0.66	<0.66	<33
6/29/2005	788.893	11.06	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<1.9	NS
11/8/2005	788.273	11.68	NOT SAMPLED							
2/7/2006	788.853	11.10	<0.12	<0.5	<0.11	NS	<0.13	<1.11	<2.0	NS
5/8/2006	789.283	10.67	NOT SAMPLED							
8/9/2006	788.363	11.59	<0.17	<1	<0.52	NS	<0.78	<1.95	<2.84	NS

Well MW-11

PVC Elevation = 797.463 (ft) (MSL)

Date	Water Elevation (in feet)	Depth to Water (in feet)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethyl-benzenes (ppb)	Xylene (Total) (ppb)	GRO (ppb)
6/29/2005	788.593	8.87	8.1	672	<3.6	323 (VOC) 260 (PAH)	21	1788	1563	NS
11/8/2005	788.123	9.34	<12	1020	<11	NS	<13	2267	1830	NS
2/7/2006	788.733	8.73	18.5	510	<1.1	NS	12.7	1977	1193	NS
5/8/2006	789.253	8.21	10.3	258	<5.2	NS	8	2390	1030	NS
8/9/2006	788.283	9.18	11.8	750	<5.2	320	23.2	1846	1582	NS

Note: Bold type indicates an ES exceedance, *italics* indicates a PAL exceedance.

La Farge Coop AST: Free Product Levels/Recovery

Date	Well Id	Notes	FP Recovered (Gals)	TOT Gals Recovered
08/22/00	MW-5	14" Free Product/Removed approximately 1+ gal	1.00	1.00
12/12/00	MW-5	2-1/2" Free Product/Removed 500 mls/inserted soaker sock	0.13	1.13
12/28/00	MW-5	0" of Free Product in Well/soaker sock - 2/3 saturated (24")	0.20	1.33
01/24/01	MW-5	0" of Free Product in Well/soaker sock waterlogged to 8"	0.00	1.40
02/08/01	MW-5	0" of Free Product in Well/soaker sock - 8" of saturation.	0.07	1.40
02/21/01	MW-5	0" of Free Product in Well/soaker sock - 7" of saturation.	0.06	1.46
04/06/01	MW-5	0" of Free Product in Well/soaker sock - 24" of saturation.	0.20	1.66
05/29/01	MW-5	0" of Free Product in Well/soaker sock - 20" of saturation.	0.17	1.83
11/26/01	MW-5	0" of Free Product in Well/soaker sock - 30" of saturation.	0.25	2.08
03/08/02	MW-5	0" of Free Product in Well/soaker sock - 12" of saturation.	0.10	2.18
05/22/02	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation.	0.00	2.18
08/28/02	MW-5	0" of Free Product in Well/soaker sock - 3" of saturation.	0.02	2.20
09/30/02	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation.	0.00	2.20
10/23/02	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation.	0.00	2.20
02/17/03	MW-5	0" of Free Product in Well/ soaker sock - 5" of saturation.	0.01	2.21
04/15/03	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation.	0.00	2.21
10/21/03	MW-5	0.03" of Free Product in Well/soaker sock - 3" of saturation	0.02	2.23
11/25/03	MW-5	0" of Free Product in Well/soaker sock - 2" of saturation	0.01	2.24
12/30/03	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation	0.00	2.24
01/20/04	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation	0.00	2.24
05/24/04	MW-5	0" of Free Product in Well/soaker sock - 0" of saturation	0.00	2.24

**SOIL DATA TABLE FOR SCHROER HARDWOOD LUMBER LUST INVESTIGATION
 SAMPLES COLLECTED FROM LA FARGE COOP AST PROPERTY
 BY METCO**

SOIL SAMPLES	GEOPROBE PROJECT NOVEMBER 14, 1994				DRILLING PROJECT AUGUST 5-6, 1996						
	G-16-1	G-17-1	G-18-1	G-19-1	MW-3-1	MW-3-2	MW-3-3	MW-3-4	P-4-1	P-4-2	P-4-3
Sample Location Number	2-4	2-4	2-4	2-4	1-3	4-6	7-9	10-12	17-19	24-26	31-33
Sample Depth in Feet	2-4	2-4	2-4	2-4	1-3	4-6	7-9	10-12	17-19	24-26	31-33
Soil Type	CLAY	CLAY	CLAY	CLAY	Silt/Clay	Silt/Clay	Silt/Clay	Sand	Silt/Clay	Silty Sand	Sandstone
Petroleum Odors	YES	YES	YES	YES	None	None	Yes	Slight	Yes	None	None
Petroleum Staining	YES	YES	YES	YES	None	None	Yes	Slight	Yes	None	None
Moisture	DRY	MOIST	MOIST	MOIST	Moist	Moist	Wet	Wet	Wet	Wet	Wet
HNU in Units	==	==	==	==	0	0	30	5	0	0	0
Lab Sample Collected?	YES	YES	YES	YES	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Diesel Range Organics/ppm	4200	770	110	1400	<1.5	<1.6	<1.7	<1.6	<1.5	<1.5	<1.5
Gasoline Range Organics/ppm	==	==	==	==	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.2
LUST Total Percent Solids	82.0	73.7	83.9	80.8	86.3	80.1	76.5	79.8	83.9	84.3	85.8
Methyl-tert-butyl ether/ppm	<0.76	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Benzene/ppm	1.5	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Toluene/ppm	2.1	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
Ethylbenzene/ppm	6.2	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
m&p-Xylene/ppm	14	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
o-Xylene/ppm	8.0	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,3,5-Trimethylbenzene/ppm	8.0	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
1,2,4-Trimethylbenzene/ppm	25	==	==	==	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025

GEOPROBE DATA TABLE FOR LAFARGE CO-OP AST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON MARCH 27-28, 1996

SOIL SAMPLES

Sample Location Number	P-1-1	P-1-2	P-1-3	P-2-1	P-2-2
Sample Depth in Feet	2-4	5-7	7-9	3-5	6-8
Soil Type	Sandy Silt				
Petroleum Odors	Yes	Yes	Yes	Slight	Yes
Petroleum Staining	Yes	None	None	None	None
Moisture	Moist	Wet	Wet	Moist	Wet
HNU in Units	==	==	400	==	==
Lab Sample Collected?	Yes	Yes	No	Yes	Yes
Diesel Range Organics/ppm	1700	960	ns	12	270
Gasoline Range Organics/ppm	3430	2590	ns	5.7	154
LUST Total Percent Solids	80.3	79.1	ns	82.7	81.3
Total Lead/ppm	ns	7.07	ns	ns	ns
Benzene/ppm	7.8	8.9	ns	<0.025	<0.025
Bromobenzene/ppm	ns	<1.0	ns	ns	ns
Bromodichloromethane/ppm	ns	<1.0	ns	ns	ns
n-Butylbenzene/ppm	ns	43	ns	ns	ns
sec-Butylbenzene/ppm	ns	3.9	ns	ns	ns
tert-Butylbenzene/ppm	ns	<1.0	ns	ns	ns
Carbon tetrachloride/ppm	ns	<1.0	ns	ns	ns
Chlorobenzene/ppm	ns	<1.0	ns	ns	ns
Chloroethane/ppm	ns	<1.0	ns	ns	ns
Chloroform/ppm	ns	<1.0	ns	ns	ns
Chloromethane/ppm	ns	<1.0	ns	ns	ns
2-Chlorotoluene/ppm	ns	<1.0	ns	ns	ns
4-Chlorotoluene/ppm	ns	<1.0	ns	ns	ns
Chlorodibromomethane/ppm	ns	<1.0	ns	ns	ns
1,2-Dibromo-3-Chloropropane/ppm	ns	<1.0	ns	ns	ns
1,2-Dibromoethane(EDB)/ppm	ns	<1.0	ns	ns	ns
1,2-Dichlorobenzene/ppm	ns	<1.0	ns	ns	ns
1,3-Dichlorobenzene/ppm	ns	<1.0	ns	ns	ns
1,4-Dichlorobenzene/ppm	ns	<1.0	ns	ns	ns
Dichlorodifluoromethane/ppm	ns	<1.0	ns	ns	ns
1,1-Dichloroethane/ppm	ns	<1.0	ns	ns	ns
1,2-Dichloroethane/ppm	ns	<1.0	ns	ns	ns
1,1-Dichloroethene/ppm	ns	<1.0	ns	ns	ns
cis-1,2-Dichloroethene/ppm	ns	<1.0	ns	ns	ns
trans-1,2-Dichloroethene/ppm	ns	<1.0	ns	ns	ns
1,2-Dichloropropane/ppm	ns	<1.0	ns	ns	ns
1,3-Dichloropropane/ppm	ns	<1.0	ns	ns	ns
2,2-Dichloropropane/ppm	ns	<1.0	ns	ns	ns
Diisopropyl ether/ppm	ns	4.6	ns	ns	ns
Ethylbenzene/ppm	54	23	ns	<0.025	<0.025
Hexachlorobutadiene/ppm	ns	<1.0	ns	ns	ns
Isopropylbenzene/ppm	ns	2.3	ns	ns	ns
p-Isopropyltoluene/ppm	ns	1.5	ns	ns	ns
Dichloromethane/ppm	ns	<2.0	ns	ns	ns
Methyl-tert-butyl ether/ppm	<2.5	<1.0	ns	<0.025	<0.025
Naphthalene/ppm	ns	16	ns	ns	ns
n-Propylbenzene/ppm	ns	11	ns	ns	ns
1,1,2,2-Tetrachloroethane/ppm	ns	<1.0	ns	ns	ns
Tetrachloroethene/ppm	ns	<1.0	ns	ns	ns
Toluene/ppm	7.6	13	ns	<0.025	<0.025
1,2,3-Trichlorobenzene/ppm	ns	<1.0	ns	ns	ns
1,2,4-Trichlorobenzene/ppm	ns	<1.0	ns	ns	ns
1,1,1-Trichloroethane/ppm	ns	<1.0	ns	ns	ns
1,1,2-Trichloroethane/ppm	ns	<1.0	ns	ns	ns
Trichloroethene/ppm	ns	<1.0	ns	ns	ns
Trichlorofluoromethane/ppm	ns	<1.0	ns	ns	ns
1,2,4-Trimethylbenzene/ppm	161	78	ns	<0.025	1.2
1,3,5-Trimethylbenzene/ppm	44	22	ns	<0.025	0.85
Vinyl chloride/ppm	ns	<1.0	ns	ns	ns
m&p-Xylene/ppm	181	73	ns	<0.025	<0.025
o-Xylene/ppm	92	38	ns	<0.025	0.062
Naphthalene/ppm	ns	96	ns	ns	ns
Acenaphthylene/ppm	ns	15	ns	ns	ns
1-Methyl Naphthal/ppm	ns	190	ns	ns	ns
2-Methyl Naphthalene/ppm	ns	190	ns	ns	ns
Acenaphthene/ppm	ns	<14	ns	ns	ns
Fluorene/ppm	ns	12	ns	ns	ns
Phenanthrene/ppm	ns	<1.5	ns	ns	ns
Anthracene/ppm	ns	<1.0	ns	ns	ns
Fluoranthene/ppm	ns	0.98	ns	ns	ns
Pyrene/ppm	ns	<0.35	ns	ns	ns
Benzo (a) Anthracene/ppm	ns	<0.071	ns	ns	ns
Chrysene/ppm	ns	<0.30	ns	ns	ns
Benzo (b) Fluoranthene/ppm	ns	<0.081	ns	ns	ns
Benzo (k) Fluoranthene/ppm	ns	<0.096	ns	ns	ns
Benzo (a) Pyrene/ppm	ns	<0.25	ns	ns	ns
Dibenzo (a,h) Anthracene/ppm	ns	<0.46	ns	ns	ns
Benzo (ghi) Perylene/ppm	ns	<0.46	ns	ns	ns
Indeno (1,2,3-cd) Pyrene/ppm	ns	<0.20	ns	ns	ns
# 4 Sieve/% Passing	ns	ns	ns	ns	ns
# 10 Sieve/% Passing	ns	ns	ns	ns	ns
# 20 Sieve/% Passing	ns	ns	ns	ns	ns
# 40 Sieve/% Passing	ns	ns	ns	ns	ns
# 60 Sieve/% Passing	ns	ns	ns	ns	ns
# 80 Sieve/% Passing	ns	ns	ns	ns	ns
# 100 Sieve/% Passing	ns	ns	ns	ns	ns
# 200 Sieve/% Passing	ns	ns	ns	ns	ns

NOTE: Bold = detects ns = not sampled

**GEOPROBE DATA TABLE FOR LAFARGE CO-OP AST INVESTIGATION
BY METCO**

SAMPLING CONDUCTED ON MARCH 27-28, 1996

SOIL SAMPLES

Sample Location Number	P-3-1	P-3-2	P-4-1	P-4-2	P-5-1	P-5-2	P-6-1	P-6-2	P-7-1	P-7-2	P-8-1	P-8-2	P-9-1	P-9-2
Sample Depth in Feet	2-4	6-8	2-4	6-8	2-4	6-8	2-4	6-8	2-4	6-8	2-4	6-8	2-4	6-8
Soil Type	Sandy Silt	Sandy Silt	Gravel	Sandy Silt	Sandy Silt	Silty Sand	Sandy Silt	Silty Sand	Gravel	Organic	Sandy Silt	Sandy Silt	Sandy Silt	Sandy Silt
Petroleum Odors	None	Yes	None	Yes	Yes	Yes	Yes	Yes	Possible	Possible	None	Possible	None	Yes
Petroleum Staining	None	None	None	None	None	Yes	Yes	Yes	None	None	None	None	None	None
Moisture	Moist	Wet	Moist	Wet	Moist	Wet	Moist	Wet	Moist	Wet	Moist	Moist	Moist	Moist
HNU in Units	==	==	0	==	==	==	==	==	==	==	==	==	==	==
Lab Sample Collected?	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
Diesel Range Organics/ppm	1.8	740	ns	4.3	22000	1200	1200	1500	210	ns	1.9	3.2	8.9	2600
Gasoline Range Organics/ppm	<1.0	920	ns	9.8	1930	232	1860	702	3.1	ns	<1.0	<1.0	<1.0	596
LUST Total Percent Solids	82.4	81.6	ns	71.0	81.4	83.6	81.1	78.1	85.5	ns	77.7	78.0	80.0	76.3
Total Lead/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
Benzene/ppm	<0.025	<0.25	ns	<0.025	<0.25	<0.1	<2.5	1.2	<0.025	ns	<0.025	<0.025	<0.025	<0.50
Ethylbenzene/ppm	<0.025	<0.25	ns	<0.025	4.2	0.16	6.1	1.4	<0.025	ns	<0.025	<0.025	<0.025	<0.50
Methyl-tert-butyl ether/ppm	<0.025	<0.25	ns	<0.025	<0.25	<0.1	<2.5	<0.50	<0.025	ns	<0.025	<0.025	<0.025	<0.50
Toluene/ppm	<0.025	<0.25	ns	<0.025	<0.25	<0.1	<2.5	<0.50	<0.025	ns	<0.025	<0.025	<0.025	<0.50
1,2,4-Trimethylbenzene/ppm	<0.025	6.5	ns	0.65	20	4.7	61	7.1	<0.025	ns	<0.025	<0.025	<0.025	4.6
1,3,5-Trimethylbenzene/ppm	<0.025	3.6	ns	0.11	17	1.3	17	2.8	<0.025	ns	<0.025	<0.025	<0.025	4.4
m&p-Xylene/ppm	<0.025	<0.25	ns	0.44	7.8	<0.1	14	<0.50	<0.025	ns	<0.025	<0.025	<0.025	<0.50
o-Xylene/ppm	<0.025	<0.25	ns	<0.025	<0.25	1.3	7.4	<0.50	<0.025	ns	<0.025	<0.025	<0.025	2.2
# 4 Sieve/% Passing	ns	ns	ns	ns	100.0	ns	ns	99.9	ns	ns	ns	ns	ns	ns
# 10 Sieve/% Passing	ns	ns	ns	ns	100.0	ns	ns	99.7	ns	ns	ns	ns	ns	ns
# 20 Sieve/% Passing	ns	ns	ns	ns	87.5	ns	ns	89.4	ns	ns	ns	ns	ns	ns
# 40 Sieve/% Passing	ns	ns	ns	ns	56.8	ns	ns	73.1	ns	ns	ns	ns	ns	ns
# 60 Sieve/% Passing	ns	ns	ns	ns	47.3	ns	ns	65.5	ns	ns	ns	ns	ns	ns
# 80 Sieve/% Passing	ns	ns	ns	ns	42.7	ns	ns	57.7	ns	ns	ns	ns	ns	ns
# 100 Sieve/% Passing	ns	ns	ns	ns	41.8	ns	ns	52.9	ns	ns	ns	ns	ns	ns
# 200 Sieve/% Passing	ns	ns	ns	ns	34.0	ns	ns	26.5	ns	ns	ns	ns	ns	ns

NOTE: Bold = detects ns = not sampled

GEOPROBE DATA TABLE FOR LAFARGE CO-OP AST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON MARCH 27-28, 1996

SOIL SAMPLES

	P-10-1	P-10-2	P-11-1	P-12-1	P-13-1	P-13-2	P-14-1	P-14-2	P-15-1	P-15-2	P-16-1	P-17-1	P-18-1	METH BLANK
Sample Location Number	5-7	7-9	5-7	6-8	6-8	8-10	6-8	8-10	7-9	9-11	6-8	6-8	8-10	==
Sample Depth in Feet														
Soil Type	Sandy Silt	Sand	Sandy Silt	Organic	==									
Petroleum Odors	None	None	None	None	None	None	None	None	None	None	None	Yes	None	==
Petroleum Staining	None	None	None	None	None	None	None	None	None	None	None	None	None	==
Moisture	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	Wet	==
HNU in Units	0	0	0	0	0	0	0	0	0	0	0	500	0	==
Lab Sample Collected?	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes
Diesel Range Organics/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
Gasoline Range Organics/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<1.0
LUST Total Percent Solids	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
Total Lead/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
Benzene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
Ethylbenzene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
Methyl-tert-butyl ether/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
Toluene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
1,2,4-Trimethylbenzene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
1,3,5-Trimethylbenzene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
m&p-Xylene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025
o-Xylene/ppm	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	<0.025

NOTE: Bold = detects ns = not sampled

SOIL BORING DATA TABLE FOR LA FARGE COOP LAST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON JUNE 8, 2005

SOIL SAMPLES

Sample Location Number	MW-11-1	MW-11-2	HS-1	HS-2	HS-3	HS-4	HS-5	MEOH BLANK
Sample Depth in Feet	2	5	2	2	2	2	2	==
Soil Type	ORGANIC W/WOOD CHIPS, SAW DUST	SILT/CLAY	ORGANIC W/CHERT	SILT/CLAY GRAVEL	SILT/CLAY GRAVEL	SILT/CLAY GRAVEL	ORGANIC W/SILT & CLAY	==
Petroleum Odors	YES	YES	YES	NO	NO	NO	YES	==
Petroleum Staining	NO	YES	YES	NO	NO	NO	YES	==
Moisture	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	==
HNU	10	350	==	==	==	==	==	==
Solids Percent	23.6	73.3	82.6	74.2	81.2	73.7	85.8	ns
Lead, Total/ppm	12	17	180	160	400	42	320	ns
Acenaphthene/ppb	< 41	< 410	< 8200	< 41	< 41	< 41	< 820	ns
Acenaphthylene/ppb	< 42	< 420	< 8400	< 42	< 42	< 42	< 840	ns
Anthracene/ppb	< 34	< 340	< 6800	< 34	220	< 34	< 680	ns
Benzo(a)anthracene/ppb	75 "J"	< 540	< 10800	< 54	< 54	86 "J"	< 1080	ns
Benzo(a)pyrene/ppb	153 "J"	< 590	< 11800	< 59	< 59	113 "J"	< 1180	ns
Benzo(b)fluoranthene/ppb	314	< 420	< 8400	63 "J"	< 42	239	< 840	ns
Benzo(g,h,i)perylene/ppb	< 82	< 820	< 16400	< 82	< 82	< 82	< 1640	ns
Benzo(k)fluoranthene/ppb	156 "J"	< 790	< 15800	< 79	< 79	97 "J"	< 1580	ns
Chrysene/ppb	108 "J"	< 380	< 7600	39 "J"	< 38	107 "J"	< 760	ns
Dibenzo(a,h)anthracene/ppb	< 76	< 760	< 15200	< 76	< 76	< 76	< 1520	ns
Fluoranthene/ppb	73 "J"	< 420	< 8400	50 "J"	< 42	138	< 840	ns
Fluorene/ppb	< 41	< 410	14000 "J"	< 41	< 41	< 41	< 820	ns
Indeno(1,2,3-cd)pyrene/ppb	90 "J"	< 690	< 13800	< 69	< 69	< 69	< 1380	ns
1-Methylnaphthalene/ppb	93 "J"	4080	123000	< 37	< 37	< 37	< 740	ns
2-Methylnaphthalene/ppb	199 "J"	9750	197000	< 72	< 72	< 72	< 1440	ns
Naphthalene/ppb	275	4970	60000	< 40	< 40	< 40	< 800	ns
Phenanthrene/ppb	< 20	< 200	24100	< 20	57 "J"	74	< 400	ns
Pyrene/ppb	87 "J"	< 580	< 11600	< 58	< 58	199	2170 "J"	ns
Benzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Bromobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Bromodichloromethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Bromoform/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
tert-Butylbenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
sec-Butylbenzene/ppb	< 125	2220	ns	ns	ns	ns	ns	< 25
n-Butylbenzene/ppb	755	7860	ns	ns	ns	ns	ns	< 25
Carbon Tetrachloride/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Chlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Chloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Chloroform/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Chloromethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
2-Chlorotoluene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
4-Chlorotoluene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2-Dibromo-3-chloropropane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Dibromochloromethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,4-Dichlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,3-Dichlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2-Dichlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Dichlorodifluoromethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2-Dichloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,1-Dichloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,1-Dichloroethene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
cis-1,2-Dichloroethene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
trans-1,2-Dichloroethene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2-Dichloropropane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
2,2-Dichloropropane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,3-Dichloropropane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Di-isopropyl ether/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
EDB (1,2-Dibromoethane)/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Ethylbenzene/ppb	< 125	2570	ns	ns	ns	ns	ns	< 25
Hexachlorobutadiene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Isopropylbenzene/ppb	870	3270	ns	ns	ns	ns	ns	< 25
p-Isopropyltoluene/ppb	< 125	3360	ns	ns	ns	ns	ns	< 25
Methylene chloride/ppb	608	< 500	ns	ns	ns	ns	ns	< 25
Methyl tert-butyl ether (MTBE)/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Naphthalene/ppb	< 125	6130	ns	ns	ns	ns	ns	< 25
n-Propylbenzene/ppb	2990	14500	ns	ns	ns	ns	ns	< 25
1,1,2,2-Tetrachloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,1,1,2-Tetrachloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Tetrachloroethene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Toluene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2,4-Trichlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2,3-Trichlorobenzene/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,1,1-Trichloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,1,2-Trichloroethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Trichloroethene (TCE)/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
Trichlorofluoromethane/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
1,2,4-Trimethylbenzene/ppb	< 125	62500	ns	ns	ns	ns	ns	< 25
1,3,5-Trimethylbenzene/ppb	575	14100	ns	ns	ns	ns	ns	< 25
Vinyl Chloride/ppb	< 125	< 500	ns	ns	ns	ns	ns	< 25
m&p-Xylene/ppb	12300	11600	ns	ns	ns	ns	ns	< 50
o-Xylene/ppb	< 125	951	ns	ns	ns	ns	ns	< 25

NOTE: Bold = detects ns = not sampled

EXCAVATION PROJECT DATA TABLE FOR LA FARGE COOP LAST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON AUGUST 8, 2005

SOIL SAMPLES

Sample Location Number	S-1	S-2	EX-1	EX-2	EX-3	EX-4	EX-5	EX-6	EX-7	EX-8	EX-9	EX-10	EX-11	METHANOL
Sample Depth in Feet	2	2	3	3	3	3	3	3	3	3	7	7	7	==
Soil Type	CLAY	CLAY	SILT/CLAY	SILT/CLAY	SILT/CLAY	SILTY SAND	SILTY SAND	SILTY SAND	SILT/CLAY	SANDY SILT	SILTY SAND	SILTY SAND	SANDY SILT	==
Petroleum Odors	YES	YES	NO	YES	YES	NO	NO	YES	YES	NO	YES	YES	YES	==
Petroleum Staining	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	==
Moisture	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	WET	WET	WET	==
HNU	90	50	0	50	10	5	10	40	100	10	130	100	50	==
Solids Percent	ns	ns	83.7	83.7	82.2	89.6	91.9	90.8	70.7	86.4	81.8	81.5	78.1	ns
TCLP Lead/ppm	< 0.05	< 0.05	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
Benzene/ppb	ns	ns	< 25	< 25	< 25	< 25	< 25	< 25	6200	< 25	590	1300	< 25	< 25
Ethylbenzene/ppb	ns	ns	< 25	37	< 25	< 25	< 25	38	17000	< 25	2900	2000	510	< 25
Methyl tert-butyl ether (MTBE)/ppb	ns	ns	< 25	< 25	< 25	< 25	< 25	< 25	< 1250	< 25	< 25	< 25	< 25	< 25
Toluene/ppb	ns	ns	< 25	< 25	< 25	< 25	< 25	< 25	3300	< 25	350	700	< 25	< 25
1,2,4-Trimethylbenzene/ppb	ns	ns	< 25	570	< 25	< 25	55	460	45000	< 25	10000	3400	570	< 25
1,3,5-Trimethylbenzene/ppb	ns	ns	< 25	710	< 25	< 25	< 25	140	17000	< 25	3700	1900	310	< 25
Xylene, o, m & p-/ppb	ns	ns	< 75	160	< 75	< 75	120	200	66000	< 75	7500	5000	480	< 75

NOTE: Bold = detects ns = not sampled

SOIL BORING DATA TABLE FOR LA FARGE COOP LAST INVESTIGATION
BY METCO

SAMPLING CONDUCTED ON AUGUST 8, 2005

SOIL SAMPLES

Sample Location Number	FILL-1	FILL-2
Sample Depth in Feet	4	4
Soil Type	SILT/CLAY	SILT/CLAY
Petroleum Odors	NO	NO
Petroleum Staining	NO	NO
Moisture	MOIST	MOIST
HNU	0	0
Sieve #4	100.0	100.0
Sieve #10	100.0	99.9
Sieve #40	98.7	99.8
Sieve #100	98.3	99.0
Sieve #200	96.1	97.1

NOTE: Bold = detects ns = not sampled

HAND SAMPLING PROJECT DATA TABLE FOR LAFARGE COOP LAST INVESTIGATION BRRTS# 02-63-001516
BY METCO

SAMPLING CONDUCTED ON MAY 22, 2006

SOIL SAMPLES

Sample Location Number	HS-6A	HS-6B	HS-7A	HS-7B	HS-8A	HS-8B	HS-9A	HS-9B	COMP A	COMP B	METHANOL
Sample Depth in Feet	1	3	1	3	1	3	1	3	1	3	==
Soil Type	CLAY	CLAY	CLAY	CLAY	CLAY	CLAY	CLAY	CLAY	==	==	==
Petroleum Odors	YES	YES	YES	YES	YES	YES	YES	YES	==	==	==
Petroleum Staining	NO	NO	NO	NO	NO	NO	NO	NO	==	==	==
Moisture	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	MOIST	==	==	==
HNU	30	65	350	380	70	100	55	50			
LUST Total Percent Solids	82.9	81.6	82.1	81.1	79.4	83.1	79.4	82	ns	ns	ns
Benzene/ppb	370	1980	13500	12200	1020	3800	4100	620	ns	ns	< 25
Ethylbenzene/ppb	198	4700	26600	23600	540	6300	910	202	ns	ns	< 25
Methyl tert-butyl ether (MTBE)/ppb	< 25	< 1250	< 2500	< 2500	< 25	< 250	< 25	< 25	ns	ns	< 25
Toluene/ppb	37	< 1250	10600	4100	146	1270	640	32	ns	ns	< 25
1,2,4-Trimethylbenzene/ppb	470	15900	79000	70000	1430	18100	1280	340	ns	ns	< 25
1,3,5-Trimethylbenzene/ppb	167	4000	24200	22000	600	7000	810	129	ns	ns	< 25
m&p-Xylene/ppb	197	4100	82000	71000	1580	18200	1330	192	ns	ns	< 50
o-Xylene/ppb	36 "J"	< 1250	28800	24800	440	5100	540	30.9 "J"	ns	ns	< 25
Sieve Analysis	ns	ns	ns	ns	ns	ns	ns	ns	see atach.	see atach.	ns
Bulk Density-lbs/ft3	ns	ns	ns	ns	ns	ns	ns	ns	112.9	99.8	ns
Fraction Organic Carbon-gmC/gm	ns	ns	ns	ns	ns	ns	ns	ns	0.023	0.023	ns

NOTE: Bold = detects ns = not sampled

**EXCAVATION PROJECT DATA TABLE FOR LA FARGE COOP LAST INVESTIGATION
BY METCO**



SAMPLING CONDUCTED ON AUGUST 13, 2007

SOIL SAMPLES

	EX-7B	MEOH BLANK
Sample Location Number		
Sample Depth in Feet	4.5	==
Soil Type	SILT CLAY	==
Petroleum Odors	YES	==
Petroleum Staining	YES	==
Moisture	MOIST/WET	==
HNU	215	==
Solids Percent	79.1	ns
Benzene/ppb	3600	< 25
Ethylbenzene/ppb	10500	< 25
Methyl tert-butyl ether (MTBE)/ppb	< 25	< 25
Toluene/ppb	2780	< 25
1,2,4-Trimethylbenzene/ppb	29400	< 25
1,3,5-Trimethylbenzene/ppb	10900	< 25
m&p-Xylene/ppb	26800	< 50
o-Xylene/ppb	6000	< 25

NOTE: Bold = detects ns = not sampled

GENERAL EXTENT OF PETROLEUM CONTAMINATION IN GROUNDWATER EXCEEDING NRI40 ES AND PAL



<h3>GROUNDWATER CONTAMINATION MAP</h3> <h4>LA FARGE CO-OP AST</h4>		
METCO 1000 W. WISCONSIN MILWAUKEE, WI 53233 TEL: 414.224.1111 FAX: 414.224.1112	LA FARGE WISCONSIN DRAWN BY: JP DATE: 6/24/08 JOB NO.: R-99-276 C427	

- - GEOPROBE BORING LOCATION - SCHROER HARDWOOD LMBR
- - SOIL BORING LOCATION - SCHROER HARDWOOD LMBR
- ▲ - HAND SAMPLE BORING LOCATION - SCHROER HARDWOOD LMBR
- - GEOPROBE BORING LOCATION - LAFARGE COOP AST
- ▲ - HAND SAMPLE BORING LOCATIONS - LAFARGE COOP AST
- - MONITORING WELL LOCATION
- - ABANDONED MONITORING WELL LOCATION
- - - - - WATER
- SEWER
- OVERHEAD ELECTRIC
- TELEPHONE
- PROPERTY LINE

NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.



Watertable Elevation Table
La Farge Co-op AST BRRTS# 02-63-001516
La Farge, Wisconsin

	MW-3	P-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11
Ground Surface	795.35	795.50	795.13	795.60	794.06	791.81	795.53	797.36	794.56
PVC top	794.95	795.11	797.51	795.09	793.66	794.15	798.80	799.95	797.46
Well Depth	13	33.6	13	13	12	12.5	13.5	14	13
Screen top	792.35	766.90	792.13	792.60	792.06	789.31	792.03	793.36	791.56
Screen bottom	782.35	761.90	782.13	782.60	782.06	779.31	782.03	783.36	781.56



Date

9/17/1996	NM	NM	787.95	787.77	787.12	786.86	789.04	788.34	NI
12/18/1996	NM	NM	788.40	788.34	787.67	787.32	789.40	788.79	NI
2/28/2001	789.10	788.84	788.68	788.32	788.02	787.78	789.31	789.02	NI
5/29/2001	790.26	789.80	789.53	789.44	788.80	788.67	791.23	790.90	NI
11/26/2001	789.40	789.13	789.63	788.57	788.41	788.26	789.54	789.36	NI
6/29/2005	788.63	788.48	788.39	787.93	787.92	787.22	789.39	788.89	788.59
11/8/2005	788.19	788.13	787.94	787.55	787.40	786.98	789.25	788.27	788.12
2/7/2006	788.79	788.75	788.66	788.15	788.02	787.76	789.52	788.85	788.73
5/8/2006	789.25	788.99	789.41	788.34	788.33	787.71	790.51	789.28	789.25
8/9/2006	788.30	788.22	788.49	787.63	787.54	787.05	789.26	788.36	788.28

Note: Elevations are presented in feet mean sea level (msl).

NI = Not Installed

NM = Not Measured



GROUNDWATER FLOW MAP
AUGUST 9, 2006

LA FARGE CO-OP AST

LA FARGE CO-OP AST
DRAWN BY: J...
DATE: 8/24/06
JOB NO: R-95-276


LA FARGE WISCONSIN
DRAWN BY: J...
DATE: 8/24/06
JOB NO: R-95-276

- GEOPROBE BORING LOCATION - SCHROER HARDWOOD LMBR
- ⊙ SOIL BORING LOCATION - SCHROER HARDWOOD LMBR
- ▲ HAND SAMPLE BORING LOCATION - SCHROER HARDWOOD LMBR
- GEOPROBE BORING LOCATION - LAFARGE COOP AST
- ▲ HAND SAMPLE BORING LOCATIONS - LAFARGE COOP AST
- ⊙ MONITORING WELL LOCATION
- ⊙ ABANDONED MONITORING WELL LOCATION
- WATER
- SEWER
- OVERHEAD ELECTRIC
- TELEPHONE
- PROPERTY LINE

NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES


NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.





AREA OF RESIDUAL SOIL CONTAMINATION EXCEEDING NR720 SOIL CLEANUP STANDARDS AND/OR NR746 TABLE 1/TABLE 2 VALUES.

STATE HIGHWAY 131




RESIDUAL SOIL CONTAMINATION MAP		
LA FARGE CO-OP AST		
	LA FARGE, WISCONSIN DRAWN BY: JP DATE: 6/24/98 JOB NO: R-95-276 C427	

- - GEOPROBE BORING LOCATION - SCHROER HARDWOOD LMBR
- - SOIL BORING LOCATION - SCHROER HARDWOOD LMBR
- ▲ - HAND SAMPLE BORING LOCATION - SCHROER HARDWOOD LMBR
- - GEOPROBE BORING LOCATION - LAFARGE COOP AST
- ▲ - HAND SAMPLE BORING LOCATIONS - LAFARGE COOP AST
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- WATER
- SEWER
- OVERHEAD ELECTRIC
- TELEPHONE
- PROPERTY LINE


NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.





CROSS SECTION MAP	
LA FARGE CO-OP AST	
	LA FARGE, WISCONSIN DRAWN BY: JP DATE: 8/24/98 JOB NO: P-94-R-95-276 C247/C427



- - GEOPROBE BORING LOCATIONS
- ⊕ - SOIL BORING LOCATIONS (CONDUCTED BY HUNTINGDON-TCT)
- ⊙ - MONITORING WELL LOCATION
- - - - - WATER
- SEWER
- OVERHEAD ELECTRIC
- TELEPHONE
- PROPERTY LINE

NOTE: THE UTILITY LINES SHOWN ON THIS MAP ARE ONLY APPROXIMATE LOCATIONS AND SHOULD NOT BE USED FOR UTILITY LOCATES

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER.

NOTE: THE PRESENTED ISOCONCENTRATION LINES REPRESENT LEVELS OF BENZENE. THE WATER SAMPLES WERE COLLECTED ON DECEMBER 18, 1996.



WDNR BRRTS Case #: 02-63-001516

WDNR Site Name: La Farge Coop AST

Geographic Information System (GIS) Registry of Closed Remediation Sites

In compliance with the revisions to the NR 700 rule series requiring certain closed sites to be listed on the Geographic Information System (GIS) Registry of Closed Remediation Sites (Registry) effective Nov., 2001, I have provided the following information.

To the best of my knowledge the legal descriptions provided and attached to this statement are complete and accurate.

Responsible Party:

RANDY A DAHLEN GENERAL MANAGER
(print name/title)


(signature)

10-9-07
(date)

COPY

October 16, 2007

Village of La Farge
105 West Main Street
P.O. Box 37
La Farge, WI 54639

To Whom It May Concern,

Groundwater contamination that appears to have originated on the La Farge Coop AST property located on North Mill Street (Outlot 31), La Farge, Wisconsin has migrated onto the Village of La Farge property on North Mill Street (Outlot 32 and 40). The levels of Benzene, Ethylbenzene, Naphthalene, and Trimethylbenzene contamination in the groundwater on your property are above the state groundwater enforcement standards ("ES") found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources (WDNR) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

Since the source of the groundwater contamination is not on *your* property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR's Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Mae Willkom, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information

system (“GIS”) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR’s internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of La Farge has a community owned and operated water system, which supplies potable water to properties within the municipality. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the “GIS Registry of Closed Remediation Sites.”

If you need more information, please contact me at 405 South Main Street, Westby, WI 54667 or (608) 634-3184 or Ms. Willkom at either the WDNR address noted above or (715) 839-3748.

Sincerely,



Randy Dahlen
Heartland Country Coop

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

LEGAL DESCRIPTION (property on North Mill Street, La Farge, WI)

Lot Thirty-Two (32), of the Assessor's Map of Section Twenty-Nine (29); and that part of Lot Forty (40) of the Assessor's Map of Section Twenty-Nine (29), commencing at the northeast corner of said lot forty (40), thence west to the east boundary of the former railroad right-of-way thence South on said East boundary to the northwest corner of Lot Thirty-One (31) of the Assessor's Map of said Section Twenty-Nine (29), thence East to the West boundary of Mill Street, thence North to the place of commencement; all in Section Twenty-Nine (29), Township Thirteen (13)North, Range Two (2) West, in the Village of La Farge, Vernon County, Wisconsin.

October 16, 2007

Bonnie Risen
207 North Maple Street
La Farge, WI 54639

Dear Ms. Risen,

Groundwater contamination exists on your property located at on North Mill Street (Outlot 31), La Farge, Wisconsin. The source of this groundwater contamination appears to have originated from the former petroleum above ground storage tank systems that existed on the property.

Since Heartland Country Coop is the “responsible party” for the contamination on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of this groundwater contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wis. Stat., including allowing access to your property for environmental investigation or cleanup, if access is required. A copy of the WDNR’s Fact Sheet 10: *Guidance for Dealing with Properties Affected by Off-Site Contamination* (publication #RR-589) is attached for your review.

The levels of Benzene and Naphthalene contamination in the groundwater on your property are above the state groundwater enforcement standards (“ES”) found in chapter NR 140, Wis. Adm. Code. However, the environmental consultants who have investigated this contamination have informed me that this groundwater contaminant plume is stable and in the process receding and will naturally degrade over time. The environmental consultants believe that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapters NR 726 and NR 746 Wis. Adm. Code. Therefore, I will be requesting that the Wisconsin Department of Natural Resources (“WDNR”) accept natural attenuation as the final remedy for this site and grant case closure. Closure means that the WDNR will not be requiring any further investigation or active cleanup action to be taken, other than the reliance on natural attenuation.

The WDNR will not review my closure request for at least 30 days after the date of this letter. As a potentially affected property owner, you have the right to contact the WDNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the WDNR that is relevant to this closure request, you should mail that information to Mae Willkom, WDNR, 1300 West Clairemont Avenue, P.O. Box 4001, Eau Claire, WI 54702-4001.

If this case is closed, all properties within the site boundaries where groundwater contamination exceeds the ES will be listed on the WDNR's geographic information system ("GIS") Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the ES was found at the time that the case was closed. This GIS Registry is available to the general public on the WDNR's internet web site. Please review the enclosed legal description of your property, and notify me within the next 30 days if the legal description is incorrect.

The Village of La Farge has a community owned and operated water system, which supplies potable water to properties within the municipality. However, should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards maybe necessary to protect the well from the residual groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) and also contact the Drinking Water program within the WDNR to determine if there is a need for special well construction standards. A WDNR well construction application form may be obtained by contacting the WDNR at the address above or by accessing the WDNR website at <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf>.

Once the WDNR makes a decision on my closure request, it will be documented in a letter. If the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from me, by writing to the agency address given above, or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at <http://www.dnr.wi.gov/org/aw/rr/gis/index.htm>. A copy of the closure letter is included as part of the site file on the "GIS Registry of Closed Remediation Sites."

If you need more information, please contact me at 405 South Main Street, Westby, WI 54667 or (608) 634-3184 or Ms. Willkom at either the WDNR address noted above or (715) 839-3748.

Sincerely,



Randy Dahlen
Heartland Country Coop

Enclosures: legal description, WDNR Publication # RR-589, map, table of analytical results

LEGAL DESCRIPTION (property on North Mill Street, La Farge, Wisconsin)

Part of the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 29, Township 13 North, Range 2 West, Village of La Farge, described as follows: Beginning at a point 348 feet North of the point of intersection of the North line of Main Street with the West line of Mill Street; thence West at right angles with Mill Street to the railroad right of way; thence North along the East edge of said railroad right of way 100 feet; thence East to the West line of Mill Street; thence South along said West line 100 feet to the point of beginning. Also known as part of Outlot 31 and 40 in Section 29, Township 13 North, Range 2 West of the Assessor's Plat of the Village of La Farge, an unrecorded plat.

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

AGE OF LA FARGE
WEST MAIN ST.

P.O. BOX 37

FARGE WI 5 4639

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Kimberly Walker Agent
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

Kimberly Walker 10/18/07

D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No

2. Article Number

(Transfer from service label)

7007 0710 0004 9582 8976

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Bonnie Risen
207 North Maple Street
La Farge, WI 54639

COMPLETE THIS SECTION ON DELIVERY

A. Signature

Roberta Risen Agent
 Addressee

B. Received by (Printed Name)

C. Date of Delivery

ROBERTA RISEN 10-17-07

D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No

3. Service Type

- Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

2. Article Number

(Transfer from service label)

7007 0710 0004 9582 8938

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540



Excellence through experience™

COPY

1421 US Highway 16 ♦ La Crosse, WI 54601 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

October 8, 2007

Village of La Farge
105 West Main Street
La Farge, WI 54639

Notification: La Farge Coop AST (BRRTS # 02-63-001516), Conditional Case Closure Notification

To Whom It May Concern,

I am writing on behalf of Heartland Country Coop to inform you that residual soil and groundwater contamination from the La Farge Coop AST site, located on North Mill Street/STH 131 (Outlot 31), La Farge, WI, exists within the right of way of North Mill Street.

A Case Summary and Close Out Request is being submitted to the Wisconsin Department of Natural Resources (WDNR) for the La Farge Coop AST site. Case closure means that the WDNR will not be requiring any further investigation or cleanup action to be taken. As part of the required closure documentation, you are hereby notified that residual petroleum contamination exists in soil and groundwater within the right-of-way of North Mill Street to the east of the La Farge Coop AST site. Soil contamination exceeding the NR720 Soil Cleanup Standards and/or NR746 Table 1 Values exists within the right of way of North Mill Street from surface to approximately 6 feet below ground surface. Groundwater contamination exceeding the NR140 Preventive Action Limits (PAL) and Enforcement Standards (ES) exists within the right of way of North Mill Street from approximately 4 to 6 feet below ground surface.

If the contaminated soil or groundwater is encountered during future construction, it may pose inhalation or other direct contact hazards. Any contaminated soil or groundwater encountered will require sampling and analysis, as well as proper storage, treatment, and disposal of any excavated materials. We are enclosing site maps displaying inferred soil and groundwater contamination plumes.

If you have any questions, or require more detailed information, please contact me at METCO's La Crosse office (608-781-8879).

Sincerely,

Jason T. Powell
Staff Scientist

Enclosure: Maps

C: Randy Dahlen – Heartland Country Coop

Notification of Contamination within the Right of Way

County: Vernon

Highway: State Highway 131

Site Name: La Farge Coop AST

Site Address: (Outlot 31) N. Mill Street/STH 131, La Farge, WI 54639

BRRTS Number: 02-63-001516

PECFA Number: 54639-9999-31

FID Number: 663047880

Owner's Name: Heartland Country Coop, Randy Dahlen

Owner's Address: 405 S. Main Street, Westby, WI 54667

Consulting Firm: METCO

Consultant Contact: Jason Powell

Consultant Address: 1421 US Highway 16, La Crosse, WI 54601

Consultant Phone, Fax and E-mail: (608) 781-8879, (608) 781-8893, jasonp@metcohq.com

Soil contamination? Yes

Depth to contaminated soil: 0.5 feet

Vertical extent of contaminated soil: (e.g. from 0.5 feet to 6 feet below ground surface)

Groundwater contamination? Yes

Depth to water table: 4 to 6 feet

Describe the type(s) of contamination present. Petroleum

Brief summary of cleanup activity: Soil Excavation

Attach a current plume map for groundwater contamination

Attach a current plume map for soil contamination

Diana Symitczek

From: TeBeest, Sharlene [sharlene.tebeest@dot.state.wi.us]
Sent: Tuesday, October 16, 2007 2:25 PM
To: 'Diana Symitczek'
Subject: RE: La Farge Coop Ast - Notification of Contamination within the Right of Way

Thanks Diana,

I've received your notice for the LaFarge Coop A.S.T. BRRTS # 02-63-001516.

Please keep a copy of this e-mail for your file.

Shar

Sharlene Te Beest
Hazardous Materials Specialist
Wisconsin Department of Transportation, Bureau of Equity and Environmental
Services
Phone: 608-266-1476; Fax: 608-266-7818; Cell: 608-692-4546
Address: WISDOT- BEES; PO Box 7965; Room 451 HFSTB; Madison, WI
53707-7965

-----Original Message-----

From: **Diana Symitczek** [<mailto:dianajs@metcohq.com>]
Sent: Tuesday, October 16, 2007 10:17 AM
To: 'DOT - Sharlene TeBeest'
Subject: La Farge Coop Ast - Notification of Contamination within the
Right of Way

Diana Symitczek
METCO
1421 U.S. Highway 16
La Crosse, WI 54601
608-781-8879
608-781-8893 Fax