

GIS REGISTRY INFORMATION

SITE NAME: Chevron Facility #211685 (Former Weiler Bulk Facility)
BRRTS #: 02-72-000289 **FID # (if appropriate):** _____
COMMERCE # (if appropriate): 54449-2704-09
CLOSURE DATE: 01/12/2007
STREET ADDRESS: 309 West First Street
CITY: Marshfield

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 505979 Y= 466125

CONTAMINATED MEDIA: Groundwater Soil Both
OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____
GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____
GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued
- Copy of any maintenance plan referenced in the final closure letter.
- Copy of (soil or land use) deed notice *if any required as a condition of closure*
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map *(if referenced in the legal description)* for all affected properties
- County Parcel ID number, *if used for county*, for all affected properties
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)
- Tables of Latest Soil Analytical Results (no shading or cross-hatching)
- Isoconcentration map(s), *if required for site investigation (SI)* (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. *If not available, include the latest extent of contaminant plume map.*
- GW: Table of water level elevations, with sampling dates, and free product noted if present
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour
- Geologic cross-sections, *if required for SI.* (8.5x14" if paper copy)
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

January 12, 2007

BRRTS #02-72-000289

Denise Dixon
Chevron Products Company
Environmental Management Company
2300 Windy Ridge Parkway, Suite 800
Atlanta, GA 30339

Certified Letter
Return Receipt Requested
USPS Article #7002 3150 0005 6990 7224

SUBJECT: Final Case Closure with Conditions Met,
Chevron Facility #211685 (Former Wieler Site),
309 West First Street, Marshfield, Wisconsin.

Dear Ms. Dixon:

On October 12, 2006, the Wisconsin Department of Natural Resources Westcentral Region Closure Committee reviewed your request for closure of the case described above. The Westcentral Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. On October 18, 2006, you were notified that the Closure Committee had granted conditional closure to this case.

On January 10, 2007, the Department received final correspondence indicating that you have complied with the conditions of closure. The conditions for closure included monitoring well abandonment, documentation indicating that all waste generated as part of the site investigation and cleanup of this site was disposed of or treated in accordance with Department of Natural Resources' rules, and placement of the site on the State's GIS Registry of Closed Remediation Sites. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your consultant had previously reported that not all of the monitoring wells could be located and it appears that these wells (monitoring wells MW-2, MW-3, MW-5, MW-7, MW-8, MW-11, MW-12, MW-13 and MW-17) were destroyed and/or covered (not in accordance with ch. NR 141, Wisconsin Administrative Code) during construction of the new State Highway 13 corridor covering the site. Please note that it is the Department's decision that you have made reasonable effort to comply with its requirement to abandon these missing wells, and based on current site conditions, no further effort to locate and abandon these wells is warranted at this time. However, should any of these wells become accessible in the future, they must be abandoned in compliance with the applicable State Statutes and Code. Also, please note that the existence of these wells can act as a conduit for contaminated fluids to migrate to the watertable aquifer and are considered a defect on the property. By copy of this letter, the Department is notifying the parties that own the properties where the missing wells are located,

or are in possession and control of the properties where the missing wells are located (The Wisconsin Department of Transportation and The City of Marshfield), of this defect on these properties, and that all current and future owners or controllers of these properties must be made aware of this defect and that the wells must be properly abandoned in accordance with applicable State standards if and when any of the wells become accessible.

Based on the correspondence and data provided, it appears that your case meets the requirements of ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If your property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://www.dnr.state.wi.us/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement. If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that the case may be reopened pursuant to s. NR 726, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Mr. Dan Knoeck, Director of Public Works, City of Marshfield, 630 S. Central Ave.,
Marshfield, WI 54449 (Certified Letter #7002 3150 0005 6990 7231)
Mr. John Lewis, Ms. Shar TeBeest - WI DOT (e-mail)
Richard O'Keefe, SAIC, 3107-B Clairmont Rd., NE, Atlanta, GA 30329

7224 6990 3150 0005 0515 0000 0669 7224

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$ 3.91
Certified Fee	2.40
Return Receipt Fee (Endorsement Required)	1.85
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 4.64



Sent To
 Denise Dixon - Chevron Products Co.
 Street, Apt. No., or PO Box No. 2300 Windy Ridge Pkwy, Suite 800
 City, State, ZIP+4
 Atlanta, GA 30339

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Ms Denise Dixon
 Chevron Products Co.
 2300 Windy Ridge Pkwy.
 Suite 800
 Atlanta, GA 30339

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 Agent
 Addressee

B. Received by (Printed Name)
 Georgia Rice

C. Date of Delivery
 1-16-07

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
 (Transfer from service label)

7002 3150 0005 6990 7224

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

7221 6990 3150 0005 0515 0000 0669 7221

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$ 3.91
Certified Fee	2.40
Return Receipt Fee (Endorsement Required)	1.85
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 4.64



Sent To
 Mr. Dan Knoeck - City of Marshfield
 Street, Apt. No., or PO Box No. 630 S. Central Ave.
 City, State, ZIP+4
 Marshfield, WI 54449

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Dan Knoeck
 Dir. of Public Works
 City of Marshfield
 630 S. Central Ave.
 Marshfield, WI 54449

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 Agent
 Addressee

B. Received by (Printed Name)
 Mike Gillette

C. Date of Delivery
 1-15-07

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number
 (Transfer from service label)

7002 3150 0005 6990 7231

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

Facility/Project Name TEXACO / MARSHFIELD	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name GMMW-2
Facility License, Permit or Monitoring Number _____	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. NW 1/4 of NW 1/4 of Sec. <u>8</u> , T <u>25</u> N, R. <u>3</u>	Date Well Installed <u>06/24/92</u> m m d d y y
Distance Well Is From Waste/Source Boundary 95 FEET ft.	Location of Well Relative to Waste/Source <input checked="" type="checkbox"/> Upgradient <input type="checkbox"/> Sidegradient <input type="checkbox"/> Downgradient <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Ross Creighton Geraghty & Miller, Inc.
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

<p>A. Protective pipe, top elevation _____ ft. MSL</p> <p>B. Well casing, top elevation <u>1292.69</u> ft. MSL</p> <p>C. Land surface elevation <u>1289.7</u> ft. MSL</p> <p>D. Surface seal, bottom <u>1289.7</u> ft. MSL or <u>0.0</u> ft.</p>	<p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter <u>6.0</u> in. b. Length: <u>5.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/></p> <p>d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>5. Annular space seal: Granular Bentonite <input checked="" type="checkbox"/> 33 ____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 ____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 ____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 <u>0.73</u> Ft³ volume added for any of the above How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08</p> <p>6. Bentonite seal: Bentonite granules <input type="checkbox"/> 33 <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name and mesh size <u>Unimin Granusit 4030</u> Volume added <u>0.14</u> ft³</p> <p>8. Filter pack material: Manufacturer, product name and mesh size <u>Red Flint #30</u> Volume added <u>4.2</u> ft³</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/></p> <p>10. Screen material: <u>PVC</u> Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/> Manufacturer <u>Northern Aire</u> Slot size: <u>0.010</u> in. Slotted length: <u>10.0</u> ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/></p>
--	--

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

<p>E. Bentonite seal, top _____ ft. MSL or _____ ft.</p> <p>F. Fine sand, top <u>1287.6</u> ft. MSL or <u>2.1</u> ft.</p> <p>G. Filter pack, top <u>1287.2</u> ft. MSL or <u>2.5</u> ft.</p> <p>H. Well screen, top <u>1286.7</u> ft. MSL or <u>3.0</u> ft.</p> <p>I. Well screen bottom <u>1276.7</u> ft. MSL or <u>13.0</u> ft.</p> <p>J. Filter pack, bottom <u>1275.2</u> ft. MSL or <u>14.5</u> ft.</p> <p>K. Borehole, bottom <u>1275.2</u> ft. MSL or <u>14.5</u> ft.</p> <p>L. Borehole, diameter <u>8.3</u> in.</p> <p>M. O.D. well casing <u>2.38</u> in.</p> <p>N. I.D. well casing <u>2.05</u> in.</p>
--

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Geraghty & Miller, Inc.**

Facility/Project Name TEXACO / MARSHFIELD	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name GMMW-3
Facility License, Permit or Monitoring Number _____	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E. <input type="checkbox"/> W. NW 1/4 of NW 1/4 of Sec. 8, T 25 N, R. 3	Date Well Installed 06 / 23 / 92 m m / d d / y y
Distance Well Is From Waste/Source Boundary 15 FEET ft.	Location of Well Relative to Waste/Source <input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Sidegradient <input type="checkbox"/> Downgradient <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Ross Creighton Geraghty & Miller, Inc.
Is Well A Point of Enforcement Std. Application? <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation 1286.61 ft. MSL	2. Protective cover pipe: a. Inside diameter _____ in. b. Length: 5.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation 1287.0 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom 1286.0 ft. MSL or 1.0 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input checked="" type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: Granular Bentonite <input checked="" type="checkbox"/> 33 Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 0.87 Ft ³ volume added for any of the above How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: Bentonite granules <input type="checkbox"/> 33 <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name and mesh size Unimin Granusit 4030 Volume added 0.17 ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size Red Flint #30 Volume added 4.6 ft ³
17. Source of water (attach analysis): _____	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top _____ ft. MSL or _____ ft.	10. Screen material: PVC Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top 1284.5 ft. MSL or 2.5 ft.	Manufacturer Northern Aire Slot size: 0.010 in. Slotted length: 10.0 ft.
G. Filter pack, top 1284.0 ft. MSL or 3.0 ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/>
H. Well screen, top 1282.5 ft. MSL or 4.5 ft.	
I. Well screen bottom 1272.5 ft. MSL or 14.5 ft.	
J. Filter pack, bottom 1271.0 ft. MSL or 16.0 ft.	
K. Borehole, bottom 1271.0 ft. MSL or 16.0 ft.	
L. Borehole, diameter 8.3 in.	
M. O.D. well casing 2.38 in.	
N. I.D. well casing 2.05 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Geraghty & Miller, Inc.**

Facility/Project Name TEXACO / MARSHFIELD	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name GMMW-5
Facility License, Permit or Monitoring Number _____	Grid Origin Location Lat. _____ Long. _____ or St. Plane <u>304396.91385</u> ft. N, <u>1953987.94239</u> ft. E.	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. 8, T 25 N, R. 3 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed <u>01</u> / <u>23</u> / <u>95</u> m m d d y y
Distance Well Is From Waste/Source Boundary 15 FEET ft.	Location of Well Relative to Waste/Source <input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Sidegradient <input type="checkbox"/> Downgradient <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Dan Zielazowski Boart Longyear
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation <u>1286.47</u> ft. MSL	2. Protective cover pipe: a. Inside diameter _____ in. b. Length: <u>1.0</u> ft. c. Material: Steel <input type="checkbox"/> 04 Aluminum (Flush) Other <input checked="" type="checkbox"/>
C. Land surface elevation <u>1286.8</u> ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom <u>1285.8</u> ft. MSL or <u>1.0</u> ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input checked="" type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Annular space seal <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: Granular Bentonite <input checked="" type="checkbox"/> 33 _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 <u>0.4</u> Ft ³ volume added for any of the above How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: Bentonite granules <input checked="" type="checkbox"/> 33 <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name and mesh size Badger Mining BB#7 Volume added <u>0.4</u> ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size Red Flint #30 Volume added <u>4.2</u> ft ³
17. Source of water (attach analysis): _____	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top <u>1285.8</u> ft. MSL or <u>1.0</u> ft.	10. Screen material: SCH. 40 PVC Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top <u>1284.8</u> ft. MSL or <u>2.0</u> ft.	Manufacturer Northern Aire Slot size: <u>0.010</u> in. Slotted length: <u>10.0</u> ft.
G. Filter pack, top <u>1283.8</u> ft. MSL or <u>3.0</u> ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/>
H. Well screen, top <u>1282.8</u> ft. MSL or <u>4.0</u> ft.	
I. Well screen bottom <u>1272.8</u> ft. MSL or <u>14.0</u> ft.	
J. Filter pack, bottom <u>1271.8</u> ft. MSL or <u>15.0</u> ft.	
K. Borehole, bottom <u>1271.8</u> ft. MSL or <u>15.0</u> ft.	
L. Borehole, diameter <u>8.2</u> in.	
M. O.D. well casing <u>2.38</u> in.	
N. I.D. well casing <u>2.05</u> in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Geraghty & Miller, Inc.**

Please complete and return both sides of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis Adm. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5,000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation.
NOTE: Shaded areas are for DNR use only. See instructions for more information.

Facility/Project Name TEXACO / MARSHFIELD	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name GMMW-7
Facility License, Permit or Monitoring Number _____	Grid Origin Location Lat. _____ Long. _____ or St. Plane. 304573.71993 ft. N., 1953795.83627 ft. E.	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. 8, T 25 N, R. 3 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 0 1 / 2 3 / 9 5 m m / d d / y y
Distance Well Is From Waste/Source Boundary 150 FEET ft.	Location of Well Relative to Waste/Source <input type="checkbox"/> Upgradient <input type="checkbox"/> Sidegradient <input checked="" type="checkbox"/> Downgradient <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Dan Zleazowski Boart Longyear
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation 1288.25 ft. MSL	2. Protective cover pipe: a. Inside diameter 8.0 in. b. Length: 1.0 ft. c. Material: Steel <input type="checkbox"/> 04 Aluminum (Flush) Other <input checked="" type="checkbox"/>
C. Land surface elevation 1285.6 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom 1284.6 ft. MSL or 1.0 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input checked="" type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Annular space seal <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: Granular Bentonite <input checked="" type="checkbox"/> 33 _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 0.4 Ft ³ volume added for any of the above How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: Bentonite granules <input checked="" type="checkbox"/> 33 <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name and mesh size Badger Mining BB#7 Volume added 0.4 ft ³
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size Red Filint #30 Volume added 3.8 ft ³
17. Source of water (attach analysis): _____	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top 1284.6 ft. MSL or 1.0 ft.	10. Screen material: SCH. 40 PVC Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top 1283.6 ft. MSL or 2.0 ft.	Manufacturer Northern Aire Slot size: 0.010 in. Slotted length: 10.0 ft.
G. Filter pack, top 1282.6 ft. MSL or 3.0 ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> Other <input type="checkbox"/>
H. Well screen, top 1281.6 ft. MSL or 4.0 ft.	
I. Well screen bottom 1271.6 ft. MSL or 14.0 ft.	
J. Filter pack, bottom 1271.6 ft. MSL or 14.0 ft.	
K. Borehole, bottom 1271.6 ft. MSL or 14.0 ft.	
L. Borehole, diameter 8.2 in.	
M. O.D. well casing 2.38 in.	
N. I.D. well casing 2.05 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____ Firm **Geraghty & Miller, Inc.**

Facility/Project Name	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW8
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. <u>8</u> T. <u>25</u> N, R. <u>3</u> <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 050797
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Todd Maxim Technologies

Protective pipe, top elevation _____ ft. MSL
Well casing, top elevation _____ ft. MSL
Land surface elevation 1286.58 ft. MSL
Surface seal, bottom 1285.58 ft MSL or 1 ft.

2. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

3. Sieve analysis attached? Yes No


4. Drilling method used:
Rotary 50
Hollow Stem Auger 41
Other

5. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

6. Drilling additives used? Yes No

Describe N/A

7. Source of Water (attach analysis):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 12 in.
b. Length: 1 ft.
c. Material: Steel 04
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal:
Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
none Other

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight... Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight... Bentonite slurry 31
d. _____ % Bentonite... Bentonite-cement grout 50
e. _____ Ft³ volume added for any of the above

6. How installed:
Tremie 01
Tremie pumped 02
Gravity 08

7. Bentonite seal:
a. Bentonite granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

8. Fine sand Material: Manufacturer, product name & mesh size
a. Red Arrow Silica
b. Volume added _____ ft³

9. Filter pack material: Manufacturer, product name and mesh size
a. Red Flint
b. Volume added _____ ft³

10. Well casing:
Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

11. Screen material:
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer _____
c. Slot size: _____ in.
d. Slotted length: 10 ft.

12. Backfill material (below filter pack):
Native material None 14
Other

Bentonite seal, top 1285.58 ft. MSL or 1.0 ft.
Fine sand, top 1284.08 ft. MSL or 2.5 ft.
Filter pack, top 1283.58 ft. MSL or 3.0 ft.
Screen joint, top 1282.58 ft. MSL or 4.0 ft.
Well bottom 1272.58 ft. MSL or 14.0 ft.
Filter pack, bottom 1270.58 ft. MSL or 16.0 ft.
Borehole bottom 1270.58 ft. MSL or 16.0 ft.
Borehole diameter 8.3 in.
O.D. well casing 2.375 in.
I.D. well casing 2.047 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Name Laura Smith Firm **VIJAY & ASSOCIATES, INC.**
9450 N. 107th Street, Milwaukee, WI 53224
Tel: (414) 362-0800 Fax: (414) 362-0333

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats. ch. Nr 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$100 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name MW11
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. <u>8</u> T. <u>25</u> N, R. <u>3</u> <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 050697
Distance Well Is From Waste/Source Boundary _____ ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Todd Maxim Technologies
Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

Protective pipe, top elevation _____ ft. MSL
Well casing, top elevation _____ ft. MSL
Land surface elevation 1285.87 ft. MSL
Surface seal, bottom 1284.87 ft MSL or 1 ft.

2. USCS classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


3. Sieve analysis attached? Yes No

4. Drilling method used:
Rotary 50
Hollow Stem Auger 41
Other

5. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

6. Drilling additives used? Yes No
Describe N/A

7. Source of Water (attach analysis):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 12 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
none Other

5. Annular space seal: a. Granular Bentonite 33
b. _____ Lbs/gal mud weight... Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight... Bentonite slurry 31
d. _____ % Bentonite... Bentonite-cement grout 50
e. _____ Ft³ volume added for any of the above

f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal: a. Bentonite granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand Material: Manufacturer, product name & mesh size
a. Red Arrow Silica
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material:
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer _____
c. Slot size: _____ in.
d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 14
Native material Other

Bentonite seal, top 1284.87 ft. MSL or 1.0 ft.
Fine sand, top 1283.37 ft. MSL or 2.5 ft.
Filter pack, top 1282.87 ft. MSL or 3.0 ft.
Screen joint, top 1281.87 ft. MSL or 4.0 ft.
Well bottom 1271.87 ft. MSL or 14.0 ft.
Filter pack, bottom 1269.87 ft. MSL or 16.0 ft.
Borehole bottom 1269.87 ft. MSL or 16.0 ft.
Borehole diameter 8.3 in.
O.D. well casing 2.375 in.
I.D. well casing 2.047 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Laura Samuth Firm **VIJAY & ASSOCIATES, INC.**
9450 N. 107th Street, Milwaukee, WI 53224
Tel: (414) 362-0800 Fax: (414) 362-0333

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats. ch. Nr 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$100 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW12
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. 8 T. 25NN, R 3 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 050697
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Todd Maxim Technologies

A. Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation **1286.37** ft. MSL
 D. Surface seal, bottom **1285.37** ft MSL or **1** ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe **N/A**

17. Source of Water (attach analysis):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: **12** in.
 b. Length: **1** ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
none Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. _____ Lbs/gal mud weight... Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight... Bentonite slurry 31
 d. _____ % Bentonite..... Bentonite-cement grout 50
 e. _____ Ft³ volume added for any of the above

f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. _____ Other

7. Fine sand Material: Manufacturer, product name & mesh size
 a. **Red Arrow Silica**
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. **Red Flint**
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material:
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer _____
 c. Slot size: _____ in.
 d. Slotted length: **10** ft.

11. Backfill material (below filter pack): None 14
Native material Other

Bentonite seal, top **1285.37** ft. MSL or **1.0** ft.
 F. Fine sand, top **1283.87** ft. MSL or **2.5** ft.
 Filter pack, top **1283.37** ft. MSL or **3.0** ft.
 H. Screen joint, top **1282.37** ft. MSL or **4.0** ft.
 Well bottom **1272.37** ft. MSL or **14.0** ft.
 I. Filter pack, bottom **1270.37** ft. MSL or **16.0** ft.
 J. Borehole bottom **1270.37** ft. MSL or **16.0** ft.
 Borehole diameter **8.3** in.
 M. O.D. well casing **2.375** in.
 I.D. well casing **2.047** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Laura Smith* Firm **VIJAY & ASSOCIATES, INC.**
 9450 N. 107th Street, Milwaukee, WI 53224
 Tel: (414) 362-0800 Fax: (414) 362-0333

Facility/Project Name	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW13
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. 8 T. 25N, R. 3 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 050697
Distance Well Is From Waste/Source Boundary ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Todd Maxim Technologies

Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation **1286.72** ft. MSL
 Surface seal, bottom **1285.72** ft MSL or **1** ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe **N/A**

17. Source of Water (attach analysis):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: **12** in.
 b. Length: **1** ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal:
 Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
none Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. _____ Lbs/gal mud weight... Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight.... Bentonite slurry 31
 d. _____ % Bentonite..... Bentonite-cement grout 50
 e. _____ Ft³ volume added for any of the above

f. How installed:
 Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. _____ Other

7. Fine sand Material: Manufacturer, product name & mesh size
 a. **Red Arrow Silica**
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. **Red Flint**
 b. Volume added _____ ft³

9. Well casing:
 Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material:
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer _____
 c. Slot size: _____ in.
 d. Slotted length: **10** ft.

11. Backfill material (below filter pack):
 None 14
Native material Other

Bentonite seal, top **1285.72** ft. MSL or **1.0** ft.
 F. Fine sand, top **1284.22** ft. MSL or **2.5** ft.
 Filter pack, top **1283.72** ft. MSL or **3.0** ft.
 H. Screen joint, top **1282.72** ft. MSL or **4.0** ft.
 Well bottom **1272.72** ft. MSL or **14.0** ft.
 I. Filter pack, bottom **1270.72** ft. MSL or **16.0** ft.
 Borehole bottom **1270.72** ft. MSL or **16.0** ft.
 Borehole diameter **8.3** in.
 M. O.D. well casing **2.375** in.
 I.D. well casing **2.047** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Sana Samuth* Firm **VIJAY & ASSOCIATES, INC.**
 9450 N. 107th Street, Milwaukee, WI 53224
 Tel: (414) 362-0800 Fax: (414) 362-0333

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats. and ch. Nr 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$1000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Facility/Project Name Weiler Fuel Bulk Terminal	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name MW17
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	St. Plane _____ ft. N, _____ ft. E	Date Well Installed 060597
Distance Well Is From Waste/Source Boundary _____ ft.	Section Location of Waste/Source NW 1/4 of NW 1/4 of Sec. 8 T. 25NN, R. 3 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Todd Maxim Technologies
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input checked="" type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation _____ ft. MSL
 D. Surface seal, bottom -1 ft. MSL or 1 ft.

12. USCS classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used: Rotary 5 0
 Hollow Stem Auger 4 1
 Other

15. Drilling fluid used: Water 0 2 Air 0 1
 Drilling Mud 0 3 None 9 9

16. Drilling additives used? Yes No
 Describe N/A

17. Source of Water (attach analysis):
N/A



1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: _____ in.
 b. Length: 12 ft.
 c. Material: Steel 0 4
 Other

d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 3 0
 Concrete 0 1
 Other

4. Material between well casing and protective pipe:
 Bentonite 3 0
 Annular space seal
none Other

5. Annular space seal: a. Granular Bentonite 3 3
 b. _____ Lbs/gal mud weight... Bentonite-sand slurry 3 5
 c. _____ Lbs/gal mud weight.... Bentonite slurry 3 1
 d. _____ % Bentonite..... Bentonite-cement grout 5 0
 e. _____ Ft³ volume added for any of the above

f. How installed: Tremie 0 1
 Tremie pumped 0 2
 Gravity 0 8

6. Bentonite seal: a. Bentonite granules 3 3
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 3 2
 c. _____ Other

7. Fine sand Material: Manufacturer, product name & mesh size
 a. Badger 30 mm
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. Badger Red Flint 45-55 mm
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 2 3
 Flush threaded PVC schedule 80 2 4
 Other

10. Screen material:
 a. Screen type: Factory cut 1 1
 Continuous slot 0 1
 Other
 b. Manufacturer _____
 c. Slot size: _____ in.
 d. Slotted length: 10 ft.

11. Backfill material (below filter pack): None 1 4
Native material Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Saura Samuth Firm **VIJAY & ASSOCIATES, INC.**
 9450 N. 107th Street, Milwaukee, WI 53224
 Tel: (414) 362-0800 Fax: (414) 362-0333



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

October 18, 2006

BRRTS #02-72-000289

Denise Dixon
Chevron
Environmental Management Company
2300 Windy Ridge Parkway, Suite 800
Atlanta, GA 30339

FILE COPY

SUBJECT: Conditional Closure Decision With Requirements to Achieve Final Closure
Chevron Facility #211685 (Former Wieler Site),
309 West First Street, Marshfield, Wisconsin.

Dear Ms. Dixon:

On October 12, 2006, the Wisconsin Department of Natural Resources Westcentral Region Closure Committee reviewed your request for closure of the case described above. The Westcentral Region Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Westcentral Region Closure Committee has determined that the petroleum-related contamination on the site from the former bulk petroleum storage facility appears to have been investigated and remediated to the extent practicable under site conditions. Your case has been remediated to Department standards in accordance with s. NR.726.05, Wis. Adm. Code and will be closed if the following conditions are satisfied:

- o The monitoring wells and interceptor trench at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dwg/gw/ or provided by the Department of Natural Resources.
- o Any remaining purge water, waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Once that work is completed, please send appropriate documentation regarding the treatment or disposal of the remaining purge water, waste and/or soil piles.

When the above conditions have been satisfied, please submit the appropriate documentation (for example, well abandonment forms, disposal receipts, copies of correspondence, etc.) to verify that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the GIS Registry. To review the site on the GIS Registry web page, visit <http://maps.dnr.state.wi.us/brrts>.

October 18, 2006
Denise Dixon – Chevron
Page 2

BRRTS #02-72-000289

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Richard O'Keefe, SAIC, 35 Varden Dr., Suite F, Aiken, SC 29803

Document Number

QUIT CLAIM DEED BY CORPORATION

Exempt from fee: s.77.25(2r) Wis. Stats.
DT1548 98 (Replaces RE3048)

THIS DEED, made by City of Marshfield, a Municipal Government, located in
Wood County, State of Wisconsin

a corporation duly organized and existing under the laws of the State of WI
and duly authorized to transact business in the State of Wisconsin, with its principal place
of business at 630 S Central Ave

City of Marshfield County of Wood
State of WI GRANTOR(S), quit claims the property

described below to the State of Wisconsin, Department of Transportation, GRANTEE,
for the sum of One Hundred Fifteen Thousand Eight Hundred and 00/100
Dollars (\$ 115,800.00).

Any person named in this deed may make an appeal from the amount of compensation
within six months after the date of recording of this deed as set forth in s.32.05(2a)
Wisconsin Statutes. For the purpose of any such appeal, the amount of compensation
stated on the deed shall be treated as the award, and the date the deed is recorded shall
be treated as the date of taking and the date of evaluation.

Other persons having an interest of record in the property:

LEGAL DESCRIPTION IS ATTACHED HERETO AND MADE A PART HEREOF
BY REFERENCE.

The undersigned certify that this Instrument is being executed pursuant to a resolution of the board of directors (or shareholders, if
authorized by law) of GRANTOR corporation.

CORPORATE ACKNOWLEDGEMENT

City of Marshfield
(Corporation Name)

Richard E. Daniels
(Officer - Signature)

Richard E. Daniels, Mayor
(Print Name, Title)

Carolyn A. Kautzer
(Officer - Signature)

Carolyn A. Kautzer, City Clerk
(Print Name, Title)

(Officer - Signature)

(Print Name, Title)

(Officer - Signature)

(Print Name, Title)

4/28/99
(Date)

State of Wisconsin)
) ss.
Wood County)

On the above date, this instrument was acknowledged before me
by the named person(s).

Mary B. Anderson
(Signature, Notary Public, State of Wisconsin)
Mary B. Anderson
(Print or Type, Notary Public, State of Wisconsin)
9/12/99
(Date Commission Expires)
STATE OF WISCONSIN

PROJECT: 1623-09-21 EXHIBIT ATTACHED
PARCEL: 81

Fee title for the owner's interest in land contained within the following described tracts of land being part of NW ¼ of the NW ¼ of Section 8, T 25 N, R 3 E, and the NE ¼ of the NE ¼ of Section 7, T 25 N, R 3 E, bounded on the north by the WCL Railroad, the west by existing Oak Avenue, and the south by existing Second Street in the City of Marshfield, Wood County, Wisconsin, described as:

Commencing at a 1" iron pipe at the southeastern corner of Wood County Certified Survey Map No. 4383; (Sheet 4.4, east of Oak Avenue)

Thence S 26°44'01"W for 59.83 feet along the existing easterly right-of-way of Chestnut Avenue to the point of beginning; Thence S 26°44'01"W for 120.26 feet along said right-of-way to the intersection of said right-of-way and the existing northerly right-of-way of First Street; Thence N 63°17'15"W for 764.00 feet to point 6254; Thence N 26°42'19"E for 7.92 feet to point 6255; Thence N 63°17'15"W for 38.81 feet to the beginning of a 1,840.55 foot radius curve to the left having a long chord bearing N 65°50'48"W, and a chord distance of 164.36 feet; Thence along said curve for an arc distance of 164.42 feet; Thence N 68°24'21"W for 386.07 feet to the beginning of a 915.35 foot radius curve to the right having a long chord bearing N 63°15'57"W, and a chord distance of 164.01 feet; Thence along said curve for an arc distance of 164.23 feet to a point on the existing easterly right-of-way of Oak Avenue; Thence N 26°43'46"E for 112.85 feet along the existing easterly right-of-way of Oak Avenue to the beginning of a 803.02 foot radius curve to the left having a long chord bearing S 62°54'17"E, and a chord distance of 153.96 feet; Thence along said curve for an arc distance of 154.20 feet; Thence S 68°24'21"E for 386.07 feet to the beginning of a 1,952.88 foot radius curve to the right having a long chord bearing S 65°50'48"E, and a chord distance of 174.39 feet; Thence along said curve for an arc distance of 174.45 feet; Thence S 63°17'15"E for 802.86 feet to a point on the existing westerly right-of-way of Chestnut Avenue, the point of beginning.

Also in the NE ¼ of the NE ¼ of Section 7, Township 25 North, Range 3 East, bounded on the north by existing Adler Road, the west by Loffy's Addition to the City of Marshfield, and the east by existing Oak Avenue, the following tracts more particularly described as:

Commencing at a 1" iron pipe at the southeastern corner of Lot 5 of the Assessor's Plat No. 2-A of the City of Marshfield; (sheet 4.5, south of Adler Road)

Thence N 89°32'36"E for 88.44 feet along the existing northerly right-of way of Adler Road; Thence N 89°32'36"E for 338.79 feet along said right-of-way; Thence S 62°44'49"E for 394.67 feet along said right-of-way to the intersection of said right-of-way and the existing westerly right-of-way of Oak Avenue; Thence S 26°43'46"W for 60.00 feet to the intersection of the existing westerly right-of-way of Oak Avenue and the existing southerly right-of-way of Adler Road, the point of beginning; Thence S 26°43'46"W for 20.92 feet along the existing westerly right-of-way of Oak Avenue to point 6268, the beginning of a 915.35 foot radius curve to the

right having a long chord bearing N 51°05'49"W, and a chord distance of 103.60 feet, Thence along said curve for an arc distance of 103.65 feet to a point on the existing southerly right-of-way of Adler Road; Thence S 62°44'51"E for 101.27 feet along said right-of-way to the point of beginning.

And

Also, commencing at a 1" iron pipe at the southeastern corner of Lot 5, of the Assessor's Plat No. 2-A of the City of Marshfield; (sheet 4.6 & 4.7, west of Oak Avenue)

Thence S 25°54'56"E for 66.55 feet to a point at the intersection of the existing southerly right-of-way of Adler Road (C.T.H. Y), and the existing easterly right-of-way of Concord Avenue, the point of beginning; Thence S 00°10'56"W for 282.40 feet along the existing easterly right-of-way of Concord Avenue; Thence N 89°32'36"E for 69.32 feet; Thence S 26°39'56"E for 105.81 feet to point 6345; Thence S 48°44'46"E for 93.17 feet; Thence S 38°25'38"E for 256.19 feet to the beginning of a 253.61 foot radius curve to the right having a long chord bearing S 17°30'30"E, and a chord distance of 181.10 feet; Thence along said curve for an arc distance of 185.19 feet to a point on the existing westerly right-of-way of Oak Avenue; Thence N 26°43'46"E for 127.19 feet along the existing westerly right-of-way of Oak Avenue to point 6338, the beginning of a 325.62 foot radius curve to the left having a long chord bearing N 28°01'05"W, and a chord distance of 117.66 feet; Thence along said curve for an arc distance of 118.31 feet; Thence N 35°36'01"W for 256.50 feet to the beginning of a 399.91 foot radius curve to the right having a long chord bearing N 29°17'47"W, and a chord distance of 126.93 feet; Thence along said curve for an arc distance of 127.46 feet; Thence N 00°10'56"E for 276.05 feet to a point on the existing southerly right-of-way of Adler Road (C.T.H. Y), Point 6341; Thence S 89°32'36"W for 191.05 feet along the existing southerly right-of-way of Adler Road (C.T.H. Y), to the point of beginning.

Also in the NW ¼ of the NW1/4 of Section 8, Township 25 North, Range 3 East, and the NE1/4 of the NE1/4 of Section 7, Township 25 North, Range 3 East, bounded on the north by existing Second Street, the west by existing Oak Avenue, the south by existing Fourth Street and the east by existing Spruce Avenue, the following tract more particularly described as:

Commencing at the south ¼ corner of Section 6, T 25 N, R 3 E, City of Marshfield, Wood County, Wisconsin; (sheet 4.6, east of Oak Avenue)

Thence S 59°00'35"E for 2,301.02 feet to a point on the existing northerly right-of-way of Fourth Street; Thence S 78°35'35"E for 74.15 feet to a point on the existing easterly right-of-way of Oak Avenue, point 6320, the point of beginning; Thence N 26°43'46"E for 444.62 feet along said right-of-way to the beginning of a 325.13 foot radius curve to the right having a long chord bearing S 00°59'57"W, and a chord distance of 179.77 feet; Thence along said curve for an arc distance of 182.15 feet; Thence S 35°11'52"W for 145.15 feet to the beginning of a 626.31 foot radius curve to the left having a long chord bearing S 30°57'13"W, and a chord distance of 92.70 feet; Thence along said curve for an arc distance 92.79 feet to the point of beginning.

Said parcels contain 2.22 acres, more or less.

Also a temporary limited easement for grading purposes, including for such purpose the right to operate necessary equipment thereon, the right of ingress and egress, as long as required for public purpose. This easement is to terminate upon completion of the project for which this instrument is given, in and to the following tracts of land:

AS SHOWN ON THE ATTACHED EXHIBIT "A". Said tracts contain 1.32 acres, more or less.

No right of access shall accrue between the right of way of the highway currently designated as Marshfield Boulevard and all of the abutting remaining property of the owner.



Except the right of access to Marshfield Boulevard from said abutting real estate by means of 1 access point on the south side of Marshfield Boulevard located between a point 83.30 feet westerly of point 6254, as located in the above described traverse, and a point 148.90 feet westerly of said point 6254, as measured along the southerly right-of-way of Marshfield Boulevard, in the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 8, City of Marshfield, Wood County, Wisconsin.

PLOT SCALE: 1

PLOT NAME:

REV. DATE:

ORIGINATOR:



CURVE 5:16
 P.I. = 16+322.365
 P.L. = 92 842.800
 Y = 585 876.628
 GROUND
 N = 92 850.228
 E = 585 923.502
 Δ = 5°07'06"
 T = 25.923 m
 L = 51.812 m
 R = 580.000 m

CURVE 505
 P.I. = 16+549.610
 P.L. = 92 926.439
 Y = 585 665.31
 GROUND
 N = 92 933.874
 E = 585 782.174
 Δ = 35°40'54"
 T = 81.681 m
 L = 161.916 m
 R = 260.000 m


LEGEND

- RED PROPERTY LINE
- GREEN ACQUISITION
- BROWN EXISTING R/W
- CHANGE .. TEMP. Limited Easement

Parcel # 81
 Exhibit 'A' 1 of 4

REVISION DATE
 SEPTEMBER 15, 1997
 DECEMBER 1, 1997
 APRIL 10, 1998

DATE JANUARY 15, 1997
 GRID FACTOR 0.999920





HWY: S.T.H. 13
 COUNTY: WOOD/MARATHON

FEDERAL PROJECT NO:
 STATE R/W PROJECT NO: 1623-09-21

SHEET NO: 4.4

M



CURVE 505
 P.L. = 16+549.610
 GRID
 Y = 92926.439
 X = 585665.317
 GROUND
 N = 92933.874
 E = 585712.174
 Δ = 35°40'54\"/>

CURVE 464
 L = 31.593 m (103.653)
 R = 279.000 m (915.351)
 L.C. = 31.576 m (103.601)
 N 51°05'49\"/>

CURVE 466
 L = 46.341 m (152.041)
 R = 241.712 m (793.023)
 L.C. = 46.270 m (151.801)
 N 47°27'25\"/>

CURVE 430
 L = 89.140 m (292.451)
 R = 162.811 m (532.089)
 L.C. = 89.129 m (292.421)
 N 58°26'02\"/>

CURVE 431
 L = 80.963 m (265.633)
 R = 820.250 m (2691.101)
 L.C. = 80.930 m (265.521)
 N 59°55'30\"/>

CURVE 467
 L = 113.519 m (372.441)
 R = 224.948 m (738.021)
 L.C. = 113.319 m (368.501)
 N 53°08'01\"/>

CURVE 509
 L = 64.820 m (212.661)
 R = 18.288 m (60.001)
 L.C. = 35.839 m (117.581)
 N 62°44'48\"/>

CURVE 504
 P.L. = 16+814.820
 GRID
 Y = 93 154.118
 X = 585 519.015
 GROUND
 N = 93 161.571
 E = 585 565.860
 Δ = 34°52'00\"/>

CURVE 468
 L = 127.719 m (419.021)
 R = 298.100 m (978.021)
 L.C. = 126.744 m (415.831)
 N 55°19'00\"/>


LEGEND.
 RED PROPERTY LINE
 GREEN ACQUISITION
 BROWN EXISTING R/W
 ORANGE TEMP. LIMITED EASEMENT

Parcel # 81
 Exhibit 'A' 2 of 4

PARCEL NO.	REMNANT ACREAGE
88	0.071 PG 10.18 AC
94	0.020 PG 10.05 AC

REVISION DATE
 SEPTEMBER 15, 1997
 DECEMBER 1, 1997
 APRIL 10, 1998


DATE JANUARY 15, 1997
 GRID FACTOR 0.999920



HWY: S.T.H. 13
 COUNTY: WOOD/MARATHON
 FEDERAL PROJECT NO:
 STATE R/W PROJECT NO: 1623-09-21
 SHEET NO: 4.5



PLOT NAME: 16+549.610
 REV. DATE: 10-98
 ORIGINATOR:

X



REVISION DATE SEPTEMBER 15, 1997 DECEMBER 1, 1997 APRIL 10, 1998	DATE JANUARY 15, 1997	SCALE METERS 0 25 50	HWY: S.T.H. 13 COUNTY: WOOD/MARATHON	FEDERAL PROJECT NO: STATE R/W PROJECT NO: 1623-09-21	SHEET NO: 4.6 M
ORIGINATOR: LEVELS ON: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100	GRID FACTOR 0.999920				

X



LEGEND
 RED PROPERTY LINE
 GREEN ACQUISITION
 BROWN EXISTING R/W
 ORANGE Temp Limited Easement



Parcel # 81
 Exhibit 'A' 40=4

PLOT SCALE:


PLOT NAME:

REV. DATE: 1-05-98

ORIGINATOR:

REVISION DATE
 SEPTEMBER 15, 1997
 DECEMBER 1, 1997
 APRIL 10, 1998

DATE JANUARY 15, 1997
 GRID FACTOR 0.999920



HWY: S.T.H. 13	FEDERAL PROJECT NO:
COUNTY: WOOD/MARATHON	STATE R/W PROJECT NO: 1623-09-21
SHEET NO: 4.7	

VOL 942 PAGE 698

M

THIS INDENTURE, Made this 3rd day of February
A. D., 1978, between
LAIRD NORTON COMPANY
a Corporation
duly organized and existing under and by virtue of the laws of the State of Minnesota, located
at Winona, MN

#574087
Received for Record this 30 day of June
1978 A.D. at 11:39 O'Clock A.M.
WALTER D. BRAUN
Register of Deeds
Wood County, Wis.

The City of Marshfield, a municipal corporation
under the laws of the State of Wisconsin
part Y of the second part,

RETURN TO

Witnesseth, That the said party of the first part, for and in consideration
of the sum of One Dollar (1.00) and other valuable consideration

to it paid by the said part of the second part, the receipt whereof is hereby
confessed and acknowledged, has given, granted, bargained, sold, remised, released, aliened, conveyed and confirmed, and by these presents
does give, grant, bargain, sell, remise, release, alien, convey and confirm unto the said part Y of the second part, its heirs and assigns
forever, the following described real estate situated in the County of Wood and State of Wisconsin, to-wit:

The Westerly 125 feet of the Northerly One-half of Block Sixty (60),
in the Village (now City), Plat of Marshfield, Wood County, Wisconsin.

FEE
2
EXEMPT

(IF NECESSARY, CONTINUE DESCRIPTION ON REVERSE SIDE)

Together with all and singular the hereditaments and appurtenances thereunto belonging or in any wise appertaining; and all the estate
right, title, interest, claim or demand whatsoever, of the said party of the first part, either in law or equity, either in possession or expectancy
of, in and to the above bargained premises, and their hereditaments and appurtenances.

To Have and To Hold the said premises as above described with the hereditaments and appurtenances, unto the said part Y of the
second part, and to its heirs and assigns FOREVER.

And the said Laird Norton Company

party of the first part, for itself and its successors, does covenant, grant, bargain and agree to and with the said part Y of the
second part, its heirs and assigns, that at the time of the ensembling and delivery of these presents it is well seized of the
premises above described, as of a good, sure, perfect, absolute and indefeasible estate of inheritance in the law, in fee simple, and that the
same are free and clear from all incumbrances whatever.

and that the above bargained premises in the quiet and peaceable possession of the said part Y of the second part, its heirs and assigns,
against all and every person or persons lawfully claiming the whole or any part thereof, it will forever WARRANT AND DEFEND.

In Witness Whereof, the said Laird Norton Company
party of the first part, has caused these presents to be signed by R. W. Lux its Vice
and countersigned by R. H. Miller its Secretary, at Winona, MN
Wisconsin, and its corporate seal to be hereunto affixed, this 3rd day of February, A. D., 1978.

SIGNED AND SEALED IN PRESENCE OF


Geraldine Williams
Geraldine Williams
Elin Tillman
Elin Tillman

LAIRD NORTON COMPANY
Corporate Name
R. W. Lux Vice President
COUNTERSIGNED
R. H. Miller ASST. Secretary

MINNESOTA
STATE OF WISCONSIN
WINONA County, ss.

Personally came before me, this 3rd day of February, A. D., 1978,
R. W. Lux Vice President, and R. H. Miller ASST. Secretary of the above
named Corporation, to me known to be the persons who executed the foregoing instrument, and to me known to be such Vice President
and ASST. Secretary of said Corporation, and acknowledged that they executed the foregoing instrument as such officers as the
deed of said Corporation, by its authority.

RUTH CIERZAN, Notary Public
Winona, Winona County, Minnesota
My Commission Expires Mar. 9, 1984.



Ruth Cierzan
Notary Public Winona County, Minn
My Commission (Expires) March 9, 1984

This instrument drafted by
Laird Norton Company
Winona, MN 55987

(Section 59.51 (1) of the Wisconsin Statutes provides that all instruments to be recorded shall have plainly printed or typewritten thereon the names of the grantors, grantees, witnesses and notary).

NUMBER

242437

This Indenture, Made this 25 day of October, A. D. 1945
 between Julius Keppert and Elsie Keppert, husband and wife, part iii of the first part,
 and City of Marshfield, a Municipal Corporation, part iv of the second part.

WITNESSETH, That the said part iii of the first part, for and in consideration of the sum of One Dollar and other valuable consideration Dollars, to them in hand paid by the said part iv of the second part, the receipt whereof is hereby confessed and acknowledged, have given, granted, bargained, sold, remised, released and quit-claimed, and by these presents do give, grant, bargain, sell, remise, release and quit-claim unto the said part iii of the second part, and to their successors assigns forever, the following described real estate, situated in the County of Wood, State of Wisconsin, to-wit:

Commencing at a point on the North line of Fourth Street twenty (20) feet Westerly from where the East line of the West Half (W^{1/2}) of the Northeast Quarter (NE^{1/4}) of the Northeast Quarter (NE^{1/4}) of Section Seven (7) Township Twenty-five (25), North, Range Three (3) East, intersects with the North line of Fourth Street, thence Northeastly to a point on said East line of the West Half (W^{1/2}) of the Northeast Quarter (NE^{1/4}) of the Northeast Quarter (NE^{1/4}) where a line extended to a point fifty-four (54) feet East of the Southeast corner of Lot Five (5), Block "B" Laffy's Addition, intersects with the said East line of the West Half (W^{1/2}) of the Northeast Quarter (NE^{1/4}) of the Northeast Quarter (NE^{1/4}), thence South along said East line of the West Half (W^{1/2}) of the Northeast Quarter (NE^{1/4}) of the Northeast Quarter (NE^{1/4}) to the North line of Fourth Street, thence Westerly along North line of Fourth Street twenty (20) feet to place of beginning.

JX
 10/25/45
 15

JX
 10/25/45
 50

TO HAVE AND TO HOLD the same, together with all and singular the appurtenances and privileges thereunto belonging or in anywise appertaining, and all the estate, right, title, interest and claim whatsoever of the said part iii of the first part, either in law or equity, either in possession or expectancy of, to the only proper use, benefit and behoof of the said part iii of the second part, their successors heirs and assigns forever.

IN WITNESS WHEREOF, the said part iii of the first part have hereunto set their hand and seal this 25 day of October, A. D. 1945.

SIGNED AND SEALED IN PRESENCE OF

Chas M. Pora
 Chas M. Pora
 Beatrice Wein
 Beatrice Wein

Julius Keppert (SEAL)
 Julius Keppert (SEAL)
 Elsie Keppert (SEAL)
 Elsie Keppert (SEAL)

STATE OF WISCONSIN,

Wood County, } ss.
 Personally came before me, this 25 day of October, A. D. 1945, the above named Julius Keppert and Elsie Keppert, husband and wife, to me known to be the person s who executed the foregoing instrument and acknowledged the same.

Received for Record this 8 day of Nov, A. D. 1945, at 10:08 o'clock, am.
Henry Eobe Register.
 Deputy.



Chas M. Pora
Chas M. Pora
 Notary Public, Wood County, Wis.
 My Commission expires Mar 14 A. D. 1948

A resolution vacating and discontinuing a part of West Second Street, in the City of Marshfield, Wood County, Wisconsin.

WHEREAS, that part of West Second Street described hereinafter was originally obtained for sidewalk purposes, and no sidewalk is desirable, useful or contemplated in said location; and

WHEREAS, it is deemed that the public interest requires the vacation and discontinuance of that part of West Second Street hereinafter described;

NOW, THEREFORE, Be It Resolved by the Common Council of the City of Marshfield, Wood County, Wisconsin:

SECTION 1. That since the public interest requires it, that part of West Second Street described hereinafter is hereby vacated and discontinued:

"The Northerly Three (3) feet of West Second Street, between Walnut and Spruce Avenues."

SECTION 2. That the title to said part of West Second Street described above so vacated and discontinued shall be vested in the owners of the property abutting said vacated portion on the North thereof.

Introduced and read in full on October 24, 1961. Recommended for passage by the Board of Public Works and the City Plan Commission.

ADOPTED Dec. 12, 1961

I. W. Wendt
Mayor

APPROVED Dec. 12, 1961

Attest: E. M. Ingersoll
City Clerk

I, E. M. Ingersoll, City Clerk of the City of Marshfield, Wood County, Wisconsin, hereby certify that above is true and correct copy of Resolution No. 592 passed at the regular meeting of the Common Council held Dec. 12, 1961.

E. M. Ingersoll
E. M. Ingersoll - City Clerk



CITY ENGINEER
MARSHFIELD, WIS.
 DEC 20 1961

#444511
 Received for Record this 26 day of
 Dec. A. D. 1961 at 9:23 o'clock A.M.
 Robert J. Ryan
 Register of Deeds

State Bar of Wisconsin Form 3 — 1982
QUIT CLAIM DEED

DOCUMENT NO.

WOOD CO. WIS.

'99 APR 20 AM 10 13

Wisconsin Central, Ltd., in its own legal capacity
and as successor in title to Wisconsin Central
R.R. Co.

quit-claims to The City of Marshfield, a municipal
corporation

the following described real estate in Wood County,
State of Wisconsin:

The North Eighty (80) feet of Lots One (1), Two (2),
and Three (3) of Block K of the Village (Now City)
Plat of Marshfield, excepting portion of Lot Three (3)
heretofore conveyed to Lang & Scharmann.

RECORD IN
VOL. 931 Rec PAGE 651
REGISTER OF DEEDS

THIS SPACE RESERVED FOR RECORDING DATA

NAME AND RETURN ADDRESS
Attorney William C. Gamoke
Stauber, Juncer & Wolfgram, SC
114 W. Fifth Street
Marshfield, WI 54449-1178

C1-1-K-1.1; C1-1-K-2.1; C1-1-K-3.1
(Parcel Identification Number)

The purpose of this deed is to release any and all easement rights and railroad right-of-
way interest and any other legally recognizable interests that the Wisconsin Central, Ltd.,
may have in the above described property.


FEE EXEMPT
#77.25 (13) WIS. STATS.

This is not homestead property.
~~Xis~~ (is not)

Dated this 8th day of April, 1999

(SEAL)
* _____
(SEAL)
* _____

BY: W. Power (SEAL)
EVP-CFO
Catherine P. Johnson (SEAL)
* ASST. SECRETARY (SEAL)



AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, 19____

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by §706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Wm. C. Gamoke, Stauber, Juncer & Wolfgram, SC
114 W. 5th, Marshfield, WI 54449-1178
(Signatures may be authenticated or acknowledged. Both are not
necessary.)

ACKNOWLEDGMENT


STATE OF ILLINOIS

COOK County.

Personally came before me this 8th day of
April, 1999 the above named
Wisconsin Central, Ltd., by its authorized
agents

to me known to be the person S who executed the
foregoing instrument and acknowledge the same.

* Gregory L. Davis, Sr.
Notary Public COOK County, IL.



VOL 484 PAGE 243

This Indenture, Made this 3rd day of February, A. D., 1978

between LAIRD NORTON COMPANY Minnesota
a Corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin,
located at Winona, MN, Wisconsin, party of the first part, and

The City of Marshfield, a municipal corporation under the laws
of the State of Wisconsin part Y of the second part.
Witnesseth, That the said party of the first part, for and in consideration of the sum of
One Dollar (\$1.00) and other valuable consideration Dollars,
to it paid by the said part Y of the second part, the receipt whereof is hereby confessed and ac-
knowledged, has given, granted, bargained, sold, remised, released and quit-claimed, and by these presents
does give, grant, bargain, sell, remise, release and quit-claim unto the said part Y of the second part,
and to its heirs and assigns forever, the following described real estate, situated in the
County of Wood, State of Wisconsin, to-wit:

That part of vacated South Depot Street extended North of and adjacent to
the Westerly 125 feet of the Northerly One-half of Block Sixty (60), in
the Village (now City), Plat of Marshfield, Wood County, Wisconsin.

FEE
2
EXEMPT

#574088
Received for Record this 30 day of Mar
1978 A.D. at 11:40 O'Clock A.M.
WALTER D. BRAUN
Register of Deeds
Wood County, Wis.

To have and to hold, the same, together with all and singular the appurtenances and privileges there-
unto belonging or in anywise thereunto appertaining, and all the estate, right, title, interest and claim
whatsoever of the said party of the first part, either in law or equity, either in possession or expectancy
of, to the only proper use, benefit and behoof of the said part y of the second part,
its heirs and assigns forever.

In Witness Whereof, the said Laird Norton Company
party of the first part, has caused these presents to be signed by R. W. Lux Asst.
its President, and countersigned by R. H. Miller, its Secretary,
at Winona, MN, Wisconsin, and its corporate seal to be hereunto affixed, this 3rd
day of February, A. D., 1978.

Signed and Sealed in Presence of
Geraldine Williams
Elin Tillman

LAIRD NORTON COMPANY
Corporate Name
R. W. Lux Vice President
Countersigned: R. W. Lux
R. H. Miller Asst Secretary

State of Wisconsin, MINNESOTA
WINONA County, ss.

Personally came before me this 3rd day of February, A. D., 1978
R. W. Lux Vice President, and R. H. Miller Asst. Secretary
of the above named Corporation, to me known to be the persons who executed the foregoing instrument,
and to me known to be such President and Secretary of said Corporation, and acknowledged that they
executed the foregoing instrument as such officers as the deed of said Corporation by its authority.

RUTH CIERZAN
Notary Public
Winona, Winona County, Minnesota
My Commission Expires Mar. 9, 1984

Ruth Cierzan
Notary Public Winona County, Wis. MN
My Commission expires Mar. 9, A. D., 1984
RUTH CIERZAN, Notary Public
Winona, Winona County, Minnesota
My Commission Expires Mar. 9, 1984

Drafted by Laird Norton Company, Winona, MN 55987

X

DOCUMENT NO.

STATE BAR OF WISCONSIN - FORM 11
LAND CONTRACT-Individual and Corporate
THIS SPACE RESERVED FOR RECORDING DATA

WOOD COUNTY, WIS.

REGISTER'S OFFICE

Received for record the 27 day of

Feb A D 1981 at 9:52

o'clock A.M. and recorded in Vol. 506

of pgs. K on Page 287

Walter A. Braun Register

Pt Blk 60 &

Pt Lots 1, 2 & 3 Blk K

Mfld.

RETURN TO 300C

Stanley Dehn Wynia & Stanley
Incl.

CONTRACT, by and between Vernon Baltus, a/k/a Vernon F. Baltus

whether one or more) and City of Marshfield, a municipal corporation ("Vendor",

_____) ("Purchaser", whether one or more).

Vendor sells and agrees to convey to Purchaser, upon the prompt and full performance of this contract by Purchaser, the following property, together with the rents, profits, fixtures and other appurtenant interests (all called the "Property"), in Wood County, State of Wisconsin:

Northerly 1/2 of Block 60 in the Village (now City) Plat of Marshfield, Wood County, Wisconsin and the Northerly Eighty (80) feet of Lots One (1), Two (2) and Three (3) of Block K of the Village (now City) Plat of Marshfield, excepting portion of Lot Three (3) heretofore conveyed to Lang & Scharmann.

Except: The Westerly One Hundred Twenty-five (125) feet of the Northerly one-half of Block 60, in the Village (now City), Plat of Marshfield; and also

Tax Key No. _____

That part of South Depot Street extended North of and adjacent to Northerly 1/2 of Block 60 and Lots 1, 2, and 3, Block K of the Village (now City) of Marshfield, also intersection of South Depot Street extended and Walnut Street extended to the Northeast corner of said Block 60 and that portion of Walnut Street extended lying Easterly of and adjacent to the Northerly 1/2 of said Block 60.

Except: That part of vacated South Depot Street extended North of and adjacent to the Westerly 125 feet of the Northerly One-half of Block Sixty (60), in the Village (now City), Plat of Marshfield, Wood County, Wisconsin; and except that part of South Depot Street lying north of that part of said Lot 3 heretofore conveyed to Lang & Scharmann.

This is not homestead property.
(is) (is not)

Purchaser agrees to purchase the Property, and to pay to Vendor at Marshfield, Wisconsin the sum of \$ 74,000.00 in the following manner: \$ 25,000.00 at the execution of this Contract, and the balance of \$ 49,000.00 together with interest from date hereof on such portions as remain from time to time unpaid, at the rate of 10.5% per cent per annum, until paid in full, as follows: On or before January 2, 1982

if required

Purchaser, ~~unless excused~~ by Vendor, agrees to pay monthly to Vendor payments sufficient reasonably to anticipate the payment of taxes, special assessments, fire and required insurance premiums. To the extent received by Vendor, Vendor agrees to apply payments to these obligations when due. Such amounts received by the Vendor for payment of taxes, assessments and insurance will be deposited into an escrow fund or trustee account, but shall not bear interest unless otherwise required by law.

Payments shall be applied first to interest on the unpaid balance at the rate specified and then to principal. Any amount may be prepaid without premium or fee upon principal at any time after the date hereof ~~XXXXXX (OR) there~~

~~may be no prepayment of principal without permission of Vendor~~
In the event of any prepayment, this contract shall not be treated as in default with respect to payment so long as the unpaid balance of principal, and interest (and in such case accruing interest from month to month shall be treated as unpaid principal) is less than the amount that said indebtedness would have been had the monthly payments been made as first specified above; provided that monthly payments shall be continued in the event of credit of any proceeds of insurance or condemnation, the condemned premises being thereafter excluded herefrom.

Purchaser states that Purchaser is satisfied with the title as shown by the title evidence submitted to Purchaser for examination except:

None

Purchaser agrees to pay the cost of future title evidence. If title evidence is in the form of an abstract, it shall be retained by Vendor until the full purchase price is paid.

Purchaser shall be entitled to take possession of the Property on the date hereof. ~~XXXX~~

*Cross Out One.

(To Be Used in Non-Consumer Act Transactions)

Purchaser promises to pay when due all taxes and assessments levied on the Property or upon Vendor's interest in it and to deliver to Vendor on demand receipts showing such payment.

Purchaser shall keep the improvements on the Property insured against loss or damage occasioned by fire, extended coverage perils and such other hazards as Vendor may require, without co-insurance, through insurers approved by Vendor, in the sum of \$ balance owing, but Vendor shall not require coverage in an amount more than the balance owed under this Contract. Purchaser shall pay the insurance premiums when due. The policies shall contain the standard clause in favor of the Vendor's interest and, unless Vendor otherwise agrees in writing, the original of all policies covering the Property shall be deposited with Vendor. Purchaser shall promptly give notice of loss to insurance companies and Vendor. Unless Purchaser and Vendor otherwise agree in writing, insurance proceeds shall be applied to restoration or repair of the Property damaged, provided the Vendor deems the restoration or repair to be economically feasible.

Purchaser covenants not to commit waste nor allow waste to be committed on the Property, to keep the Property in good tenable condition and repair, to keep the Property free from liens superior to the lien of this Contract, and to comply with all laws, ordinances and regulations affecting the Property.

Vendor agrees that in case the purchase price with interest and other moneys shall be fully paid and all conditions shall be fully performed at the times and in the manner above specified, Vendor will on demand, execute and deliver to the Purchaser, a Warranty Deed, in fee simple, of the Property, free and clear of all liens and encumbrances, except any liens or encumbrances created by the act or default of Purchaser, and except: NONE

Purchaser agrees that time is of the essence and in case of default in the payment of any principal or interest when due, or in the performance of any of the conditions, covenants, or promises of Purchaser, and such default shall continue for a period of 30 days, then Vendor may, at Vendor's option, declare the contract at an end, all rights of the Purchaser under this agreement cancelled, and the amounts paid by Purchaser hereunder forfeited, the same to remain Vendor's property as rental of said premises and as liquidated damages for the failure completely to fulfill this agreement; and Vendor shall forthwith and without notice have the right of re-entry; or, at the option of Vendor and without notice to Purchaser, notice being hereby expressly waived, the whole amount of unpaid principal shall be deemed to have become due and payable; in case such option shall be exercised, the unpaid principal and interest together with all sums which may be or have been paid by Vendor as herein authorized with interest on such disbursements at the rate aforesaid shall be collectable in a suit at law, or by foreclosure of this contract in the same manner as if the whole of unpaid principal had been due at the time when any such default occurred, and the indebtedness shall embrace, with unpaid principal and interest, all the sums so disbursed with interest as aforesaid. In case of legal proceedings to enforce any remedy hereunder, whether abated or not, all expenses, including reasonable attorney's fees, shall be added to the principal, become due as incurred, and in case of judgment shall be included therein.

Upon the commencement or during the pendency of any action of foreclosure of this Contract, Purchaser consents to the appointment of a receiver of the Property, including homestead interest, to collect the rents, issues, and profits of the Property, during the pendency of such action, and such rents, issues, and profits when so collected shall be held and applied as the court shall direct.

All terms of this Contract shall be binding upon and insure to the benefits of the heirs, legal representatives, successors and assigns of Vendor and Purchaser. (If not an owner of the Property the spouse of Vendor for a valuable consideration joins herein to release homestead rights in the subject Property and agrees to join in the execution of the deed to be made in fulfillment hereof.)

Dated this 25th day of February, 1981

Vernon F. Baltus (SEAL)
* Vernon F. Baltus

____ (SEAL)
* _____

CITY OF MARSHFIELD

By: Marilyn Hardacre (SEAL)
* Marilyn Hardacre, Mayor

Attest: Garold E. Michaelson (SEAL)
* Garold E. Michaelson, City Clerk

AUTHENTICATION

Signatures authenticated this 25th day of February, 1981 of the above named Vernon F. Baltus, a/k/a Vernon Baltus, Marilyn Hardacre and Garold E. Michaelson

John H. Stauber
* John H. Stauber

TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by §706.06, Wis. Stats.)

This instrument was drafted by

STAUBER, Dehn, Wynia & Kissinger

Marshfield, WI 54449

ACKNOWLEDGMENT

STATE OF WISCONSIN

____ County, } ss.

Personally came before me, this _____ day of _____, 19 _____ the above named _____

to me known to be the person who executed the foregoing instrument and acknowledged the same.


* _____
Notary Public _____ County, Wis.
My Commission is permanent. (If not, state expiration date: _____, 19 _____.)

(Signatures may be authenticated or acknowledged. Both are not necessary.)


The use of witnesses is optional.

*Names of persons signing in any capacity should be typed or printed below their signatures.

X



PROJ. NO.	
ENGINEERING DEPARTMENT CITY OF MARSHFIELD, WISCONSIN	
MAP OF PROPOSED VACATION OF PART OF SPRUCE AVENUE	
DRAWN- JEA	SCALE
DATE- 4/21/78	1" = 200'
3209	



MARSHFIELD, WIS.

Scale: 1"=100'

"EXHIBIT A"

NW 1/4 - NW 1/4
SEC. 8








SPRUCE

ND


STR.

DEPOT

STR.
MARSHFIELD KE CO. 100'




X




MARSHFIELD, WIS.

Scale: 1" = 100'

"EXHIBIT A"



NOTE: BASE MAP FROM THE MARSHFIELD, WI 7.5 MIN USGS TOPOGRAPHIC QUADRANGLE 1977.



QUADRANGLE LOCATION

CHEVRON FACILITY NO 211685

309 W. FIRST STREET MARSHFIELD, WISCONSIN

SITE LOCATION MAP

drawn <i>KLH</i>	checked	approved	figure no.
date 08/29/06	date	date	11
job no. 06-6818-00-9074-070	file no. 211685-001.dwg		



FIGURE 1C

DWG DATE: 25SEP92

PRJCT NO.: WI28601


FILE NO.: 0598

DRAWING: 06

CHECKED: RC

APPROVED:

DRAFTER: LMS




SITE MAP WITH SOIL BORING AND MONITORING WELL LOCATIONS


WEILER FUELS BULK STORAGE FACILITY
MARSHFIELD, WISCONSIN

FIGURE

2



- LEGEND**
- MONITORING WELL
 - ABANDONED MONITORING WELL
 - SOIL BORING
 - SUMP LOCATIONS
 - DESTROYED SUMP LOCATIONS
 - SOIL SAMPLES
 - TELEPHONE POLE
 - INTERCEPTOR TRENCH (10-12' DEEP)
 - APPROXIMATE EXTENT OF FINAL EXCAVATION
 - FORMER FEATURES
 - FENCE
 - PROPERTY LINE



CHEVRON PRODUCTS CO.
ATLANTA, GEORGIA

CHEVRON FACILITY #211685
309 W. FIRST STREET
MARSHFIELD, WISCONSIN
SITE MAP

BBL
BLASLAND, BUCK & LEE, INC.
engineers & scientists

FIGURE
1

P: PAGESET/DJ1220C
10/23/02 TAM-54-JAR/LEX-38-RER
C: P/B/COMMON
FILES/AUTOCAD_RR1/DWGS_CHEVRON/211685/42520/42520B01.DWG

SOURCE: Base map digitized from "Site Map" (2658-103B.dwg) provided by 'EnecoTech Environmental Consultants' Map date 4/9/97, scale 1"=30'.

FIGURE 2D

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PVOCs, TPH-DRO, & TPH-GRO CONCENTRATIONS

Chevron Facility #211685
309 West First Street, Marshfield, Wisconsin
Concentrations are reported in micrograms per liter (ug/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	1,2,4-Tri methyl benzene	1,3,5-Tri methyl benzene	Napthalene	TPH-DRO	TPH-GRO
MW-2	1292.69	05/08/01	4.97	1287.72	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	813	< 100
		06/08/01	5.11	1287.58	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	2540	< 100
MW5-1	1287.94	11/29/05	3.04	1284.90	0.463J	0.236J	<0.220	<0.530	0.394J	0.212J	<0.180	2.34	652	4.27J
		04/21/06	3.06	1284.88	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	280	16J
MW5-2	1281.84	11/28/05	5.53	1276.31	1.1	0.174J	<0.220	<0.530	0.465J	0.165J	<0.180	1.25	154	4.70J
		04/20/06	4.14	1277.70	2.5	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	72J	7.30J
MW5-3	1285.15	11/29/05	4.53	1280.62	0.187J	0.696J	0.233J	1.766J	<0.250	0.725J	<0.180	1.58	2120	<3.0
		04/20/06	3.97	1281.18	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	240	<5.10
MW5-4	1284.88	11/29/05	8.57	1276.31	<0.120	0.225J	<0.220	<0.530	<0.250	0.246J	<0.180	0.614	71.6J	<3.0
		04/20/06	7.02	1277.86	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	47J	<5.10
MW5-5	1282.76	11/29/05	6.32	1276.44	<0.120	0.232J	<0.220	0.592J	<0.250	0.232J	<0.180	1.48	73.3J	<3.0
		04/20/06	5.31	1277.45	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	34J	<5.10
MW-7	1288.25	05/08/01	6.75	1281.50	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	485	< 100
		06/08/01	6.93	1281.32	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	359	< 100
MW-8	1286.42	05/08/01	2.83	1283.59	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	< 110	< 100
		06/08/01	6.63	1279.79	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	< 109	< 100
MW-12	1285.96	05/08/01	0.68	1285.28	2710	31	147	413	< 10.0	52	127	--	7550	4950
		06/08/01	0.92	1285.04	2560.0	27.5	40	346	< 5.00	53	86	--	15500	4330
MW-13	1286.14	05/08/01	4.66	1281.48	241	< 10.0	< 10.0	330	< 10.0	94	255	--	19000	1480
		06/08/01	7.31	1278.83	171.0	7.0	57.5	478	7.5	192	739	--	236000	3450
MW-17	1285.53	05/08/01	1.03	1284.50	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	196	< 100
		06/08/01	1.96	1283.57	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	152	< 100
MW-18	1286.16	05/08/01	2.15	1284.01	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	279	< 100
		06/08/01	4.66	1281.50	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	320	< 100
		10/18/02	3.79	1282.37	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	325	< 100
		05/07/03	0.43	1285.73	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	538	< 100
		08/26/03	5.55	1280.61	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	725	< 100
		10/10/03	6.63	1279.53	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	620	< 100
		11/28/05	3.61	1282.55	<0.120	0.193J	<0.220	<0.530	<0.250	0.469J	0.274J	2.66	569	6.07J
		04/21/06	2.50	1283.66	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	650	<5.10
MW-19	1284.90	05/08/01	6.13	1278.77	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	104	< 100
		06/08/01	5.59	1279.31	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	< 114	< 100
		10/18/02	6.17	1278.73	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	227	< 100
		05/07/03	6.50	1278.40	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	278	< 100
		08/26/03	6.45	1278.45	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	298	< 100
		10/10/03	6.98	1277.92	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	229	< 100
		11/29/05	6.15	1278.75	<0.120	0.279J	<0.220	<0.530	<0.250	0.185J	<0.180	0.971	904	<3.0
		4/20/06	5.19	1279.71	<0.230	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	640	<5.10

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PVOCS, TPH-DRO, & TPH-GRO CONCENTRATIONS

Chevron Facility #211685
 309 West First Street, Marshfield, Wisconsin
 Concentrations are reported in micrograms per liter (ug/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	1,2,4-Tri methyl benzene	1,3,5-Tri methyl benzene	Napthalene	TPH-DRO	TPH-GRO
S-3	--	10/18/02	3.39	--	83.7	0.9	29.6	< 1.00	1.5	5.2	< 1.00	--	1500	408
		05/07/03	3.53	--	128	2.6	41.5	3.8	3.7	12.4	0.7	--	2100	664
		08/26/03	4.72	--	49.4	< 1.00	6.7	< 1.00	<1.00	< 1.00	< 1.00	--	1570	422
		10/10/03	5.71	--	67.7	< 1.00	12.9	< 1.00	<1.00	< 1.00	< 1.00	--	1430	294
		11/28/05	3.68	--	7.55	0.511J	0.835J	1.055	1.74	0.780J	0.257J	32.2	1240	215
		04/21/06	3.66	--	33	<0.180	4	<0.550	<0.210	<0.260	<0.180	--	2100	370
S-4	--	10/18/02	3.37	--	--	--	--	--	--	--	--	--	--	--
		05/07/03	3.53	--	--	--	--	--	--	--	--	--	--	--
		11/29/05	3.68	--	57.3	3.58	19.8	4.56	3.02	2.13	<0.180	64.9	2950	592
		04/21/06	3.72	--	44	<0.180	11	<0.550	<0.210	<0.260	<0.180	--	2100	490
S-5	1286.87	05/08/01	1.53	1285.34	97.3	3.0	12.9	36.7	1.1	5.4	22.1	--	2210	280
		06/08/01	1.55	1285.32	138	1.8	42.6	49	8.8	19.8	149	--	1610	860
S-7	--	10/18/02	3.16	--	104	0.6	20	< 1.00	1.4	< 1.00	< 1.00	--	984	385
		05/07/03	3.25	--	161	0.9	29.3	< 1.00	3.3	< 1.00	< 1.00	--	1140	614
		08/26/03	4.48	--	96	< 1.00	29.3	38.9	0.7 J	< 1.00	< 1.00	--	1340	626
		10/10/03	5.45	--	56.8	< 1.00	4.5	<1.00	0.8 J	< 1.00	< 1.00	--	1280	294
		11/29/05	3.35	--	2.32	0.447J	1.06	0.952J	2.28	0.711J	0.221J	43.6	1010	236
		04/21/06	3.37	--	2.6	<0.180	<0.210	<0.550	<0.210	<0.260	<0.180	--	1100	160
S-8	1286.13	05/08/01	0.76	1285.37	68.3	1.3	6.2	18.5	1.2	4.0	19.7	--	880	190
		06/08/01	0.80	1285.33	101	< 1.00	22.9	10.7	330	19.9	39.4	--	1440	330
TMW-1D	1289.39	05/08/01	9.12	1280.27	548	< 1.00	< 1.00	< 1.00	< 1.00	1.2	3.2	--	2970	890
		06/08/01	9.23	1280.16	259	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	2.4	--	1620	550
TMW-1S	1289.20	05/08/01	3.83	1285.37	5.7	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	341	< 100
		06/08/01	3.87	1285.33	2.2	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	< 1.00	--	209	< 100
WDNR Chapter 140 Enforcement Standards					5	1000	700	10000	--	480*	480*	--	--	--
WDNR Chapter 140 Preventive Standards					0.5	200	140	1000	--	96*	96*	--	--	--

Notes: --: Not Applicable or Not Analyzed
 *: Combined 1,2,4 Trimethylbenzene and 1,3,5 Trimethylbenzene
 J: estimated value between the Limit of Quantification and Limit of Detection
 MTBE : methyl-t-butyl ether
 PVOCS: petroleum volatile organic compounds
 TPH-DRO: total petroleum hydrocarbons, diesel range organics
 TPH-GRO: total petroleum hydrocarbons, gasoline range organics
BOLD: Indicates analysis above WI Enforcement Standards; Shaded: analysis above Preventive Limits

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PAH CONCENTRATIONS

Chevron Facility #211685

309 West First Street, Marshfield, Wisconsin

Concentrations are reported in micrograms per liter (ug/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(b) fluoranthene	Benzo (k) fluoranthene	Benzo (a) Pyrene	Benzo(ghi) perylene	Dibenzo(a,h) anthracene
MW-2	1292.69	05/08/01	4.97	1287.72	< 1.01	< 2.02	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.77	< 0.30
		06/08/01	5.11	1287.58	< 1.11	< 2.22	< 0.73	0.19	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
MW5-1	1287.94	11/29/05	3.04	1284.90	<0.467	<0.233	<0.111	<0.0889	<0.0667	<0.0333	<0.0444	<0.0667	<0.111
		04/21/06	3.06	1284.88	<0.079	<0.093	<0.021	<0.016	<0.023	<0.020	<0.011	<0.021	<0.020
MW5-2	1281.84	11/29/05	5.53	1276.31	<0.144	0.2831	<0.111	<0.0889	<0.0667	<0.0333	<0.0444	<0.0667	<0.111
		04/20/06	4.14	1277.70	<0.081	<0.096	<0.022	<0.016	<0.024	<0.020	<0.012	<0.022	<0.020
MW5-3	1285.15	11/29/05	4.53	1280.62	<0.144	<0.233	<0.111	<0.0889	<0.0667	<0.0556	<0.0444	<0.0667	<0.111
		04/20/06	3.97	1281.18	<0.081	<0.096	<0.022	<0.016	<0.024	<0.020	<0.012	<0.022	<0.020
MW5-4	1284.88	11/29/05	8.57	1276.31	<0.467	<0.233	<0.111	<0.0889	<0.0667	<0.0333	<0.0444	<0.0667	<0.111
		04/20/06	7.02	1277.86	<0.081	<0.096	<0.022	<0.016	<0.024	<0.020	<0.012	<0.022	<0.020
MW5-5	1282.76	11/29/05	6.32	1276.44	<0.467	<0.233	<0.111	<0.0889	<0.0667	<0.0333	<0.0444	<0.0667	<0.111
		04/20/06	5.31	1277.45	<0.081	<0.096	<0.022	<0.016	<0.024	<0.020	<0.012	<0.022	<0.020
MW-7	1288.25	05/08/01	6.75	1281.50	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
		06/08/01	6.93	1281.32	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
MW-8	1286.42	05/08/01	2.83	1283.59	< 1.02	< 2.04	< 0.67	< 0.13	< 0.18	< 0.15	< 0.10	< 0.78	< 0.31
		06/08/01	6.63	1279.79	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
MW-12	1285.96	05/08/01	0.68	1285.28	< 1.01	< 2.02	< 0.67	0.54	< 0.18	< 0.17	< 0.10	< 0.77	< 0.30
		06/08/01	0.92	1285.04	< 1.11	< 2.22	< 0.73	0.26	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
MW-13	1286.14	05/08/01	4.66	1281.48	52.6	< 105.0	< 34.7	15.8	< 9.47	< 8.95	< 5.26	< 40.0	< 15.8
		06/08/01	7.31	1278.83	< 110	< 220	< 72.5	16.5	< 19.8	< 18.7	< 11.0	< 83.5	< 33
MW-17	1285.53	05/08/01	1.03	1284.50	< 1.01	< 2.02	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.77	< 0.30
		06/08/01	1.96	1283.57	< 1.04	< 2.08	< 0.69	< 0.14	< 0.19	< 0.18	< 0.10	< 0.79	< 0.31
MW-18	1286.16	05/08/01	2.15	1284.01	< 1.05	< 2.11	< 0.69	< 0.14	< 0.19	< 0.18	< 0.11	< 0.80	< 0.32
		06/08/01	4.66	1281.50	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
		10/18/02	3.79	1282.37	< 1.02	< 1.02	< 0.51	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		05/07/03	0.43	1285.73	<1.00	< 1.00	<0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		08/26/03	5.55	1280.61	< 1.02	< 1.02	< 0.51	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		10/10/03	6.63	1279.53	<1.00	< 1.00	<0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		11/28/05	3.61	1282.55	<0.420	<0.210	<0.100	<0.0800	<0.0600	<0.0300	<0.0400	<0.0600	<0.100
		04/21/06	2.50	1283.66	<0.079	<0.093	<0.021	<0.016	<0.023	<0.020	<0.011	<0.021	<0.020
MW-19	1284.90	05/08/01	6.13	1278.77	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
		06/08/01	5.59	1279.31	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
		10/18/02	6.17	1278.73	< 1.04	< 1.04	< 0.52	< 0.10	< 0.10	< 0.15	< 0.10	< 0.21	< 0.21
		05/07/03	6.50	1278.40	<1.00	< 1.00	<0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		08/26/03	6.45	1278.45	< 1.02	< 1.02	< 0.51	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		10/10/03	6.98	1277.92	<1.00	< 1.00	<0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		11/29/05	6.15	1278.75	<0.130	<0.210	<0.10	<0.0800	<0.0600	<0.0500	<0.0400	<0.0600	<0.100
		04/20/06	5.19	1279.71	<0.081	<0.096	<0.022	<0.016	<0.024	<0.020	<0.012	<0.022	<0.020

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PAH CONCENTRATIONS

Chevron Facility #211685

309 West First Street, Marshfield, Wisconsin

Concentrations are reported in micrograms per liter (ug/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(b) fluoranthene	Benzo (k) fluoranthene	Benzo (a) Pyrene	Benzo(ghi) perylene	Dibenzo(a,h) anthracene
S-3	--	10/18/02	3.39	--	< 1.00	< 1.00	< 0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		05/07/03	3.53	--	1.54	< 1.00	< 0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		08/26/03	4.72	--	2.19	< 1.00	< 0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		10/10/03	5.71	--	1.81	< 1.00	< 0.50	0.38	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		11/29/05	3.68	--	0.531J	5.04	< 0.111	< 0.0889	< 0.0667	< 0.0333	< 0.0444	< 0.0667	< 0.111
		04/21/06	3.66	--	< 0.082	3.5	< 0.022	< 0.017	< 0.024	< 0.020	< 0.012	< 0.022	< 0.020
S-4	--	04/21/06	3.72	--	< 0.082	1.6	< 0.022	< 0.017	< 0.024	< 0.020	< 0.012	< 0.022	< 0.020
S-5	1286.87	05/08/01	1.53	1285.34	< 1.02	< 2.04	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.78	< 0.31
		06/08/01	1.55	1285.32	< 5.56	< 11.1	< 3.67	< 0.72	< 1.00	< 0.94	< 0.56	< 4.22	< 1.67
S-7	--	10/18/02	3.16	--	< 1.00	< 1.00	< 0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		05/07/03	3.25	--	1.86	< 1.00	2.29	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		08/26/03	4.48	--	2.94	< 1.02	< 0.51	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		10/10/03	5.45	--	2.1	< 1.00	< 0.50	< 0.10	< 0.10	< 0.14	< 0.10	< 0.20	< 0.20
		11/29/05	3.35	--	< 0.130	8.64	< 0.100	< 0.0800	< 0.0600	< 0.0300	< 0.0400	< 0.0600	< 0.100
		04/21/06	3.37	--	< 0.082	3.9	< 0.022	< 0.017	< 0.024	< 0.020	< 0.012	< 0.022	< 0.020
S-8	1286.13	05/08/01	0.76	1285.37	< 1.01	< 2.02	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.77	< 0.30
		06/08/01	0.80	1285.33	< 1.10	< 2.20	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
TMW-1D	1289.39	05/08/01	9.12	1280.27	< 1.02	< 2.04	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.78	< 0.31
		06/08/01	9.23	1280.16	< 1.09	< 2.17	< 0.72	< 0.14	< 0.20	< 0.18	< 0.11	< 0.83	< 0.33
TMW-1S	1289.20	05/08/01	3.83	1285.37	< 1.01	< 2.02	< 0.67	< 0.13	< 0.18	< 0.17	< 0.10	< 0.77	< 0.30
		06/08/01	3.87	1285.33	< 1.11	< 2.22	< 0.73	< 0.14	< 0.20	< 0.19	< 0.11	< 0.84	< 0.33
WDNR Chapter 140 Enforcement Standards					--	--	3000	--	0.2	--	0.2	--	--
WDNR Chapter 140 Preventive Standards							600		0.02		0.02		

Notes: --: Not Applicable or Not Analyzed
 MTBE : methyl-t-butyl ether
 PVOcs: petroleum volatile organic compounds
 TPH DRO: total petroleum hydrocarbons, diesel range organics
 TPH GRO: total petroleum hydrocarbons, gasoline range organics
BOLD: Indicates analysis above WI Enforcement Standards; Shaded: analysis above Preventive Limits

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PAH CONCENTRATIONS

Chevron Facility #211685

309 West First Street, Marshfield, Wisconsin

Concentrations are reported in micrograms per liter (ug/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	2 Methyl Naphthlene	Chrysene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
MW-2	1292.69	05/08/01 06/08/01	4.97 5.11	1287.72 1287.58	-- --	< 0.15 < 0.17	< 0.21 < 0.23	< 0.51 < 0.56	< 0.43 < 0.48	< 1.01 < 1.11	< 0.65 < 0.71	< 0.27 < 0.30
MW5-1	1287.94	11/29/05 04/21/06	3.04 3.06	1284.90 1284.88	<0.600 --	<0.0222 <0.019	<0.133 <0.042	<0.156 <0.021	<0.111 <0.011	<0.178 <0.12	<0.100 <0.029	<0.122 <0.035
MW5-2	1281.84	11/29/05 04/20/06	5.53 4.14	1276.31 1277.70	<0.600 --	<0.0222 <0.019	<0.133 <0.043	<0.156 <0.021	<0.111 <0.012	<0.433 <0.12	<0.100 <0.030	<0.122 <0.036
MW5-3	1285.15	11/29/05 04/20/06	4.53 3.97	1280.62 1281.18	<0.322 --	<0.0222 <0.019	<0.133 <0.043	<0.156 <0.021	<0.111 <0.012	<0.433 <0.12	<0.100 <0.030	<0.122 <0.036
MW5-4	1284.88	11/29/05 04/20/06	8.57 7.02	1276.31 1277.86	<0.60 --	<0.0222 <0.019	<0.133 <0.043	<0.156 <0.021	<0.111 <0.012	<0.433 <0.12	<0.100 <0.030	<0.122 <0.036
MW5-5	1282.76	11/29/05 04/20/06	6.32 5.31	1276.44 1277.45	<0.60 --	<0.0222 <0.019	<0.133 <0.043	<0.156 <0.021	<0.111 <0.012	<0.433 <0.12	<0.100 <0.030	<0.122 <0.036
MW-7	1288.25	05/08/01 06/08/01	6.75 6.93	1281.50 1281.32	-- --	< 0.17 < 0.17	< 0.23 < 0.23	< 0.56 < 0.56	< 0.48 < 0.48	< 1.11 < 1.11	< 0.71 < 0.71	< 0.30 < 0.30
MW-8	1286.42	05/08/01 06/08/01	2.83 6.63	1283.59 1279.79	-- --	< 0.15 < 0.17	< 0.21 < 0.23	< 0.51 < 0.56	< 0.44 < 0.48	< 1.02 < 1.11	< 0.65 < 0.71	< 0.28 < 0.30
MW-12	1285.96	05/08/01 06/08/01	0.68 0.92	1285.28 1285.04	-- --	< 0.15 < 0.17	1.59 < 0.23	< 0.51 < 0.56	< 0.43 < 0.48	< 1.01 < 1.11	1.81 < 0.71	0.32 < 0.30
MW-13	1286.14	05/08/01 06/08/01	4.66 7.31	1281.48 1278.83	-- --	< 7.89 < 16.5	< 11.1 < 23.1	29.5 137	< 22.6 < 47.3	109 146	203 477	< 14.2 31.9
MW-17	1285.53	05/08/01 06/08/01	1.03 1.96	1284.50 1283.57	-- --	< 0.15 < 0.16	< 0.21 < 0.22	< 0.51 < 0.52	< 0.43 < 0.45	< 1.01 < 1.04	< 0.65 < 0.67	< 0.27 < 0.28
MW-18	1286.16	05/08/01 06/08/01 10/18/02 05/07/03 08/26/03 10/10/03 11/28/05 04/21/06	2.15 4.66 3.79 0.43 5.55 6.63 3.61 2.50	1284.01 1281.50 1282.37 1285.73 1280.61 1279.53 1282.55 1283.66	-- -- -- -- -- -- <0.540 --	< 0.16 < 0.17 < 0.10 < 0.10 < 0.10 < 0.10 < 0.10 < 0.0200 < 0.019	< 0.22 < 0.23 < 0.20 < 0.20 < 0.20 < 0.20 < 0.20 < 0.120 < 0.042	< 0.53 < 0.56 < 0.51 < 0.20 < 0.51 < 0.50 < 0.140 < 0.021	< 0.45 < 0.48 < 0.20 < 0.20 < 1.00 < 1.02 < 1.00 < 0.100 < 0.011	< 1.05 < 1.11 < 1.02 < 1.00 < 1.02 < 1.00 < 0.160 < 0.11	< 0.67 < 0.71 < 0.51 < 0.50 < 0.51 < 0.50 < 0.090 < 0.029	< 0.28 < 0.30 < 0.20 < 0.20 < 0.20 < 0.20 < 0.110 < 0.035
MW-19	1284.90	05/08/01 06/08/01 10/18/02 05/07/03 08/26/03 10/10/03 11/29/05 04/20/06	6.13 5.59 6.17 6.50 6.45 6.98 6.15 5.19	1278.77 1279.31 1278.73 1278.40 1278.45 1277.92 1278.75 1279.71	-- -- -- -- -- -- <0.540 --	< 0.17 < 0.17 < 0.10 < 0.10 < 0.10 < 0.10 < 0.020 < 0.019	< 0.23 < 0.23 < 0.21 < 0.20 < 0.20 < 0.20 < 0.120 < 0.043	< 0.56 < 0.56 < 0.52 < 0.50 < 0.51 < 0.50 < 0.140 < 0.021	< 0.48 < 0.48 < 0.21 < 0.20 < 0.20 < 0.20 < 0.100 < 0.012	< 1.11 < 1.11 < 1.04 < 1.00 < 1.02 < 1.00 < 0.160 < 0.12	< 0.71 < 0.71 < 0.52 < 0.50 < 0.51 < 0.50 < 0.0900 < 0.03	< 0.30 < 0.30 < 0.21 < 0.20 < 0.20 < 0.20 < 0.110 < 0.036

TABLE II
GROUNDWATER ANALYTICAL RESULTS
DISSOLVED-PHASE PAH CONCENTRATIONS
Chevron Facility #211685
309 West First Street, Marshfield, Wisconsin
Concentrations are reported in micrograms per liter (ug/L)


Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	2 Methyl Naphlane	Chrysene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
S-3	--	10/18/02	3.39	--	--	< 0.10	0.19	2.41	< 0.20	0.89	< 0.50	< 0.20
		05/07/03	3.53	--	--	< 0.10	0.51	2.25	< 0.20	28.1	1.52	< 0.20
		08/26/03	4.72	--	--	< 0.10	< 0.20	2.46	< 0.20	< 1.00	1.86	< 0.20
		10/10/03	5.71	--	--	< 0.10	< 0.20	2.1	< 0.20	< 1.00	1.13	< 0.20
		11/29/05	3.68	--	4.18	<0.0222	<0.167	1.27	<0.111	<0.433	<0.289	<0.178
		04/21/06	3.66	--	--	<0.019	<0.044	2.4	<0.012	<0.12	1	<0.036
S-4	--	04/21/06	3.72	--	--	<0.019	<0.044	2.9	<0.012	<0.12	2.4	0.056J
S-5	1286.87	05/08/01	1.53	1285.34	--	< 0.15	0.27	< 0.51	< 0.44	11.4	1.06	< 0.28
		06/08/01	1.55	1285.32	--	< 0.83	< 1.17	2.94	< 2.39	< 1.10	< 5.56	< 1.5
S-7	--	10/18/02	3.16	--	--	< 0.10	< 0.20	1.35	< 0.20	1.92	< 0.50	< 0.20
		05/07/03	3.25	--	--	< 0.10	< 0.20	1.38	< 0.20	35.3	3.00	1.06
		08/26/03	4.48	--	--	< 0.10	< 0.20	2.18	< 0.20	< 1.02	1.52	< 0.20
		10/10/03	5.45	--	--	< 0.10	0.46	1.89	< 0.20	1.75	0.75	< 0.20
		11/29/05	3.35	--	4.7	<0.0200	0.371	1.92	<0.100	<0.160	<0.0900	0.693
		04/21/06	3.37	--	--	<0.019	<0.044	1.1	<0.012	<0.12	<0.030	<0.036
S-8	1286.13	05/08/01	0.76	1285.37	--	< 0.15	< 0.21	< 0.51	< 0.43	11	< 0.65	< 0.27
		06/08/01	0.80	1285.33	--	< 0.16	< 0.23	< 0.55	< 0.47	< 1.10	< 0.70	< 0.30
TMW-1D	1289.39	05/08/01	9.12	1280.27	--	< 0.15	< 0.21	< 0.51	< 0.44	< 1.02	< 0.65	< 0.28
		06/08/01	9.23	1280.16	--	< 0.16	< 0.23	< 0.54	< 0.47	< 1.09	< 0.70	< 0.29
TMW-1S	1289.20	05/08/01	3.83	1285.37	--	< 0.15	< 0.21	< 0.51	< 0.43	< 1.01	< 0.65	< 0.27
		06/08/01	3.87	1285.33	--	< 0.17	< 0.23	< 0.56	< 0.48	< 1.11	< 0.71	< 0.30
WDNR Chapter 140 Enforcement Standards						0.2	400	400	--	40	--	250
WDNR Chapter 140 Preventive Standards						0.02	80	80	--	8	--	50

Notes: --: Not Applicable or Not Analyzed
MTBE : methyl-t-butyl ether
PVOcs: petroleum volatile organic compounds
TPH DRO: total petroleum hydrocarbons, diesel range organics
TPH GRO: total petroleum hydrocarbons, gasoline range organics
BOLD: Indicates analysis above WI Enforcement Standards; Shaded: analysis above Preventive Limits

TABLE II
GROUNDWATER ANALYTICAL RESULTS
 Natural Attenuation Parameters
 Chevron Facility #211685
 309 West First Street, Marshfield, Wisconsin
 Concentrations are reported in milligrams per liter (mg/L)

Sample ID	Casing Elevation (ft)	Sample Date (mm/dd/yy)	Depth to Water (ft)	Water Elevation (ft)	Lead	Iron	Nitrate	Nitrite	Sulfate
MW5-1	1287.94	04/21/06	3.04	1284.90	<0.0026	0.13	0.065J	<0.0092	140
MW5-2	1281.84	04/20/06	4.14	1277.70	<0.0026	<0.034	0.15	<0.0092	28
MW5-3	1285.15	04/20/06	3.97	1281.18	<0.0026	0.064J	<0.025	<0.0092	47
MW5-4	1284.88	04/20/06	7.02	1277.86	<0.0026	0.11	0.026J	0.016J	15
MW5-5	1282.76	04/20/06	5.31	1277.45	<0.0026	<0.034	0.5	<0.0092	10
MW-18	1286.16	04/21/06	2.50	1283.66	<0.0026	55	<0.025	<0.0092	23
MW-19	1284.90	04/20/06	5.19	1279.71	<0.0026	<0.034	0.12	<0.0092	100
S-3	--	04/21/06	3.66	--	<0.0026	7.8	<0.025	<0.0092	30
S-4	--	04/21/06	3.72	--	<0.0026	9.3	<0.025	<0.0092	34
S-7	--	04/21/06	3.37	--	<0.0026	6.8	<0.025	<0.0092	58

Notes: --: Not Applicable or Not Analyzed



- LEGEND**
- MONITORING WELL
 - SUMP LOCATIONS
 - FENCE
 - PROPERTY LINE

S-7		SAMPLE ID	
BEN	2.6	BENZENE	
TOL	<0.18	TOLUENE	
ETH	<0.21	ETHYLBENZENE	
XYL	<0.55	XYLENES	
MTBE	<0.21	METHYL TERTIARY-BUTYL ETHER	
124	<0.26	1,2,4-TRIMETHYLBENZENE	
135	<0.18	1,3,5-TRIMETHYLBENZENE	
GRO	160	TPH-GASOLINE RANGE ORGANICS	
DRO	1100	TPH-DIESEL RANGE ORGANICS	

- NOTES:
- CONCENTRATIONS ARE REPORTED IN MICROGRAMS PER LITER (ug/L).
 - DATA IN **BOLD** ARE ABOVE WDNR CHAPTER 140 ENFORCED STANDARD.
 - DATA IN *ITALICS* ARE ABOVE WDNR CHAPTER 140 PREVENTIVE STANDARD.
 - METHODS INCLUDE:
 PVOCS: WISCONSIN MODIFIED METHOD
 TPH-GRO/DRO: WISCONSIN MODIFIED METHOD

PROPERTY LINE BETWEEN STATE HIGHWAY 13 RIGHT OF WAY AND CITY PROPERTY

CITY OF MARSHFIELD STREETS DEPARTMENT

CITY OF MARSHFIELD STREETS DEPARTMENT

MARSHFIELD STREETS DEPARTMENT

MW5-2	
B	2.5
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	7.30
DRO	72

MW5-5	
B	<0.23
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	<5.10
DRO	34

MW-19	
B	<0.23
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	<5.10
DRO	640

MW5-3	
B	<0.23
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	<5.10
DRO	240


MW5-4	
B	<0.23
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	<5.10
DRO	47

MW-18	
B	<0.23
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	<5.10
DRO	650

S-7	
B	2.6
T	<0.18
E	<0.21
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	160
DRO	1100

S-4	
B	44
T	<0.18
E	11
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	490
DRO	2100

S-3	
B	33
T	<0.18
E	4
X	<0.55
M	<0.21
124	<0.26
135	<0.18
GRO	370
DRO	2100





CHEVRON FACILITY NO. 211685
 309 W. FIRST STREET MARSHFIELD, WISCONSIN

**RESIDUAL GROUNDWATER CONTAMINATION
 DISSOLVED-PHASE PVOCS & TPH
 CONCENTRATIONS - APRIL 20-21, 2006**

drawn <i>KLH</i>	checked	approved	figure no. 21
date <i>08/29/06</i>	date	date	
job no. 06-6818-00-9074-070	file no. 211685-003.dwg		

SAIC Science Applications International Corporation
 From Science to Solutions™


LEGEND

-  MONITORING WELL
-  SUMP LOCATIONS
-  FENCE
-  PROPERTY LINE

S-3		SAMPLE ID
ACE	<0.082	ACENAPHTHENE
ACN	3.5	ACENAPHTHYLENE
ANT	<0.022	ANTHRACENE
BAA	<0.017	BENZO(A)ANTHRACENE
BBF	<0.024	BENZO(B)FLUORANTHENE
BKF	<0.02	BENZO(K)FLUORANTHENE
BAP	<0.012	BENZO(A)PYRENE
BGP	<0.022	BENZO(GHI)PERYLENE
DAA	<0.02	DIBENZO(A,H)ANTHRACENE
CHR	<0.019	CHRYSENE
FLU	<0.044	FLUORANTHENE
FLO	2.4	FLUORENE
IIP	<0.012	IDENO(1,2,3-CD)PYRENE
NAP	<0.12	NAPHTHALENE
PHE	1	PHENANTHRENE
PYR	<0.036	PYRENE

CONCENTRATIONS ARE REPORTED IN MICROGRAMS PER LITER (ug/L).

METHOD: PAH EPA 8310 WISCONSIN LIST




CHEVRON FACILITY NO. 211685
 309 W. FIRST STREET MARSHFIELD, WISCONSIN

**RESIDUAL GROUNDWATER CONTAMINATION
 DISSOLVED-PHASE PAH CONCENTRATIONS -
 APRIL 20 AND 21, 2006**


drawn <i>KLH</i>	checked	approved	figure no. 31
date 08/29/06	date	date	
job no. 06-6818-00-9074-070		file no. 211685-003.dwg	

 **Science Applications
 International Corporation**
 From Science to Solutions™



NOTES:

WDNR CHAPTER 140 ENFORCEMENT STANDARDS:	WDNR CHAPTER 140 PREVENTIVE STANDARDS:
ANTHRACENE 3000	ANTHRACENE 600
BENZO(B)FLUORANTHENE 0.2	BENZO(B)FLUORANTHENE 0.02
BENZO(A)PYRENE 0.2	BENZO(A)PYRENE 0.02
CHRYSENE 0.2	CHRYSENE 0.02
FLUORANTHENE 400	FLUORANTHENE 80
FLUORENE 400	FLUORENE 80
NAPHTHALENE 40	NAPHTHALENE 8
PYRENE 250	PYRENE 50



- LEGEND**
- MONITORING WELL
 - SUMP LOCATIONS
 - FENCE
 - PROPERTY LINE
 - 44 BENZENE RESULT (ug/L)
 - ND NON-DETECT



PROPERTY LINE BETWEEN STATE HIGHWAY 13 RIGHT OF WAY AND CITY PROPERTY

CITY OF MARSHFIELD STREETS DEPARTMENT


CITY OF MARSHFIELD STREETS DEPARTMENT

CITY OF MARSHFIELD STREETS DEPARTMENT

BENZENE EXCEEDS W/ ENFORCEMENT STANDARD (5 ug/L)



CHEVRON FACILITY NO. 211685			
309 W. FIRST STREET MARSHFIELD, WISCONSIN			
BENZENE ISOCONCENTRATION MAP - APRIL 21, 2006			
drawn <i>KLH</i>	checked	approved	figure no.
date 08/29/06	date	date	41
job no. 06-6818-00-9074-070	file no. 211685-003.dwg		




PROPERTY LINE BETWEEN STATE HIGHWAY 13 RIGHT OF WAY AND CITY PROPERTY

CITY OF MARSHFIELD STREETS DEPARTMENT

CITY OF MARSHFIELD STREETS DEPARTMENT

CITY OF MARSHFIELD STREETS DEPARTMENT

- LEGEND**
- MONITORING WELL
 - SUMP LOCATIONS
 - FENCE
 - PROPERTY LINE
 - 1284.88 GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
 - GROUNDWATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
 - * DEEP WELL (NOT USED IN CONTOURING)




CHEVRON FACILITY NO. 211685
 309 W. FIRST STREET MARSHFIELD, WISCONSIN

GROUNDWATER ELEVATION CONTOUR MAP - APRIL 20-21, 2006


drawn <i>KLH</i>	checked	approved	figure no. 51
date 06/14/06	date	date	
job no. 06-6818-00-9074-070	file no. 211685-003.dwg		

Science Applications International Corporation
 From Science to Solutions™



LEGEND

- MONITORING WELL/
SOIL BORING
- SOIL BORING
- SUMP
- SEALED MONITORING WELL
- UNLOCATABLE MONITORING WELL
- FENCE LINE



COLOR KEY

- EXCAVATION DEPTH - 8.0 FEET
- EXCAVATION DEPTH - 7.0 FEET
- EXCAVATION DEPTH - 6.5 FEET
- EXCAVATION DEPTH - 5.5 FEET
- EXCAVATION DEPTH - 4.0 FEET
- EXCAVATION DEPTH - 3.5 FEET
- EXCAVATION DEPTH - 3.0 FEET
- EXCAVATION DEPTH - 2.5 FEET
- EXCAVATION DEPTH - 2.0 FEET
- EXCAVATION DEPTH - 1.0 FEET



Project: TEXACO GROUP, INC.
309 WEST FIRST STREET
MARSHFIELD, WISCONSIN

Title: EXCAVATION EXTENTS AND APPROXIMATE DEPTH

		Date
Design:	RPM	11/00
Drawn:	KAT	11/00
Checked:	KML	11/00
Approved:	KML	11/00

File No.:	269B-103	Date:	4/9/97	Fig. No.:	4
ACAD File No.:	269b103B	Rev.:	2/28/01	Sheet	of

FIGURE 1D

TABLE 1C (CONTINUED)

Table 3. Soil Sample Analytical Results, Weiler Fuels Bulk Storage Facility, Marshfield, Wisconsin.

Constituents Analyzed	Depth bis	MWSB-1 (2-4')	SB-2A (1-3')	MWSB-3 (4-6')	MWSB-4 (4-6')	SB-5 (6-8')	SB-6 (6-8')	SB-7 (2-4')	SB-8 (2-4')	SB8 Duplicate SB-9 (2-4')
Organics		<i>None</i>								
Petroleum Volatile Organic Compounds (PVOCs)										
Benzene	µg/kg	450	3.4	<1.0	<1.0	<1.0	<1.0	<1.0	7.0	<10
Ethyl Benzene	µg/kg	16,000	8.4	60	8.7	<1.0	2.7	<1.0	<1.0	730
Toluene	µg/kg	32,000	18	<1.0	1.4	<1.0	<1.0	<1.0	43	130
1,2,4-Trimethyl Benzene	µg/kg	<125	20	<1.0	<1.0	1.8	<1.0	<1.0	<1.0	2,000
1,3,5-Trimethyl Benzene	µg/kg	<125	10	<1.0	59	<1.0	56	<1.0	<1.0	930
ortho Xylene	µg/kg	1,300	18	38	<1.0	1.7	<1.0	<1.0	<1.0	490
meta & para Xylenes	µg/kg	88,000	20	50	6.7	<2.0	3.1	<2.0	<2.0	1,400
Methyl-Tert Butyl Ether	µg/kg	650	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<50
PolyChlorinated Biphenols (PCBs)										
Aroclor-1016	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1221	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1232	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1242	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1248	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1254	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Aroclor-1260	µg/kg	NA	<75	NA	NA	NA	NA	NA	NA	NA
Diesel Range Organics (DRO)	mg/kg	4,200	26	550	430	<10	27	45	460	320
Gasoline Range Organics (GRO)	mg/kg	1,300	73	180	64	<10	220	<10	150	1,000
Total Recoverable Petroleum Hydrocarbons (TRPH)	mg/kg	NA	2200	NA	NA	NA	NA	NA	NA	NA
Inorganics										
Total Lead	mg/kg	24.2	17.2	9.58	23.3	7.10	7.60	8.68	7.93	7.48

NA Not Analyzed
 µg/kg micrograms per kilogram equal to parts per billion (ppb)
 mg/kg milligrams per kilogram equal to parts per million (ppm)
 < Constituent was not detected.

1058TEXACOMARSHFIELD/alsmanl.wk1

TABLE 1C (CONTINUED)

Location ??

Table 2. Soil Sample Analytical Results, Weiler Fuels Bulk Storage Facility, Marshfield, Wisconsin.

Constituents Analyzed	Sample I.D. Sample Depth Sample Date	MWSB-5 (6-8') 01/23/95	MWSB-6 (4-6') 01/23/95	MWSB-7 (4-6') 01/23/95	SB-9 (4-6') 01/24/95	SB-10 (4-6') 01/24/95
<u>Petroleum Volatile Organic Organic Compounds (PVOCs)</u>						
Benzene	µg/kg	<65	<60	<65	<5.0	<5.0
Ethyl Benzene	µg/kg	<65	<60	<65	<5.0	<5.0
Toluene	µg/kg	<65	<60	<65	<5.0	<5.0
1,2,4-Trimethyl Benzene	µg/kg	<65	<60	<65	<5.0	<5.0
1,3,5-Trimethyl Benzene	µg/kg	<65	<60	<65	<5.0	<5.0
Xylene (Total)	µg/kg	<200	<180	<200	<15	<15
Methyl Tertiary Butyl Ether	µg/kg	<65	<60	<65	<5.0	<5.0
<u>Diesel Range Organics (DRO)</u>	mg/kg	<5.0	6.6	<5.0	<5.0	<5.0
<u>Gasoline Range Organics (GRO)</u>	mg/kg	<6.5	<6.0	<6.5	<5.5	<5.0

µg/kg Micrograms per kilogram equal to parts per billion (ppb).
 mg/kg Milligrams per kilogram equal to parts per million (ppm).
 < Indicates that concentrations were below the analytical detection limits.

texaco\wi0460\marshfld\tables\ssana.xlsj



TABLE 3C

Summary of Soil Boring Results											
Parameter	Sample ID and Depth (ft)										NR
	<i>Core</i>	<i>Core</i>	<i>Core</i>	<i>Core</i>							700
	SB11-2	SB11-4	SB12-2	SB12-3	SB13-2	SB13-3	SB14-2	SB14-3	SB15-3	SB15-4	RCL ¹
	2-4	6-8	2-4	4-6	2-4	4-6	2-4	4-6	4-6	6-8	
DRO (ppm)	3,100	2,700	3,300	220 B	470	1,400	140 B	590	50 B	420	100
GRO (ppm)	450	2,900	4,700	840	490	5.1	26	1,500	230	63	100
VOCs (ppb)											
Benzene	150,000	26,000	150,000	72,000	14,000	250 U	250 U	2,400	630	1000 U	5.5
Toluene	650,000	140,000	740,000	240,000	80,000	820	300	3,500	630	1000 U	1,500
Ethylbenzene	160,000	42,000	190,000	65,000	22,000	250 U	250 U	5,700	630	1000 U	2,900
Xylenes	890,000	212,000	980,000	322,000	121,000	990	660	25,600	4,000	2,000 U	4,100
1,2, - Dichloroethane	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	4.9
MTBE	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1000 U	-----
1,2,4 - Trimethylbenzene	100,000	89,000	320,000	130,000	51,000	250 U	250 U	17,000	4,600	1000 U	-----
1,3,5 - Trimethylbenzene	83,000	58,000	220,000	86,000	33,000	250 U	250 U	12,000	2,300	1,000 U	-----
Vinyl chloride	10,000 U	10,000 U	10,000 U	10,000 U	10,000 U	500 U	500 U	1,000 U	1,300 U	2,000 U	-----
Trichlorofluoromethane	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
Methylene chloride	10,000 U	10,000 U	10,000 U	10,000 U	10,000 U	500 U	500 U	1,000 U	1,300 U	2,000 U	-----
Chloroform	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
1,1,1, - Trichloroethane	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
Carbon tetrachloride	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
Trichloroethene	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
Tetrachloroethene	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
1,1,2,2 - Tetrachloroethane	5,000 U	5,000 U	5,000 U	5,000 U	5,000 U	250 U	250 U	500 U	630 U	1,000 U	-----
Naphthalene	77,000	23,000	76,000	40,000	12,000	250 U	250 U	3,500	850	1,000 U	-----

← South Edge of Exc →

1. RCL = Residual contaminant level per NR 720.09

U indicates that the analyte was analyzed for but not detected between the reporting limit and the method detection limit

B indicates that the analyte was found in the blank as well as a sample

J indicates DRRO was detected above the method detection limit but below the reporting detection limit

The soil cleanup standard for DRO and GRO is based on the hydraulic conductivity of the soil. If the hydraulic conductivity is 1×10^{-6} cm/s or less, the soil cleanup standard is 250 ppm. If the hydraulic conductivity is more than 1×10^{-6} cm/s, the cleanup standard is 100 ppm.

Bolded and shaded areas indicate concentrations above the WDNR RCL

TABLE 3C (CONTINUED)

on City Garage Page 17

see G5-1

Summary of Soil Boring Results con't

Parameter	Sample ID and Depth (ft)										NR 700 RCL
	<i>Gone</i>	<i>?</i>	<i>Gone</i>	<i>?</i>	<i>Gone</i>	<i>?</i>	<i>Gone</i>	<i>?</i>	<i>Gone</i>	<i>?</i>	
	SB16-2	SB16-4	SB17-2	SB17-3	SB18-2	SB18-3	SB19-2	SB19-3	SB20-1	SB20-2	
	2-4	6-8	2-4	4-6	2-4	4-6	2-4	4-6	0-2	2-4	
DRO (ppm)	19,000	7,700	4,200	5,500	140	3.6	110	1,400	6.1 B	20 B	100
GRO (ppm)	6,600	2,800	360	860	110	<5.0	360	400	<5.0	<5.0	100
VOCs (ppb)											
Benzene	190,000	56,000	490	560	5,000 U	250 U	3,000	31,000	250 U	250 U	5.5
Toluene	850,000	250,000	600	500 U	5,000 U	250 U	11,000	130,000	250 U	250 U	1,500
Ethylbenzene	190,000	78,000	2,200	6,600	5,000 U	250 U	2,800	38,000	250 U	250 U	2,900
Xylenes	810,000	330,000	9,000	12,300	10,000 U	500 U	13,900	197,000	500 U	500 U	4,100
1,2 - Dichloroethane	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	4.9
MTBE	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
1,2,4 - Trimethylbenzene	220,000	120,000	8,300	14,000	5,000 U	250 U	1,600 U	23,000 U	250 U	250 U	-----
1,3,5 - Trimethylbenzene	180,000	99,000	9,900	21,000	5,000 U	250 U	4,500 U	55,000 U	250 U	250 U	-----
Vinyl chloride	10,000 U	10,000 U	500 U	1,000 U	10,000 U	500 U	500 U	10,000 U	500 U	500 U	-----
Trichlorofluoromethane	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
Methylene chloride	10,000 U	10,000 U	500 U	1,000 U	10,000 U	500 U	500 U	10,000 U	500 U	500 U	-----
Chloroform	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
1,1,1 - Trichloroethane	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
Carbon tetrachloride	5,000 U	5,000 U	250 U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
Trichloroethene	5,000 U	5,000 U	250U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
1,1,2,2 - Tetachloroethane	5,000 U	5,000 U	250U	500 U	5,000 U	250 U	250 U	5,000 U	250 U	250 U	-----
Naphthalene	82,000	40,000	6,300	12,000	5,000 U	250 U	910	15,000	250 U	250 U	-----

1. RCL = Residual contaminant level per NR 720.09

U indicates that the analyte was analyzed for but not detected between the reporting limit and the method detection limit

B indicates that the analyte was found in the blank as well as a sample

The soil cleanup standard for DRO and GRO is based on the hydraulic conductivity of the soil. If the hydraulic conductivity is 1×10^{-6} cm/s or less, the soil cleanup standard is 250 ppm. If the hydraulic conductivity is more than 1×10^{-6} cm/s, the cleanup standard is 100 ppm.

Bolded and shaded areas indicate concentrations above the WDNR RCL

TABLE 3D

Table 2
 Test Pit, Excavation Sidewall,
 and Excavation Floor Samples
 RAOP Implementation Report
 Former Petroleum Facility
 Marshfield, Wisconsin
 EnecoTech Project #03-0269B-103

Sample Date	Sample Name	Sample Description	Benzene	Ethyl-benzene	MTBE	Toluene	1,3,5-Tri-methyl-benzene	1,2,4-Tri-methyl-benzene	Total Xylenes	Lead
10/29/99	GS-1	Bottom - Main Excavation	300	110	<25	430	59	200	460	*
10/30/99	NW-1	North Wall - Main Excavation	250	37	<25	140	<25	64	123	*
10/30/99	WW-1	West Wall - Main Excavation	2,000	200	49	490	40	110	670	*
11/01/99	GS-2	Bottom - Main Excavation	35	<25	<25	<25	<25	<25	<25	*
11/04/99	GS-3	Bottom - Main Excavation	<100	2,400	<100	4,800	3,200	9,000	11,500	*
11/08/99	NW-2	North Wall - Main Excavation	<130	270	<130	<130	<130	4,500	510	*
11/08/99	WW-2	West Wall - Main Excavation	<25	<25	<25	<25	36	45	<25	*
11/08/99	GS-4	Bottom - Main Excavation	2,900	12,000	<630	2,700	14,000	23,000	42,000	*
11/19/99	GS-5B	Bottom - Main Excavation	100	<25	<25	<25	<25	<25	<25	*
11/22/99	NW-3	North Wall - Main Excavation	<250	<250	<250	<250	5,000	<250	1,500	*
12/06/99	NW-4	North Wall - Main Excavation	<130	1,100	<130	<130	5,200	5,100	2,400	*
12/07/99	GS-6	Bottom - Main Excavation	<25	<25	<25	<25	<25	<25	<25	*
12/09/99	TP-1	Test Pit	<27	323	<27	376	1,400	4,520	1,450	9,387
12/09/99	TP-2	Test Pit	6,460	10,800	6,040	2,080	7,500	26,200	46,500	*
12/09/99	TP-3	Test Pit	56	1,290	<28	1,350	955	2,580	843	*
12/09/99	TP-4	Test Pit	<28	4,030	<28	625	5,510	12,500	3,010	*
12/09/99	TP-5	Test Pit	<30	843	<30	181	542	1,330	1,810	64,677
12/09/99	TP-5B	Test Pit	<32	<32	<32	63	<32	<32	<32	9,077
12/09/99	TP-6	Test Pit	57	1,720	<29	517	8,050	315,000	11,000	29,018
12/09/99	TP-7	Test Pit	<31	<31	<31	<31	<31	<31	<31	110,820
12/09/99	TP-8	Test Pit	1,400	3,490	523	4,770	3,900	11,200	15,800	*
12/10/99	FS-1	Floor - Sump Excavation	<25	190	<25	<25	1,400	3,900	1,480	*
12/10/99	SW-2	Wall - Sump Excavation	<62	660	<62	150	2,700	7,200	3,890	*
12/14/99	FS-2	Floor - Sump Excavation	<25	<25	<25	<25	<25	<25	<25	*
12/14/99	SW-3	Wall - Sump Excavation	<25	60	<25	42	280	240	265	*
12/14/99	SW-4	Wall - Sump Excavation	<25	56	<25	72	270	390	253	*

Results in ug/kg (ppb).

 Not analyzed

Recycled Paper

u:\project\texaco\269-103\103a01a

TABLE 3D (CONTINUED)

Table 2
Test Pit, Excavation Sidewall,
and Excavation Floor Samples
RAOP Implementation Report
Former Petroleum Facility
Marshfield, Wisconsin
EnecoTech Project #03-0269B-103

Sample Date	Sample Name	Sample Description	Benzene	Ethyl-benzene	MTBE	Toluene	1,3,5-Tri-methyl-benzene	1,2,4-Tri-methyl-benzene	Total Xylenes	Lead
12/15/99	GS-7	Bottom - Main Excavation	1,100	240	<25	350	210	610	700	*
12/17/99	TF-1	Floor - Tile Line Excavation	4,200	22,000	1900	5,900	25,000	69,000	108,000	*
12/17/99	TW-1	Wall - Tile Line Excavation	<75	<75	<75	<75	290	520	350	*
12/17/99	TW-2	Wall - Tile Line Excavation	<25	100	<25	<25	220	560	490	*
12/17/99	TW-3	Wall - Tile Line Excavation	44	<25	<25	<25	<25	<25	<25	*
12/17/99	TW-4	Wall - Tile Line Excavation	<310	<310	<310	<310	5,800	4,300	3,310	*
09/08/00	B-1	Bottom - Former Garage Excavation	<25	120	<25	<25	360	1,400	740	11
09/08/00	B-2	Bottom - Former Garage Excavation	<25	64	<25	<25	150	380	319	59
09/08/00	W-1	Wall - Former Garage Excavation	<25	84	<25	<25	430	550	430	42
09/08/00	W-2	Wall - Former Garage Excavation	<25	290	<25	<25	1,000	3,100	1,450	55
09/08/00	W-3	Wall - Former Garage Excavation	<25	68	<25	31	200	700	397	170
09/08/00	W-4	Wall - Former Garage Excavation	<25	130	<25	<25	660	2,300	826	130

Results in ug/kg (ppb).

 Not analyzed

Recycled Paper

u:\project\eneco\269-103\103soilq


TABLE 4D
LABORATORY ANALYTICAL RESULTS- SOIL
Chevron Facility #211685
309 West First Street
Marshfield, Wisconsin

Well Number	Date	Depth	Lead	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	TPH	Acenaphthylene	Benzo(a)Pyrene	Chrysene	Pyrene
MW5-1	11/15/2005	4'-5'	13	<0.0245	<0.0245	<0.0245	<0.0736	<0.245	<5.08	0.0613	0.00497	<0.00497	<0.00894
MW5-2	11/15/2005	4'-6'	4.62	<0.0245	<0.0245	<0.0245	<0.0735	<0.245	<5.03	<0.0328	<0.00298	0.0173	0.108
	11/16/2005	34'-36'	2.21	<0.0236	<0.0236	<0.0236	<0.0707	<0.236	<5.07	0.0793	<0.00302	<0.00504	<0.00907
MW5-3	11/16/2005	6'-8'	3.17	<0.0213	<0.0213	<0.0213	<0.0639	<0.213	<4.97	<0.0325	<0.00295	<0.00492	<0.00886
MW5-4	11/17/2005	6'-8'	5.54	<0.0224	<0.0224	<0.0224	<0.0672	<0.224	10.9	<0.0330	<0.00300	<0.00500	<0.00900
	11/17/2005	40'-42'	1.64	<0.0245	<0.0245	<0.0245	<0.0735	<0.245	<5.02	0.0337	<0.00299	<0.00499	<0.00898
MW5-5	11/17/2005	6'-8'	3.94	<0.0208	<0.0208	<0.0208	<0.0624	<0.208	<5.00	0.0523	<0.00298	<0.00496	<0.00893
	11/18/2005	42'-44'	3.54	<0.0209	<0.0209	<0.0209	<0.0627	<0.209	<4.92	0.0706	<0.00302	<0.00503	<0.00905
			Baseline	NA	0.000093	0.000042	0.042	0.047	NA	NA	NA	NA	NA
			<i>RCL</i>	<i>50</i>	<i>0.005</i>	<i>0.0029</i>	<i>2.9</i>	<i>4.10</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>	<i>NA</i>

Notes:

- Analytes reported in milligrams per kilogram (mg/kg).
- PAHs = Polynuclear Aromatic Hydrocarbons
- LOD = Limit of Detection
- LOQ - Limit of Quantification
- Baseline = Enforcement standard set by the Wisconsin Administrative Code Chapter NR 720.09
- RCL = Residual Contaminant Level set by the Wisconsin Administrative Code chapter NR 720.09
- NA= No established Baseline or RCL

FIGURE 2C



CROSS SECTION LOCATION MAP

WEILER FUELS BULK STORAGE FACILITY
MARSHFIELD, WISCONSIN

FIGURE

3

DRAFTER: LMS

APPROVED:


CHECKED: RC

DRAWING: 10




FILE NO.: 0598

PRJCT NO.: W128601

DWG DATE: 25SEP92



LEGEND

-  TOP SOIL OR FILL MATERIAL CONSISTING OF CLAY, SILT, SAND AND GRAVEL SIZED MATERIALS
-  DARK GRAY TO BLUE-GREY TO BLACK SANDY SILTY CLAY WITH TRACE SMALL TO MEDIUM GRAVEL AND OCCASIONAL SILTY SAND SEAMS 0.1 - 0.5 FT THICK SOFT TO MEDIUM STIFF
-  FINE TO COARSE VERY SILTY SAND, LOOSE
-  LIGHT BROWN TO REDDISH BROWN SILTY CLAY WITH RUST TO GREY MOTTLING, TRACE FINE TO COARSE SAND, SMALL GRAVEL, SAND FILLED VERTICAL FRACTURES AND OCCASIONAL SILT SEAMS, STIFF TO VERY STIFF
-  GEOLOGIC CONTACT, DASHED WHERE INFERRED
-  MONITORING WELL/SOIL BORING SHOWING SCREENED INTERVAL (IF COMPLETED AS A MONITORING WELL)
-  WATER ELEVATION MEASURED 7/1/92

NOTES: THE DEPTH AND THICKNESS OF THE SUBSURFACE UNITS ON THE CROSS SECTION WERE GENERALIZED FROM AND INTERPRETED BETWEEN MONITORING WELLS OR SOIL BORINGS. INFORMATION ON ACTUAL SUBSURFACE CONDITIONS EXIST ONLY AT THE SPECIFIC INDICATED LOCATIONS.



GEOLOGIC CROSS SECTION A-A'

WEILER FUELS BULK STORAGE FACILITY
MARSHFIELD, WISCONSIN

FIGURE

4

FIGURE 3C

FIGURE 4C

DWG DATE: 25SEP92

PRJCT NO.: W128601


FILE NO.: 0598

DRAWING: 09

CHECKED: RC

APPROVED:

DRAFTER: LMS



GEOLOGIC CROSS-SECTION B-B'

WEILER FUELS BULK STORAGE FACILITY
MARSHFIELD, WISCONSIN

FIGURE

5



Denise Y. Dixon
Project Manager

Chevron Products Company
Retail & Terminal Business Unit
2300 Windy Ridge Parkway
Suite 575 South
Atlanta, GA 30339
Tel 770-984-3165
Fax 770-984-3102
dyaa@chevron.com

January 8, 2007

Mr. Tom Hvizdak
Wisconsin Department of Natural Resources
473 Griffith Avenue
Wisconsin Rapids, WI 54494

RECEIVED
WI DEPT OF NATURAL RESOURCES
JAN 10 2007
WI RAPIDS SERVICE CENTER
WI RAPIDS, WI

RE: Deed and Location Information
Conditional Closure Decision with Requirements to Achieve Final Closure
Chevron Facility #211685 (Former Wieler Site),
309 West First Street, Marshfield, Wisconsin.

Dear Mr. Hvizdak:

Chevron Environmental Management Company (Chevron), in response to your email request dated December 26, 2006, state that the deed and location information provided in the Case Summary Close Out Request GIS package for the above referenced facility is, to the best of my knowledge, true and accurate.

If you have any questions or require any further information regarding this facility, please feel free to contact me at (770) 984-3165 or dyaa@chevron.com.

Respectfully submitted,

Denise Dixon
Project Manager

Stamp seal

STATE OF GEORGIA COUNTY OF COBB
Sworn to and subscribed before me by DENISE DIXON on this date
JANUARY 8 2007 My commission expires JULY 24, 2009
KAY Q. KING Kay Q. King 1-8-07
Notary Public (Print name) Signature Date



cc: Mr. Richard O'Keefe – SAIC Project Manager
Project File 211685



September 15, 2006

Ms. Shar TeBeest
Bureau of Equity and Environmental Services
4802 Sheboygan Avenue, Room 451
Madison, WI 53705

SUBJECT: Notification of Contamination in Right-of-Way
Case Summary and Close Out Request
Former Weiler Site, (Chevron Facility #211685)
309 West First Street, Marshfield, Wisconsin.


Dear Ms. TeBeest:

Science Applications International Corporation (SAIC) is submitting this Notification of Contamination in Right-of-Way to fulfill a requirement of a Case Summary and Close Out Request that is being submitted to the Wisconsin Department of Natural Resources (WDNR) on behalf of Chevron Environmental Management Company (Chevron). Enclosed are figures and tables that define the current conditions of residual contamination in the vicinity of the Subject site.

If you have any questions or require any further information, please feel free to contact me at (678) 539-2659 or okeefe@saic.com.

Respectfully submitted,

SCIENCE APPLICATIONS INTERNATIONAL CORPORATION


Richard O'Keefe, P.G.
Senior Project Manager

Attachments

cc: Ms. Denise Dixon – Chevron Project Manager
Ms. Janet Smith – WI DOT, North Central Region
Project File 211685





September 15, 2006

Mr. Dan Knoeck
Director of Public Works
City of Marshfield
630 S. Central Ave.
Marshfield, WI 54449

SUBJECT: Notification of Contamination in Right-of-Way
Case Summary and Close Out Request
Former Weiler Site, (Chevron Facility #211685)
309 West First Street, Marshfield, Wisconsin


Dear Mr. Knoeck:

Science Applications International Corporation (SAIC) is submitting this Notification of Contamination in Right-of-Way to fulfill a requirement of a Case Summary and Close Out Request that is being submitted to the Wisconsin Department of Natural Resources (WDNR) on behalf of Chevron Environmental Management Company (Chevron). Enclosed are figures and tables that define the current conditions of residual contamination in the vicinity of the Subject site.

If you have any questions or require any further information, please feel free to contact me at (678) 539-2659 or okeefe@saic.com.

Respectfully submitted,

SCIENCE APPLICATIONS INTERNATIONAL CORPORATION


Richard O'Keefe, P.G.
Senior Project Manager

Attachments

cc: Ms. Denise Dixon – Chevron Project Manager
Project File 211685

