

GWURR Package Cover Sheet

Site Name Koch Refining Former Pump Station

Site Address Mill Creek Drive, Marshfield, WI

BRRTS # 02-72-179433 Date of Closure Decision 10/14/99

Parcel I.D./Tax Parcel # Wood Co. # 03-00148CA

Groundwater Use Restriction

Location map

Detailed site map

Groundwater flow/~~isoconcentration~~ maps

Geologic cross sections

Latest table(s) of analytical results (soil results included only if soil deed restriction is incorporated into groundwater use restriction document)

Closure letter(s)

located to QQ:

NW¹/₄ of NE¹/₄ Section 33, T25, R3E

157

Document Number

GROUNDWATER USE RESTRICTION

Declaration of Restrictions

In Re:

That part of the Northwest Quarter of the Northeast Quarter (NW 1/4 of NE 1/4) of Section Thirty-three (33), Township Twenty-Five (25) North of Range Three (3) East of the Fourth Principal Meridian, according to the United States Government Survey, specifically described in Paragraph 1 of the page designated as Exhibit A, which is reproduced below.

Reserving to the parties of the first part, their heirs and assigns, a non-exclusive easement for roadway purposes over and across that part of the real estate hereby conveyed which is specifically described in Paragraph 2 of the said page designated as Exhibit A; which easement shall be appurtenant to, and for the benefit of the owners of, that part of the West Half of the Northeast Quarter (W 1/2 of NE 1/4) of said Section Thirty-three (33) which is specifically described in Paragraph 3 of the said page designated as Exhibit A.


EXHIBIT A

- (1) That part of the Northwest Quarter of the Northeast Quarter (NW 1/4 of NE 1/4) of Section Thirty-three (33), Township Twenty-five (25) North, Range Three (3) East, Town of Cameron, Wood County, Wisconsin, described as follows to wit:
- Commencing at the N 1/4 corner of said Section; Thence N90°-00'E, along the North line of the NE 1/4 of said Section, 278.74 feet to the point of beginning; Thence continuing N90°-00'E, along the North line of said NE 1/4, 36.00 feet; Thence S 0°-00' W, perpendicular to the North line of said NE 1/4, 300.00 feet; Thence S 0°-26'-18"E, parallel with the West line of said NE 1/4, 534.24 feet; Thence S 89°-33'-42" W, perpendicular to the aforementioned line, 312.44 feet to the West line of said NE 1/4; Thence N 0°-26'-18" W, along the West line of said NE 1/4, 300.00 feet; Thence N 89°-33'-42" E, perpendicular to the West line of said NE 1/4, 276.44 feet; Thence N 0°-26'-18" W, parallel with the West line of said NE 1/4, 234.52 feet; Thence N 0°-00'E, perpendicular to the North line of said NE 1/4, 300.00 feet to the point of beginning. Containing 2.59 acres of land more or less. Excepting therefrom that part previously deeded for road purposes.
- (2) That part of the Northwest Quarter of the Northeast Quarter (NW 1/4 of NE 1/4) of Section Thirty-three (33), Township Twenty-five (25) North, Range Three (3) East, Town of Cameron, Wood County, Wisconsin, described as follows to wit:
- Commencing at the N 1/4 corner of said Section; Thence N 90°-00'E, along the North line of the NE 1/4 of said Section, 278.74 feet to the point of beginning; Thence continuing N90°-00'E, along the North line of said NE 1/4, 36.00 feet; Thence S 0°-00' W, perpendicular to the North line of said NE 1/4, 300.00 feet; Thence S 0°-26'-18" E, parallel with the West line of said NE 1/4, 234.24 feet; Thence S 89°-33'-42" W, perpendicular to the said West line, 36 feet; Thence N 0 00'E, perpendicular to the North line of said NE 1/4, 300 feet to the point of beginning.
- (3) The West 678 feet of the W 1/2 of the NE 1/4 of Sec. 33, Twp. 25 North, Range 3 East, excepting the West 255 feet of the North 854 feet; And also excepting the following described parcel:
- Commencing at a point on the North line of said W 1/2 of the NE 1/4, 627 feet West of the Northeast corner of said W 1/2 of the NE 1/4, running thence West along the said North line of said eighty, 363 feet; thence South, at right angles, 300 feet; thence East, parallel with the North line of said eighty, 363 feet; thence North, at right angles, 300 feet, to the point of beginning.
- And also excepting the property described in Paragraph 1 hereinabove.

865577

REGISTER OF DEEDS
WOOD COUNTY
RECORDED ON

07-17-2000 2:28 PM

RENE' L KRAUSE
REGISTER OF DEEDS

REC. FEE 16.00
TRAN. FEE:
PAGES: 4

Recording Area

Name and Return Address

KOCH PETROLEUM GROUP LP
MR. GREG SCHRAB
PO BOX 64596
ST. PAUL, MN 55164-0596

1600P

03-00148CA

Parcel Identification Number (PIN)

STATE OF WISCONSIN)
)
COUNTY OF Wood) SS

WHEREAS, Koch Petroleum Group, L. P. is the owner of the above-described property.

WHEREAS, one or more petroleum product discharges have occurred at this property. Petroleum contaminated groundwater above ch. NR 140 Wis. Adm. Code, enforcement standards existed on this property at the following location(s), on the following dates:

MW-3: 420 ppb benzene, .29 ppb chrysene, 69 ppb naphthalene in a sample collected from Feb. 16, 1999 and petroleum soil contamination above NR 720 Generic Clean-up Standard for GRO and DRO, and residual PAH contamination exists at the following locations/ on the following dates:

0'-1'
HA-3 .16 ppb benzo(a)anthracene in a sample collected Aug. 4, 1999

2'-3'
HA-4 .14 ppb benzo(a)anthracene; GRO 1100 ppm, DRO 250 ppm in a sample collected Aug. 4, 1999

* Depth values are in feet below land surface

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct additional soil or groundwater remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 is restricted by ch. NR 811 and ch. NR 812 Wisconsin Administrative Code. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.

If construction is proposed on this property that will require dewatering, or if groundwater is to be otherwise extracted from this property, while this groundwater use restriction is in effect, the groundwater shall be sampled and analyzed for contaminants that were previously detected on the property and any extracted groundwater shall be managed in compliance with applicable statutes and rules.

If contaminated soil that remains on the property is excavated in the future, it will have to be sampled and analyzed and the treatment or disposal of the soil as a solid or hazardous waste may be necessary.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring title to the above-described property whether by descent, devise, purchase or otherwise. This restriction benefits and is enforceable by, the Wisconsin Department of Natural Resources, its successors and assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.

Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that the restrictions set forth in this covenant are no longer required. Upon receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this groundwater use restriction is no longer binding. "By signing this document, James L. Mahoney asserts that he or she is duly authorized to sign this document on behalf of Koch Petroleum Group, L.P."

IN WITNESS WHEREOF, the owner of the property has executed this Declaration of Restrictions, this 8th day of June, 2000.


ML
Signature: *James L. Mahoney*
Printed Name: JAMES L. Mahoney

Subscribed and sworn to before me
This 8th day of June, 2000

Monica L. Keeler
Notary Public, State of Kansas
My commission 2/24/2001




This document was drafted by Koch Petroleum group, L.P, based on the comments from the Wisconsin Department of natural Resources.




MAXIM
TECHNOLOGIES, INC.

SITE VICINITY MAP
KOCH REFINING COMPANY
FORMER PUMP STATION
MARSHFIELD, WISCONSIN


DATE 04/29/97	FIGURE : 1
PROJECT # 9857836	
DRAWN BY: DeLORME	
REVIEWED BY:	
SCALE: 1 : 150000	



- MONITORING WELL
- HAND ALDER LOCATION



- ⊕ SOIL PROBE
- ⊗ SOIL BORING
- ⊕ MONITORING WELL



PROJECT: # 9857836
DATE: 3/25/99
DF3/MO/WRS/H

FIGURE 2
SITE DIAGRAM
KOCH - MARSHFIELD PUMP STATION
WITH GROUNDWATER CONTOURS 3/25/99

MAXIM technologies, inc
Wausau, Wisconsin

N
GROUND LEVEL
MW-1
MW-3
PZ-1
S





FIGURE 3
KOCH - MARSHFIELD
CROSS-SECTION



KODAPAKS

NE

SW





FIGURE 3
KOCH - MARSHFIELD
CROSS-SECTION



KOWARSZ

TABLE 2
GROUNDWATER ANALYTICAL RESULTS
FORMER MARSHFIELD PUMP STATION
KOCH PETROLEUM GROUP, L.P., MARSHFIELD, WISCONSIN
MAXIM PROJECT #9857836

PAL

Location	NR 140.1 ES	MW-1		MW-2		MW-3							
		3/12/98	8/18/98	11/25/98	2/16/99	3/26/98	8/18/98	11/25/98	2/16/99				
PARAMETER													
DRO	---	<29	120	<29	130	64	170	390	160	2000	38,000	15,000	26,000
GRO	---	<15	<18	<18	<18	<15	<18	<18	<18	1900	7400	3200	2900
PETROLEUM VOLATILE ORGANIC COMPOUNDS (PVOC)													
Benzene	0.5	0.15	<0.1	0.25	<0.1	<0.14	<0.1	<0.1	<0.1	190	960	720	420
Toluene	5.6	0.3	<0.17	0.42	<0.17	0.33	<0.17	<0.17	<0.17	13	35	27	8.9
Ethylbenzene	17.0	0.23	<0.12	<0.12	<0.12	0.22	<0.12	<0.12	<0.12	82	250	200	110
Total Xylenes	12.4	0.57	<0.16	1.1	<0.16	0.65	<0.16	<0.16	<0.16	118	330	240	120
MTBE	1.2	<1.7	<0.17	<0.17	<0.17	<1.7	<0.17	<0.17	<0.17	<1.7	<0.68	<0.34	<0.34
Total Trimethylbenzene	7.6	0.59	<0.26	<0.26	<0.26	0.90	<0.26	<0.26	<0.26	15	420	229	146
POLYNUCLEAR AROMATIC HYDROCARBONS (PAH)													
Acenaphthene	---	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	29	<0.29	4.2
Acenaphthylene	---	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	5.1	48	14	6.2
Anthracene	3.00	<0.014	<0.014	<0.014	<0.014	<0.014	0.018	<0.014	<0.014	3.3	38	0.97	2.7
Benzo(a)Anthracene	---	<0.025	<0.025	<0.025	<0.025	<0.025	0.44	<0.025	<0.025	0.83	31	0.31	2.5
Benzo(a)Pyrene	0.2	<0.019	<0.019	<0.019	<0.019	0.079	<0.019	<0.019	<0.019	<0.019	<0.19	<0.019	<0.019
Benzo(b)Fluoranthene	0.2	<0.037	<0.037	<0.037	<0.037	0.023	<0.037	<0.037	<0.037	<0.037	0.92	<0.037	0.17
Benzo(k)Fluoranthene	---	<0.053	<0.053	<0.053	0.19	<0.053	<0.053	<0.053	<0.053	<0.053	<0.053	<0.053	0.059
Benzo(ghi)Perylene	---	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Chrysene	0.2	<0.027	<0.027	<0.027	<0.027	0.039	<0.027	<0.027	0.033	0.31	8.3	0.083	0.29
Dibenzo(ah)Anthracene	---	<0.15	<0.15	<0.15	<0.15	0.031	<0.15	<0.15	<0.15	<0.15	<1.5	<0.15	<0.15
Fluoranthene	4.00	<0.044	<0.044	<0.044	<0.044	0.18	0.37	<0.044	<0.044	6.9	160	6.1	9.5
Fluorene	4.00	<0.28	0.084	<0.084	<0.084	<0.028	0.12	<0.084	<0.084	3.7	2.7	4.0	6.4
Indeno(1,2,3-cd)Pyrene	---	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
1-Methyl Naphthalene	---	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	11	14	50	71
2-Methyl Naphthalene	---	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	31	260	45	53
Naphthalene	4.0	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	16	8.9	65	69
Phenanthrene	---	0.082	<0.029	<0.029	<0.029	0.096	0.041	<0.029	<0.029	5.4	24	3.6	6.4
Pyrene	25.0	0.13	0.18	0.29	0.097	0.13	0.50	0.47	<0.37	4.8	200	5.0	6.6

µg/L = micrograms per liter (parts-per-billion).

Shaded boxes indicate an NR 140 ES exceedance.

Circle Data → PAL Certificate


TABLE 2 (CONTINUED)
GROUNDWATER ANALYTICAL RESULTS
FORMER MARSHFIELD PUMP STATION
KOCH PETROLEUM GROUP, L.P., MARSHFIELD, WISCONSIN
MAXIM PROJECT #9857836

P. 4 L

Location	NR 140.1 ES	MW-4		MW-5		PZ-1				
		8/18/98	11/25/98	2/16/99	8/18/98	11/25/98	2/16/99			
PARAETER										
DRO	---	150	150	99	87	200	160	130	140	110
GRO	---	<18	<18	<18	<18	<18	<18	<18	<18	<18
PETROLEUM VOLATILE ORGANIC COMPOUNDS (PVOIC)										
Benzene	5	<0.1	(0.55)	(0.82)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Toluene	343	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
Ethylbenzene	700	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
Total Xylenes	620	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	0.39	<0.16
MTBE	60	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
Total Tri-methylbenzene	480	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
POLYNUCLEAR AROMATIC HYDROCARBONS (PAH)										
Acenaphthene	---	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29
Acenaphthylene	---	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46	<0.46
Anthracene	3000	<0.014	<0.014	0.023	<0.014	<0.014	<0.014	<0.014	<0.014	<0.014
Benzo(a)Anthracene	---	<0.025	<0.025	0.058	<0.025	0.093	<0.025	<0.025	<0.025	<0.025
Benzo(a)Pyrene	0.2	<0.019	<0.019	<0.019	<0.019	<0.019	<0.019	<0.019	<0.019	<0.019
Benzo(b)Fluoranthene	0.2	<0.037	<0.037	<0.037	<0.037	(0.13)	<0.037	<0.037	<0.037	(0.17)
Benzo(k)Fluoranthene	---	<0.053	<0.053	<0.053	<0.053	0.067	<0.053	<0.053	<0.053	0.074
Benzo(ghi)Perylene	---	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074	<0.074
Chrysene	0.2	<0.027	<0.027	<0.027	<0.027	(0.11)	<0.027	<0.027	<0.027	<0.027
Dibenzo(a,h)Anthracene	---	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
Fluoranthene	400	<0.044	<0.044	0.29	<0.044	<0.044	<0.044	0.25	<0.044	<0.044
Fluorene	400	0.14	<0.028	0.26	0.16	<0.028	<0.028	0.19	<0.028	0.031
Indeno(1,2,3-cd)Pyrene	---	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033	<0.033
1-Methyl Naphthalene	---	<0.20	<0.20	2.9	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
2-Methyl Naphthalene	---	<0.26	<0.26	1.6	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
Naphthalene	40	<0.39	<0.39	2.1	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
Phenanthrene	---	<0.029	<0.029	0.18	<0.029	<0.029	<0.029	0.058	<0.029	<0.029
Pyrene	250	0.29	0.059	0.22	0.31	0.44	0.14	1.4	0.20	0.15

µg/L = micrograms per liter (parts-per-billion).

Shaded boxes indicate an NR 140 ES exceedance.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott A. Humrickhouse, Regional Director

Wisconsin Rapids Office
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494-7859
Telephone 715-421-7800
FAX 715-421-7830

October 15, 1999

BRRTS #02-72-179433

Mr. Greg Schrab
Koch Refining Company LP
P.O. Box 64596
St. Paul, MN 55164-0596

FILE COPY

SUBJECT: Conditional Site Closure, Koch Pipeline, Marshfield Station, Mill Creek Drive,
Marshfield, Wisconsin.

Dear Mr. Schrab:

On October 14, 1999, the above named site was reviewed by the Wisconsin Department of Natural Resources West (DNR) Central Region closeout committee for a determination as to whether or not the case qualified for close out under Wis. Adm. Code (WAC) ch. NR 726. The groundwater and soil samples collected at this site indicate that residual petroleum-related groundwater above WAC ch. 140 groundwater quality enforcement standard (ES) for benzene, naphthalene, chrysene and benzo(k)fluoranthene, and petroleum-related soil contamination is present at the site. Due to the presence of residual soil and groundwater contamination at this site, a clean closure can not be granted in this case at this time. However, based on the investigative and remediation documentation provided to the Department, it appears that the extent of the petroleum contamination at the above-named site has been investigated and remediated to the extent practicable, the location of the residual soil contamination does not pose a threat to direct contact under current site conditions, and that natural attenuation will be effective in reducing the mass of residual contamination at this site. Therefore, **the Department considers the case "closed," having determined pursuant to WAC NR 726, that no further action is necessary on the site at this time, providing the following two conditions are met.**

The first condition of the closeout for this case is that the owner is required to sign and record a groundwater use restriction describing the type, location, and extent of the residual soil and groundwater contamination, on the deed for the property and requiring that Department (or successor agency) approval must be obtained before any water supply wells are installed on the property, and if groundwater is extracted (during dewatering activities) and/or if contaminated soil is excavated from this property in the future, it may be considered a waste and will need to be sampled and/or disposed in accordance with applicable statutes and rules. The deed restriction document must be submitted to the Department for approval within 30 days after receipt of this letter, and the deed documents must be registered with the County Register of Deeds fifteen days after receiving Department approval of the draft deed restriction. To document that this condition has been complied with, the property owner must submit to the Department a copy of the recorded deed affidavit, with

Quality Natural Resources Management
Through Excellent Customer Service



October 15, 1999

BRRTS #02-72-179433

Mr. Ed Altman - Ed Altman Construction

Page 2

the recording information stamped on it, within 15 days after the County Register of Deeds returns the deed restriction to the property owner. The deed restriction may be amended in the future with the approval of Department if conditions change at the site such that the residual contamination is completely remediated (if deemed necessary).

The second condition of the closeout of this case is the proper abandonment of the monitoring wells and remediation system currently at the site (pursuant of WAC NR 141). Documents should be forwarded to me at the WDNR Wisconsin Rapids office that substantiates proper abandonment (Form 3300-5W).

You should note that this letter does not constitute Department "certification" under s. 292.15(2)(a)3, Stats., as created by 1993 Wisconsin Act 453 (May 12, 1994). Also, in 1997 Wisconsin Act 27, the legislature amended s. 292.15, Wis. Stats., creating the new "Voluntary Party Remediation and Exemption from Liability" statute. This statute provides liability protection for persons who did not intentionally or recklessly cause the release of a hazardous substance and who conducts an environmental investigation and cleans up property by restoring the environment to the extent practicable and in accordance with rules promulgated by the Department. Upon completion of the cleanup, the person receives a "certificate of completion" that provides an exemption from the "Hazardous Substance Spills" statute and protection from future liability for the past releases. You must apply for the program by filling out an application form and fees are charged to cover administrative costs associated with the program. If you are interested in more information about the program or would like an application package, please call Loren Brumberg at the West Central Region Office in Eau Claire at 715-839-3770.


Once the deed affidavit and monitoring well abandonment forms have been properly submitted to this office we will issue the final closure letter for this site. Thank you for your efforts to cleanup Wisconsin's environment. If you should have any questions regarding this letter please contact me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Tod Roush, Maxim Technologies, Inc., 555 72nd Ave., Wausau, WI 54401



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Scott A. Humrickhouse, Regional Director

Wisconsin Rapids Office
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494-7859
Telephone 715-421-7800
FAX 715-421-7830

August 22, 2000

BRRTS #02-72-179433

Mr. Greg Schrab
Koch Refining Company LP
P.O. Box 64596
St. Paul, MN 55164-0596

FILE COPY

SUBJECT: Conditional Site Closure, Koch Pipeline, Marshfield Station, Mill Creek Drive, Marshfield, Wisconsin.

Dear Mr. Schrab:

The Wisconsin Department of Natural Resources (WDNR) west central region has received the monitoring well abandonment forms for the monitoring wells associated with the subsurface environmental assessment conducted by your consultant for the above referenced site, and a copy of the groundwater use restriction deed affidavit (with the recording information stamped on it) recorded with the Wood County Register of Deeds as required by WDNR west central closure committee as conditions for closure of this site. The investigative and remediation documentation provided to the Department, indicates that the extent of the petroleum contamination at the above-named site has been investigated and remediated to the extent practicable, and that natural attenuation will be effective in reducing the mass of residual contamination at this site. Therefore, based on all information contained in the site file and the information included in the well abandonment form and deed affidavit submitted by you, it is the decision of the DNR that, **no further investigatory or clean-up action is needed at the above referenced site at this time and that this site is considered closed.**

You should note that this letter does not constitute Department "certification" under s. 292.15(2)(a)3, Stats., as created by 1993 Wisconsin Act 453 (May 12, 1994). Also, in 1997 Wisconsin Act 27, the legislature amended s. 292.15, Wis. Stats., creating the new "Voluntary Party Remediation and Exemption from Liability" statute. This statute provides liability protection for persons who did not intentionally or recklessly cause the release of a hazardous substance and who conducts an environmental investigation and cleans up property by restoring the environment to the extent practicable and in accordance with rules promulgated by the Department. Upon completion of the cleanup, the person receives a "certificate of completion" that provides an exemption from the "Hazardous Substance Spills" statute and protection

January 25, 2000
Mr. Greg Schrab - Koch Refining Company LP
Page 2

BRRTS #02-72-197433

from future liability for the past releases. You must apply for the program by filling out an application form and fees are charged to cover administrative costs associated with the program. If you are interested in more information about the program or would like an application package, please call Loren Brumberg at the West Central Region Office in Eau Claire at 715-839-3770.

The Department appreciates the actions you have undertaken to restore the environment. If you have any questions, please feel free to call me at (715) 421-7850.

Sincerely,



Tom Hvizdak
Hydrogeologist

c: Greg Aldrian, Maxim Technologies, Inc., 555 72nd Ave., Wausau, WI 54401